



# Locate Delivery Performance

Start Date:	3/1/2024	OnTime	244,256	93.59%
End Date:	3/31/2024	Late	11,193	4.29%
		No 360 Response	5,543	2.12%
		Actionable Request	260,992	

UIO Name	Station Code	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	
156 Columbia St Inc (COLBIA123)	COLB01	16+	0	0.00%	0	0.00%	1	100.00%	1
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
407 ETR (407ETR)	407ETR01	0-5	63	100.00%	0	0.00%	0	0.00%	88
		6-10	0	0.00%	17	100.00%	0	0.00%	
		16+	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>63</b>	<b>71.59%</b>	<b>25</b>	<b>28.41%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>63</b>	<b>71.59%</b>	<b>25</b>	<b>28.41%</b>	<b>0</b>	<b>0.00%</b>	<b>88</b>	
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	162	100.00%	0	0.00%	0	0.00%	165
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>162</b>	<b>98.18%</b>	<b>2</b>	<b>1.21%</b>	<b>1</b>	<b>0.61%</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYTOS01	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	HYTOW01	0-5	13	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>13</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
<b>Total</b>		<b>184</b>	<b>98.40%</b>	<b>2</b>	<b>1.07%</b>	<b>1</b>	<b>0.53%</b>	<b>187</b>	
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	0-5	79	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>79</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>79</b>
	<b>Total</b>		<b>79</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>79</b>
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	9	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>9</b>	<b>75.00%</b>	<b>2</b>	<b>16.67%</b>	<b>1</b>	<b>8.33%</b>	<b>12</b>
	<b>Total</b>		<b>9</b>	<b>75.00%</b>	<b>2</b>	<b>16.67%</b>	<b>1</b>	<b>8.33%</b>	<b>12</b>
Admaston Bromley, Township Of (ADMBRM01)	ADMBRM01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Agilis (AGILF01)	AGILF01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	32	100.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>		<b>11</b>	<b>100.00%</b>	<b>32</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Agilis (AGILF01)	AGILF01	16+	0	0.00%	0	0.00%	15	100.00%	
		Total	11	16.67%	40	60.61%	15	22.73%	66
	Total	11	16.67%	40	60.61%	15	22.73%	66	
Aim Harrow Wind Farm (HARFW01)	HARFW01	6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total	0	0.00%	1	100.00%	0	0.00%	1	
Aim Sop Phase I Lp (AIMWF01)	AIMWF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		Total	2	100.00%	0	0.00%	0	0.00%	2
	Total	2	100.00%	0	0.00%	0	0.00%	2	
Air Liquide Canada (AL01)	AL01	0-5	12	100.00%	0	0.00%	0	0.00%	
		Total	12	100.00%	0	0.00%	0	0.00%	12
	Total	12	100.00%	0	0.00%	0	0.00%	12	
Air Products Canada (APC1)	APC1	0-5	8	100.00%	0	0.00%	0	0.00%	
		Total	8	100.00%	0	0.00%	0	0.00%	8
	Total	8	100.00%	0	0.00%	0	0.00%	8	
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	506	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		Total	506	98.83%	6	1.17%	0	0.00%	512
	Total	506	98.83%	6	1.17%	0	0.00%	512	
Alectra Brampton (ALECBR01)	ALECBR01	0-5	946	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Alectra Brampton (ALECBR01)	ALECBR01	16+	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>946</b>	<b>98.64%</b>	<b>13</b>	<b>1.36%</b>	<b>0</b>	<b>0.00%</b>	<b>959</b>
	<b>Total</b>	<b>946</b>	<b>98.64%</b>	<b>13</b>	<b>1.36%</b>	<b>0</b>	<b>0.00%</b>	<b>959</b>	
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	1,930	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	91	100.00%	0	0.00%	
		11-15	0	0.00%	21	100.00%	0	0.00%	
		16+	0	0.00%	17	100.00%	0	0.00%	
		<b>Total</b>	<b>1,930</b>	<b>93.73%</b>	<b>129</b>	<b>6.27%</b>	<b>0</b>	<b>0.00%</b>	<b>2,059</b>
	<b>Total</b>	<b>1,930</b>	<b>93.73%</b>	<b>129</b>	<b>6.27%</b>	<b>0</b>	<b>0.00%</b>	<b>2,059</b>	
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	1,586	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	19	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>1,586</b>	<b>98.39%</b>	<b>26</b>	<b>1.61%</b>	<b>0</b>	<b>0.00%</b>	<b>1,612</b>
	<b>Total</b>	<b>1,586</b>	<b>98.39%</b>	<b>26</b>	<b>1.61%</b>	<b>0</b>	<b>0.00%</b>	<b>1,612</b>	
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	487	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>487</b>	<b>99.80%</b>	<b>1</b>	<b>0.20%</b>	<b>0</b>	<b>0.00%</b>	<b>488</b>
	<b>Total</b>	<b>487</b>	<b>99.80%</b>	<b>1</b>	<b>0.20%</b>	<b>0</b>	<b>0.00%</b>	<b>488</b>	
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	2,510	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	16	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	11-15	0	0.00%	11	100.00%	0	0.00%	
		16+	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>2,510</b>	<b>98.74%</b>	<b>32</b>	<b>1.26%</b>	<b>0</b>	<b>0.00%</b>	
	PSGN05	0-5	805	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	11	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>805</b>	<b>98.41%</b>	<b>12</b>	<b>1.47%</b>	<b>1</b>	<b>0.12%</b>	
<b>Total</b>		<b>3,315</b>	<b>98.66%</b>	<b>44</b>	<b>1.31%</b>	<b>1</b>	<b>0.03%</b>	<b>3,360</b>	
Alectra Utilities (GHY01)	GHY01	0-5	383	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>383</b>	<b>97.95%</b>	<b>8</b>	<b>2.05%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>383</b>	<b>97.95%</b>	<b>8</b>	<b>2.05%</b>	<b>0</b>	<b>0.00%</b>	<b>391</b>
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	50	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>50</b>	<b>98.04%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.96%</b>	
<b>Total</b>		<b>50</b>	<b>98.04%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.96%</b>	<b>51</b>	
Algoma Power (AGMP01)	AGMP01	0-5	40	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>40</b>	<b>97.56%</b>	<b>1</b>	<b>2.44%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>40</b>	<b>97.56%</b>	<b>1</b>	<b>2.44%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Algonquin College (ALGQC01)	ALGQC01	0-5	3	100.00%	0	0.00%	0	0.00%	
		Total	3	100.00%	0	0.00%	0	0.00%	3
	Total		3	100.00%	0	0.00%	0	0.00%	3
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		Total	1	25.00%	0	0.00%	3	75.00%	4
	Total		1	25.00%	0	0.00%	3	75.00%	4
Algonquin Highlands	ALGHW01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Alpine Ski Club (ALPINE01)	ALPINE01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	3	100.00%	0	0.00%	0	0.00%	
		Total	3	100.00%	0	0.00%	0	0.00%	3
	Total		3	100.00%	0	0.00%	0	0.00%	3
Amherstburg Public Works (A005)	A005	0-5	216	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		Total	216	97.74%	5	2.26%	0	0.00%	221

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Amherstburg Public Works (A005)	AMHTL01	16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
	<b>Total</b>	<b>216</b>	<b>95.58%</b>	<b>5</b>	<b>2.21%</b>	<b>5</b>	<b>2.21%</b>	<b>226</b>	
Amherstburg Solar (AMHSFE01)	AMHSFE01	6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Apotex (APX2)	APX2	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	9	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>1</b>	<b>10.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>1</b>	<b>10.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>	
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Armstrong , Township Of (ARSG01)	ARSG01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Arnprior, Town Of (ARNPR01)</b>	ARNPR01	0-5	27	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>27</b>	<b>79.41%</b>	<b>7</b>	<b>20.59%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
	<b>Total</b>		<b>27</b>	<b>79.41%</b>	<b>7</b>	<b>20.59%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
<b>Arran-Ederslie, Township Of (ARELD01)</b>	ARELD01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>95.24%</b>	<b>1</b>	<b>4.76%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
	<b>Total</b>		<b>20</b>	<b>95.24%</b>	<b>1</b>	<b>4.76%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
<b>Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)</b>	ACWSS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	2	40.00%	3	60.00%	
		<b>Total</b>	<b>1</b>	<b>14.29%</b>	<b>2</b>	<b>28.57%</b>	<b>4</b>	<b>57.14%</b>	<b>7</b>
	ACWWS01	0-5	10	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>10</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>
<b>Total</b>		<b>11</b>	<b>57.89%</b>	<b>2</b>	<b>10.53%</b>	<b>6</b>	<b>31.58%</b>	<b>19</b>	
<b>Asphodel Norwood, Township Of (ASP NOR01)</b>	ASP NOR01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>11</b>	<b>91.67%</b>	<b>1</b>	<b>8.33%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
	<b>Total</b>		<b>11</b>	<b>91.67%</b>	<b>1</b>	<b>8.33%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Atikokan Hydro (ATH01)	ATH01	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>6</b>	<b>85.71%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>14.29%</b>	<b>7</b>
	<b>Total</b>	<b>6</b>	<b>85.71%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>14.29%</b>	<b>7</b>	
Atura Power Formerly Tc Energy (TCEN01)	TCEN01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	
Aurora, Town Of (AURORA01)	AURORA01	0-5	152	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	10	58.82%	7	41.18%	
		<b>Total</b>	<b>152</b>	<b>86.36%</b>	<b>17</b>	<b>9.66%</b>	<b>7</b>	<b>3.98%</b>	<b>176</b>
	<b>Total</b>	<b>152</b>	<b>86.36%</b>	<b>17</b>	<b>9.66%</b>	<b>7</b>	<b>3.98%</b>	<b>176</b>	
Avetria Networks Inc (ANF01)	ANF01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Avetria Networks Inc (ANF01)	ANF01	16+	0	0.00%	9	100.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>22.73%</b>	<b>17</b>	<b>77.27%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>
	<b>Total</b>	<b>5</b>	<b>22.73%</b>	<b>17</b>	<b>77.27%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>	
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	23	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>23</b>	<b>95.83%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.17%</b>	<b>24</b>
	OCWA01	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>29</b>	<b>96.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.33%</b>	<b>30</b>	
Bancroft, Town Of (BNCF01)	BNCF01	16+	0	0.00%	0	0.00%	19	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>	<b>100.00%</b>	<b>19</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>	<b>100.00%</b>	<b>19</b>	
Barrie, City Of (BARR01)	BARR01	0-5	685	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	29	100.00%	0	0.00%	
		11-15	0	0.00%	11	100.00%	0	0.00%	
	<b>Total</b>	<b>685</b>	<b>100.00%</b>	<b>29</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Barrie, City Of (BARR01)	BARR01	16+	0	0.00%	18	100.00%	0	0.00%	
		<b>Total</b>	<b>685</b>	<b>92.19%</b>	<b>58</b>	<b>7.81%</b>	<b>0</b>	<b>0.00%</b>	<b>743</b>
	<b>Total</b>	<b>685</b>	<b>92.19%</b>	<b>58</b>	<b>7.81%</b>	<b>0</b>	<b>0.00%</b>	<b>743</b>	
Bayham, Municipality Of (BYH01)	BYH01	0-5	16	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>16</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>
	<b>Total</b>	<b>16</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>	
Bayview Explorations Ltd (BVEPL01)	BVEPL01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	516	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	40	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	9	100.00%	
		16+	0	0.00%	2	0.87%	228	99.13%	
		<b>Total</b>	<b>516</b>	<b>64.91%</b>	<b>42</b>	<b>5.28%</b>	<b>237</b>	<b>29.81%</b>	<b>795</b>
	<b>Total</b>	<b>516</b>	<b>64.91%</b>	<b>42</b>	<b>5.28%</b>	<b>237</b>	<b>29.81%</b>	<b>795</b>	
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	231	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	8	100.00%	
		16+	0	0.00%	0	0.00%	268	100.00%	
		<b>Total</b>	<b>231</b>	<b>45.56%</b>	<b>0</b>	<b>0.00%</b>	<b>276</b>	<b>54.44%</b>	<b>507</b>
	<b>Total</b>	<b>231</b>	<b>45.56%</b>	<b>0</b>	<b>0.00%</b>	<b>276</b>	<b>54.44%</b>	<b>507</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Bell Aliant Damage Prevention (BA01)</b>	<b>BA80701</b>	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>BA80703</b>	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
	<b>BA80704</b>	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>BA80705</b>	0-5	11	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
	<b>BA80706</b>	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>BA80707</b>	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>BA80708</b>	0-5	70	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>70</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>70</b>
	<b>BA80709</b>	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>BA80710</b>	0-5	15	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>BA80711</b>	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
<b>BA80712</b>	0-5	3	100.00%	0	0.00%	0	0.00%		
	<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Bell Aliant Damage Prevention (BA01)</b>	<b>BAGE01</b>	0-5	447	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	22	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>447</b>	<b>94.50%</b>	<b>26</b>	<b>5.50%</b>	<b>0</b>	<b>0.00%</b>	
	<b>BAGN01</b>	0-5	36	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>BAGN02</b>	0-5	102	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	28	100.00%	0	0.00%	
		11-15	0	0.00%	12	100.00%	0	0.00%	
		16+	0	0.00%	9	100.00%	0	0.00%	
		<b>Total</b>	<b>102</b>	<b>67.55%</b>	<b>49</b>	<b>32.45%</b>	<b>0</b>	<b>0.00%</b>	
	<b>BAGW02</b>	0-5	311	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	21	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>311</b>	<b>91.74%</b>	<b>28</b>	<b>8.26%</b>	<b>0</b>	<b>0.00%</b>	
	<b>BAHN01</b>	0-5	32	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>32</b>	<b>88.89%</b>	<b>4</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	
	<b>BAOE01</b>	0-5	1,531	100.00%	0	0.00%	0	0.00%	
6-10		0	0.00%	5	100.00%	0	0.00%		
16+		0	0.00%	1	100.00%	0	0.00%		
<b>Total</b>		<b>1,531</b>	<b>99.61%</b>	<b>6</b>	<b>0.39%</b>	<b>0</b>	<b>0.00%</b>	<b>1,537</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Bell Aliant Damage Prevention (BA01)	BAONE01	0-5	1,138	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	139	100.00%	0	0.00%	
		11-15	0	0.00%	74	100.00%	0	0.00%	
		16+	0	0.00%	32	100.00%	0	0.00%	
		<b>Total</b>	<b>1,138</b>	<b>82.28%</b>	<b>245</b>	<b>17.72%</b>	<b>0</b>	<b>0.00%</b>	<b>1,383</b>
	BAONW01	0-5	25	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>25</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>
	BAONW02	0-5	12	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>80.00%</b>	<b>3</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	BAOS01	0-5	2,218	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	21	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>2,218</b>	<b>98.97%</b>	<b>22</b>	<b>0.98%</b>	<b>1</b>	<b>0.04%</b>	<b>2,241</b>
	BAOW01	0-5	2,221	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	17	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>2,221</b>	<b>99.15%</b>	<b>19</b>	<b>0.85%</b>	<b>0</b>	<b>0.00%</b>	<b>2,240</b>
	<b>Total</b>			<b>8,199</b>	<b>95.32%</b>	<b>402</b>	<b>4.67%</b>	<b>1</b>	<b>0.01%</b>
Bell Canada Damage Prevention (BC01)	360GTA	0-5	508	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Bell Canada Damage Prevention (BC01)</b>	<b>360GTA</b>	16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>508</b>	<b>98.07%</b>	<b>9</b>	<b>1.74%</b>	<b>1</b>	<b>0.19%</b>	<b>518</b>
	<b>360N</b>	0-5	86	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>86</b>	<b>97.73%</b>	<b>2</b>	<b>2.27%</b>	<b>0</b>	<b>0.00%</b>	<b>88</b>
	<b>360N01</b>	0-5	273	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>273</b>	<b>97.85%</b>	<b>6</b>	<b>2.15%</b>	<b>0</b>	<b>0.00%</b>	<b>279</b>
	<b>360OTT</b>	0-5	51	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>51</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>51</b>
	<b>BCGE01</b>	0-5	2,699	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	40	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>2,699</b>	<b>98.15%</b>	<b>51</b>	<b>1.85%</b>	<b>0</b>	<b>0.00%</b>	<b>2,750</b>
	<b>BCGN01</b>	0-5	3,446	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	19	100.00%	0	0.00%	
		11-15	0	0.00%	15	100.00%	0	0.00%	
		16+	0	0.00%	9	64.29%	5	35.71%	
		<b>Total</b>	<b>3,446</b>	<b>98.63%</b>	<b>43</b>	<b>1.23%</b>	<b>5</b>	<b>0.14%</b>	<b>3,494</b>
<b>BCGN02</b>	0-5	1,244	100.00%	0	0.00%	0	0.00%		
	6-10	0	0.00%	315	100.00%	0	0.00%		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Bell Canada Damage Prevention (BC01)	BCGN02	11-15	0	0.00%	203	100.00%	0	0.00%	
		16+	0	0.00%	62	95.38%	3	4.62%	
		<b>Total</b>	<b>1,244</b>	<b>68.09%</b>	<b>580</b>	<b>31.75%</b>	<b>3</b>	<b>0.16%</b>	<b>1,827</b>
	BCGTAA01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>95.24%</b>	<b>1</b>	<b>4.76%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
	BCGW01	0-5	3,636	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	81	100.00%	0	0.00%	
		11-15	0	0.00%	22	100.00%	0	0.00%	
		16+	0	0.00%	15	100.00%	0	0.00%	
		<b>Total</b>	<b>3,636</b>	<b>96.86%</b>	<b>118</b>	<b>3.14%</b>	<b>0</b>	<b>0.00%</b>	<b>3,754</b>
	BCGW02	0-5	294	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	7	100.00%	0	0.00%	
		<b>Total</b>	<b>294</b>	<b>95.45%</b>	<b>14</b>	<b>4.55%</b>	<b>0</b>	<b>0.00%</b>	<b>308</b>
	BCHN01	0-5	7,982	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	54	100.00%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	7	77.78%	2	22.22%	
		<b>Total</b>	<b>7,982</b>	<b>99.09%</b>	<b>71</b>	<b>0.88%</b>	<b>2</b>	<b>0.02%</b>	<b>8,055</b>
BCOE01	0-5	5,319	100.00%	0	0.00%	0	0.00%		
	6-10	0	0.00%	11	100.00%	0	0.00%		



			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request	
Bell Canada Damage Prevention (BC01)	BCOE01	11-15	0	0.00%	3	100.00%	0	0.00%		
		16+	0	0.00%	3	100.00%	0	0.00%		
		<b>Total</b>	<b>5,319</b>	<b>99.68%</b>	<b>17</b>	<b>0.32%</b>	<b>0</b>	<b>0.00%</b>		<b>5,336</b>
	BCONE01	0-5	151	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	38	100.00%	0	0.00%		
		11-15	0	0.00%	21	100.00%	0	0.00%		
		16+	0	0.00%	8	100.00%	0	0.00%		
		<b>Total</b>	<b>151</b>	<b>69.27%</b>	<b>67</b>	<b>30.73%</b>	<b>0</b>	<b>0.00%</b>		<b>218</b>
		BCOS01	0-5	3,242	100.00%	0	0.00%	0		0.00%
	6-10		0	0.00%	86	100.00%	0	0.00%		
	11-15		0	0.00%	6	100.00%	0	0.00%		
	16+		0	0.00%	7	100.00%	0	0.00%		
	<b>Total</b>		<b>3,242</b>	<b>97.04%</b>	<b>99</b>	<b>2.96%</b>	<b>0</b>	<b>0.00%</b>	<b>3,341</b>	
	BCOW01	0-5	4,635	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	74	100.00%	0	0.00%		
		11-15	0	0.00%	4	100.00%	0	0.00%		
		16+	0	0.00%	4	100.00%	0	0.00%		
		<b>Total</b>	<b>4,635</b>	<b>98.26%</b>	<b>82</b>	<b>1.74%</b>	<b>0</b>	<b>0.00%</b>		<b>4,717</b>
	BCTE01	0-5	2,755	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	51	100.00%	0	0.00%		
11-15		0	0.00%	20	100.00%	0	0.00%			
16+		0	0.00%	25	96.15%	1	3.85%			
<b>Total</b>		<b>2,755</b>	<b>96.60%</b>	<b>96</b>	<b>3.37%</b>	<b>1</b>	<b>0.04%</b>	<b>2,852</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Bell Canada Damage Prevention (BC01)	BCTW01N	0-5	1,463	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	71	100.00%	0	0.00%	
		11-15	0	0.00%	11	100.00%	0	0.00%	
		16+	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>1,463</b>	<b>94.45%</b>	<b>86</b>	<b>5.55%</b>	<b>0</b>	<b>0.00%</b>	<b>1,549</b>
	BCTW01S	0-5	1,858	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	14	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>1,858</b>	<b>98.94%</b>	<b>20</b>	<b>1.06%</b>	<b>0</b>	<b>0.00%</b>	<b>1,878</b>
<b>Total</b>		<b>39,662</b>	<b>96.65%</b>	<b>1,362</b>	<b>3.32%</b>	<b>12</b>	<b>0.03%</b>	<b>41,036</b>	
Belleville , City Of (BLV01)	BLV01	0-5	202	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>202</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>202</b>
	<b>Total</b>		<b>202</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>202</b>
Billings , Township Of (BLGWS01)	BLGWS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>		<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Birch Hill Telecom (BHTI01)	BHTI01	0-5	69	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>69</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>69</b>
	<b>Total</b>		<b>69</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>69</b>
Blackriver Matheson, Township Of (BRMS01)	BRMS01	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	14	100.00%	0	0.00%	0	0.00%	
		Total	14	100.00%	0	0.00%	0	0.00%	14
	Total		14	100.00%	0	0.00%	0	0.00%	14
Blind River , Town Of (BLR01)	BLR01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		Total	5	55.56%	4	44.44%	0	0.00%	9
	Total		5	55.56%	4	44.44%	0	0.00%	9
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	7	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	50.00%	2	50.00%	
		Total	7	63.64%	2	18.18%	2	18.18%	11
	Total		7	63.64%	2	18.18%	2	18.18%	11
Blue Mountain Village Association (BMVA01)	BMVA01	16+	0	0.00%	0	0.00%	3	100.00%	
		Total	0	0.00%	0	0.00%	3	100.00%	3
	Total		0	0.00%	0	0.00%	3	100.00%	3
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	112	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		Total	112	98.25%	2	1.75%	0	0.00%	114
	Total		112	98.25%	2	1.75%	0	0.00%	114
Bluewater Power (S003)	S003	0-5	555	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	26	100.00%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
	Total		555	100.00%	33	100.00%	0	0.00%	588

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Bluewater Power (S003)	S003	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	555	94.07%	33	5.59%	2	0.34%	590
	Total	555	94.07%	33	5.59%	2	0.34%	590	
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	37	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		Total	37	94.87%	2	5.13%	0	0.00%	39
	Total	37	94.87%	2	5.13%	0	0.00%	39	
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	5	100.00%	0	0.00%	0	0.00%	
		Total	5	100.00%	0	0.00%	0	0.00%	5
	Total	5	100.00%	0	0.00%	0	0.00%	5	
Bluewater, Municipality Of (BLW01)	BLW01	0-5	36	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		Total	36	94.74%	0	0.00%	2	5.26%	38
	Total	36	94.74%	0	0.00%	2	5.26%	38	
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		Total	2	100.00%	0	0.00%	0	0.00%	2
	Total	2	100.00%	0	0.00%	0	0.00%	2	
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	4	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Bonnechere Valley, Township Of (BCVWS01)</b>	BCVWS01	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
<b>Boralex (BOR123)</b>	BORWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	BORWF02	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	BORWF05	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	BORWF07	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	BORWF08	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
BORWF09	0-5	1	100.00%	0	0.00%	0	0.00%		
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
<b>Total</b>		<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>	
<b>Bracebridge , Town Of (BBRSS01)</b>	BBRSS01	0-5	30	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>30</b>	<b>93.75%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>6.25%</b>	<b>32</b>
	<b>Total</b>		<b>30</b>	<b>93.75%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>6.25%</b>	<b>32</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	91	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>91</b>	<b>94.79%</b>	<b>5</b>	<b>5.21%</b>	<b>0</b>	<b>0.00%</b>	
	BFWGSS01	0-5	95	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>95</b>	<b>95.00%</b>	<b>5</b>	<b>5.00%</b>	<b>0</b>	<b>0.00%</b>	
	BFWGW01	0-5	129	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>129</b>	<b>96.27%</b>	<b>5</b>	<b>3.73%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>315</b>	<b>95.45%</b>	<b>15</b>	<b>4.55%</b>	<b>0</b>	<b>0.00%</b>	<b>330</b>
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	201	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	42	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>201</b>	<b>80.72%</b>	<b>47</b>	<b>18.88%</b>	<b>1</b>	<b>0.40%</b>	
	<b>Total</b>			<b>201</b>	<b>80.72%</b>	<b>47</b>	<b>18.88%</b>	<b>1</b>	<b>0.40%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	661	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	95	100.00%	0	0.00%	
		11-15	0	0.00%	11	100.00%	0	0.00%	
		16+	0	0.00%	2	33.33%	4	66.67%	
		<b>Total</b>	<b>661</b>	<b>85.51%</b>	<b>108</b>	<b>13.97%</b>	<b>4</b>	<b>0.52%</b>	<b>773</b>
	<b>Total</b>	<b>661</b>	<b>85.51%</b>	<b>108</b>	<b>13.97%</b>	<b>4</b>	<b>0.52%</b>	<b>773</b>	
Brant, County Of - Fibre (BRNTF01)	BRNTF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Brant, County Of (BRNT01)	BRNT01	0-5	137	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	31	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	1	14.29%	6	85.71%	
		<b>Total</b>	<b>137</b>	<b>76.11%</b>	<b>37</b>	<b>20.56%</b>	<b>6</b>	<b>3.33%</b>	<b>180</b>
	<b>Total</b>	<b>137</b>	<b>76.11%</b>	<b>37</b>	<b>20.56%</b>	<b>6</b>	<b>3.33%</b>	<b>180</b>	
Brantford, The City Of (BRAS01)	BRAS01	0-5	186	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>186</b>	<b>96.88%</b>	<b>6</b>	<b>3.13%</b>	<b>0</b>	<b>0.00%</b>	<b>192</b>
	<b>Total</b>	<b>186</b>	<b>96.88%</b>	<b>6</b>	<b>3.13%</b>	<b>0</b>	<b>0.00%</b>	<b>192</b>	
Brantford, The City Of (BRASL01)	BRASL01	0-5	153	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Brantford, The City Of (BRASL01)	BRASL01	6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>153</b>	<b>97.45%</b>	<b>4</b>	<b>2.55%</b>	<b>0</b>	<b>0.00%</b>	<b>157</b>
	<b>Total</b>	<b>153</b>	<b>97.45%</b>	<b>4</b>	<b>2.55%</b>	<b>0</b>	<b>0.00%</b>	<b>157</b>	
Brantford, The City Of (BRATL01)	BRATL01	0-5	32	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
	<b>Total</b>	<b>32</b>	<b>94.12%</b>	<b>2</b>	<b>5.88%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	
	<b>Total</b>	<b>32</b>	<b>94.12%</b>	<b>2</b>	<b>5.88%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	81	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
	<b>Total</b>	<b>81</b>	<b>92.05%</b>	<b>7</b>	<b>7.95%</b>	<b>0</b>	<b>0.00%</b>	<b>88</b>	
	<b>Total</b>	<b>81</b>	<b>92.05%</b>	<b>7</b>	<b>7.95%</b>	<b>0</b>	<b>0.00%</b>	<b>88</b>	
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	49	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
	<b>Total</b>	<b>49</b>	<b>90.74%</b>	<b>5</b>	<b>9.26%</b>	<b>0</b>	<b>0.00%</b>	<b>54</b>	
	<b>Total</b>	<b>49</b>	<b>90.74%</b>	<b>5</b>	<b>9.26%</b>	<b>0</b>	<b>0.00%</b>	<b>54</b>	
Brock , Township Of (BRCK01)	BRCK01	0-5	26	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>26</b>	<b>96.30%</b>	<b>1</b>	<b>3.70%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>	
	<b>Total</b>	<b>26</b>	<b>96.30%</b>	<b>1</b>	<b>3.70%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Brock University (BROCKU01)	BROCKU01	0-5	3	100.00%	0	0.00%	0	0.00%	
		Total	3	100.00%	0	0.00%	0	0.00%	3
	Total		3	100.00%	0	0.00%	0	0.00%	3
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	29	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		Total	29	82.86%	1	2.86%	5	14.29%	35
	Total		29	82.86%	1	2.86%	5	14.29%	35
Brockville, City Of (BRKV01)	BRKV01	0-5	115	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	5	50.00%	5	50.00%	
		Total	115	92.00%	5	4.00%	5	4.00%	125
	Total		115	92.00%	5	4.00%	5	4.00%	125
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	12	100.00%	0	0.00%	0	0.00%	
		Total	12	100.00%	0	0.00%	0	0.00%	12
	Total		12	100.00%	0	0.00%	0	0.00%	12
Brooke Telecom (B004)	B004	0-5	141	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	141	99.30%	1	0.70%	0	0.00%	142
	Total		141	99.30%	1	0.70%	0	0.00%	142

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Bruce , County Of (BRC01)	BRC01	0-5	99	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>99</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>99</b>
	<b>Total</b>	<b>99</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>99</b>	
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	13	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>13</b>	<b>92.86%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>7.14%</b>	<b>14</b>
	<b>Total</b>	<b>13</b>	<b>92.86%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>7.14%</b>	<b>14</b>	
Bruce Telecom (BTL01)	BTL01	0-5	209	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>209</b>	<b>97.66%</b>	<b>5</b>	<b>2.34%</b>	<b>0</b>	<b>0.00%</b>	<b>214</b>
	<b>Total</b>	<b>209</b>	<b>97.66%</b>	<b>5</b>	<b>2.34%</b>	<b>0</b>	<b>0.00%</b>	<b>214</b>	
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Burlington Hydro (BH01)	BH01	0-5	1,411	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1,411</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,411</b>
	<b>Total</b>	<b>1,411</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,411</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Burlington, City Of (BRL123)	BRLSL01	0-5	801	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>801</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>801</b>
	BRLSS01	0-5	204	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>204</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>204</b>
	BRLTS01	0-5	28	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>28</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
<b>Total</b>			<b>1,033</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,033</b>
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	144	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>144</b>	<b>98.63%</b>	<b>2</b>	<b>1.37%</b>	<b>0</b>	<b>0.00%</b>	<b>146</b>
	<b>Total</b>			<b>144</b>	<b>98.63%</b>	<b>2</b>	<b>1.37%</b>	<b>0</b>	<b>0.00%</b>
Callander, Municipality Of (CLN01)	CLN01	0-5	16	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>16</b>	<b>94.12%</b>	<b>1</b>	<b>5.88%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>
	<b>Total</b>			<b>16</b>	<b>94.12%</b>	<b>1</b>	<b>5.88%</b>	<b>0</b>	<b>0.00%</b>
Cambridge, City Of (CAM123)	CAMS01	0-5	179	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	4	100.00%	
		16+	0	0.00%	2	1.83%	107	98.17%	
		<b>Total</b>	<b>179</b>	<b>61.30%</b>	<b>2</b>	<b>0.68%</b>	<b>111</b>	<b>38.01%</b>	<b>292</b>
	CAMW01	0-5	179	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	5	100.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Cambridge, City Of (CAM123)	CAMW01	16+	0	0.00%	1	0.95%	104	99.05%	
		<b>Total</b>	<b>179</b>	<b>61.51%</b>	<b>3</b>	<b>1.03%</b>	<b>109</b>	<b>37.46%</b>	<b>291</b>
	<b>Total</b>	<b>358</b>	<b>61.41%</b>	<b>5</b>	<b>0.86%</b>	<b>220</b>	<b>37.74%</b>	<b>583</b>	
Cameron Petroleum (CAMPL01)	CAMPL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	
<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>		
Canadian Niagara Power (CNP01)	CNP01	0-5	328	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>328</b>	<b>99.70%</b>	<b>1</b>	<b>0.30%</b>	<b>0</b>	<b>0.00%</b>	<b>329</b>	
<b>Total</b>	<b>328</b>	<b>99.70%</b>	<b>1</b>	<b>0.30%</b>	<b>0</b>	<b>0.00%</b>	<b>329</b>		
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	0	0.00%	0	0.00%	10	100.00%	
		16+	0	0.00%	0	0.00%	166	100.00%	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>176</b>	<b>100.00%</b>	<b>176</b>	
<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>176</b>	<b>100.00%</b>	<b>176</b>		
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	85	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
	<b>Total</b>	<b>85</b>	<b>97.70%</b>	<b>2</b>	<b>2.30%</b>	<b>0</b>	<b>0.00%</b>	<b>87</b>	
<b>Total</b>	<b>85</b>	<b>97.70%</b>	<b>2</b>	<b>2.30%</b>	<b>0</b>	<b>0.00%</b>	<b>87</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Cascara Energy - Formerly Guelph Municipal Holdings (ECEPL01)	ECEPL01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	27	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	27	87.10%	3	9.68%	1	3.23%	31
	Total		27	87.10%	3	9.68%	1	3.23%	31
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	2	100.00%	0	0.00%	0	0.00%	
		Total	2	100.00%	0	0.00%	0	0.00%	2
	Total		2	100.00%	0	0.00%	0	0.00%	2
Cedar Point Ii Wind Farm (CP2WF01)	CP2WF01	0-5	14	100.00%	0	0.00%	0	0.00%	
		Total	14	100.00%	0	0.00%	0	0.00%	14
	Total		14	100.00%	0	0.00%	0	0.00%	14
Celerity Telecom Inc (CTI01)	CTI01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	91	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Central Elgin, Municipality Of (CELGN01)	CELGN01	16+	0	0.00%	0	0.00%	3	100.00%	
		Total	91	95.79%	1	1.05%	3	3.16%	95
	Total		91	95.79%	1	1.05%	3	3.16%	95
Central Frontenac , Township Of (CFS01)	CFS01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Central Huron, Municipality Of (CHW01)	CHW01	0-5	24	100.00%	0	0.00%	0	0.00%	
		Total	24	100.00%	0	0.00%	0	0.00%	24
	Total		24	100.00%	0	0.00%	0	0.00%	24
Centre Hastings, Municipality Of (CHS01)	CHS01	0-5	6	100.00%	0	0.00%	0	0.00%	
		Total	6	100.00%	0	0.00%	0	0.00%	6
	Total		6	100.00%	0	0.00%	0	0.00%	6
Centre Wellington Communications (CWC01)	CWC01	0-5	13	100.00%	0	0.00%	0	0.00%	
		Total	13	100.00%	0	0.00%	0	0.00%	13
	Total		13	100.00%	0	0.00%	0	0.00%	13
Centre Wellington Hydro (CWH01)	CWH01	0-5	117	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
	Total	117	98.32%	0	0.00%	2	1.68%	119	
	Total		117	98.32%	0	0.00%	2	1.68%	119
Centre Wellington, Township Of (CTW01)	CTW01	0-5	155	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Centre Wellington, Township Of (CTW01)	CTW01	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>155</b>	<b>99.36%</b>	<b>1</b>	<b>0.64%</b>	<b>0</b>	<b>0.00%</b>	<b>156</b>
	<b>Total</b>	<b>155</b>	<b>99.36%</b>	<b>1</b>	<b>0.64%</b>	<b>0</b>	<b>0.00%</b>	<b>156</b>	
Century Link (LVL3)	LVL3	0-5	379	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	15	93.75%	1	6.25%	
		<b>Total</b>	<b>379</b>	<b>93.81%</b>	<b>24</b>	<b>5.94%</b>	<b>1</b>	<b>0.25%</b>	<b>404</b>
	<b>Total</b>	<b>379</b>	<b>93.81%</b>	<b>24</b>	<b>5.94%</b>	<b>1</b>	<b>0.25%</b>	<b>404</b>	
Champlain, Township Of (CHPLN123)	CHPLS01	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>
	CHPLSL01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	CHPLSS01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	CHPLW01	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>
<b>Total</b>	<b>2</b>	<b>15.38%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>84.62%</b>	<b>13</b>		
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	185	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	37	100.00%	0	0.00%	
	<b>Total</b>	<b>185</b>	<b>83.33%</b>	<b>37</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	<b>222</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Chatham Kent PUC (CKPUC123)	CKPUC02	0-5	263	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		<b>Total</b>	<b>263</b>	<b>96.69%</b>	<b>9</b>	<b>3.31%</b>	<b>0</b>	<b>0.00%</b>	
	CKPUC03	0-5	94	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	17	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>94</b>	<b>83.93%</b>	<b>17</b>	<b>15.18%</b>	<b>1</b>	<b>0.89%</b>	
<b>Total</b>			<b>542</b>	<b>89.44%</b>	<b>63</b>	<b>10.40%</b>	<b>1</b>	<b>0.17%</b>	<b>606</b>
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	32	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>32</b>	<b>86.49%</b>	<b>5</b>	<b>13.51%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>32</b>	<b>86.49%</b>	<b>5</b>	<b>13.51%</b>	<b>0</b>	<b>0.00%</b>
Chatham Resources (CRPL01)	CRPL01	0-5	12	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>12</b>	<b>85.71%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>14.29%</b>	
	<b>Total</b>			<b>12</b>	<b>85.71%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>14.29%</b>
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	19	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>19</b>	<b>95.00%</b>	<b>1</b>	<b>5.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>19</b>	<b>95.00%</b>	<b>1</b>	<b>5.00%</b>	<b>0</b>	<b>0.00%</b>
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	7	100.00%	0	0.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Chatsworth, Township Of (CTSWW01)	CTSWW01	6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>2</b>	<b>22.22%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>2</b>	<b>22.22%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	16+	0	0.00%	0	0.00%	29	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>	<b>100.00%</b>	<b>29</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>	<b>100.00%</b>	<b>29</b>	
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	8	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	
Cik Telecom (CIKT01)	CIKT01	0-5	59	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>59</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>59</b>
	<b>Total</b>	<b>59</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>59</b>	
City Of Woodstock Street Light & Traffic Signals Wdsitl01 (WDSLTL01)	WDSLTL01	0-5	54	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	6	100.00%	
		16+	0	0.00%	0	0.00%	108	100.00%	
		<b>Total</b>	<b>54</b>	<b>30.51%</b>	<b>9</b>	<b>5.08%</b>	<b>114</b>	<b>64.41%</b>	<b>177</b>
	<b>Total</b>	<b>54</b>	<b>30.51%</b>	<b>9</b>	<b>5.08%</b>	<b>114</b>	<b>64.41%</b>	<b>177</b>	
Ckpw Chatham Township Garage (CK08)	CK08	0-5	17	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Ckpw Chatham Township Garage (CK08)	CK08	6-10	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>17</b>	<b>62.96%</b>	<b>10</b>	<b>37.04%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>
	<b>Total</b>	<b>17</b>	<b>62.96%</b>	<b>10</b>	<b>37.04%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>	
Ckpw Chatham Water Garage (CK01)	CK01	0-5	72	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>72</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>72</b>
	<b>Total</b>	<b>72</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>72</b>	
Ckpw Dover Township Garage (CK06)	CK06	0-5	24	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>24</b>	<b>85.71%</b>	<b>4</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
	<b>Total</b>	<b>24</b>	<b>85.71%</b>	<b>4</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	
Ckpw Kent Centre Garage (CK03)	CK03	0-5	43	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>43</b>	<b>93.48%</b>	<b>2</b>	<b>4.35%</b>	<b>1</b>	<b>2.17%</b>	<b>46</b>
	<b>Total</b>	<b>43</b>	<b>93.48%</b>	<b>2</b>	<b>4.35%</b>	<b>1</b>	<b>2.17%</b>	<b>46</b>	
Ckpw Raleigh Garage (CK04)	CK04	0-5	55	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>55</b>	<b>87.30%</b>	<b>8</b>	<b>12.70%</b>	<b>0</b>	<b>0.00%</b>	<b>63</b>
	<b>Total</b>	<b>55</b>	<b>87.30%</b>	<b>8</b>	<b>12.70%</b>	<b>0</b>	<b>0.00%</b>	<b>63</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Ckpw Thamesville Garage (CK09)	CK09	0-5	13	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>13</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
	<b>Total</b>		<b>13</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
Ckpw Tilbury East Garage (CK05)	CK05	0-5	106	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
	<b>Total</b>	<b>106</b>	<b>98.15%</b>	<b>2</b>	<b>1.85%</b>	<b>0</b>	<b>0.00%</b>	<b>108</b>	
	<b>Total</b>		<b>106</b>	<b>98.15%</b>	<b>2</b>	<b>1.85%</b>	<b>0</b>	<b>0.00%</b>	<b>108</b>
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	36	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>		<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	66	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>66</b>	<b>95.65%</b>	<b>3</b>	<b>4.35%</b>	<b>0</b>	<b>0.00%</b>	<b>69</b>
	<b>Total</b>		<b>66</b>	<b>95.65%</b>	<b>3</b>	<b>4.35%</b>	<b>0</b>	<b>0.00%</b>	<b>69</b>
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	100	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>100</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>100</b>
	CLRGSS01	0-5	42	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>42</b>	<b>97.67%</b>	<b>1</b>	<b>2.33%</b>	<b>0</b>	<b>0.00%</b>	<b>43</b>
	<b>Total</b>		<b>142</b>	<b>99.30%</b>	<b>1</b>	<b>0.70%</b>	<b>0</b>	<b>0.00%</b>	<b>143</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>63.64%</b>	<b>4</b>	<b>36.36%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
	<b>Total</b>		<b>7</b>	<b>63.64%</b>	<b>4</b>	<b>36.36%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
Clearford (LBWW01)	LBWW01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>		<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
Clearview, Township Of (CLRV01)	CLRV01	0-5	53	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>53</b>	<b>98.15%</b>	<b>1</b>	<b>1.85%</b>	<b>0</b>	<b>0.00%</b>	<b>54</b>
	<b>Total</b>		<b>53</b>	<b>98.15%</b>	<b>1</b>	<b>1.85%</b>	<b>0</b>	<b>0.00%</b>	<b>54</b>
Cobalt , Town Of (CBLWSS01)	CBLWSS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>		<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Cobourg, Town Of (CBRG123)	CBRG01	0-5	111	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	28.57%	5	71.43%	
		<b>Total</b>	<b>111</b>	<b>94.07%</b>	<b>2</b>	<b>1.69%</b>	<b>5</b>	<b>4.24%</b>	<b>118</b>
	<b>Total</b>		<b>111</b>	<b>94.07%</b>	<b>2</b>	<b>1.69%</b>	<b>5</b>	<b>4.24%</b>	<b>118</b>
Cochrane Telecom Services (CCT01)	CCT01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
	<b>Total</b>		<b>7</b>	<b>100.00%</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Cochrane Telecom Services (CCT01)	CCT01	16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>7</b>	<b>53.85%</b>	<b>5</b>	<b>38.46%</b>	<b>1</b>	<b>7.69%</b>	<b>13</b>
	<b>Total</b>	<b>7</b>	<b>53.85%</b>	<b>5</b>	<b>38.46%</b>	<b>1</b>	<b>7.69%</b>	<b>13</b>	
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Cogeco Cable Canada (CBT1)	CBT1	0-5	1,517	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	14	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>1,517</b>	<b>98.76%</b>	<b>18</b>	<b>1.17%</b>	<b>1</b>	<b>0.07%</b>	<b>1,536</b>
	<b>Total</b>	<b>1,517</b>	<b>98.76%</b>	<b>18</b>	<b>1.17%</b>	<b>1</b>	<b>0.07%</b>	<b>1,536</b>	
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	1,146	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	7.14%	13	92.86%	
		<b>Total</b>	<b>1,146</b>	<b>98.20%</b>	<b>8</b>	<b>0.69%</b>	<b>13</b>	<b>1.11%</b>	<b>1,167</b>
	<b>Total</b>	<b>1,146</b>	<b>98.20%</b>	<b>8</b>	<b>0.69%</b>	<b>13</b>	<b>1.11%</b>	<b>1,167</b>	
Cogeco Cable Canada (CPVS2)	CBT2	0-5	346	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Cogeco Cable Canada (CPVS2)	CBT2	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>346</b>	<b>97.19%</b>	<b>10</b>	<b>2.81%</b>	<b>0</b>	<b>0.00%</b>	<b>356</b>
	CPVS2	0-5	433	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>433</b>	<b>97.74%</b>	<b>10</b>	<b>2.26%</b>	<b>0</b>	<b>0.00%</b>	<b>443</b>
<b>Total</b>		<b>779</b>	<b>97.50%</b>	<b>20</b>	<b>2.50%</b>	<b>0</b>	<b>0.00%</b>	<b>799</b>	
Cogeco Connexion	COGOW02	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Cogeco Connexion North East (CCNE123)	COGE01	0-5	835	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>835</b>	<b>99.64%</b>	<b>2</b>	<b>0.24%</b>	<b>1</b>	<b>0.12%</b>	<b>838</b>
	COOE01	0-5	488	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>488</b>	<b>99.39%</b>	<b>3</b>	<b>0.61%</b>	<b>0</b>	<b>0.00%</b>	<b>491</b>
	COONE01	0-5	359	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Cogeco Connexion North East (CCNE123)	COONE01	11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>359</b>	<b>98.09%</b>	<b>7</b>	<b>1.91%</b>	<b>0</b>	<b>0.00%</b>	<b>366</b>
	<b>Total</b>	<b>1,682</b>	<b>99.23%</b>	<b>12</b>	<b>0.71%</b>	<b>1</b>	<b>0.06%</b>	<b>1,695</b>	
Cogeco Connexion Southwest (CC01)	COC01	0-5	233	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>233</b>	<b>97.49%</b>	<b>6</b>	<b>2.51%</b>	<b>0</b>	<b>0.00%</b>	<b>239</b>
	COE01	0-5	773	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	33	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	3	60.00%	2	40.00%	
	<b>Total</b>	<b>773</b>	<b>95.08%</b>	<b>38</b>	<b>4.67%</b>	<b>2</b>	<b>0.25%</b>	<b>813</b>	
	COL01	0-5	466	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>466</b>	<b>99.36%</b>	<b>3</b>	<b>0.64%</b>	<b>0</b>	<b>0.00%</b>	<b>469</b>
	<b>Total</b>	<b>1,472</b>	<b>96.78%</b>	<b>47</b>	<b>3.09%</b>	<b>2</b>	<b>0.13%</b>	<b>1,521</b>	
	Coleman, Township Of (CLMN01)	CLMN01	16+	0	0.00%	0	0.00%	1	100.00%
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Collingwood Public Utilities (COLL123)	COLLS01	0-5	48	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	20	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Collingwood Public Utilities (COLL123)	COLLS01	16+	0	0.00%	2	50.00%	2	50.00%	
		<b>Total</b>	<b>48</b>	<b>62.34%</b>	<b>27</b>	<b>35.06%</b>	<b>2</b>	<b>2.60%</b>	<b>77</b>
	COLLW01	0-5	77	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	11	91.67%	1	8.33%	
		<b>Total</b>	<b>77</b>	<b>86.52%</b>	<b>11</b>	<b>12.36%</b>	<b>1</b>	<b>1.12%</b>	<b>89</b>
<b>Total</b>		<b>125</b>	<b>75.30%</b>	<b>38</b>	<b>22.89%</b>	<b>3</b>	<b>1.81%</b>	<b>166</b>	
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>		<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
Communicate Freely (CFF01)	CFF01	0-5	62	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
	<b>Total</b>		<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	31	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	32	100.00%	0	0.00%	
		11-15	0	0.00%	2	66.67%	1	33.33%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>31</b>	<b>41.89%</b>	<b>34</b>	<b>45.95%</b>	<b>9</b>	<b>12.16%</b>	<b>74</b>
<b>Total</b>		<b>31</b>	<b>41.89%</b>	<b>34</b>	<b>45.95%</b>	<b>9</b>	<b>12.16%</b>	<b>74</b>	
Cornwall , City Of (CRWL123)	CRWLSL01	0-5	26	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
	CRWLTS01	0-5	9	100.00%	0	0.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Cornwall , City Of (CRWL123)	CRWLTS01	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>1</b>	<b>10.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
Cornwall Electric (CE01)	CE01	0-5	162	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	4	100.00%	
		16+	0	0.00%	0	0.00%	12	100.00%	
	<b>Total</b>	<b>162</b>	<b>91.01%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>	<b>8.99%</b>	<b>178</b>	
<b>Total</b>	<b>162</b>	<b>91.01%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>	<b>8.99%</b>	<b>178</b>		
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	56	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>56</b>	<b>98.25%</b>	<b>1</b>	<b>1.75%</b>	<b>0</b>	<b>0.00%</b>	<b>57</b>	
<b>Total</b>	<b>56</b>	<b>98.25%</b>	<b>1</b>	<b>1.75%</b>	<b>0</b>	<b>0.00%</b>	<b>57</b>		
Craigleith Ski Club (CGLSC01)	CGLSC01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
	<b>Total</b>	<b>11</b>	<b>68.75%</b>	<b>5</b>	<b>31.25%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>	
<b>Total</b>	<b>11</b>	<b>68.75%</b>	<b>5</b>	<b>31.25%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	20	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>
	<b>Total</b>	<b>20</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>	
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	93	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>93</b>	<b>93.00%</b>	<b>6</b>	<b>6.00%</b>	<b>1</b>	<b>1.00%</b>	<b>100</b>
	<b>Total</b>	<b>93</b>	<b>93.00%</b>	<b>6</b>	<b>6.00%</b>	<b>1</b>	<b>1.00%</b>	<b>100</b>	
Dbi Services (DBIS01)	DBIS01	0-5	11	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
	<b>Total</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	
Deep River , Town Of (DRI01)	DRI01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Deseronto , Town Of (DSR01)	DSR01	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Dofasco (Arcelormittal) (AMD01)</b>	AMD01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>1</b>	<b>20.00%</b>	<b>3</b>	<b>60.00%</b>	<b>1</b>	<b>20.00%</b>	<b>5</b>
	<b>Total</b>	<b>1</b>	<b>20.00%</b>	<b>3</b>	<b>60.00%</b>	<b>1</b>	<b>20.00%</b>	<b>5</b>	
<b>Dotto One (DTONF01)</b>	DTONF01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
<b>Douro-Dummer, Township Of (DRODUM01)</b>	DRODUM01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
<b>Dow Chemical Canada (DOWPL01)</b>	DOWPL01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
<b>Dowser Gas Company Ltd (Pipeline) (DWGP01)</b>	DWGP01	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
<b>Dryden, City Of (DRYD01)</b>	DRYD01	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Dubreuville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Dufferin County (DFRN01)	DFRN01	0-5	17	100.00%	0	0.00%	0	0.00%	
		Total	17	100.00%	0	0.00%	0	0.00%	17
	Total		17	100.00%	0	0.00%	0	0.00%	17
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		Total	2	100.00%	0	0.00%	0	0.00%	2
	Total		2	100.00%	0	0.00%	0	0.00%	2
Durham One Net	DON01	0-5	7	100.00%	0	0.00%	0	0.00%	
		Total	7	100.00%	0	0.00%	0	0.00%	7
	Total		7	100.00%	0	0.00%	0	0.00%	7
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	410	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		Total	410	99.51%	2	0.49%	0	0.00%	412
	DURWS02	0-5	401	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	401	99.50%	1	0.25%	1	0.25%	403

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Durham Region Water And Sewer (DURWS123)	DURWS03	0-5	109	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>109</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>109</b>
	DURWS04	0-5	40	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>40</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>40</b>
	DURWS05	0-5	17	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>17</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>
<b>Total</b>			<b>977</b>	<b>99.59%</b>	<b>3</b>	<b>0.31%</b>	<b>1</b>	<b>0.10%</b>	<b>981</b>
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	341	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	13	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>341</b>	<b>95.79%</b>	<b>13</b>	<b>3.65%</b>	<b>2</b>	<b>0.56%</b>	<b>356</b>
	<b>Total</b>			<b>341</b>	<b>95.79%</b>	<b>13</b>	<b>3.65%</b>	<b>2</b>	<b>0.56%</b>
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	19	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>19</b>	<b>79.17%</b>	<b>5</b>	<b>20.83%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>
	<b>Total</b>			<b>19</b>	<b>79.17%</b>	<b>5</b>	<b>20.83%</b>	<b>0</b>	<b>0.00%</b>
Dysart Et Al. (DYST123)	DYST01	16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>	<b>6</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
E L K Energy Inc (E001)	E001	0-5	111	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>111</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>111</b>
	<b>Total</b>		<b>111</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>111</b>
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>		<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	66	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	72	100.00%	0	0.00%	
		<b>Total</b>	<b>66</b>	<b>47.83%</b>	<b>72</b>	<b>52.17%</b>	<b>0</b>	<b>0.00%</b>	<b>138</b>
	EGWLSS01	0-5	35	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>
	EGWLW01	0-5	46	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>46</b>	<b>97.87%</b>	<b>1</b>	<b>2.13%</b>	<b>0</b>	<b>0.00%</b>	<b>47</b>
	EGWLWW01	0-5	36	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>97.30%</b>	<b>1</b>	<b>2.70%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>
<b>Total</b>		<b>183</b>	<b>71.21%</b>	<b>74</b>	<b>28.79%</b>	<b>0</b>	<b>0.00%</b>	<b>257</b>	
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>		<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>17</b>	<b>80.95%</b>	<b>2</b>	<b>9.52%</b>	<b>2</b>	<b>9.52%</b>	<b>21</b>
	<b>Total</b>		<b>17</b>	<b>80.95%</b>	<b>2</b>	<b>9.52%</b>	<b>2</b>	<b>9.52%</b>	<b>21</b>
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	36	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>90.00%</b>	<b>4</b>	<b>10.00%</b>	<b>0</b>	<b>0.00%</b>	<b>40</b>
	<b>Total</b>		<b>36</b>	<b>90.00%</b>	<b>4</b>	<b>10.00%</b>	<b>0</b>	<b>0.00%</b>	<b>40</b>
Eastern Ontario Power (EOP01)	EOP01	0-5	39	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>39</b>	<b>84.78%</b>	<b>2</b>	<b>4.35%</b>	<b>5</b>	<b>10.87%</b>	<b>46</b>
	<b>Total</b>		<b>39</b>	<b>84.78%</b>	<b>2</b>	<b>4.35%</b>	<b>5</b>	<b>10.87%</b>	<b>46</b>
Eastern Power Inc (EP01)	EP01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
Eastlink (EL123)	ELGE01	0-5	43	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>43</b>	<b>95.56%</b>	<b>2</b>	<b>4.44%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>
	ELGN02	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Eastlink (EL123)	ELOE01	0-5	84	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>84</b>	<b>91.30%</b>	<b>7</b>	<b>7.61%</b>	<b>1</b>	<b>1.09%</b>	
	ELOE02	0-5	75	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	14	100.00%	0	0.00%	
		<b>Total</b>	<b>75</b>	<b>83.33%</b>	<b>15</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	
	ELONE01	0-5	179	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>179</b>	<b>96.76%</b>	<b>5</b>	<b>2.70%</b>	<b>1</b>	<b>0.54%</b>	
	ELONE02	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	ELONE03	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	
	ELONE04	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	22	100.00%	0	0.00%	
11-15		0	0.00%	3	100.00%	0	0.00%		
16+		0	0.00%	0	0.00%	1	100.00%		
<b>Total</b>		<b>10</b>	<b>27.78%</b>	<b>25</b>	<b>69.44%</b>	<b>1</b>	<b>2.78%</b>	<b>36</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Eastlink (EL123)	ELONE05	0-5	33	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>33</b>	<b>97.06%</b>	<b>1</b>	<b>2.94%</b>	<b>0</b>	<b>0.00%</b>	
	ELONE06	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>8</b>	<b>72.73%</b>	<b>1</b>	<b>9.09%</b>	<b>2</b>	<b>18.18%</b>	
	ELONE07	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>80.00%</b>	<b>3</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	
	ELONE09	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	
	ELOS01	0-5	56	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>56</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	ELOS02	0-5	232	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>232</b>	<b>98.72%</b>	<b>2</b>	<b>0.85%</b>	<b>1</b>	<b>0.43%</b>	
	ELOW01	0-5	119	100.00%	0	0.00%	0	0.00%	
6-10		0	0.00%	2	100.00%	0	0.00%		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Eastlink (EL123)	ELOW01	11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>119</b>	<b>97.54%</b>	<b>3</b>	<b>2.46%</b>	<b>0</b>	<b>0.00%</b>	<b>122</b>
	ELOW02	0-5	78	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>78</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>78</b>
	ELOW03	0-5	164	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>164</b>	<b>99.39%</b>	<b>1</b>	<b>0.61%</b>	<b>0</b>	<b>0.00%</b>	<b>165</b>
	ELOW04	0-5	102	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>102</b>	<b>95.33%</b>	<b>5</b>	<b>4.67%</b>	<b>0</b>	<b>0.00%</b>	<b>107</b>
	ELOW05	0-5	177	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	16	100.00%	0	0.00%	
		<b>Total</b>	<b>177</b>	<b>91.71%</b>	<b>16</b>	<b>8.29%</b>	<b>0</b>	<b>0.00%</b>	<b>193</b>
	ELOW06	0-5	58	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	20	100.00%	0	0.00%	
		<b>Total</b>	<b>58</b>	<b>74.36%</b>	<b>20</b>	<b>25.64%</b>	<b>0</b>	<b>0.00%</b>	<b>78</b>
	ELOW07	0-5	68	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>68</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>68</b>
	MKDLC01	0-5	47	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>47</b>	<b>90.38%</b>	<b>5</b>	<b>9.62%</b>	<b>0</b>	<b>0.00%</b>	<b>52</b>
	<b>Total</b>		<b>1,557</b>	<b>92.90%</b>	<b>113</b>	<b>6.74%</b>	<b>6</b>	<b>0.36%</b>	<b>1,676</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>2</b>	<b>40.00%</b>	<b>1</b>	<b>20.00%</b>	<b>2</b>	<b>40.00%</b>	<b>5</b>
	<b>Total</b>	<b>2</b>	<b>40.00%</b>	<b>1</b>	<b>20.00%</b>	<b>2</b>	<b>40.00%</b>	<b>5</b>	
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	85	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>85</b>	<b>95.51%</b>	<b>4</b>	<b>4.49%</b>	<b>0</b>	<b>0.00%</b>	<b>89</b>
	SFNF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>86</b>	<b>94.51%</b>	<b>5</b>	<b>5.49%</b>	<b>0</b>	<b>0.00%</b>	<b>91</b>	
	Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	322	100.00%	0	0.00%	0	0.00%
6-10			0	0.00%	11	100.00%	0	0.00%	
<b>Total</b>			<b>322</b>	<b>96.70%</b>	<b>11</b>	<b>3.30%</b>	<b>0</b>	<b>0.00%</b>	<b>333</b>
ELX02		0-5	305	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	13	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Elxicon Energy Formerly Veridian (ELX123)	ELX02	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>305</b>	<b>95.31%</b>	<b>14</b>	<b>4.38%</b>	<b>1</b>	<b>0.31%</b>	<b>320</b>
	ELX03	0-5	109	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>109</b>	<b>97.32%</b>	<b>3</b>	<b>2.68%</b>	<b>0</b>	<b>0.00%</b>	<b>112</b>
	ELX04	0-5	147	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>147</b>	<b>99.32%</b>	<b>1</b>	<b>0.68%</b>	<b>0</b>	<b>0.00%</b>	<b>148</b>
	ELXGE01	0-5	131	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>131</b>	<b>97.04%</b>	<b>4</b>	<b>2.96%</b>	<b>0</b>	<b>0.00%</b>	<b>135</b>
	ELXGE02	0-5	56	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>56</b>	<b>96.55%</b>	<b>2</b>	<b>3.45%</b>	<b>0</b>	<b>0.00%</b>	<b>58</b>
	ELXONE01	0-5	104	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>104</b>	<b>99.05%</b>	<b>1</b>	<b>0.95%</b>	<b>0</b>	<b>0.00%</b>	<b>105</b>
	ELXWHGE1	0-5	286	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>286</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>286</b>
	<b>Total</b>			<b>1,460</b>	<b>97.53%</b>	<b>36</b>	<b>2.40%</b>	<b>1</b>	<b>0.07%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	0-5	10	100.00%	0	0.00%	0	0.00%	
		Total	10	100.00%	0	0.00%	0	0.00%	10
	Total		10	100.00%	0	0.00%	0	0.00%	10
Elgin, County Of (ELGNE01)	ELGNE01	0-5	9	100.00%	0	0.00%	0	0.00%	
		Total	9	100.00%	0	0.00%	0	0.00%	9
	Total		9	100.00%	0	0.00%	0	0.00%	9
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	20	83.33%	1	4.17%	3	12.50%	24
	Total		20	83.33%	1	4.17%	3	12.50%	24
Emerald Energy From Waste Inc (ALGQP01)	ALGQP01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Emo , Township Of (EMOWS01)	EMOWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	7	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
	Total	7	77.78%	2	22.22%	0	0.00%	9	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGW1	0-5	30	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>30</b>	<b>90.91%</b>	<b>3</b>	<b>9.09%</b>	<b>0</b>	<b>0.00%</b>	
	ENNEBOE1	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>46</b>	<b>90.20%</b>	<b>5</b>	<b>9.80%</b>	<b>0</b>	<b>0.00%</b>
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	86	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>86</b>	<b>93.48%</b>	<b>6</b>	<b>6.52%</b>	<b>0</b>	<b>0.00%</b>	
	ENVMGN01	0-5	116	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>116</b>	<b>99.15%</b>	<b>1</b>	<b>0.85%</b>	<b>0</b>	<b>0.00%</b>	
	ENVMGN02	0-5	71	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>71</b>	<b>98.61%</b>	<b>1</b>	<b>1.39%</b>	<b>0</b>	<b>0.00%</b>	
	ENVMGW01	0-5	115	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>115</b>	<b>88.46%</b>	<b>11</b>	<b>8.46%</b>	<b>4</b>	<b>3.08%</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Enbridge Distribution Vital Mains (ENVM123)	ENVMHN01	0-5	12	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>	
	ENVMOE01	0-5	106	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>106</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	ENVMTE01	0-5	127	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>127</b>	<b>94.78%</b>	<b>7</b>	<b>5.22%</b>	<b>0</b>	<b>0.00%</b>	
	ENVMTW1 N	0-5	88	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>88</b>	<b>91.67%</b>	<b>8</b>	<b>8.33%</b>	<b>0</b>	<b>0.00%</b>	
	ENVMTW1S	11-15	0	0.00%	0	0.00%	5	100.00%	
16+		0	0.00%	0	0.00%	100	100.00%		
<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>105</b>	<b>100.00%</b>	<b>105</b>	
<b>Total</b>			<b>721</b>	<b>83.35%</b>	<b>35</b>	<b>4.05%</b>	<b>109</b>	<b>12.60%</b>	<b>865</b>
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	5,032	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	93	100.00%	0	0.00%	
		11-15	0	0.00%	11	47.83%	12	52.17%	
		16+	0	0.00%	11	91.67%	1	8.33%	
		<b>Total</b>	<b>5,032</b>	<b>97.52%</b>	<b>115</b>	<b>2.23%</b>	<b>13</b>	<b>0.25%</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Enbridge Gas (Legacy Union Gas) (UG1)	EN2OE01	0-5	1,332	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	20	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1,332</b>	<b>98.38%</b>	<b>22</b>	<b>1.62%</b>	<b>0</b>	<b>0.00%</b>	
	ENONE01	0-5	1,181	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	18	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>1,181</b>	<b>98.09%</b>	<b>23</b>	<b>1.91%</b>	<b>0</b>	<b>0.00%</b>	
	ENONW01	0-5	29	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>29</b>	<b>80.56%</b>	<b>3</b>	<b>8.33%</b>	<b>4</b>	<b>11.11%</b>	
	ENONW02	0-5	297	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>297</b>	<b>98.67%</b>	<b>4</b>	<b>1.33%</b>	<b>0</b>	<b>0.00%</b>	
	ENOS01	0-5	5,094	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	165	100.00%	0	0.00%	
11-15		0	0.00%	10	100.00%	0	0.00%		
16+		0	0.00%	4	50.00%	4	50.00%		
<b>Total</b>		<b>5,094</b>	<b>96.53%</b>	<b>179</b>	<b>3.39%</b>	<b>4</b>	<b>0.08%</b>	<b>5,277</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Enbridge Gas (Legacy Union Gas) (UG1)	ENOW01	0-5	4,624	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	130	100.00%	0	0.00%	
		11-15	0	0.00%	6	85.71%	1	14.29%	
		16+	0	0.00%	3	75.00%	1	25.00%	
		<b>Total</b>	<b>4,624</b>	<b>97.04%</b>	<b>139</b>	<b>2.92%</b>	<b>2</b>	<b>0.04%</b>	<b>4,765</b>
	<b>Total</b>	<b>17,589</b>	<b>97.19%</b>	<b>485</b>	<b>2.68%</b>	<b>23</b>	<b>0.13%</b>	<b>18,097</b>	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	115	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>115</b>	<b>95.83%</b>	<b>5</b>	<b>4.17%</b>	<b>0</b>	<b>0.00%</b>	<b>120</b>
	ENCLCHT	0-5	64	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>64</b>	<b>95.52%</b>	<b>3</b>	<b>4.48%</b>	<b>0</b>	<b>0.00%</b>	<b>67</b>
	ENCLEST	0-5	74	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>74</b>	<b>97.37%</b>	<b>1</b>	<b>1.32%</b>	<b>1</b>	<b>1.32%</b>	<b>76</b>
	ENCLHAL	0-5	75	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>75</b>	<b>98.68%</b>	<b>1</b>	<b>1.32%</b>	<b>0</b>	<b>0.00%</b>	<b>76</b>
	ENCLHAM	0-5	156	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
16+		0	0.00%	1	100.00%	0	0.00%		
<b>Total</b>		<b>156</b>	<b>96.89%</b>	<b>5</b>	<b>3.11%</b>	<b>0</b>	<b>0.00%</b>	<b>161</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Enbridge Gas Critical Lines (Legacy Union)(UG1CL)</b>	<b>ENCLLDN</b>	0-5	211	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	12	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>211</b>	<b>94.20%</b>	<b>13</b>	<b>5.80%</b>	<b>0</b>	<b>0.00%</b>	
	<b>ENCLNTH</b>	0-5	90	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>90</b>	<b>93.75%</b>	<b>6</b>	<b>6.25%</b>	<b>0</b>	<b>0.00%</b>	
	<b>ENCLNW01</b>	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>ENCLNW02</b>	0-5	21	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>ENCLSAR</b>	0-5	111	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>111</b>	<b>98.23%</b>	<b>2</b>	<b>1.77%</b>	<b>0</b>	<b>0.00%</b>	
	<b>ENCLWAT</b>	0-5	261	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	19	100.00%	0	0.00%	
		<b>Total</b>	<b>261</b>	<b>93.21%</b>	<b>19</b>	<b>6.79%</b>	<b>0</b>	<b>0.00%</b>	
	<b>ENCLWIN</b>	0-5	169	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	12	100.00%	0	0.00%	
11-15		0	0.00%	1	100.00%	0	0.00%		
16+		0	0.00%	1	33.33%	2	66.67%		
<b>Total</b>		<b>169</b>	<b>91.35%</b>	<b>14</b>	<b>7.57%</b>	<b>2</b>	<b>1.08%</b>	<b>185</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Enbridge Gas Critical Lines (Legacy Union)(UG1CL)</b>	<b>Total</b>		<b>1,352</b>	<b>94.94%</b>	<b>69</b>	<b>4.85%</b>	<b>3</b>	<b>0.21%</b>	<b>1,424</b>
<b>Enbridge Gas Distribution (ENB1)</b>	<b>ENGE01</b>	0-5	2,597	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	89	100.00%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	4	57.14%	3	42.86%	
		<b>Total</b>	<b>2,597</b>	<b>96.19%</b>	<b>100</b>	<b>3.70%</b>	<b>3</b>	<b>0.11%</b>	
	<b>ENGN01</b>	0-5	3,523	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	42	100.00%	0	0.00%	
		11-15	0	0.00%	14	100.00%	0	0.00%	
		16+	0	0.00%	6	85.71%	1	14.29%	
		<b>Total</b>	<b>3,523</b>	<b>98.24%</b>	<b>62</b>	<b>1.73%</b>	<b>1</b>	<b>0.03%</b>	
	<b>ENGN02</b>	0-5	1,812	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	31	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>1,812</b>	<b>98.05%</b>	<b>36</b>	<b>1.95%</b>	<b>0</b>	<b>0.00%</b>	
	<b>ENGTA01</b>	0-5	26	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>26</b>	<b>96.30%</b>	<b>1</b>	<b>3.70%</b>	<b>0</b>	<b>0.00%</b>	
	<b>ENGW01</b>	0-5	2,972	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	162	100.00%	0	0.00%	
		11-15	0	0.00%	28	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Enbridge Gas Distribution (ENB1)	ENGW01	16+	0	0.00%	12	54.55%	10	45.45%	
		<b>Total</b>	<b>2,972</b>	<b>93.34%</b>	<b>202</b>	<b>6.34%</b>	<b>10</b>	<b>0.31%</b>	<b>3,184</b>
	ENGW02	0-5	542	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	35	100.00%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	7	100.00%	0	0.00%	
		<b>Total</b>	<b>542</b>	<b>91.71%</b>	<b>49</b>	<b>8.29%</b>	<b>0</b>	<b>0.00%</b>	<b>591</b>
	ENHN01	0-5	2,771	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	19	100.00%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	
		16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>2,771</b>	<b>99.00%</b>	<b>27</b>	<b>0.96%</b>	<b>1</b>	<b>0.04%</b>	<b>2,799</b>
	ENOE01	0-5	4,942	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	38	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>4,942</b>	<b>99.12%</b>	<b>43</b>	<b>0.86%</b>	<b>1</b>	<b>0.02%</b>	<b>4,986</b>
	ENTE01	0-5	2,819	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	98	100.00%	0	0.00%	
		11-15	0	0.00%	12	100.00%	0	0.00%	
16+		0	0.00%	11	84.62%	2	15.38%		
<b>Total</b>		<b>2,819</b>	<b>95.82%</b>	<b>121</b>	<b>4.11%</b>	<b>2</b>	<b>0.07%</b>	<b>2,942</b>	

			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request	
Enbridge Gas Distribution (ENB1)	ENTW01N	0-5	1,408	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	154	100.00%	0	0.00%		
		11-15	0	0.00%	14	100.00%	0	0.00%		
		16+	0	0.00%	5	100.00%	0	0.00%		
		<b>Total</b>	<b>1,408</b>	<b>89.06%</b>	<b>173</b>	<b>10.94%</b>	<b>0</b>	<b>0.00%</b>		<b>1,581</b>
	ENTW01S	0-5	1,763	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	24	100.00%	0	0.00%		
		11-15	0	0.00%	6	100.00%	0	0.00%		
		16+	0	0.00%	6	100.00%	0	0.00%		
		<b>Total</b>	<b>1,763</b>	<b>98.00%</b>	<b>36</b>	<b>2.00%</b>	<b>0</b>	<b>0.00%</b>		<b>1,799</b>
	<b>Total</b>			<b>25,175</b>	<b>96.67%</b>	<b>850</b>	<b>3.26%</b>	<b>18</b>	<b>0.07%</b>	<b>26,043</b>
	Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	53	100.00%	0	0.00%	0	0.00%	
			<b>Total</b>	<b>53</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
		<b>Total</b>			<b>53</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	51	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	2	100.00%	0	0.00%		
		<b>Total</b>	<b>51</b>	<b>96.23%</b>	<b>2</b>	<b>3.77%</b>	<b>0</b>	<b>0.00%</b>		<b>53</b>
	EN21	0-5	108	100.00%	0	0.00%	0	0.00%		
		11-15	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>108</b>	<b>99.08%</b>	<b>1</b>	<b>0.92%</b>	<b>0</b>	<b>0.00%</b>		<b>109</b>
	EN22	0-5	12	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	2	100.00%	0	0.00%		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Enbridge Gas Storage And Transmission(ENSTO)	EN22	11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>80.00%</b>	<b>3</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>		<b>171</b>	<b>96.61%</b>	<b>6</b>	<b>3.39%</b>	<b>0</b>	<b>0.00%</b>	<b>177</b>
Enbridge Pipelines (EP123)	I001	0-5	33	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	7	100.00%	0	0.00%	
		<b>Total</b>	<b>33</b>	<b>80.49%</b>	<b>8</b>	<b>19.51%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
	I010	0-5	410	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	48	100.00%	0	0.00%	
		11-15	0	0.00%	15	100.00%	0	0.00%	
		16+	0	0.00%	13	100.00%	0	0.00%	
		<b>Total</b>	<b>410</b>	<b>84.36%</b>	<b>76</b>	<b>15.64%</b>	<b>0</b>	<b>0.00%</b>	<b>486</b>
	I011	0-5	95	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>95</b>	<b>90.48%</b>	<b>10</b>	<b>9.52%</b>	<b>0</b>	<b>0.00%</b>	<b>105</b>
	I012	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Enbridge Pipelines (EP123)	I012	16+	0	0.00%	37	100.00%	0	0.00%	
		<b>Total</b>	<b>11</b>	<b>19.64%</b>	<b>45</b>	<b>80.36%</b>	<b>0</b>	<b>0.00%</b>	<b>56</b>
	<b>Total</b>	<b>549</b>	<b>79.80%</b>	<b>139</b>	<b>20.20%</b>	<b>0</b>	<b>0.00%</b>	<b>688</b>	
Englehart , Town Of (EGHT01)	EGHT01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
	<b>Total</b>	<b>2</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>50.00%</b>	<b>4</b>	
	<b>Total</b>	<b>2</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>50.00%</b>	<b>4</b>	
Enniskillen, Township Of (E002)	E002	0-5	94	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>94</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>94</b>
	<b>Total</b>	<b>94</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>94</b>	
Enova Power (ENOVA123)	EPWAT01	0-5	369	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	18	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>369</b>	<b>95.10%</b>	<b>19</b>	<b>4.90%</b>	<b>0</b>	<b>0.00%</b>	<b>388</b>
	EPWEL01	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	EPWOL01	0-5	158	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>158</b>	<b>96.93%</b>	<b>5</b>	<b>3.07%</b>	<b>0</b>	<b>0.00%</b>	<b>163</b>

			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request	
Enova Power (ENOVA123)	KWH01	0-5	584	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	96	100.00%	0	0.00%		
		11-15	0	0.00%	7	100.00%	0	0.00%		
		<b>Total</b>	<b>584</b>	<b>85.01%</b>	<b>103</b>	<b>14.99%</b>	<b>0</b>	<b>0.00%</b>		<b>687</b>
	KWH02	0-5	71	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	3	100.00%	0	0.00%		
		11-15	0	0.00%	0	0.00%	7	100.00%		
		16+	0	0.00%	0	0.00%	23	100.00%		
		<b>Total</b>	<b>71</b>	<b>68.27%</b>	<b>3</b>	<b>2.88%</b>	<b>30</b>	<b>28.85%</b>		<b>104</b>
	<b>Total</b>			<b>1,217</b>	<b>88.32%</b>	<b>131</b>	<b>9.51%</b>	<b>30</b>	<b>2.18%</b>	<b>1,378</b>
	Entegrus (EPICK01)	CKSL01	0-5	117	100.00%	0	0.00%	0	0.00%	
			6-10	0	0.00%	1	100.00%	0	0.00%	
			16+	0	0.00%	1	100.00%	0	0.00%	
			<b>Total</b>	<b>117</b>	<b>98.32%</b>	<b>2</b>	<b>1.68%</b>	<b>0</b>	<b>0.00%</b>	
EPICK01		0-5	249	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	2	100.00%	0	0.00%		
		16+	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>249</b>	<b>98.81%</b>	<b>3</b>	<b>1.19%</b>	<b>0</b>	<b>0.00%</b>		<b>252</b>
EPIMP01		0-5	116	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	4	100.00%	0	0.00%		
		<b>Total</b>	<b>116</b>	<b>96.67%</b>	<b>4</b>	<b>3.33%</b>	<b>0</b>	<b>0.00%</b>		<b>120</b>
<b>Total</b>				<b>482</b>	<b>98.17%</b>	<b>9</b>	<b>1.83%</b>	<b>0</b>	<b>0.00%</b>	<b>491</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Entegrus Powerlines Inc " St. Thomas (EPISTT01)	EPISTT01	0-5	113	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	17	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>113</b>	<b>84.96%</b>	<b>20</b>	<b>15.04%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>113</b>	<b>84.96%</b>	<b>20</b>	<b>15.04%</b>	<b>0</b>	<b>0.00%</b>	<b>133</b>
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	16	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>16</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>16</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	99	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	63	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>99</b>	<b>60.74%</b>	<b>63</b>	<b>38.65%</b>	<b>1</b>	<b>0.61%</b>	
	ENWV02	0-5	23	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	16	100.00%	0	0.00%	
		<b>Total</b>	<b>23</b>	<b>58.97%</b>	<b>16</b>	<b>41.03%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>122</b>	<b>60.40%</b>	<b>79</b>	<b>39.11%</b>	<b>1</b>	<b>0.50%</b>	<b>202</b>
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	148	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	31	100.00%	0	0.00%	
		11-15	0	0.00%	9	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Enwin Utilities - Electrical (EWINE01)	EWINE01	16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>148</b>	<b>77.89%</b>	<b>41</b>	<b>21.58%</b>	<b>1</b>	<b>0.53%</b>	<b>190</b>
	<b>Total</b>	<b>148</b>	<b>77.89%</b>	<b>41</b>	<b>21.58%</b>	<b>1</b>	<b>0.53%</b>	<b>190</b>	
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	116	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	36	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>116</b>	<b>74.84%</b>	<b>38</b>	<b>24.52%</b>	<b>1</b>	<b>0.65%</b>	<b>155</b>
	<b>Total</b>	<b>116</b>	<b>74.84%</b>	<b>38</b>	<b>24.52%</b>	<b>1</b>	<b>0.65%</b>	<b>155</b>	
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	148	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>148</b>	<b>99.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.67%</b>	<b>149</b>
	<b>Total</b>	<b>148</b>	<b>99.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.67%</b>	<b>149</b>	
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	155	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	13	100.00%	0	0.00%	
		11-15	0	0.00%	3	75.00%	1	25.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>155</b>	<b>87.57%</b>	<b>16</b>	<b>9.04%</b>	<b>6</b>	<b>3.39%</b>	<b>177</b>
	EPNG02	0-5	77	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>77</b>	<b>98.72%</b>	<b>1</b>	<b>1.28%</b>	<b>0</b>	<b>0.00%</b>	<b>78</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Epcor Natural GasLP (EPNG123)</b>	EPNG03	0-5	70	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>70</b>	<b>97.22%</b>	<b>2</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>72</b>
	<b>Total</b>		<b>302</b>	<b>92.35%</b>	<b>19</b>	<b>5.81%</b>	<b>6</b>	<b>1.83%</b>	<b>327</b>
<b>Erie Shores Wind Farm (ESWF01)</b>	ESWF01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>		<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
<b>Erieau Wind Farm (EWF01)</b>	EWF01	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
	<b>Total</b>		<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
<b>Erin, Town Of (ERN01)</b>	ERN01	11-15	0	0.00%	0	0.00%	3	100.00%	
		16+	0	0.00%	0	0.00%	25	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>
<b>Erin, Town Of (ERNSL01)</b>	ERNS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	ERNSL01	0-5	45	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>45</b>	<b>97.83%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.17%</b>	<b>46</b>
<b>Total</b>		<b>52</b>	<b>98.11%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.89%</b>	<b>53</b>	
<b>Erth Power Corporation (ETP01)</b>	ETP01	0-5	266	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	21	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Erth Power Corporation (ETP01)	ETP01	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>266</b>	<b>92.36%</b>	<b>21</b>	<b>7.29%</b>	<b>1</b>	<b>0.35%</b>	<b>288</b>
	<b>Total</b>	<b>266</b>	<b>92.36%</b>	<b>21</b>	<b>7.29%</b>	<b>1</b>	<b>0.35%</b>	<b>288</b>	
Erth Power Corporation (ETP02)	ETP02	0-5	83	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>83</b>	<b>97.65%</b>	<b>2</b>	<b>2.35%</b>	<b>0</b>	<b>0.00%</b>	<b>85</b>
	<b>Total</b>	<b>83</b>	<b>97.65%</b>	<b>2</b>	<b>2.35%</b>	<b>0</b>	<b>0.00%</b>	<b>85</b>	
Espanola , Town Of (ESP01)	ESP01	0-5	21	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
	<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>	
Espanola Hydro (ERH01)	ERH01	0-5	22	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>22</b>	<b>95.65%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.35%</b>	<b>23</b>
	<b>Total</b>	<b>22</b>	<b>95.65%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.35%</b>	<b>23</b>	
Essa, Township Of (ESA123)	ESASSL01	0-5	9	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	20.00%	4	80.00%	
		<b>Total</b>	<b>9</b>	<b>50.00%</b>	<b>5</b>	<b>27.78%</b>	<b>4</b>	<b>22.22%</b>	<b>18</b>
	ESAWS01	0-5	9	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Essa, Township Of (ESA123)	ESAWS01	11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	20.00%	4	80.00%	
		<b>Total</b>	<b>9</b>	<b>50.00%</b>	<b>5</b>	<b>27.78%</b>	<b>4</b>	<b>22.22%</b>	<b>18</b>
	<b>Total</b>		<b>18</b>	<b>50.00%</b>	<b>10</b>	<b>27.78%</b>	<b>8</b>	<b>22.22%</b>	<b>36</b>
Essex County Highways (ESXTS01)	ESXTS01	0-5	36	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
	<b>Total</b>	<b>36</b>	<b>90.00%</b>	<b>2</b>	<b>5.00%</b>	<b>2</b>	<b>5.00%</b>	<b>40</b>	
<b>Total</b>		<b>36</b>	<b>90.00%</b>	<b>2</b>	<b>5.00%</b>	<b>2</b>	<b>5.00%</b>	<b>40</b>	
Essex Powerlines Corp (A006)	A006	0-5	456	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	28	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>456</b>	<b>94.02%</b>	<b>29</b>	<b>5.98%</b>	<b>0</b>	<b>0.00%</b>	<b>485</b>	
<b>Total</b>		<b>456</b>	<b>94.02%</b>	<b>29</b>	<b>5.98%</b>	<b>0</b>	<b>0.00%</b>	<b>485</b>	
Essex, Town Of (CO01)	CO01	0-5	52	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>52</b>	<b>83.87%</b>	<b>10</b>	<b>16.13%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
<b>Total</b>		<b>52</b>	<b>83.87%</b>	<b>10</b>	<b>16.13%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>	
Execulink Telecom (EXTEL123)	ASC2	0-5	162	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>162</b>	<b>95.86%</b>	<b>7</b>	<b>4.14%</b>	<b>0</b>	<b>0.00%</b>	<b>169</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Execulink Telecom (EXTEL123)	EXEC01	0-5	348	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	17	100.00%	0	0.00%	
		<b>Total</b>	<b>348</b>	<b>95.34%</b>	<b>17</b>	<b>4.66%</b>	<b>0</b>	<b>0.00%</b>	
	HT01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>	
	HTF1	0-5	25	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>25</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	NE01	16+	0	0.00%	0	0.00%	10	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>	<b>100.00%</b>	
	NEK01	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>552</b>	<b>94.04%</b>	<b>25</b>	<b>4.26%</b>	<b>10</b>	<b>1.70%</b>
Fanshawe College - Private Property (FSWC02)	FSWC02	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>
Fanshawe College (FSWC01)	FSWC01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>66.67%</b>	
	<b>Total</b>			<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>66.67%</b>
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA02)	TAQA02	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	0	0.00%	0	0.00%	2	100.00%	2
	Total		0	0.00%	0	0.00%	2	100.00%	2
Festival Hydro (FESTH01)	FESTH01	0-5	263	100.00%	0	0.00%	0	0.00%	
		Total	263	100.00%	0	0.00%	0	0.00%	263
	Total		263	100.00%	0	0.00%	0	0.00%	263
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	0	0.00%	0	0.00%	4	100.00%	
		Total	0	0.00%	0	0.00%	4	100.00%	4
	Total		0	0.00%	0	0.00%	4	100.00%	4
Fisher Wavy Inc (FSWVY01)	FSWVY01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Ford Canada - Windsor Plant	FORDW01	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	2	100.00%	2
	Total		0	0.00%	0	0.00%	2	100.00%	2
Forest Estates 394075 Ontario Ltd. (FREST01)	FREST01	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	0	0.00%	0	0.00%	2	100.00%	2
	Total		0	0.00%	0	0.00%	2	100.00%	2
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	256	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Fort Erie, Town Of (FRTE01)	FRTE01	16+	0	0.00%	1	100.00%	0	0.00%	
		Total	256	99.22%	2	0.78%	0	0.00%	258
	Total		256	99.22%	2	0.78%	0	0.00%	258
Fort Frances Power (FFP01)	FFP01	0-5	8	100.00%	0	0.00%	0	0.00%	
		Total	8	100.00%	0	0.00%	0	0.00%	8
	Total		8	100.00%	0	0.00%	0	0.00%	8
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	10	100.00%	0	0.00%	0	0.00%	
		Total	10	100.00%	0	0.00%	0	0.00%	10
	Total		10	100.00%	0	0.00%	0	0.00%	10
French River, Municipality Of (FFR01)	FFR01	16+	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Fu Fiber Inc (FUF01)	FUF01	0-5	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	11	100.00%	
		Total	3	21.43%	0	0.00%	11	78.57%	14
	Total		3	21.43%	0	0.00%	11	78.57%	14
Gananoque, Town Of (GNQWST01)	GNQWST01	0-5	32	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		Total	32	88.89%	4	11.11%	0	0.00%	36
	Total		32	88.89%	4	11.11%	0	0.00%	36



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Ganaraska Wind Farm	GNKWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Gbtel Inc (GBT01)	GBT01	0-5	64	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	18	100.00%	0	0.00%	
		<b>Total</b>	<b>64</b>	<b>78.05%</b>	<b>18</b>	<b>21.95%</b>	<b>0</b>	<b>0.00%</b>	<b>82</b>
	<b>Total</b>	<b>64</b>	<b>78.05%</b>	<b>18</b>	<b>21.95%</b>	<b>0</b>	<b>0.00%</b>	<b>82</b>	
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	52	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>52</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>52</b>
	<b>Total</b>	<b>52</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>52</b>	
Georgian Bluffs , Township Of (GB01)	GB01	0-5	6	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>6</b>	<b>54.55%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>45.45%</b>	<b>11</b>
	GBSL01	0-5	4	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>4</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>33.33%</b>	<b>6</b>
		<b>Total</b>	<b>10</b>	<b>58.82%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>41.18%</b>	<b>17</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Georgian College (GRGNC01)	GRGNC01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Georgina, Town Of (GGN123)	GGN01	0-5	289	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>289</b>	<b>94.75%</b>	<b>16</b>	<b>5.25%</b>	<b>0</b>	<b>0.00%</b>	<b>305</b>
	<b>Total</b>	<b>289</b>	<b>94.75%</b>	<b>16</b>	<b>5.25%</b>	<b>0</b>	<b>0.00%</b>	<b>305</b>	
Glenfred Gas Wells (GFGW01)	GFGW01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Goderich, Town Of (GDR123)	GDRHS01	0-5	44	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>44</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>44</b>
	GDRHW01	0-5	42	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
	<b>Total</b>	<b>42</b>	<b>95.45%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>4.55%</b>	<b>44</b>	
<b>Total</b>	<b>86</b>	<b>97.73%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>2.27%</b>	<b>88</b>		
Gore Bay , Town Of (GBY01)	GBY01	0-5	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Gosfield North Communications (G001)	G001	0-5	71	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	4	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>71</b>	<b>92.21%</b>	<b>1</b>	<b>1.30%</b>	<b>5</b>	<b>6.49%</b>	<b>77</b>
<b>Total</b>			<b>71</b>	<b>92.21%</b>	<b>1</b>	<b>1.30%</b>	<b>5</b>	<b>6.49%</b>	<b>77</b>
Gosfield Wind Limited Partnership (BFP01)	BFP01	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Government Of Canada (GOC01)	GOC01	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
		<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
Grand Bend Wind Lp (GBWF01)	GBWF01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
Grand Renewable Solar Project (GRSP01)	GRSP01	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>70.59%</b>	<b>5</b>	<b>29.41%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>
	<b>Total</b>		<b>12</b>	<b>70.59%</b>	<b>5</b>	<b>29.41%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>
Grand River Hospital Corp. - KW Campus And Freeport Campus (FPGRH01)	FPGRH01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Grandbridge Energy (Legacy Brantford Power) (BRAP01)	BRAP01	0-5	380	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>380</b>	<b>98.45%</b>	<b>6</b>	<b>1.55%</b>	<b>0</b>	<b>0.00%</b>	<b>386</b>
	<b>Total</b>		<b>380</b>	<b>98.45%</b>	<b>6</b>	<b>1.55%</b>	<b>0</b>	<b>0.00%</b>	<b>386</b>
Grandbridge Energy (Legacy Energy Plus) (CNDH01)	CNDH01	0-5	779	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>779</b>	<b>99.62%</b>	<b>3</b>	<b>0.38%</b>	<b>0</b>	<b>0.00%</b>	<b>782</b>
	<b>Total</b>		<b>779</b>	<b>99.62%</b>	<b>3</b>	<b>0.38%</b>	<b>0</b>	<b>0.00%</b>	<b>782</b>
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	89	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>89</b>	<b>95.70%</b>	<b>4</b>	<b>4.30%</b>	<b>0</b>	<b>0.00%</b>	<b>93</b>
	<b>Total</b>		<b>89</b>	<b>95.70%</b>	<b>4</b>	<b>4.30%</b>	<b>0</b>	<b>0.00%</b>	<b>93</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	89	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>89</b>	<b>95.70%</b>	<b>4</b>	<b>4.30%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>89</b>	<b>95.70%</b>	<b>4</b>	<b>4.30%</b>	<b>0</b>	<b>0.00%</b>	<b>93</b>	
Greater Essex County District School Board - Facility (GEDSB02)	GEDSB02	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	
<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>		
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	80	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
	<b>Total</b>	<b>80</b>	<b>88.89%</b>	<b>10</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>90</b>	
<b>Total</b>	<b>80</b>	<b>88.89%</b>	<b>10</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>90</b>		
Greater Sudbury Hydro (SH01)	SH01	0-5	112	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	11	100.00%	
		16+	0	0.00%	0	0.00%	170	100.00%	
	<b>Total</b>	<b>112</b>	<b>38.10%</b>	<b>1</b>	<b>0.34%</b>	<b>181</b>	<b>61.56%</b>	<b>294</b>	
<b>Total</b>	<b>112</b>	<b>38.10%</b>	<b>1</b>	<b>0.34%</b>	<b>181</b>	<b>61.56%</b>	<b>294</b>		
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	16+	0	0.00%	0	0.00%	14	100.00%	
		<b>Total</b>	<b>11</b>	<b>42.31%</b>	<b>1</b>	<b>3.85%</b>	<b>14</b>	<b>53.85%</b>	<b>26</b>
		<b>Total</b>	<b>11</b>	<b>42.31%</b>	<b>1</b>	<b>3.85%</b>	<b>14</b>	<b>53.85%</b>	<b>26</b>
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	85	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	11	100.00%	
		16+	0	0.00%	0	0.00%	139	100.00%	
		<b>Total</b>	<b>85</b>	<b>36.17%</b>	<b>0</b>	<b>0.00%</b>	<b>150</b>	<b>63.83%</b>	<b>235</b>
	<b>Total</b>	<b>85</b>	<b>36.17%</b>	<b>0</b>	<b>0.00%</b>	<b>150</b>	<b>63.83%</b>	<b>235</b>	
Greater Sudbury Hydro Plus Inc. - Street Lights West Nipissing (SH02)	SH02	0-5	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>2</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>80.00%</b>	<b>10</b>
	<b>Total</b>	<b>2</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>80.00%</b>	<b>10</b>	
Greater Sudbury, City Of (GSBY123)	GSBY03	0-5	15	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	GSBYS01	0-5	222	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>222</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>222</b>
	GSBYSS01	0-5	140	100.00%	0	0.00%	0	0.00%	
	<b>Total</b>	<b>140</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>140</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Greater Sudbury, City Of (GSBY123)	GSBYW01	0-5	231	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>231</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>231</b>
	<b>Total</b>	<b>608</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>608</b>	
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	15	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	
Greenfield South Power Corporation (EP02)	EP02	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>1</b>	<b>25.00%</b>	<b>1</b>	<b>25.00%</b>	<b>2</b>	<b>50.00%</b>	<b>4</b>
	<b>Total</b>	<b>1</b>	<b>25.00%</b>	<b>1</b>	<b>25.00%</b>	<b>2</b>	<b>50.00%</b>	<b>4</b>	
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>17</b>	<b>80.95%</b>	<b>3</b>	<b>14.29%</b>	<b>1</b>	<b>4.76%</b>	<b>21</b>
	<b>Total</b>	<b>17</b>	<b>80.95%</b>	<b>3</b>	<b>14.29%</b>	<b>1</b>	<b>4.76%</b>	<b>21</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Grey, County Of (GREY01)	GREY01	0-5	41	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>41</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
	<b>Total</b>		<b>41</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	168	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>168</b>	<b>99.41%</b>	<b>1</b>	<b>0.59%</b>	<b>0</b>	<b>0.00%</b>	<b>169</b>
	<b>Total</b>		<b>168</b>	<b>99.41%</b>	<b>1</b>	<b>0.59%</b>	<b>0</b>	<b>0.00%</b>	<b>169</b>
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	188	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>188</b>	<b>98.43%</b>	<b>3</b>	<b>1.57%</b>	<b>0</b>	<b>0.00%</b>	<b>191</b>
	<b>Total</b>		<b>188</b>	<b>98.43%</b>	<b>3</b>	<b>1.57%</b>	<b>0</b>	<b>0.00%</b>	<b>191</b>
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	152	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>152</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>152</b>
	<b>Total</b>		<b>152</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>152</b>
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	19	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>19</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>
	<b>Total</b>		<b>19</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Guelph, City Of (GLPH123)	GLPH01	0-5	367	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	12	100.00%	0	0.00%	
		<b>Total</b>	<b>367</b>	<b>96.83%</b>	<b>12</b>	<b>3.17%</b>	<b>0</b>	<b>0.00%</b>	
	GLPH02	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	
	GLPH03	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	GLPH04	0-5	55	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>55</b>	<b>96.49%</b>	<b>2</b>	<b>3.51%</b>	<b>0</b>	<b>0.00%</b>	
	GLPH05	0-5	30	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>30</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>454</b>	<b>96.80%</b>	<b>15</b>	<b>3.20%</b>	<b>0</b>	<b>0.00%</b>
Guelph, University Of (UGPH01)	UGPH01	0-5	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>75.00%</b>	<b>2</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>6</b>	<b>75.00%</b>	<b>2</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>
Gunns Hill Lp (GHWF01)	GHWF01	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>
Haldimand County (HLDMD123)	HLDMD01	0-5	165	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	12	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Haldimand County (HLDM123)	HLDMD01	16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>165</b>	<b>90.16%</b>	<b>12</b>	<b>6.56%</b>	<b>6</b>	<b>3.28%</b>	<b>183</b>
	HLDME01	0-5	31	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	16	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>31</b>	<b>64.58%</b>	<b>16</b>	<b>33.33%</b>	<b>1</b>	<b>2.08%</b>	<b>48</b>
	HLDMS01	0-5	4	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>40.00%</b>	<b>6</b>	<b>60.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	HLDMW01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>12</b>	<b>80.00%</b>	<b>2</b>	<b>13.33%</b>	<b>1</b>	<b>6.67%</b>	<b>15</b>
	<b>Total</b>		<b>212</b>	<b>82.81%</b>	<b>36</b>	<b>14.06%</b>	<b>8</b>	<b>3.13%</b>	<b>256</b>
Haliburton, County Of (HLB01)	HLB01	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>
Halton - MTO - Halton Hills, Region Of (HMT0HO)	HMTOSL01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOTS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Halton Hills Hydro (HHH01)	HHH01	0-5	311	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>311</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>311</b>
	<b>Total</b>	<b>311</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>311</b>	
Halton Hills, Town Of (HAH01)	HAH01	0-5	56	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	13	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>56</b>	<b>75.68%</b>	<b>18</b>	<b>24.32%</b>	<b>0</b>	<b>0.00%</b>	<b>74</b>
	<b>Total</b>	<b>56</b>	<b>75.68%</b>	<b>18</b>	<b>24.32%</b>	<b>0</b>	<b>0.00%</b>	<b>74</b>	
Halton Hills, Town Of (HAH02)	HAH02	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
	<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>	
Halton, Region Of (HLTNB123)	HLTNB01	0-5	18	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>18</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>
	HLTNBSL01	0-5	13	100.00%	0	0.00%	0	0.00%	
<b>Total</b>	<b>13</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Halton, Region Of (HLTNB123)	HLTNBTC01	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	HLTNBTS01	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
<b>Total</b>		<b>49</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>49</b>	
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	HLTNHTS01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
<b>Total</b>		<b>6</b>	<b>85.71%</b>	<b>1</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
Halton, Region Of (HLTNM123)	HLTNM01	0-5	46	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>46</b>	<b>88.46%</b>	<b>6</b>	<b>11.54%</b>	<b>0</b>	<b>0.00%</b>	<b>52</b>
	HLTNMTC01	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>85.37%</b>	<b>6</b>	<b>14.63%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
	HLTNMTS01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>86.96%</b>	<b>3</b>	<b>13.04%</b>	<b>0</b>	<b>0.00%</b>	<b>23</b>
	<b>Total</b>		<b>101</b>	<b>87.07%</b>	<b>15</b>	<b>12.93%</b>	<b>0</b>	<b>0.00%</b>	<b>116</b>

			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request	
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	35	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	2	100.00%	0	0.00%		
		<b>Total</b>	<b>35</b>	<b>94.59%</b>	<b>2</b>	<b>5.41%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>	
	HLTNOSL01	0-5	38	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>38</b>	<b>97.44%</b>	<b>1</b>	<b>2.56%</b>	<b>0</b>	<b>0.00%</b>	<b>39</b>	
	HLTNOTC01	0-5	33	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	2	100.00%	0	0.00%		
		<b>Total</b>	<b>33</b>	<b>94.29%</b>	<b>2</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>	
	HLTNOTS01	0-5	25	100.00%	0	0.00%	0	0.00%		
		<b>Total</b>	<b>25</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>	
	<b>Total</b>			<b>131</b>	<b>96.32%</b>	<b>5</b>	<b>3.68%</b>	<b>0</b>	<b>0.00%</b>	<b>136</b>
	Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	3	100.00%	0	0.00%	0	0.00%	
6-10			0	0.00%	2	100.00%	0	0.00%		
11-15			0	0.00%	2	100.00%	0	0.00%		
16+			0	0.00%	1	100.00%	0	0.00%		
<b>Total</b>			<b>3</b>	<b>37.50%</b>	<b>5</b>	<b>62.50%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
<b>Total</b>				<b>3</b>	<b>37.50%</b>	<b>5</b>	<b>62.50%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
Halton, Region Of (HLTNT01)	HLTNT01	0-5	5	100.00%	0	0.00%	0	0.00%		
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
	<b>Total</b>			<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Halton, Region Of (HMTOBM)	HMTMTS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Hamilton , Township Of (HML01)	HML01	0-5	105	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	105	99.06%	0	0.00%	1	0.94%	106
	Total		105	99.06%	0	0.00%	1	0.94%	106
Hamilton Community Energy (HCE1)	HCE1	0-5	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	3	75.00%	0	0.00%	1	25.00%	4
	Total		3	75.00%	0	0.00%	1	25.00%	4
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	7	100.00%	0	0.00%	0	0.00%	
		Total	7	100.00%	0	0.00%	0	0.00%	7
	Total		7	100.00%	0	0.00%	0	0.00%	7
Hamilton, City Of (CH01)	CH01	0-5	70	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	39	100.00%	0	0.00%	
		11-15	0	0.00%	44	100.00%	0	0.00%	
		16+	0	0.00%	1	1.49%	66	98.51%	
		Total	70	31.82%	84	38.18%	66	30.00%	220
	Total		70	31.82%	84	38.18%	66	30.00%	220

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Hamilton, City Of (HHP3)	HHP3	0-5	1,130	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1,130</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,130</b>
	<b>Total</b>	<b>1,130</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,130</b>	
Hamilton, City Of (HW01)	HW01	0-5	1,674	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	32	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>1,674</b>	<b>97.50%</b>	<b>43</b>	<b>2.50%</b>	<b>0</b>	<b>0.00%</b>	<b>1,717</b>
	HW02	0-5	7	100.00%	0	0.00%	0	0.00%	
	<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
<b>Total</b>	<b>1,681</b>	<b>97.51%</b>	<b>43</b>	<b>2.49%</b>	<b>0</b>	<b>0.00%</b>	<b>1,724</b>		
Hanover , Town Of (HNVR01)	HNVR01	0-5	24	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>24</b>	<b>88.89%</b>	<b>3</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>
	<b>Total</b>	<b>24</b>	<b>88.89%</b>	<b>3</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>	
Harold And Grace Baker Centre (DPME01)	DPME01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	

			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request	
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	14	100.00%	0	0.00%	0	0.00%		
		11-15	0	0.00%	0	0.00%	1	100.00%		
		16+	0	0.00%	0	0.00%	13	100.00%		
		<b>Total</b>	<b>14</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	<b>50.00%</b>	<b>28</b>	
	HWKBSL01	0-5	17	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	3	100.00%	0	0.00%		
		16+	0	0.00%	0	0.00%	8	100.00%		
		<b>Total</b>	<b>17</b>	<b>60.71%</b>	<b>3</b>	<b>10.71%</b>	<b>8</b>	<b>28.57%</b>	<b>28</b>	
	<b>Total</b>			<b>31</b>	<b>55.36%</b>	<b>3</b>	<b>5.36%</b>	<b>22</b>	<b>39.29%</b>	<b>56</b>
	Hay Communications (H123)	H003	0-5	164	100.00%	0	0.00%	0	0.00%	
6-10			0	0.00%	16	100.00%	0	0.00%		
<b>Total</b>			<b>164</b>	<b>91.11%</b>	<b>16</b>	<b>8.89%</b>	<b>0</b>	<b>0.00%</b>	<b>180</b>	
<b>Total</b>				<b>164</b>	<b>91.11%</b>	<b>16</b>	<b>8.89%</b>	<b>0</b>	<b>0.00%</b>	<b>180</b>
Hce Telecom (HCEHN01)	HCEHN01	0-5	45	100.00%	0	0.00%	0	0.00%		
		<b>Total</b>	<b>45</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>	
	<b>Total</b>			<b>45</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>
Hearst Power (HRSTP01)	HRSTP01	0-5	4	100.00%	0	0.00%	0	0.00%		
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
	<b>Total</b>			<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	1	100.00%	0	0.00%	0	0.00%		
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
	<b>Total</b>			<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Highbury Canco Corp (HGHBRY01)	HGHBRY01	16+	0	0.00%	2	66.67%	1	33.33%	
		Total	0	0.00%	2	66.67%	1	33.33%	3
	Total		0	0.00%	2	66.67%	1	33.33%	3
Hilton Beach, Village Of (HIBE01)	HIBE01	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	0	0.00%	0	0.00%	2	100.00%	2
	Total		0	0.00%	0	0.00%	2	100.00%	2
Hiram Walker & Sons (HIRWAL01)	HIRWAL01	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	0	0.00%	0	0.00%	2	100.00%	2
	Total		0	0.00%	0	0.00%	2	100.00%	2
Home Hardware Stores Ltd (HHSF01)	HHSF01	6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	
		Total	5	29.41%	12	70.59%	0	0.00%	17
	Total		5	29.41%	12	70.59%	0	0.00%	17
Humber College (HUMBF01)	HUMBF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		Total	2	100.00%	0	0.00%	0	0.00%	2
	Total		2	100.00%	0	0.00%	0	0.00%	2

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	22	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>22</b>	<b>91.67%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>8.33%</b>	<b>24</b>
		<b>Total</b>	<b>22</b>	<b>91.67%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>8.33%</b>	<b>24</b>
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	32	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		<b>Total</b>	<b>32</b>	<b>78.05%</b>	<b>9</b>	<b>21.95%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
		<b>Total</b>	<b>32</b>	<b>78.05%</b>	<b>9</b>	<b>21.95%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
Huron Perth Healthcare Alliance (HPHA01)	HPHA01	16+	0	0.00%	0	0.00%	1	100.00%	
			<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Huron Shores , Municipality Of (HRNSSS01)	HRNSSS01	11-15	0	0.00%	0	0.00%	1	100.00%	
			<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Huron, County Of (HRN123)	HRN01	16+	0	0.00%	1	100.00%	0	0.00%	
			<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>
	HRN02	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
			<b>Total</b>	<b>8</b>	<b>80.00%</b>	<b>1</b>	<b>10.00%</b>	<b>1</b>	<b>10.00%</b>
	HRN03	0-5	9	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Huron, County Of (HRN123)	HRN04	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>17</b>	<b>73.91%</b>	<b>2</b>	<b>8.70%</b>	<b>4</b>	<b>17.39%</b>	<b>23</b>	
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	50	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	14	100.00%	0	0.00%	
		16+	0	0.00%	5	41.67%	7	58.33%	
	<b>Total</b>	<b>50</b>	<b>65.79%</b>	<b>19</b>	<b>25.00%</b>	<b>7</b>	<b>9.21%</b>	<b>76</b>	
<b>Total</b>	<b>50</b>	<b>65.79%</b>	<b>19</b>	<b>25.00%</b>	<b>7</b>	<b>9.21%</b>	<b>76</b>		
Hurontel (HTEL01)	HTEL01	0-5	272	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	21	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	15	100.00%	
	<b>Total</b>	<b>272</b>	<b>86.90%</b>	<b>26</b>	<b>8.31%</b>	<b>15</b>	<b>4.79%</b>	<b>313</b>	
<b>Total</b>	<b>272</b>	<b>86.90%</b>	<b>26</b>	<b>8.31%</b>	<b>15</b>	<b>4.79%</b>	<b>313</b>		
Hydro 2000 (H200001)	H200001	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Hydro Embrun (EMBRH01)	EMBRH01	0-5	38	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	4	100.00%	
		16+	0	0.00%	6	50.00%	6	50.00%	
	<b>Total</b>	<b>38</b>	<b>70.37%</b>	<b>6</b>	<b>11.11%</b>	<b>10</b>	<b>18.52%</b>	<b>54</b>	
<b>Total</b>	<b>38</b>	<b>70.37%</b>	<b>6</b>	<b>11.11%</b>	<b>10</b>	<b>18.52%</b>	<b>54</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Hydro Hawkesbury (HHI01)	HHI01	0-5	22	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>22</b>	<b>78.57%</b>	<b>6</b>	<b>21.43%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
	<b>Total</b>		<b>22</b>	<b>78.57%</b>	<b>6</b>	<b>21.43%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
Hydro One Networks Inc (HH123)	HOBRA01	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>17</b>	<b>77.27%</b>	<b>2</b>	<b>9.09%</b>	<b>3</b>	<b>13.64%</b>	<b>22</b>
	HOF01	0-5	58	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	21	100.00%	
		<b>Total</b>	<b>58</b>	<b>73.42%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>	<b>26.58%</b>	<b>79</b>
	HOHAM01	0-5	23	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>23</b>	<b>79.31%</b>	<b>5</b>	<b>17.24%</b>	<b>1</b>	<b>3.45%</b>	<b>29</b>
	HOMAR01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	HOMIS01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
<b>Total</b>		<b>5</b>	<b>71.43%</b>	<b>2</b>	<b>28.57%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
HOTOR01	0-5	302	100.00%	0	0.00%	0	0.00%		
	6-10	0	0.00%	21	100.00%	0	0.00%		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Hydro One Networks Inc (HH123)	HOTOR01	11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	17	44.74%	21	55.26%	
		<b>Total</b>	<b>302</b>	<b>81.40%</b>	<b>48</b>	<b>12.94%</b>	<b>21</b>	<b>5.66%</b>	<b>371</b>
	HOVAU01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	O0052	0-5	37	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>37</b>	<b>92.50%</b>	<b>2</b>	<b>5.00%</b>	<b>1</b>	<b>2.50%</b>	<b>40</b>
	OH20	0-5	79	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	3	37.50%	5	62.50%	
		<b>Total</b>	<b>79</b>	<b>87.78%</b>	<b>6</b>	<b>6.67%</b>	<b>5</b>	<b>5.56%</b>	<b>90</b>
	OH30	0-5	5	100.00%	0	0.00%	0	0.00%	
6-10		0	0.00%	1	100.00%	0	0.00%		
16+		0	0.00%	0	0.00%	3	100.00%		
<b>Total</b>		<b>5</b>	<b>55.56%</b>	<b>1</b>	<b>11.11%</b>	<b>3</b>	<b>33.33%</b>	<b>9</b>	
<b>Total</b>			<b>530</b>	<b>81.29%</b>	<b>66</b>	<b>10.12%</b>	<b>56</b>	<b>8.59%</b>	<b>652</b>
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>35</b>	<b>85.37%</b>	<b>5</b>	<b>12.20%</b>	<b>1</b>	<b>2.44%</b>	<b>41</b>
	<b>Total</b>	<b>35</b>	<b>85.37%</b>	<b>5</b>	<b>12.20%</b>	<b>1</b>	<b>2.44%</b>	<b>41</b>	
Hydro One Networks Inc (H1DX)	H1DGE01	0-5	1,310	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	55	100.00%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>1,310</b>	<b>95.34%</b>	<b>63</b>	<b>4.59%</b>	<b>1</b>	<b>0.07%</b>	<b>1,374</b>
	H1DGN01	0-5	997	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>997</b>	<b>99.01%</b>	<b>10</b>	<b>0.99%</b>	<b>0</b>	<b>0.00%</b>	<b>1,007</b>
	H1DGN02	0-5	833	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>833</b>	<b>98.70%</b>	<b>11</b>	<b>1.30%</b>	<b>0</b>	<b>0.00%</b>	<b>844</b>
	H1DGW02	0-5	540	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	32	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Hydro One Networks Inc (H1DX)	H1DGW02	16+	0	0.00%	3	60.00%	2	40.00%	
		<b>Total</b>	<b>540</b>	<b>93.26%</b>	<b>37</b>	<b>6.39%</b>	<b>2</b>	<b>0.35%</b>	<b>579</b>
	H1DHN01	0-5	1,752	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	36	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>1,752</b>	<b>97.50%</b>	<b>45</b>	<b>2.50%</b>	<b>0</b>	<b>0.00%</b>	<b>1,797</b>
	H1DOE01	0-5	3,555	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	53	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>3,555</b>	<b>98.48%</b>	<b>53</b>	<b>1.47%</b>	<b>2</b>	<b>0.06%</b>	<b>3,610</b>
	H1DONE01	0-5	1,388	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	24	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1,388</b>	<b>97.88%</b>	<b>30</b>	<b>2.12%</b>	<b>0</b>	<b>0.00%</b>	<b>1,418</b>
	H1DONW02	0-5	46	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>46</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>46</b>
	H1DOS01	0-5	2,580	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	100	100.00%	0	0.00%	
11-15		0	0.00%	5	100.00%	0	0.00%		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Hydro One Networks Inc (H1DX)	H1DOS01	16+	0	0.00%	4	66.67%	2	33.33%	
		<b>Total</b>	<b>2,580</b>	<b>95.88%</b>	<b>109</b>	<b>4.05%</b>	<b>2</b>	<b>0.07%</b>	<b>2,691</b>
	H1DOW01	0-5	3,169	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	79	100.00%	0	0.00%	
		11-15	0	0.00%	4	80.00%	1	20.00%	
		16+	0	0.00%	5	83.33%	1	16.67%	
		<b>Total</b>	<b>3,169</b>	<b>97.24%</b>	<b>88</b>	<b>2.70%</b>	<b>2</b>	<b>0.06%</b>	<b>3,259</b>
	H1DTBY01	0-5	26	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>26</b>	<b>65.00%</b>	<b>10</b>	<b>25.00%</b>	<b>4</b>	<b>10.00%</b>	<b>40</b>
	H1DX07	0-5	101	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	7	100.00%	0	0.00%	
		<b>Total</b>	<b>101</b>	<b>90.99%</b>	<b>10</b>	<b>9.01%</b>	<b>0</b>	<b>0.00%</b>	<b>111</b>
	H3AGE01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	H3AGN01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>			<b>16,300</b>	<b>97.15%</b>	<b>466</b>	<b>2.78%</b>	<b>13</b>	<b>0.08%</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	98	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>98</b>	<b>98.99%</b>	<b>1</b>	<b>1.01%</b>	<b>0</b>	<b>0.00%</b>	<b>99</b>
	<b>Total</b>	<b>98</b>	<b>98.99%</b>	<b>1</b>	<b>1.01%</b>	<b>0</b>	<b>0.00%</b>	<b>99</b>	
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	229	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>229</b>	<b>99.13%</b>	<b>2</b>	<b>0.87%</b>	<b>0</b>	<b>0.00%</b>	<b>231</b>
	<b>Total</b>	<b>229</b>	<b>99.13%</b>	<b>2</b>	<b>0.87%</b>	<b>0</b>	<b>0.00%</b>	<b>231</b>	
Hydro One Remote Communities Inc (HYR01)	HYR01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Hydro Ottawa (HOT1)	HOT1	0-5	3,200	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	25	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>3,200</b>	<b>99.10%</b>	<b>29</b>	<b>0.90%</b>	<b>0</b>	<b>0.00%</b>	<b>3,229</b>
	HOT2	0-5	212	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>212</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>212</b>
	<b>Total</b>	<b>3,412</b>	<b>99.16%</b>	<b>29</b>	<b>0.84%</b>	<b>0</b>	<b>0.00%</b>	<b>3,441</b>	
Ignace , Township Of (IGN01)	IGN01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Imperial Oil Pipelines (I002)	I002	0-5	146	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	55	100.00%	0	0.00%	
		<b>Total</b>	<b>146</b>	<b>68.22%</b>	<b>68</b>	<b>31.78%</b>	<b>0</b>	<b>0.00%</b>	<b>214</b>
	<b>Total</b>	<b>146</b>	<b>68.22%</b>	<b>68</b>	<b>31.78%</b>	<b>0</b>	<b>0.00%</b>	<b>214</b>	
Imperial Oil Pipelines (I003)	I003	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Imperial Oil Pipelines (I004)	I004	16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	16	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	11.11%	8	88.89%	
		<b>Total</b>	<b>16</b>	<b>57.14%</b>	<b>4</b>	<b>14.29%</b>	<b>8</b>	<b>28.57%</b>	<b>28</b>
	<b>Total</b>	<b>16</b>	<b>57.14%</b>	<b>4</b>	<b>14.29%</b>	<b>8</b>	<b>28.57%</b>	<b>28</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	21	100.00%	0	0.00%	0	0.00%	
		Total	21	100.00%	0	0.00%	0	0.00%	21
	Total		21	100.00%	0	0.00%	0	0.00%	21
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	104	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		Total	104	95.41%	5	4.59%	0	0.00%	109
	Total		104	95.41%	5	4.59%	0	0.00%	109
Innisfil, Town Of (INFL01)	INFL01	0-5	200	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		Total	200	99.50%	1	0.50%	0	0.00%	201
	Total		200	99.50%	1	0.50%	0	0.00%	201
Innpower (INSFH01)	INSFH01	0-5	281	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		Total	281	99.65%	1	0.35%	0	0.00%	282
	Total		281	99.65%	1	0.35%	0	0.00%	282
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	16+	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	59	100.00%	0	0.00%	0	0.00%	
		Total	59	100.00%	0	0.00%	0	0.00%	59
	Total		59	100.00%	0	0.00%	0	0.00%	59

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	IRQFSL01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
<b>Total</b>		<b>5</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>16.67%</b>	<b>6</b>	
Johnson Controls Canada Lp	JSCTRL01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Johnson, Township Of (JHSNW01)	JHSNW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
K2 Wind Farm Ontario (K2WF01)	K2WF01	16+	0	0.00%	0	0.00%	9	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>100.00%</b>	<b>9</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>100.00%</b>	<b>9</b>
Kapusking, Town Of (KAP01)	KAP01	0-5	9	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>9</b>	<b>81.82%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>18.18%</b>	<b>11</b>
	<b>Total</b>		<b>9</b>	<b>81.82%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>18.18%</b>	<b>11</b>
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	78	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>78</b>	<b>98.73%</b>	<b>1</b>	<b>1.27%</b>	<b>0</b>	<b>0.00%</b>	<b>79</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Kawartha Lakes , City Of (KWLK01)	KWLKWS01	0-5	194	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>194</b>	<b>99.49%</b>	<b>1</b>	<b>0.51%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>272</b>	<b>99.27%</b>	<b>2</b>	<b>0.73%</b>	<b>0</b>	<b>0.00%</b>	<b>274</b>
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
Kenora, City Of (KNRA123)	KNRA01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	1	25.00%	3	75.00%	
		<b>Total</b>	<b>1</b>	<b>7.69%</b>	<b>9</b>	<b>69.23%</b>	<b>3</b>	<b>23.08%</b>	
	KNRASL01	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	KNRAST01	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>21</b>	<b>63.64%</b>	<b>9</b>	<b>27.27%</b>	<b>3</b>	<b>9.09%</b>	<b>33</b>
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	74	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>74</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>74</b>
	<b>Total</b>	<b>74</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>74</b>	
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
King , Township Of (KNGWS01)	KNGSL01	0-5	143	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>143</b>	<b>98.62%</b>	<b>2</b>	<b>1.38%</b>	<b>0</b>	<b>0.00%</b>	<b>145</b>
	KNGWS01	0-5	137	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>137</b>	<b>98.56%</b>	<b>2</b>	<b>1.44%</b>	<b>0</b>	<b>0.00%</b>	<b>139</b>
	<b>Total</b>	<b>280</b>	<b>98.59%</b>	<b>4</b>	<b>1.41%</b>	<b>0</b>	<b>0.00%</b>	<b>284</b>	
Kings University College (KUC01)	KUC01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Kingston General Hospital (KGH01)	KGH01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Kingsville, Town Of (TK01)	TK01	0-5	123	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>123</b>	<b>98.40%</b>	<b>2</b>	<b>1.60%</b>	<b>0</b>	<b>0.00%</b>	
	TKF01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>126</b>	<b>97.67%</b>	<b>3</b>	<b>2.33%</b>	<b>0</b>	<b>0.00%</b>	<b>129</b>
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	23	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>23</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>23</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>23</b>
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	193	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>193</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>193</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>193</b>
Kitchener Utilities (KU02)	KU02	0-5	673	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>673</b>	<b>99.26%</b>	<b>5</b>	<b>0.74%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>673</b>	<b>99.26%</b>	<b>5</b>	<b>0.74%</b>	<b>0</b>	<b>0.00%</b>	<b>678</b>
Kitchener, The City Of (KITS01)	KITS01	0-5	337	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	155	100.00%	0	0.00%	
		11-15	0	0.00%	18	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>337</b>	<b>65.56%</b>	<b>173</b>	<b>33.66%</b>	<b>4</b>	<b>0.78%</b>	
	<b>Total</b>		<b>337</b>	<b>65.56%</b>	<b>173</b>	<b>33.66%</b>	<b>4</b>	<b>0.78%</b>	<b>514</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Kwic Internet (KWIC01)	KWIC01	0-5	15	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>93.75%</b>	<b>1</b>	<b>6.25%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>15</b>	<b>93.75%</b>	<b>1</b>	<b>6.25%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>
Lagasco Inc (TP01)	TP01	0-5	24	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>24</b>	<b>68.57%</b>	<b>11</b>	<b>31.43%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>24</b>	<b>68.57%</b>	<b>11</b>	<b>31.43%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>
Lagasco Limited (L002)	L002	0-5	22	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>22</b>	<b>84.62%</b>	<b>4</b>	<b>15.38%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>22</b>	<b>84.62%</b>	<b>4</b>	<b>15.38%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	0-5	20	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>20</b>	<b>95.24%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.76%</b>	<b>21</b>	
<b>Total</b>		<b>20</b>	<b>95.24%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.76%</b>	<b>21</b>	
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	88	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	16	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>88</b>	<b>83.81%</b>	<b>17</b>	<b>16.19%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>88</b>	<b>83.81%</b>	<b>17</b>	<b>16.19%</b>	<b>0</b>	<b>0.00%</b>	<b>105</b>



			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request	
Lakefront Utilities (LUSI123)	COLBH01	0-5	10	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	5	100.00%	0	0.00%		
		<b>Total</b>	<b>10</b>	<b>66.67%</b>	<b>5</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>		<b>15</b>
	LUSIH01	0-5	78	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	19	100.00%	0	0.00%		
		11-15	0	0.00%	6	100.00%	0	0.00%		
		16+	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>78</b>	<b>75.00%</b>	<b>26</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>		<b>104</b>
		<b>Total</b>		<b>88</b>	<b>73.95%</b>	<b>31</b>	<b>26.05%</b>	<b>0</b>		<b>0.00%</b>
	Lakeland Networks (LKLNN01)	LKLNN01	0-5	90	100.00%	0	0.00%	0	0.00%	
6-10			0	0.00%	3	100.00%	0	0.00%		
<b>Total</b>			<b>90</b>	<b>96.77%</b>	<b>3</b>	<b>3.23%</b>	<b>0</b>	<b>0.00%</b>	<b>93</b>	
<b>Total</b>			<b>90</b>	<b>96.77%</b>	<b>3</b>	<b>3.23%</b>	<b>0</b>	<b>0.00%</b>	<b>93</b>	
Lakeland Power (LKLNP123)	LKLNP01	0-5	112	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	3	100.00%	0	0.00%		
		<b>Total</b>	<b>112</b>	<b>97.39%</b>	<b>3</b>	<b>2.61%</b>	<b>0</b>	<b>0.00%</b>		<b>115</b>
	<b>Total</b>		<b>112</b>	<b>97.39%</b>	<b>3</b>	<b>2.61%</b>	<b>0</b>	<b>0.00%</b>	<b>115</b>	
Lakeshore, Municipality Of (TOL123)	B002	0-5	260	100.00%	0	0.00%	0	0.00%		
		<b>Total</b>	<b>260</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>		<b>260</b>
	TOLTS01	16+	0	0.00%	0	0.00%	2	100.00%		
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>		<b>2</b>
	<b>Total</b>		<b>260</b>	<b>99.24%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>0.76%</b>	<b>262</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Lakeview Water System (LKVWW01)	LKVWW01	16+	0	0.00%	0	0.00%	7	100.00%	
		Total	0	0.00%	0	0.00%	7	100.00%	7
	Total		0	0.00%	0	0.00%	7	100.00%	7
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	120	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		Total	120	99.17%	1	0.83%	0	0.00%	121
	Total		120	99.17%	1	0.83%	0	0.00%	121
Lambton County (LMBTN01)	LMBTN01	0-5	19	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	19	95.00%	1	5.00%	0	0.00%	20
	Total		19	95.00%	1	5.00%	0	0.00%	20
Lambton Shores, Municipality Of (F001)	F001	0-5	140	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		Total	140	93.96%	9	6.04%	0	0.00%	149
	Total		140	93.96%	9	6.04%	0	0.00%	149
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Lanark Highlands , Township Of (LNKH01)	LNKH01	16+	0	0.00%	0	0.00%	3	100.00%	
		Total	0	0.00%	0	0.00%	3	100.00%	3
	Total		0	0.00%	0	0.00%	3	100.00%	3
Lanark, County Of (LNRK01)	LNRK01	0-5	2	100.00%	0	0.00%	0	0.00%	
		Total	2	100.00%	0	0.00%	0	0.00%	2
	Total		2	100.00%	0	0.00%	0	0.00%	2
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	0	0.00%	0	0.00%	9	100.00%	
		Total	0	0.00%	0	0.00%	9	100.00%	9
	Total		0	0.00%	0	0.00%	9	100.00%	9
Larder Lake , Township Of (LRL01)	LRL01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Lasalle , Town Of (LSL01)	LSL01	0-5	121	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	11	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	121	90.98%	11	8.27%	1	0.75%	133
	Total		121	90.98%	11	8.27%	1	0.75%	133
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	0	0.00%	0	0.00%	2	100.00%	2
	Total		0	0.00%	0	0.00%	2	100.00%	2

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Laurentian University (LRTU01)	LRTU01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	21	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
	<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>	
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Leamington Water Services (L001)	L001	0-5	150	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	9	81.82%	2	18.18%	
		<b>Total</b>	<b>150</b>	<b>93.17%</b>	<b>9</b>	<b>5.59%</b>	<b>2</b>	<b>1.24%</b>	<b>161</b>
	<b>Total</b>	<b>150</b>	<b>93.17%</b>	<b>9</b>	<b>5.59%</b>	<b>2</b>	<b>1.24%</b>	<b>161</b>	
Leamington, Municipality Of (LS01)	LS01	0-5	143	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>143</b>	<b>97.95%</b>	<b>1</b>	<b>0.68%</b>	<b>2</b>	<b>1.37%</b>	<b>146</b>
	<b>Total</b>	<b>143</b>	<b>97.95%</b>	<b>1</b>	<b>0.68%</b>	<b>2</b>	<b>1.37%</b>	<b>146</b>	
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	42	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Leeds And Grenville , United Counties Of (LDG01)	LDG01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	42	82.35%	8	15.69%	1	1.96%	51
	Total		42	82.35%	8	15.69%	1	1.96%	51
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	0	0.00%	0	0.00%	14	100.00%	
		Total	0	0.00%	0	0.00%	14	100.00%	14
	Total		0	0.00%	0	0.00%	14	100.00%	14
Lennox And Addington, County Of (LXA123)	LXA01	0-5	31	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	31	96.88%	0	0.00%	1	3.13%	32
	Total		31	96.88%	0	0.00%	1	3.13%	32
Levant Exploration And Production Corp (RR01)	RR01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Liberty Oil And Gas (LBTYOG01)	LBTYOG01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Lincoln, Town Of (LINWS01)	LINWS01	0-5	119	100.00%	0	0.00%	0	0.00%	
		Total	119	100.00%	0	0.00%	0	0.00%	119
	Total		119	100.00%	0	0.00%	0	0.00%	119

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Linde - Mississauga (PXRPL02)	PXRPL02	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	0-5	7	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>12.50%</b>	<b>8</b>
	<b>Total</b>		<b>7</b>	<b>87.50%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>12.50%</b>	<b>8</b>
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	13	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>13</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
	<b>Total</b>		<b>13</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
London District Energy (TG01)	TG01	0-5	30	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	15	100.00%	0	0.00%	
		<b>Total</b>	<b>30</b>	<b>66.67%</b>	<b>15</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>
	<b>Total</b>		<b>30</b>	<b>66.67%</b>	<b>15</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>
London Hydro (L003)	L003	0-5	1,586	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	
		11-15	0	0.00%	1	50.00%	1	50.00%	
		16+	0	0.00%	0	0.00%	18	100.00%	
		<b>Total</b>	<b>1,586</b>	<b>98.27%</b>	<b>9</b>	<b>0.56%</b>	<b>19</b>	<b>1.18%</b>	<b>1,614</b>
	<b>Total</b>		<b>1,586</b>	<b>98.27%</b>	<b>9</b>	<b>0.56%</b>	<b>19</b>	<b>1.18%</b>	<b>1,614</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
London, City Of (LN01)	LN01	0-5	1,519	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	12	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1,519</b>	<b>99.15%</b>	<b>13</b>	<b>0.85%</b>	<b>0</b>	<b>0.00%</b>	<b>1,532</b>
	<b>Total</b>		<b>1,519</b>	<b>99.15%</b>	<b>13</b>	<b>0.85%</b>	<b>0</b>	<b>0.00%</b>	<b>1,532</b>
London, City Of (LN02)	LN02	0-5	20	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>
	<b>Total</b>		<b>20</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>
Long Point Provincial Park (LPPP01)	LPPP01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
Loyalist Township (LYST123)	LYSTEL4	0-5	42	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>42</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>42</b>
	LYSTSAN2	0-5	68	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>68</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>68</b>
	LYSTSTM3	0-5	62	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
	LYSTWAT1	0-5	74	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>74</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>74</b>
	<b>Total</b>		<b>246</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>246</b>
	Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	82	100.00%	0	0.00%	0	0.00%

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Lucan Biddulph, Township Of (LCBD01)	LCBD01	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	82	97.62%	0	0.00%	2	2.38%	84
	Total		82	97.62%	0	0.00%	2	2.38%	84
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Malahide, Township Of (MLHD01)	MLHD01	0-5	9	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	9	90.00%	1	10.00%	0	0.00%	10
	Total		9	90.00%	1	10.00%	0	0.00%	10
Mapleton , Township Of (MPLT01)	MPLT01	0-5	7	100.00%	0	0.00%	0	0.00%	
		Total	7	100.00%	0	0.00%	0	0.00%	7
	Total		7	100.00%	0	0.00%	0	0.00%	7
Marathon, Town Of (MRTH01)	MRTH01	0-5	3	100.00%	0	0.00%	0	0.00%	
		Total	3	100.00%	0	0.00%	0	0.00%	3
	Total		3	100.00%	0	0.00%	0	0.00%	3



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Markham – Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	125	100.00%	0	0.00%	0	0.00%	
		Total	125	100.00%	0	0.00%	0	0.00%	125
	Total		125	100.00%	0	0.00%	0	0.00%	125
Markham District Energy (MDE01)	MDE01	0-5	15	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
	Total	15	83.33%	0	0.00%	3	16.67%	18	
	Total		15	83.33%	0	0.00%	3	16.67%	18
Markham, City Of - Traffic Signals (MTS01)	MTS01	0-5	53	100.00%	0	0.00%	0	0.00%	
		Total	53	100.00%	0	0.00%	0	0.00%	53
	Total		53	100.00%	0	0.00%	0	0.00%	53
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	750	100.00%	0	0.00%	0	0.00%	
		Total	750	100.00%	0	0.00%	0	0.00%	750
	Total		750	100.00%	0	0.00%	0	0.00%	750
Markham, City Of (MSLGN123)	MSLGN02	0-5	686	100.00%	0	0.00%	0	0.00%	
		Total	686	100.00%	0	0.00%	0	0.00%	686
	Total		686	100.00%	0	0.00%	0	0.00%	686
Markstay Warren , Municipality Of (MKW01)	MKW01	0-5	2	100.00%	0	0.00%	0	0.00%	
		Total	2	100.00%	0	0.00%	0	0.00%	2
	Total		2	100.00%	0	0.00%	0	0.00%	2
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	5	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	5	71.43%	0	0.00%	2	28.57%	7
	Total		5	71.43%	0	0.00%	2	28.57%	7
Marwood Metals (MARWDF01)	MARWDF01	0-5	4	100.00%	0	0.00%	0	0.00%	
		Total	4	100.00%	0	0.00%	0	0.00%	4
	Total		4	100.00%	0	0.00%	0	0.00%	4
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	0	0.00%	9	100.00%	0	0.00%	
		Total	0	0.00%	9	100.00%	0	0.00%	9
	Total		0	0.00%	9	100.00%	0	0.00%	9
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Mcgarry, Township Of (MCGWS01)	MCGWS01	16+	0	0.00%	1	50.00%	1	50.00%	
		Total	0	0.00%	1	50.00%	1	50.00%	2
	Total		0	0.00%	1	50.00%	1	50.00%	2
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	55	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		Total	55	98.21%	1	1.79%	0	0.00%	56
	Total		55	98.21%	1	1.79%	0	0.00%	56
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	28	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Meaford , Municipality Of (MFRD01)	MFRD01	6-10	0	0.00%	9	100.00%	0	0.00%	
		Total	28	75.68%	9	24.32%	0	0.00%	37
	Total		28	75.68%	9	24.32%	0	0.00%	37
Melancthon Windfarm (MELWF01)	MELWF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		Total	2	100.00%	0	0.00%	0	0.00%	2
	Total		2	100.00%	0	0.00%	0	0.00%	2
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	0	0.00%	9	100.00%	0	0.00%	
		Total	0	0.00%	9	100.00%	0	0.00%	9
	Total		0	0.00%	9	100.00%	0	0.00%	9
Metalore Resources (MTLORE01)	MTLORE01	0-5	25	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		Total	25	86.21%	0	0.00%	4	13.79%	29
	Total		25	86.21%	0	0.00%	4	13.79%	29
Metro Fibrewerx (MFWX01)	MFWX01	0-5	6	100.00%	0	0.00%	0	0.00%	
		Total	6	100.00%	0	0.00%	0	0.00%	6
	Total		6	100.00%	0	0.00%	0	0.00%	6
Metro Loop (MTLF01)	MTLF01	0-5	320	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		Total	320	98.77%	4	1.23%	0	0.00%	324
	Total		320	98.77%	4	1.23%	0	0.00%	324

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	63	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>63</b>	<b>88.73%</b>	<b>8</b>	<b>11.27%</b>	<b>0</b>	<b>0.00%</b>	<b>71</b>
	<b>Total</b>	<b>63</b>	<b>88.73%</b>	<b>8</b>	<b>11.27%</b>	<b>0</b>	<b>0.00%</b>	<b>71</b>	
Middlesex, County Of (MDSX01)	MDSX01	0-5	37	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>37</b>	<b>94.87%</b>	<b>1</b>	<b>2.56%</b>	<b>1</b>	<b>2.56%</b>	<b>39</b>
	<b>Total</b>	<b>37</b>	<b>94.87%</b>	<b>1</b>	<b>2.56%</b>	<b>1</b>	<b>2.56%</b>	<b>39</b>	
Midland, Town Of (MIDLND01)	MIDLND01	0-5	28	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>28</b>	<b>90.32%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>9.68%</b>	<b>31</b>
	<b>Total</b>	<b>28</b>	<b>90.32%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>9.68%</b>	<b>31</b>	
Midland, Town Of (MIDLND03)	MIDLND03	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>8</b>	<b>61.54%</b>	<b>4</b>	<b>30.77%</b>	<b>1</b>	<b>7.69%</b>	<b>13</b>
	<b>Total</b>	<b>8</b>	<b>61.54%</b>	<b>4</b>	<b>30.77%</b>	<b>1</b>	<b>7.69%</b>	<b>13</b>	
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	10	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	MLTSS01	0-5	61	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Milton , Town Of (MLTSS01)	MLTSS01	6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	61	98.39%	1	1.61%	0	0.00%	62
	Total		71	98.61%	1	1.39%	0	0.00%	72
MILTON HYDRO (MH123)	MHHN01	0-5	426	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		Total	426	99.07%	4	0.93%	0	0.00%	430
	Total		426	99.07%	4	0.93%	0	0.00%	430
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	20	100.00%	0	0.00%	0	0.00%	
		Total	20	100.00%	0	0.00%	0	0.00%	20
	Total		20	100.00%	0	0.00%	0	0.00%	20
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	908	100.00%	0	0.00%	0	0.00%	
		Total	908	100.00%	0	0.00%	0	0.00%	908
	Total		908	100.00%	0	0.00%	0	0.00%	908
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	249	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		Total	249	99.20%	2	0.80%	0	0.00%	251
	Total		249	99.20%	2	0.80%	0	0.00%	251

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Mississaugas Of Scugog Island First Nation (MSIFN01)</b>	MSIFN01	0-5	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>1</b>	<b>7.69%</b>	<b>8</b>	<b>61.54%</b>	<b>4</b>	<b>30.77%</b>	<b>13</b>
	<b>Total</b>		<b>1</b>	<b>7.69%</b>	<b>8</b>	<b>61.54%</b>	<b>4</b>	<b>30.77%</b>	<b>13</b>
<b>Mississippi Mills, Town Of (MSPM01)</b>	MSPM01	0-5	39	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>39</b>	<b>97.50%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.50%</b>	<b>40</b>
	<b>Total</b>		<b>39</b>	<b>97.50%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.50%</b>	<b>40</b>
<b>MNSI Managed Network Systems Inc (MNSI123)</b>	MNSI01	0-5	615	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	52	100.00%	0	0.00%	
		<b>Total</b>	<b>615</b>	<b>92.20%</b>	<b>52</b>	<b>7.80%</b>	<b>0</b>	<b>0.00%</b>	<b>667</b>
	MNSI02	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>		<b>616</b>	<b>92.08%</b>	<b>53</b>	<b>7.92%</b>	<b>0</b>	<b>0.00%</b>	<b>669</b>
<b>Mohawk On The Bay Of Quinte Fibre (7GEN01)</b>	7GEN01	0-5	39	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>39</b>	<b>95.12%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>4.88%</b>	<b>41</b>
	<b>Total</b>		<b>39</b>	<b>95.12%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>4.88%</b>	<b>41</b>
<b>Mohawks Of The Bay Of Quinte (MBQWS01)</b>	MBQWS01	11-15	0	0.00%	0	0.00%	1	100.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	16+	0	0.00%	28	75.68%	9	24.32%	
		Total	0	0.00%	28	73.68%	10	26.32%	38
	Total		0	0.00%	28	73.68%	10	26.32%	38
Mono , Town Of (MNO123)	MNO01	0-5	2	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		Total	2	28.57%	5	71.43%	0	0.00%	7
	MNOSL01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	3	42.86%	3	42.86%	1	14.29%	7
	Total		5	35.71%	8	57.14%	1	7.14%	14
Montague , Township Of (MTG01)	MTG01	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	0	0.00%	0	0.00%	2	100.00%	2
	Total		0	0.00%	0	0.00%	2	100.00%	2
Moonbeam , Township Of (MBM01)	MBM01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Moosonee , Town Of (MSN01)	MSN01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Morningson Communications (MORNT01)	MORNT01	0-5	101	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	14	100.00%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	61	100.00%	
		<b>Total</b>	<b>101</b>	<b>54.30%</b>	<b>24</b>	<b>12.90%</b>	<b>61</b>	<b>32.80%</b>	<b>186</b>
	<b>Total</b>		<b>101</b>	<b>54.30%</b>	<b>24</b>	<b>12.90%</b>	<b>61</b>	<b>32.80%</b>	<b>186</b>
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	MRTW01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>		<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>22.22%</b>	<b>9</b>
Mt Sinai Hospital (MTSIH01)	MTSIH01	16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>	<b>6</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>	<b>6</b>
Mulmur , Township Of (MLMW01)	MLMW01	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Muskoka , District Of (MUSKWS01)	MUSKWS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	MUSKWS02	0-5	18	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>18</b>	<b>90.00%</b>	<b>1</b>	<b>5.00%</b>	<b>1</b>	<b>5.00%</b>	<b>20</b>
	MUSKWS03	0-5	39	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>39</b>	<b>88.64%</b>	<b>3</b>	<b>6.82%</b>	<b>2</b>	<b>4.55%</b>	<b>44</b>
	MUSKWS04	0-5	106	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>106</b>	<b>94.64%</b>	<b>2</b>	<b>1.79%</b>	<b>4</b>	<b>3.57%</b>	<b>112</b>
	MUSKWS05	0-5	38	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	21	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>38</b>	<b>59.38%</b>	<b>24</b>	<b>37.50%</b>	<b>2</b>	<b>3.13%</b>	<b>64</b>
	<b>Total</b>			<b>208</b>	<b>84.21%</b>	<b>30</b>	<b>12.15%</b>	<b>9</b>	<b>3.64%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Muskoka Lakes , Township Of (MSKL01)	MSKL01	6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	4	57.14%	2	28.57%	1	14.29%	7
	Total		4	57.14%	2	28.57%	1	14.29%	7
Nairn And Hyman, Township Of (TNHW01)	TNHW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Nation, Municipality Of The (NATN01)	NATN01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	1	2.17%	45	97.83%	
		Total	7	12.50%	3	5.36%	46	82.14%	56
	Total		7	12.50%	3	5.36%	46	82.14%	56

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	23	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>23</b>	<b>95.83%</b>	<b>1</b>	<b>4.17%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>
	<b>Total</b>	<b>23</b>	<b>95.83%</b>	<b>1</b>	<b>4.17%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>	
Netflash Internet Solutions (NISF01)	NISF01	0-5	13	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>13</b>	<b>92.86%</b>	<b>1</b>	<b>7.14%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>	<b>13</b>	<b>92.86%</b>	<b>1</b>	<b>7.14%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	68	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>68</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>68</b>
	<b>Total</b>	<b>68</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>68</b>	
Newbury, Village Of (NWBWS01)	NWBWS01	16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>	
Newmarket, Town Of (NMK01)	NMK01	0-5	87	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>87</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>87</b>
	<b>Total</b>	<b>87</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>87</b>	
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	243	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>243</b>	<b>98.78%</b>	<b>1</b>	<b>0.41%</b>	<b>2</b>	<b>0.81%</b>	<b>246</b>
	<b>Total</b>	<b>243</b>	<b>98.78%</b>	<b>1</b>	<b>0.41%</b>	<b>2</b>	<b>0.81%</b>	<b>246</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Niagara Falls, City Of (NFS01)	NFS01	0-5	680	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>680</b>	<b>98.55%</b>	<b>10</b>	<b>1.45%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>680</b>	<b>98.55%</b>	<b>10</b>	<b>1.45%</b>	<b>0</b>	<b>0.00%</b>	<b>690</b>	
Niagara Parks Commission (NPC01)	NPC01	0-5	36	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
Niagara Peninsula Energy (NFH01)	NFH01	0-5	619	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>619</b>	<b>98.72%</b>	<b>8</b>	<b>1.28%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>619</b>	<b>98.72%</b>	<b>8</b>	<b>1.28%</b>	<b>0</b>	<b>0.00%</b>	<b>627</b>	
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	757	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>757</b>	<b>99.87%</b>	<b>1</b>	<b>0.13%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>757</b>	<b>99.87%</b>	<b>1</b>	<b>0.13%</b>	<b>0</b>	<b>0.00%</b>	<b>758</b>	
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	16	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>16</b>	<b>84.21%</b>	<b>3</b>	<b>15.79%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>16</b>	<b>84.21%</b>	<b>3</b>	<b>15.79%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>	
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	490	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Niagara Regional Broadband Network (NRBN01)	NRBN01	11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>490</b>	<b>98.79%</b>	<b>6</b>	<b>1.21%</b>	<b>0</b>	<b>0.00%</b>	<b>496</b>
	<b>Total</b>	<b>490</b>	<b>98.79%</b>	<b>6</b>	<b>1.21%</b>	<b>0</b>	<b>0.00%</b>	<b>496</b>	
Niagara, Region Of - Transportation Services (RN03)	RN03	11-15	0	0.00%	0	0.00%	13	100.00%	
		16+	0	0.00%	0	0.00%	362	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>375</b>	<b>100.00%</b>	<b>375</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>375</b>	<b>100.00%</b>	<b>375</b>	
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	183	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>183</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>183</b>
	<b>Total</b>	<b>183</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>183</b>	
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	146	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>146</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>146</b>
	<b>Total</b>	<b>146</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>146</b>	
Nipigon , Township Of (NIP01)	NIP01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Nor-Del (NORDEL01)	NORDEL01	0-5	184	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>184</b>	<b>96.84%</b>	<b>3</b>	<b>1.58%</b>	<b>3</b>	<b>1.58%</b>	<b>190</b>
	<b>Total</b>	<b>184</b>	<b>96.84%</b>	<b>3</b>	<b>1.58%</b>	<b>3</b>	<b>1.58%</b>	<b>190</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Norfolk County (NFLK123)	NFLK01	0-5	634	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>634</b>	<b>99.53%</b>	<b>3</b>	<b>0.47%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>634</b>	<b>99.53%</b>	<b>3</b>	<b>0.47%</b>	<b>0</b>	<b>0.00%</b>	<b>637</b>	
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>75.00%</b>	<b>2</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>6</b>	<b>75.00%</b>	<b>2</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
North Bay Hydro (NBH01)	NBH01	0-5	131	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>131</b>	<b>99.24%</b>	<b>1</b>	<b>0.76%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>131</b>	<b>99.24%</b>	<b>1</b>	<b>0.76%</b>	<b>0</b>	<b>0.00%</b>	<b>132</b>	
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>5</b>	<b>55.56%</b>	<b>2</b>	<b>22.22%</b>	<b>2</b>	<b>22.22%</b>	
	<b>Total</b>	<b>5</b>	<b>55.56%</b>	<b>2</b>	<b>22.22%</b>	<b>2</b>	<b>22.22%</b>	<b>9</b>	
North Bay, City Of (NBWS01)	NBWS01	0-5	38	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	34	100.00%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>38</b>	<b>44.71%</b>	<b>40</b>	<b>47.06%</b>	<b>7</b>	<b>8.24%</b>	
	<b>Total</b>	<b>38</b>	<b>44.71%</b>	<b>40</b>	<b>47.06%</b>	<b>7</b>	<b>8.24%</b>	<b>85</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
North Dundas , Township Of (NDND123)	NDND01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>50.00%</b>	<b>7</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	
	NDND02	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>27.27%</b>	<b>8</b>	<b>72.73%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>10</b>	<b>40.00%</b>	<b>15</b>	<b>60.00%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>
	North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	363	100.00%	0	0.00%	0	0.00%
6-10			0	0.00%	7	100.00%	0	0.00%	
11-15			0	0.00%	1	100.00%	0	0.00%	
16+			0	0.00%	0	0.00%	1	100.00%	
<b>Total</b>			<b>363</b>	<b>97.58%</b>	<b>8</b>	<b>2.15%</b>	<b>1</b>	<b>0.27%</b>	<b>372</b>
<b>Total</b>			<b>363</b>	<b>97.58%</b>	<b>8</b>	<b>2.15%</b>	<b>1</b>	<b>0.27%</b>	<b>372</b>
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>2</b>	<b>22.22%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>7</b>	<b>77.78%</b>	<b>2</b>	<b>22.22%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
North Grenville , Municipality Of (NGR01)	NGR01	0-5	48	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	5	100.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
North Grenville , Municipality Of (NGR01)	NGR01	16+	0	0.00%	0	0.00%	6	100.00%	
		Total	48	80.00%	1	1.67%	11	18.33%	60
	Total		48	80.00%	1	1.67%	11	18.33%	60
North Huron, Township Of (NHURON01)	NHURON01	0-5	23	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	23	92.00%	0	0.00%	2	8.00%	25
	Total		23	92.00%	0	0.00%	2	8.00%	25
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	0-5	104	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	5	100.00%	
		16+	0	0.00%	0	0.00%	25	100.00%	
		Total	104	75.91%	3	2.19%	30	21.90%	137
	Total		104	75.91%	3	2.19%	30	21.90%	137
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	48	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		Total	48	92.31%	0	0.00%	4	7.69%	52
	Total		48	92.31%	0	0.00%	4	7.69%	52



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	123	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		11-15	0	0.00%	1	50.00%	1	50.00%	
		16+	0	0.00%	1	5.88%	16	94.12%	
		<b>Total</b>	<b>123</b>	<b>82.55%</b>	<b>9</b>	<b>6.04%</b>	<b>17</b>	<b>11.41%</b>	<b>149</b>
<b>Total</b>			<b>123</b>	<b>82.55%</b>	<b>9</b>	<b>6.04%</b>	<b>17</b>	<b>11.41%</b>	<b>149</b>
North Stormont , Township Of (NST01)	NST01	11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	18	69.23%	8	30.77%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>	<b>64.29%</b>	<b>10</b>	<b>35.71%</b>	<b>28</b>
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>18</b>	<b>64.29%</b>	<b>10</b>	<b>35.71%</b>	<b>28</b>
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
<b>Total</b>			<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>100.00%</b>	<b>8</b>
		<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
		<b>Total</b>			<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	14	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
		<b>Total</b>			<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Northern Rural Networks (NRN01)	ASTROC01	16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>	<b>6</b>
	NRN01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>100.00%</b>	<b>7</b>
Northern Shores Medical Clinic (NSMC01)	NSMC01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Northern Tel Limited Partnership (NT01)	NT01	0-5	99	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>99</b>	<b>97.06%</b>	<b>3</b>	<b>2.94%</b>	<b>0</b>	<b>0.00%</b>	<b>102</b>
	<b>Total</b>		<b>99</b>	<b>97.06%</b>	<b>3</b>	<b>2.94%</b>	<b>0</b>	<b>0.00%</b>	<b>102</b>
Northumberland County (NRHB01)	NRHBSL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	NRHBSS01	0-5	34	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
	NRHBSS02	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>80.00%</b>	<b>2</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	NRHBTS01	0-5	2	100.00%	0	0.00%	0	0.00%	
<b>Total</b>		<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Northumberland County (NRHB01)	NRHBTS02	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>46</b>	<b>95.83%</b>	<b>2</b>	<b>4.17%</b>	<b>0</b>	<b>0.00%</b>	<b>48</b>	
Norwich , Township Of (NRW01)	NRW01	0-5	104	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>104</b>	<b>94.55%</b>	<b>6</b>	<b>5.45%</b>	<b>0</b>	<b>0.00%</b>	<b>110</b>
	<b>Total</b>	<b>104</b>	<b>94.55%</b>	<b>6</b>	<b>5.45%</b>	<b>0</b>	<b>0.00%</b>	<b>110</b>	
Nova Chemicals Corporation (N001)	N001	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
NT Power	NTPWR01	0-5	280	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>280</b>	<b>99.64%</b>	<b>1</b>	<b>0.36%</b>	<b>0</b>	<b>0.00%</b>	<b>281</b>
	<b>Total</b>	<b>280</b>	<b>99.64%</b>	<b>1</b>	<b>0.36%</b>	<b>0</b>	<b>0.00%</b>	<b>281</b>	
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	1,260	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		11-15	0	0.00%	3	20.00%	12	80.00%	
		<b>Total</b>	<b>1,260</b>	<b>98.28%</b>	<b>10</b>	<b>0.78%</b>	<b>12</b>	<b>0.94%</b>	<b>1,282</b>
	<b>Total</b>	<b>1,260</b>	<b>98.28%</b>	<b>10</b>	<b>0.78%</b>	<b>12</b>	<b>0.94%</b>	<b>1,282</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Oakville, Town Of (OAK123)	OAKBS01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>	
	OAKSS01	0-5	1,095	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1,095</b>	<b>99.46%</b>	<b>6</b>	<b>0.54%</b>	<b>0</b>	<b>0.00%</b>	
	OAKTS01	0-5	170	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>170</b>	<b>97.14%</b>	<b>5</b>	<b>2.86%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>1,277</b>	<b>99.07%</b>	<b>12</b>	<b>0.93%</b>	<b>0</b>	<b>0.00%</b>	<b>1,289</b>
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	10	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>10</b>	<b>90.91%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>9.09%</b>	
	<b>Total</b>			<b>10</b>	<b>90.91%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>9.09%</b>
On-Energy Corp (ONNRG01)	ONNRG01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>86.96%</b>	<b>3</b>	<b>13.04%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>20</b>	<b>86.96%</b>	<b>3</b>	<b>13.04%</b>	<b>0</b>	<b>0.00%</b>
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	21	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>75.00%</b>	<b>7</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
	ONTERA02	0-5	9	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>1</b>	<b>10.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	ONTERA03	0-5	10	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	ONTERA04	0-5	22	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>22</b>	<b>91.67%</b>	<b>2</b>	<b>8.33%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>
	ONTERA05	0-5	8	100.00%	0	0.00%	0	0.00%	
<b>Total</b>		<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
ONTERA06	0-5	24	100.00%	0	0.00%	0	0.00%		
	<b>Total</b>	<b>24</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>	
<b>Total</b>			<b>94</b>	<b>90.38%</b>	<b>10</b>	<b>9.62%</b>	<b>0</b>	<b>0.00%</b>	<b>104</b>
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	214	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	19	100.00%	0	0.00%	
		<b>Total</b>	<b>214</b>	<b>91.85%</b>	<b>19</b>	<b>8.15%</b>	<b>0</b>	<b>0.00%</b>	<b>233</b>
	<b>Total</b>			<b>214</b>	<b>91.85%</b>	<b>19</b>	<b>8.15%</b>	<b>0</b>	<b>0.00%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	26	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
	<b>Total</b>	<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>	
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	114	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		<b>Total</b>	<b>114</b>	<b>92.68%</b>	<b>9</b>	<b>7.32%</b>	<b>0</b>	<b>0.00%</b>	<b>123</b>
	<b>Total</b>	<b>114</b>	<b>92.68%</b>	<b>9</b>	<b>7.32%</b>	<b>0</b>	<b>0.00%</b>	<b>123</b>	
Orangeville, Town Of (ORGV01)	ORGV01	0-5	96	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>96</b>	<b>93.20%</b>	<b>7</b>	<b>6.80%</b>	<b>0</b>	<b>0.00%</b>	<b>103</b>
	<b>Total</b>	<b>96</b>	<b>93.20%</b>	<b>7</b>	<b>6.80%</b>	<b>0</b>	<b>0.00%</b>	<b>103</b>	
Orillia, City Of (ORIL123)	ORILSL01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	18	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>4</b>	<b>14.29%</b>	<b>23</b>	<b>82.14%</b>	<b>1</b>	<b>3.57%</b>	<b>28</b>
	ORILT01	0-5	64	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>64</b>	<b>96.97%</b>	<b>2</b>	<b>3.03%</b>	<b>0</b>	<b>0.00%</b>	<b>66</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Orillia, City Of (ORIL123)	ORILWS01	0-5	96	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>96</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>96</b>
	<b>Total</b>		<b>164</b>	<b>86.32%</b>	<b>25</b>	<b>13.16%</b>	<b>1</b>	<b>0.53%</b>	<b>190</b>
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	20	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>
	<b>Total</b>		<b>20</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	452	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	24	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>452</b>	<b>94.17%</b>	<b>26</b>	<b>5.42%</b>	<b>2</b>	<b>0.42%</b>	<b>480</b>
	OSHGE03	0-5	21	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>21</b>	<b>87.50%</b>	<b>2</b>	<b>8.33%</b>	<b>1</b>	<b>4.17%</b>	<b>24</b>
	<b>Total</b>		<b>473</b>	<b>93.85%</b>	<b>28</b>	<b>5.56%</b>	<b>3</b>	<b>0.60%</b>	<b>504</b>
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	18	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Oshawa, City Of - Catch Basins (OSH02)	OSH02	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	18	90.00%	1	5.00%	1	5.00%	20
	Total		18	90.00%	1	5.00%	1	5.00%	20
Oshawa, City Of (OSH01)	OSH01	0-5	328	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		Total	328	96.19%	11	3.23%	2	0.59%	341
	Total		328	96.19%	11	3.23%	2	0.59%	341
Osler Bluff Ski-Club (OSBC01)	OSBC01	16+	0	0.00%	0	0.00%	3	100.00%	
		Total	0	0.00%	0	0.00%	3	100.00%	3
	Total		0	0.00%	0	0.00%	3	100.00%	3
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	16+	0	0.00%	0	0.00%	4	100.00%	
		Total	0	0.00%	0	0.00%	4	100.00%	4
	Total		0	0.00%	0	0.00%	4	100.00%	4
Ottawa River Power (ORP01)	ORP01	0-5	66	100.00%	0	0.00%	0	0.00%	
		Total	66	100.00%	0	0.00%	0	0.00%	66
	Total		66	100.00%	0	0.00%	0	0.00%	66
Ottawa River Power (ORP02)	ORP02	0-5	33	100.00%	0	0.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Ottawa River Power (ORP02)	ORP02	6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>33</b>	<b>94.29%</b>	<b>2</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>
	<b>Total</b>	<b>33</b>	<b>94.29%</b>	<b>2</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>	
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	2,023	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>2,023</b>	<b>99.26%</b>	<b>15</b>	<b>0.74%</b>	<b>0</b>	<b>0.00%</b>	<b>2,038</b>
	<b>Total</b>	<b>2,023</b>	<b>99.26%</b>	<b>15</b>	<b>0.74%</b>	<b>0</b>	<b>0.00%</b>	<b>2,038</b>	
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	649	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>649</b>	<b>99.85%</b>	<b>1</b>	<b>0.15%</b>	<b>0</b>	<b>0.00%</b>	<b>650</b>
	<b>Total</b>	<b>649</b>	<b>99.85%</b>	<b>1</b>	<b>0.15%</b>	<b>0</b>	<b>0.00%</b>	<b>650</b>	
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	2,671	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2,671</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2,671</b>
	<b>Total</b>	<b>2,671</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2,671</b>	
Ottawa, University Of (UOTT01)	UOTT01	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Owen Sound, City Of (OWSD01)	OWSD01	0-5	65	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>65</b>	<b>92.86%</b>	<b>5</b>	<b>7.14%</b>	<b>0</b>	<b>0.00%</b>	<b>70</b>
	<b>Total</b>			<b>65</b>	<b>92.86%</b>	<b>5</b>	<b>7.14%</b>	<b>0</b>	<b>0.00%</b>
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>			<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>			<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Oxford, County Of - Traffic (OXFSTS01)	OXFSTS01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>85.71%</b>	<b>1</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>			<b>6</b>	<b>85.71%</b>	<b>1</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	339	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	149	100.00%	
		<b>Total</b>	<b>339</b>	<b>69.18%</b>	<b>0</b>	<b>0.00%</b>	<b>151</b>	<b>30.82%</b>	<b>490</b>
	<b>Total</b>			<b>339</b>	<b>69.18%</b>	<b>0</b>	<b>0.00%</b>	<b>151</b>	<b>30.82%</b>
Oxford, County Of (OXFSTM01)	OXFSTM01	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	36	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>	<b>100.00%</b>	<b>37</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>	<b>100.00%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Packet Works (PWRKST01)	PWRKST01	0-5	11	100.00%	0	0.00%	0	0.00%	
		Total	11	100.00%	0	0.00%	0	0.00%	11
	Total		11	100.00%	0	0.00%	0	0.00%	11
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	67	100.00%	0	0.00%	0	0.00%	
		Total	67	100.00%	0	0.00%	0	0.00%	67
	Total		67	100.00%	0	0.00%	0	0.00%	67
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	24	100.00%	0	0.00%	0	0.00%	
		Total	24	100.00%	0	0.00%	0	0.00%	24
	Total		24	100.00%	0	0.00%	0	0.00%	24
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PBPR02	0-5	224	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	18	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		Total	224	91.06%	20	8.13%	2	0.81%	246
	Total		224	91.06%	20	8.13%	2	0.81%	246
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PBPR03	0-5	76	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PBPR03	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>76</b>	<b>90.48%</b>	<b>7</b>	<b>8.33%</b>	<b>1</b>	<b>1.19%</b>	<b>84</b>
	<b>Total</b>		<b>76</b>	<b>90.48%</b>	<b>7</b>	<b>8.33%</b>	<b>1</b>	<b>1.19%</b>	<b>84</b>
Peel Region - Brampton Water (PCYWAT123)	PBPR01	0-5	281	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	19	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>281</b>	<b>92.74%</b>	<b>20</b>	<b>6.60%</b>	<b>2</b>	<b>0.66%</b>	<b>303</b>
	PEELB01	0-5	11	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	14	46.67%	16	53.33%	
		<b>Total</b>	<b>11</b>	<b>25.58%</b>	<b>16</b>	<b>37.21%</b>	<b>16</b>	<b>37.21%</b>	<b>43</b>
	<b>Total</b>		<b>292</b>	<b>84.39%</b>	<b>36</b>	<b>10.40%</b>	<b>18</b>	<b>5.20%</b>	<b>346</b>
Peel Region - Caledon Sanitary Sewer (PCSANS123)	PCMV02	0-5	85	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>85</b>	<b>92.39%</b>	<b>6</b>	<b>6.52%</b>	<b>1</b>	<b>1.09%</b>	<b>92</b>	
<b>Total</b>		<b>85</b>	<b>92.39%</b>	<b>6</b>	<b>6.52%</b>	<b>1</b>	<b>1.09%</b>	<b>92</b>	
Peel Region - Caledon Storm Sewer (PCSTOS123)	PCMV03	0-5	57	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Peel Region - Caledon Storm Sewer (PCSTOS123)	PCMV03	16+	0	0.00%	2	50.00%	2	50.00%	
		<b>Total</b>	<b>57</b>	<b>86.36%</b>	<b>7</b>	<b>10.61%</b>	<b>2</b>	<b>3.03%</b>	<b>66</b>
	<b>Total</b>	<b>57</b>	<b>86.36%</b>	<b>7</b>	<b>10.61%</b>	<b>2</b>	<b>3.03%</b>	<b>66</b>	
Peel Region - Caledon Water (PCWAT123)	PBTCU01	0-5	188	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	56	100.00%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>188</b>	<b>74.02%</b>	<b>63</b>	<b>24.80%</b>	<b>3</b>	<b>1.18%</b>	<b>254</b>
	PBTCU02	0-5	97	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	40	100.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>97</b>	<b>66.44%</b>	<b>48</b>	<b>32.88%</b>	<b>1</b>	<b>0.68%</b>	<b>146</b>
	PBTCU03	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>17</b>	<b>58.62%</b>	<b>12</b>	<b>41.38%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>
	PCMV01	0-5	123	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>123</b>	<b>95.35%</b>	<b>6</b>	<b>4.65%</b>	<b>0</b>	<b>0.00%</b>	<b>129</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Peel Region - Caledon Water (PCWAT123)	PEELC01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	7	46.67%	8	53.33%	
		<b>Total</b>	<b>4</b>	<b>16.00%</b>	<b>13</b>	<b>52.00%</b>	<b>8</b>	<b>32.00%</b>	
	<b>Total</b>		<b>429</b>	<b>73.58%</b>	<b>142</b>	<b>24.36%</b>	<b>12</b>	<b>2.06%</b>	<b>583</b>
Peel Region - Mississauga Sanitary Sewer (PWSANS123)	PMPR02	0-5	434	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	41	100.00%	0	0.00%	
		11-15	0	0.00%	16	100.00%	0	0.00%	
		16+	0	0.00%	3	33.33%	6	66.67%	
		<b>Total</b>	<b>434</b>	<b>86.80%</b>	<b>60</b>	<b>12.00%</b>	<b>6</b>	<b>1.20%</b>	
	<b>Total</b>		<b>434</b>	<b>86.80%</b>	<b>60</b>	<b>12.00%</b>	<b>6</b>	<b>1.20%</b>	<b>500</b>
Peel Region - Mississauga Storm Sewer (PWSTOS123)	PMPR03	0-5	32	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>32</b>	<b>86.49%</b>	<b>5</b>	<b>13.51%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>		<b>32</b>	<b>86.49%</b>	<b>5</b>	<b>13.51%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>
Peel Region - Mississauga Water Dist (PWWAT123)	PEELM01	0-5	39	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	23	62.16%	14	37.84%	
		<b>Total</b>	<b>39</b>	<b>51.32%</b>	<b>23</b>	<b>30.26%</b>	<b>14</b>	<b>18.42%</b>	
	PMPR01	0-5	589	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	38	100.00%	0	0.00%	
		11-15	0	0.00%	17	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Peel Region - Mississauga Water Dist (PWWAT123)	PMPR01	16+	0	0.00%	3	27.27%	8	72.73%	
		<b>Total</b>	<b>589</b>	<b>89.92%</b>	<b>58</b>	<b>8.85%</b>	<b>8</b>	<b>1.22%</b>	<b>655</b>
	<b>Total</b>	<b>628</b>	<b>85.91%</b>	<b>81</b>	<b>11.08%</b>	<b>22</b>	<b>3.01%</b>	<b>731</b>	
Peel Region - Monitored Sites (PEELM123)	PBRPS05	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>50.00%</b>	<b>2</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	PMIPS05	0-5	13	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	9	90.00%	1	10.00%	
		<b>Total</b>	<b>13</b>	<b>56.52%</b>	<b>9</b>	<b>39.13%</b>	<b>1</b>	<b>4.35%</b>	<b>23</b>
	<b>Total</b>	<b>15</b>	<b>55.56%</b>	<b>11</b>	<b>40.74%</b>	<b>1</b>	<b>3.70%</b>	<b>27</b>	
Peel Region (PEEL123)	PEELTS04	0-5	155	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>155</b>	<b>97.48%</b>	<b>4</b>	<b>2.52%</b>	<b>0</b>	<b>0.00%</b>	<b>159</b>
	<b>Total</b>	<b>155</b>	<b>97.48%</b>	<b>4</b>	<b>2.52%</b>	<b>0</b>	<b>0.00%</b>	<b>159</b>	
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	579	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	3	75.00%	1	25.00%	
		<b>Total</b>	<b>579</b>	<b>98.47%</b>	<b>8</b>	<b>1.36%</b>	<b>1</b>	<b>0.17%</b>	<b>588</b>
	<b>Total</b>	<b>579</b>	<b>98.47%</b>	<b>8</b>	<b>1.36%</b>	<b>1</b>	<b>0.17%</b>	<b>588</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Pelee Island, Township Of (PLEWSL01)	PLEWSL01	16+	0	0.00%	0	0.00%	12	100.00%	
		Total	0	0.00%	0	0.00%	12	100.00%	12
	Total		0	0.00%	0	0.00%	12	100.00%	12
Pelham, Town Of (PEL1)	PEL1	0-5	192	100.00%	0	0.00%	0	0.00%	
		Total	192	100.00%	0	0.00%	0	0.00%	192
	Total		192	100.00%	0	0.00%	0	0.00%	192
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		Total	6	85.71%	1	14.29%	0	0.00%	7
	Total		6	85.71%	1	14.29%	0	0.00%	7
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	61	100.00%	0	0.00%	0	0.00%	
		Total	61	100.00%	0	0.00%	0	0.00%	61
	Total		61	100.00%	0	0.00%	0	0.00%	61
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	27	100.00%	0	0.00%	0	0.00%	
		Total	27	100.00%	0	0.00%	0	0.00%	27
	Total		27	100.00%	0	0.00%	0	0.00%	27
Pennytel Inc (PENTEL01)	PENTEL01	6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	15	100.00%	0	0.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Perth East, Township Of (PRTHE01)	PRTHE01	6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>88.24%</b>	<b>2</b>	<b>11.76%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>
	<b>Total</b>	<b>15</b>	<b>88.24%</b>	<b>2</b>	<b>11.76%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>	
Perth South, Township Of (PERTHS123)	PERTHS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Perth, Town Of (PERTH01)	PERTH01	0-5	41	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>41</b>	<b>95.35%</b>	<b>1</b>	<b>2.33%</b>	<b>1</b>	<b>2.33%</b>	<b>43</b>
	<b>Total</b>	<b>41</b>	<b>95.35%</b>	<b>1</b>	<b>2.33%</b>	<b>1</b>	<b>2.33%</b>	<b>43</b>	
Petawawa, Town Of (PTWA123)	PTWA01	0-5	55	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>55</b>	<b>98.21%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.79%</b>	<b>56</b>
	PTWASL01	0-5	39	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>39</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>39</b>
	<b>Total</b>	<b>94</b>	<b>98.95%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.05%</b>	<b>95</b>	
Peterborough , City Of (PTRB01)	PTRB01	0-5	375	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>375</b>	<b>99.47%</b>	<b>2</b>	<b>0.53%</b>	<b>0</b>	<b>0.00%</b>	<b>377</b>
	<b>Total</b>	<b>375</b>	<b>99.47%</b>	<b>2</b>	<b>0.53%</b>	<b>0</b>	<b>0.00%</b>	<b>377</b>	

			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request	
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	222	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>222</b>	<b>99.55%</b>	<b>1</b>	<b>0.45%</b>	<b>0</b>	<b>0.00%</b>		<b>223</b>
	PTBOU04	0-5	16	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>16</b>	<b>94.12%</b>	<b>1</b>	<b>5.88%</b>	<b>0</b>	<b>0.00%</b>		<b>17</b>
	PTBOU06	0-5	17	100.00%	0	0.00%	0	0.00%		
		<b>Total</b>	<b>17</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>		<b>17</b>
	PTBOU07	0-5	2	100.00%	0	0.00%	0	0.00%		
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>		<b>2</b>
	<b>Total</b>			<b>257</b>	<b>99.23%</b>	<b>2</b>	<b>0.77%</b>	<b>0</b>	<b>0.00%</b>	<b>259</b>
	Peterborough, County Of (PTB01)	PTB01	0-5	125	100.00%	0	0.00%	0	0.00%	
			16+	0	0.00%	0	0.00%	2	100.00%	
<b>Total</b>			<b>125</b>	<b>98.43%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.57%</b>	<b>127</b>	
<b>Total</b>				<b>125</b>	<b>98.43%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.57%</b>	<b>127</b>
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	6-10	0	0.00%	1	100.00%	0	0.00%		
		16+	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>		<b>2</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Petrolia, Town Of (P002)	P002	0-5	30	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	1	100.00%	0	0.00%		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Petrolia, Town Of (P002)	P002	16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>30</b>	<b>81.08%</b>	<b>1</b>	<b>2.70%</b>	<b>6</b>	<b>16.22%</b>	<b>37</b>
	<b>Total</b>	<b>30</b>	<b>81.08%</b>	<b>1</b>	<b>2.70%</b>	<b>6</b>	<b>16.22%</b>	<b>37</b>	
Pickering , City Of (PKRG01)	PKRG01	0-5	182	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	16	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>182</b>	<b>91.00%</b>	<b>18</b>	<b>9.00%</b>	<b>0</b>	<b>0.00%</b>	<b>200</b>
	<b>Total</b>	<b>182</b>	<b>91.00%</b>	<b>18</b>	<b>9.00%</b>	<b>0</b>	<b>0.00%</b>	<b>200</b>	
Pine Valley Drive - Private Owner (PRPV01)	PRPV01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	76	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>76</b>	<b>97.44%</b>	<b>2</b>	<b>2.56%</b>	<b>0</b>	<b>0.00%</b>	<b>78</b>
	<b>Total</b>	<b>76</b>	<b>97.44%</b>	<b>2</b>	<b>2.56%</b>	<b>0</b>	<b>0.00%</b>	<b>78</b>	
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	130	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>130</b>	<b>94.89%</b>	<b>4</b>	<b>2.92%</b>	<b>3</b>	<b>2.19%</b>	<b>137</b>
	<b>Total</b>	<b>130</b>	<b>94.89%</b>	<b>4</b>	<b>2.92%</b>	<b>3</b>	<b>2.19%</b>	<b>137</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Point Edward, Village Of (PE01)	PE01	0-5	23	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>23</b>	<b>69.70%</b>	<b>9</b>	<b>27.27%</b>	<b>1</b>	<b>3.03%</b>	<b>33</b>
<b>Total</b>			<b>23</b>	<b>69.70%</b>	<b>9</b>	<b>27.27%</b>	<b>1</b>	<b>3.03%</b>	<b>33</b>
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	92	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>92</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>92</b>
		<b>Total</b>	<b>92</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>92</b>
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	10	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
		<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
Port Hope, Municipality Of (PH123)	PH01	0-5	82	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>82</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>82</b>
		<b>Total</b>	<b>82</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>82</b>
Powassan, Municipality Of (PWSN01)	PWSN01	0-5	2	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Powassan, Municipality Of (PWSN01)	PWSN01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	2	66.67%	0	0.00%	1	33.33%	3
	Total		2	66.67%	0	0.00%	1	33.33%	3
Prescott , Town Of (PRS01)	PRS01	0-5	17	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	17	94.44%	0	0.00%	1	5.56%	18
	Total		17	94.44%	0	0.00%	1	5.56%	18
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	0	0.00%	0	0.00%	4	100.00%	
		Total	0	0.00%	0	0.00%	4	100.00%	4
	PRERUS03	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	15	100.00%	
		Total	0	0.00%	0	0.00%	16	100.00%	16
Total		0	0.00%	0	0.00%	20	100.00%	20	
Primus Management Ulc (PMT01)	PMT01	16+	0	0.00%	0	0.00%	5	100.00%	
		Total	0	0.00%	0	0.00%	5	100.00%	5
	Total		0	0.00%	0	0.00%	5	100.00%	5
Prince , Township Of (PRNC01)	PRNC01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Prince Edward, County Of (PEC04)	PEC04	0-5	168	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Prince Edward, County Of (PEC04)	PEC04	6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	168	99.41%	1	0.59%	0	0.00%	169
	Total		168	99.41%	1	0.59%	0	0.00%	169
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		Total	1	100.00%	0	0.00%	0	0.00%	1
	Total		1	100.00%	0	0.00%	0	0.00%	1
Public Services And Procurement Canada - Services Publics Et De Lâ €™ Approvisionnement (PSPC01)	PSPC01	0-5	22	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	25	100.00%	0	0.00%	
		Total	22	40.74%	32	59.26%	0	0.00%	54
	Total		22	40.74%	32	59.26%	0	0.00%	54
Puslinch, Township Of (PSLNC01)	PSLNC01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	2	66.67%	0	0.00%	1	33.33%	3
	Total		2	66.67%	0	0.00%	1	33.33%	3
Q9 Networks (QNET01)	QNET01	0-5	16	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	16	94.12%	1	5.88%	0	0.00%	17
	Total		16	94.12%	1	5.88%	0	0.00%	17
Quadro Communications (QUAD1)	MSCQUAD2	0-5	49	100.00%	0	0.00%	0	0.00%	
		Total	49	100.00%	0	0.00%	0	0.00%	49

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Quadro Communications (QUAD1)	QUAD1	0-5	268	100.00%	0	0.00%	0	0.00%	
		Total	268	100.00%	0	0.00%	0	0.00%	268
	Total		317	100.00%	0	0.00%	0	0.00%	317
Queen'S University (QUEENU01)	QUEENU01	0-5	10	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		Total	10	90.91%	1	9.09%	0	0.00%	11
	Total		10	90.91%	1	9.09%	0	0.00%	11
Queens University Fibre (QUEENF01)	QUEENF01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	11	91.67%	1	8.33%	0	0.00%	12
	Total		11	91.67%	1	8.33%	0	0.00%	12
Quinte West, City Of (QW123)	QWF01	16+	0	0.00%	0	0.00%	5	100.00%	
		Total	0	0.00%	0	0.00%	5	100.00%	5
	QWSL01	0-5	80	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		Total	80	95.24%	3	3.57%	1	1.19%	84
	QWSN01	0-5	86	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	86	98.85%	1	1.15%	0	0.00%	87

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Quinte West, City Of (QW123)	QWSS01	0-5	62	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>62</b>	<b>98.41%</b>	<b>1</b>	<b>1.59%</b>	<b>0</b>	<b>0.00%</b>	<b>63</b>
	QWTS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	QWW01	0-5	104	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>104</b>	<b>99.05%</b>	<b>1</b>	<b>0.95%</b>	<b>0</b>	<b>0.00%</b>	<b>105</b>
	<b>Total</b>		<b>334</b>	<b>96.53%</b>	<b>6</b>	<b>1.73%</b>	<b>6</b>	<b>1.73%</b>	<b>346</b>
	Rainy River, Town Of (RNYRWS01)	RNYRWS01	6-10	0	0.00%	1	100.00%	0	0.00%
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
Raleigh Wind Energy Centre (RWE01)	RWE01	16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	14	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>53.85%</b>	<b>12</b>	<b>46.15%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
	<b>Total</b>		<b>14</b>	<b>53.85%</b>	<b>12</b>	<b>46.15%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
Red Lake , Municipality Of (RLSS01)	RLSS01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	38	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>38</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>38</b>
	HLTNW02	0-5	762	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	31	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>762</b>	<b>95.25%</b>	<b>37</b>	<b>4.63%</b>	<b>1</b>	<b>0.13%</b>	<b>800</b>
<b>Total</b>		<b>800</b>	<b>95.47%</b>	<b>37</b>	<b>4.42%</b>	<b>1</b>	<b>0.12%</b>	<b>838</b>	
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>		<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>		<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
Renfrew Hydro (RFH01)	RFH01	0-5	31	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>31</b>	<b>96.88%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.13%</b>	<b>32</b>
	<b>Total</b>		<b>31</b>	<b>96.88%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.13%</b>	<b>32</b>
Renfrew, County Of (RNF123)	RNF01	0-5	54	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Renfrew, County Of (RNF123)	RNF01	6-10	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>54</b>	<b>87.10%</b>	<b>8</b>	<b>12.90%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
	<b>Total</b>		<b>54</b>	<b>87.10%</b>	<b>8</b>	<b>12.90%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
Renfrew, Town Of (RNF01)	RNF01	0-5	32	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>32</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>32</b>
	RNF02	0-5	28	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>28</b>	<b>87.50%</b>	<b>3</b>	<b>9.38%</b>	<b>1</b>	<b>3.13%</b>	<b>32</b>
	<b>Total</b>		<b>60</b>	<b>93.75%</b>	<b>3</b>	<b>4.69%</b>	<b>1</b>	<b>1.56%</b>	<b>64</b>
Richmond Hill, Town Of (RHL01)	RHL01	11-15	0	0.00%	0	0.00%	3	100.00%	
		16+	0	0.00%	0	0.00%	425	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>428</b>	<b>100.00%</b>	<b>428</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>428</b>	<b>100.00%</b>	<b>428</b>
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>		<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
Rideau Lakes, Township Of (RIL01)	RIL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Rideau St Lawrence Utilities (RSLU01)</b>	RSLU01	0-5	34	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>94.44%</b>	<b>2</b>	<b>5.56%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>	<b>34</b>	<b>94.44%</b>	<b>2</b>	<b>5.56%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
<b>Rogers Communications (ROG123)</b>	CABLET01	0-5	137	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>137</b>	<b>97.86%</b>	<b>3</b>	<b>2.14%</b>	<b>0</b>	<b>0.00%</b>	<b>140</b>
	ROGGE01	0-5	888	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	23	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>888</b>	<b>97.05%</b>	<b>27</b>	<b>2.95%</b>	<b>0</b>	<b>0.00%</b>	<b>915</b>
	ROGHN01	0-5	1,605	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	30	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>1,605</b>	<b>97.87%</b>	<b>35</b>	<b>2.13%</b>	<b>0</b>	<b>0.00%</b>	<b>1,640</b>
	ROGLDN01	0-5	1,248	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>1,248</b>	<b>99.68%</b>	<b>4</b>	<b>0.32%</b>	<b>0</b>	<b>0.00%</b>	<b>1,252</b>
ROGNTH01	0-5	4	100.00%	0	0.00%	0	0.00%		
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Rogers Communications (ROG123)	ROGOE01	0-5	27	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>27</b>	<b>96.43%</b>	<b>1</b>	<b>3.57%</b>	<b>0</b>	<b>0.00%</b>	
	ROGOTT01	0-5	2,051	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>2,051</b>	<b>99.66%</b>	<b>7</b>	<b>0.34%</b>	<b>0</b>	<b>0.00%</b>	
	ROGPEL01	0-5	1,572	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	116	100.00%	0	0.00%	
		11-15	0	0.00%	13	100.00%	0	0.00%	
		16+	0	0.00%	18	100.00%	0	0.00%	
		<b>Total</b>	<b>1,572</b>	<b>91.45%</b>	<b>147</b>	<b>8.55%</b>	<b>0</b>	<b>0.00%</b>	
	ROGRAIL1	0-5	229	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	12	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	24	100.00%	0	0.00%	
		<b>Total</b>	<b>229</b>	<b>85.77%</b>	<b>38</b>	<b>14.23%</b>	<b>0</b>	<b>0.00%</b>	
	ROGSIM01	0-5	1,233	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	34	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
16+		0	0.00%	15	100.00%	0	0.00%		
<b>Total</b>		<b>1,233</b>	<b>95.88%</b>	<b>53</b>	<b>4.12%</b>	<b>0</b>	<b>0.00%</b>	<b>1,286</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Rogers Communications (ROG123)	ROGSWO01	0-5	115	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>115</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>115</b>
	ROGTOR01	0-5	2,769	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	200	100.00%	0	0.00%	
		11-15	0	0.00%	31	100.00%	0	0.00%	
		16+	0	0.00%	12	100.00%	0	0.00%	
		<b>Total</b>	<b>2,769</b>	<b>91.93%</b>	<b>243</b>	<b>8.07%</b>	<b>0</b>	<b>0.00%</b>	<b>3,012</b>
	ROGWAT01	0-5	2,098	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	16	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>2,098</b>	<b>99.15%</b>	<b>18</b>	<b>0.85%</b>	<b>0</b>	<b>0.00%</b>	<b>2,116</b>
	ROGWIN01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>66.67%</b>	<b>2</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	ROGYRK01	0-5	1,615	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	201	100.00%	0	0.00%	
		11-15	0	0.00%	22	100.00%	0	0.00%	
		16+	0	0.00%	17	100.00%	0	0.00%	
		<b>Total</b>	<b>1,615</b>	<b>87.06%</b>	<b>240</b>	<b>12.94%</b>	<b>0</b>	<b>0.00%</b>	<b>1,855</b>
	RUWV01	0-5	78	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
11-15		0	0.00%	1	100.00%	0	0.00%		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Rogers Communications (ROG123)	RUWV01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>78</b>	<b>95.12%</b>	<b>3</b>	<b>3.66%</b>	<b>1</b>	<b>1.22%</b>	<b>82</b>
	SJRB01	0-5	7	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>70.00%</b>	<b>3</b>	<b>30.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	SJRB02	0-5	80	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>80</b>	<b>97.56%</b>	<b>2</b>	<b>2.44%</b>	<b>0</b>	<b>0.00%</b>	<b>82</b>
	SJRB03	0-5	58	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>58</b>	<b>98.31%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.69%</b>	<b>59</b>
	SJRB04	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
<b>Total</b>			<b>15,820</b>	<b>95.03%</b>	<b>826</b>	<b>4.96%</b>	<b>2</b>	<b>0.01%</b>	<b>16,648</b>
Romney Wind Energy Centre Lp (RWEC01)	RWEC01	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>			<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Rowe Energy Corporation (ROWE01)	ROWE01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>			<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	46	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	17	100.00%	0	0.00%	
		11-15	0	0.00%	40	100.00%	0	0.00%	
		16+	0	0.00%	23	95.83%	1	4.17%	
		<b>Total</b>	<b>46</b>	<b>36.22%</b>	<b>80</b>	<b>62.99%</b>	<b>1</b>	<b>0.79%</b>	<b>127</b>
	<b>Total</b>	<b>46</b>	<b>36.22%</b>	<b>80</b>	<b>62.99%</b>	<b>1</b>	<b>0.79%</b>	<b>127</b>	
Russell, Township Of (RSEL01)	RSEL01	0-5	61	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	15	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>61</b>	<b>76.25%</b>	<b>16</b>	<b>20.00%</b>	<b>3</b>	<b>3.75%</b>	<b>80</b>
	<b>Total</b>	<b>61</b>	<b>76.25%</b>	<b>16</b>	<b>20.00%</b>	<b>3</b>	<b>3.75%</b>	<b>80</b>	
Ryerson University (RYEU01)	RYEU01	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	SSRWE01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
	Sarnia, City Of (C006)	C006	0-5	441	100.00%	0	0.00%	0	0.00%
<b>Total</b>			<b>441</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>441</b>
<b>Total</b>		<b>441</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>441</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Saugeen First Nations Water (SFNW01)	SFNW01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	8	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>11.11%</b>	<b>9</b>
	SSSL01	0-5	73	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>73</b>	<b>98.65%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.35%</b>	<b>74</b>
	SSWS01	0-5	87	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>87</b>	<b>98.86%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.14%</b>	<b>88</b>
	<b>Total</b>		<b>168</b>	<b>98.25%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>1.75%</b>	<b>171</b>
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	178	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>178</b>	<b>96.74%</b>	<b>2</b>	<b>1.09%</b>	<b>4</b>	<b>2.17%</b>	<b>184</b>
	SSMPUW01	0-5	153	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUW01	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>153</b>	<b>96.23%</b>	<b>2</b>	<b>1.26%</b>	<b>4</b>	<b>2.52%</b>	<b>159</b>
	<b>Total</b>	<b>331</b>	<b>96.50%</b>	<b>4</b>	<b>1.17%</b>	<b>8</b>	<b>2.33%</b>	<b>343</b>	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	79	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>79</b>	<b>95.18%</b>	<b>3</b>	<b>3.61%</b>	<b>1</b>	<b>1.20%</b>	<b>83</b>
	<b>Total</b>	<b>79</b>	<b>95.18%</b>	<b>3</b>	<b>3.61%</b>	<b>1</b>	<b>1.20%</b>	<b>83</b>	
Scugog, Township Of (SCG01)	SCG01	0-5	76	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>76</b>	<b>95.00%</b>	<b>4</b>	<b>5.00%</b>	<b>0</b>	<b>0.00%</b>	<b>80</b>
	<b>Total</b>	<b>76</b>	<b>95.00%</b>	<b>4</b>	<b>5.00%</b>	<b>0</b>	<b>0.00%</b>	<b>80</b>	
Selwyn, Township Of (SLWN01)	SLWN01	0-5	15	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>15</b>	<b>65.22%</b>	<b>6</b>	<b>26.09%</b>	<b>2</b>	<b>8.70%</b>	<b>23</b>
	<b>Total</b>	<b>15</b>	<b>65.22%</b>	<b>6</b>	<b>26.09%</b>	<b>2</b>	<b>8.70%</b>	<b>23</b>	
Severn, Township Of (SEVERN01)	SEVERN01	0-5	29	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>29</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Severn, Township Of (SEVERN01)	SEVERN02	0-5	15	100.00%	0	0.00%	0	0.00%	
		Total	15	100.00%	0	0.00%	0	0.00%	15
	Total		44	100.00%	0	0.00%	0	0.00%	44
Shelburne , Town Of (SHLB01)	SHLB01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		Total	11	78.57%	3	21.43%	0	0.00%	14
	Total		11	78.57%	3	21.43%	0	0.00%	14
Shell Canada - Sault Ste. Marie (SHL2)	SHL2	16+	0	0.00%	0	0.00%	2	100.00%	
		Total	0	0.00%	0	0.00%	2	100.00%	2
	Total		0	0.00%	0	0.00%	2	100.00%	2
Shell Canada (SHL1)	SHL1	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		Total	1	25.00%	3	75.00%	0	0.00%	4
	Total		1	25.00%	3	75.00%	0	0.00%	4
Sick Kids Hospital (SKH01)	SKH01	0-5	7	100.00%	0	0.00%	0	0.00%	
		Total	7	100.00%	0	0.00%	0	0.00%	7
	Total		7	100.00%	0	0.00%	0	0.00%	7
Silver Bay Water (SBW1)	SBW1	16+	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	3	100.00%	0	0.00%	0	0.00%	
		Total	3	100.00%	0	0.00%	0	0.00%	3
	Total		3	100.00%	0	0.00%	0	0.00%	3
Simcoe, County Of (SIM01)	SIM01	0-5	15	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		Total	15	93.75%	1	6.25%	0	0.00%	16
	Total		15	93.75%	1	6.25%	0	0.00%	16
Sioux Lookout Hydro (SILOH01)	SILOH01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Six Nations Gas (SNG01)	SNG01	0-5	37	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		Total	37	78.72%	10	21.28%	0	0.00%	47
	Total		37	78.72%	10	21.28%	0	0.00%	47
Sky Generation (Spratt Power) (SGPLWF01)	SGPLWF01	0-5	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	6	85.71%	0	0.00%	1	14.29%	7
	Total		6	85.71%	0	0.00%	1	14.29%	7
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	84	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Smiths Falls , Town Of (SMFS01)	SMFS01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>84</b>	<b>98.82%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.18%</b>	<b>85</b>
	<b>Total</b>		<b>84</b>	<b>98.82%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.18%</b>	<b>85</b>
Smooth Rock Falls, Town Of (SRF01)	SRF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	18	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	30	100.00%	0	0.00%	
		11-15	0	0.00%	3	75.00%	1	25.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>18</b>	<b>33.33%</b>	<b>33</b>	<b>61.11%</b>	<b>3</b>	<b>5.56%</b>	<b>54</b>
	<b>Total</b>		<b>18</b>	<b>33.33%</b>	<b>33</b>	<b>61.11%</b>	<b>3</b>	<b>5.56%</b>	<b>54</b>
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	16	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
	<b>Total</b>	<b>16</b>	<b>80.00%</b>	<b>4</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>	
<b>Total</b>		<b>16</b>	<b>80.00%</b>	<b>4</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>	
South Dundas , Municipality Of (SDS01)	SDS01	0-5	14	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>		<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
South Frontenac, Township Of (SF123)	SFS01	0-5	4	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
South Frontenac, Township Of (SF123)	SFS01	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	SFSL01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	SFW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
<b>Total</b>		<b>9</b>	<b>81.82%</b>	<b>2</b>	<b>18.18%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	
South Glengarry , Township Of (SGG01)	SGG01	0-5	16	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>16</b>	<b>84.21%</b>	<b>2</b>	<b>10.53%</b>	<b>1</b>	<b>5.26%</b>	<b>19</b>
	<b>Total</b>		<b>16</b>	<b>84.21%</b>	<b>2</b>	<b>10.53%</b>	<b>1</b>	<b>5.26%</b>	<b>19</b>
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	29	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	33.33%	2	66.67%	
		16+	0	0.00%	0	0.00%	33	100.00%	
		<b>Total</b>	<b>29</b>	<b>44.62%</b>	<b>1</b>	<b>1.54%</b>	<b>35</b>	<b>53.85%</b>	<b>65</b>
	<b>Total</b>		<b>29</b>	<b>44.62%</b>	<b>1</b>	<b>1.54%</b>	<b>35</b>	<b>53.85%</b>	<b>65</b>
South Kent Wind Project (SKWP01)	SKWP01	0-5	23	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
South Kent Wind Project (SKWP01)	SKWP01	16+	0	0.00%	1	100.00%	0	0.00%	
		Total	23	92.00%	1	4.00%	1	4.00%	25
	Total		23	92.00%	1	4.00%	1	4.00%	25
South River , Village Of (SORI01)	SORI01	0-5	4	100.00%	0	0.00%	0	0.00%	
		Total	4	100.00%	0	0.00%	0	0.00%	4
	Total		4	100.00%	0	0.00%	0	0.00%	4
South Stormont, Township Of (SSTM01)	SSTM01	0-5	34	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		Total	34	89.47%	0	0.00%	4	10.53%	38
	Total		34	89.47%	0	0.00%	4	10.53%	38
Southgate, Township (SGWS01)	SGWS01	0-5	21	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		Total	21	87.50%	3	12.50%	0	0.00%	24
	Total		21	87.50%	3	12.50%	0	0.00%	24
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	35	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	3	60.00%	2	40.00%	
		Total	35	87.50%	3	7.50%	2	5.00%	40
	SWMSX02	0-5	20	100.00%	0	0.00%	0	0.00%	
		Total	20	100.00%	0	0.00%	0	0.00%	20
	Total		55	91.67%	3	5.00%	2	3.33%	60

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	48	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	13	100.00%	0	0.00%	
		11-15	0	0.00%	1	50.00%	1	50.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>48</b>	<b>71.64%</b>	<b>14</b>	<b>20.90%</b>	<b>5</b>	<b>7.46%</b>	<b>67</b>
<b>Total</b>			<b>48</b>	<b>71.64%</b>	<b>14</b>	<b>20.90%</b>	<b>5</b>	<b>7.46%</b>	<b>67</b>
Southwold, Township Of (SOW01)	SOW01	0-5	34	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>94.44%</b>	<b>2</b>	<b>5.56%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
<b>Total</b>			<b>34</b>	<b>94.44%</b>	<b>2</b>	<b>5.56%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
		<b>Total</b>			<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
<b>Total</b>			<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	19	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>19</b>	<b>73.08%</b>	<b>7</b>	<b>26.92%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
<b>Total</b>			<b>19</b>	<b>73.08%</b>	<b>7</b>	<b>26.92%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
St. Catharines, City Of (STC1)	STC1	0-5	545	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>545</b>	<b>99.63%</b>	<b>2</b>	<b>0.37%</b>	<b>0</b>	<b>0.00%</b>	<b>547</b>
	<b>Total</b>		<b>545</b>	<b>99.63%</b>	<b>2</b>	<b>0.37%</b>	<b>0</b>	<b>0.00%</b>	<b>547</b>
St. Charles, Municipality Of (STC01)	STC01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>		<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
St. Clair, Township Of (M002)	M002	0-5	186	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>186</b>	<b>99.47%</b>	<b>1</b>	<b>0.53%</b>	<b>0</b>	<b>0.00%</b>	<b>187</b>
	<b>Total</b>		<b>186</b>	<b>99.47%</b>	<b>1</b>	<b>0.53%</b>	<b>0</b>	<b>0.00%</b>	<b>187</b>
St. Columban Wind Farms Lp (STCWF01)	STCWF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>		<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
St. Josephs Health Care (London) (SJHC01)	SJHC01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>		<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
St. Marys General Hospital (STMGH01)	STMGH01	6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	48	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>48</b>	<b>97.96%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.04%</b>	<b>49</b>
	<b>Total</b>	<b>48</b>	<b>97.96%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.04%</b>	<b>49</b>	
St. Michael'S Hospital (STMH01)	STMH01	16+	0	0.00%	6	85.71%	1	14.29%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>85.71%</b>	<b>1</b>	<b>14.29%</b>	<b>7</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>85.71%</b>	<b>1</b>	<b>14.29%</b>	<b>7</b>	
St. Thomas, City Of (STHWS01)	STHSL01	0-5	161	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	27	100.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	9	100.00%	
		<b>Total</b>	<b>161</b>	<b>78.54%</b>	<b>35</b>	<b>17.07%</b>	<b>9</b>	<b>4.39%</b>	<b>205</b>
	STHWS01	0-5	179	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	38	100.00%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	10	100.00%	
		<b>Total</b>	<b>179</b>	<b>75.53%</b>	<b>48</b>	<b>20.25%</b>	<b>10</b>	<b>4.22%</b>	<b>237</b>
	<b>Total</b>	<b>340</b>	<b>76.92%</b>	<b>83</b>	<b>18.78%</b>	<b>19</b>	<b>4.30%</b>	<b>442</b>	
Start Communications (STARTC01)	STARTC02	0-5	263	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>263</b>	<b>97.05%</b>	<b>8</b>	<b>2.95%</b>	<b>0</b>	<b>0.00%</b>	<b>271</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
<b>Start Communications (STARTC01)</b>	STARTC03	11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	26	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>
	<b>Total</b>		<b>263</b>	<b>87.96%</b>	<b>8</b>	<b>2.68%</b>	<b>28</b>	<b>9.36%</b>	<b>299</b>
<b>Stelco Steel Hamilton Works (SHW01)</b>	SHW01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
<b>Stirling Rawdon , Township Of (STRDWS01)</b>	STRDWS01	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
	<b>Total</b>		<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
<b>Stone Mills, Township Of (STMSS01)</b>	STMSS01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
<b>Stonebridge Golf And Country Club (SBGCC01)</b>	SBGCC01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
<b>Storm Internet (STRMF01)</b>	STRMF01	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>		<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
<b>Stormont Dundas And Glengarry , United Counties Of (SDG01)</b>	SDG01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	16	100.00%	0	0.00%	0	0.00%	
		Total	16	100.00%	0	0.00%	0	0.00%	16
	Total		16	100.00%	0	0.00%	0	0.00%	16
Stratford, City Of (STRATWS01)	STRATWS01	0-5	21	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	51	100.00%	0	0.00%	
		11-15	0	0.00%	38	97.44%	1	2.56%	
		16+	0	0.00%	6	9.09%	60	90.91%	
		Total	21	11.86%	95	53.67%	61	34.46%	177
	Total		21	11.86%	95	53.67%	61	34.46%	177
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	123	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	123	96.85%	3	2.36%	1	0.79%	127
	Total		123	96.85%	3	2.36%	1	0.79%	127
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	134	100.00%	0	0.00%	0	0.00%	
		Total	134	100.00%	0	0.00%	0	0.00%	134
	Total		134	100.00%	0	0.00%	0	0.00%	134
Summer Haven Wind (SHWF01)	SHWF01	0-5	3	100.00%	0	0.00%	0	0.00%	
		Total	3	100.00%	0	0.00%	0	0.00%	3
	Total		3	100.00%	0	0.00%	0	0.00%	3

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	53	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>53</b>	<b>98.15%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.85%</b>	<b>54</b>
	<b>Total</b>		<b>53</b>	<b>98.15%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.85%</b>	<b>54</b>
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	101	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>101</b>	<b>97.12%</b>	<b>1</b>	<b>0.96%</b>	<b>2</b>	<b>1.92%</b>	<b>104</b>
	S002	0-5	172	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>172</b>	<b>97.18%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>2.82%</b>	<b>177</b>
	S004	0-5	21	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
	<b>Total</b>		<b>294</b>	<b>97.35%</b>	<b>1</b>	<b>0.33%</b>	<b>7</b>	<b>2.32%</b>	<b>302</b>
	Suncor Energy Products (SNCP05)	SNCP05	16+	0	0.00%	1	50.00%	1	50.00%
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>
Suncor Energy Products (SNCP02)	SNCP02	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
Suncor Energy Products (SNCP03)	SNCP03	0-5	3	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Suncor Energy Products (SNCP03)	SNCP03	16+	0	0.00%	8	100.00%	0	0.00%	
		Total	3	27.27%	8	72.73%	0	0.00%	11
	Total		3	27.27%	8	72.73%	0	0.00%	11
Suncor Energy Products (SNCP04)	SNCP04	16+	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Sundridge, Village Of (SNDR01)	SNDR01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		Total	6	75.00%	2	25.00%	0	0.00%	8
	Total		6	75.00%	2	25.00%	0	0.00%	8
Superior View Gas Inc (SVGPL01)	SVGPL01	16+	0	0.00%	9	100.00%	0	0.00%	
		Total	0	0.00%	9	100.00%	0	0.00%	9
	Total		0	0.00%	9	100.00%	0	0.00%	9
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	5	100.00%	0	0.00%	0	0.00%	
		Total	5	100.00%	0	0.00%	0	0.00%	5
	Total		5	100.00%	0	0.00%	0	0.00%	5
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	173	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		Total	173	97.74%	4	2.26%	0	0.00%	177
	Total		173	97.74%	4	2.26%	0	0.00%	177

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Talbot Windfarm (TALWF01)	TALWF01	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
Tay, Township Of - Street Lights (TAY02)	TAY02	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Tay, Township Of (TAY01)	TAY01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>20</b>	<b>80.00%</b>	<b>4</b>	<b>16.00%</b>	<b>1</b>	<b>4.00%</b>	<b>25</b>
	<b>Total</b>	<b>20</b>	<b>80.00%</b>	<b>4</b>	<b>16.00%</b>	<b>1</b>	<b>4.00%</b>	<b>25</b>	
Tbaytel (TBYTEL01)	TBYTEL01	0-5	150	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>150</b>	<b>90.36%</b>	<b>10</b>	<b>6.02%</b>	<b>6</b>	<b>3.61%</b>	<b>166</b>
	TBYTEL02	0-5	9	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>9</b>	<b>81.82%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>18.18%</b>	<b>11</b>
<b>Total</b>	<b>159</b>	<b>89.83%</b>	<b>10</b>	<b>5.65%</b>	<b>8</b>	<b>4.52%</b>	<b>177</b>		
TC Energy - East (TCP01)	TC03	0-5	344	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>344</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>344</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
TC Energy - East (TCP01)	TC06	0-5	126	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>126</b>	<b>91.30%</b>	<b>12</b>	<b>8.70%</b>	<b>0</b>	<b>0.00%</b>	
	TC07	0-5	67	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>67</b>	<b>93.06%</b>	<b>5</b>	<b>6.94%</b>	<b>0</b>	<b>0.00%</b>	
	TC08	0-5	83	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>83</b>	<b>98.81%</b>	<b>1</b>	<b>1.19%</b>	<b>0</b>	<b>0.00%</b>	
	TC09	0-5	29	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>29</b>	<b>96.67%</b>	<b>1</b>	<b>3.33%</b>	<b>0</b>	<b>0.00%</b>	
	TC10	0-5	83	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>83</b>	<b>94.32%</b>	<b>5</b>	<b>5.68%</b>	<b>0</b>	<b>0.00%</b>	
	TC12	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
TC Energy - East (TCP01)	TC14	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	6	75.00%	2	25.00%	
		<b>Total</b>	<b>2</b>	<b>20.00%</b>	<b>6</b>	<b>60.00%</b>	<b>2</b>	<b>20.00%</b>	
	TC16	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	TC17	0-5	13	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>13</b>	<b>86.67%</b>	<b>2</b>	<b>13.33%</b>	<b>0</b>	<b>0.00%</b>	
	TC18	0-5	117	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>117</b>	<b>93.60%</b>	<b>8</b>	<b>6.40%</b>	<b>0</b>	<b>0.00%</b>	
	TC19	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>872</b>	<b>95.30%</b>	<b>41</b>	<b>4.48%</b>	<b>2</b>	<b>0.22%</b>	<b>915</b>
Tecumseh, Town Of (TEC123)	TECS01	0-5	53	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>53</b>	<b>98.15%</b>	<b>1</b>	<b>1.85%</b>	<b>0</b>	<b>0.00%</b>	
	TECW01	0-5	55	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>55</b>	<b>84.62%</b>	<b>10</b>	<b>15.38%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>108</b>	<b>90.76%</b>	<b>11</b>	<b>9.24%</b>	<b>0</b>	<b>0.00%</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	260	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	75	100.00%	0	0.00%	
		11-15	0	0.00%	18	100.00%	0	0.00%	
		<b>Total</b>	<b>260</b>	<b>73.65%</b>	<b>93</b>	<b>26.35%</b>	<b>0</b>	<b>0.00%</b>	<b>353</b>
	<b>Total</b>		<b>260</b>	<b>73.65%</b>	<b>93</b>	<b>26.35%</b>	<b>0</b>	<b>0.00%</b>	<b>353</b>
Telmax Inc (TLMXF01)	TLMXF01	0-5	158	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>158</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>158</b>
	<b>Total</b>		<b>158</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>158</b>
Telus (TELUS01)	TELGE01	0-5	79	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>79</b>	<b>90.80%</b>	<b>8</b>	<b>9.20%</b>	<b>0</b>	<b>0.00%</b>	<b>87</b>
	TELGN01	0-5	158	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	20	100.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>158</b>	<b>83.16%</b>	<b>28</b>	<b>14.74%</b>	<b>4</b>	<b>2.11%</b>	<b>190</b>
		TELGN02	0-5	63	100.00%	0	0.00%	0	0.00%
	6-10		0	0.00%	3	100.00%	0	0.00%	
	11-15		0	0.00%	1	100.00%	0	0.00%	
	16+		0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>		<b>63</b>	<b>92.65%</b>	<b>4</b>	<b>5.88%</b>	<b>1</b>	<b>1.47%</b>	<b>68</b>
	TELGW01	0-5	213	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Telus (TELUS01)	TELGW01	6-10	0	0.00%	11	100.00%	0	0.00%	
		<b>Total</b>	<b>213</b>	<b>95.09%</b>	<b>11</b>	<b>4.91%</b>	<b>0</b>	<b>0.00%</b>	<b>224</b>
	TELGW02	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	TELHN01	0-5	164	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>164</b>	<b>98.20%</b>	<b>3</b>	<b>1.80%</b>	<b>0</b>	<b>0.00%</b>	<b>167</b>
	TELOE01	0-5	494	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>494</b>	<b>98.02%</b>	<b>10</b>	<b>1.98%</b>	<b>0</b>	<b>0.00%</b>	<b>504</b>
	TELONE01	0-5	22	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>22</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>
	TELONW01	0-5	20	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>
	TELOS01	0-5	155	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	20	100.00%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>155</b>	<b>83.33%</b>	<b>30</b>	<b>16.13%</b>	<b>1</b>	<b>0.54%</b>	<b>186</b>
	TELOW01	0-5	98	100.00%	0	0.00%	0	0.00%	
6-10		0	0.00%	1	100.00%	0	0.00%		
<b>Total</b>		<b>98</b>	<b>98.99%</b>	<b>1</b>	<b>1.01%</b>	<b>0</b>	<b>0.00%</b>	<b>99</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Telus (TELUS01)	TEL01	0-5	780	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	129	100.00%	0	0.00%	
		11-15	0	0.00%	23	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>780</b>	<b>83.07%</b>	<b>152</b>	<b>16.19%</b>	<b>7</b>	<b>0.75%</b>	<b>939</b>
<b>Total</b>			<b>2,247</b>	<b>89.63%</b>	<b>247</b>	<b>9.85%</b>	<b>13</b>	<b>0.52%</b>	<b>2,507</b>
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	24	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>24</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>
		<b>Total</b>	<b>24</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>
Terago Networks Inc (TNF01)	TNF01	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Teraspan Networks (TS01)	TS01	0-5	29	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>29</b>	<b>96.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.33%</b>	<b>30</b>
		<b>Total</b>	<b>29</b>	<b>96.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.33%</b>	<b>30</b>
Terrace Bay , Township Of (TRBWS01)	TRBWS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	41	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Thames Centre, Municipality Of (THCWS01)	THCWS01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>41</b>	<b>93.18%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>6.82%</b>	<b>44</b>
	<b>Total</b>	<b>41</b>	<b>93.18%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>6.82%</b>	<b>44</b>	
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	80	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	3	100.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>80</b>	<b>91.95%</b>	<b>2</b>	<b>2.30%</b>	<b>5</b>	<b>5.75%</b>	<b>87</b>
	<b>Total</b>	<b>80</b>	<b>91.95%</b>	<b>2</b>	<b>2.30%</b>	<b>5</b>	<b>5.75%</b>	<b>87</b>	
Thessalon , Town Of (THSWSS01)	THSWSS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Thorold, City Of (THLD01)	THLD01	0-5	207	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	19	100.00%	0	0.00%	
		11-15	0	0.00%	18	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	18	100.00%	
		<b>Total</b>	<b>207</b>	<b>79.01%</b>	<b>37</b>	<b>14.12%</b>	<b>18</b>	<b>6.87%</b>	<b>262</b>
	<b>Total</b>	<b>207</b>	<b>79.01%</b>	<b>37</b>	<b>14.12%</b>	<b>18</b>	<b>6.87%</b>	<b>262</b>	
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	22	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>22</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>
	<b>Total</b>	<b>22</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>	

			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request	
Thunder Bay, City Of (THBY123)	THBY01	0-5	85	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	10	100.00%	0	0.00%		
		16+	0	0.00%	0	0.00%	7	100.00%		
		<b>Total</b>	<b>85</b>	<b>83.33%</b>	<b>10</b>	<b>9.80%</b>	<b>7</b>	<b>6.86%</b>		<b>102</b>
	THBY02	0-5	68	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	1	100.00%	0	0.00%		
		16+	0	0.00%	0	0.00%	4	100.00%		
		<b>Total</b>	<b>68</b>	<b>93.15%</b>	<b>1</b>	<b>1.37%</b>	<b>4</b>	<b>5.48%</b>		<b>73</b>
	<b>Total</b>			<b>153</b>	<b>87.43%</b>	<b>11</b>	<b>6.29%</b>	<b>11</b>	<b>6.29%</b>	<b>175</b>
	Tillsonburg , Town Of (TSB01)	TSB01	0-5	381	100.00%	0	0.00%	0	0.00%	
16+			0	0.00%	1	100.00%	0	0.00%		
<b>Total</b>			<b>381</b>	<b>99.74%</b>	<b>1</b>	<b>0.26%</b>	<b>0</b>	<b>0.00%</b>	<b>382</b>	
<b>Total</b>				<b>381</b>	<b>99.74%</b>	<b>1</b>	<b>0.26%</b>	<b>0</b>	<b>0.00%</b>	<b>382</b>
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	279	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>279</b>	<b>99.64%</b>	<b>1</b>	<b>0.36%</b>	<b>0</b>	<b>0.00%</b>		<b>280</b>
	<b>Total</b>			<b>279</b>	<b>99.64%</b>	<b>1</b>	<b>0.36%</b>	<b>0</b>	<b>0.00%</b>	<b>280</b>
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	13	100.00%	0	0.00%	0	0.00%		
		6-10	0	0.00%	1	100.00%	0	0.00%		
		11-15	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>13</b>	<b>86.67%</b>	<b>2</b>	<b>13.33%</b>	<b>0</b>	<b>0.00%</b>		<b>15</b>
	<b>Total</b>			<b>13</b>	<b>86.67%</b>	<b>2</b>	<b>13.33%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Timmins, City Of (TMNS01)	TMNS01	0-5	45	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>45</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>
	<b>Total</b>		<b>45</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>
Tiny, Township Of (TNY01)	TNY01	0-5	43	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>43</b>	<b>89.58%</b>	<b>4</b>	<b>8.33%</b>	<b>1</b>	<b>2.08%</b>	<b>48</b>
	<b>Total</b>		<b>43</b>	<b>89.58%</b>	<b>4</b>	<b>8.33%</b>	<b>1</b>	<b>2.08%</b>	<b>48</b>
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	BDVBIA01	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	BLCBIA01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	BPGBIA01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	BYEBIA01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	BYWBIA01	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Business Improvement Areas (BIA123)	CPBIA01	0-5	7	100.00%	0	0.00%	0	0.00%	8
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>1</b>	<b>12.50%</b>	<b>0</b>	<b>0.00%</b>	
	CRIBIA01	0-5	5	100.00%	0	0.00%	0	0.00%	5
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	DFVBIA01	0-5	11	100.00%	0	0.00%	0	0.00%	11
		<b>Total</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	DNFBIA01	0-5	1	100.00%	0	0.00%	0	0.00%	1
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	DYEBIA01	0-5	20	100.00%	0	0.00%	0	0.00%	22
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>20</b>	<b>90.91%</b>	<b>2</b>	<b>9.09%</b>	<b>0</b>	<b>0.00%</b>	
	DYWBIA01	0-5	6	100.00%	0	0.00%	0	0.00%	6
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	EGLBIA01	0-5	3	100.00%	0	0.00%	0	0.00%	3
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	EVBIA01	0-5	7	100.00%	0	0.00%	0	0.00%	7
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	GIBBIA01	0-5	1	100.00%	0	0.00%	0	0.00%	1
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
GRTBIA01	0-5	11	100.00%	0	0.00%	0	0.00%		
	6-10	0	0.00%	2	100.00%	0	0.00%		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Business Improvement Areas (BIA123)	GRTBIA01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>11</b>	<b>73.33%</b>	<b>2</b>	<b>13.33%</b>	<b>2</b>	<b>13.33%</b>	<b>15</b>
	HLCBIA01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	JGBIA01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	KRBIA01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	LBBIA01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	LBVBIA01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	LIBIA01	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	LSVBIA01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	MTDNBIA1	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	MTDSBIA1	16+	0	0.00%	0	0.00%	2	100.00%	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Business Improvement Areas (BIA123)	PDVBIA01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	RCVBIA01	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
	RHVBIA01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	RSDBIA01	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	SCGBIA01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	UPVBIA01	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	VIBIA01	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	WVBIA01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	WYWBIA01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	YEBIA01	0-5	1	100.00%	0	0.00%	0	0.00%	
<b>Total</b>		<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
<b>Total</b>			<b>176</b>	<b>94.12%</b>	<b>7</b>	<b>3.74%</b>	<b>4</b>	<b>2.14%</b>	<b>187</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Community Housing (TCHC01)	TCHC01	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Toronto East Health Network (TEGH01)	TEGH01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Toronto Gas Extraction (TORGE01)	TORGEE01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Toronto Hydro (TH123)	THTE01	0-5	2,774	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	73	100.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	4	80.00%	1	20.00%	
		<b>Total</b>	<b>2,774</b>	<b>96.99%</b>	<b>85</b>	<b>2.97%</b>	<b>1</b>	<b>0.03%</b>	<b>2,860</b>
	THTW01N	0-5	1,556	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	83	100.00%	0	0.00%	
		11-15	0	0.00%	14	100.00%	0	0.00%	
		16+	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>1,556</b>	<b>93.90%</b>	<b>101</b>	<b>6.10%</b>	<b>0</b>	<b>0.00%</b>	<b>1,657</b>
	THTW01S	0-5	1,923	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	16	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Hydro (TH123)	THTW01S	11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	6	85.71%	1	14.29%	
		<b>Total</b>	<b>1,923</b>	<b>98.56%</b>	<b>27</b>	<b>1.38%</b>	<b>1</b>	<b>0.05%</b>	<b>1,951</b>
	<b>Total</b>	<b>6,253</b>	<b>96.68%</b>	<b>213</b>	<b>3.29%</b>	<b>2</b>	<b>0.03%</b>	<b>6,468</b>	
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	552	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	18	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	1	25.00%	3	75.00%	
		<b>Total</b>	<b>552</b>	<b>95.67%</b>	<b>22</b>	<b>3.81%</b>	<b>3</b>	<b>0.52%</b>	<b>577</b>
	TORTSE02	0-5	110	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>110</b>	<b>96.49%</b>	<b>3</b>	<b>2.63%</b>	<b>1</b>	<b>0.88%</b>	<b>114</b>
	TORTSW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	TORTSWN1	0-5	83	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	25	100.00%	0	0.00%	
		11-15	0	0.00%	6	85.71%	1	14.29%	
		16+	0	0.00%	2	1.79%	110	98.21%	
		<b>Total</b>	<b>83</b>	<b>36.56%</b>	<b>33</b>	<b>14.54%</b>	<b>111</b>	<b>48.90%</b>	<b>227</b>
	TORTSWN2	0-5	21	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Traffic Signals (TORTS01)	TORTSWN2	11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>70.00%</b>	<b>9</b>	<b>30.00%</b>	<b>0</b>	<b>0.00%</b>	<b>30</b>
	TORTSWS1	11-15	0	0.00%	0	0.00%	13	100.00%	
		16+	0	0.00%	0	0.00%	367	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>380</b>	<b>100.00%</b>	<b>380</b>
	TORTSWS2	11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	119	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>121</b>	<b>100.00%</b>	<b>121</b>
	<b>Total</b>		<b>767</b>	<b>52.90%</b>	<b>67</b>	<b>4.62%</b>	<b>616</b>	<b>42.48%</b>	<b>1,450</b>
	Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	214	100.00%	0	0.00%	0	0.00%
6-10			0	0.00%	1	100.00%	0	0.00%	
16+			0	0.00%	0	0.00%	1	100.00%	
<b>Total</b>			<b>214</b>	<b>99.07%</b>	<b>1</b>	<b>0.46%</b>	<b>1</b>	<b>0.46%</b>	<b>216</b>
<b>Total</b>			<b>214</b>	<b>99.07%</b>	<b>1</b>	<b>0.46%</b>	<b>1</b>	<b>0.46%</b>	<b>216</b>
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	522	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	2	66.67%	1	33.33%	
		16+	0	0.00%	0	0.00%	46	100.00%	
		<b>Total</b>	<b>522</b>	<b>90.00%</b>	<b>11</b>	<b>1.90%</b>	<b>47</b>	<b>8.10%</b>	<b>580</b>
	<b>Total</b>		<b>522</b>	<b>90.00%</b>	<b>11</b>	<b>1.90%</b>	<b>47</b>	<b>8.10%</b>	<b>580</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	465	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>465</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>465</b>
	<b>Total</b>	<b>465</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>465</b>	
Toronto Water and Sewer (TORW123)	TORWE01	0-5	795	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	27	100.00%	0	0.00%	
		11-15	0	0.00%	9	100.00%	0	0.00%	
		16+	0	0.00%	3	25.00%	9	75.00%	
		<b>Total</b>	<b>795</b>	<b>94.31%</b>	<b>39</b>	<b>4.63%</b>	<b>9</b>	<b>1.07%</b>	<b>843</b>
	TORWE02	0-5	160	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	15	100.00%	0	0.00%	
		<b>Total</b>	<b>160</b>	<b>91.43%</b>	<b>15</b>	<b>8.57%</b>	<b>0</b>	<b>0.00%</b>	<b>175</b>
	TORWE03	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	TORWE04	0-5	114	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>114</b>	<b>93.44%</b>	<b>8</b>	<b>6.56%</b>	<b>0</b>	<b>0.00%</b>	<b>122</b>
	TORWE05	0-5	25	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>25</b>	<b>86.21%</b>	<b>4</b>	<b>13.79%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Water and Sewer (TORW123)	TORWE06	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>85.71%</b>	<b>1</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>	
	TORWE07	0-5	436	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>436</b>	<b>99.77%</b>	<b>1</b>	<b>0.23%</b>	<b>0</b>	<b>0.00%</b>	
	TORWW01	0-5	645	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>645</b>	<b>97.73%</b>	<b>15</b>	<b>2.27%</b>	<b>0</b>	<b>0.00%</b>	
	TORWW02	0-5	493	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	51	100.00%	0	0.00%	
		11-15	0	0.00%	11	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>493</b>	<b>88.51%</b>	<b>64</b>	<b>11.49%</b>	<b>0</b>	<b>0.00%</b>	
	TORWW04	0-5	110	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>110</b>	<b>99.10%</b>	<b>1</b>	<b>0.90%</b>	<b>0</b>	<b>0.00%</b>	
	TORWW05	0-5	84	100.00%	0	0.00%	0	0.00%	
6-10		0	0.00%	10	100.00%	0	0.00%		
11-15		0	0.00%	4	100.00%	0	0.00%		
<b>Total</b>		<b>84</b>	<b>85.71%</b>	<b>14</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>	<b>98</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Toronto Water and Sewer (TORW123)	TORWW06	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	
	TORWWN03	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	
	TORWWN07	0-5	134	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>134</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	TORWWS03	16+	0	0.00%	0	0.00%	30	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>30</b>	<b>100.00%</b>	
	TORWWS07	0-5	220	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>220</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>3,231</b>	<b>94.09%</b>	<b>163</b>	<b>4.75%</b>	<b>40</b>	<b>1.16%</b>
Toronto, University Of (UTOR01)	UTOR01	0-5	60	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>60</b>	<b>98.36%</b>	<b>1</b>	<b>1.64%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>60</b>	<b>98.36%</b>	<b>1</b>	<b>1.64%</b>	<b>0</b>	<b>0.00%</b>
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	462	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	96	100.00%	0	0.00%	
		11-15	0	0.00%	10	90.91%	1	9.09%	
		16+	0	0.00%	2	50.00%	2	50.00%	
		<b>Total</b>	<b>462</b>	<b>80.63%</b>	<b>108</b>	<b>18.85%</b>	<b>3</b>	<b>0.52%</b>	
	<b>Total</b>			<b>462</b>	<b>80.63%</b>	<b>108</b>	<b>18.85%</b>	<b>3</b>	<b>0.52%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Transcanada Pipelines - North (TCP02)	TC04	0-5	15	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>78.95%</b>	<b>4</b>	<b>21.05%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>
	TC11	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>		<b>21</b>	<b>84.00%</b>	<b>4</b>	<b>16.00%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>
Trans-Northern Pipelines (TN01)	TN01	0-5	411	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>411</b>	<b>98.56%</b>	<b>5</b>	<b>1.20%</b>	<b>1</b>	<b>0.24%</b>	<b>417</b>
	<b>Total</b>		<b>411</b>	<b>98.56%</b>	<b>5</b>	<b>1.20%</b>	<b>1</b>	<b>0.24%</b>	<b>417</b>
Trans-Northern Pipelines (TN02)	TN02	0-5	55	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>55</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>55</b>
	<b>Total</b>		<b>55</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>55</b>
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	31	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>31</b>	<b>91.18%</b>	<b>3</b>	<b>8.82%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
	<b>Total</b>		<b>31</b>	<b>91.18%</b>	<b>3</b>	<b>8.82%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
Trent Lakes, Municipality Of (TRLW01)	TRLW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>		<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Trent University (TRENTU123)	TRENTU01	16+	0	0.00%	4	100.00%	0	0.00%	
		Total	0	0.00%	4	100.00%	0	0.00%	4
	Total		0	0.00%	4	100.00%	0	0.00%	4
Tribute Gas (MAGG01)	MAGG01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		Total	6	66.67%	3	33.33%	0	0.00%	9
	Total		6	66.67%	3	33.33%	0	0.00%	9
Tuckersmith Communications (TCC01)	TCC01	0-5	194	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		Total	194	99.49%	1	0.51%	0	0.00%	195
	Total		194	99.49%	1	0.51%	0	0.00%	195
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		Total	1	11.11%	0	0.00%	8	88.89%	9
	Total		1	11.11%	0	0.00%	8	88.89%	9
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	16+	0	0.00%	0	0.00%	6	100.00%	
		Total	0	0.00%	0	0.00%	6	100.00%	6
	Total		0	0.00%	0	0.00%	6	100.00%	6
University Health Network - Toronto General (UHNTG01)	UHNTG01	16+	0	0.00%	0	0.00%	10	100.00%	
		Total	0	0.00%	0	0.00%	10	100.00%	10
	Total		0	0.00%	0	0.00%	10	100.00%	10

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>55.56%</b>	<b>4</b>	<b>44.44%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>5</b>	<b>55.56%</b>	<b>4</b>	<b>44.44%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	
University Health Network (UHN01)	UHN01	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>66.67%</b>	<b>5</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>	<b>10</b>	<b>66.67%</b>	<b>5</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	
University Of Western Ontario (UW01)	UW01	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	27	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>	
University Of Windsor (UOW01)	UOW01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>80.00%</b>	<b>2</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	<b>Total</b>	<b>8</b>	<b>80.00%</b>	<b>2</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>	
Upper Canada District School Board (UCDSB01)	UCDSB01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Utilities Kingston (UK123)	UK04	0-5	367	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	40	100.00%	0	0.00%	
		11-15	0	0.00%	15	93.75%	1	6.25%	
		16+	0	0.00%	4	30.77%	9	69.23%	
		<b>Total</b>	<b>367</b>	<b>84.17%</b>	<b>59</b>	<b>13.53%</b>	<b>10</b>	<b>2.29%</b>	<b>436</b>
	<b>Total</b>	<b>367</b>	<b>84.17%</b>	<b>59</b>	<b>13.53%</b>	<b>10</b>	<b>2.29%</b>	<b>436</b>	
Uxbridge, Town Of (UXB01)	UXB01	0-5	27	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	44	100.00%	0	0.00%	
		<b>Total</b>	<b>27</b>	<b>36.00%</b>	<b>48</b>	<b>64.00%</b>	<b>0</b>	<b>0.00%</b>	<b>75</b>
	<b>Total</b>	<b>27</b>	<b>36.00%</b>	<b>48</b>	<b>64.00%</b>	<b>0</b>	<b>0.00%</b>	<b>75</b>	
Vale Canada (VALE01)	VALE01	0-5	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>16.67%</b>	<b>6</b>
	<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>16.67%</b>	<b>6</b>	
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	827	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>827</b>	<b>99.04%</b>	<b>8</b>	<b>0.96%</b>	<b>0</b>	<b>0.00%</b>	<b>835</b>
	<b>Total</b>	<b>827</b>	<b>99.04%</b>	<b>8</b>	<b>0.96%</b>	<b>0</b>	<b>0.00%</b>	<b>835</b>	
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	43	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>43</b>	<b>97.73%</b>	<b>1</b>	<b>2.27%</b>	<b>0</b>	<b>0.00%</b>	<b>44</b>
	<b>Total</b>	<b>43</b>	<b>97.73%</b>	<b>1</b>	<b>2.27%</b>	<b>0</b>	<b>0.00%</b>	<b>44</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	187	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	130	100.00%	0	0.00%	
		<b>Total</b>	<b>187</b>	<b>58.99%</b>	<b>130</b>	<b>41.01%</b>	<b>0</b>	<b>0.00%</b>	<b>317</b>
		<b>Total</b>	<b>187</b>	<b>58.99%</b>	<b>130</b>	<b>41.01%</b>	<b>0</b>	<b>0.00%</b>	<b>317</b>
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	700	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	8	100.00%	0	0.00%	
		11-15	0	0.00%	20	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	11	100.00%	
		<b>Total</b>	<b>700</b>	<b>94.72%</b>	<b>28</b>	<b>3.79%</b>	<b>11</b>	<b>1.49%</b>	<b>739</b>
		<b>Total</b>	<b>700</b>	<b>94.72%</b>	<b>28</b>	<b>3.79%</b>	<b>11</b>	<b>1.49%</b>	<b>739</b>
Videotron Senc (VDT1)	VDT1	0-5	180	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	7	100.00%	
		16+	0	0.00%	1	1.05%	94	98.95%	
		<b>Total</b>	<b>180</b>	<b>62.50%</b>	<b>7</b>	<b>2.43%</b>	<b>101</b>	<b>35.07%</b>	<b>288</b>
		<b>Total</b>	<b>180</b>	<b>62.50%</b>	<b>7</b>	<b>2.43%</b>	<b>101</b>	<b>35.07%</b>	<b>288</b>
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>54.55%</b>	<b>10</b>	<b>45.45%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>
		<b>Total</b>	<b>12</b>	<b>54.55%</b>	<b>10</b>	<b>45.45%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	76	100.00%	0	0.00%	0	0.00%	
		Total	76	100.00%	0	0.00%	0	0.00%	76
	Total		76	100.00%	0	0.00%	0	0.00%	76
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	81	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	81	98.78%	0	0.00%	1	1.22%	82
	Total		81	98.78%	0	0.00%	1	1.22%	82
Waste Connections Of Canada (PRWM01)	PRWM01	16+	0	0.00%	1	100.00%	0	0.00%	
		Total	0	0.00%	1	100.00%	0	0.00%	1
	Total		0	0.00%	1	100.00%	0	0.00%	1
Waste Management Canada (WMFM01)	WMFM01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		Total	2	50.00%	2	50.00%	0	0.00%	4
	Total		2	50.00%	2	50.00%	0	0.00%	4
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	17	94.44%	1	5.56%	0	0.00%	18
	Total		17	94.44%	1	5.56%	0	0.00%	18
Waterloo, City Of (CW01)	CW01	0-5	263	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	1	12.50%	7	87.50%	
	Total		263	100.00%	3	12.50%	7	87.50%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Waterloo, City Of (CW01)	CW01	16+	0	0.00%	4	2.63%	148	97.37%	
		<b>Total</b>	<b>263</b>	<b>61.88%</b>	<b>7</b>	<b>1.65%</b>	<b>155</b>	<b>36.47%</b>	<b>425</b>
	<b>Total</b>	<b>263</b>	<b>61.88%</b>	<b>7</b>	<b>1.65%</b>	<b>155</b>	<b>36.47%</b>	<b>425</b>	
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	51	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>51</b>	<b>92.73%</b>	<b>4</b>	<b>7.27%</b>	<b>0</b>	<b>0.00%</b>	<b>55</b>
	<b>Total</b>	<b>51</b>	<b>92.73%</b>	<b>4</b>	<b>7.27%</b>	<b>0</b>	<b>0.00%</b>	<b>55</b>	
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	159	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>159</b>	<b>98.76%</b>	<b>2</b>	<b>1.24%</b>	<b>0</b>	<b>0.00%</b>	<b>161</b>
	<b>Total</b>	<b>159</b>	<b>98.76%</b>	<b>2</b>	<b>1.24%</b>	<b>0</b>	<b>0.00%</b>	<b>161</b>	
Waterloo, Region Of (RW02)	RW02	0-5	160	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>160</b>	<b>98.77%</b>	<b>1</b>	<b>0.62%</b>	<b>1</b>	<b>0.62%</b>	<b>162</b>
	<b>Total</b>	<b>160</b>	<b>98.77%</b>	<b>1</b>	<b>0.62%</b>	<b>1</b>	<b>0.62%</b>	<b>162</b>	
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Wawa, Municipality Of (WAW01)	WAW01	6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
Welland Hydro (WLNDH01)	WLNDH01	0-5	161	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>161</b>	<b>97.58%</b>	<b>4</b>	<b>2.42%</b>	<b>0</b>	<b>0.00%</b>	<b>165</b>	
<b>Total</b>		<b>161</b>	<b>97.58%</b>	<b>4</b>	<b>2.42%</b>	<b>0</b>	<b>0.00%</b>	<b>165</b>	
Welland, City Of (WLD01)	WLD01	0-5	297	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
	<b>Total</b>	<b>297</b>	<b>99.33%</b>	<b>2</b>	<b>0.67%</b>	<b>0</b>	<b>0.00%</b>	<b>299</b>	
<b>Total</b>		<b>297</b>	<b>99.33%</b>	<b>2</b>	<b>0.67%</b>	<b>0</b>	<b>0.00%</b>	<b>299</b>	
Welland, City Of (WLDSL01)	WLDSL01	0-5	284	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
	<b>Total</b>	<b>284</b>	<b>98.61%</b>	<b>4</b>	<b>1.39%</b>	<b>0</b>	<b>0.00%</b>	<b>288</b>	
<b>Total</b>		<b>284</b>	<b>98.61%</b>	<b>4</b>	<b>1.39%</b>	<b>0</b>	<b>0.00%</b>	<b>288</b>	
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	34	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
<b>Total</b>		<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Wellington North Power Inc (WNP01)	WNP01	0-5	42	100.00%	0	0.00%	0	0.00%	
		Total	42	100.00%	0	0.00%	0	0.00%	42
	Total		42	100.00%	0	0.00%	0	0.00%	42
Wellington North, Township Of (WLG123)	WLG123	0-5	38	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		Total	38	97.44%	1	2.56%	0	0.00%	39
	Total		38	97.44%	1	2.56%	0	0.00%	39
Wellington, County Of (WLG123)	WLG123	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		Total	4	66.67%	1	16.67%	1	16.67%	6
	Total		4	66.67%	1	16.67%	1	16.67%	6
West Elgin, Municipality Of (W005)	W005	0-5	14	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	12	100.00%	0	0.00%	
		16+	0	0.00%	1	25.00%	3	75.00%	
		Total	14	46.67%	13	43.33%	3	10.00%	30
	Total		14	46.67%	13	43.33%	3	10.00%	30
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	11	100.00%	0	0.00%	0	0.00%	
		Total	11	100.00%	0	0.00%	0	0.00%	11
	Total		11	100.00%	0	0.00%	0	0.00%	11



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>66.67%</b>	<b>6</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>12</b>	<b>66.67%</b>	<b>6</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>	
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	35	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>92.11%</b>	<b>3</b>	<b>7.89%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>35</b>	<b>92.11%</b>	<b>3</b>	<b>7.89%</b>	<b>0</b>	<b>0.00%</b>	<b>38</b>	
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	WPTHWS01	0-5	11	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	
West Windsor Power (WWP01)	WWP01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Westario Power (WPOW01)	WPOW01	0-5	210	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>210</b>	<b>96.77%</b>	<b>3</b>	<b>1.38%</b>	<b>4</b>	<b>1.84%</b>	
	<b>Total</b>	<b>210</b>	<b>96.77%</b>	<b>3</b>	<b>1.38%</b>	<b>4</b>	<b>1.84%</b>	<b>217</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Westover Express Pipeline	WEX01	0-5	108	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>108</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>108</b>
	<b>Total</b>	<b>108</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>108</b>	
Westport , Village Of (WPT01)	WPT01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	
Whitby, Town Of (WHIT123)	WHITCB01	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	WHITS01	0-5	150	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>150</b>	<b>97.40%</b>	<b>1</b>	<b>0.65%</b>	<b>3</b>	<b>1.95%</b>	<b>154</b>
	WHITSL01	0-5	87	100.00%	0	0.00%	0	0.00%	
<b>Total</b>		<b>87</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>87</b>	
<b>Total</b>	<b>244</b>	<b>98.39%</b>	<b>1</b>	<b>0.40%</b>	<b>3</b>	<b>1.21%</b>	<b>248</b>		
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	70	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>70</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>70</b>
	WCSTSL01	0-5	99	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
<b>Total</b>		<b>99</b>	<b>99.00%</b>	<b>1</b>	<b>1.00%</b>	<b>0</b>	<b>0.00%</b>	<b>100</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTW01	0-5	82	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>82</b>	<b>98.80%</b>	<b>1</b>	<b>1.20%</b>	<b>0</b>	<b>0.00%</b>	<b>83</b>
	<b>Total</b>	<b>251</b>	<b>99.21%</b>	<b>2</b>	<b>0.79%</b>	<b>0</b>	<b>0.00%</b>	<b>253</b>	
White River , Town Of (WHRWS01)	WHRWS01	0-5	11	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>11</b>	<b>91.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>8.33%</b>	<b>12</b>
	<b>Total</b>	<b>11</b>	<b>91.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>8.33%</b>	<b>12</b>	
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	5	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>5</b>	<b>62.50%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>37.50%</b>	<b>8</b>
	<b>Total</b>	<b>5</b>	<b>62.50%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>37.50%</b>	<b>8</b>	
Wightman Telecom (WT123)	WT01	0-5	636	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	105	100.00%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>636</b>	<b>84.13%</b>	<b>115</b>	<b>15.21%</b>	<b>5</b>	<b>0.66%</b>	<b>756</b>
	<b>Total</b>	<b>636</b>	<b>84.13%</b>	<b>115</b>	<b>15.21%</b>	<b>5</b>	<b>0.66%</b>	<b>756</b>	
Wilfrid Laurier University (WLU01)	WLU01	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	24	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>24</b>	<b>88.89%</b>	<b>1</b>	<b>3.70%</b>	<b>2</b>	<b>7.41%</b>	<b>27</b>
	<b>Total</b>		<b>24</b>	<b>88.89%</b>	<b>1</b>	<b>3.70%</b>	<b>2</b>	<b>7.41%</b>	<b>27</b>
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	537	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>537</b>	<b>98.17%</b>	<b>10</b>	<b>1.83%</b>	<b>0</b>	<b>0.00%</b>	<b>547</b>
	<b>Total</b>		<b>537</b>	<b>98.17%</b>	<b>10</b>	<b>1.83%</b>	<b>0</b>	<b>0.00%</b>	<b>547</b>
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	115	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>115</b>	<b>99.14%</b>	<b>1</b>	<b>0.86%</b>	<b>0</b>	<b>0.00%</b>	<b>116</b>
	<b>Total</b>		<b>115</b>	<b>99.14%</b>	<b>1</b>	<b>0.86%</b>	<b>0</b>	<b>0.00%</b>	<b>116</b>
Windsor, City Of (EWINW01)	EWINW01	0-5	142	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	48	100.00%	0	0.00%	
		11-15	0	0.00%	13	100.00%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>142</b>	<b>68.93%</b>	<b>62</b>	<b>30.10%</b>	<b>2</b>	<b>0.97%</b>	<b>206</b>
	EWINW02	0-5	144	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	33	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Windsor, City Of (EWINW01)	EWINW02	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>144</b>	<b>80.00%</b>	<b>35</b>	<b>19.44%</b>	<b>1</b>	<b>0.56%</b>	<b>180</b>
	<b>Total</b>	<b>286</b>	<b>74.09%</b>	<b>97</b>	<b>25.13%</b>	<b>3</b>	<b>0.78%</b>	<b>386</b>	
Windsor, City Of (WSRSL01)	WSRSL01	0-5	671	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>671</b>	<b>99.85%</b>	<b>1</b>	<b>0.15%</b>	<b>0</b>	<b>0.00%</b>	<b>672</b>
	<b>Total</b>	<b>671</b>	<b>99.85%</b>	<b>1</b>	<b>0.15%</b>	<b>0</b>	<b>0.00%</b>	<b>672</b>	
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	78	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	2	11.76%	15	88.24%	
		16+	0	0.00%	1	0.41%	240	99.59%	
		<b>Total</b>	<b>78</b>	<b>22.61%</b>	<b>12</b>	<b>3.48%</b>	<b>255</b>	<b>73.91%</b>	<b>345</b>
	<b>Total</b>	<b>78</b>	<b>22.61%</b>	<b>12</b>	<b>3.48%</b>	<b>255</b>	<b>73.91%</b>	<b>345</b>	
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	61	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	9	100.00%	0	0.00%	
		11-15	0	0.00%	2	12.50%	14	87.50%	
		16+	0	0.00%	1	0.46%	217	99.54%	
		<b>Total</b>	<b>61</b>	<b>20.07%</b>	<b>12</b>	<b>3.95%</b>	<b>231</b>	<b>75.99%</b>	<b>304</b>
	<b>Total</b>	<b>61</b>	<b>20.07%</b>	<b>12</b>	<b>3.95%</b>	<b>231</b>	<b>75.99%</b>	<b>304</b>	
Woolwich, Township Of (WLW01)	WLW01	0-5	163	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Woolwich, Township Of (WLW01)	WLW01	6-10	0	0.00%	20	100.00%	0	0.00%	
		<b>Total</b>	<b>163</b>	<b>89.07%</b>	<b>20</b>	<b>10.93%</b>	<b>0</b>	<b>0.00%</b>	<b>183</b>
	<b>Total</b>	<b>163</b>	<b>89.07%</b>	<b>20</b>	<b>10.93%</b>	<b>0</b>	<b>0.00%</b>	<b>183</b>	
Wtc Communications (WTCCT01)	WTCCT01	0-5	66	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>66</b>	<b>94.29%</b>	<b>2</b>	<b>2.86%</b>	<b>2</b>	<b>2.86%</b>	<b>70</b>
	<b>Total</b>	<b>66</b>	<b>94.29%</b>	<b>2</b>	<b>2.86%</b>	<b>2</b>	<b>2.86%</b>	<b>70</b>	
Xplornet Communications Inc (XPNET01)	XPNET01	0-5	213	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>213</b>	<b>99.07%</b>	<b>2</b>	<b>0.93%</b>	<b>0</b>	<b>0.00%</b>	<b>215</b>
	<b>Total</b>	<b>213</b>	<b>99.07%</b>	<b>2</b>	<b>0.93%</b>	<b>0</b>	<b>0.00%</b>	<b>215</b>	
Xstrata (GCX01)	GCX01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
York Region Water And Sewer (YRWS123)	YRWS01	0-5	480	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>480</b>	<b>98.56%</b>	<b>6</b>	<b>1.23%</b>	<b>1</b>	<b>0.21%</b>	<b>487</b>
	<b>Total</b>	<b>480</b>	<b>98.56%</b>	<b>6</b>	<b>1.23%</b>	<b>1</b>	<b>0.21%</b>	<b>487</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	881	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	301	100.00%	0	0.00%	
		11-15	0	0.00%	55	100.00%	0	0.00%	
		16+	0	0.00%	1	6.67%	14	93.33%	
		<b>Total</b>	<b>881</b>	<b>70.37%</b>	<b>357</b>	<b>28.51%</b>	<b>14</b>	<b>1.12%</b>	<b>1,252</b>
	<b>Total</b>	<b>881</b>	<b>70.37%</b>	<b>357</b>	<b>28.51%</b>	<b>14</b>	<b>1.12%</b>	<b>1,252</b>	
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	88	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	10	76.92%	3	23.08%	
		<b>Total</b>	<b>88</b>	<b>80.00%</b>	<b>19</b>	<b>17.27%</b>	<b>3</b>	<b>2.73%</b>	<b>110</b>
	ZAYOON02	0-5	53	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	7	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>53</b>	<b>86.89%</b>	<b>8</b>	<b>13.11%</b>	<b>0</b>	<b>0.00%</b>	<b>61</b>
	ZAYOON03	0-5	52	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	27	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>52</b>	<b>63.41%</b>	<b>30</b>	<b>36.59%</b>	<b>0</b>	<b>0.00%</b>	<b>82</b>
	ZAYOON04	0-5	30	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>30</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>30</b>
	ZAYOON05	0-5	69	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Zayo Canada Inc (ZAYO123)	ZAYOON05	16+	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>69</b>	<b>90.79%</b>	<b>7</b>	<b>9.21%</b>	<b>0</b>	<b>0.00%</b>	<b>76</b>
	ZAYOON06	0-5	27	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>27</b>	<b>96.43%</b>	<b>1</b>	<b>3.57%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
	ZAYOON07	0-5	99	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>99</b>	<b>94.29%</b>	<b>6</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>105</b>
	ZAYOON08	0-5	38	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>38</b>	<b>80.85%</b>	<b>9</b>	<b>19.15%</b>	<b>0</b>	<b>0.00%</b>	<b>47</b>
	ZAYOON09	0-5	9	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	3	75.00%	1	25.00%	
		<b>Total</b>	<b>9</b>	<b>60.00%</b>	<b>5</b>	<b>33.33%</b>	<b>1</b>	<b>6.67%</b>	<b>15</b>
	ZAYOON11	0-5	465	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	99	100.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
16+		0	0.00%	18	90.00%	2	10.00%		
<b>Total</b>		<b>465</b>	<b>79.35%</b>	<b>119</b>	<b>20.31%</b>	<b>2</b>	<b>0.34%</b>	<b>586</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Station Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Request
Zayo Canada Inc (ZAYO123)	ZAYOON12	0-5	14	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>70.00%</b>	<b>6</b>	<b>30.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>
	<b>Total</b>	<b>944</b>	<b>81.38%</b>	<b>210</b>	<b>18.10%</b>	<b>6</b>	<b>0.52%</b>	<b>1,160</b>	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	108	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	24	100.00%	0	0.00%	
	<b>Total</b>	<b>108</b>	<b>81.20%</b>	<b>25</b>	<b>18.80%</b>	<b>0</b>	<b>0.00%</b>	<b>133</b>	
<b>Total</b>	<b>108</b>	<b>81.20%</b>	<b>25</b>	<b>18.80%</b>	<b>0</b>	<b>0.00%</b>	<b>133</b>		
Zibi Community Utility Lp (ZIBI01)	ZIBI01	11-15	0	0.00%	0	0.00%	3	100.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>	
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	171	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>171</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>171</b>
	<b>Total</b>	<b>171</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>171</b>	
<b>Total</b>			<b>244,256</b>	<b>93.59%</b>	<b>11,193</b>	<b>4.29%</b>	<b>5,543</b>	<b>2.12%</b>	<b>260,992</b>

*Data Source:* The data is self-reported by Underground Infrastructure Owners (UIOs).

*Exclusions:* The report excludes data for Planning, Sewer Lateral, Emergency, Cancel, Test and Void requests. We are working towards including Priority 0 requests in this report beginning January 01, 2025.

*Legislative Impact:* The new legislative change, Ontario Regulation 136/24, which will take effect on May 1, 2024, will impact the data starting from the last week of April 2024. Consequently, numbers may not add due to rounding.