



# Locate Delivery Performance

Start Date:	8/1/2024	OnTime	310,253	95.84%
End Date:	8/31/2024	Late	7,551	2.33%
		No 360 Response	5,923	1.83%
		Actionable Notifications	323,727	

UIO Name	MasterStation Code	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Notifications
			Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	
156 Columbia St Inc (COLBIA123)	COLBIA123	11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
1682468 Corp (168XPL01)	168XPL01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
407 ETR (407ETR)	407ETR01	0-5	65	100.00%	0	0.00%	0	0.00%	
		6-10	10	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	7	100.00%	0	0.00%	
		<b>Total</b>	<b>75</b>	<b>91.46%</b>	<b>7</b>	<b>8.54%</b>	<b>0</b>	<b>0.00%</b>	<b>82</b>
	<b>Total</b>	<b>75</b>	<b>91.46%</b>	<b>7</b>	<b>8.54%</b>	<b>0</b>	<b>0.00%</b>	<b>82</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	147	100.00%	0	0.00%	0	0.00%	
		6-10	95	94.06%	6	5.94%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>242</b>	<b>96.80%</b>	<b>8</b>	<b>3.20%</b>	<b>0</b>	<b>0.00%</b>	<b>250</b>
	<b>Total</b>			<b>242</b>	<b>96.80%</b>	<b>8</b>	<b>3.20%</b>	<b>0</b>	<b>0.00%</b>
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	0-5	40	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>40</b>	<b>85.11%</b>	<b>2</b>	<b>4.26%</b>	<b>5</b>	<b>10.64%</b>	<b>47</b>
	<b>Total</b>			<b>40</b>	<b>85.11%</b>	<b>2</b>	<b>4.26%</b>	<b>5</b>	<b>10.64%</b>
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		6-10	1	33.33%	2	66.67%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>60.00%</b>	<b>2</b>	<b>40.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>			<b>3</b>	<b>60.00%</b>	<b>2</b>	<b>40.00%</b>	<b>0</b>	<b>0.00%</b>
Admaston Bromley, Township Of (ADMBRM01)	ADMBRM01	16+	0	0.00%	2	33.33%	4	66.67%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>33.33%</b>	<b>4</b>	<b>66.67%</b>	<b>6</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>33.33%</b>	<b>4</b>	<b>66.67%</b>
Agilis (AGILF01)	AGILF01	0-5	90	100.00%	0	0.00%	0	0.00%	
		6-10	3	42.86%	4	57.14%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Agilis (AGILF01)	AGILF01	16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>93</b>	<b>93.94%</b>	<b>5</b>	<b>5.05%</b>	<b>1</b>	<b>1.01%</b>	<b>99</b>
	<b>Total</b>	<b>93</b>	<b>93.94%</b>	<b>5</b>	<b>5.05%</b>	<b>1</b>	<b>1.01%</b>	<b>99</b>	
Aim Sop Phase I Lp (AIMWF01)	AIMWF01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Air Liquide Canada (AL01)	AL01	0-5	18	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>19</b>	<b>95.00%</b>	<b>1</b>	<b>5.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>
	<b>Total</b>	<b>19</b>	<b>95.00%</b>	<b>1</b>	<b>5.00%</b>	<b>0</b>	<b>0.00%</b>	<b>20</b>	
Air Products Canada (APC1)	APC1	0-5	8	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	622	100.00%	0	0.00%	0	0.00%	
		6-10	136	90.07%	15	9.93%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
	<b>Total</b>	<b>758</b>	<b>97.18%</b>	<b>22</b>	<b>2.82%</b>	<b>0</b>	<b>0.00%</b>	<b>780</b>	
<b>Total</b>	<b>758</b>	<b>97.18%</b>	<b>22</b>	<b>2.82%</b>	<b>0</b>	<b>0.00%</b>	<b>780</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Alectra Brampton (ALECBR01)	ALECBR01	0-5	1,473	100.00%	0	0.00%	0	0.00%	
		6-10	40	95.24%	2	4.76%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	7	100.00%	0	0.00%	
		<b>Total</b>	<b>1,513</b>	<b>99.34%</b>	<b>10</b>	<b>0.66%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>1,513</b>	<b>99.34%</b>	<b>10</b>	<b>0.66%</b>	<b>0</b>	<b>0.00%</b>	<b>1,523</b>
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	2,235	100.00%	0	0.00%	0	0.00%	
		6-10	352	98.05%	7	1.95%	0	0.00%	
		11-15	0	0.00%	18	100.00%	0	0.00%	
		16+	0	0.00%	12	100.00%	0	0.00%	
		<b>Total</b>	<b>2,587</b>	<b>98.59%</b>	<b>37</b>	<b>1.41%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>2,587</b>	<b>98.59%</b>	<b>37</b>	<b>1.41%</b>	<b>0</b>	<b>0.00%</b>	<b>2,624</b>
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	2,330	100.00%	0	0.00%	0	0.00%	
		6-10	40	78.43%	11	21.57%	0	0.00%	
		11-15	0	0.00%	30	100.00%	0	0.00%	
		16+	0	0.00%	12	100.00%	0	0.00%	
		<b>Total</b>	<b>2,370</b>	<b>97.81%</b>	<b>53</b>	<b>2.19%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>2,370</b>	<b>97.81%</b>	<b>53</b>	<b>2.19%</b>	<b>0</b>	<b>0.00%</b>	<b>2,423</b>
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	671	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>671</b>	<b>98.97%</b>	<b>7</b>	<b>1.03%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>671</b>	<b>98.97%</b>	<b>7</b>	<b>1.03%</b>	<b>0</b>	<b>0.00%</b>	<b>678</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Alectra Utilities (Formerly Powerstream) (PS1)	PS1	0-5	4,125	100.00%	0	0.00%	0	0.00%	
		6-10	293	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	30	100.00%	0	0.00%	
		<b>Total</b>	<b>4,418</b>	<b>99.26%</b>	<b>33</b>	<b>0.74%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>4,418</b>	<b>99.26%</b>	<b>33</b>	<b>0.74%</b>	<b>0</b>	<b>0.00%</b>	<b>4,451</b>	
Alectra Utilities (GHY01)	GHY01	0-5	476	100.00%	0	0.00%	0	0.00%	
		6-10	63	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	11	100.00%	0	0.00%	
		<b>Total</b>	<b>539</b>	<b>97.47%</b>	<b>14</b>	<b>2.53%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>539</b>	<b>97.47%</b>	<b>14</b>	<b>2.53%</b>	<b>0</b>	<b>0.00%</b>	<b>553</b>	
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	110	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>110</b>	<b>93.22%</b>	<b>8</b>	<b>6.78%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>110</b>	<b>93.22%</b>	<b>8</b>	<b>6.78%</b>	<b>0</b>	<b>0.00%</b>	<b>118</b>	
Algoma Power (AGMP01)	AGMP01	0-5	98	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>98</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>98</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>98</b>	
Algonquin College (ALGQC01)	ALGQC01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>11</b>	<b>44.00%</b>	<b>8</b>	<b>32.00%</b>	<b>6</b>	<b>24.00%</b>	<b>25</b>
<b>Total</b>			<b>11</b>	<b>44.00%</b>	<b>8</b>	<b>32.00%</b>	<b>6</b>	<b>24.00%</b>	<b>25</b>
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	1	50.00%	1	50.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>9</b>	<b>81.82%</b>	<b>1</b>	<b>9.09%</b>	<b>1</b>	<b>9.09%</b>	<b>11</b>
<b>Total</b>			<b>9</b>	<b>81.82%</b>	<b>1</b>	<b>9.09%</b>	<b>1</b>	<b>9.09%</b>	<b>11</b>
Amherstburg Public Works (A005)	A005	0-5	147	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>152</b>	<b>97.44%</b>	<b>1</b>	<b>0.64%</b>	<b>3</b>	<b>1.92%</b>	<b>156</b>
<b>Total</b>			<b>152</b>	<b>97.44%</b>	<b>1</b>	<b>0.64%</b>	<b>3</b>	<b>1.92%</b>	<b>156</b>
Amherstburg Solar (AMHSFE01)	AMHSFE01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
Apotex (APX2)	APX2	0-5	3	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Apotex (APX2)	APX2	6-10	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	6	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>6</b>	<b>75.00%</b>	<b>1</b>	<b>12.50%</b>	<b>1</b>	<b>12.50%</b>	<b>8</b>
	<b>Total</b>	<b>6</b>	<b>75.00%</b>	<b>1</b>	<b>12.50%</b>	<b>1</b>	<b>12.50%</b>	<b>8</b>	
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>	
Armstrong , Township Of (ARSG01)	ARSG01	16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Armstrong Lsb (ARLSBW01)	ARLSBW01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	61	100.00%	0	0.00%	0	0.00%	
		6-10	10	37.04%	17	62.96%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Arnprior, Town Of (ARNPR01)	ARNPR01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>71</b>	<b>78.02%</b>	<b>19</b>	<b>20.88%</b>	<b>1</b>	<b>1.10%</b>	<b>91</b>
	<b>Total</b>	<b>71</b>	<b>78.02%</b>	<b>19</b>	<b>20.88%</b>	<b>1</b>	<b>1.10%</b>	<b>91</b>	
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	31	100.00%	0	0.00%	0	0.00%	
		6-10	4	80.00%	1	20.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACW123	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	3	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	4	50.00%	4	50.00%	
		<b>Total</b>	<b>5</b>	<b>23.81%</b>	<b>12</b>	<b>57.14%</b>	<b>4</b>	<b>19.05%</b>	<b>21</b>
	<b>Total</b>	<b>5</b>	<b>23.81%</b>	<b>12</b>	<b>57.14%</b>	<b>4</b>	<b>19.05%</b>	<b>21</b>	
Asphodel Norwood, Township Of (ASP NOR01)	ASP NOR01	0-5	14	100.00%	0	0.00%	0	0.00%	
		6-10	5	83.33%	1	16.67%	0	0.00%	
		16+	0	0.00%	8	100.00%	0	0.00%	
		<b>Total</b>	<b>19</b>	<b>67.86%</b>	<b>9</b>	<b>32.14%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
	<b>Total</b>	<b>19</b>	<b>67.86%</b>	<b>9</b>	<b>32.14%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	
Atikokan Hydro (ATH01)	ATH01	0-5	35	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>
	<b>Total</b>	<b>35</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	35	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.78%</b>	<b>36</b>
	<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.78%</b>	<b>36</b>	
Atlantic Power (ATLTP01)	ATLTP01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Aurora, Town Of (AURORA01)	AURORA01	0-5	294	100.00%	0	0.00%	0	0.00%	
		6-10	19	90.48%	2	9.52%	0	0.00%	
		11-15	0	0.00%	6	85.71%	1	14.29%	
		16+	0	0.00%	1	12.50%	7	87.50%	
		<b>Total</b>	<b>313</b>	<b>94.85%</b>	<b>9</b>	<b>2.73%</b>	<b>8</b>	<b>2.42%</b>	<b>330</b>
	<b>Total</b>	<b>313</b>	<b>94.85%</b>	<b>9</b>	<b>2.73%</b>	<b>8</b>	<b>2.42%</b>	<b>330</b>	
Avetria Networks Inc (ANF01)	ANF01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	1	33.33%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	3	17.65%	14	82.35%	
		<b>Total</b>	<b>5</b>	<b>20.83%</b>	<b>5</b>	<b>20.83%</b>	<b>14</b>	<b>58.33%</b>	<b>24</b>
	<b>Total</b>	<b>5</b>	<b>20.83%</b>	<b>5</b>	<b>20.83%</b>	<b>14</b>	<b>58.33%</b>	<b>24</b>	
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	

			On Time		Late		No 360 Feedback Response Provided			
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications	
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	22	100.00%	0	0.00%	0	0.00%		
		6-10	1	100.00%	0	0.00%	0	0.00%		
		16+	0	0.00%	0	0.00%	1	100.00%		
		<b>Total</b>	<b>23</b>	<b>95.83%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.17%</b>		<b>24</b>
		<b>Total</b>	<b>23</b>	<b>95.83%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.17%</b>		<b>24</b>
Bancroft, Town Of (BNCF01)	BNCF01	0-5	7	100.00%	0	0.00%	0	0.00%		
		6-10	7	87.50%	1	12.50%	0	0.00%		
		11-15	0	0.00%	0	0.00%	1	100.00%		
		16+	0	0.00%	0	0.00%	4	100.00%		
		<b>Total</b>	<b>14</b>	<b>70.00%</b>	<b>1</b>	<b>5.00%</b>	<b>5</b>	<b>25.00%</b>		<b>20</b>
<b>Total</b>	<b>14</b>	<b>70.00%</b>	<b>1</b>	<b>5.00%</b>	<b>5</b>	<b>25.00%</b>	<b>20</b>			
Barrie, City Of (BARR01)	BARR01	0-5	560	100.00%	0	0.00%	0	0.00%		
		6-10	170	97.14%	5	2.86%	0	0.00%		
		11-15	0	0.00%	4	50.00%	4	50.00%		
		16+	0	0.00%	5	21.74%	18	78.26%		
		<b>Total</b>	<b>730</b>	<b>95.30%</b>	<b>14</b>	<b>1.83%</b>	<b>22</b>	<b>2.87%</b>		<b>766</b>
<b>Total</b>	<b>730</b>	<b>95.30%</b>	<b>14</b>	<b>1.83%</b>	<b>22</b>	<b>2.87%</b>	<b>766</b>			
Bayham, Municipality Of (BYH01)	BYH01	0-5	12	100.00%	0	0.00%	0	0.00%		
		11-15	0	0.00%	1	100.00%	0	0.00%		
		<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>		<b>13</b>
<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>			

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
<b>Bayview Explorations Ltd (BVEPL01)</b>	BVEPL01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
<b>Beanfield Technologies (Formerly Aptum) (APTUM01)</b>	APTUM01	0-5	523	100.00%	0	0.00%	0	0.00%	
		6-10	186	98.94%	2	1.06%	0	0.00%	
		11-15	0	0.00%	11	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	20	100.00%	
		<b>Total</b>	<b>709</b>	<b>95.55%</b>	<b>13</b>	<b>1.75%</b>	<b>20</b>	<b>2.70%</b>	<b>742</b>
	<b>Total</b>	<b>709</b>	<b>95.55%</b>	<b>13</b>	<b>1.75%</b>	<b>20</b>	<b>2.70%</b>	<b>742</b>	
<b>Beanfield Technologies Inc (BEAN01)</b>	BEAN01	0-5	423	100.00%	0	0.00%	0	0.00%	
		6-10	35	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>458</b>	<b>99.78%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.22%</b>	<b>459</b>
	<b>Total</b>	<b>458</b>	<b>99.78%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.22%</b>	<b>459</b>	
<b>Beischlag Farms Inc (BSLGF01)</b>	BSLGF01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
<b>Bell Aliant Damage Prevention (BA01)</b>	BA01	0-5	9,777	100.00%	0	0.00%	0	0.00%	
		6-10	1,211	91.47%	113	8.53%	0	0.00%	
		11-15	0	0.00%	145	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Bell Aliant Damage Prevention (BA01)	BA01	16+	0	0.00%	72	100.00%	0	0.00%	
		<b>Total</b>	<b>10,988</b>	<b>97.08%</b>	<b>330</b>	<b>2.92%</b>	<b>0</b>	<b>0.00%</b>	<b>11,318</b>
	<b>Total</b>	<b>10,988</b>	<b>97.08%</b>	<b>330</b>	<b>2.92%</b>	<b>0</b>	<b>0.00%</b>	<b>11,318</b>	
Bell Canada Damage Prevention (BC01)	BC01	0-5	46,193	100.00%	0	0.00%	0	0.00%	
		6-10	3,740	97.73%	87	2.27%	0	0.00%	
		11-15	0	0.00%	206	100.00%	0	0.00%	
		16+	0	0.00%	128	84.77%	23	15.23%	
		<b>Total</b>	<b>49,933</b>	<b>99.12%</b>	<b>421</b>	<b>0.84%</b>	<b>23</b>	<b>0.05%</b>	<b>50,377</b>
	<b>Total</b>	<b>49,933</b>	<b>99.12%</b>	<b>421</b>	<b>0.84%</b>	<b>23</b>	<b>0.05%</b>	<b>50,377</b>	
Belleville , City Of (BLV01)	BLV01	0-5	203	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>203</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>203</b>
	<b>Total</b>	<b>203</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>203</b>	
Billings , Township Of (BLGWS01)	BLGWS01	6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Birch Hill Telecom (BHTI01)	BHTI01	0-5	41	100.00%	0	0.00%	0	0.00%	
		6-10	36	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>77</b>	<b>98.72%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.28%</b>	<b>78</b>
	<b>Total</b>	<b>77</b>	<b>98.72%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.28%</b>	<b>78</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	6	100.00%	0	0.00%	0	0.00%	10
		6-10	1	50.00%	1	50.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>70.00%</b>	<b>3</b>	<b>30.00%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>7</b>	<b>70.00%</b>	<b>3</b>	<b>30.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	33	100.00%	0	0.00%	0	0.00%	33
		<b>Total</b>	<b>33</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
		<b>Total</b>	<b>33</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
Blind River , Town Of (BLR01)	BLR01	0-5	10	100.00%	0	0.00%	0	0.00%	13
		6-10	1	33.33%	2	66.67%	0	0.00%	
		<b>Total</b>	<b>11</b>	<b>84.62%</b>	<b>2</b>	<b>15.38%</b>	<b>0</b>	<b>0.00%</b>	
		<b>Total</b>	<b>11</b>	<b>84.62%</b>	<b>2</b>	<b>15.38%</b>	<b>0</b>	<b>0.00%</b>	
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	10	100.00%	0	0.00%	0	0.00%	10
		<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
		<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
Blue Mountains, Town Of The (BMTN123)	BMTN123	0-5	130	100.00%	0	0.00%	0	0.00%	140
		6-10	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>133</b>	<b>95.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>5.00%</b>	
		<b>Total</b>	<b>133</b>	<b>95.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>5.00%</b>	
Bluewater Power (S003)	S003	0-5	454	100.00%	0	0.00%	0	0.00%	
		6-10	164	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Bluewater Power (S003)	S003	16+	0	0.00%	2	16.67%	10	83.33%	
		<b>Total</b>	<b>618</b>	<b>98.10%</b>	<b>2</b>	<b>0.32%</b>	<b>10</b>	<b>1.59%</b>	<b>630</b>
	<b>Total</b>	<b>618</b>	<b>98.10%</b>	<b>2</b>	<b>0.32%</b>	<b>10</b>	<b>1.59%</b>	<b>630</b>	
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	15	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>27</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>
	<b>Total</b>	<b>27</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>	
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
Bluewater, Municipality Of (BLW01)	BLW01	0-5	53	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>53</b>	<b>98.15%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.85%</b>	<b>54</b>
	<b>Total</b>	<b>53</b>	<b>98.15%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.85%</b>	<b>54</b>	
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	11	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>22</b>	<b>88.00%</b>	<b>2</b>	<b>8.00%</b>	<b>1</b>	<b>4.00%</b>	<b>25</b>
	<b>Total</b>	<b>22</b>	<b>88.00%</b>	<b>2</b>	<b>8.00%</b>	<b>1</b>	<b>4.00%</b>	<b>25</b>	
Boralex (BOR123)	BOR123	0-5	14	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	43	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>43</b>	<b>97.73%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.27%</b>	<b>44</b>
	<b>Total</b>	<b>43</b>	<b>97.73%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.27%</b>	<b>44</b>	
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWG123	0-5	373	100.00%	0	0.00%	0	0.00%	
		6-10	9	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	23	100.00%	0	0.00%	
		16+	0	0.00%	2	16.67%	10	83.33%	
		<b>Total</b>	<b>382</b>	<b>91.61%</b>	<b>25</b>	<b>6.00%</b>	<b>10</b>	<b>2.40%</b>	<b>417</b>
	<b>Total</b>	<b>382</b>	<b>91.61%</b>	<b>25</b>	<b>6.00%</b>	<b>10</b>	<b>2.40%</b>	<b>417</b>	
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	166	100.00%	0	0.00%	0	0.00%	
		6-10	9	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	4	100.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Brampton Storm, City Of (COBSS01)	COBSS01	16+	0	0.00%	0	0.00%	9	100.00%	
		<b>Total</b>	<b>175</b>	<b>93.09%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>	<b>6.91%</b>	<b>188</b>
	<b>Total</b>	<b>175</b>	<b>93.09%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>	<b>6.91%</b>	<b>188</b>	
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	873	100.00%	0	0.00%	0	0.00%	
		6-10	52	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	33.33%	6	66.67%	
		16+	0	0.00%	0	0.00%	20	100.00%	
		<b>Total</b>	<b>925</b>	<b>96.96%</b>	<b>3</b>	<b>0.31%</b>	<b>26</b>	<b>2.73%</b>	<b>954</b>
	<b>Total</b>	<b>925</b>	<b>96.96%</b>	<b>3</b>	<b>0.31%</b>	<b>26</b>	<b>2.73%</b>	<b>954</b>	
Brant, County Of - Fibre (BRNTF01)	BRNTF01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	4	80.00%	1	20.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>9</b>	<b>75.00%</b>	<b>1</b>	<b>8.33%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>
	<b>Total</b>	<b>9</b>	<b>75.00%</b>	<b>1</b>	<b>8.33%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>	
Brant, County Of (BRNT01)	BRNT01	0-5	205	100.00%	0	0.00%	0	0.00%	
		6-10	12	66.67%	6	33.33%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	1.79%	55	98.21%	
		<b>Total</b>	<b>217</b>	<b>77.22%</b>	<b>9</b>	<b>3.20%</b>	<b>55</b>	<b>19.57%</b>	<b>281</b>
	<b>Total</b>	<b>217</b>	<b>77.22%</b>	<b>9</b>	<b>3.20%</b>	<b>55</b>	<b>19.57%</b>	<b>281</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Brantford, The City Of (BRAS01)	BRAS01	0-5	127	100.00%	0	0.00%	0	0.00%	
		6-10	59	98.33%	1	1.67%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	
		16+	0	0.00%	1	16.67%	5	83.33%	
		<b>Total</b>	<b>186</b>	<b>93.47%</b>	<b>8</b>	<b>4.02%</b>	<b>5</b>	<b>2.51%</b>	
<b>Total</b>			<b>186</b>	<b>93.47%</b>	<b>8</b>	<b>4.02%</b>	<b>5</b>	<b>2.51%</b>	<b>199</b>
Brantford, The City Of (BRASL01)	BRASL01	0-5	182	100.00%	0	0.00%	0	0.00%	
		6-10	46	97.87%	1	2.13%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	1	7.69%	12	92.31%	
		<b>Total</b>	<b>228</b>	<b>92.68%</b>	<b>6</b>	<b>2.44%</b>	<b>12</b>	<b>4.88%</b>	
<b>Total</b>			<b>228</b>	<b>92.68%</b>	<b>6</b>	<b>2.44%</b>	<b>12</b>	<b>4.88%</b>	<b>246</b>
Brantford, The City Of (BRATL01)	BRATL01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	8	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>14</b>	<b>93.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>6.67%</b>	
<b>Total</b>			<b>14</b>	<b>93.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>6.67%</b>	<b>15</b>
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	12	31.58%	26	68.42%	0	0.00%	
		11-15	0	0.00%	14	93.33%	1	6.67%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>23</b>	<b>34.85%</b>	<b>40</b>	<b>60.61%</b>	<b>3</b>	<b>4.55%</b>	
<b>Total</b>			<b>23</b>	<b>34.85%</b>	<b>40</b>	<b>60.61%</b>	<b>3</b>	<b>4.55%</b>	<b>66</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	10	41.67%	14	58.33%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>16</b>	<b>39.02%</b>	<b>24</b>	<b>58.54%</b>	<b>1</b>	<b>2.44%</b>	<b>41</b>
<b>Total</b>			<b>16</b>	<b>39.02%</b>	<b>24</b>	<b>58.54%</b>	<b>1</b>	<b>2.44%</b>	<b>41</b>
Brock , Township Of (BRCK01)	BRCK01	0-5	47	100.00%	0	0.00%	0	0.00%	
		6-10	5	71.43%	2	28.57%	0	0.00%	
		<b>Total</b>	<b>52</b>	<b>96.30%</b>	<b>2</b>	<b>3.70%</b>	<b>0</b>	<b>0.00%</b>	<b>54</b>
<b>Total</b>			<b>52</b>	<b>96.30%</b>	<b>2</b>	<b>3.70%</b>	<b>0</b>	<b>0.00%</b>	<b>54</b>
Brock University (BROCKU01)	BROCKU01	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
<b>Total</b>			<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	32	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>34</b>	<b>97.14%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.86%</b>	<b>35</b>
<b>Total</b>			<b>34</b>	<b>97.14%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.86%</b>	<b>35</b>
Brockville, City Of (BRKV01)	BRKV01	0-5	220	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>220</b>	<b>97.78%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>2.22%</b>	<b>225</b>
<b>Total</b>			<b>220</b>	<b>97.78%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>2.22%</b>	<b>225</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>22.22%</b>	<b>9</b>
	<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>22.22%</b>	<b>9</b>	
Brooke Telecom (B004)	B004	0-5	134	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>134</b>	<b>97.10%</b>	<b>2</b>	<b>1.45%</b>	<b>2</b>	<b>1.45%</b>	<b>138</b>
	<b>Total</b>	<b>134</b>	<b>97.10%</b>	<b>2</b>	<b>1.45%</b>	<b>2</b>	<b>1.45%</b>	<b>138</b>	
Bruce , County Of (BRC01)	BRC01	0-5	117	100.00%	0	0.00%	0	0.00%	
		6-10	10	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>127</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>127</b>
	<b>Total</b>	<b>127</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>127</b>	
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Bruce Power (BRCP01)	BRCP01	6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	9	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Bruce Street Technologies Limited (BSTL01)	BSTL01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>26</b>	<b>96.30%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.70%</b>	<b>27</b>
	<b>Total</b>	<b>26</b>	<b>96.30%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.70%</b>	<b>27</b>	
Bruce Telecom (BTL01)	BTL01	0-5	308	100.00%	0	0.00%	0	0.00%	
		6-10	53	98.15%	1	1.85%	0	0.00%	
		<b>Total</b>	<b>361</b>	<b>99.72%</b>	<b>1</b>	<b>0.28%</b>	<b>0</b>	<b>0.00%</b>	<b>362</b>
	<b>Total</b>	<b>361</b>	<b>99.72%</b>	<b>1</b>	<b>0.28%</b>	<b>0</b>	<b>0.00%</b>	<b>362</b>	
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	9	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>9</b>	<b>81.82%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>18.18%</b>	<b>11</b>
	<b>Total</b>	<b>9</b>	<b>81.82%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>18.18%</b>	<b>11</b>	
Burlington Hydro (BH01)	BH01	0-5	1,249	100.00%	0	0.00%	0	0.00%	
		6-10	18	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	19	100.00%	
		<b>Total</b>	<b>1,267</b>	<b>98.52%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>	<b>1.48%</b>	<b>1,286</b>
	<b>Total</b>	<b>1,267</b>	<b>98.52%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>	<b>1.48%</b>	<b>1,286</b>	
Burlington, City Of (BRL123)	BRL123	0-5	731	100.00%	0	0.00%	0	0.00%	
		6-10	86	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>817</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>817</b>
	<b>Total</b>	<b>817</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>817</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	135	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>135</b>	<b>98.54%</b>	<b>1</b>	<b>0.73%</b>	<b>1</b>	<b>0.73%</b>	<b>137</b>
	<b>Total</b>			<b>135</b>	<b>98.54%</b>	<b>1</b>	<b>0.73%</b>	<b>1</b>	<b>0.73%</b>
Callander, Municipality Of (CLN01)	CLN01	0-5	17	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>17</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>
	<b>Total</b>			<b>17</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Cambridge, City Of (CAM123)	CAM123	0-5	474	100.00%	0	0.00%	0	0.00%	
		6-10	40	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	2	25.00%	6	75.00%	
		<b>Total</b>	<b>514</b>	<b>97.16%</b>	<b>9</b>	<b>1.70%</b>	<b>6</b>	<b>1.13%</b>	<b>529</b>
	<b>Total</b>			<b>514</b>	<b>97.16%</b>	<b>9</b>	<b>1.70%</b>	<b>6</b>	<b>1.13%</b>
Cameron Petroleum (CAMPL01)	CAMPL01	0-5	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>25.00%</b>	<b>4</b>
	<b>Total</b>			<b>3</b>	<b>75.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>25.00%</b>
Campbellford Memorial Hospital (CMBFMH01)	CMBFMH01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>
Canadian Niagara Power (CNP01)	CNP01	0-5	468	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Canadian Niagara Power (CNP01)	CNP01	11-15	0	0.00%	8	88.89%	1	11.11%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>470</b>	<b>96.91%</b>	<b>8</b>	<b>1.65%</b>	<b>7</b>	<b>1.44%</b>	
	<b>Total</b>	<b>470</b>	<b>96.91%</b>	<b>8</b>	<b>1.65%</b>	<b>7</b>	<b>1.44%</b>	<b>485</b>	
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	163	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>165</b>	<b>100.00%</b>	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>165</b>	<b>100.00%</b>	<b>165</b>	
Canderel Management Inc (FRGCE01)	FRGCE01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	99	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>101</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>101</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>101</b>	
Cascara Energy - Formerly Guelph Municipal Holdings (ECEPL01)	ECEPL01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	25	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>25</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>25</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>	
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	7	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Cavan Monaghan, Township Of (CVNM01)	CVNM01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>22.22%</b>	<b>9</b>
	<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>22.22%</b>	<b>9</b>	
Cedar Point li Wind Farm (CP2WF01)	CP2WF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Celerity Telecom Inc (CTI01)	CTI01	0-5	15	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>17</b>	<b>77.27%</b>	<b>5</b>	<b>22.73%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>
	<b>Total</b>	<b>17</b>	<b>77.27%</b>	<b>5</b>	<b>22.73%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>	
Centennial College (CTNLC01)	CTNLC01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	16	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>16</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>
	<b>Total</b>	<b>16</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>	
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	68	100.00%	0	0.00%	0	0.00%	
		6-10	19	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Central Elgin, Municipality Of (CELGN01)	CELGN01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>87</b>	<b>98.86%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.14%</b>	<b>88</b>
	<b>Total</b>		<b>87</b>	<b>98.86%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.14%</b>	<b>88</b>
Central Frontenac , Township Of (CFS01)	CFS01	16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
	<b>Total</b>		<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
Central Huron, Municipality Of (CHW01)	CHW01	0-5	32	100.00%	0	0.00%	0	0.00%	
		6-10	1	33.33%	2	66.67%	0	0.00%	
		<b>Total</b>	<b>33</b>	<b>94.29%</b>	<b>2</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>
	<b>Total</b>		<b>33</b>	<b>94.29%</b>	<b>2</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>
Centre Hastings, Municipality Of (CHS01)	CHS01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>
	<b>Total</b>		<b>9</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>
Centre Wellington Communications (CWC01)	CWC01	0-5	24	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
	<b>Total</b>		<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
Centre Wellington Hydro (CWH01)	CWH01	0-5	143	100.00%	0	0.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Centre Wellington Hydro (CWH01)	CWH01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>143</b>	<b>99.31%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.69%</b>	<b>144</b>
	<b>Total</b>	<b>143</b>	<b>99.31%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.69%</b>	<b>144</b>	
Centre Wellington, Township Of (CTW01)	CTW01	0-5	97	100.00%	0	0.00%	0	0.00%	
		6-10	34	53.13%	30	46.88%	0	0.00%	
		11-15	0	0.00%	26	100.00%	0	0.00%	
		16+	0	0.00%	1	16.67%	5	83.33%	
		<b>Total</b>	<b>131</b>	<b>67.88%</b>	<b>57</b>	<b>29.53%</b>	<b>5</b>	<b>2.59%</b>	<b>193</b>
	<b>Total</b>	<b>131</b>	<b>67.88%</b>	<b>57</b>	<b>29.53%</b>	<b>5</b>	<b>2.59%</b>	<b>193</b>	
Century Link (LVL3)	LVL3	0-5	414	100.00%	0	0.00%	0	0.00%	
		6-10	3	75.00%	1	25.00%	0	0.00%	
		16+	0	0.00%	2	50.00%	2	50.00%	
		<b>Total</b>	<b>417</b>	<b>98.82%</b>	<b>3</b>	<b>0.71%</b>	<b>2</b>	<b>0.47%</b>	<b>422</b>
	<b>Total</b>	<b>417</b>	<b>98.82%</b>	<b>3</b>	<b>0.71%</b>	<b>2</b>	<b>0.47%</b>	<b>422</b>	
Champion Pipeline Corp (CPL1)	CPL1	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Champlain, Township Of (CHPLN123)	CHPLN123	0-5	15	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	15	100.00%	
		<b>Total</b>	<b>15</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	<b>50.00%</b>	<b>30</b>
	<b>Total</b>	<b>15</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	<b>50.00%</b>	<b>30</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Chapleau Public Utilities (CPUCE01)	CPUCE01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>2</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>50.00%</b>	<b>4</b>
	<b>Total</b>	<b>2</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>50.00%</b>	<b>4</b>	
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>2</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>50.00%</b>	<b>4</b>
	<b>Total</b>	<b>2</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>50.00%</b>	<b>4</b>	
Chapple, Municipality Of (CHPLE01)	CHPLE01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Charlton And Dack , Municipality Of (CHDWSL01)	CHDWSL01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Chatham Kent PUC (CKPUC123)	CKPUC123	0-5	378	100.00%	0	0.00%	0	0.00%	
		6-10	299	98.68%	4	1.32%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>677</b>	<b>98.98%</b>	<b>7</b>	<b>1.02%</b>	<b>0</b>	<b>0.00%</b>	<b>684</b>
	<b>Total</b>	<b>677</b>	<b>98.98%</b>	<b>7</b>	<b>1.02%</b>	<b>0</b>	<b>0.00%</b>	<b>684</b>	
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	56	100.00%	0	0.00%	0	0.00%	
		6-10	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
	<b>Total</b>	<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Chatham Resources (CRPL01)	CRPL01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	1	33.33%	2	66.67%	0	0.00%	
		11-15	0	0.00%	1	50.00%	1	50.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>5</b>	<b>38.46%</b>	<b>3</b>	<b>23.08%</b>	<b>5</b>	<b>38.46%</b>	<b>13</b>
<b>Total</b>			<b>5</b>	<b>38.46%</b>	<b>3</b>	<b>23.08%</b>	<b>5</b>	<b>38.46%</b>	<b>13</b>
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	13	81.25%	3	18.75%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>75.00%</b>	<b>7</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
<b>Total</b>			<b>21</b>	<b>75.00%</b>	<b>7</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
<b>Total</b>			<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	16+	0	0.00%	0	0.00%	11	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>100.00%</b>	<b>11</b>
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>100.00%</b>	<b>11</b>
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	21	100.00%	0	0.00%	0	0.00%	
		6-10	6	85.71%	1	14.29%	0	0.00%	
		<b>Total</b>	<b>27</b>	<b>96.43%</b>	<b>1</b>	<b>3.57%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
<b>Total</b>			<b>27</b>	<b>96.43%</b>	<b>1</b>	<b>3.57%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Cik Telecom (CIKT01)	CIKT01	0-5	43	100.00%	0	0.00%	0	0.00%	
		6-10	6	85.71%	1	14.29%	0	0.00%	
		16+	0	0.00%	0	0.00%	11	100.00%	
		<b>Total</b>	<b>49</b>	<b>80.33%</b>	<b>1</b>	<b>1.64%</b>	<b>11</b>	<b>18.03%</b>	<b>61</b>
	<b>Total</b>		<b>49</b>	<b>80.33%</b>	<b>1</b>	<b>1.64%</b>	<b>11</b>	<b>18.03%</b>	<b>61</b>
City Of Woodstock Street Light & Traffic Signals Wdsltl01 (WDSLTL01)	WDSLTL01	0-5	181	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>185</b>	<b>99.46%</b>	<b>1</b>	<b>0.54%</b>	<b>0</b>	<b>0.00%</b>	<b>186</b>
	<b>Total</b>		<b>185</b>	<b>99.46%</b>	<b>1</b>	<b>0.54%</b>	<b>0</b>	<b>0.00%</b>	<b>186</b>
Ckpw Chatham Township Garage (CK08)	CK08	0-5	44	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>46</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>46</b>
	<b>Total</b>		<b>46</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>46</b>
Ckpw Chatham Water Garage (CK01)	CK01	0-5	76	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>77</b>	<b>98.72%</b>	<b>1</b>	<b>1.28%</b>	<b>0</b>	<b>0.00%</b>	<b>78</b>
	<b>Total</b>		<b>77</b>	<b>98.72%</b>	<b>1</b>	<b>1.28%</b>	<b>0</b>	<b>0.00%</b>	<b>78</b>
Ckpw Dover Township Garage (CK06)	CK06	0-5	41	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>41</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
	<b>Total</b>		<b>41</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Ckpw Kent Centre Garage (CK03)	CK03	0-5	43	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>43</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>43</b>
	<b>Total</b>	<b>43</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>43</b>	
Ckpw Raleigh Garage (CK04)	CK04	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>	<b>35</b>	<b>97.22%</b>	<b>1</b>	<b>2.78%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
Ckpw Thamesville Garage (CK09)	CK09	0-5	36	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
Ckpw Tilbury East Garage (CK05)	CK05	0-5	67	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>70</b>	<b>98.59%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.41%</b>	<b>71</b>
	<b>Total</b>	<b>70</b>	<b>98.59%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.41%</b>	<b>71</b>	
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	39	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>41</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
	<b>Total</b>	<b>41</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>	
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	121	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Clarence-Rockland , City Of (CLRK01)	CLRK01	16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>122</b>	<b>94.57%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>5.43%</b>	<b>129</b>
	<b>Total</b>	<b>122</b>	<b>94.57%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>5.43%</b>	<b>129</b>	
Clarington, Municipality Of (CLRG123)	CLRG123	0-5	155	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>155</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>155</b>
	<b>Total</b>	<b>155</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>155</b>	
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	
Clearford (LBWW01)	LBWW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Clearview, Township Of (CLRV01)	CLRV01	0-5	63	100.00%	0	0.00%	0	0.00%	
		6-10	10	58.82%	7	41.18%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>73</b>	<b>85.88%</b>	<b>11</b>	<b>12.94%</b>	<b>1</b>	<b>1.18%</b>	<b>85</b>
	<b>Total</b>	<b>73</b>	<b>85.88%</b>	<b>11</b>	<b>12.94%</b>	<b>1</b>	<b>1.18%</b>	<b>85</b>	
Cobalt , Town Of (CBLWSS01)	CBLWSS01	0-5	3	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Cobalt , Town Of (CBLWSS01)	CBLWSS01	6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Cobourg, Town Of (CBRG123)	CBRG123	0-5	95	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>95</b>	<b>96.94%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>3.06%</b>	<b>98</b>
	<b>Total</b>	<b>95</b>	<b>96.94%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>3.06%</b>	<b>98</b>	
Cochrane Telecom Services (CCT01)	CCT01	0-5	13	100.00%	0	0.00%	0	0.00%	
		6-10	8	38.10%	13	61.90%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>21</b>	<b>48.84%</b>	<b>21</b>	<b>48.84%</b>	<b>1</b>	<b>2.33%</b>	<b>43</b>
	<b>Total</b>	<b>21</b>	<b>48.84%</b>	<b>21</b>	<b>48.84%</b>	<b>1</b>	<b>2.33%</b>	<b>43</b>	
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	16	100.00%	0	0.00%	0	0.00%	
		6-10	2	50.00%	2	50.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>18</b>	<b>75.00%</b>	<b>2</b>	<b>8.33%</b>	<b>4</b>	<b>16.67%</b>	<b>24</b>
	<b>Total</b>	<b>18</b>	<b>75.00%</b>	<b>2</b>	<b>8.33%</b>	<b>4</b>	<b>16.67%</b>	<b>24</b>	
Cogeco Cable Canada (CBT1)	CBT1	0-5	1,529	100.00%	0	0.00%	0	0.00%	
		6-10	96	94.12%	6	5.88%	0	0.00%	
		11-15	0	0.00%	52	96.30%	2	3.70%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Cogeco Cable Canada (CBT1)	CBT1	16+	0	0.00%	11	24.44%	34	75.56%	
		<b>Total</b>	<b>1,625</b>	<b>93.93%</b>	<b>69</b>	<b>3.99%</b>	<b>36</b>	<b>2.08%</b>	<b>1,730</b>
	<b>Total</b>	<b>1,625</b>	<b>93.93%</b>	<b>69</b>	<b>3.99%</b>	<b>36</b>	<b>2.08%</b>	<b>1,730</b>	
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	1,116	100.00%	0	0.00%	0	0.00%	
		6-10	36	92.31%	3	7.69%	0	0.00%	
		11-15	0	0.00%	30	90.91%	3	9.09%	
		16+	0	0.00%	4	11.76%	30	88.24%	
		<b>Total</b>	<b>1,152</b>	<b>94.27%</b>	<b>37</b>	<b>3.03%</b>	<b>33</b>	<b>2.70%</b>	<b>1,222</b>
	<b>Total</b>	<b>1,152</b>	<b>94.27%</b>	<b>37</b>	<b>3.03%</b>	<b>33</b>	<b>2.70%</b>	<b>1,222</b>	
Cogeco Cable Canada (CPVS2)	CPVS2	0-5	800	100.00%	0	0.00%	0	0.00%	
		6-10	38	84.44%	7	15.56%	0	0.00%	
		11-15	0	0.00%	32	100.00%	0	0.00%	
		16+	0	0.00%	5	55.56%	4	44.44%	
		<b>Total</b>	<b>838</b>	<b>94.58%</b>	<b>44</b>	<b>4.97%</b>	<b>4</b>	<b>0.45%</b>	<b>886</b>
	<b>Total</b>	<b>838</b>	<b>94.58%</b>	<b>44</b>	<b>4.97%</b>	<b>4</b>	<b>0.45%</b>	<b>886</b>	
Cogeco Connexion	COGOW02	6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>66.67%</b>	<b>3</b>
	<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>66.67%</b>	<b>3</b>	
Cogeco Connexion North East (CCNE123)	CCNE123	0-5	1,663	100.00%	0	0.00%	0	0.00%	
		6-10	234	98.73%	3	1.27%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Cogeco Connexion North East (CCNE123)	CCNE123	11-15	0	0.00%	3	42.86%	4	57.14%	
		16+	0	0.00%	0	0.00%	48	100.00%	
		<b>Total</b>	<b>1,897</b>	<b>97.03%</b>	<b>6</b>	<b>0.31%</b>	<b>52</b>	<b>2.66%</b>	<b>1,955</b>
	<b>Total</b>	<b>1,897</b>	<b>97.03%</b>	<b>6</b>	<b>0.31%</b>	<b>52</b>	<b>2.66%</b>	<b>1,955</b>	
Cogeco Connexion Southwest (CC01)	CC01	0-5	1,032	100.00%	0	0.00%	0	0.00%	
		6-10	408	89.47%	48	10.53%	0	0.00%	
		11-15	0	0.00%	49	100.00%	0	0.00%	
		16+	0	0.00%	2	4.76%	40	95.24%	
	<b>Total</b>	<b>1,440</b>	<b>91.20%</b>	<b>99</b>	<b>6.27%</b>	<b>40</b>	<b>2.53%</b>	<b>1,579</b>	
<b>Total</b>	<b>1,440</b>	<b>91.20%</b>	<b>99</b>	<b>6.27%</b>	<b>40</b>	<b>2.53%</b>	<b>1,579</b>		
Collingwood Public Utilities (COLL123)	COLL123	0-5	212	100.00%	0	0.00%	0	0.00%	
		6-10	7	58.33%	5	41.67%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	3	30.00%	7	70.00%	
	<b>Total</b>	<b>219</b>	<b>92.80%</b>	<b>10</b>	<b>4.24%</b>	<b>7</b>	<b>2.97%</b>	<b>236</b>	
<b>Total</b>	<b>219</b>	<b>92.80%</b>	<b>10</b>	<b>4.24%</b>	<b>7</b>	<b>2.97%</b>	<b>236</b>		
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Communicate Freely (CFF01)	CFF01	0-5	55	100.00%	0	0.00%	0	0.00%	
		6-10	5	83.33%	1	16.67%	0	0.00%	
		<b>Total</b>	<b>60</b>	<b>98.36%</b>	<b>1</b>	<b>1.64%</b>	<b>0</b>	<b>0.00%</b>	<b>61</b>
	<b>Total</b>	<b>60</b>	<b>98.36%</b>	<b>1</b>	<b>1.64%</b>	<b>0</b>	<b>0.00%</b>	<b>61</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Conestogo Wind Farm (Nextera Energy) (CNTGWF01)	CNTGWF01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	15	60.00%	10	40.00%	0	0.00%	
		11-15	0	0.00%	26	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>26</b>	<b>38.24%</b>	<b>36</b>	<b>52.94%</b>	<b>6</b>	<b>8.82%</b>	<b>68</b>
	<b>Total</b>	<b>26</b>	<b>38.24%</b>	<b>36</b>	<b>52.94%</b>	<b>6</b>	<b>8.82%</b>	<b>68</b>	
Cornwall , City Of (CRWL123)	CRWL123	0-5	31	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	0	0.00%	1	33.33%	
		<b>Total</b>	<b>33</b>	<b>97.06%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.94%</b>	<b>34</b>
	<b>Total</b>	<b>33</b>	<b>97.06%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.94%</b>	<b>34</b>	
Cornwall Electric (CE01)	CE01	0-5	263	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>263</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>263</b>
	<b>Total</b>	<b>263</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>263</b>	
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	89	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>89</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>89</b>
	<b>Total</b>	<b>89</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>89</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Craigleith Ski Club (CGLSC01)	CGLSC01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	
Cramahe, Township Of (CRAM123)	CRAM123	0-5	20	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>20</b>	<b>90.91%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>9.09%</b>	<b>22</b>
	<b>Total</b>	<b>20</b>	<b>90.91%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>9.09%</b>	<b>22</b>	
Ctv (CTV01)	CTV01	0-5	2	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Dacoll Resources (DACR01)	DACR01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	53	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Dawn-Euphemia, Township Of (DE01)	DE01	16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>53</b>	<b>94.64%</b>	<b>1</b>	<b>1.79%</b>	<b>2</b>	<b>3.57%</b>	<b>56</b>
	<b>Total</b>	<b>53</b>	<b>94.64%</b>	<b>1</b>	<b>1.79%</b>	<b>2</b>	<b>3.57%</b>	<b>56</b>	
Dbi Services (DBIS01)	DBIS01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>13</b>	<b>72.22%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>27.78%</b>	<b>18</b>
	<b>Total</b>	<b>13</b>	<b>72.22%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>27.78%</b>	<b>18</b>	
Deep River , Town Of (DRI01)	DRI01	0-5	15	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>93.75%</b>	<b>1</b>	<b>6.25%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>
	<b>Total</b>	<b>15</b>	<b>93.75%</b>	<b>1</b>	<b>6.25%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>	
Deseronto , Town Of (DSR01)	DSR01	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>100.00%</b>	<b>8</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>100.00%</b>	<b>8</b>	
Dofasco (Arcelormittal) (AMD01)	AMD01	11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Dover Coast (DCW01)	DCW01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Dryden, City Of (DRYD01)	DRYD01	0-5	93	100.00%	0	0.00%	0	0.00%	
		6-10	1	33.33%	2	66.67%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>94</b>	<b>96.91%</b>	<b>2</b>	<b>2.06%</b>	<b>1</b>	<b>1.03%</b>	<b>97</b>
	<b>Total</b>	<b>94</b>	<b>96.91%</b>	<b>2</b>	<b>2.06%</b>	<b>1</b>	<b>1.03%</b>	<b>97</b>	
Dubreuville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Dufferin County (DFRN01)	DFRN01	0-5	9	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	1	33.33%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>11</b>	<b>78.57%</b>	<b>1</b>	<b>7.14%</b>	<b>2</b>	<b>14.29%</b>	<b>14</b>
	<b>Total</b>	<b>11</b>	<b>78.57%</b>	<b>1</b>	<b>7.14%</b>	<b>2</b>	<b>14.29%</b>	<b>14</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>75.00%</b>	<b>2</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>6</b>	<b>75.00%</b>	<b>2</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Dufferin-Peel Catholic District School Board (DPCDSB01)	DPCDSB01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Durham One Net	DON01	0-5	34	100.00%	0	0.00%	0	0.00%	
		6-10	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>40</b>	<b>97.56%</b>	<b>1</b>	<b>2.44%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>40</b>	<b>97.56%</b>	<b>1</b>	<b>2.44%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>	
Durham Region Water And Sewer (DURWS123)	DURWS123	0-5	877	100.00%	0	0.00%	0	0.00%	
		6-10	8	72.73%	3	27.27%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>885</b>	<b>99.22%</b>	<b>3</b>	<b>0.34%</b>	<b>4</b>	<b>0.45%</b>	
	<b>Total</b>	<b>885</b>	<b>99.22%</b>	<b>3</b>	<b>0.34%</b>	<b>4</b>	<b>0.45%</b>	<b>892</b>	
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	286	100.00%	0	0.00%	0	0.00%	
		6-10	26	92.86%	2	7.14%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>312</b>	<b>98.73%</b>	<b>2</b>	<b>0.63%</b>	<b>2</b>	<b>0.63%</b>	
	<b>Total</b>	<b>312</b>	<b>98.73%</b>	<b>2</b>	<b>0.63%</b>	<b>2</b>	<b>0.63%</b>	<b>316</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	25	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>	
Dysart Et Al. (DYST123)	DYST123	16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>	<b>6</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>100.00%</b>	<b>6</b>	
E L K Energy Inc (E001)	E001	0-5	175	100.00%	0	0.00%	0	0.00%	
		6-10	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	9	100.00%	
		<b>Total</b>	<b>181</b>	<b>95.26%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>4.74%</b>	
	<b>Total</b>	<b>181</b>	<b>95.26%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>4.74%</b>	<b>190</b>	
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
East Gwillimbury, Town Of (EGWL123)	EGWL123	0-5	285	100.00%	0	0.00%	0	0.00%	
		6-10	54	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>339</b>	<b>99.41%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>0.59%</b>	
	<b>Total</b>	<b>339</b>	<b>99.41%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>0.59%</b>	<b>341</b>	
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	2	50.00%	2	50.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>76.92%</b>	<b>3</b>	<b>23.08%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
	<b>Total</b>	<b>10</b>	<b>76.92%</b>	<b>3</b>	<b>23.08%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>	
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	22	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>22</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>
	<b>Total</b>	<b>22</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>	
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	29	100.00%	0	0.00%	0	0.00%	
		6-10	2	33.33%	4	66.67%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>31</b>	<b>86.11%</b>	<b>5</b>	<b>13.89%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>	<b>31</b>	<b>86.11%</b>	<b>5</b>	<b>13.89%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
Eastern Ontario Power (EOP01)	EOP01	0-5	45	100.00%	0	0.00%	0	0.00%	
		6-10	28	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>73</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>73</b>
	<b>Total</b>	<b>73</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>73</b>	
Eastern Power Inc (EP01)	EP01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Eastlink (EL123)	EL123	0-5	2,046	100.00%	0	0.00%	0	0.00%	
		6-10	215	81.13%	50	18.87%	0	0.00%	
		11-15	0	0.00%	52	94.55%	3	5.45%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Eastlink (EL123)	EL123	16+	0	0.00%	2	3.57%	54	96.43%	
		<b>Total</b>	<b>2,261</b>	<b>93.35%</b>	<b>104</b>	<b>4.29%</b>	<b>57</b>	<b>2.35%</b>	<b>2,422</b>
	<b>Total</b>	<b>2,261</b>	<b>93.35%</b>	<b>104</b>	<b>4.29%</b>	<b>57</b>	<b>2.35%</b>	<b>2,422</b>	
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Edf Renewables Development Inc (EDFARN01)	EDFARN01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	10	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>10</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>
	<b>Total</b>	<b>10</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>	
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	123	100.00%	0	0.00%	0	0.00%	
		6-10	17	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>140</b>	<b>99.29%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.71%</b>	<b>141</b>
	<b>Total</b>	<b>140</b>	<b>99.29%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.71%</b>	<b>141</b>	
Elexicon Energy Formerly Veridian (ELX123)	ELX123	0-5	1,574	100.00%	0	0.00%	0	0.00%	
		6-10	399	95.23%	20	4.77%	0	0.00%	
		11-15	0	0.00%	31	100.00%	0	0.00%	
	<b>Total</b>	<b>1,973</b>	<b>95.23%</b>	<b>51</b>	<b>4.77%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Elxicon Energy Formerly Veridian (ELX123)	ELX123	16+	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>1,973</b>	<b>97.00%</b>	<b>61</b>	<b>3.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2,034</b>
	<b>Total</b>	<b>1,973</b>	<b>97.00%</b>	<b>61</b>	<b>3.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2,034</b>	
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	1	33.33%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>71.43%</b>	<b>2</b>	<b>28.57%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>	<b>5</b>	<b>71.43%</b>	<b>2</b>	<b>28.57%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
Elgin, County Of (ELGNE01)	ELGNE01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	40	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>40</b>	<b>81.63%</b>	<b>7</b>	<b>14.29%</b>	<b>2</b>	<b>4.08%</b>	<b>49</b>
	<b>Total</b>	<b>40</b>	<b>81.63%</b>	<b>7</b>	<b>14.29%</b>	<b>2</b>	<b>4.08%</b>	<b>49</b>	
Emerald Energy From Waste Inc (ALGQP01)	ALGQP01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Emo , Township Of (EMOWS01)	EMOWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Enbridge Distribution NEB Mains (ENNEB123)	ENNEB123	0-5	63	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>68</b>	<b>94.44%</b>	<b>4</b>	<b>5.56%</b>	<b>0</b>	<b>0.00%</b>	<b>72</b>
	<b>Total</b>	<b>68</b>	<b>94.44%</b>	<b>4</b>	<b>5.56%</b>	<b>0</b>	<b>0.00%</b>	<b>72</b>	
Enbridge Distribution Vital Mains (ENVM123)	ENVM123	0-5	685	100.00%	0	0.00%	0	0.00%	
		6-10	315	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	19	100.00%	0	0.00%	
		16+	0	0.00%	11	91.67%	1	8.33%	
		<b>Total</b>	<b>1,000</b>	<b>96.99%</b>	<b>30</b>	<b>2.91%</b>	<b>1</b>	<b>0.10%</b>	<b>1,031</b>
	<b>Total</b>	<b>1,000</b>	<b>96.99%</b>	<b>30</b>	<b>2.91%</b>	<b>1</b>	<b>0.10%</b>	<b>1,031</b>	
Enbridge Gas (Legacy Union Gas) (UG1)	UG1	0-5	18,241	100.00%	0	0.00%	0	0.00%	
		6-10	4,662	96.12%	188	3.88%	0	0.00%	
		11-15	0	0.00%	212	86.18%	34	13.82%	
		16+	0	0.00%	58	9.93%	526	90.07%	
		<b>Total</b>	<b>22,903</b>	<b>95.74%</b>	<b>458</b>	<b>1.91%</b>	<b>560</b>	<b>2.34%</b>	<b>23,921</b>
	<b>Total</b>	<b>22,903</b>	<b>95.74%</b>	<b>458</b>	<b>1.91%</b>	<b>560</b>	<b>2.34%</b>	<b>23,921</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	UG1CL	0-5	1,035	100.00%	0	0.00%	0	0.00%	
		6-10	478	95.03%	25	4.97%	0	0.00%	
		11-15	0	0.00%	48	94.12%	3	5.88%	
		16+	0	0.00%	2	4.76%	40	95.24%	
		<b>Total</b>	<b>1,513</b>	<b>92.77%</b>	<b>75</b>	<b>4.60%</b>	<b>43</b>	<b>2.64%</b>	
	<b>Total</b>	<b>1,513</b>	<b>92.77%</b>	<b>75</b>	<b>4.60%</b>	<b>43</b>	<b>2.64%</b>	<b>1,631</b>	
Enbridge Gas Distribution (ENB1)	ENB1	0-5	27,270	100.00%	0	0.00%	0	0.00%	
		6-10	7,230	97.37%	195	2.63%	0	0.00%	
		11-15	0	0.00%	240	94.49%	14	5.51%	
		16+	0	0.00%	161	43.99%	205	56.01%	
		<b>Total</b>	<b>34,500</b>	<b>97.69%</b>	<b>596</b>	<b>1.69%</b>	<b>219</b>	<b>0.62%</b>	
	<b>Total</b>	<b>34,500</b>	<b>97.69%</b>	<b>596</b>	<b>1.69%</b>	<b>219</b>	<b>0.62%</b>	<b>35,315</b>	
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	22	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>22</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>22</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>	
Enbridge Gas Storage And Transmission(ENSTO)	ENSTO	0-5	163	100.00%	0	0.00%	0	0.00%	
		6-10	7	63.64%	4	36.36%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>170</b>	<b>96.59%</b>	<b>6</b>	<b>3.41%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>170</b>	<b>96.59%</b>	<b>6</b>	<b>3.41%</b>	<b>0</b>	<b>0.00%</b>	<b>176</b>	
Enbridge Pipelines (EP123)	EP123	0-5	478	100.00%	0	0.00%	0	0.00%	
		6-10	30	88.24%	4	11.76%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Enbridge Pipelines (EP123)	EP123	11-15	0	0.00%	28	100.00%	0	0.00%	
		16+	0	0.00%	74	98.67%	1	1.33%	
		<b>Total</b>	<b>508</b>	<b>82.60%</b>	<b>106</b>	<b>17.24%</b>	<b>1</b>	<b>0.16%</b>	<b>615</b>
	<b>Total</b>	<b>508</b>	<b>82.60%</b>	<b>106</b>	<b>17.24%</b>	<b>1</b>	<b>0.16%</b>	<b>615</b>	
Enbridge Wind Power (ENWP01)	ENWP01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Englehart , Town Of (EGHT01)	EGHT01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	2	50.00%	2	50.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>8</b>	<b>66.67%</b>	<b>2</b>	<b>16.67%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>
	<b>Total</b>	<b>8</b>	<b>66.67%</b>	<b>2</b>	<b>16.67%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>	
Enniskillen, Township Of (E002)	E002	0-5	60	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>60</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>60</b>
	<b>Total</b>	<b>60</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>60</b>	
Enova Power (ENOVA123)	ENOVA123	0-5	1,345	100.00%	0	0.00%	0	0.00%	
		6-10	351	95.64%	16	4.36%	0	0.00%	
		11-15	0	0.00%	9	90.00%	1	10.00%	
		16+	0	0.00%	2	6.06%	31	93.94%	
		<b>Total</b>	<b>1,696</b>	<b>96.64%</b>	<b>27</b>	<b>1.54%</b>	<b>32</b>	<b>1.82%</b>	<b>1,755</b>
	<b>Total</b>	<b>1,696</b>	<b>96.64%</b>	<b>27</b>	<b>1.54%</b>	<b>32</b>	<b>1.82%</b>	<b>1,755</b>	
Entegrus (EPICK01)	EPICK01	0-5	355	100.00%	0	0.00%	0	0.00%	
		6-10	112	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Entegrus (EPICK01)	EPICK01	11-15	0	0.00%	2	33.33%	4	66.67%	
		16+	0	0.00%	1	2.86%	34	97.14%	
		<b>Total</b>	<b>467</b>	<b>91.93%</b>	<b>3</b>	<b>0.59%</b>	<b>38</b>	<b>7.48%</b>	
	<b>Total</b>	<b>467</b>	<b>91.93%</b>	<b>3</b>	<b>0.59%</b>	<b>38</b>	<b>7.48%</b>	<b>508</b>	
Entegrus Powerlines Inc " St. Thomas (EPISTT01)	EPISTT01	0-5	120	100.00%	0	0.00%	0	0.00%	
		6-10	10	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>130</b>	<b>97.01%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>2.99%</b>	
	<b>Total</b>	<b>130</b>	<b>97.01%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>2.99%</b>	<b>134</b>	
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	16	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>33</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>33</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>33</b>	
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	53	100.00%	0	0.00%	0	0.00%	
		6-10	49	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>102</b>	<b>99.03%</b>	<b>1</b>	<b>0.97%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>102</b>	<b>99.03%</b>	<b>1</b>	<b>0.97%</b>	<b>0</b>	<b>0.00%</b>	<b>103</b>	
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	180	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Enwin Utilities - Electrical (EWINE01)	EWINE01	6-10	21	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>201</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>201</b>
	<b>Total</b>	<b>201</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>201</b>	
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	132	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>132</b>	<b>98.51%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.49%</b>	<b>134</b>
	<b>Total</b>	<b>132</b>	<b>98.51%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.49%</b>	<b>134</b>	
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	272	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	9	100.00%	
		<b>Total</b>	<b>272</b>	<b>96.80%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>3.20%</b>	<b>281</b>
	<b>Total</b>	<b>272</b>	<b>96.80%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>3.20%</b>	<b>281</b>	
Epcor Natural GasLP (EPNG123)	EPNG123	0-5	260	100.00%	0	0.00%	0	0.00%	
		6-10	74	96.10%	3	3.90%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	2	12.50%	14	87.50%	
		<b>Total</b>	<b>334</b>	<b>93.82%</b>	<b>8</b>	<b>2.25%</b>	<b>14</b>	<b>3.93%</b>	<b>356</b>
	<b>Total</b>	<b>334</b>	<b>93.82%</b>	<b>8</b>	<b>2.25%</b>	<b>14</b>	<b>3.93%</b>	<b>356</b>	
Erieau Wind Farm (EWF01)	EWF01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	1	33.33%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>90.91%</b>	<b>1</b>	<b>9.09%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
	<b>Total</b>	<b>10</b>	<b>90.91%</b>	<b>1</b>	<b>9.09%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Erin, Town Of (ERN01)	ERN01	0-5	31	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>91.89%</b>	<b>3</b>	<b>8.11%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>34</b>	<b>91.89%</b>	<b>3</b>	<b>8.11%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>	
Erin, Town Of (ERNSL01)	ERNSL01	0-5	29	100.00%	0	0.00%	0	0.00%	
		6-10	24	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
	<b>Total</b>	<b>53</b>	<b>92.98%</b>	<b>1</b>	<b>1.75%</b>	<b>3</b>	<b>5.26%</b>		
<b>Total</b>	<b>53</b>	<b>92.98%</b>	<b>1</b>	<b>1.75%</b>	<b>3</b>	<b>5.26%</b>	<b>57</b>		
Erth Power Corporation (ETP01)	ETP01	0-5	177	100.00%	0	0.00%	0	0.00%	
		6-10	30	96.77%	1	3.23%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>207</b>	<b>99.04%</b>	<b>1</b>	<b>0.48%</b>	<b>1</b>	<b>0.48%</b>		
<b>Total</b>	<b>207</b>	<b>99.04%</b>	<b>1</b>	<b>0.48%</b>	<b>1</b>	<b>0.48%</b>	<b>209</b>		
Erth Power Corporation (ETP02)	ETP02	0-5	116	100.00%	0	0.00%	0	0.00%	
		6-10	19	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>135</b>	<b>97.83%</b>	<b>2</b>	<b>1.45%</b>	<b>1</b>	<b>0.72%</b>		
<b>Total</b>	<b>135</b>	<b>97.83%</b>	<b>2</b>	<b>1.45%</b>	<b>1</b>	<b>0.72%</b>	<b>138</b>		



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Espanola , Town Of (ESP01)	ESP01	0-5	25	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>26</b>	<b>92.86%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>7.14%</b>	<b>28</b>
		<b>Total</b>	<b>26</b>	<b>92.86%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>7.14%</b>	<b>28</b>
Espanola Hydro (ERH01)	ERH01	0-5	27	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>30</b>	<b>96.77%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.23%</b>	<b>31</b>
		<b>Total</b>	<b>30</b>	<b>96.77%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.23%</b>	<b>31</b>
Essa, Township Of (ESA123)	ESA123	0-5	2	100.00%	0	0.00%	0	0.00%	
		6-10	28	93.33%	2	6.67%	0	0.00%	
		11-15	0	0.00%	22	100.00%	0	0.00%	
		16+	0	0.00%	2	25.00%	6	75.00%	
		<b>Total</b>	<b>30</b>	<b>48.39%</b>	<b>26</b>	<b>41.94%</b>	<b>6</b>	<b>9.68%</b>	<b>62</b>
<b>Total</b>	<b>30</b>	<b>48.39%</b>	<b>26</b>	<b>41.94%</b>	<b>6</b>	<b>9.68%</b>	<b>62</b>		
Essex County Highways (ESXTS01)	ESXTS01	0-5	38	100.00%	0	0.00%	0	0.00%	
		6-10	7	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>45</b>	<b>95.74%</b>	<b>2</b>	<b>4.26%</b>	<b>0</b>	<b>0.00%</b>	<b>47</b>
		<b>Total</b>	<b>45</b>	<b>95.74%</b>	<b>2</b>	<b>4.26%</b>	<b>0</b>	<b>0.00%</b>	<b>47</b>
Essex Powerlines Corp (A006)	A006	0-5	292	100.00%	0	0.00%	0	0.00%	
		6-10	65	89.04%	8	10.96%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Essex Powerlines Corp (A006)	A006	11-15	0	0.00%	13	100.00%	0	0.00%	
		16+	0	0.00%	2	16.67%	10	83.33%	
		<b>Total</b>	<b>357</b>	<b>91.54%</b>	<b>23</b>	<b>5.90%</b>	<b>10</b>	<b>2.56%</b>	<b>390</b>
	<b>Total</b>	<b>357</b>	<b>91.54%</b>	<b>23</b>	<b>5.90%</b>	<b>10</b>	<b>2.56%</b>	<b>390</b>	
Essex Powerlines Corp (A007)	A007	16+	0	0.00%	0	0.00%	146	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>146</b>	<b>100.00%</b>	<b>146</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>146</b>	<b>100.00%</b>	<b>146</b>	
Essex, Town Of (CO01)	CO01	0-5	43	100.00%	0	0.00%	0	0.00%	
		6-10	77	95.06%	4	4.94%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>120</b>	<b>88.24%</b>	<b>14</b>	<b>10.29%</b>	<b>2</b>	<b>1.47%</b>	<b>136</b>
	<b>Total</b>	<b>120</b>	<b>88.24%</b>	<b>14</b>	<b>10.29%</b>	<b>2</b>	<b>1.47%</b>	<b>136</b>	
Execulink Telecom (EXTEL123)	EXTEL123	0-5	439	100.00%	0	0.00%	0	0.00%	
		6-10	169	96.57%	6	3.43%	0	0.00%	
		11-15	0	0.00%	9	90.00%	1	10.00%	
		16+	0	0.00%	0	0.00%	14	100.00%	
		<b>Total</b>	<b>608</b>	<b>95.30%</b>	<b>15</b>	<b>2.35%</b>	<b>15</b>	<b>2.35%</b>	<b>638</b>
	<b>Total</b>	<b>608</b>	<b>95.30%</b>	<b>15</b>	<b>2.35%</b>	<b>15</b>	<b>2.35%</b>	<b>638</b>	
Fanshawe College (FSWC01)	FSWC01	6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>16.67%</b>	<b>5</b>	<b>83.33%</b>	<b>6</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>16.67%</b>	<b>5</b>	<b>83.33%</b>	<b>6</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Fauquier-Strickland , Township Of (FSWS01)	FSWS01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Festival Hydro (FESTH01)	FESTH01	0-5	262	100.00%	0	0.00%	0	0.00%	
		6-10	59	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>321</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>321</b>
	<b>Total</b>	<b>321</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>321</b>	
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	0	0.00%	0	0.00%	33	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>33</b>	<b>100.00%</b>	<b>33</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>33</b>	<b>100.00%</b>	<b>33</b>	
Forest Estates 394075 Ontario Ltd. (FREST01)	FREST01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	285	100.00%	0	0.00%	0	0.00%	
		6-10	12	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	12	100.00%	
		<b>Total</b>	<b>297</b>	<b>96.12%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	<b>3.88%</b>	<b>309</b>
	<b>Total</b>	<b>297</b>	<b>96.12%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	<b>3.88%</b>	<b>309</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Fort Frances Power (FFP01)	FFP01	0-5	27	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>27</b>	<b>93.10%</b>	<b>2</b>	<b>6.90%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>
	<b>Total</b>	<b>27</b>	<b>93.10%</b>	<b>2</b>	<b>6.90%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>	
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	34	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
	<b>Total</b>	<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	
French River, Municipality Of (FFR01)	FFR01	11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>2</b>	<b>66.67%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>2</b>	<b>66.67%</b>	<b>3</b>	
Fu Fiber Inc (FUF01)	FUF01	16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>	
Gananoque, Town Of (GNQWST01)	GNQWST01	16+	0	0.00%	0	0.00%	28	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>	
Gbtel Inc (GBT01)	GBT01	0-5	58	100.00%	0	0.00%	0	0.00%	
		6-10	21	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>79</b>	<b>98.75%</b>	<b>1</b>	<b>1.25%</b>	<b>0</b>	<b>0.00%</b>	<b>80</b>
	<b>Total</b>	<b>79</b>	<b>98.75%</b>	<b>1</b>	<b>1.25%</b>	<b>0</b>	<b>0.00%</b>	<b>80</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	10	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>	
Georgian Bluffs , Township Of (GB01)	GB01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	5	71.43%	2	28.57%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>80.00%</b>	<b>3</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>	<b>12</b>	<b>80.00%</b>	<b>3</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	
Georgian College (GRGNC01)	GRGNC01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Georgina, Town Of (GGN123)	GGN123	0-5	156	100.00%	0	0.00%	0	0.00%	
		6-10	45	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	17	100.00%	
		<b>Total</b>	<b>201</b>	<b>90.54%</b>	<b>4</b>	<b>1.80%</b>	<b>17</b>	<b>7.66%</b>	<b>222</b>
	<b>Total</b>	<b>201</b>	<b>90.54%</b>	<b>4</b>	<b>1.80%</b>	<b>17</b>	<b>7.66%</b>	<b>222</b>	
Glenfred Gas Wells (GFGW01)	GFGW01	16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>100.00%</b>	<b>7</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>100.00%</b>	<b>7</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Goderich, Town Of (GDR123)	GDR123	0-5	102	100.00%	0	0.00%	0	0.00%	
		6-10	11	84.62%	2	15.38%	0	0.00%	
		11-15	0	0.00%	4	80.00%	1	20.00%	
		16+	0	0.00%	1	12.50%	7	87.50%	
		<b>Total</b>	<b>113</b>	<b>88.28%</b>	<b>7</b>	<b>5.47%</b>	<b>8</b>	<b>6.25%</b>	<b>128</b>
	<b>Total</b>	<b>113</b>	<b>88.28%</b>	<b>7</b>	<b>5.47%</b>	<b>8</b>	<b>6.25%</b>	<b>128</b>	
Gore Bay , Town Of (GBY01)	GBY01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Gosfield North Communications (G001)	G001	0-5	66	100.00%	0	0.00%	0	0.00%	
		6-10	42	93.33%	3	6.67%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>108</b>	<b>93.91%</b>	<b>6</b>	<b>5.22%</b>	<b>1</b>	<b>0.87%</b>	<b>115</b>
	<b>Total</b>	<b>108</b>	<b>93.91%</b>	<b>6</b>	<b>5.22%</b>	<b>1</b>	<b>0.87%</b>	<b>115</b>	
Government Of Canada (GOC01)	GOC01	0-5	15	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	13	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Grand Bend Wind Lp (GBWF01)	GBWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Grand Renewable Solar Project (GRSP01)	GRSP01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	6-10	4	57.14%	3	42.86%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>4</b>	<b>44.44%</b>	<b>4</b>	<b>44.44%</b>	<b>1</b>	<b>11.11%</b>	<b>9</b>
	<b>Total</b>	<b>4</b>	<b>44.44%</b>	<b>4</b>	<b>44.44%</b>	<b>1</b>	<b>11.11%</b>	<b>9</b>	
Grand River Hospital Corp. - KW Campus And Freeport Campus (FPGRH01)	FPGRH01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>25.00%</b>	<b>6</b>	<b>75.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>2</b>	<b>25.00%</b>	<b>6</b>	<b>75.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Grand Valley Wind Farm (GVWF01)	GVWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>
	<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>	
Grandbridge Energy	GBH01	0-5	804	100.00%	0	0.00%	0	0.00%	
		6-10	534	99.63%	2	0.37%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Grandbridge Energy	GBH01	11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1,338</b>	<b>99.78%</b>	<b>3</b>	<b>0.22%</b>	<b>0</b>	<b>0.00%</b>	<b>1,341</b>
	<b>Total</b>	<b>1,338</b>	<b>99.78%</b>	<b>3</b>	<b>0.22%</b>	<b>0</b>	<b>0.00%</b>	<b>1,341</b>	
Grasshopper Solar (GHSE01)	GHSE01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	43	100.00%	0	0.00%	0	0.00%	
		6-10	1	50.00%	1	50.00%	0	0.00%	
		<b>Total</b>	<b>44</b>	<b>97.78%</b>	<b>1</b>	<b>2.22%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>
	<b>Total</b>	<b>44</b>	<b>97.78%</b>	<b>1</b>	<b>2.22%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>	
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	45	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>45</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>
	<b>Total</b>	<b>45</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>	
Greater Essex County District School Board - Facility (GEDSB02)	GEDSB02	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Greater Madawaska, Township Of (GMDKA01)	GMDKA01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	34	100.00%	0	0.00%	0	0.00%	
		6-10	13	76.47%	4	23.53%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>47</b>	<b>87.04%</b>	<b>6</b>	<b>11.11%</b>	<b>1</b>	<b>1.85%</b>	<b>54</b>
	<b>Total</b>	<b>47</b>	<b>87.04%</b>	<b>6</b>	<b>11.11%</b>	<b>1</b>	<b>1.85%</b>	<b>54</b>	
Greater Sudbury Hydro (SH01)	SH01	0-5	590	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>590</b>	<b>99.66%</b>	<b>2</b>	<b>0.34%</b>	<b>0</b>	<b>0.00%</b>	<b>592</b>
	<b>Total</b>	<b>590</b>	<b>99.66%</b>	<b>2</b>	<b>0.34%</b>	<b>0</b>	<b>0.00%</b>	<b>592</b>	
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	31	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>31</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>31</b>
	<b>Total</b>	<b>31</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>31</b>	
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	475	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>475</b>	<b>99.37%</b>	<b>3</b>	<b>0.63%</b>	<b>0</b>	<b>0.00%</b>	<b>478</b>
	<b>Total</b>	<b>475</b>	<b>99.37%</b>	<b>3</b>	<b>0.63%</b>	<b>0</b>	<b>0.00%</b>	<b>478</b>	
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	15	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	
Greater Sudbury, City Of (GSBY123)	GSBY123	0-5	883	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	15	100.00%	0	0.00%	
	<b>Total</b>	<b>885</b>	<b>100.00%</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Greater Sudbury, City Of (GSBY123)	GSBY123	16+	0	0.00%	0	0.00%	17	100.00%	
		<b>Total</b>	<b>885</b>	<b>96.51%</b>	<b>15</b>	<b>1.64%</b>	<b>17</b>	<b>1.85%</b>	<b>917</b>
	<b>Total</b>	<b>885</b>	<b>96.51%</b>	<b>15</b>	<b>1.64%</b>	<b>17</b>	<b>1.85%</b>	<b>917</b>	
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	11	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>18</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>
	<b>Total</b>	<b>18</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>	
Greenfield South Power Corporation (EP02)	EP02	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	4	66.67%	2	33.33%	
		<b>Total</b>	<b>12</b>	<b>66.67%</b>	<b>4</b>	<b>22.22%</b>	<b>2</b>	<b>11.11%</b>	<b>18</b>
	<b>Total</b>	<b>12</b>	<b>66.67%</b>	<b>4</b>	<b>22.22%</b>	<b>2</b>	<b>11.11%</b>	<b>18</b>	
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	16	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>16</b>	<b>94.12%</b>	<b>1</b>	<b>5.88%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>
	<b>Total</b>	<b>16</b>	<b>94.12%</b>	<b>1</b>	<b>5.88%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>	
Grey, County Of (GREY01)	GREY01	0-5	44	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Grey, County Of (GREY01)	GREY01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>47</b>	<b>95.92%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>4.08%</b>	<b>49</b>
	<b>Total</b>	<b>47</b>	<b>95.92%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>4.08%</b>	<b>49</b>	
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	154	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	1	7.69%	12	92.31%	
		<b>Total</b>	<b>154</b>	<b>91.67%</b>	<b>1</b>	<b>0.60%</b>	<b>13</b>	<b>7.74%</b>	<b>168</b>
	<b>Total</b>	<b>154</b>	<b>91.67%</b>	<b>1</b>	<b>0.60%</b>	<b>13</b>	<b>7.74%</b>	<b>168</b>	
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	113	100.00%	0	0.00%	0	0.00%	
		6-10	1	11.11%	8	88.89%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>114</b>	<b>87.02%</b>	<b>8</b>	<b>6.11%</b>	<b>9</b>	<b>6.87%</b>	<b>131</b>
	<b>Total</b>	<b>114</b>	<b>87.02%</b>	<b>8</b>	<b>6.11%</b>	<b>9</b>	<b>6.87%</b>	<b>131</b>	
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	165	100.00%	0	0.00%	0	0.00%	
		6-10	16	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>181</b>	<b>98.91%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.09%</b>	<b>183</b>
	<b>Total</b>	<b>181</b>	<b>98.91%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.09%</b>	<b>183</b>	
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	1	50.00%	1	50.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>95.45%</b>	<b>1</b>	<b>4.55%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>
	<b>Total</b>	<b>21</b>	<b>95.45%</b>	<b>1</b>	<b>4.55%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>	
Guelph, City Of (GLPH123)	GLPH123	0-5	468	100.00%	0	0.00%	0	0.00%	
		6-10	218	99.54%	1	0.46%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	15	100.00%	
		<b>Total</b>	<b>686</b>	<b>97.58%</b>	<b>2</b>	<b>0.28%</b>	<b>15</b>	<b>2.13%</b>	<b>703</b>
	<b>Total</b>	<b>686</b>	<b>97.58%</b>	<b>2</b>	<b>0.28%</b>	<b>15</b>	<b>2.13%</b>	<b>703</b>	
Guelph, University Of (UGPH01)	UGPH01	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>12</b>	<b>85.71%</b>	<b>1</b>	<b>7.14%</b>	<b>1</b>	<b>7.14%</b>	<b>14</b>
	<b>Total</b>	<b>12</b>	<b>85.71%</b>	<b>1</b>	<b>7.14%</b>	<b>1</b>	<b>7.14%</b>	<b>14</b>	
Gunns Hill Lp (GHWF01)	GHWF01	0-5	1	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Gunns Hill Lp (GHWF01)	GHWF01	6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Haldimand County (HLDM123)	HLDM123	0-5	129	100.00%	0	0.00%	0	0.00%	
		6-10	23	92.00%	2	8.00%	0	0.00%	
		16+	0	0.00%	14	36.84%	24	63.16%	
		<b>Total</b>	<b>152</b>	<b>79.17%</b>	<b>16</b>	<b>8.33%</b>	<b>24</b>	<b>12.50%</b>	<b>192</b>
	<b>Total</b>	<b>152</b>	<b>79.17%</b>	<b>16</b>	<b>8.33%</b>	<b>24</b>	<b>12.50%</b>	<b>192</b>	
Haliburton, County Of (HLB01)	HLB01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Hallebourg Lsb (HLEBRG01)	HLEBRG01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOHO	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Halton Hills Hydro (HHH01)	HHH01	0-5	173	100.00%	0	0.00%	0	0.00%	
		6-10	144	97.96%	3	2.04%	0	0.00%	
		<b>Total</b>	<b>317</b>	<b>99.06%</b>	<b>3</b>	<b>0.94%</b>	<b>0</b>	<b>0.00%</b>	<b>320</b>
	<b>Total</b>	<b>317</b>	<b>99.06%</b>	<b>3</b>	<b>0.94%</b>	<b>0</b>	<b>0.00%</b>	<b>320</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Halton Hills, Town Of (HAH01)	HAH01	0-5	56	100.00%	0	0.00%	0	0.00%	
		6-10	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
	<b>Total</b>	<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>	
Halton Hills, Town Of (HAH02)	HAH02	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
	<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	
Halton, Region Of (HLTNB123)	HLTNB123	0-5	42	100.00%	0	0.00%	0	0.00%	
		6-10	14	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>56</b>	<b>93.33%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>6.67%</b>	<b>60</b>
	<b>Total</b>	<b>56</b>	<b>93.33%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>6.67%</b>	<b>60</b>	
Halton, Region Of (HLTNH123)	HLTNH123	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Halton, Region Of (HLTNM123)	HLTNM123	0-5	71	100.00%	0	0.00%	0	0.00%	
		6-10	69	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	2	25.00%	6	75.00%	
		<b>Total</b>	<b>140</b>	<b>92.72%</b>	<b>5</b>	<b>3.31%</b>	<b>6</b>	<b>3.97%</b>	<b>151</b>
	<b>Total</b>	<b>140</b>	<b>92.72%</b>	<b>5</b>	<b>3.31%</b>	<b>6</b>	<b>3.97%</b>	<b>151</b>	
Halton, Region Of (HLTNO123)	HLTNO123	0-5	150	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Halton, Region Of (HLTNO123)	HLTNO123	11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>153</b>	<b>95.63%</b>	<b>7</b>	<b>4.38%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>153</b>	<b>95.63%</b>	<b>7</b>	<b>4.38%</b>	<b>0</b>	<b>0.00%</b>	<b>160</b>	
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>	
<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>		
Halton, Region Of (HLTNT01)	HLTNT01	0-5	9	100.00%	0	0.00%	0	0.00%	
		6-10	4	80.00%	1	20.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
	<b>Total</b>	<b>13</b>	<b>81.25%</b>	<b>3</b>	<b>18.75%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>	
<b>Total</b>	<b>13</b>	<b>81.25%</b>	<b>3</b>	<b>18.75%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>		
Hamilton , Township Of (HML01)	HML01	0-5	76	100.00%	0	0.00%	0	0.00%	
		6-10	11	100.00%	0	0.00%	0	0.00%	
	<b>Total</b>	<b>87</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>87</b>	
<b>Total</b>	<b>87</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>87</b>		
Hamilton Community Energy (HCE1)	HCE1	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	40.00%	3	60.00%	
	<b>Total</b>	<b>1</b>	<b>16.67%</b>	<b>2</b>	<b>33.33%</b>	<b>3</b>	<b>50.00%</b>	<b>6</b>	
<b>Total</b>	<b>1</b>	<b>16.67%</b>	<b>2</b>	<b>33.33%</b>	<b>3</b>	<b>50.00%</b>	<b>6</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>1</b>	<b>11.11%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	
Hamilton, City Of (CH01)	CH01	0-5	44	100.00%	0	0.00%	0	0.00%	
		6-10	116	97.48%	3	2.52%	0	0.00%	
		11-15	0	0.00%	49	100.00%	0	0.00%	
		16+	0	0.00%	1	16.67%	5	83.33%	
		<b>Total</b>	<b>160</b>	<b>73.39%</b>	<b>53</b>	<b>24.31%</b>	<b>5</b>	<b>2.29%</b>	<b>218</b>
	<b>Total</b>	<b>160</b>	<b>73.39%</b>	<b>53</b>	<b>24.31%</b>	<b>5</b>	<b>2.29%</b>	<b>218</b>	
Hamilton, City Of (HHP3)	HHP3	0-5	1,369	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1,369</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,369</b>
	<b>Total</b>	<b>1,369</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,369</b>	
Hamilton, City Of (HW01)	HW01	0-5	2,002	100.00%	0	0.00%	0	0.00%	
		6-10	46	79.31%	12	20.69%	0	0.00%	
		11-15	0	0.00%	46	93.88%	3	6.12%	
		16+	0	0.00%	11	27.50%	29	72.50%	
		<b>Total</b>	<b>2,048</b>	<b>95.30%</b>	<b>69</b>	<b>3.21%</b>	<b>32</b>	<b>1.49%</b>	<b>2,149</b>
	<b>Total</b>	<b>2,048</b>	<b>95.30%</b>	<b>69</b>	<b>3.21%</b>	<b>32</b>	<b>1.49%</b>	<b>2,149</b>	
Hanover , Town Of (HNVR01)	HNVR01	0-5	30	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>30</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>30</b>
	<b>Total</b>	<b>30</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>30</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>		<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	79	100.00%	0	0.00%	0	0.00%	
		6-10	2	40.00%	3	60.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>81</b>	<b>94.19%</b>	<b>4</b>	<b>4.65%</b>	<b>1</b>	<b>1.16%</b>	<b>86</b>
	<b>Total</b>		<b>81</b>	<b>94.19%</b>	<b>4</b>	<b>4.65%</b>	<b>1</b>	<b>1.16%</b>	<b>86</b>
Hay Communications (H123)	H123	0-5	173	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>178</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>178</b>
	<b>Total</b>		<b>178</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>178</b>
Hce Telecom (HCEHN01)	HCEHN01	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>97.30%</b>	<b>1</b>	<b>2.70%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>
	<b>Total</b>		<b>36</b>	<b>97.30%</b>	<b>1</b>	<b>2.70%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>		<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Hearst Power (HRSTP01)	HRSTP01	0-5	31	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>31</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>31</b>
	<b>Total</b>	<b>31</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>31</b>	
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	23	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>23</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>23</b>
	<b>Total</b>	<b>23</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>23</b>	
Highbury Canco Corp (HGHBRY01)	HGHBRY01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>1</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>85.71%</b>	<b>7</b>
	<b>Total</b>	<b>1</b>	<b>14.29%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>85.71%</b>	<b>7</b>	
Hilton Beach, Village Of (HIBE01)	HIBE01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	
Home Hardware Stores Ltd (HHSF01)	HHSF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Hornepayne , Township Of (HRP01)	HRP01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	10	83.33%	2	16.67%	
		<b>Total</b>	<b>8</b>	<b>40.00%</b>	<b>10</b>	<b>50.00%</b>	<b>2</b>	<b>10.00%</b>	<b>20</b>
	<b>Total</b>	<b>8</b>	<b>40.00%</b>	<b>10</b>	<b>50.00%</b>	<b>2</b>	<b>10.00%</b>	<b>20</b>	
Humber College (HUMBF01)	HUMBF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>1</b>	<b>12.50%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>1</b>	<b>12.50%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	52	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>52</b>	<b>98.11%</b>	<b>1</b>	<b>1.89%</b>	<b>0</b>	<b>0.00%</b>	<b>53</b>
	<b>Total</b>	<b>52</b>	<b>98.11%</b>	<b>1</b>	<b>1.89%</b>	<b>0</b>	<b>0.00%</b>	<b>53</b>	
Huron Shores , Municipality Of (HRNSSF01)	HRNSSF01	16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	
Huron, County Of (HRN123)	HRN123	0-5	8	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	3	75.00%	1	25.00%	
		<b>Total</b>	<b>8</b>	<b>66.67%</b>	<b>3</b>	<b>25.00%</b>	<b>1</b>	<b>8.33%</b>	<b>12</b>
	<b>Total</b>	<b>8</b>	<b>66.67%</b>	<b>3</b>	<b>25.00%</b>	<b>1</b>	<b>8.33%</b>	<b>12</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	47	100.00%	0	0.00%	0	0.00%	
		6-10	5	38.46%	8	61.54%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>52</b>	<b>82.54%</b>	<b>8</b>	<b>12.70%</b>	<b>3</b>	<b>4.76%</b>	<b>63</b>
		<b>Total</b>	<b>52</b>	<b>82.54%</b>	<b>8</b>	<b>12.70%</b>	<b>3</b>	<b>4.76%</b>	<b>63</b>
Hurontel (HTEL01)	HTEL01	0-5	127	100.00%	0	0.00%	0	0.00%	
		6-10	63	51.22%	60	48.78%	0	0.00%	
		11-15	0	0.00%	57	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	19	100.00%	
		<b>Total</b>	<b>190</b>	<b>58.28%</b>	<b>117</b>	<b>35.89%</b>	<b>19</b>	<b>5.83%</b>	<b>326</b>
<b>Total</b>	<b>190</b>	<b>58.28%</b>	<b>117</b>	<b>35.89%</b>	<b>19</b>	<b>5.83%</b>	<b>326</b>		
Hydro 2000 (H200001)	H200001	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
Hydro Embrun (EMBRH01)	EMBRH01	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	4	80.00%	1	20.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>21</b>	<b>75.00%</b>	<b>2</b>	<b>7.14%</b>	<b>5</b>	<b>17.86%</b>	<b>28</b>
<b>Total</b>	<b>21</b>	<b>75.00%</b>	<b>2</b>	<b>7.14%</b>	<b>5</b>	<b>17.86%</b>	<b>28</b>		
Hydro Hawkesbury (HHI01)	HHI01	0-5	42	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Hydro Hawkesbury (HHI01)	HHI01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>42</b>	<b>97.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.33%</b>	<b>43</b>
	<b>Total</b>	<b>42</b>	<b>97.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.33%</b>	<b>43</b>	
Hydro One Networks Inc (HH123)	HH123	0-5	496	100.00%	0	0.00%	0	0.00%	
		6-10	36	80.00%	9	20.00%	0	0.00%	
		11-15	0	0.00%	20	100.00%	0	0.00%	
		16+	0	0.00%	13	33.33%	26	66.67%	
		<b>Total</b>	<b>532</b>	<b>88.67%</b>	<b>42</b>	<b>7.00%</b>	<b>26</b>	<b>4.33%</b>	<b>600</b>
	<b>Total</b>	<b>532</b>	<b>88.67%</b>	<b>42</b>	<b>7.00%</b>	<b>26</b>	<b>4.33%</b>	<b>600</b>	
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	28	100.00%	0	0.00%	0	0.00%	
		6-10	7	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>92.11%</b>	<b>3</b>	<b>7.89%</b>	<b>0</b>	<b>0.00%</b>	<b>38</b>
	<b>Total</b>	<b>35</b>	<b>92.11%</b>	<b>3</b>	<b>7.89%</b>	<b>0</b>	<b>0.00%</b>	<b>38</b>	
Hydro One Networks Inc (H1DX)	H1DX	0-5	17,111	100.00%	0	0.00%	0	0.00%	
		6-10	4,099	96.54%	147	3.46%	0	0.00%	
		11-15	0	0.00%	198	90.41%	21	9.59%	
		16+	0	0.00%	146	34.93%	272	65.07%	
		<b>Total</b>	<b>21,210</b>	<b>96.44%</b>	<b>491</b>	<b>2.23%</b>	<b>293</b>	<b>1.33%</b>	<b>21,994</b>
	<b>Total</b>	<b>21,210</b>	<b>96.44%</b>	<b>491</b>	<b>2.23%</b>	<b>293</b>	<b>1.33%</b>	<b>21,994</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	143	100.00%	0	0.00%	0	0.00%	
		6-10	8	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>151</b>	<b>98.69%</b>	<b>1</b>	<b>0.65%</b>	<b>1</b>	<b>0.65%</b>	<b>153</b>
<b>Total</b>			<b>151</b>	<b>98.69%</b>	<b>1</b>	<b>0.65%</b>	<b>1</b>	<b>0.65%</b>	<b>153</b>
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	536	100.00%	0	0.00%	0	0.00%	
		6-10	71	94.67%	4	5.33%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>607</b>	<b>99.18%</b>	<b>5</b>	<b>0.82%</b>	<b>0</b>	<b>0.00%</b>	<b>612</b>
<b>Total</b>			<b>607</b>	<b>99.18%</b>	<b>5</b>	<b>0.82%</b>	<b>0</b>	<b>0.00%</b>	<b>612</b>
Hydro One Remote Communities Inc (HYR01)	HYR01	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>
Hydro Ottawa (HOT1)	HOT1	0-5	2,997	100.00%	0	0.00%	0	0.00%	
		6-10	1,415	99.51%	7	0.49%	0	0.00%	
		11-15	0	0.00%	29	100.00%	0	0.00%	
		16+	0	0.00%	14	100.00%	0	0.00%	
		<b>Total</b>	<b>4,412</b>	<b>98.88%</b>	<b>50</b>	<b>1.12%</b>	<b>0</b>	<b>0.00%</b>	<b>4,462</b>
<b>Total</b>			<b>4,412</b>	<b>98.88%</b>	<b>50</b>	<b>1.12%</b>	<b>0</b>	<b>0.00%</b>	<b>4,462</b>
Ignace , Township Of (IGN01)	IGN01	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Ignace , Township Of (IGN01)	IGN01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>14</b>	<b>82.35%</b>	<b>1</b>	<b>5.88%</b>	<b>2</b>	<b>11.76%</b>	<b>17</b>
	<b>Total</b>	<b>14</b>	<b>82.35%</b>	<b>1</b>	<b>5.88%</b>	<b>2</b>	<b>11.76%</b>	<b>17</b>	
Imperial Oil Pipelines (I002)	I002	0-5	151	100.00%	0	0.00%	0	0.00%	
		6-10	12	92.31%	1	7.69%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	80	100.00%	0	0.00%	
		<b>Total</b>	<b>163</b>	<b>64.68%</b>	<b>89</b>	<b>35.32%</b>	<b>0</b>	<b>0.00%</b>	<b>252</b>
	<b>Total</b>	<b>163</b>	<b>64.68%</b>	<b>89</b>	<b>35.32%</b>	<b>0</b>	<b>0.00%</b>	<b>252</b>	
Imperial Oil Pipelines (I003)	I003	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Imperial Oil Pipelines (I004)	I004	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	6	100.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>22.22%</b>	<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>2</b>	<b>22.22%</b>	<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
	<b>Total</b>	<b>10</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>	
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	54	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>55</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>55</b>
	<b>Total</b>	<b>55</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>55</b>	
Innisfil, Town Of (INFL01)	INFL01	0-5	258	100.00%	0	0.00%	0	0.00%	
		6-10	57	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>315</b>	<b>99.68%</b>	<b>1</b>	<b>0.32%</b>	<b>0</b>	<b>0.00%</b>	<b>316</b>
	<b>Total</b>	<b>315</b>	<b>99.68%</b>	<b>1</b>	<b>0.32%</b>	<b>0</b>	<b>0.00%</b>	<b>316</b>	
Innpower (INSFH01)	INSFH01	0-5	384	100.00%	0	0.00%	0	0.00%	
		6-10	67	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>451</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>451</b>
	<b>Total</b>	<b>451</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>451</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	<b>Total</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	41	100.00%	0	0.00%	0	0.00%	
		6-10	11	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>52</b>	<b>98.11%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.89%</b>	<b>53</b>
	<b>Total</b>	<b>52</b>	<b>98.11%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.89%</b>	<b>53</b>	
Invista (INVIS01)	INVIS01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	30	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>34</b>	<b>91.89%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>8.11%</b>	<b>37</b>
	<b>Total</b>	<b>34</b>	<b>91.89%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>8.11%</b>	<b>37</b>	
James, Township Of (JAMES01)	JAMES01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	
JFE Shoji Power Inc	CGNTP01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
K2 Wind Farm Ontario (K2WF01)	K2WF01	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Kapusking, Town Of (KAP01)	KAP01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	5	45.45%	6	54.55%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	1	10.00%	9	90.00%	
		<b>Total</b>	<b>25</b>	<b>52.08%</b>	<b>14</b>	<b>29.17%</b>	<b>9</b>	<b>18.75%</b>	<b>48</b>
	<b>Total</b>	<b>25</b>	<b>52.08%</b>	<b>14</b>	<b>29.17%</b>	<b>9</b>	<b>18.75%</b>	<b>48</b>	
Kawartha Lakes , City Of (KWLK01)	KWLK01	0-5	266	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	17	100.00%	
		<b>Total</b>	<b>271</b>	<b>93.77%</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>	<b>6.23%</b>	<b>289</b>
	<b>Total</b>	<b>271</b>	<b>93.77%</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>	<b>6.23%</b>	<b>289</b>	
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Kearney, Town Of (KRNY01)	KRNY01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Kenora, City Of (KNRA123)	KNRA123	0-5	96	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	6.67%	14	93.33%	
		<b>Total</b>	<b>97</b>	<b>85.84%</b>	<b>2</b>	<b>1.77%</b>	<b>14</b>	<b>12.39%</b>	<b>113</b>
	<b>Total</b>	<b>97</b>	<b>85.84%</b>	<b>2</b>	<b>1.77%</b>	<b>14</b>	<b>12.39%</b>	<b>113</b>	
Kent Breeze Wind Farm (SCE01)	SCE01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	11	100.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>15.38%</b>	<b>11</b>	<b>84.62%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
	<b>Total</b>	<b>2</b>	<b>15.38%</b>	<b>11</b>	<b>84.62%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>	
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
	<b>Total</b>	<b>12</b>	<b>75.00%</b>	<b>2</b>	<b>12.50%</b>	<b>2</b>	<b>12.50%</b>	<b>16</b>	
<b>Total</b>	<b>12</b>	<b>75.00%</b>	<b>2</b>	<b>12.50%</b>	<b>2</b>	<b>12.50%</b>	<b>16</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Killarney, Municipality Of (KLNWS01)	KLNWS01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Kincardine, Municipality Of (KINC123)	KINC123	0-5	73	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>73</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>73</b>
	<b>Total</b>	<b>73</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>73</b>	
Kinder Morgan Pipeline (KMP01)	KMP01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
King , Township Of (KNGWS01)	KNGWS01	0-5	254	100.00%	0	0.00%	0	0.00%	
		6-10	38	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>292</b>	<b>98.98%</b>	<b>3</b>	<b>1.02%</b>	<b>0</b>	<b>0.00%</b>	<b>295</b>
	<b>Total</b>	<b>292</b>	<b>98.98%</b>	<b>3</b>	<b>1.02%</b>	<b>0</b>	<b>0.00%</b>	<b>295</b>	
Kings University College (KUC01)	KUC01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Kingsbridge Wind Farm (K1WF01)	K1WF01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Kingston General Hospital (KGH01)	KGH01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>33.33%</b>	<b>3</b>	
Kingsville, Town Of (TK01)	TK01	0-5	180	100.00%	0	0.00%	0	0.00%	
		6-10	21	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	60.00%	2	40.00%	
		16+	0	0.00%	0	0.00%	13	100.00%	
		<b>Total</b>	<b>201</b>	<b>91.78%</b>	<b>3</b>	<b>1.37%</b>	<b>15</b>	<b>6.85%</b>	<b>219</b>
	<b>Total</b>	<b>201</b>	<b>91.78%</b>	<b>3</b>	<b>1.37%</b>	<b>15</b>	<b>6.85%</b>	<b>219</b>	
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	28	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>28</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>
	<b>Total</b>	<b>28</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	136	100.00%	0	0.00%	0	0.00%	
		6-10	55	96.49%	2	3.51%	0	0.00%	
		<b>Total</b>	<b>191</b>	<b>98.96%</b>	<b>2</b>	<b>1.04%</b>	<b>0</b>	<b>0.00%</b>	<b>193</b>
	<b>Total</b>	<b>191</b>	<b>98.96%</b>	<b>2</b>	<b>1.04%</b>	<b>0</b>	<b>0.00%</b>	<b>193</b>	
Kitchener Utilities (KU02)	KU02	0-5	960	100.00%	0	0.00%	0	0.00%	
		6-10	41	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>1,001</b>	<b>99.80%</b>	<b>1</b>	<b>0.10%</b>	<b>1</b>	<b>0.10%</b>	<b>1,003</b>
	<b>Total</b>	<b>1,001</b>	<b>99.80%</b>	<b>1</b>	<b>0.10%</b>	<b>1</b>	<b>0.10%</b>	<b>1,003</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Kitchener, The City Of (KITS01)	KITS01	0-5	342	100.00%	0	0.00%	0	0.00%	
		6-10	242	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>584</b>	<b>99.66%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>0.34%</b>	<b>586</b>
	<b>Total</b>			<b>584</b>	<b>99.66%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>0.34%</b>
Kruger Energy (KE123)	KE123	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>			<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Kwic Internet (KWIC01)	KWIC01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>			<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Lagasco Inc (TP01)	TP01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>11</b>	<b>78.57%</b>	<b>3</b>	<b>21.43%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>			<b>11</b>	<b>78.57%</b>	<b>3</b>	<b>21.43%</b>	<b>0</b>	<b>0.00%</b>
Lagasco Limited (L002)	L002	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>			<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	6	66.67%	3	33.33%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>17</b>	<b>80.95%</b>	<b>3</b>	<b>14.29%</b>	<b>1</b>	<b>4.76%</b>	<b>21</b>
	<b>Total</b>	<b>17</b>	<b>80.95%</b>	<b>3</b>	<b>14.29%</b>	<b>1</b>	<b>4.76%</b>	<b>21</b>	
Lake Of Bays , Township Of (LOB01)	LOB01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	76	100.00%	0	0.00%	0	0.00%	
		6-10	17	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>93</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>93</b>
	<b>Total</b>	<b>93</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>93</b>	
Lakefront Utilities (LUSI123)	LUSI123	0-5	81	100.00%	0	0.00%	0	0.00%	
		6-10	20	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>101</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>101</b>
	<b>Total</b>	<b>101</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>101</b>	
Lakeland Networks (LKLNN01)	LKLNN01	0-5	100	100.00%	0	0.00%	0	0.00%	
		6-10	20	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>120</b>	<b>96.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>4.00%</b>	<b>125</b>
	<b>Total</b>	<b>120</b>	<b>96.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>4.00%</b>	<b>125</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Lakeland Power (LKLNP123)	LKLNP123	0-5	122	100.00%	0	0.00%	0	0.00%	
		6-10	26	96.30%	1	3.70%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>148</b>	<b>94.87%</b>	<b>1</b>	<b>0.64%</b>	<b>7</b>	<b>4.49%</b>	
	<b>Total</b>	<b>148</b>	<b>94.87%</b>	<b>1</b>	<b>0.64%</b>	<b>7</b>	<b>4.49%</b>	<b>156</b>	
Lakeshore, Municipality Of (TOL123)	TOL123	0-5	248	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>249</b>	<b>97.27%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>2.73%</b>	
	<b>Total</b>	<b>249</b>	<b>97.27%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>2.73%</b>	<b>256</b>	
Lakeview Water System (LKVWW01)	LKVWW01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	85	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>85</b>	<b>98.84%</b>	<b>1</b>	<b>1.16%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>85</b>	<b>98.84%</b>	<b>1</b>	<b>1.16%</b>	<b>0</b>	<b>0.00%</b>	<b>86</b>	
Lambton County (LMBTN01)	LMBTN01	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Lambton Shores, Municipality Of (F001)	F001	0-5	114	100.00%	0	0.00%	0	0.00%	
		6-10	35	74.47%	12	25.53%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>149</b>	<b>91.98%</b>	<b>13</b>	<b>8.02%</b>	<b>0</b>	<b>0.00%</b>	<b>162</b>
	<b>Total</b>			<b>149</b>	<b>91.98%</b>	<b>13</b>	<b>8.02%</b>	<b>0</b>	<b>0.00%</b>
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>60.00%</b>	<b>2</b>	<b>40.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>			<b>3</b>	<b>60.00%</b>	<b>2</b>	<b>40.00%</b>	<b>0</b>	<b>0.00%</b>
Lanark Highlands , Township Of (LNKH01)	LNKH01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>
Lanark, County Of (LNRK01)	LNRK01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>			<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>
Lanxess Canada (CMTR01)	CMTR01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Lasalle , Town Of (LSL01)	LSL01	0-5	63	100.00%	0	0.00%	0	0.00%	
		6-10	63	95.45%	3	4.55%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	18	100.00%	
		<b>Total</b>	<b>126</b>	<b>84.00%</b>	<b>6</b>	<b>4.00%</b>	<b>18</b>	<b>12.00%</b>	<b>150</b>
<b>Total</b>			<b>126</b>	<b>84.00%</b>	<b>6</b>	<b>4.00%</b>	<b>18</b>	<b>12.00%</b>	<b>150</b>
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	0	0.00%	0	0.00%	19	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>	<b>100.00%</b>	<b>19</b>
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>19</b>	<b>100.00%</b>	<b>19</b>
Laurentian University (LRTU01)	LRTU01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	26	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>27</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>10.00%</b>	<b>30</b>
		<b>Total</b>	<b>27</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>10.00%</b>	<b>30</b>
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
Leamington Water Services (L001)	L001	0-5	113	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Leamington Water Services (L001)	L001	16+	0	0.00%	5	71.43%	2	28.57%	
		<b>Total</b>	<b>113</b>	<b>94.17%</b>	<b>5</b>	<b>4.17%</b>	<b>2</b>	<b>1.67%</b>	<b>120</b>
	<b>Total</b>	<b>113</b>	<b>94.17%</b>	<b>5</b>	<b>4.17%</b>	<b>2</b>	<b>1.67%</b>	<b>120</b>	
Leamington, Municipality Of (LS01)	LS01	0-5	113	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>113</b>	<b>98.26%</b>	<b>1</b>	<b>0.87%</b>	<b>1</b>	<b>0.87%</b>	<b>115</b>
	<b>Total</b>	<b>113</b>	<b>98.26%</b>	<b>1</b>	<b>0.87%</b>	<b>1</b>	<b>0.87%</b>	<b>115</b>	
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	42	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>42</b>	<b>97.67%</b>	<b>1</b>	<b>2.33%</b>	<b>0</b>	<b>0.00%</b>	<b>43</b>
	<b>Total</b>	<b>42</b>	<b>97.67%</b>	<b>1</b>	<b>2.33%</b>	<b>0</b>	<b>0.00%</b>	<b>43</b>	
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>	
Lennox And Addington, County Of (LXA123)	LXA123	0-5	26	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>
	<b>Total</b>	<b>26</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>26</b>	
Levant Exploration And Production Corp (RR01)	RR01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Liberty Oil And Gas (LBTYOG01)	LBTYOG01	6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Lincoln, Town Of (LINWS01)	LINWS01	0-5	140	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>140</b>	<b>97.90%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>2.10%</b>	<b>143</b>
	<b>Total</b>	<b>140</b>	<b>97.90%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>2.10%</b>	<b>143</b>	
Linde - Mississauga (PXRPL02)	PXRPL02	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	14	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	
London District Energy (TG01)	TG01	0-5	47	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>52</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>52</b>
	<b>Total</b>	<b>52</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>52</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
London Health Sciences (LHS1)	LHS1	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
London Hydro (L003)	L003	0-5	1,972	100.00%	0	0.00%	0	0.00%	
		6-10	526	99.43%	3	0.57%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	22	44.00%	28	56.00%	
		<b>Total</b>	<b>2,498</b>	<b>97.65%</b>	<b>32</b>	<b>1.25%</b>	<b>28</b>	<b>1.09%</b>	<b>2,558</b>
	<b>Total</b>	<b>2,498</b>	<b>97.65%</b>	<b>32</b>	<b>1.25%</b>	<b>28</b>	<b>1.09%</b>	<b>2,558</b>	
London, City Of (LN01)	LN01	0-5	1,683	100.00%	0	0.00%	0	0.00%	
		6-10	672	99.85%	1	0.15%	0	0.00%	
		11-15	0	0.00%	5	55.56%	4	44.44%	
		16+	0	0.00%	0	0.00%	45	100.00%	
		<b>Total</b>	<b>2,355</b>	<b>97.72%</b>	<b>6</b>	<b>0.25%</b>	<b>49</b>	<b>2.03%</b>	<b>2,410</b>
	<b>Total</b>	<b>2,355</b>	<b>97.72%</b>	<b>6</b>	<b>0.25%</b>	<b>49</b>	<b>2.03%</b>	<b>2,410</b>	
London, City Of (LN02)	LN02	0-5	14	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	
Long Point Provincial Park (LPPP01)	LPPP01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Loyalist Township (LYST123)	LYST123	0-5	177	100.00%	0	0.00%	0	0.00%	
		6-10	180	98.90%	2	1.10%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>357</b>	<b>98.35%</b>	<b>2</b>	<b>0.55%</b>	<b>4</b>	<b>1.10%</b>	<b>363</b>
	<b>Total</b>	<b>357</b>	<b>98.35%</b>	<b>2</b>	<b>0.55%</b>	<b>4</b>	<b>1.10%</b>	<b>363</b>	
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	57	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>57</b>	<b>95.00%</b>	<b>2</b>	<b>3.33%</b>	<b>1</b>	<b>1.67%</b>	<b>60</b>
	<b>Total</b>	<b>57</b>	<b>95.00%</b>	<b>2</b>	<b>3.33%</b>	<b>1</b>	<b>1.67%</b>	<b>60</b>	
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	0-5	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>2</b>	<b>66.67%</b>	<b>1</b>	<b>33.33%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Machin, Municipality Of (MCHW01)	MCHW01	16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>	
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	0-5	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>5</b>	<b>55.56%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>44.44%</b>	<b>9</b>
	<b>Total</b>	<b>5</b>	<b>55.56%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>44.44%</b>	<b>9</b>	
Malahide, Township Of (MLHD01)	MLHD01	0-5	39	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Malahide, Township Of (MLHD01)	MLHD01	6-10	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>39</b>	<b>95.12%</b>	<b>2</b>	<b>4.88%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>
	<b>Total</b>	<b>39</b>	<b>95.12%</b>	<b>2</b>	<b>4.88%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>	
Manitouwadge , Township Of (MTW01)	MTW01	16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>100.00%</b>	<b>7</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>100.00%</b>	<b>7</b>	
Mapleton , Township Of (MPLT01)	MPLT01	0-5	18	100.00%	0	0.00%	0	0.00%	
		6-10	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>24</b>	<b>96.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.00%</b>	<b>25</b>
	<b>Total</b>	<b>24</b>	<b>96.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.00%</b>	<b>25</b>	
Marathon, Town Of (MRTH01)	MRTH01	0-5	15	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>	<b>15</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	
Markham – Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	208	100.00%	0	0.00%	0	0.00%	
		6-10	47	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>255</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>255</b>
	<b>Total</b>	<b>255</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>255</b>	
Markham District Energy (MDE01)	MDE01	0-5	16	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Markham District Energy (MDE01)	MDE01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>16</b>	<b>84.21%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>15.79%</b>	<b>19</b>
	<b>Total</b>	<b>16</b>	<b>84.21%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>15.79%</b>	<b>19</b>	
Markham, City Of - Traffic Signals (MTS01)	MTS01	0-5	41	100.00%	0	0.00%	0	0.00%	
		6-10	31	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>72</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>72</b>
	<b>Total</b>	<b>72</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>72</b>	
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	546	100.00%	0	0.00%	0	0.00%	
		6-10	174	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>720</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>720</b>
	<b>Total</b>	<b>720</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>720</b>	
Markham, City Of (MSLGN123)	MSLGN123	0-5	297	100.00%	0	0.00%	0	0.00%	
		6-10	243	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>540</b>	<b>98.54%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>1.46%</b>	<b>548</b>
	<b>Total</b>	<b>540</b>	<b>98.54%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>1.46%</b>	<b>548</b>	
Markstay Warren , Municipality Of (MKW01)	MKW01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	8	100.00%	0	0.00%	0	0.00%	
		Total	8	100.00%	0	0.00%	0	0.00%	8
	Total		8	100.00%	0	0.00%	0	0.00%	8
Marwood Metals (MARWDF01)	MARWDF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		Total	1	25.00%	3	75.00%	0	0.00%	4
	Total		1	25.00%	3	75.00%	0	0.00%	4
Matachewan, Township Of (MTCWWS01)	MTCWWS01	16+	0	0.00%	1	50.00%	1	50.00%	
		Total	0	0.00%	1	50.00%	1	50.00%	2
	Total		0	0.00%	1	50.00%	1	50.00%	2
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	0	0.00%	7	100.00%	0	0.00%	
		Total	0	0.00%	7	100.00%	0	0.00%	7
	Total		0	0.00%	7	100.00%	0	0.00%	7
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		Total	7	100.00%	0	0.00%	0	0.00%	7
	Total		7	100.00%	0	0.00%	0	0.00%	7
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	16+	0	0.00%	0	0.00%	1	100.00%	
		Total	0	0.00%	0	0.00%	1	100.00%	1
	Total		0	0.00%	0	0.00%	1	100.00%	1
Mcgarry, Township Of (MCGWS01)	MCGWS01	0-5	1	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Mcgarry, Township Of (MCGWS01)	MCGWS01	16+	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>20.00%</b>	<b>4</b>	<b>80.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>1</b>	<b>20.00%</b>	<b>4</b>	<b>80.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	90	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>90</b>	<b>98.90%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.10%</b>	<b>91</b>
	<b>Total</b>	<b>90</b>	<b>98.90%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.10%</b>	<b>91</b>	
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	39	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>40</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>40</b>
	<b>Total</b>	<b>40</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>40</b>	
Melancthon Windfarm (MELWF01)	MELWF01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>1</b>	<b>12.50%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>1</b>	<b>12.50%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	0	0.00%	0	0.00%	11	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>100.00%</b>	<b>11</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>100.00%</b>	<b>11</b>	
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	0	0.00%	14	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Metalore Resources (MTLORE01)	MTLORE01	0-5	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Metro Fibrewerx (MFWX01)	MFWX01	0-5	8	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	64	100.00%	0	0.00%	0	0.00%	
		6-10	13	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>77</b>	<b>91.67%</b>	<b>7</b>	<b>8.33%</b>	<b>0</b>	<b>0.00%</b>	<b>84</b>
	<b>Total</b>	<b>77</b>	<b>91.67%</b>	<b>7</b>	<b>8.33%</b>	<b>0</b>	<b>0.00%</b>	<b>84</b>	
Middlesex, County Of (MDSX01)	MDSX01	0-5	21	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
	<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>	
Midland, Town Of (MIDLND01)	MIDLND01	0-5	79	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>79</b>	<b>98.75%</b>	<b>1</b>	<b>1.25%</b>	<b>0</b>	<b>0.00%</b>	<b>80</b>
	<b>Total</b>	<b>79</b>	<b>98.75%</b>	<b>1</b>	<b>1.25%</b>	<b>0</b>	<b>0.00%</b>	<b>80</b>	
Midland, Town Of (MIDLND03)	MIDLND03	0-5	43	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Midland, Town Of (MIDLND03)	MIDLND03	6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>44</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>44</b>
	<b>Total</b>	<b>44</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>44</b>	
Milton , Town Of (MLTSS01)	MLTSS01	0-5	119	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	9	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>119</b>	<b>90.84%</b>	<b>12</b>	<b>9.16%</b>	<b>0</b>	<b>0.00%</b>	<b>131</b>
	<b>Total</b>	<b>119</b>	<b>90.84%</b>	<b>12</b>	<b>9.16%</b>	<b>0</b>	<b>0.00%</b>	<b>131</b>	
MILTON HYDRO (MH123)	MH123	0-5	591	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	1	33.33%	0	0.00%	
		11-15	0	0.00%	27	100.00%	0	0.00%	
		16+	0	0.00%	3	30.00%	7	70.00%	
		<b>Total</b>	<b>593</b>	<b>93.98%</b>	<b>31</b>	<b>4.91%</b>	<b>7</b>	<b>1.11%</b>	<b>631</b>
	<b>Total</b>	<b>593</b>	<b>93.98%</b>	<b>31</b>	<b>4.91%</b>	<b>7</b>	<b>1.11%</b>	<b>631</b>	
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>6</b>	<b>85.71%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>14.29%</b>	<b>7</b>	
<b>Total</b>	<b>6</b>	<b>85.71%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>14.29%</b>	<b>7</b>		
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	33	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Minto, Town Of (MNTOWS01)	MNTOWS01	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>33</b>	<b>94.29%</b>	<b>2</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>
	<b>Total</b>	<b>33</b>	<b>94.29%</b>	<b>2</b>	<b>5.71%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>	
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	1,266	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1,266</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,266</b>
	<b>Total</b>	<b>1,266</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1,266</b>	
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	163	100.00%	0	0.00%	0	0.00%	
		6-10	41	87.23%	6	12.77%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>204</b>	<b>96.23%</b>	<b>6</b>	<b>2.83%</b>	<b>2</b>	<b>0.94%</b>	<b>212</b>
	<b>Total</b>	<b>204</b>	<b>96.23%</b>	<b>6</b>	<b>2.83%</b>	<b>2</b>	<b>0.94%</b>	<b>212</b>	
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>62.50%</b>	<b>3</b>	<b>37.50%</b>	<b>8</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>62.50%</b>	<b>3</b>	<b>37.50%</b>	<b>8</b>	
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	56	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>57</b>	<b>93.44%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>6.56%</b>	<b>61</b>
	<b>Total</b>	<b>57</b>	<b>93.44%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>6.56%</b>	<b>61</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
MNSI Managed Network Systems Inc (MNSI123)	MNSI123	0-5	518	100.00%	0	0.00%	0	0.00%	800
		6-10	267	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	13	100.00%	
		<b>Total</b>	<b>785</b>	<b>98.13%</b>	<b>2</b>	<b>0.25%</b>	<b>13</b>	<b>1.63%</b>	
<b>Total</b>			<b>785</b>	<b>98.13%</b>	<b>2</b>	<b>0.25%</b>	<b>13</b>	<b>1.63%</b>	<b>800</b>
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	28	100.00%	0	0.00%	0	0.00%	34
		6-10	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>30</b>	<b>88.24%</b>	<b>1</b>	<b>2.94%</b>	<b>3</b>	<b>8.82%</b>	
<b>Total</b>			<b>30</b>	<b>88.24%</b>	<b>1</b>	<b>2.94%</b>	<b>3</b>	<b>8.82%</b>	<b>34</b>
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	1	100.00%	0	0.00%	0	0.00%	33
		16+	0	0.00%	32	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>3.03%</b>	<b>32</b>	<b>96.97%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>1</b>	<b>3.03%</b>	<b>32</b>	<b>96.97%</b>	<b>0</b>	<b>0.00%</b>	<b>33</b>
Mono , Town Of (MNO123)	MNO123	0-5	15	100.00%	0	0.00%	0	0.00%	38
		6-10	3	60.00%	2	40.00%	0	0.00%	
		16+	0	0.00%	16	88.89%	2	11.11%	
		<b>Total</b>	<b>18</b>	<b>47.37%</b>	<b>18</b>	<b>47.37%</b>	<b>2</b>	<b>5.26%</b>	
<b>Total</b>			<b>18</b>	<b>47.37%</b>	<b>18</b>	<b>47.37%</b>	<b>2</b>	<b>5.26%</b>	<b>38</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Montague , Township Of (MTG01)	MTG01	11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Moonbeam , Township Of (MBM01)	MBM01	6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Moose Factory Service Board (MFSB01)	MFSB01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Moosonee , Town Of (MSN01)	MSN01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Morningson Communications (MORNT01)	MORNT01	0-5	233	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>234</b>	<b>98.32%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>1.68%</b>	<b>238</b>
	<b>Total</b>	<b>234</b>	<b>98.32%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>1.68%</b>	<b>238</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRT123	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
MPV Wifi Inc (MPVW01)	MPVW01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Mulmur , Township Of (MLMW01)	MLMW01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Muskoka , District Of (MUSKWS01)	MUSKWS01	0-5	195	100.00%	0	0.00%	0	0.00%	
		6-10	37	92.50%	3	7.50%	0	0.00%	
		11-15	0	0.00%	12	100.00%	0	0.00%	
		16+	0	0.00%	1	6.25%	15	93.75%	
		<b>Total</b>	<b>232</b>	<b>88.21%</b>	<b>16</b>	<b>6.08%</b>	<b>15</b>	<b>5.70%</b>	<b>263</b>
	<b>Total</b>	<b>232</b>	<b>88.21%</b>	<b>16</b>	<b>6.08%</b>	<b>15</b>	<b>5.70%</b>	<b>263</b>	
Muskoka Algonquin Healthcare (MAHC01)	MAHC01	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
<b>Muskoka, District Of (Traffic) (MUSKTL01)</b>	MUSKTL01	6-10	1	50.00%	1	50.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
<b>Nairn And Hyman, Township Of (TNHW01)</b>	TNHW01	0-5	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>16.67%</b>	<b>6</b>
	<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>16.67%</b>	<b>6</b>	
<b>Nation Rise Wind Farm Limited Partnership (NRWFLP01)</b>	NRWFLP01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
<b>Nation, Municipality Of The (NATN01)</b>	NATN01	11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	33	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	<b>100.00%</b>	<b>34</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	<b>100.00%</b>	<b>34</b>	
<b>Net Optiks</b>	BPNOFC01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
<b>Net Optiks - Brantford Hydro (BPNOF01)</b>	BPNOF01	0-5	9	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>11</b>	<b>84.62%</b>	<b>1</b>	<b>7.69%</b>	<b>1</b>	<b>7.69%</b>	<b>13</b>
	<b>Total</b>	<b>11</b>	<b>84.62%</b>	<b>1</b>	<b>7.69%</b>	<b>1</b>	<b>7.69%</b>	<b>13</b>	
Netflash Internet Solutions (NISF01)	NISF01	0-5	22	100.00%	0	0.00%	0	0.00%	
		6-10	8	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>30</b>	<b>85.71%</b>	<b>2</b>	<b>5.71%</b>	<b>3</b>	<b>8.57%</b>	<b>35</b>
	<b>Total</b>	<b>30</b>	<b>85.71%</b>	<b>2</b>	<b>5.71%</b>	<b>3</b>	<b>8.57%</b>	<b>35</b>	
Netsolid Internet Solutions Inc	NETSLD01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	146	100.00%	0	0.00%	0	0.00%	
		6-10	14	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>160</b>	<b>98.77%</b>	<b>1</b>	<b>0.62%</b>	<b>1</b>	<b>0.62%</b>	<b>162</b>
	<b>Total</b>	<b>160</b>	<b>98.77%</b>	<b>1</b>	<b>0.62%</b>	<b>1</b>	<b>0.62%</b>	<b>162</b>	
Newbury, Village Of (NWBWS01)	NWBWS01	16+	0	0.00%	1	25.00%	3	75.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>25.00%</b>	<b>3</b>	<b>75.00%</b>	<b>4</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>25.00%</b>	<b>3</b>	<b>75.00%</b>	<b>4</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Newmarket, Town Of (NMK01)	NMK01	0-5	161	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>162</b>	<b>99.39%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.61%</b>	
	<b>Total</b>			<b>162</b>	<b>99.39%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.61%</b>
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	204	100.00%	0	0.00%	0	0.00%	
		6-10	8	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>212</b>	<b>99.53%</b>	<b>1</b>	<b>0.47%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>			<b>212</b>	<b>99.53%</b>	<b>1</b>	<b>0.47%</b>	<b>0</b>	<b>0.00%</b>
Niagara Falls, City Of (NFS01)	NFS01	0-5	413	100.00%	0	0.00%	0	0.00%	
		6-10	285	99.65%	1	0.35%	0	0.00%	
		16+	0	0.00%	1	3.70%	26	96.30%	
		<b>Total</b>	<b>698</b>	<b>96.14%</b>	<b>2</b>	<b>0.28%</b>	<b>26</b>	<b>3.58%</b>	
	<b>Total</b>			<b>698</b>	<b>96.14%</b>	<b>2</b>	<b>0.28%</b>	<b>26</b>	<b>3.58%</b>
Niagara Parks Commission (NPC01)	NPC01	0-5	41	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>42</b>	<b>97.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.33%</b>	
	<b>Total</b>			<b>42</b>	<b>97.67%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.33%</b>
Niagara Peninsula Energy (NFH01)	NFH01	0-5	422	100.00%	0	0.00%	0	0.00%	
		6-10	185	99.46%	1	0.54%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Niagara Peninsula Energy (NFH01)	NFH01	16+	0	0.00%	1	5.00%	19	95.00%	
		<b>Total</b>	<b>607</b>	<b>96.66%</b>	<b>2</b>	<b>0.32%</b>	<b>19</b>	<b>3.03%</b>	<b>628</b>
	<b>Total</b>	<b>607</b>	<b>96.66%</b>	<b>2</b>	<b>0.32%</b>	<b>19</b>	<b>3.03%</b>	<b>628</b>	
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	793	100.00%	0	0.00%	0	0.00%	
		6-10	66	95.65%	3	4.35%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>859</b>	<b>99.19%</b>	<b>7</b>	<b>0.81%</b>	<b>0</b>	<b>0.00%</b>	<b>866</b>
	<b>Total</b>	<b>859</b>	<b>99.19%</b>	<b>7</b>	<b>0.81%</b>	<b>0</b>	<b>0.00%</b>	<b>866</b>	
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>13</b>	<b>92.86%</b>	<b>1</b>	<b>7.14%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>
	<b>Total</b>	<b>13</b>	<b>92.86%</b>	<b>1</b>	<b>7.14%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	
Niagara Regional Broadband Network (NRBN01)	NRBN01	11-15	0	0.00%	0	0.00%	16	100.00%	
		16+	0	0.00%	0	0.00%	397	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>413</b>	<b>100.00%</b>	<b>413</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>413</b>	<b>100.00%</b>	<b>413</b>	
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	362	100.00%	0	0.00%	0	0.00%	
		6-10	23	54.76%	19	45.24%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Niagara, Region Of - Transportation Services (RN03)	RN03	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>385</b>	<b>94.83%</b>	<b>21</b>	<b>5.17%</b>	<b>0</b>	<b>0.00%</b>	<b>406</b>
	<b>Total</b>	<b>385</b>	<b>94.83%</b>	<b>21</b>	<b>5.17%</b>	<b>0</b>	<b>0.00%</b>	<b>406</b>	
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	188	100.00%	0	0.00%	0	0.00%	
		6-10	87	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	11	100.00%	
		<b>Total</b>	<b>275</b>	<b>96.15%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>3.85%</b>	<b>286</b>
	<b>Total</b>	<b>275</b>	<b>96.15%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>3.85%</b>	<b>286</b>	
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	146	100.00%	0	0.00%	0	0.00%	
		6-10	57	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>203</b>	<b>96.21%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>3.79%</b>	<b>211</b>
	<b>Total</b>	<b>203</b>	<b>96.21%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>3.79%</b>	<b>211</b>	
Nipigon , Township Of (NIP01)	NIP01	0-5	2	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>2</b>	<b>40.00%</b>	<b>1</b>	<b>20.00%</b>	<b>2</b>	<b>40.00%</b>	<b>5</b>
	<b>Total</b>	<b>2</b>	<b>40.00%</b>	<b>1</b>	<b>20.00%</b>	<b>2</b>	<b>40.00%</b>	<b>5</b>	
Nor-Del (NORDEL01)	NORDEL01	0-5	148	100.00%	0	0.00%	0	0.00%	
		6-10	11	78.57%	3	21.43%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Nor-Del (NORDEL01)	NORDEL01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>159</b>	<b>97.55%</b>	<b>3</b>	<b>1.84%</b>	<b>1</b>	<b>0.61%</b>	<b>163</b>
	<b>Total</b>	<b>159</b>	<b>97.55%</b>	<b>3</b>	<b>1.84%</b>	<b>1</b>	<b>0.61%</b>	<b>163</b>	
Norfolk County (NFLK123)	NFLK123	0-5	423	100.00%	0	0.00%	0	0.00%	
		6-10	39	92.86%	3	7.14%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>462</b>	<b>97.47%</b>	<b>8</b>	<b>1.69%</b>	<b>4</b>	<b>0.84%</b>	<b>474</b>
	<b>Total</b>	<b>462</b>	<b>97.47%</b>	<b>8</b>	<b>1.69%</b>	<b>4</b>	<b>0.84%</b>	<b>474</b>	
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
North Bay Hydro (NBH01)	NBH01	0-5	187	100.00%	0	0.00%	0	0.00%	
		6-10	55	94.83%	3	5.17%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>242</b>	<b>97.19%</b>	<b>4</b>	<b>1.61%</b>	<b>3</b>	<b>1.20%</b>	<b>249</b>
	<b>Total</b>	<b>242</b>	<b>97.19%</b>	<b>4</b>	<b>1.61%</b>	<b>3</b>	<b>1.20%</b>	<b>249</b>	
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>12</b>	<b>80.00%</b>	<b>1</b>	<b>6.67%</b>	<b>2</b>	<b>13.33%</b>	<b>15</b>
	<b>Total</b>	<b>12</b>	<b>80.00%</b>	<b>1</b>	<b>6.67%</b>	<b>2</b>	<b>13.33%</b>	<b>15</b>	
North Bay, City Of (NBWS01)	NBWS01	0-5	80	100.00%	0	0.00%	0	0.00%	
		6-10	15	71.43%	6	28.57%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	3	23.08%	10	76.92%	
		<b>Total</b>	<b>95</b>	<b>79.83%</b>	<b>14</b>	<b>11.76%</b>	<b>10</b>	<b>8.40%</b>	<b>119</b>
	<b>Total</b>	<b>95</b>	<b>79.83%</b>	<b>14</b>	<b>11.76%</b>	<b>10</b>	<b>8.40%</b>	<b>119</b>	
North Dundas , Township Of (NDND123)	NDND123	0-5	17	100.00%	0	0.00%	0	0.00%	
		6-10	7	43.75%	9	56.25%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>24</b>	<b>64.86%</b>	<b>12</b>	<b>32.43%</b>	<b>1</b>	<b>2.70%</b>	<b>37</b>
	<b>Total</b>	<b>24</b>	<b>64.86%</b>	<b>12</b>	<b>32.43%</b>	<b>1</b>	<b>2.70%</b>	<b>37</b>	
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	279	100.00%	0	0.00%	0	0.00%	
		6-10	31	88.57%	4	11.43%	0	0.00%	
		11-15	0	0.00%	5	71.43%	2	28.57%	
		16+	0	0.00%	57	76.00%	18	24.00%	
		<b>Total</b>	<b>310</b>	<b>78.28%</b>	<b>66</b>	<b>16.67%</b>	<b>20</b>	<b>5.05%</b>	<b>396</b>
	<b>Total</b>	<b>310</b>	<b>78.28%</b>	<b>66</b>	<b>16.67%</b>	<b>20</b>	<b>5.05%</b>	<b>396</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	6	75.00%	2	25.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	10	100.00%	
		<b>Total</b>	<b>16</b>	<b>50.00%</b>	<b>6</b>	<b>18.75%</b>	<b>10</b>	<b>31.25%</b>	
<b>Total</b>			<b>16</b>	<b>50.00%</b>	<b>6</b>	<b>18.75%</b>	<b>10</b>	<b>31.25%</b>	<b>32</b>
North Grenville , Municipality Of (NGR01)	NGR01	0-5	55	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>56</b>	<b>96.55%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>3.45%</b>	
<b>Total</b>			<b>56</b>	<b>96.55%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>3.45%</b>	<b>58</b>
North Huron, Township Of (NHURON01)	NHURON01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	1	33.33%	0	0.00%	
		11-15	0	0.00%	3	75.00%	1	25.00%	
		16+	0	0.00%	0	0.00%	9	100.00%	
		<b>Total</b>	<b>13</b>	<b>48.15%</b>	<b>4</b>	<b>14.81%</b>	<b>10</b>	<b>37.04%</b>	
<b>Total</b>			<b>13</b>	<b>48.15%</b>	<b>4</b>	<b>14.81%</b>	<b>10</b>	<b>37.04%</b>	<b>27</b>
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>1</b>	<b>12.50%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>7</b>	<b>87.50%</b>	<b>1</b>	<b>12.50%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	0-5	65	100.00%	0	0.00%	0	0.00%	
		6-10	7	100.00%	0	0.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	11-15	0	0.00%	0	0.00%	4	100.00%	
		16+	0	0.00%	0	0.00%	37	100.00%	
		<b>Total</b>	<b>72</b>	<b>63.72%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>	<b>36.28%</b>	
	<b>Total</b>			<b>72</b>	<b>63.72%</b>	<b>0</b>	<b>0.00%</b>	<b>41</b>	<b>36.28%</b>
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	103	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>103</b>	<b>97.17%</b>	<b>1</b>	<b>0.94%</b>	<b>2</b>	<b>1.89%</b>	
	<b>Total</b>			<b>103</b>	<b>97.17%</b>	<b>1</b>	<b>0.94%</b>	<b>2</b>	<b>1.89%</b>
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	238	100.00%	0	0.00%	0	0.00%	
		6-10	11	78.57%	3	21.43%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	14	100.00%	
		<b>Total</b>	<b>249</b>	<b>91.54%</b>	<b>9</b>	<b>3.31%</b>	<b>14</b>	<b>5.15%</b>	
	<b>Total</b>			<b>249</b>	<b>91.54%</b>	<b>9</b>	<b>3.31%</b>	<b>14</b>	<b>5.15%</b>
North Stormont , Township Of (NST01)	NST01	16+	0	0.00%	14	53.85%	12	46.15%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	<b>53.85%</b>	<b>12</b>	<b>46.15%</b>	
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>14</b>	<b>53.85%</b>	<b>12</b>	<b>46.15%</b>
North York General Hospital (NYGH01)	NYGH01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	
	<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	3	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>25.00%</b>	<b>4</b>
	<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>25.00%</b>	<b>4</b>	
Northern Broadband Wireless (NBWL01)	NBWL01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	0	0.00%	0	0.00%	12	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	<b>100.00%</b>	<b>12</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	<b>100.00%</b>	<b>12</b>	
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	61	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>62</b>	<b>95.38%</b>	<b>2</b>	<b>3.08%</b>	<b>1</b>	<b>1.54%</b>	<b>65</b>
	<b>Total</b>	<b>62</b>	<b>95.38%</b>	<b>2</b>	<b>3.08%</b>	<b>1</b>	<b>1.54%</b>	<b>65</b>	
Northern Rural Networks (NRN01)	NRN01	16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>100.00%</b>	<b>5</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Northern Tel Limited Partnership (NT01)	NT01	0-5	241	100.00%	0	0.00%	0	0.00%	
		6-10	21	63.64%	12	36.36%	0	0.00%	
		11-15	0	0.00%	24	100.00%	0	0.00%	
		16+	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>262</b>	<b>86.47%</b>	<b>41</b>	<b>13.53%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>262</b>	<b>86.47%</b>	<b>41</b>	<b>13.53%</b>	<b>0</b>	<b>0.00%</b>	<b>303</b>	
Northumberland County (NRHB01)	NRHB01	0-5	29	100.00%	0	0.00%	0	0.00%	
		6-10	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>35</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>35</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>35</b>	
Norwich , Township Of (NRW01)	NRW01	0-5	95	100.00%	0	0.00%	0	0.00%	
		6-10	21	67.74%	10	32.26%	0	0.00%	
		11-15	0	0.00%	26	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>116</b>	<b>75.82%</b>	<b>36</b>	<b>23.53%</b>	<b>1</b>	<b>0.65%</b>	
	<b>Total</b>	<b>116</b>	<b>75.82%</b>	<b>36</b>	<b>23.53%</b>	<b>1</b>	<b>0.65%</b>	<b>153</b>	
Nova Chemicals Corporation (N001)	N001	0-5	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
NT Power	NTPWR01	0-5	370	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
NT Power	NTPWR01	6-10	70	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>440</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>440</b>
	<b>Total</b>	<b>440</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>440</b>	
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	1,195	100.00%	0	0.00%	0	0.00%	
		6-10	7	58.33%	5	41.67%	0	0.00%	
		11-15	0	0.00%	37	97.37%	1	2.63%	
		16+	0	0.00%	10	38.46%	16	61.54%	
		<b>Total</b>	<b>1,202</b>	<b>94.57%</b>	<b>52</b>	<b>4.09%</b>	<b>17</b>	<b>1.34%</b>	<b>1,271</b>
	<b>Total</b>	<b>1,202</b>	<b>94.57%</b>	<b>52</b>	<b>4.09%</b>	<b>17</b>	<b>1.34%</b>	<b>1,271</b>	
Oakville, Town Of (OAK123)	OAK123	0-5	1,261	100.00%	0	0.00%	0	0.00%	
		6-10	8	61.54%	5	38.46%	0	0.00%	
		11-15	0	0.00%	42	100.00%	0	0.00%	
		16+	0	0.00%	13	41.94%	18	58.06%	
		<b>Total</b>	<b>1,269</b>	<b>94.21%</b>	<b>60</b>	<b>4.45%</b>	<b>18</b>	<b>1.34%</b>	<b>1,347</b>
	<b>Total</b>	<b>1,269</b>	<b>94.21%</b>	<b>60</b>	<b>4.45%</b>	<b>18</b>	<b>1.34%</b>	<b>1,347</b>	
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
	<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>22.22%</b>	<b>9</b>	
<b>Total</b>	<b>7</b>	<b>77.78%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>22.22%</b>	<b>9</b>		
Oliver Paipoonge , Municipality Of (OLVPPG01)	OLVPPG01	0-5	2	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Oliver Paipoonge , Municipality Of (OLVPPG01)	OLVPPG01	6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
On-Energy Corp (ONNRG01)	ONNRG01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Ontario Clean Water Agency (OCWAW01)	OCWAW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Ontario Power Generation - Darlington (OPGD1)	OPGD1	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Ontario Power Generation - Niagara (OPGN123)	OPGN123	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA	0-5	140	100.00%	0	0.00%	0	0.00%	
		6-10	14	66.67%	7	33.33%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Ontera - A Division Of Northerntel (ONTERA)	ONTERA	16+	0	0.00%	31	100.00%	0	0.00%	
		<b>Total</b>	<b>154</b>	<b>79.38%</b>	<b>40</b>	<b>20.62%</b>	<b>0</b>	<b>0.00%</b>	<b>194</b>
	<b>Total</b>	<b>154</b>	<b>79.38%</b>	<b>40</b>	<b>20.62%</b>	<b>0</b>	<b>0.00%</b>	<b>194</b>	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	194	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>194</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>194</b>
	<b>Total</b>	<b>194</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>194</b>	
Opasatika, Township Of (OPTKWS01)	OPTKWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	6	100.00%	0	0.00%	0	0.00%	
		6-10	13	72.22%	5	27.78%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>19</b>	<b>55.88%</b>	<b>15</b>	<b>44.12%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
	<b>Total</b>	<b>19</b>	<b>55.88%</b>	<b>15</b>	<b>44.12%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	104	100.00%	0	0.00%	0	0.00%	
		6-10	7	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>111</b>	<b>95.69%</b>	<b>1</b>	<b>0.86%</b>	<b>4</b>	<b>3.45%</b>	<b>116</b>
	<b>Total</b>	<b>111</b>	<b>95.69%</b>	<b>1</b>	<b>0.86%</b>	<b>4</b>	<b>3.45%</b>	<b>116</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Orangeville, Town Of (ORGV01)	ORGV01	0-5	93	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>97</b>	<b>96.04%</b>	<b>3</b>	<b>2.97%</b>	<b>1</b>	<b>0.99%</b>	
<b>Total</b>			<b>97</b>	<b>96.04%</b>	<b>3</b>	<b>2.97%</b>	<b>1</b>	<b>0.99%</b>	<b>101</b>
Orillia, City Of (ORIL123)	ORIL123	0-5	162	100.00%	0	0.00%	0	0.00%	
		6-10	24	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	27	65.85%	14	34.15%	
		<b>Total</b>	<b>186</b>	<b>81.94%</b>	<b>27</b>	<b>11.89%</b>	<b>14</b>	<b>6.17%</b>	
<b>Total</b>			<b>186</b>	<b>81.94%</b>	<b>27</b>	<b>11.89%</b>	<b>14</b>	<b>6.17%</b>	<b>227</b>
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	27	100.00%	0	0.00%	0	0.00%	
		6-10	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHYD1	0-5	820	100.00%	0	0.00%	0	0.00%	
		6-10	101	66.45%	51	33.55%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>921</b>	<b>94.36%</b>	<b>55</b>	<b>5.64%</b>	<b>0</b>	<b>0.00%</b>	
<b>Total</b>			<b>921</b>	<b>94.36%</b>	<b>55</b>	<b>5.64%</b>	<b>0</b>	<b>0.00%</b>	<b>976</b>
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	6	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Oshawa, City Of - Catch Basins (OSH02)	OSH02	6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
Oshawa, City Of (OSH01)	OSH01	0-5	150	100.00%	0	0.00%	0	0.00%	
		6-10	57	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>207</b>	<b>99.04%</b>	<b>2</b>	<b>0.96%</b>	<b>0</b>	<b>0.00%</b>	<b>209</b>
	<b>Total</b>	<b>207</b>	<b>99.04%</b>	<b>2</b>	<b>0.96%</b>	<b>0</b>	<b>0.00%</b>	<b>209</b>	
Osler Bluff Ski-Club (OSBC01)	OSBC01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Ottawa River Power (ORP01)	ORP01	0-5	74	100.00%	0	0.00%	0	0.00%	
		6-10	19	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>93</b>	<b>92.08%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>7.92%</b>	<b>101</b>
	<b>Total</b>	<b>93</b>	<b>92.08%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>7.92%</b>	<b>101</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Ottawa River Power (ORP02)	ORP02	0-5	62	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>
	<b>Total</b>	<b>62</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>62</b>	
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	2,178	100.00%	0	0.00%	0	0.00%	
		6-10	101	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>2,279</b>	<b>99.96%</b>	<b>1</b>	<b>0.04%</b>	<b>0</b>	<b>0.00%</b>	<b>2,280</b>
	<b>Total</b>	<b>2,279</b>	<b>99.96%</b>	<b>1</b>	<b>0.04%</b>	<b>0</b>	<b>0.00%</b>	<b>2,280</b>	
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	588	100.00%	0	0.00%	0	0.00%	
		6-10	66	98.51%	1	1.49%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>654</b>	<b>99.54%</b>	<b>3</b>	<b>0.46%</b>	<b>0</b>	<b>0.00%</b>	<b>657</b>
	<b>Total</b>	<b>654</b>	<b>99.54%</b>	<b>3</b>	<b>0.46%</b>	<b>0</b>	<b>0.00%</b>	<b>657</b>	
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	3,634	100.00%	0	0.00%	0	0.00%	
		6-10	29	93.55%	2	6.45%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>3,663</b>	<b>99.92%</b>	<b>3</b>	<b>0.08%</b>	<b>0</b>	<b>0.00%</b>	<b>3,666</b>
	<b>Total</b>	<b>3,663</b>	<b>99.92%</b>	<b>3</b>	<b>0.08%</b>	<b>0</b>	<b>0.00%</b>	<b>3,666</b>	
Ottawa, University Of (UOTT01)	UOTT01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Owen Sound, City Of (OWSD01)	OWSD01	0-5	131	100.00%	0	0.00%	0	0.00%	
		6-10	9	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>140</b>	<b>98.59%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.41%</b>	<b>142</b>
	<b>Total</b>			<b>140</b>	<b>98.59%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.41%</b>
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	3	75.00%	1	25.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>72.73%</b>	<b>3</b>	<b>27.27%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
	<b>Total</b>			<b>8</b>	<b>72.73%</b>	<b>3</b>	<b>27.27%</b>	<b>0</b>	<b>0.00%</b>
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	8	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>8</b>	<b>88.89%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>11.11%</b>	<b>9</b>
	<b>Total</b>			<b>8</b>	<b>88.89%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>11.11%</b>
Oxford, County Of - Traffic (OXFSTS01)	OXFSTS01	6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>			<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	344	100.00%	0	0.00%	0	0.00%	
		6-10	10	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>354</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>354</b>
	<b>Total</b>			<b>354</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Oxford, County Of (OXFSTM01)	OXFSTM01	11-15	0	0.00%	0	0.00%	2	100.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Oxford, County Of (OXFSTM01)	OXFSTM01	16+	0	0.00%	0	0.00%	26	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>28</b>	<b>100.00%</b>	<b>28</b>	
Packet Works (PWRKST01)	PWRKST01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	60	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>63</b>	<b>98.44%</b>	<b>1</b>	<b>1.56%</b>	<b>0</b>	<b>0.00%</b>	<b>64</b>
	<b>Total</b>	<b>63</b>	<b>98.44%</b>	<b>1</b>	<b>1.56%</b>	<b>0</b>	<b>0.00%</b>	<b>64</b>	
Parkland Fuel Corporation (PKLIG01)	PKLIG01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Parry Sound, Town Of (PYWS123)	PYWS123	0-5	34	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>97.30%</b>	<b>1</b>	<b>2.70%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>
	<b>Total</b>	<b>36</b>	<b>97.30%</b>	<b>1</b>	<b>2.70%</b>	<b>0</b>	<b>0.00%</b>	<b>37</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Partners Billiards And Bowling	PBB01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	2	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PCYSANS123	0-5	193	100.00%	0	0.00%	0	0.00%	
		6-10	97	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	7	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>290</b>	<b>96.99%</b>	<b>9</b>	<b>3.01%</b>	<b>0</b>	<b>0.00%</b>	<b>299</b>
	<b>Total</b>	<b>290</b>	<b>96.99%</b>	<b>9</b>	<b>3.01%</b>	<b>0</b>	<b>0.00%</b>	<b>299</b>	
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PCYSTOS123	0-5	89	100.00%	0	0.00%	0	0.00%	
		6-10	31	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>120</b>	<b>97.56%</b>	<b>3</b>	<b>2.44%</b>	<b>0</b>	<b>0.00%</b>	<b>123</b>
	<b>Total</b>	<b>120</b>	<b>97.56%</b>	<b>3</b>	<b>2.44%</b>	<b>0</b>	<b>0.00%</b>	<b>123</b>	
Peel Region - Brampton Water (PCYWAT123)	PCYWAT123	0-5	291	100.00%	0	0.00%	0	0.00%	
		6-10	126	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Peel Region - Brampton Water (PCYWAT123)	PCYWAT123	11-15	0	0.00%	9	100.00%	0	0.00%	435
		16+	0	0.00%	3	33.33%	6	66.67%	
		<b>Total</b>	<b>417</b>	<b>95.86%</b>	<b>12</b>	<b>2.76%</b>	<b>6</b>	<b>1.38%</b>	
	<b>Total</b>	<b>417</b>	<b>95.86%</b>	<b>12</b>	<b>2.76%</b>	<b>6</b>	<b>1.38%</b>		
Peel Region - Caledon Sanitary Sewer (PCSANS123)	PCSANS123	0-5	35	100.00%	0	0.00%	0	0.00%	69
		6-10	29	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>64</b>	<b>92.75%</b>	<b>4</b>	<b>5.80%</b>	<b>1</b>	<b>1.45%</b>	
	<b>Total</b>	<b>64</b>	<b>92.75%</b>	<b>4</b>	<b>5.80%</b>	<b>1</b>	<b>1.45%</b>		
Peel Region - Caledon Storm Sewer (PCSTOS123)	PCSTOS123	0-5	32	100.00%	0	0.00%	0	0.00%	60
		6-10	22	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>54</b>	<b>90.00%</b>	<b>5</b>	<b>8.33%</b>	<b>1</b>	<b>1.67%</b>	
	<b>Total</b>	<b>54</b>	<b>90.00%</b>	<b>5</b>	<b>8.33%</b>	<b>1</b>	<b>1.67%</b>		
Peel Region - Caledon Water (PCWAT123)	PCWAT123	0-5	455	100.00%	0	0.00%	0	0.00%	596
		6-10	108	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	8	100.00%	0	0.00%	
		16+	0	0.00%	3	12.00%	22	88.00%	
		<b>Total</b>	<b>563</b>	<b>94.46%</b>	<b>11</b>	<b>1.85%</b>	<b>22</b>	<b>3.69%</b>	
	<b>Total</b>	<b>563</b>	<b>94.46%</b>	<b>11</b>	<b>1.85%</b>	<b>22</b>	<b>3.69%</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Peel Region - Mississauga Sanitary Sewer (PWSANS123)	PWSANS123	0-5	212	100.00%	0	0.00%	0	0.00%	
		6-10	272	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	10	100.00%	0	0.00%	
		16+	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>484</b>	<b>97.19%</b>	<b>14</b>	<b>2.81%</b>	<b>0</b>	<b>0.00%</b>	<b>498</b>
<b>Total</b>			<b>484</b>	<b>97.19%</b>	<b>14</b>	<b>2.81%</b>	<b>0</b>	<b>0.00%</b>	<b>498</b>
Peel Region - Mississauga Storm Sewer (PWSTOS123)	PWSTOS123	0-5	45	100.00%	0	0.00%	0	0.00%	
		6-10	55	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>100</b>	<b>93.46%</b>	<b>7</b>	<b>6.54%</b>	<b>0</b>	<b>0.00%</b>	<b>107</b>
<b>Total</b>			<b>100</b>	<b>93.46%</b>	<b>7</b>	<b>6.54%</b>	<b>0</b>	<b>0.00%</b>	<b>107</b>
Peel Region - Mississauga Water Dist (PWWAT123)	PWWAT123	0-5	371	100.00%	0	0.00%	0	0.00%	
		6-10	294	99.32%	2	0.68%	0	0.00%	
		11-15	0	0.00%	10	90.91%	1	9.09%	
		16+	0	0.00%	8	25.81%	23	74.19%	
		<b>Total</b>	<b>665</b>	<b>93.79%</b>	<b>20</b>	<b>2.82%</b>	<b>24</b>	<b>3.39%</b>	<b>709</b>
<b>Total</b>			<b>665</b>	<b>93.79%</b>	<b>20</b>	<b>2.82%</b>	<b>24</b>	<b>3.39%</b>	<b>709</b>
Peel Region - Monitored Sites (PEELM123)	PEELM123	0-5	21	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>21</b>	<b>70.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>30.00%</b>	<b>30</b>
<b>Total</b>			<b>21</b>	<b>70.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>30.00%</b>	<b>30</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Peel Region (PEEL123)	PEEL123	0-5	162	100.00%	0	0.00%	0	0.00%	
		6-10	33	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>195</b>	<b>97.50%</b>	<b>1</b>	<b>0.50%</b>	<b>4</b>	<b>2.00%</b>	
	<b>Total</b>	<b>195</b>	<b>97.50%</b>	<b>1</b>	<b>0.50%</b>	<b>4</b>	<b>2.00%</b>	<b>200</b>	
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	483	100.00%	0	0.00%	0	0.00%	
		6-10	45	97.83%	1	2.17%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	18	100.00%	
		<b>Total</b>	<b>528</b>	<b>95.83%</b>	<b>5</b>	<b>0.91%</b>	<b>18</b>	<b>3.27%</b>	
	<b>Total</b>	<b>528</b>	<b>95.83%</b>	<b>5</b>	<b>0.91%</b>	<b>18</b>	<b>3.27%</b>	<b>551</b>	
Pelee Island, Township Of (PLEWSL01)	PLEWSL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Pelham, Town Of (PEL1)	PEL1	0-5	180	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	9	100.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>180</b>	<b>94.24%</b>	<b>10</b>	<b>5.24%</b>	<b>1</b>	<b>0.52%</b>	
	<b>Total</b>	<b>180</b>	<b>94.24%</b>	<b>10</b>	<b>5.24%</b>	<b>1</b>	<b>0.52%</b>	<b>191</b>	
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	4	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Pembina Pipeline (PEMBPL01)	PEMBPL01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>1</b>	<b>20.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	79	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	13	100.00%	0	0.00%	
		<b>Total</b>	<b>79</b>	<b>85.87%</b>	<b>13</b>	<b>14.13%</b>	<b>0</b>	<b>0.00%</b>	<b>92</b>
	<b>Total</b>	<b>79</b>	<b>85.87%</b>	<b>13</b>	<b>14.13%</b>	<b>0</b>	<b>0.00%</b>	<b>92</b>	
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	40	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>42</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>42</b>
	<b>Total</b>	<b>42</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>42</b>	
Pennytel Inc (PENTEL01)	PENTEL01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	13	100.00%	0	0.00%	0	0.00%	
		6-10	3	75.00%	1	25.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>16</b>	<b>80.00%</b>	<b>1</b>	<b>5.00%</b>	<b>3</b>	<b>15.00%</b>	<b>20</b>
	<b>Total</b>	<b>16</b>	<b>80.00%</b>	<b>1</b>	<b>5.00%</b>	<b>3</b>	<b>15.00%</b>	<b>20</b>	
Perth South, Township Of (PERTHS123)	PERTHS123	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	2	100.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Perth South, Township Of (PERTHS123)	PERTHS123	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>4</b>	<b>57.14%</b>	<b>2</b>	<b>28.57%</b>	<b>1</b>	<b>14.29%</b>	<b>7</b>
	<b>Total</b>	<b>4</b>	<b>57.14%</b>	<b>2</b>	<b>28.57%</b>	<b>1</b>	<b>14.29%</b>	<b>7</b>	
Perth, Town Of (PERTH01)	PERTH01	0-5	19	100.00%	0	0.00%	0	0.00%	
		6-10	4	44.44%	5	55.56%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>23</b>	<b>79.31%</b>	<b>5</b>	<b>17.24%</b>	<b>1</b>	<b>3.45%</b>	<b>29</b>
	<b>Total</b>	<b>23</b>	<b>79.31%</b>	<b>5</b>	<b>17.24%</b>	<b>1</b>	<b>3.45%</b>	<b>29</b>	
Petawawa, Town Of (PTWA123)	PTWA123	0-5	183	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>185</b>	<b>98.93%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.07%</b>	<b>187</b>
	<b>Total</b>	<b>185</b>	<b>98.93%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.07%</b>	<b>187</b>	
Peterborough , City Of (PTRB01)	PTRB01	0-5	759	100.00%	0	0.00%	0	0.00%	
		6-10	6	75.00%	2	25.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	9	100.00%	
		<b>Total</b>	<b>765</b>	<b>98.46%</b>	<b>2</b>	<b>0.26%</b>	<b>10</b>	<b>1.29%</b>	<b>777</b>
	<b>Total</b>	<b>765</b>	<b>98.46%</b>	<b>2</b>	<b>0.26%</b>	<b>10</b>	<b>1.29%</b>	<b>777</b>	
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	513	100.00%	0	0.00%	0	0.00%	
		6-10	65	94.20%	4	5.80%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>578</b>	<b>99.14%</b>	<b>5</b>	<b>0.86%</b>	<b>0</b>	<b>0.00%</b>	<b>583</b>
	<b>Total</b>	<b>578</b>	<b>99.14%</b>	<b>5</b>	<b>0.86%</b>	<b>0</b>	<b>0.00%</b>	<b>583</b>	
Peterborough, County Of (PTB01)	PTB01	0-5	127	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	33.33%	4	66.67%	
		<b>Total</b>	<b>128</b>	<b>95.52%</b>	<b>2</b>	<b>1.49%</b>	<b>4</b>	<b>2.99%</b>	<b>134</b>
	<b>Total</b>	<b>128</b>	<b>95.52%</b>	<b>2</b>	<b>1.49%</b>	<b>4</b>	<b>2.99%</b>	<b>134</b>	
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Petrolia, Town Of (P002)	P002	0-5	28	100.00%	0	0.00%	0	0.00%	
		6-10	3	15.79%	16	84.21%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>31</b>	<b>55.36%</b>	<b>19</b>	<b>33.93%</b>	<b>6</b>	<b>10.71%</b>	<b>56</b>
	<b>Total</b>	<b>31</b>	<b>55.36%</b>	<b>19</b>	<b>33.93%</b>	<b>6</b>	<b>10.71%</b>	<b>56</b>	
Pickering , City Of (PKRG01)	PKRG01	0-5	156	100.00%	0	0.00%	0	0.00%	
		6-10	166	79.43%	43	20.57%	0	0.00%	
		11-15	0	0.00%	29	93.55%	2	6.45%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Pickering , City Of (PKRG01)	PKRG01	16+	0	0.00%	1	2.33%	42	97.67%	
		<b>Total</b>	<b>322</b>	<b>73.35%</b>	<b>73</b>	<b>16.63%</b>	<b>44</b>	<b>10.02%</b>	<b>439</b>
	<b>Total</b>	<b>322</b>	<b>73.35%</b>	<b>73</b>	<b>16.63%</b>	<b>44</b>	<b>10.02%</b>	<b>439</b>	
Pine Valley Drive - Private Owner (PRPV01)	PRPV01	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	47	100.00%	0	0.00%	0	0.00%	
		6-10	8	88.89%	1	11.11%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>55</b>	<b>94.83%</b>	<b>1</b>	<b>1.72%</b>	<b>2</b>	<b>3.45%</b>	<b>58</b>
	<b>Total</b>	<b>55</b>	<b>94.83%</b>	<b>1</b>	<b>1.72%</b>	<b>2</b>	<b>3.45%</b>	<b>58</b>	
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	79	100.00%	0	0.00%	0	0.00%	
		6-10	10	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	20.00%	4	80.00%	
		<b>Total</b>	<b>89</b>	<b>93.68%</b>	<b>2</b>	<b>2.11%</b>	<b>4</b>	<b>4.21%</b>	<b>95</b>
	<b>Total</b>	<b>89</b>	<b>93.68%</b>	<b>2</b>	<b>2.11%</b>	<b>4</b>	<b>4.21%</b>	<b>95</b>	
Point Edward, Village Of (PE01)	PE01	0-5	16	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>16</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>
	<b>Total</b>	<b>16</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>16</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	11	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
	<b>Total</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	62	100.00%	0	0.00%	0	0.00%	
		6-10	27	96.43%	1	3.57%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>89</b>	<b>94.68%</b>	<b>1</b>	<b>1.06%</b>	<b>4</b>	<b>4.26%</b>	<b>94</b>
	<b>Total</b>	<b>89</b>	<b>94.68%</b>	<b>1</b>	<b>1.06%</b>	<b>4</b>	<b>4.26%</b>	<b>94</b>	
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	4	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>
	<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>	
Port Hope, Municipality Of (PH123)	PH123	0-5	67	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	1	33.33%	0	0.00%	
		<b>Total</b>	<b>69</b>	<b>98.57%</b>	<b>1</b>	<b>1.43%</b>	<b>0</b>	<b>0.00%</b>	<b>70</b>
	<b>Total</b>	<b>69</b>	<b>98.57%</b>	<b>1</b>	<b>1.43%</b>	<b>0</b>	<b>0.00%</b>	<b>70</b>	
Port Ryerse Wind Project (BPRWF01)	BPRWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Powassan, Municipality Of (PWSN01)	PWSN01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Prescott , Town Of (PRS01)	PRS01	0-5	24	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>24</b>	<b>96.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.00%</b>	
	<b>Total</b>	<b>24</b>	<b>96.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.00%</b>	<b>25</b>	
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS123	16+	0	0.00%	0	0.00%	12	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	<b>100.00%</b>	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	<b>100.00%</b>	<b>12</b>	
Primus Management Ulc (PMT01)	PMT01	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>	
Prince Edward, County Of (PEC04)	PEC04	0-5	93	100.00%	0	0.00%	0	0.00%	
		6-10	19	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>112</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>112</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>112</b>	
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Public Services And Procurement Canada - Services Publics Et De Lâ €™ Approvisionnement (PSPC01)	PSPC01	0-5	54	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>54</b>	<b>98.18%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.82%</b>	<b>55</b>
	<b>Total</b>	<b>54</b>	<b>98.18%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.82%</b>	<b>55</b>	
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Q9 Networks (QNET01)	QNET01	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>11</b>	<b>78.57%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>21.43%</b>	<b>14</b>
	<b>Total</b>	<b>11</b>	<b>78.57%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>21.43%</b>	<b>14</b>	
Quadro Communications (QUAD1)	QUAD1	0-5	314	100.00%	0	0.00%	0	0.00%	
		6-10	10	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	13	100.00%	
		<b>Total</b>	<b>324</b>	<b>95.86%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	<b>4.14%</b>	<b>338</b>
	<b>Total</b>	<b>324</b>	<b>95.86%</b>	<b>0</b>	<b>0.00%</b>	<b>14</b>	<b>4.14%</b>	<b>338</b>	
Queen'S University (QUEENU01)	QUEENU01	0-5	19	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	5	100.00%	0	0.00%	
		<b>Total</b>	<b>19</b>	<b>79.17%</b>	<b>5</b>	<b>20.83%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>
	<b>Total</b>	<b>19</b>	<b>79.17%</b>	<b>5</b>	<b>20.83%</b>	<b>0</b>	<b>0.00%</b>	<b>24</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Queens University Fibre (QUEENF01)	QUEENF01	0-5	24	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>25</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>25</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>	
Quinte West, City Of (QW123)	QW123	0-5	308	100.00%	0	0.00%	0	0.00%	
		6-10	135	86.54%	21	13.46%	0	0.00%	
		11-15	0	0.00%	1	50.00%	1	50.00%	
		16+	0	0.00%	0	0.00%	22	100.00%	
		<b>Total</b>	<b>443</b>	<b>90.78%</b>	<b>22</b>	<b>4.51%</b>	<b>23</b>	<b>4.71%</b>	
	<b>Total</b>	<b>443</b>	<b>90.78%</b>	<b>22</b>	<b>4.51%</b>	<b>23</b>	<b>4.71%</b>	<b>488</b>	
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>7</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	25	100.00%	0	0.00%	0	0.00%	
		6-10	1	50.00%	1	50.00%	0	0.00%	
		<b>Total</b>	<b>26</b>	<b>96.30%</b>	<b>1</b>	<b>3.70%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>26</b>	<b>96.30%</b>	<b>1</b>	<b>3.70%</b>	<b>0</b>	<b>0.00%</b>	<b>27</b>	
Real Oil Enterprises (ROPL01)	ROPL01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	11	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Red Lake , Municipality Of (RLSS01)	RLSS01	6-10	1	50.00%	1	50.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>
	<b>Total</b>	<b>12</b>	<b>92.31%</b>	<b>1</b>	<b>7.69%</b>	<b>0</b>	<b>0.00%</b>	<b>13</b>	
Red Rock, Township Of (RDRK01)	RDRK01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>42.86%</b>	<b>4</b>	<b>57.14%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
	<b>Total</b>	<b>3</b>	<b>42.86%</b>	<b>4</b>	<b>57.14%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	
REGION OF HALTON WATER (HLTNW123)	HLTNW123	0-5	702	100.00%	0	0.00%	0	0.00%	
		6-10	146	99.32%	1	0.68%	0	0.00%	
		11-15	0	0.00%	4	80.00%	1	20.00%	
		16+	0	0.00%	2	6.90%	27	93.10%	
		<b>Total</b>	<b>848</b>	<b>96.04%</b>	<b>7</b>	<b>0.79%</b>	<b>28</b>	<b>3.17%</b>	<b>883</b>
	<b>Total</b>	<b>848</b>	<b>96.04%</b>	<b>7</b>	<b>0.79%</b>	<b>28</b>	<b>3.17%</b>	<b>883</b>	
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	42	100.00%	0	0.00%	0	0.00%	
		6-10	9	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>51</b>	<b>91.07%</b>	<b>2</b>	<b>3.57%</b>	<b>3</b>	<b>5.36%</b>	<b>56</b>
	<b>Total</b>	<b>51</b>	<b>91.07%</b>	<b>2</b>	<b>3.57%</b>	<b>3</b>	<b>5.36%</b>	<b>56</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	5	83.33%	1	16.67%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>40</b>	<b>93.02%</b>	<b>2</b>	<b>4.65%</b>	<b>1</b>	<b>2.33%</b>	<b>43</b>
<b>Total</b>			<b>40</b>	<b>93.02%</b>	<b>2</b>	<b>4.65%</b>	<b>1</b>	<b>2.33%</b>	<b>43</b>
Renfrew Hydro (RFH01)	RFH01	0-5	54	100.00%	0	0.00%	0	0.00%	
		6-10	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>59</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>59</b>
<b>Total</b>			<b>59</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>59</b>
Renfrew, County Of (RNF123)	RNF123	0-5	63	100.00%	0	0.00%	0	0.00%	
		6-10	11	91.67%	1	8.33%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>74</b>	<b>97.37%</b>	<b>2</b>	<b>2.63%</b>	<b>0</b>	<b>0.00%</b>	<b>76</b>
<b>Total</b>			<b>74</b>	<b>97.37%</b>	<b>2</b>	<b>2.63%</b>	<b>0</b>	<b>0.00%</b>	<b>76</b>
Renfrew, Town Of (RNF01)	RNF01	0-5	106	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>106</b>	<b>98.15%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.85%</b>	<b>108</b>
<b>Total</b>			<b>106</b>	<b>98.15%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>1.85%</b>	<b>108</b>
Richmond Hill, Town Of (RHL01)	RHL01	11-15	0	0.00%	0	0.00%	3	100.00%	
		16+	0	0.00%	0	0.00%	411	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>414</b>	<b>100.00%</b>	<b>414</b>
<b>Total</b>			<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>414</b>	<b>100.00%</b>	<b>414</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Richmond Hill, Town Of (RHLTS01)	RHLTS01	6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	57	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>61</b>	<b>93.85%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>6.15%</b>	<b>65</b>
	<b>Total</b>	<b>61</b>	<b>93.85%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>6.15%</b>	<b>65</b>	
Rogers Communications (ROG123)	ROG123	0-5	16,775	100.00%	0	0.00%	0	0.00%	
		6-10	2,798	99.33%	19	0.67%	0	0.00%	
		11-15	0	0.00%	144	100.00%	0	0.00%	
		16+	0	0.00%	240	100.00%	0	0.00%	
		<b>Total</b>	<b>19,573</b>	<b>97.98%</b>	<b>403</b>	<b>2.02%</b>	<b>0</b>	<b>0.00%</b>	<b>19,976</b>
	<b>Total</b>	<b>19,573</b>	<b>97.98%</b>	<b>403</b>	<b>2.02%</b>	<b>0</b>	<b>0.00%</b>	<b>19,976</b>	
Romney Wind Energy Centre Lp (RWEC01)	RWEC01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Rosspport Local Service Board	RPLSB01	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Rowe Energy Corporation (ROWE01)	ROWE01	6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	19	100.00%	0	0.00%	0	0.00%	
		6-10	5	62.50%	3	37.50%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	
		16+	0	0.00%	8	47.06%	9	52.94%	
		<b>Total</b>	<b>24</b>	<b>48.98%</b>	<b>16</b>	<b>32.65%</b>	<b>9</b>	<b>18.37%</b>	<b>49</b>
	<b>Total</b>	<b>24</b>	<b>48.98%</b>	<b>16</b>	<b>32.65%</b>	<b>9</b>	<b>18.37%</b>	<b>49</b>	
Russell, Township Of (RSEL01)	RSEL01	0-5	62	100.00%	0	0.00%	0	0.00%	
		6-10	12	80.00%	3	20.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>74</b>	<b>91.36%</b>	<b>3</b>	<b>3.70%</b>	<b>4</b>	<b>4.94%</b>	<b>81</b>
	<b>Total</b>	<b>74</b>	<b>91.36%</b>	<b>3</b>	<b>3.70%</b>	<b>4</b>	<b>4.94%</b>	<b>81</b>	
Ryerson University (RYEU01)	RYEU01	6-10	1	50.00%	1	50.00%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>16.67%</b>	<b>5</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>1</b>	<b>16.67%</b>	<b>5</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Sables-Spanish Rivers, Township Of (SSR123)	SSR123	0-5	3	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Sables-Spanish Rivers, Township Of (SSR123)	SSR123	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Sarnia, City Of (C006)	C006	0-5	461	100.00%	0	0.00%	0	0.00%	
		6-10	8	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	23	100.00%	
		<b>Total</b>	<b>469</b>	<b>94.94%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>	<b>5.06%</b>	<b>494</b>
	<b>Total</b>	<b>469</b>	<b>94.94%</b>	<b>0</b>	<b>0.00%</b>	<b>25</b>	<b>5.06%</b>	<b>494</b>	
Saugeen First Nations Water (SFNW01)	SFNW01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	
Saugeen Shores, Town Of (SS123)	SS123	0-5	298	100.00%	0	0.00%	0	0.00%	
		6-10	6	75.00%	2	25.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>304</b>	<b>99.02%</b>	<b>2</b>	<b>0.65%</b>	<b>1</b>	<b>0.33%</b>	<b>307</b>
	<b>Total</b>	<b>304</b>	<b>99.02%</b>	<b>2</b>	<b>0.65%</b>	<b>1</b>	<b>0.33%</b>	<b>307</b>	
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPU123	0-5	830	100.00%	0	0.00%	0	0.00%	
		6-10	68	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPU123	16+	0	0.00%	0	0.00%	45	100.00%	
		<b>Total</b>	<b>898</b>	<b>95.23%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>	<b>4.77%</b>	<b>943</b>
	<b>Total</b>	<b>898</b>	<b>95.23%</b>	<b>0</b>	<b>0.00%</b>	<b>45</b>	<b>4.77%</b>	<b>943</b>	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	107	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	21	100.00%	
		<b>Total</b>	<b>107</b>	<b>81.68%</b>	<b>3</b>	<b>2.29%</b>	<b>21</b>	<b>16.03%</b>	<b>131</b>
	<b>Total</b>	<b>107</b>	<b>81.68%</b>	<b>3</b>	<b>2.29%</b>	<b>21</b>	<b>16.03%</b>	<b>131</b>	
Schreiber, Municipality Of (SCBWS01)	SCBWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Scugog, Township Of (SCG01)	SCG01	0-5	99	100.00%	0	0.00%	0	0.00%	
		6-10	4	80.00%	1	20.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>103</b>	<b>97.17%</b>	<b>3</b>	<b>2.83%</b>	<b>0</b>	<b>0.00%</b>	<b>106</b>
	<b>Total</b>	<b>103</b>	<b>97.17%</b>	<b>3</b>	<b>2.83%</b>	<b>0</b>	<b>0.00%</b>	<b>106</b>	
Seguin, Township Of (SGN01)	SGN01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	
Selwyn, Township Of (SLWN01)	SLWN01	0-5	27	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Selwyn, Township Of (SLWN01)	SLWN01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>27</b>	<b>90.00%</b>	<b>1</b>	<b>3.33%</b>	<b>2</b>	<b>6.67%</b>	<b>30</b>
	<b>Total</b>	<b>27</b>	<b>90.00%</b>	<b>1</b>	<b>3.33%</b>	<b>2</b>	<b>6.67%</b>	<b>30</b>	
Selwyn, Township Of (SLWN02)	SLWN02	0-5	22	100.00%	0	0.00%	0	0.00%	
		6-10	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
	<b>Total</b>	<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	
Selwyn, Township Of (SLWN03)	SLWN03	0-5	22	100.00%	0	0.00%	0	0.00%	
		6-10	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>
	<b>Total</b>	<b>34</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>34</b>	
Severn, Township Of (SEVERN01)	SEVERN01	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	1	50.00%	1	50.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>94.74%</b>	<b>2</b>	<b>5.26%</b>	<b>0</b>	<b>0.00%</b>	<b>38</b>
	<b>Total</b>	<b>36</b>	<b>94.74%</b>	<b>2</b>	<b>5.26%</b>	<b>0</b>	<b>0.00%</b>	<b>38</b>	
Shared Tower Inc	SHARET01	16+	0	0.00%	0	0.00%	10	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>	<b>100.00%</b>	<b>10</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>	<b>100.00%</b>	<b>10</b>	
Shelburne , Town Of (SHLB01)	SHLB01	0-5	20	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Shelburne , Town Of (SHLB01)	SHLB01	6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
	<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>	
Shell Canada - Sault Ste. Marie (SHL2)	SHL2	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Shell Canada (SHL1)	SHL1	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Sick Kids Hospital (SKH01)	SKH01	0-5	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Silver Bay Water (SBW1)	SBW1	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	8	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>10</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>
	<b>Total</b>	<b>10</b>	<b>83.33%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>16.67%</b>	<b>12</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Simcoe, County Of (SIM01)	SIM01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>
	<b>Total</b>	<b>21</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>21</b>	
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	14	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>14</b>	<b>93.33%</b>	<b>1</b>	<b>6.67%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>
	<b>Total</b>	<b>14</b>	<b>93.33%</b>	<b>1</b>	<b>6.67%</b>	<b>0</b>	<b>0.00%</b>	<b>15</b>	
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	3	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>3</b>	<b>42.86%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>57.14%</b>	<b>7</b>
	<b>Total</b>	<b>3</b>	<b>42.86%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>57.14%</b>	<b>7</b>	
Six Nations Gas (SNG01)	SNG01	0-5	57	100.00%	0	0.00%	0	0.00%	
		6-10	6	40.00%	9	60.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>63</b>	<b>78.75%</b>	<b>11</b>	<b>13.75%</b>	<b>6</b>	<b>7.50%</b>	<b>80</b>
	<b>Total</b>	<b>63</b>	<b>78.75%</b>	<b>11</b>	<b>13.75%</b>	<b>6</b>	<b>7.50%</b>	<b>80</b>	
Sky Generation (Spratt Power) (SGPLWF01)	SGPLWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Skyway 8 (SW8WF01)	SW8WF01	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	84	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>86</b>	<b>98.85%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.15%</b>	<b>87</b>
	<b>Total</b>	<b>86</b>	<b>98.85%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.15%</b>	<b>87</b>	
Smooth Rock Falls, Town Of (SRF01)	SRF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	33.33%	2	66.67%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
	<b>Total</b>	<b>2</b>	<b>13.33%</b>	<b>5</b>	<b>33.33%</b>	<b>8</b>	<b>53.33%</b>	<b>15</b>	
<b>Total</b>	<b>2</b>	<b>13.33%</b>	<b>5</b>	<b>33.33%</b>	<b>8</b>	<b>53.33%</b>	<b>15</b>		
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	35	100.00%	0	0.00%	0	0.00%	
		6-10	6	60.00%	4	40.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
	<b>Total</b>	<b>41</b>	<b>82.00%</b>	<b>4</b>	<b>8.00%</b>	<b>5</b>	<b>10.00%</b>	<b>50</b>	
<b>Total</b>	<b>41</b>	<b>82.00%</b>	<b>4</b>	<b>8.00%</b>	<b>5</b>	<b>10.00%</b>	<b>50</b>		
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	32	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
South Bruce, Municipality Of (SBWS01)	SBWS01	6-10	2	50.00%	2	50.00%	0	0.00%	
		<b>Total</b>	<b>34</b>	<b>94.44%</b>	<b>2</b>	<b>5.56%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>	<b>34</b>	<b>94.44%</b>	<b>2</b>	<b>5.56%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
South Dundas , Municipality Of (SDS01)	SDS01	0-5	29	100.00%	0	0.00%	0	0.00%	
		6-10	4	44.44%	5	55.56%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>33</b>	<b>80.49%</b>	<b>5</b>	<b>12.20%</b>	<b>3</b>	<b>7.32%</b>	<b>41</b>
	<b>Total</b>	<b>33</b>	<b>80.49%</b>	<b>5</b>	<b>12.20%</b>	<b>3</b>	<b>7.32%</b>	<b>41</b>	
South Frontenac, Township Of (SF123)	SF123	0-5	33	100.00%	0	0.00%	0	0.00%	
		6-10	5	71.43%	2	28.57%	0	0.00%	
		16+	0	0.00%	1	14.29%	6	85.71%	
		<b>Total</b>	<b>38</b>	<b>80.85%</b>	<b>3</b>	<b>6.38%</b>	<b>6</b>	<b>12.77%</b>	<b>47</b>
	<b>Total</b>	<b>38</b>	<b>80.85%</b>	<b>3</b>	<b>6.38%</b>	<b>6</b>	<b>12.77%</b>	<b>47</b>	
South Glengarry , Township Of (SGG01)	SGG01	0-5	18	100.00%	0	0.00%	0	0.00%	
		6-10	1	25.00%	3	75.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
	<b>Total</b>	<b>19</b>	<b>59.38%</b>	<b>5</b>	<b>15.63%</b>	<b>8</b>	<b>25.00%</b>	<b>32</b>	
<b>Total</b>	<b>19</b>	<b>59.38%</b>	<b>5</b>	<b>15.63%</b>	<b>8</b>	<b>25.00%</b>	<b>32</b>		
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	48	100.00%	0	0.00%	0	0.00%	
		6-10	11	68.75%	5	31.25%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
South Huron, Municipality Of (SHURN01)	SHURN01	16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>59</b>	<b>81.94%</b>	<b>5</b>	<b>6.94%</b>	<b>8</b>	<b>11.11%</b>	<b>72</b>
	<b>Total</b>	<b>59</b>	<b>81.94%</b>	<b>5</b>	<b>6.94%</b>	<b>8</b>	<b>11.11%</b>	<b>72</b>	
South Kent Wind Project (SKWP01)	SKWP01	0-5	13	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>14</b>	<b>93.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>6.67%</b>	<b>15</b>
	<b>Total</b>	<b>14</b>	<b>93.33%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>6.67%</b>	<b>15</b>	
South River , Village Of (SORI01)	SORI01	0-5	11	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>11</b>	<b>73.33%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>26.67%</b>	<b>15</b>
	<b>Total</b>	<b>11</b>	<b>73.33%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>26.67%</b>	<b>15</b>	
South Stormont, Township Of (SSTM01)	SSTM01	0-5	58	100.00%	0	0.00%	0	0.00%	
		6-10	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>64</b>	<b>95.52%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>4.48%</b>	<b>67</b>
	<b>Total</b>	<b>64</b>	<b>95.52%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>4.48%</b>	<b>67</b>	
Southgate, Township (SGWS01)	SGWS01	0-5	21	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Southgate, Township (SGWS01)	SGWS01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>22</b>	<b>91.67%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>8.33%</b>	<b>24</b>
	<b>Total</b>	<b>22</b>	<b>91.67%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>8.33%</b>	<b>24</b>	
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	41	100.00%	0	0.00%	0	0.00%	
		6-10	18	81.82%	4	18.18%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>59</b>	<b>89.39%</b>	<b>5</b>	<b>7.58%</b>	<b>2</b>	<b>3.03%</b>	<b>66</b>
	<b>Total</b>	<b>59</b>	<b>89.39%</b>	<b>5</b>	<b>7.58%</b>	<b>2</b>	<b>3.03%</b>	<b>66</b>	
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	24	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	1	50.00%	1	50.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>24</b>	<b>80.00%</b>	<b>2</b>	<b>6.67%</b>	<b>4</b>	<b>13.33%</b>	<b>30</b>
	<b>Total</b>	<b>24</b>	<b>80.00%</b>	<b>2</b>	<b>6.67%</b>	<b>4</b>	<b>13.33%</b>	<b>30</b>	
Southwold, Township Of (SOW01)	SOW01	0-5	31	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	20.00%	4	80.00%	
	<b>Total</b>	<b>31</b>	<b>86.11%</b>	<b>1</b>	<b>2.78%</b>	<b>4</b>	<b>11.11%</b>	<b>36</b>	
<b>Total</b>	<b>31</b>	<b>86.11%</b>	<b>1</b>	<b>2.78%</b>	<b>4</b>	<b>11.11%</b>	<b>36</b>		
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	4	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>20.00%</b>	<b>5</b>
	<b>Total</b>	<b>4</b>	<b>80.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>20.00%</b>	<b>5</b>	
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	20	100.00%	0	0.00%	0	0.00%	
		6-10	8	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
	<b>Total</b>	<b>28</b>	<b>96.55%</b>	<b>1</b>	<b>3.45%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>	
<b>Total</b>	<b>28</b>	<b>96.55%</b>	<b>1</b>	<b>3.45%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>		
St. Catharines, City Of (STC1)	STC1	0-5	552	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		11-15	0	0.00%	7	63.64%	4	36.36%	
		16+	0	0.00%	0	0.00%	11	100.00%	
	<b>Total</b>	<b>552</b>	<b>96.00%</b>	<b>8</b>	<b>1.39%</b>	<b>15</b>	<b>2.61%</b>	<b>575</b>	
<b>Total</b>	<b>552</b>	<b>96.00%</b>	<b>8</b>	<b>1.39%</b>	<b>15</b>	<b>2.61%</b>	<b>575</b>		
St. Charles, Municipality Of (STC01)	STC01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
St. Clair, Township Of (M002)	M002	0-5	162	100.00%	0	0.00%	0	0.00%	
		6-10	6	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>168</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>168</b>
	<b>Total</b>	<b>168</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>168</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
St. Columban Wind Farms Lp (STCWF01)	STCWF01	0-5	18	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>18</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>
	<b>Total</b>	<b>18</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>18</b>	
St. Joseph, Township Of (STJWS01)	STJWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
St. Josephs Healthcare (Hamilton) (STJHC01)	STJHC01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
St. Marys General Hospital (STMGH01)	STMGH01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	43	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>44</b>	<b>95.65%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>4.35%</b>	<b>46</b>
	<b>Total</b>	<b>44</b>	<b>95.65%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>4.35%</b>	<b>46</b>	
St. Michael'S Hospital (STMH01)	STMH01	16+	0	0.00%	5	83.33%	1	16.67%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>6</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>6</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
St. Thomas, City Of (STHWS01)	STHWS01	0-5	185	100.00%	0	0.00%	0	0.00%	
		6-10	148	82.68%	31	17.32%	0	0.00%	
		11-15	0	0.00%	39	100.00%	0	0.00%	
		16+	0	0.00%	4	14.29%	24	85.71%	
		<b>Total</b>	<b>333</b>	<b>77.26%</b>	<b>74</b>	<b>17.17%</b>	<b>24</b>	<b>5.57%</b>	<b>431</b>
	<b>Total</b>	<b>333</b>	<b>77.26%</b>	<b>74</b>	<b>17.17%</b>	<b>24</b>	<b>5.57%</b>	<b>431</b>	
Start Communications (STARTC01)	STARTC01	0-5	204	100.00%	0	0.00%	0	0.00%	
		6-10	72	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	66.67%	1	33.33%	
		16+	0	0.00%	0	0.00%	32	100.00%	
		<b>Total</b>	<b>276</b>	<b>88.75%</b>	<b>2</b>	<b>0.64%</b>	<b>33</b>	<b>10.61%</b>	<b>311</b>
	<b>Total</b>	<b>276</b>	<b>88.75%</b>	<b>2</b>	<b>0.64%</b>	<b>33</b>	<b>10.61%</b>	<b>311</b>	
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	0	0.00%	3	75.00%	1	25.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>4</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>75.00%</b>	<b>1</b>	<b>25.00%</b>	<b>4</b>	
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	22	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>23</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>23</b>
	<b>Total</b>	<b>23</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>23</b>	
Stone Mills, Township Of (STMSS01)	STMSS01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Storm Internet (STRMF01)	STRMF01	0-5	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>5</b>	<b>83.33%</b>	<b>1</b>	<b>16.67%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	6-10	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	18	100.00%	0	0.00%	0	0.00%	
		6-10	11	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>29</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>
	<b>Total</b>	<b>29</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>29</b>	
Stratford, City Of (STRATWS01)	STRATWS01	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	7	87.50%	1	12.50%	0	0.00%	
		11-15	0	0.00%	0	0.00%	11	100.00%	
		16+	0	0.00%	0	0.00%	213	100.00%	
		<b>Total</b>	<b>8</b>	<b>3.43%</b>	<b>1</b>	<b>0.43%</b>	<b>224</b>	<b>96.14%</b>	<b>233</b>
	<b>Total</b>	<b>8</b>	<b>3.43%</b>	<b>1</b>	<b>0.43%</b>	<b>224</b>	<b>96.14%</b>	<b>233</b>	
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	66	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>66</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>66</b>
	<b>Total</b>	<b>66</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>66</b>	
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	105	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>105</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>105</b>
	<b>Total</b>	<b>105</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>105</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Summer Haven Wind (SHWF01)	SHWF01	0-5	10	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>10</b>	<b>90.91%</b>	<b>1</b>	<b>9.09%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
	<b>Total</b>	<b>10</b>	<b>90.91%</b>	<b>1</b>	<b>9.09%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	62	100.00%	0	0.00%	0	0.00%	
		6-10	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>69</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>69</b>
	<b>Total</b>	<b>69</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>69</b>	
Sun Canadian Pipelines (SCP01)	SCP01	0-5	327	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>327</b>	<b>99.70%</b>	<b>1</b>	<b>0.30%</b>	<b>0</b>	<b>0.00%</b>	<b>328</b>
	<b>Total</b>	<b>327</b>	<b>99.70%</b>	<b>1</b>	<b>0.30%</b>	<b>0</b>	<b>0.00%</b>	<b>328</b>	
Suncor Energy (SCE02)	SCE02	0-5	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>
	<b>Total</b>	<b>9</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	
Suncor Energy Products (SNCP05)	SNCP05	16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Suncor Energy Products (SNCP02)	SNCP02	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Suncor Energy Products (SNCP03)	SNCP03	6-10	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	10	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	
Suncor Energy Products (SNCP04)	SNCP04	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Suncor Pipelines (SNCP01)	SNCP01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Sundridge, Village Of (SNDR01)	SNDR01	0-5	7	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>12.50%</b>	<b>8</b>
	<b>Total</b>	<b>7</b>	<b>87.50%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>12.50%</b>	<b>8</b>	
Superior View Gas Inc (SVGPL01)	SVGPL01	16+	0	0.00%	9	90.00%	1	10.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>90.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>90.00%</b>	<b>1</b>	<b>10.00%</b>	<b>10</b>	
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	32	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>32</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>32</b>
	<b>Total</b>	<b>32</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>32</b>	
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	799	100.00%	0	0.00%	0	0.00%	
		6-10	148	87.06%	22	12.94%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Synergy North - Thunder Bay (SNTB01)	SNTB01	11-15	0	0.00%	28	100.00%	0	0.00%	
		<b>Total</b>	<b>947</b>	<b>94.98%</b>	<b>50</b>	<b>5.02%</b>	<b>0</b>	<b>0.00%</b>	<b>997</b>
	<b>Total</b>	<b>947</b>	<b>94.98%</b>	<b>50</b>	<b>5.02%</b>	<b>0</b>	<b>0.00%</b>	<b>997</b>	
Talbot Windfarm (TALWF01)	TALWF01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Tay, Township Of - Street Lights (TAY02)	TAY02	6-10	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Tay, Township Of (TAY01)	TAY01	0-5	52	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>52</b>	<b>92.86%</b>	<b>2</b>	<b>3.57%</b>	<b>2</b>	<b>3.57%</b>	<b>56</b>
	<b>Total</b>	<b>52</b>	<b>92.86%</b>	<b>2</b>	<b>3.57%</b>	<b>2</b>	<b>3.57%</b>	<b>56</b>	
Tbaytel (TBYTEL01)	TBYTEL01	0-5	573	100.00%	0	0.00%	0	0.00%	
		6-10	164	91.62%	15	8.38%	0	0.00%	
		11-15	0	0.00%	24	96.00%	1	4.00%	
		16+	0	0.00%	4	50.00%	4	50.00%	
		<b>Total</b>	<b>737</b>	<b>93.89%</b>	<b>43</b>	<b>5.48%</b>	<b>5</b>	<b>0.64%</b>	<b>785</b>
	<b>Total</b>	<b>737</b>	<b>93.89%</b>	<b>43</b>	<b>5.48%</b>	<b>5</b>	<b>0.64%</b>	<b>785</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
TC Energy - East (TCP01)	TCP01	0-5	892	100.00%	0	0.00%	0	0.00%	
		6-10	38	95.00%	2	5.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	55	90.16%	6	9.84%	
		<b>Total</b>	<b>930</b>	<b>93.56%</b>	<b>58</b>	<b>5.84%</b>	<b>6</b>	<b>0.60%</b>	
	<b>Total</b>	<b>930</b>	<b>93.56%</b>	<b>58</b>	<b>5.84%</b>	<b>6</b>	<b>0.60%</b>	<b>994</b>	
Tecumseh, Town Of (TEC123)	TEC123	0-5	38	100.00%	0	0.00%	0	0.00%	
		6-10	73	76.84%	22	23.16%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	4	28.57%	10	71.43%	
		<b>Total</b>	<b>111</b>	<b>73.51%</b>	<b>30</b>	<b>19.87%</b>	<b>10</b>	<b>6.62%</b>	
	<b>Total</b>	<b>111</b>	<b>73.51%</b>	<b>30</b>	<b>19.87%</b>	<b>10</b>	<b>6.62%</b>	<b>151</b>	
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	339	100.00%	0	0.00%	0	0.00%	
		6-10	9	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>348</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>348</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>348</b>	
Telmax Inc (TLMXF01)	TLMXF01	0-5	148	100.00%	0	0.00%	0	0.00%	
		6-10	149	96.75%	5	3.25%	0	0.00%	
		11-15	0	0.00%	0	0.00%	11	100.00%	
		16+	0	0.00%	3	7.69%	36	92.31%	
		<b>Total</b>	<b>297</b>	<b>84.38%</b>	<b>8</b>	<b>2.27%</b>	<b>47</b>	<b>13.35%</b>	
	<b>Total</b>	<b>297</b>	<b>84.38%</b>	<b>8</b>	<b>2.27%</b>	<b>47</b>	<b>13.35%</b>	<b>352</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Telus (TELUS01)	TELUS01	0-5	1,446	100.00%	0	0.00%	0	0.00%	
		6-10	213	97.26%	6	2.74%	0	0.00%	
		11-15	0	0.00%	45	100.00%	0	0.00%	
		16+	0	0.00%	16	47.06%	18	52.94%	
		<b>Total</b>	<b>1,659</b>	<b>95.13%</b>	<b>67</b>	<b>3.84%</b>	<b>18</b>	<b>1.03%</b>	<b>1,744</b>
	<b>Total</b>	<b>1,659</b>	<b>95.13%</b>	<b>67</b>	<b>3.84%</b>	<b>18</b>	<b>1.03%</b>	<b>1,744</b>	
Temagami, Municipality Of (TMG01)	TMG01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	44	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>44</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>44</b>
	<b>Total</b>	<b>44</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>44</b>	
Terago Networks Inc (TNF01)	TNF01	11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	
Teraspan Networks (TS01)	TS01	0-5	22	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>22</b>	<b>91.67%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>8.33%</b>	<b>24</b>
	<b>Total</b>	<b>22</b>	<b>91.67%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>8.33%</b>	<b>24</b>	
Terrace Bay , Township Of (TRBWS01)	TRBWS01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	25	100.00%	0	0.00%	0	0.00%	
		6-10	6	31.58%	13	68.42%	0	0.00%	
		11-15	0	0.00%	6	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>31</b>	<b>55.36%</b>	<b>19</b>	<b>33.93%</b>	<b>6</b>	<b>10.71%</b>	<b>56</b>
<b>Total</b>			<b>31</b>	<b>55.36%</b>	<b>19</b>	<b>33.93%</b>	<b>6</b>	<b>10.71%</b>	<b>56</b>
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	64	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>64</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>64</b>
		<b>Total</b>	<b>64</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>64</b>
Thessalon , Town Of (THSWSS01)	THSWSS01	0-5	5	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>71.43%</b>	<b>2</b>	<b>28.57%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
		<b>Total</b>	<b>5</b>	<b>71.43%</b>	<b>2</b>	<b>28.57%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>
Thorold, City Of (THLD01)	THLD01	0-5	279	100.00%	0	0.00%	0	0.00%	
		6-10	40	90.91%	4	9.09%	0	0.00%	
		11-15	0	0.00%	9	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	18	100.00%	
		<b>Total</b>	<b>319</b>	<b>91.14%</b>	<b>13</b>	<b>3.71%</b>	<b>18</b>	<b>5.14%</b>	<b>350</b>
		<b>Total</b>	<b>319</b>	<b>91.14%</b>	<b>13</b>	<b>3.71%</b>	<b>18</b>	<b>5.14%</b>	<b>350</b>
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	117	100.00%	0	0.00%	0	0.00%	
		6-10	14	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>131</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>131</b>
		<b>Total</b>	<b>131</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>131</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Thunder Bay, City Of (THBY123)	THBY123	0-5	701	100.00%	0	0.00%	0	0.00%	
		6-10	191	90.52%	20	9.48%	0	0.00%	
		11-15	0	0.00%	20	100.00%	0	0.00%	
		16+	0	0.00%	2	12.50%	14	87.50%	
		<b>Total</b>	<b>892</b>	<b>94.09%</b>	<b>42</b>	<b>4.43%</b>	<b>14</b>	<b>1.48%</b>	
<b>Total</b>			<b>892</b>	<b>94.09%</b>	<b>42</b>	<b>4.43%</b>	<b>14</b>	<b>1.48%</b>	<b>948</b>
Tillsonburg , Town Of (TSB01)	TSB01	0-5	186	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	9	100.00%	
		<b>Total</b>	<b>186</b>	<b>95.38%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>4.62%</b>	
<b>Total</b>			<b>186</b>	<b>95.38%</b>	<b>0</b>	<b>0.00%</b>	<b>9</b>	<b>4.62%</b>	<b>195</b>
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	121	100.00%	0	0.00%	0	0.00%	
		6-10	10	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>131</b>	<b>97.04%</b>	<b>1</b>	<b>0.74%</b>	<b>3</b>	<b>2.22%</b>	
<b>Total</b>			<b>131</b>	<b>97.04%</b>	<b>1</b>	<b>0.74%</b>	<b>3</b>	<b>2.22%</b>	<b>135</b>
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	53	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>54</b>	<b>98.18%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.82%</b>	
<b>Total</b>			<b>54</b>	<b>98.18%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>1.82%</b>	<b>55</b>
Timmins, City Of (TMNS01)	TMNS01	0-5	137	100.00%	0	0.00%	0	0.00%	
		6-10	7	87.50%	1	12.50%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Timmins, City Of (TMNS01)	TMNS01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>144</b>	<b>97.30%</b>	<b>1</b>	<b>0.68%</b>	<b>3</b>	<b>2.03%</b>	<b>148</b>
	<b>Total</b>	<b>144</b>	<b>97.30%</b>	<b>1</b>	<b>0.68%</b>	<b>3</b>	<b>2.03%</b>	<b>148</b>	
Tiny, Township Of (TNY01)	TNY01	0-5	47	100.00%	0	0.00%	0	0.00%	
		6-10	9	69.23%	4	30.77%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>56</b>	<b>91.80%</b>	<b>5</b>	<b>8.20%</b>	<b>0</b>	<b>0.00%</b>	<b>61</b>
	<b>Total</b>	<b>56</b>	<b>91.80%</b>	<b>5</b>	<b>8.20%</b>	<b>0</b>	<b>0.00%</b>	<b>61</b>	
Toronto Business Improvement Areas (BIA123)	BIA123	0-5	176	100.00%	0	0.00%	0	0.00%	
		6-10	27	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	2	25.00%	6	75.00%	
		<b>Total</b>	<b>203</b>	<b>95.31%</b>	<b>4</b>	<b>1.88%</b>	<b>6</b>	<b>2.82%</b>	<b>213</b>
	<b>Total</b>	<b>203</b>	<b>95.31%</b>	<b>4</b>	<b>1.88%</b>	<b>6</b>	<b>2.82%</b>	<b>213</b>	
Toronto Community Housing (TCHC01)	TCHC01	16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>100.00%</b>	<b>7</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>100.00%</b>	<b>7</b>	
Toronto East Health Network (TEGH01)	TEGH01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Toronto Hydro (TH123)	TH123	0-5	7,707	100.00%	0	0.00%	0	0.00%	
		6-10	1,088	97.40%	29	2.60%	0	0.00%	
		11-15	0	0.00%	65	92.86%	5	7.14%	
		16+	0	0.00%	27	38.57%	43	61.43%	
		<b>Total</b>	<b>8,795</b>	<b>98.11%</b>	<b>121</b>	<b>1.35%</b>	<b>48</b>	<b>0.54%</b>	<b>8,964</b>
<b>Total</b>			<b>8,795</b>	<b>98.11%</b>	<b>121</b>	<b>1.35%</b>	<b>48</b>	<b>0.54%</b>	<b>8,964</b>
Toronto Traffic Signals (TORTS01)	TORTS01	0-5	884	100.00%	0	0.00%	0	0.00%	
		6-10	205	98.56%	3	1.44%	0	0.00%	
		11-15	0	0.00%	16	80.00%	4	20.00%	
		16+	0	0.00%	6	2.82%	207	97.18%	
		<b>Total</b>	<b>1,089</b>	<b>82.19%</b>	<b>25</b>	<b>1.89%</b>	<b>211</b>	<b>15.92%</b>	<b>1,325</b>
<b>Total</b>			<b>1,089</b>	<b>82.19%</b>	<b>25</b>	<b>1.89%</b>	<b>211</b>	<b>15.92%</b>	<b>1,325</b>
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	185	100.00%	0	0.00%	0	0.00%	
		6-10	2	66.67%	1	33.33%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>187</b>	<b>97.91%</b>	<b>2</b>	<b>1.05%</b>	<b>2</b>	<b>1.05%</b>	<b>191</b>
<b>Total</b>			<b>187</b>	<b>97.91%</b>	<b>2</b>	<b>1.05%</b>	<b>2</b>	<b>1.05%</b>	<b>191</b>
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	432	100.00%	0	0.00%	0	0.00%	
		6-10	28	77.78%	8	22.22%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	2	8.70%	21	91.30%	
		<b>Total</b>	<b>460</b>	<b>93.50%</b>	<b>10</b>	<b>2.03%</b>	<b>22</b>	<b>4.47%</b>	<b>492</b>
<b>Total</b>			<b>460</b>	<b>93.50%</b>	<b>10</b>	<b>2.03%</b>	<b>22</b>	<b>4.47%</b>	<b>492</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	134	100.00%	0	0.00%	0	0.00%	
		6-10	276	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>410</b>	<b>99.76%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.24%</b>	<b>411</b>
	<b>Total</b>			<b>410</b>	<b>99.76%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.24%</b>
Toronto Water and Sewer (TORW123)	TORW123	0-5	2,685	100.00%	0	0.00%	0	0.00%	
		6-10	379	97.68%	9	2.32%	0	0.00%	
		11-15	0	0.00%	16	88.89%	2	11.11%	
		16+	0	0.00%	18	25.71%	52	74.29%	
	<b>Total</b>	<b>3,064</b>	<b>96.93%</b>	<b>43</b>	<b>1.36%</b>	<b>54</b>	<b>1.71%</b>	<b>3,161</b>	
<b>Total</b>			<b>3,064</b>	<b>96.93%</b>	<b>43</b>	<b>1.36%</b>	<b>54</b>	<b>1.71%</b>	<b>3,161</b>
Toronto, University Of (UTOR01)	UTOR01	0-5	33	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>33</b>	<b>97.06%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.94%</b>	<b>34</b>	
<b>Total</b>			<b>33</b>	<b>97.06%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>2.94%</b>	<b>34</b>
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	695	100.00%	0	0.00%	0	0.00%	
		6-10	26	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	20	100.00%	
	<b>Total</b>	<b>721</b>	<b>97.04%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>	<b>2.96%</b>	<b>743</b>	
<b>Total</b>			<b>721</b>	<b>97.04%</b>	<b>0</b>	<b>0.00%</b>	<b>22</b>	<b>2.96%</b>	<b>743</b>
Transcanada Pipelines - North (TCP02)	TCP02	0-5	105	100.00%	0	0.00%	0	0.00%	
		6-10	11	91.67%	1	8.33%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Transcanada Pipelines - North (TCP02)	TCP02	11-15	0	0.00%	9	100.00%	0	0.00%	
		16+	0	0.00%	22	100.00%	0	0.00%	
		<b>Total</b>	<b>116</b>	<b>78.38%</b>	<b>32</b>	<b>21.62%</b>	<b>0</b>	<b>0.00%</b>	<b>148</b>
	<b>Total</b>	<b>116</b>	<b>78.38%</b>	<b>32</b>	<b>21.62%</b>	<b>0</b>	<b>0.00%</b>	<b>148</b>	
Trans-Northern Pipelines (TN01)	TN01	0-5	284	100.00%	0	0.00%	0	0.00%	
		6-10	9	90.00%	1	10.00%	0	0.00%	
		11-15	0	0.00%	1	20.00%	4	80.00%	
		16+	0	0.00%	1	1.47%	67	98.53%	
	<b>Total</b>	<b>293</b>	<b>79.84%</b>	<b>3</b>	<b>0.82%</b>	<b>71</b>	<b>19.35%</b>	<b>367</b>	
<b>Total</b>	<b>293</b>	<b>79.84%</b>	<b>3</b>	<b>0.82%</b>	<b>71</b>	<b>19.35%</b>	<b>367</b>		
Trans-Northern Pipelines (TN02)	TN02	0-5	78	100.00%	0	0.00%	0	0.00%	
		6-10	6	85.71%	1	14.29%	0	0.00%	
	<b>Total</b>	<b>84</b>	<b>98.82%</b>	<b>1</b>	<b>1.18%</b>	<b>0</b>	<b>0.00%</b>	<b>85</b>	
<b>Total</b>	<b>84</b>	<b>98.82%</b>	<b>1</b>	<b>1.18%</b>	<b>0</b>	<b>0.00%</b>	<b>85</b>		
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	42	100.00%	0	0.00%	0	0.00%	
		6-10	8	72.73%	3	27.27%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
	<b>Total</b>	<b>50</b>	<b>92.59%</b>	<b>3</b>	<b>5.56%</b>	<b>1</b>	<b>1.85%</b>	<b>54</b>	
<b>Total</b>	<b>50</b>	<b>92.59%</b>	<b>3</b>	<b>5.56%</b>	<b>1</b>	<b>1.85%</b>	<b>54</b>		
Trent Lakes, Municipality Of (TRLW01)	TRLW01	6-10	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
<b>Trent University (TRENTU123)</b>	<b>TRENTU123</b>	0-5	1	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>2</b>	<b>33.33%</b>	<b>1</b>	<b>16.67%</b>	<b>3</b>	<b>50.00%</b>	<b>6</b>
<b>Total</b>	<b>2</b>	<b>33.33%</b>	<b>1</b>	<b>16.67%</b>	<b>3</b>	<b>50.00%</b>	<b>6</b>		
<b>Tribute Gas (MAGG01)</b>	<b>MAGG01</b>	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	4	66.67%	2	33.33%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>7</b>	<b>63.64%</b>	<b>4</b>	<b>36.36%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>
<b>Total</b>	<b>7</b>	<b>63.64%</b>	<b>4</b>	<b>36.36%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>		
<b>Tuckersmith Communications (TCC01)</b>	<b>TCC01</b>	0-5	254	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>255</b>	<b>99.61%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.39%</b>	<b>256</b>
<b>Total</b>	<b>255</b>	<b>99.61%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>0.39%</b>	<b>256</b>		
<b>Tweed, Municipality Of (TWDWS01)</b>	<b>TWDWS01</b>	0-5	7	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>1</b>	<b>10.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>
<b>Total</b>	<b>9</b>	<b>90.00%</b>	<b>1</b>	<b>10.00%</b>	<b>0</b>	<b>0.00%</b>	<b>10</b>		

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
University Health Network - Toronto General (UHNTG01)	UHNTG01	16+	0	0.00%	0	0.00%	3	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	5	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>
	<b>Total</b>	<b>8</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	
University Health Network (UHN01)	UHN01	0-5	3	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>
	<b>Total</b>	<b>6</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	
University Of Western Ontario (UW01)	UW01	11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	40	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>42</b>	<b>100.00%</b>	<b>42</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>42</b>	<b>100.00%</b>	<b>42</b>	
University Of Windsor (UOW01)	UOW01	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>	
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	10	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Uplink Communications Inc (UPLKW01)	UPLKW01	16+	0	0.00%	0	0.00%	11	100.00%	
		<b>Total</b>	<b>10</b>	<b>47.62%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>52.38%</b>	<b>21</b>
	<b>Total</b>	<b>10</b>	<b>47.62%</b>	<b>0</b>	<b>0.00%</b>	<b>11</b>	<b>52.38%</b>	<b>21</b>	
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
Utilities Kingston (UK123)	UK123	0-5	409	100.00%	0	0.00%	0	0.00%	
		6-10	84	94.38%	5	5.62%	0	0.00%	
		11-15	0	0.00%	4	100.00%	0	0.00%	
		16+	0	0.00%	3	33.33%	6	66.67%	
		<b>Total</b>	<b>493</b>	<b>96.48%</b>	<b>12</b>	<b>2.35%</b>	<b>6</b>	<b>1.17%</b>	<b>511</b>
	<b>Total</b>	<b>493</b>	<b>96.48%</b>	<b>12</b>	<b>2.35%</b>	<b>6</b>	<b>1.17%</b>	<b>511</b>	
Uxbridge, Town Of (UXB01)	UXB01	16+	0	0.00%	178	99.44%	1	0.56%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>178</b>	<b>99.44%</b>	<b>1</b>	<b>0.56%</b>	<b>179</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>178</b>	<b>99.44%</b>	<b>1</b>	<b>0.56%</b>	<b>179</b>	
Vale Canada (VALE01)	VALE01	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
	<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	
Val-Rita Hardy , Township Of (VRHWS01)	VRHWS01	11-15	0	0.00%	0	0.00%	1	100.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Val-Rita Hardy , Township Of (VRHWS01)	VRHWS01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>3</b>	<b>100.00%</b>	<b>3</b>	
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	507	100.00%	0	0.00%	0	0.00%	
		6-10	404	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	17	100.00%	
		<b>Total</b>	<b>911</b>	<b>98.17%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>	<b>1.83%</b>	<b>928</b>
	<b>Total</b>	<b>911</b>	<b>98.17%</b>	<b>0</b>	<b>0.00%</b>	<b>17</b>	<b>1.83%</b>	<b>928</b>	
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	24	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>
	<b>Total</b>	<b>36</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>36</b>	
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	277	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	209	100.00%	0	0.00%	
		<b>Total</b>	<b>277</b>	<b>57.00%</b>	<b>209</b>	<b>43.00%</b>	<b>0</b>	<b>0.00%</b>	<b>486</b>
	<b>Total</b>	<b>277</b>	<b>57.00%</b>	<b>209</b>	<b>43.00%</b>	<b>0</b>	<b>0.00%</b>	<b>486</b>	
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	760	100.00%	0	0.00%	0	0.00%	
		6-10	14	73.68%	5	26.32%	0	0.00%	
		11-15	0	0.00%	5	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Vianet (768812 Ontario Inc) (VNET01)	VNET01	16+	0	0.00%	0	0.00%	10	100.00%	
		<b>Total</b>	<b>774</b>	<b>97.48%</b>	<b>10</b>	<b>1.26%</b>	<b>10</b>	<b>1.26%</b>	<b>794</b>
	<b>Total</b>	<b>774</b>	<b>97.48%</b>	<b>10</b>	<b>1.26%</b>	<b>10</b>	<b>1.26%</b>	<b>794</b>	
Videotron Senc (VDT1)	VDT1	0-5	240	100.00%	0	0.00%	0	0.00%	
		6-10	76	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	3	100.00%	0	0.00%	
		<b>Total</b>	<b>316</b>	<b>98.75%</b>	<b>4</b>	<b>1.25%</b>	<b>0</b>	<b>0.00%</b>	<b>320</b>
	<b>Total</b>	<b>316</b>	<b>98.75%</b>	<b>4</b>	<b>1.25%</b>	<b>0</b>	<b>0.00%</b>	<b>320</b>	
Walker Environmental Group Inc (NWM01)	NWM01	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	25	100.00%	0	0.00%	0	0.00%	
		6-10	12	85.71%	2	14.29%	0	0.00%	
		11-15	0	0.00%	2	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>37</b>	<b>88.10%</b>	<b>4</b>	<b>9.52%</b>	<b>1</b>	<b>2.38%</b>	<b>42</b>
	<b>Total</b>	<b>37</b>	<b>88.10%</b>	<b>4</b>	<b>9.52%</b>	<b>1</b>	<b>2.38%</b>	<b>42</b>	
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	181	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>183</b>	<b>96.83%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>3.17%</b>	<b>189</b>
	<b>Total</b>	<b>183</b>	<b>96.83%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>3.17%</b>	<b>189</b>	
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	165	100.00%	0	0.00%	0	0.00%	
		6-10	3	75.00%	1	25.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
	<b>Total</b>	<b>168</b>	<b>96.00%</b>	<b>1</b>	<b>0.57%</b>	<b>6</b>	<b>3.43%</b>	<b>175</b>	
<b>Total</b>	<b>168</b>	<b>96.00%</b>	<b>1</b>	<b>0.57%</b>	<b>6</b>	<b>3.43%</b>	<b>175</b>		
Waste Connections Of Canada (PRWM01)	PRWM01	16+	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	
Waste Management Canada (WMFM01)	WMFM01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	16	100.00%	0	0.00%	0	0.00%	
		6-10	9	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>25</b>	<b>96.15%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.85%</b>	<b>26</b>
	<b>Total</b>	<b>25</b>	<b>96.15%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.85%</b>	<b>26</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Waterloo Innovation Network 2 Inc (WINF03)	WINF03	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>100.00%</b>	<b>1</b>	
Waterloo, City Of (CW01)	CW01	0-5	497	100.00%	0	0.00%	0	0.00%	
		6-10	1	33.33%	2	66.67%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	23	100.00%	0	0.00%	
		<b>Total</b>	<b>498</b>	<b>95.04%</b>	<b>26</b>	<b>4.96%</b>	<b>0</b>	<b>0.00%</b>	<b>524</b>
	<b>Total</b>	<b>498</b>	<b>95.04%</b>	<b>26</b>	<b>4.96%</b>	<b>0</b>	<b>0.00%</b>	<b>524</b>	
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	42	100.00%	0	0.00%	0	0.00%	
		6-10	21	95.45%	1	4.55%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>63</b>	<b>96.92%</b>	<b>1</b>	<b>1.54%</b>	<b>1</b>	<b>1.54%</b>	<b>65</b>
	<b>Total</b>	<b>63</b>	<b>96.92%</b>	<b>1</b>	<b>1.54%</b>	<b>1</b>	<b>1.54%</b>	<b>65</b>	
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	112	100.00%	0	0.00%	0	0.00%	
		6-10	37	97.37%	1	2.63%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>149</b>	<b>94.90%</b>	<b>1</b>	<b>0.64%</b>	<b>7</b>	<b>4.46%</b>	<b>157</b>
	<b>Total</b>	<b>149</b>	<b>94.90%</b>	<b>1</b>	<b>0.64%</b>	<b>7</b>	<b>4.46%</b>	<b>157</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Waterloo, Region Of (RW02)	RW02	0-5	77	100.00%	0	0.00%	0	0.00%	
		6-10	46	93.88%	3	6.12%	0	0.00%	
		11-15	0	0.00%	12	100.00%	0	0.00%	
		<b>Total</b>	<b>123</b>	<b>89.13%</b>	<b>15</b>	<b>10.87%</b>	<b>0</b>	<b>0.00%</b>	<b>138</b>
	<b>Total</b>			<b>123</b>	<b>89.13%</b>	<b>15</b>	<b>10.87%</b>	<b>0</b>	<b>0.00%</b>
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	2	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>
	<b>Total</b>			<b>2</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>
Wawa, Municipality Of (WAW01)	WAW01	0-5	14	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>14</b>	<b>87.50%</b>	<b>1</b>	<b>6.25%</b>	<b>1</b>	<b>6.25%</b>	<b>16</b>
	<b>Total</b>			<b>14</b>	<b>87.50%</b>	<b>1</b>	<b>6.25%</b>	<b>1</b>	<b>6.25%</b>
Welland Hydro (WLNDH01)	WLNDH01	0-5	284	100.00%	0	0.00%	0	0.00%	
		6-10	22	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>306</b>	<b>97.45%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>2.55%</b>	<b>314</b>
	<b>Total</b>			<b>306</b>	<b>97.45%</b>	<b>0</b>	<b>0.00%</b>	<b>8</b>	<b>2.55%</b>
Welland, City Of (WLD01)	WLD01	0-5	377	100.00%	0	0.00%	0	0.00%	
		6-10	4	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	50.00%	1	50.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>381</b>	<b>97.94%</b>	<b>1</b>	<b>0.26%</b>	<b>7</b>	<b>1.80%</b>	<b>389</b>
	<b>Total</b>			<b>381</b>	<b>97.94%</b>	<b>1</b>	<b>0.26%</b>	<b>7</b>	<b>1.80%</b>

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	53	100.00%	0	0.00%	0	0.00%	
		6-10	2	33.33%	4	66.67%	0	0.00%	
		<b>Total</b>	<b>55</b>	<b>93.22%</b>	<b>4</b>	<b>6.78%</b>	<b>0</b>	<b>0.00%</b>	<b>59</b>
	<b>Total</b>	<b>55</b>	<b>93.22%</b>	<b>4</b>	<b>6.78%</b>	<b>0</b>	<b>0.00%</b>	<b>59</b>	
Wellington North Power Inc (WNP01)	WNP01	0-5	43	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>43</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>43</b>
	<b>Total</b>	<b>43</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>43</b>	
Wellington North, Township Of (WLG123)	WLG123	0-5	33	100.00%	0	0.00%	0	0.00%	
		6-10	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>34</b>	<b>94.44%</b>	<b>1</b>	<b>2.78%</b>	<b>1</b>	<b>2.78%</b>	<b>36</b>
	<b>Total</b>	<b>34</b>	<b>94.44%</b>	<b>1</b>	<b>2.78%</b>	<b>1</b>	<b>2.78%</b>	<b>36</b>	
Wellington, County Of (WLG123)	WLG123	0-5	12	100.00%	0	0.00%	0	0.00%	
		6-10	3	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	1	20.00%	4	80.00%	
		<b>Total</b>	<b>15</b>	<b>71.43%</b>	<b>2</b>	<b>9.52%</b>	<b>4</b>	<b>19.05%</b>	<b>21</b>
	<b>Total</b>	<b>15</b>	<b>71.43%</b>	<b>2</b>	<b>9.52%</b>	<b>4</b>	<b>19.05%</b>	<b>21</b>	
West Elgin, Municipality Of (W005)	W005	0-5	11	100.00%	0	0.00%	0	0.00%	
		6-10	2	50.00%	2	50.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>13</b>	<b>56.52%</b>	<b>2</b>	<b>8.70%</b>	<b>8</b>	<b>34.78%</b>	<b>23</b>
	<b>Total</b>	<b>13</b>	<b>56.52%</b>	<b>2</b>	<b>8.70%</b>	<b>8</b>	<b>34.78%</b>	<b>23</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	36	100.00%	0	0.00%	0	0.00%	
		6-10	7	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>43</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>43</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>43</b>	
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	29	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>29</b>	<b>93.55%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>6.45%</b>	
	<b>Total</b>	<b>29</b>	<b>93.55%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>6.45%</b>	<b>31</b>	
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	34	100.00%	0	0.00%	0	0.00%	
		6-10	2	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	7	100.00%	
		<b>Total</b>	<b>36</b>	<b>83.72%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>16.28%</b>	
	<b>Total</b>	<b>36</b>	<b>83.72%</b>	<b>0</b>	<b>0.00%</b>	<b>7</b>	<b>16.28%</b>	<b>43</b>	
West Perth, Municipality Of (WPTH123)	WPTH123	0-5	15	100.00%	0	0.00%	0	0.00%	
		6-10	8	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>23</b>	<b>95.83%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.17%</b>	
	<b>Total</b>	<b>23</b>	<b>95.83%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>4.17%</b>	<b>24</b>	
West Windsor Power (WWP01)	WWP01	0-5	1	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	
	<b>Total</b>	<b>1</b>	<b>50.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>50.00%</b>	<b>2</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Westario Power (WPOW01)	WPOW01	0-5	274	100.00%	0	0.00%	0	0.00%	
		6-10	29	87.88%	4	12.12%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	2	66.67%	1	33.33%	
		<b>Total</b>	<b>303</b>	<b>96.81%</b>	<b>9</b>	<b>2.88%</b>	<b>1</b>	<b>0.32%</b>	
	<b>Total</b>	<b>303</b>	<b>96.81%</b>	<b>9</b>	<b>2.88%</b>	<b>1</b>	<b>0.32%</b>	<b>313</b>	
Westover Express Pipeline	WEX01	0-5	53	100.00%	0	0.00%	0	0.00%	
		6-10	5	83.33%	1	16.67%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>58</b>	<b>95.08%</b>	<b>2</b>	<b>3.28%</b>	<b>1</b>	<b>1.64%</b>	
	<b>Total</b>	<b>58</b>	<b>95.08%</b>	<b>2</b>	<b>3.28%</b>	<b>1</b>	<b>1.64%</b>	<b>61</b>	
Westport , Village Of (WPT01)	WPT01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Whitby, Town Of (WHIT123)	WHIT123	0-5	146	100.00%	0	0.00%	0	0.00%	
		6-10	33	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	33.33%	2	66.67%	
		<b>Total</b>	<b>179</b>	<b>98.35%</b>	<b>1</b>	<b>0.55%</b>	<b>2</b>	<b>1.10%</b>	
	<b>Total</b>	<b>179</b>	<b>98.35%</b>	<b>1</b>	<b>0.55%</b>	<b>2</b>	<b>1.10%</b>	<b>182</b>	
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCHSTO01	0-5	734	100.00%	0	0.00%	0	0.00%	
		6-10	81	96.43%	3	3.57%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCHSTO01	11-15	0	0.00%	2	100.00%	0	0.00%	
		<b>Total</b>	<b>815</b>	<b>99.39%</b>	<b>5</b>	<b>0.61%</b>	<b>0</b>	<b>0.00%</b>	<b>820</b>
	<b>Total</b>	<b>815</b>	<b>99.39%</b>	<b>5</b>	<b>0.61%</b>	<b>0</b>	<b>0.00%</b>	<b>820</b>	
White River , Town Of (WHRWS01)	WHRWS01	0-5	4	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>
	<b>Total</b>	<b>4</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	12	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>
	<b>Total</b>	<b>12</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>12</b>	
Wightman Telecom (WT123)	WT123	0-5	573	100.00%	0	0.00%	0	0.00%	
		6-10	201	67.45%	97	32.55%	0	0.00%	
		11-15	0	0.00%	89	97.80%	2	2.20%	
		16+	0	0.00%	1	2.78%	35	97.22%	
		<b>Total</b>	<b>774</b>	<b>77.56%</b>	<b>187</b>	<b>18.74%</b>	<b>37</b>	<b>3.71%</b>	<b>998</b>
	<b>Total</b>	<b>774</b>	<b>77.56%</b>	<b>187</b>	<b>18.74%</b>	<b>37</b>	<b>3.71%</b>	<b>998</b>	
Wilfrid Laurier University (WLU01)	WLU01	0-5	5	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>
	<b>Total</b>	<b>5</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>5</b>	
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	31	100.00%	0	0.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Wilmot, Township Of (WLMWS01)	WLMWS01	16+	0	0.00%	0	0.00%	1	100.00%	
		<b>Total</b>	<b>31</b>	<b>96.88%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.13%</b>	<b>32</b>
	<b>Total</b>	<b>31</b>	<b>96.88%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	<b>3.13%</b>	<b>32</b>	
Windlectric Inc (AIWF01)	AIWF01	16+	0	0.00%	0	0.00%	2	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>2</b>	<b>100.00%</b>	<b>2</b>	
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	362	100.00%	0	0.00%	0	0.00%	
		6-10	155	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	1	100.00%	
		16+	0	0.00%	0	0.00%	5	100.00%	
		<b>Total</b>	<b>517</b>	<b>98.85%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>1.15%</b>	<b>523</b>
	<b>Total</b>	<b>517</b>	<b>98.85%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>1.15%</b>	<b>523</b>	
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	41	100.00%	0	0.00%	0	0.00%	
		6-10	64	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	6	100.00%	
		<b>Total</b>	<b>105</b>	<b>94.59%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>5.41%</b>	<b>111</b>
	<b>Total</b>	<b>105</b>	<b>94.59%</b>	<b>0</b>	<b>0.00%</b>	<b>6</b>	<b>5.41%</b>	<b>111</b>	
Windsor, City Of (EWINW01)	EWINW01	0-5	318	100.00%	0	0.00%	0	0.00%	
		6-10	46	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>364</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>364</b>
	<b>Total</b>	<b>364</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>364</b>	



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Windsor, City Of (WSRSL01)	WSRSL01	0-5	476	100.00%	0	0.00%	0	0.00%	738
		6-10	196	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	0	0.00%	2	100.00%	
		16+	0	0.00%	0	0.00%	64	100.00%	
		<b>Total</b>	<b>672</b>	<b>91.06%</b>	<b>0</b>	<b>0.00%</b>	<b>66</b>	<b>8.94%</b>	
<b>Total</b>			<b>672</b>	<b>91.06%</b>	<b>0</b>	<b>0.00%</b>	<b>66</b>	<b>8.94%</b>	<b>738</b>
Wingham & Listowel Hospitals (LWHA01)	LWHA01	0-5	3	100.00%	0	0.00%	0	0.00%	3
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
		<b>Total</b>	<b>3</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
Wollaston , Township Of (WLS01)	WLS01	0-5	1	100.00%	0	0.00%	0	0.00%	1
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	318	100.00%	0	0.00%	0	0.00%	326
		6-10	6	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	50.00%	1	50.00%	
		<b>Total</b>	<b>324</b>	<b>99.39%</b>	<b>1</b>	<b>0.31%</b>	<b>1</b>	<b>0.31%</b>	
		<b>Total</b>	<b>324</b>	<b>99.39%</b>	<b>324</b>	<b>99.39%</b>	<b>1</b>	<b>0.31%</b>	
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	282	100.00%	0	0.00%	0	0.00%	290
		6-10	7	100.00%	0	0.00%	0	0.00%	
		16+	0	0.00%	1	100.00%	0	0.00%	
		<b>Total</b>	<b>289</b>	<b>99.66%</b>	<b>1</b>	<b>0.34%</b>	<b>0</b>	<b>0.00%</b>	
		<b>Total</b>	<b>289</b>	<b>99.66%</b>	<b>289</b>	<b>99.66%</b>	<b>1</b>	<b>0.34%</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Woolwich, Township Of (WLW01)	WLW01	0-5	278	100.00%	0	0.00%	0	0.00%	280
		6-10	1	50.00%	1	50.00%	0	0.00%	
		<b>Total</b>	<b>279</b>	<b>99.64%</b>	<b>1</b>	<b>0.36%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>279</b>	<b>99.64%</b>	<b>1</b>	<b>0.36%</b>	<b>0</b>	<b>0.00%</b>	<b>280</b>	
Wtc Communications (WTCCT01)	WTCCT01	0-5	42	100.00%	0	0.00%	0	0.00%	61
		6-10	7	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	50.00%	1	50.00%	
		16+	0	0.00%	3	30.00%	7	70.00%	
		<b>Total</b>	<b>49</b>	<b>80.33%</b>	<b>4</b>	<b>6.56%</b>	<b>8</b>	<b>13.11%</b>	
	<b>Total</b>	<b>49</b>	<b>80.33%</b>	<b>4</b>	<b>6.56%</b>	<b>8</b>	<b>13.11%</b>	<b>61</b>	
Xplore Inc	XPL123	0-5	455	100.00%	0	0.00%	0	0.00%	500
		6-10	33	97.06%	1	2.94%	0	0.00%	
		11-15	0	0.00%	3	100.00%	0	0.00%	
		16+	0	0.00%	0	0.00%	8	100.00%	
		<b>Total</b>	<b>488</b>	<b>97.60%</b>	<b>4</b>	<b>0.80%</b>	<b>8</b>	<b>1.60%</b>	
	<b>Total</b>	<b>488</b>	<b>97.60%</b>	<b>4</b>	<b>0.80%</b>	<b>8</b>	<b>1.60%</b>	<b>500</b>	
Xstrata (GCX01)	GCX01	0-5	1	100.00%	0	0.00%	0	0.00%	1
		<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	
	<b>Total</b>	<b>1</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>1</b>	
York Region Water And Sewer (YRWS123)	YRWS123	0-5	645	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
York Region Water And Sewer (YRWS123)	YRWS123	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>645</b>	<b>99.23%</b>	<b>1</b>	<b>0.15%</b>	<b>4</b>	<b>0.62%</b>	<b>650</b>
	<b>Total</b>	<b>645</b>	<b>99.23%</b>	<b>1</b>	<b>0.15%</b>	<b>4</b>	<b>0.62%</b>	<b>650</b>	
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	841	100.00%	0	0.00%	0	0.00%	
		6-10	408	99.76%	1	0.24%	0	0.00%	
		11-15	0	0.00%	17	100.00%	0	0.00%	
		16+	0	0.00%	14	66.67%	7	33.33%	
		<b>Total</b>	<b>1,249</b>	<b>96.97%</b>	<b>32</b>	<b>2.48%</b>	<b>7</b>	<b>0.54%</b>	<b>1,288</b>
	<b>Total</b>	<b>1,249</b>	<b>96.97%</b>	<b>32</b>	<b>2.48%</b>	<b>7</b>	<b>0.54%</b>	<b>1,288</b>	
Zayo Canada Inc (ZAYO123)	ZAYO123	0-5	701	100.00%	0	0.00%	0	0.00%	
		6-10	256	86.78%	39	13.22%	0	0.00%	
		11-15	0	0.00%	80	100.00%	0	0.00%	
		16+	0	0.00%	54	36.49%	94	63.51%	
		<b>Total</b>	<b>957</b>	<b>78.19%</b>	<b>173</b>	<b>14.13%</b>	<b>94</b>	<b>7.68%</b>	<b>1,224</b>
	<b>Total</b>	<b>957</b>	<b>78.19%</b>	<b>173</b>	<b>14.13%</b>	<b>94</b>	<b>7.68%</b>	<b>1,224</b>	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	103	100.00%	0	0.00%	0	0.00%	
		6-10	41	100.00%	0	0.00%	0	0.00%	
		11-15	0	0.00%	1	100.00%	0	0.00%	
		16+	0	0.00%	24	96.00%	1	4.00%	
		<b>Total</b>	<b>144</b>	<b>84.71%</b>	<b>25</b>	<b>14.71%</b>	<b>1</b>	<b>0.59%</b>	<b>170</b>
	<b>Total</b>	<b>144</b>	<b>84.71%</b>	<b>25</b>	<b>14.71%</b>	<b>1</b>	<b>0.59%</b>	<b>170</b>	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	MasterStation Code	Grouping	Notification	%Days to close	Notification	%Days to close	Notification	%Days to close	Actionable Notifications
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	0	0.00%	0	0.00%	4	100.00%	
		<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>
	<b>Total</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>4</b>	<b>100.00%</b>	<b>4</b>	
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	124	100.00%	0	0.00%	0	0.00%	
		<b>Total</b>	<b>124</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>124</b>
	<b>Total</b>	<b>124</b>	<b>100.00%</b>	<b>0</b>	<b>0.00%</b>	<b>0</b>	<b>0.00%</b>	<b>124</b>	
<b>Total</b>			<b>310,253</b>	<b>95.84%</b>	<b>7,551</b>	<b>2.33%</b>	<b>5,923</b>	<b>1.83%</b>	<b>323,727</b>

*Data Source:* The data is self-reported by Underground Infrastructure Owners (UIOs).

*Exclusions:* The report excludes data for Planning, Sewer Lateral, Emergency, Cancel, Test and Void requests. **We are working towards including Priority 0 requests in this report beginning January 01, 2025.**

*Legislative Impact:* The new legislative change, Ontario Regulation 136/24, which took effect on May 1, 2024, will impact the data starting from the last week of April 2024. Consequently, numbers may not add due to rounding.

*Note:* Starting May 2024, OOC has split the reporting pages to show delivery performance separately for Advanced requests, Single Address requests and a total for both.