

UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 Locate your organization

Find your organization name in the first column, listed alphabetically.

2 Find your master code

Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 Understand performance metrics

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report

The report includes data for standard and advanced locate requests.

Excluded in this report

Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2026-05-25 02:00:31

For questions, contact Infrastructure Account Services at IAS@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.


UIO Performance Report



Report Period

2026-04-01

2026-04-30



On Time	362,986	93.20%
Late	22,063	5.66%
No 360 Response	4,421	1.14%
Total	389,470	

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
407 ETR (407ETR)	407ETR01	0-5	84	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	88	100.00%	-	-	-	-	88
	Total		88	100.00%	-	-	-	-	88
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	101	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	71	93.42%	5	6.58%	-	-	
		Total	172	95.56%	8	4.44%	-	-	180
	HYTOS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
	Total	16	94.12%	1	5.88%	-	-	17	
	HYTOW01	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total		11	100.00%	-	-	-	-	11	
Total		199	95.67%	9	4.33%	-	-	208	
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	16+	-	-	52	96.30%	2	3.70%	
		Total	-	-	52	96.30%	2	3.70%	54
	Total		-	-	52	96.30%	2	3.70%	54
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	16	76.19%	5	23.81%	-	-	21
Total		16	76.19%	5	23.81%	-	-	21	
Agilis (AGILF01)	AGILF01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	66	88.00%	6	8.00%	3	4.00%	75
Total		66	88.00%	6	8.00%	3	4.00%	75	
Aim Harrow Wind Farm (HARFW01)	HARFW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Air Liquide Canada (AL01)	AL01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Air Products Canada (APC1)	APC1	0-5	10	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	10	76.92%	3	23.08%	-	-	13
	Total		10	76.92%	3	23.08%	-	-	13

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	327	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	61	88.41%	8	11.59%	-	-	
		Total	388	94.63%	22	5.37%	-	-	410
		Total	388	94.63%	22	5.37%	-	-	410
Alectra Brampton (ALECBR01)	ALECBR01	0-5	958	100.00%	-	-	-	-	
		11-15	-	-	63	100.00%	-	-	
		16+	-	-	74	100.00%	-	-	
		6-10	321	97.27%	9	2.73%	-	-	
		Total	1,279	89.75%	146	10.25%	-	-	1425
		Total	1,279	89.75%	146	10.25%	-	-	1,425
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	2,082	100.00%	-	-	-	-	
		11-15	-	-	102	100.00%	-	-	
		16+	-	-	107	100.00%	-	-	
		6-10	684	93.19%	50	6.81%	-	-	
		Total	2,766	91.44%	259	8.56%	-	-	3025
		Total	2,766	91.44%	259	8.56%	-	-	3,025
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	2,014	100.00%	-	-	-	-	
		11-15	-	-	166	100.00%	-	-	
		16+	-	-	245	100.00%	-	-	
		6-10	205	73.74%	73	26.26%	-	-	
		Total	2,219	82.09%	484	17.91%	-	-	2703
		Total	2,219	82.09%	484	17.91%	-	-	2,703
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	1,114	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	194	97.98%	4	2.02%	-	-	
		Total	1,308	99.17%	11	0.83%	-	-	1319
		Total	1,308	99.17%	11	0.83%	-	-	1,319
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	3,480	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	601	99.01%	6	0.99%	-	-	
		Total	4,081	99.61%	16	0.39%	-	-	4097
	PSGN05	0-5	1,870	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	409	99.51%	2	0.49%	-	-	
		Total	2,279	99.56%	10	0.44%	-	-	2289
Total	6,360	99.59%	26	0.41%	-	-	6,386		
Alectra Utilities (GHY01)	GHY01	0-5	736	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	100	100.00%	-	-	-	-	
		Total	836	99.64%	3	0.36%	-	-	839
		Total	836	99.64%	3	0.36%	-	-	839
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	70	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	70	92.11%	6	7.89%	-	-	76
Total	70	92.11%	6	7.89%	-	-	76		
Algoma Power (AGMP01)	AGMP01	0-5	498	100.00%	-	-	-	-	
		Total	498	100.00%	-	-	-	-	498
		Total	498	100.00%	-	-	-	-	498

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Algonquin College (ALGQC01)	ALGQC01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	8	53.33%	5	33.33%	2	13.33%	15
		Total	8	53.33%	5	33.33%	2	13.33%	15
ALTECH FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	93	100.00%	-	-	-	-	
		11-15	-	-	110	98.21%	2	1.79%	
		16+	-	-	-	-	54	100.00%	
		6-10	239	79.67%	61	20.33%	-	-	
		Total	332	59.39%	171	30.59%	56	10.02%	559
Total	332	59.39%	171	30.59%	56	10.02%	559		
ALUXIS INC. (ALUX01)	ALUX01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Amherstburg Public Works (A005)	A005	0-5	223	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	248	98.80%	3	1.20%	-	-	251
		Total	248	98.80%	3	1.20%	-	-	251
Apotex (APX2)	APX2	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
		Total	8	100.00%	-	-	-	-	8
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	12	80.00%	3	20.00%	-	-	15
		Total	12	80.00%	3	20.00%	-	-	15
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	45	100.00%	-	-	-	-	
		Total	47	79.66%	-	-	12	20.34%	59
Total	47	79.66%	-	-	12	20.34%	59		
Armstrong , Township Of (ARSG01)	ARSG01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	84	100.00%	-	-	-	-	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	87	97.75%	2	2.25%	-	-	89
		Total	87	97.75%	2	2.25%	-	-	89
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	45	90.00%	4	8.00%	1	2.00%	50
		Total	45	90.00%	4	8.00%	1	2.00%	50

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	ACWWS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	2	20.00%	6	60.00%	2	20.00%	10
Total	2	14.29%	6	42.86%	6	42.86%	14		
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	16	100.00%	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	13	38.24%	5	14.71%	16	47.06%	34
	Total	13	38.24%	5	14.71%	16	47.06%	34	
Athens, Township Of (ATHS01)	ATHS01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total	-	-	-	-	5	100.00%	5	
Atikokan Hydro (ATH01)	ATH01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total	14	100.00%	-	-	-	-	14	
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total	16	100.00%	-	-	-	-	16	
Aurora, Town Of (AURORA01)	AURORA01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	7	38.89%	11	61.11%	
		6-10	23	85.19%	4	14.81%	-	-	
		Total	67	54.03%	46	37.10%	11	8.87%	124
	Total	67	54.03%	46	37.10%	11	8.87%	124	
Avetria Networks Inc (ANF01)	ANF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	5	18.52%	22	81.48%	
		6-10	-	-	3	100.00%	-	-	
		Total	1	2.70%	14	37.84%	22	59.46%	37
Total	1	2.70%	14	37.84%	22	59.46%	37		
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	48	92.31%	-	-	4	7.69%	52
	OCWA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	50	92.59%	-	-	4	7.41%	54
Bancroft, Town Of (BNCF01)	BNCF01	16+	-	-	-	-	17	100.00%	
		Total	-	-	-	-	17	100.00%	17
	Total	-	-	-	-	17	100.00%	17	
Barrie, City Of (BARR01)	BARR01	0-5	1,844	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	10	58.82%	7	41.18%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Barrie, City Of (BARR01)	BARR01	6-10	333	100.00%	-	-	-	-	
		Total	2,177	98.86%	18	0.82%	7	0.32%	2202
	Total	2,177	98.86%	18	0.82%	7	0.32%	2,202	
Bay Power Corp (NBPP01)	NBPP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Bayham, Municipality Of (BYH01)	BYH01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	18	90.00%	2	10.00%	-	-	20
	Total	18	90.00%	2	10.00%	-	-	20	
Bayview Explorations Ltd (BVEPL01)	BVEPL01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total	-	-	-	-	6	100.00%	6	
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	345	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	371	100.00%	-	-	-	-	
		Total	716	98.49%	3	0.41%	8	1.10%	727
	Total	716	98.49%	3	0.41%	8	1.10%	727	
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	318	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	333	100.00%	-	-	-	-	
		Total	651	99.85%	1	0.15%	-	-	652
	Total	651	99.85%	1	0.15%	-	-	652	
Bell Canada Damage Prevention (BC01)	360GTA	0-5	336	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	85	100.00%	-	-	-	-	
		Total	421	96.78%	13	2.99%	1	0.23%	435
	360N	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	81	81.00%	19	19.00%	-	-	100
	360N01	0-5	224	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	7	53.85%	6	46.15%	
		6-10	14	100.00%	-	-	-	-	
		Total	238	93.70%	10	3.94%	6	2.36%	254
	360OTT	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	55	96.49%	2	3.51%	-	-	57
	BC80701	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	16	69.57%	7	30.43%	-	-	
		Total	115	76.67%	35	23.33%	-	-	150
	BC80703	0-5	5	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		Total	5	41.67%	7	58.33%	-	-	12

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCGE01	0-5	3,790	100.00%	-	-	-	-	
		11-15	-	-	55	100.00%	-	-	
		16+	-	-	25	86.21%	4	13.79%	
		6-10	506	97.12%	15	2.88%	-	-	
		Total	4,296	97.75%	95	2.16%	4	0.09%	4395
	BCGN01	0-5	4,377	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	22	81.48%	5	18.52%	
		6-10	616	99.35%	4	0.65%	-	-	
		Total	4,993	99.22%	34	0.68%	5	0.10%	5032
	BCGN02	0-5	3,054	100.00%	-	-	-	-	
		11-15	-	-	136	100.00%	-	-	
		16+	-	-	542	99.09%	5	0.91%	
		6-10	202	83.47%	40	16.53%	-	-	
		Total	3,256	81.83%	718	18.04%	5	0.13%	3979
	BCGTAA01	0-5	17	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	BCGW01	0-5	3,322	100.00%	-	-	-	-	
		11-15	-	-	125	100.00%	-	-	
		16+	-	-	124	95.38%	6	4.62%	
		6-10	454	90.80%	46	9.20%	-	-	
		Total	3,776	92.62%	295	7.24%	6	0.15%	4077
	BCGW02	0-5	835	100.00%	-	-	-	-	
		11-15	-	-	30	100.00%	-	-	
		16+	-	-	21	95.45%	1	4.55%	
		6-10	110	94.83%	6	5.17%	-	-	
		Total	945	94.22%	57	5.68%	1	0.10%	1003
	BCHN01	0-5	8,674	100.00%	-	-	-	-	
		11-15	-	-	334	100.00%	-	-	
16+		-	-	210	94.59%	12	5.41%		
6-10		1,055	87.26%	154	12.74%	-	-		
Total		9,729	93.20%	698	6.69%	12	0.11%	10439	
BCOE01	0-5	9,767	100.00%	-	-	-	-		
	11-15	-	-	145	100.00%	-	-		
	16+	-	-	99	84.62%	18	15.38%		
	6-10	1,600	96.39%	60	3.61%	-	-		
	Total	11,367	97.25%	304	2.60%	18	0.15%	11689	
BCONE01	0-5	1,696	100.00%	-	-	-	-		
	11-15	-	-	77	100.00%	-	-		
	16+	-	-	44	97.78%	1	2.22%		
	6-10	580	96.35%	22	3.65%	-	-		
	Total	2,276	94.05%	143	5.91%	1	0.04%	2420	
BCONW01	0-5	23	100.00%	-	-	-	-		
	16+	-	-	37	100.00%	-	-		
	Total	23	38.33%	37	61.67%	-	-	60	
BCONW02	0-5	36	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	52	100.00%	-	-		
	6-10	35	87.50%	5	12.50%	-	-		
	Total	71	53.38%	62	46.62%	-	-	133	
BCOS01	0-5	7,089	100.00%	-	-	-	-		
	11-15	-	-	280	100.00%	-	-		
	16+	-	-	57	90.48%	6	9.52%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCOS01	6-10	1,320	92.11%	113	7.89%	-	-	
		Total	8,409	94.86%	450	5.08%	6	0.07%	8865
	BCOW01	0-5	10,037	100.00%	-	-	-	-	
		11-15	-	-	87	100.00%	-	-	
		16+	-	-	11	50.00%	11	50.00%	
		6-10	1,526	96.95%	48	3.05%	-	-	
		Total	11,563	98.66%	146	1.25%	11	0.09%	11720
	BCTE01	0-5	3,506	100.00%	-	-	-	-	
		11-15	-	-	52	100.00%	-	-	
		16+	-	-	23	74.19%	8	25.81%	
		6-10	456	96.82%	15	3.18%	-	-	
	Total	3,962	97.59%	90	2.22%	8	0.20%	4060	
	BCTW01N	0-5	1,834	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	5	55.56%	4	44.44%	
		6-10	308	94.77%	17	5.23%	-	-	
	Total	2,142	98.44%	30	1.38%	4	0.18%	2176	
	BCTW01S	0-5	1,998	100.00%	-	-	-	-	
		11-15	-	-	52	100.00%	-	-	
		16+	-	-	30	88.24%	4	11.76%	
6-10		369	94.37%	22	5.63%	-	-		
Total	2,367	95.64%	104	4.20%	4	0.16%	2475		
BFTHTOR2	16+	-	-	-	-	18	100.00%		
	Total	-	-	-	-	18	100.00%	18	
Total		70,109	95.30%	3,349	4.55%	110	0.15%	73,568	
Belleville , City Of (BLV01)	BLV01	0-5	280	100.00%	-	-	-	-	
		Total	280	100.00%	-	-	-	-	280
	Total		280	100.00%	-	-	-	-	280
Billings , Township Of (BLGWS01)	BLGWS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Birch Hill Telecom (BHTI01)	BHTI01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	45	100.00%	-	-	-	-	
		Total	68	89.47%	8	10.53%	-	-	76
Total		68	89.47%	8	10.53%	-	-	76	
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
Total		5	71.43%	2	28.57%	-	-	7	
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total		27	100.00%	-	-	-	-	27
Blind River , Town Of (BLR01)	BLR01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	11	73.33%	4	26.67%	-	-	15
Total		11	73.33%	4	26.67%	-	-	15	
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	16+	-	-	3	60.00%	2	40.00%	
		Total	-	-	3	60.00%	2	40.00%	5
	Total		-	-	3	60.00%	2	40.00%	5
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Blue Mountain Resorts Lp (BMR01)	BMR01	16+	-	-	2	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total	1	33.33%	2	66.67%	-	-	3	
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	136	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	168	97.11%	5	2.89%	-	-	173
	Total	168	97.11%	5	2.89%	-	-	173	
Bluewater Power (S003)	S003	0-5	691	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	162	100.00%	-	-	-	-	
		Total	853	99.53%	1	0.12%	3	0.35%	857
	Total	853	99.53%	1	0.12%	3	0.35%	857	
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	33	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	Total	63	100.00%	-	-	-	-	63	
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Bluewater, Municipality Of (BLW01)	BLW01	0-5	83	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	83	94.32%	1	1.14%	4	4.55%	88
	Total	83	94.32%	1	1.14%	4	4.55%	88	
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	45	97.83%	-	-	1	2.17%	46
	Total	45	97.83%	-	-	1	2.17%	46	
Boralex (BOR123)	BORWF02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF05	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BORWF07	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
	BORWF09	6-10	-	-	1	100.00%	-	-	
Total		-	-	1	100.00%	-	-	1	
Total	5	83.33%	1	16.67%	-	-	6		
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	52	94.55%	3	5.45%	-	-	55
	Total	52	94.55%	3	5.45%	-	-	55	
Bradford-West Gwillimbury, Town Of (BFWGSL01)	BFWGSL01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	6-10	5	100.00%	-	-	-	-	
		Total	53	92.98%	4	7.02%	-	-	57
	BFWGSS01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	51	92.73%	4	7.27%	-	-	55
	BFWGW01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		7	100.00%	-	-	-	-		
Total	74	97.37%	2	2.63%	-	-	76		
Total		178	94.68%	10	5.32%	-	-	188	
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	88	91.67%	8	8.33%	
		16+	-	-	2	2.04%	96	97.96%	
		6-10	15	78.95%	4	21.05%	-	-	
	Total	21	9.59%	94	42.92%	104	47.49%	219	
Total		21	9.59%	94	42.92%	104	47.49%	219	
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	146	100.00%	-	-	-	-	
		11-15	-	-	219	93.99%	14	6.01%	
		16+	-	-	5	2.03%	241	97.97%	
		6-10	47	34.81%	88	65.19%	-	-	
	Total	193	25.39%	312	41.05%	255	33.55%	760	
Total		193	25.39%	312	41.05%	255	33.55%	760	
Brant, County Of - Fibre (BRNTF01)	BRNTF01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
Total		-	-	5	100.00%	-	-	5	
Brant, County Of (BRNT01)	BRNT01	0-5	282	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	284	97.59%	-	-	7	2.41%	291	
Total		284	97.59%	-	-	7	2.41%	291	
Brantford, The City Of (BRAS01)	BRAS01	0-5	205	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	106	100.00%	-	-	-	-	
	Total	311	99.04%	3	0.96%	-	-	314	
Total		311	99.04%	3	0.96%	-	-	314	
Brantford, The City Of (BRASL01)	BRASL01	0-5	337	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	73	98.65%	1	1.35%	-	-	
	Total	410	99.27%	3	0.73%	-	-	413	
Total		410	99.27%	3	0.73%	-	-	413	
Brantford, The City Of (BRATL01)	BRATL01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
	Total	42	95.45%	2	4.55%	-	-	44	
Total		42	95.45%	2	4.55%	-	-	44	
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	128	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brighton, Municipality Of (BRTSS01)	BRTSS01	6-10	15	78.95%	4	21.05%	-	-	
		Total	143	94.08%	9	5.92%	-	-	152
	Total	143	94.08%	9	5.92%	-	-	152	
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	13	76.47%	4	23.53%	-	-	
		Total	81	90.00%	9	10.00%	-	-	90
	Total	81	90.00%	9	10.00%	-	-	90	
Brock , Township Of (BRCK01)	BRCK01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	23	85.19%	3	11.11%	1	3.70%	27
	Total	23	85.19%	3	11.11%	1	3.70%	27	
Brock University (BROCKU01)	BROCKU01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	45	86.54%	3	5.77%	4	7.69%	52
	Total	45	86.54%	3	5.77%	4	7.69%	52	
Brockville, City Of (BRKV01)	BRKV01	0-5	173	100.00%	-	-	-	-	
		16+	-	-	-	-	17	100.00%	
		Total	173	91.05%	-	-	17	8.95%	190
	Total	173	91.05%	-	-	17	8.95%	190	
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
Brooke Telecom (B004)	B004	0-5	140	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	124	99.20%	1	0.80%	
		Total	140	52.63%	124	46.62%	2	0.75%	266
	Total	140	52.63%	124	46.62%	2	0.75%	266	
Bruce , County Of (BRC01)	BRC01	0-5	138	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	165	100.00%	-	-	-	-	
		Total	303	99.67%	1	0.33%	-	-	304
	Total	303	99.67%	1	0.33%	-	-	304	
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total	22	100.00%	-	-	-	-	22	
Bruce Power (BRCP01)	BRCP01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Bruce Telecom (BTL01)	BTL01	0-5	364	100.00%	-	-	-	-	
		11-15	-	-	69	100.00%	-	-	
		16+	-	-	8	80.00%	2	20.00%	
	Total	364	100.00%	69	100.00%	8	80.00%	2	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bruce Telecom (BTL01)	BTL01	6-10	245	100.00%	-	-	-	-	
		Total	609	88.52%	77	11.19%	2	0.29%	688
	Total	609	88.52%	77	11.19%	2	0.29%	688	
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	1	50.00%	-	-	1	50.00%	2	
Total	1	50.00%	-	-	1	50.00%	2		
Burlington Hydro (BH01)	BH01	0-5	1,149	100.00%	-	-	-	-	
		11-15	-	-	-	-	9	100.00%	
		16+	-	-	17	10.90%	139	89.10%	
		6-10	90	97.83%	2	2.17%	-	-	
	Total	1,239	88.12%	19	1.35%	148	10.53%	1,406	
Total	1,239	88.12%	19	1.35%	148	10.53%	1,406		
Burlington, City Of (BRL123)	BRLSL01	0-5	514	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	32	100.00%	-	-	-	-	
	Total	546	99.82%	-	-	1	0.18%	547	
	BRLSS01	0-5	442	100.00%	-	-	-	-	
		6-10	32	100.00%	-	-	-	-	
	Total	474	100.00%	-	-	-	-	474	
	BRLTS01	0-5	27	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	33	100.00%	-	-	-	-	33	
Total	1,053	99.91%	-	-	1	0.09%	1,054		
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	128	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	37	100.00%	-	-	
		6-10	45	84.91%	8	15.09%	-	-	
	Total	173	73.93%	61	26.07%	-	-	234	
Total	173	73.93%	61	26.07%	-	-	234		
Callander, Municipality Of (CLN01)	CLN01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	16	94.12%	1	5.88%	-	-	17	
Total	16	94.12%	1	5.88%	-	-	17		
Cambridge, City Of (CAM123)	CAMS01	0-5	230	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	233	99.57%	1	0.43%	-	-	234	
	CAMW01	0-5	209	100.00%	-	-	-	-	
6-10		24	100.00%	-	-	-	-		
Total	233	100.00%	-	-	-	-	233		
Total	466	99.79%	1	0.21%	-	-	467		
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
Total	-	-	-	-	3	100.00%	3		
Canadian Niagara Power (CNP01)	CNP01	0-5	557	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	3	100.00%	
		6-10	84	100.00%	-	-	-	-	
	Total	641	99.07%	2	0.31%	4	0.62%	647	
Total	641	99.07%	2	0.31%	4	0.62%	647		
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	8	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Canadian Nuclear Laboratories (AECL01)	AECL01	16+	-	-	-	-	173	100.00%	
		Total	-	-	-	-	181	100.00%	181
	Total		-	-	-	-	181	100.00%	181
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	138	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	141	97.24%	4	2.76%	-	-	145
	Total		141	97.24%	4	2.76%	-	-	145
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	39	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	Total		45	100.00%	-	-	-	-	45
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Celerity Telecom Inc (CTI01)	CTI01	11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	31	96.88%	1	3.13%	-	-	32
	Total		31	96.88%	1	3.13%	-	-	32
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	108	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	11	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	114	89.76%	-	-	13	10.24%	127
	Total		114	89.76%	-	-	13	10.24%	127
Central Huron, Municipality Of (CHW01)	CHW01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	36	92.31%	1	2.56%	2	5.13%	39	
Total		36	92.31%	1	2.56%	2	5.13%	39	
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
Centre Wellington Communications (CWC01)	CWC01	0-5	16	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Centre Wellington Hydro (CWH01)	CWH01	0-5	165	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	165	99.40%	-	-	1	0.60%	166
	Total		165	99.40%	-	-	1	0.60%	166
Centre Wellington, Township Of (CTW01)	CTW01	0-5	169	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	58	100.00%	-	-	-	-	
		Total	227	98.70%	3	1.30%	-	-	230
	Total		227	98.70%	3	1.30%	-	-	230

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Century Link (LVL3)	LVL3	0-5	389	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	393	98.50%	3	0.75%	3	0.75%	399
	Total			393	98.50%	3	0.75%	3	0.75%
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	16	84.21%	1	5.26%	2	10.53%	19
	CHPLSL01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	6	75.00%	-	-	2	25.00%	8
	CHPLSS01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	16	88.89%	-	-	2	11.11%	18
	CHPLW01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	22	91.67%	-	-	2	8.33%	24
	Total			60	86.96%	1	1.45%	8	11.59%
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total			3	100.00%	-	-	-	3
Chatham Kent Health Alliance (CKHA01)	CKHA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total			1	100.00%	-	-	-	1
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	191	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	119	100.00%	-	-	-	-	
		Total	310	98.41%	5	1.59%	-	-	315
	CKPUC02	0-5	345	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	95	100.00%	-	-	-	-	
		Total	440	99.55%	2	0.45%	-	-	442
	CKPUC03	0-5	100	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	46	93.88%	3	6.12%	-	-	
		Total	146	91.82%	13	8.18%	-	-	159
Total			896	97.82%	20	2.18%	-	-	916
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	36	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total			37	100.00%	-	-	-	37
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	8	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	11.11%	8	88.89%	9
	Total			-	-	1	11.11%	8	88.89%
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total			9	100.00%	-	-	-	9
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Chatsworth, Township Of (CTSWW01)	CTSWW01	6-10	1	20.00%	4	80.00%	-	-	
		Total	3	27.27%	6	54.55%	2	18.18%	11
	Total	3	27.27%	6	54.55%	2	18.18%	11	
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	11	64.71%	1	5.88%	5	29.41%	17
	Total	11	64.71%	1	5.88%	5	29.41%	17	
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Cik Telecom (CIKT01)	CIKT01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	23	100.00%	-	-	-	-	
		Total	34	68.00%	12	24.00%	4	8.00%	50
	Total	34	68.00%	12	24.00%	4	8.00%	50	
City Of Woodstock Street Light & Traffic Signals Wdslt01 (WDSLTL01)	WDSLTL01	0-5	179	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	183	99.46%	1	0.54%	-	-	184
	Total	183	99.46%	1	0.54%	-	-	184	
Ckpw Chatham Township Garage (CK08)	CK08	0-5	45	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	Total	45	100.00%	-	-	-	-	45	
Ckpw Chatham Water Garage (CK01)	CK01	0-5	105	100.00%	-	-	-	-	
		6-10	81	70.43%	34	29.57%	-	-	
		Total	186	84.55%	34	15.45%	-	-	220
	Total	186	84.55%	34	15.45%	-	-	220	
Ckpw Dover Township Garage (CK06)	CK06	0-5	40	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	41	95.35%	2	4.65%	-	-	43
	Total	41	95.35%	2	4.65%	-	-	43	
Ckpw Kent Centre Garage (CK03)	CK03	0-5	54	100.00%	-	-	-	-	
		6-10	11	52.38%	10	47.62%	-	-	
		Total	65	86.67%	10	13.33%	-	-	75
	Total	65	86.67%	10	13.33%	-	-	75	
Ckpw Raleigh Garage (CK04)	CK04	0-5	40	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	41	89.13%	2	4.35%	3	6.52%	46
	Total	41	89.13%	2	4.35%	3	6.52%	46	
Ckpw Thamesville Garage (CK09)	CK09	0-5	50	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	50
	Total	50	100.00%	-	-	-	-	50	
Ckpw Tilbury East Garage (CK05)	CK05	0-5	102	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	107	100.00%	-	-	-	-	107
	Total	107	100.00%	-	-	-	-	107	
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
	Total	42	100.00%	1	100.00%	2	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ckpw Wallaceburg Garage (CK07)	CK07	6-10	9	90.00%	1	10.00%	-	-	
		Total	51	92.73%	2	3.64%	2	3.64%	55
	Total	51	92.73%	2	3.64%	2	3.64%	55	
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	112	100.00%	-	-	-	-	
		Total	112	100.00%	-	-	-	-	112
	Total	112	100.00%	-	-	-	-	112	
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	133	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	140	99.29%	1	0.71%	-	-	141
	CLRGSS01	0-5	53	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
Total	193	99.48%	1	0.52%	-	-	194		
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
	Total	10	83.33%	1	8.33%	1	8.33%	12	
Total	10	83.33%	1	8.33%	1	8.33%	12		
Clearford (LBWW01)	LBWW01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
Total	2	66.67%	-	-	1	33.33%	3		
Clearview, Township Of (CLRV01)	CLRV01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	21	67.74%	10	32.26%	-	-	
	Total	72	85.71%	12	14.29%	-	-	84	
Total	72	85.71%	12	14.29%	-	-	84		
Cobalt , Town Of (CBLWSS01)	CBLWSS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Cobourg, Town Of (CBRG123)	CBRGS01	0-5	163	100.00%	-	-	-	-	
		Total	163	100.00%	-	-	-	-	163
	Total	163	100.00%	-	-	-	-	163	
Cochrane Telecom Services (CCT01)	CCT01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	12	80.00%	3	20.00%	-	-	15	
Total	12	80.00%	3	20.00%	-	-	15		
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Cogeco Cable Canada (CBT1)	CBT1	0-5	695	100.00%	-	-	-	-	
		11-15	-	-	128	100.00%	-	-	
		16+	-	-	73	78.49%	20	21.51%	
		6-10	492	79.87%	124	20.13%	-	-	
	Total	1,187	77.48%	325	21.21%	20	1.31%	1,532	
Total	1,187	77.48%	325	21.21%	20	1.31%	1,532		
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	1,110	100.00%	-	-	-	-	
		11-15	-	-	7	87.50%	1	12.50%	
		16+	-	-	6	60.00%	4	40.00%	
		6-10	480	99.17%	4	0.83%	-	-	
	Total	1,590	98.64%	17	1.05%	5	0.31%	1,612	
Total	1,590	98.64%	17	1.05%	5	0.31%	1,612		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cogeco Cable Canada (CPVS2)	CBT2	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	45	97.83%	1	2.17%	
		16+	-	-	59	70.24%	25	29.76%	
		6-10	29	43.94%	37	56.06%	-	-	
		Total	116	40.99%	141	49.82%	26	9.19%	
	CPVS2	0-5	109	100.00%	-	-	-	-	
		11-15	-	-	83	100.00%	-	-	
		16+	-	-	26	68.42%	12	31.58%	
		6-10	89	76.72%	27	23.28%	-	-	
		Total	198	57.23%	136	39.31%	12	3.47%	
Total			314	49.92%	277	44.04%	38	6.04%	629
Cogeco Connexion	COGOW02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total			1	100.00%	-	-	-	1
Cogeco Connexion North East (CCNE123)	COGE01	0-5	643	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	142	99.30%	1	0.70%	-	-	
		Total	785	99.75%	2	0.25%	-	-	
	COOE01	0-5	458	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	101	100.00%	-	-	-	-	
	Total	559	98.24%	9	1.58%	1	0.18%	569	
	COONE01	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	83	95.40%	4	4.60%	-	-	
Total	187	89.47%	19	9.09%	3	1.44%	209		
Total			1,531	97.83%	30	1.92%	4	0.26%	1,565
Cogeco Connexion Southwest (CC01)	COC01	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	48	80.00%	12	20.00%	-	-	
		Total	214	90.68%	20	8.47%	2	0.85%	
	COE01	0-5	432	100.00%	-	-	-	-	
		11-15	-	-	100	100.00%	-	-	
		16+	-	-	20	80.00%	5	20.00%	
		6-10	274	87.26%	40	12.74%	-	-	
	Total	706	81.06%	160	18.37%	5	0.57%	871	
	COL01	0-5	290	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		140	95.24%	7	4.76%	-	-		
Total	430	94.71%	24	5.29%	-	-	454		
Total			1,350	86.48%	204	13.07%	7	0.45%	1,561
Coleman, Township Of (CLMN01)	CLMN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total			-	-	-	-	1	100.00%
College Boreal (CLGB01)	CLGB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total			1	100.00%	-	-	-	1
Collingwood Public Utilities (COLL123)	COLLS01	0-5	135	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	4	57.14%	3	42.86%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Collingwood Public Utilities (COLL123)	COLLS01	6-10	8	61.54%	5	38.46%	-	-	
		Total	143	90.51%	12	7.59%	3	1.90%	158
	COLLW01	0-5	162	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	165	100.00%	-	-	-	-	165
Total		308	95.36%	12	3.72%	3	0.93%	323	
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Communicate Freely (CFF01)	CFF01	0-5	68	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	69	100.00%	-	-	-	-	69
	Total		69	100.00%	-	-	-	-	69
COMMUNITY FIBRE COMPANY (CFC01)	CFC01	11-15	-	-	-	-	6	100.00%	
		16+	-	-	-	-	49	100.00%	
		Total	-	-	-	-	55	100.00%	55
	Total		-	-	-	-	55	100.00%	55
Conestogo Wind Farm (Nextera Energy) (CNTGWF01)	CNTGWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	10	35.71%	18	64.29%	-	-	
		Total	36	58.06%	22	35.48%	4	6.45%	62
	Total		36	58.06%	22	35.48%	4	6.45%	62
Cornwall , City Of (CRWL123)	CRWL01	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	71	95.95%	3	4.05%	-	-	74
	CRWLTS01	0-5	8	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
Total		82	96.47%	3	3.53%	-	-	85	
Cornwall Electric (CE01)	CE01	0-5	350	100.00%	-	-	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	7	70.00%	3	30.00%	-	-	
		Total	357	96.49%	3	0.81%	10	2.70%	370
	Total		357	96.49%	3	0.81%	10	2.70%	370
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	142	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	147	94.84%	6	3.87%	2	1.29%	155
	Total		147	94.84%	6	3.87%	2	1.29%	155
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	12	85.71%	2	14.29%	-	-	
	Total	27	67.50%	3	7.50%	10	25.00%	40	
Total		27	67.50%	3	7.50%	10	25.00%	40	
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	44	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cramahe, Township Of (CRAM123)	CRAMS01	16+	-	-	1	50.00%	1	50.00%	
		Total	44	95.65%	1	2.17%	1	2.17%	46
	Total	44	95.65%	1	2.17%	1	2.17%	46	
Crh Canada Group Inc	CRH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	33	80.49%	8	19.51%	-	-	41
	Total	33	80.49%	8	19.51%	-	-	41	
Dbi Services (DBIS01)	DBIS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
	Total	11	84.62%	2	15.38%	-	-	13	
Deep River , Town Of (DRI01)	DRI01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total	31	100.00%	-	-	-	-	31	
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total	-	-	-	-	8	100.00%	8	
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	2	50.00%	1	25.00%	1	25.00%	4	
Total	2	50.00%	1	25.00%	1	25.00%	4		
Dotto One (DTONF01)	DTONF01	16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	2
	Total	1	50.00%	-	-	1	50.00%	2	
Douro-Dummer, Township Of (DRODUM01)	DRODUM01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
	Total	1	25.00%	1	25.00%	2	50.00%	4	
Total	1	25.00%	1	25.00%	2	50.00%	4		
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	8	72.73%	-	-	3	27.27%	11
	Total	8	72.73%	-	-	3	27.27%	11	
Dryden, City Of (DRYD01)	DRYD01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	27	93.10%	2	6.90%	
		6-10	5	55.56%	4	44.44%	-	-	
		Total	17	34.00%	31	62.00%	2	4.00%	50
	Total	17	34.00%	31	62.00%	2	4.00%	50	
Dubreuville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Dufferin County (DFRN01)	DFRN01	0-5	33	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total	33	100.00%	-	-	-	-	33	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Dundas Valley Golf And Curling Club (DVGCC01)	DVGCC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Durham One Net	DON01	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	268	100.00%	-	-	-	-	
		Total	401	99.75%	1	0.25%	-	-	402
	Total		401	99.75%	1	0.25%	-	-	402
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	358	100.00%	-	-	-	-	
		16+	-	-	44	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	361	89.14%	44	10.86%	-	-	405
	DURWS02	0-5	248	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	263	96.34%	9	3.30%	1	0.37%	273
	DURWS03	0-5	239	100.00%	-	-	-	-	
		Total	239	100.00%	-	-	-	-	239
	DURWS04	0-5	81	100.00%	-	-	-	-	
		16+	-	-	5	38.46%	8	61.54%	
		Total	81	86.17%	5	5.32%	8	8.51%	94
	DURWS05	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
Total		959	93.47%	58	5.65%	9	0.88%	1,026	
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	116	100.00%	-	-	-	-	
		6-10	59	88.06%	8	11.94%	-	-	
	Total	175	95.63%	8	4.37%	-	-	183	
Total		175	95.63%	8	4.37%	-	-	183	
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	41	100.00%	-	-	-	-	
		6-10	7	43.75%	9	56.25%	-	-	
	Total	48	84.21%	9	15.79%	-	-	57	
Total		48	84.21%	9	15.79%	-	-	57	
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
E L K Energy Inc (E001)	E001	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	5	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	170	96.05%	1	0.56%	6	3.39%	177	
Total		170	96.05%	1	0.56%	6	3.39%	177	
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
East Durham Wind Energy Centre (EDWWF01)	EDWWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
East Garafraxa , Township Of (EGXWS01)	EGXWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	44	100.00%	-	-	-	-	
		Total	100	93.46%	1	0.93%	6	5.61%	107
	EGWLSS01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		Total	29	82.86%	-	-	6	17.14%	35
	EGWLW01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	30	85.71%	-	-	5	14.29%	35
	EGWLWW01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	20	83.33%	-	-	4	16.67%	24
	Total		179	89.05%	1	0.50%	21	10.45%	201
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	51	96.23%	1	1.89%	1	1.89%	53
	Total		51	96.23%	1	1.89%	1	1.89%	53
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	45	100.00%	-	-	
		Total	33	41.77%	46	58.23%	-	-	79
	Total		33	41.77%	46	58.23%	-	-	79
Eastern Ontario Power (EOP01)	EOP01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	4	40.00%	6	60.00%	-	-	
		Total	44	83.02%	6	11.32%	3	5.66%	53
	Total		44	83.02%	6	11.32%	3	5.66%	53
Eastern Power Inc (EP01)	EP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Eastlink (EL123)	ELGE01	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	13	48.15%	14	51.85%	-	-	
		Total	100	76.34%	26	19.85%	5	3.82%	131
	ELGN02	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	14	73.68%	5	26.32%	-	-	19
	ELOE01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELOE01	6-10	21	91.30%	2	8.70%	-	-	
	Total		81	90.00%	8	8.89%	1	1.11%	90
	ELOE02	0-5	172	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	11	73.33%	4	26.67%	-	-	
	Total		183	95.81%	5	2.62%	3	1.57%	191
	ELOE01	0-5	140	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	5	27.78%	13	72.22%	
		6-10	46	74.19%	16	25.81%	-	-	
	Total		186	72.94%	56	21.96%	13	5.10%	255
	ELOE03	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total		15	78.95%	2	10.53%	2	10.53%	19
	ELOE04	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	73.33%	4	26.67%	-	-	
	Total		42	87.50%	5	10.42%	1	2.08%	48
	ELOE05	0-5	25	100.00%	-	-	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
	Total		33	97.06%	1	2.94%	-	-	34
	ELOE06	0-5	19	100.00%	-	-	-	-	
	Total		19	100.00%	-	-	-	-	19
	ELOE07	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total		25	86.21%	4	13.79%	-	-	29
	ELOE08	0-5	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
ELOE09	0-5	2	100.00%	-	-	-	-		
Total		2	100.00%	-	-	-	-	2	
ELOS01	0-5	68	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	11	84.62%	2	15.38%	-	-		
Total		79	96.34%	3	3.66%	-	-	82	
ELOS02	0-5	168	100.00%	-	-	-	-		
	6-10	9	100.00%	-	-	-	-		
Total		177	100.00%	-	-	-	-	177	
ELOW01	0-5	137	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	22	91.67%	2	8.33%	-	-		
Total		159	97.55%	4	2.45%	-	-	163	
ELOW02	0-5	144	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	4	40.00%	6	60.00%	-	-		
Total		148	95.48%	6	3.87%	1	0.65%	155	
ELOW03	0-5	289	100.00%	-	-	-	-		
	6-10	10	100.00%	-	-	-	-		
Total		299	100.00%	-	-	-	-	299	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Eastlink (EL123)	ELOW04	0-5	155	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		
		6-10	13	76.47%	4	23.53%	-	-		
		Total	168	95.45%	8	4.55%	-	-		176
	ELOW05	0-5	449	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	2	40.00%	3	60.00%		
		6-10	23	85.19%	4	14.81%	-	-		
	Total	472	97.93%	7	1.45%	3	0.62%	482		
	ELOW06	0-5	72	100.00%	-	-	-	-		
		11-15	-	-	19	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	21	39.62%	32	60.38%	-	-		
	Total	93	64.14%	51	35.17%	1	0.69%	145		
	ELOW07	0-5	136	100.00%	-	-	-	-		
		6-10	4	80.00%	1	20.00%	-	-		
		Total	140	99.29%	1	0.71%	-	-		141
	ELOW08	0-5	11	100.00%	-	-	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	13	100.00%	-	-	-	-		13
MKDLC01	0-5	54	100.00%	-	-	-	-			
	11-15	-	-	2	100.00%	-	-			
	6-10	13	92.86%	1	7.14%	-	-			
	Total	67	95.71%	3	4.29%	-	-		70	
Total		2,519	91.80%	195	7.11%	30	1.09%	2,744		
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	7	100.00%	-	-	-	-		
		Total	7	100.00%	-	-	-	-		7
	Total		7	100.00%	-	-	-	-	7	
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	2	100.00%	-	-	-	-		
		16+	-	-	16	94.12%	1	5.88%		
		Total	2	10.53%	16	84.21%	1	5.26%		19
	Total		2	10.53%	16	84.21%	1	5.26%	19	
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	1,249	100.00%	-	-	-	-		
		11-15	-	-	8	100.00%	-	-		
		16+	-	-	1	33.33%	2	66.67%		
		6-10	95	97.94%	2	2.06%	-	-		
		Total	1,344	99.04%	11	0.81%	2	0.15%		1357
	ETNF02	0-5	40	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	-	-	2	100.00%		
		6-10	18	100.00%	-	-	-	-		
	Total	58	93.55%	2	3.23%	2	3.23%	62		
	GBT01	0-5	116	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	28	100.00%	-	-	-	-		
	Total	144	99.31%	1	0.69%	-	-	145		
	SFNF01	0-5	2	100.00%	-	-	-	-		
		Total	2	100.00%	-	-	-	-		2
	Total		1,548	98.85%	14	0.89%	4	0.26%	1,566	
	Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	321	100.00%	-	-	-	-	
			11-15	-	-	9	100.00%	-	-	
16+			-	-	3	100.00%	-	-		
6-10			49	84.48%	9	15.52%	-	-		
Total			370	94.63%	21	5.37%	-	-	391	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Elexicon Energy Formerly Veridian (ELX123)	ELX02	0-5	327	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	142	99.30%	1	0.70%	-	-	
		Total	469	97.51%	12	2.49%	-	-	
	ELX03	0-5	160	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	51	98.08%	1	1.92%	-	-	
		Total	211	93.78%	14	6.22%	-	-	
	ELX04	0-5	152	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	177	98.33%	3	1.67%	-	-	
	ELXGE01	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	36	100.00%	-	-	-	-	
		Total	195	95.59%	4	1.96%	5	2.45%	
	ELXGE02	0-5	89	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	121	97.58%	3	2.42%	-	-	
ELXONE01	0-5	39	100.00%	-	-	-	-		
	6-10	22	100.00%	-	-	-	-		
	Total	61	100.00%	-	-	-	-		61
ELXWHGE1	0-5	515	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	146	97.99%	3	2.01%	-	-		
	Total	661	98.80%	8	1.20%	-	-		669
Total		2,265	97.00%	65	2.78%	5	0.21%	2,335	
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	33.33%	6	66.67%	-	-	
Total		3	33.33%	6	66.67%	-	-	9	
Elgin, County Of (ELGNE01)	ELGNE01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
Total		7	100.00%	-	-	-	-	7	
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	10	62.50%	2	12.50%	4	25.00%	
Total		10	62.50%	2	12.50%	4	25.00%	16	
Emo , Township Of (EMOWS01)	EMOWS01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	10	90.91%	-	-	1	9.09%	
Total		10	90.91%	-	-	1	9.09%	11	
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	
	ENNEBGW1	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGW1	16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	33	94.29%	2	5.71%	-	-	35
	ENNEBOE1	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	91.67%	1	8.33%	-	-	12
Total		55	94.83%	3	5.17%	-	-	58	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	60	96.77%	2	3.23%	-	-	62
	ENVMGN01	0-5	50	100.00%	-	-	-	-	
		6-10	40	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	90
	ENVMGN02	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	79	98.75%	1	1.25%	-	-	80
	ENVMGW0 1	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	73	97.33%	2	2.67%	-	-	
		Total	125	77.64%	36	22.36%	-	-	161
	ENVMGW0 2	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ENVMHN01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	50	94.34%	3	5.66%	-	-	53
	ENVMOE01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
6-10		126	100.00%	-	-	-	-		
Total		198	92.96%	15	7.04%	-	-	213	
ENVMTE01	0-5	47	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	6-10	116	99.15%	1	0.85%	-	-		
	Total	163	94.77%	9	5.23%	-	-	172	
ENVMTW1 N	0-5	50	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	6-10	87	100.00%	-	-	-	-		
	Total	137	97.86%	3	2.14%	-	-	140	
ENVMTW1S	0-5	69	100.00%	-	-	-	-		
	11-15	-	-	9	100.00%	-	-		
	16+	-	-	2	100.00%	-	-		
	6-10	63	92.65%	5	7.35%	-	-		
	Total	132	89.19%	16	10.81%	-	-	148	
Total		1,035	92.41%	85	7.59%	-	-	1,120	
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	3,504	100.00%	-	-	-	-	
		11-15	-	-	615	100.00%	-	-	
		16+	-	-	531	99.81%	1	0.19%	
		6-10	1,258	62.15%	766	37.85%	-	-	
		Total	4,762	71.34%	1,912	28.64%	1	0.01%	6675

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Enbridge Gas (Legacy Union Gas) (UG1)	EN2OE01	0-5	1,608	100.00%	-	-	-	-		
		11-15	-	-	44	100.00%	-	-		
		16+	-	-	51	96.23%	2	3.77%		
		6-10	543	98.55%	8	1.45%	-	-		
		Total	2,151	95.35%	103	4.57%	2	0.09%		2256
	ENONE01	0-5	1,063	100.00%	-	-	-	-		
		11-15	-	-	146	100.00%	-	-		
		16+	-	-	47	100.00%	-	-		
		6-10	525	81.27%	121	18.73%	-	-		
		Total	1,588	83.49%	314	16.51%	-	-		1902
	ENONW01	0-5	581	100.00%	-	-	-	-		
		11-15	-	-	78	100.00%	-	-		
		16+	-	-	30	100.00%	-	-		
		6-10	293	92.14%	25	7.86%	-	-		
		Total	874	86.79%	133	13.21%	-	-		1007
	ENOS01	0-5	6,901	100.00%	-	-	-	-		
		11-15	-	-	203	100.00%	-	-		
		16+	-	-	43	97.73%	1	2.27%		
		6-10	2,016	92.27%	169	7.73%	-	-		
		Total	8,917	95.54%	415	4.45%	1	0.01%		9333
	ENOW01	0-5	6,907	100.00%	-	-	-	-		
		11-15	-	-	72	100.00%	-	-		
		16+	-	-	17	89.47%	2	10.53%		
		6-10	1,854	96.11%	75	3.89%	-	-		
		Total	8,761	98.14%	164	1.84%	2	0.02%		8927
	Total			27,053	89.88%	3,041	10.10%	6	0.02%	30,100
	Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	47	100.00%	-	-	-	-	
			11-15	-	-	10	100.00%	-	-	
6-10			35	87.50%	5	12.50%	-	-		
Total			82	84.54%	15	15.46%	-	-	97	
ENCLCHT		0-5	37	100.00%	-	-	-	-		
		6-10	52	96.30%	2	3.70%	-	-		
		Total	89	97.80%	2	2.20%	-	-		91
ENCLEST		0-5	63	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	16	100.00%	-	-		
		6-10	53	100.00%	-	-	-	-		
		Total	116	85.93%	19	14.07%	-	-		135
ENCLHAL		0-5	39	100.00%	-	-	-	-		
		11-15	-	-	6	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	49	90.74%	5	9.26%	-	-		
		Total	88	88.00%	12	12.00%	-	-		100
ENCLHAM		0-5	56	100.00%	-	-	-	-		
		11-15	-	-	21	100.00%	-	-		
		16+	-	-	14	100.00%	-	-		
		6-10	46	70.77%	19	29.23%	-	-		
		Total	102	65.38%	54	34.62%	-	-		156
ENCLLDN		0-5	180	100.00%	-	-	-	-		
		11-15	-	-	10	100.00%	-	-		
		6-10	117	97.50%	3	2.50%	-	-		
		Total	297	95.81%	13	4.19%	-	-		310
ENCLNTH		0-5	62	100.00%	-	-	-	-		
		11-15	-	-	11	100.00%	-	-		
	16+	-	-	6	100.00%	-	-			

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLNTH	6-10	50	86.21%	8	13.79%	-	-	
		Total	112	81.75%	25	18.25%	-	-	137
	ENCLNW01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	14	77.78%	4	22.22%	-	-	18
	ENCLSAR	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	55	98.21%	1	1.79%	-	-	56
	ENCLWAT	0-5	248	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	260	98.48%	4	1.52%	-	-	
		Total	508	97.50%	13	2.50%	-	-	521
ENCLWIN	0-5	116	100.00%	-	-	-	-		
	11-15	-	-	23	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	63	80.77%	15	19.23%	-	-		
	Total	179	81.00%	42	19.00%	-	-	221	
Total		1,642	89.14%	200	10.86%	-	-	1,842	
Enbridge Gas Distribution (ENB1)	ENGE01	0-5	3,150	100.00%	-	-	-	-	
		11-15	-	-	74	100.00%	-	-	
		16+	-	-	35	100.00%	-	-	
		6-10	942	96.12%	38	3.88%	-	-	
		Total	4,092	96.53%	147	3.47%	-	-	4239
	ENGN01	0-5	4,143	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	23	76.67%	7	23.33%	
		6-10	1,009	99.41%	6	0.59%	-	-	
		Total	5,152	99.15%	37	0.71%	7	0.13%	5196
	ENGN02	0-5	3,053	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	4	57.14%	3	42.86%	
		6-10	745	99.60%	3	0.40%	-	-	
		Total	3,798	99.29%	24	0.63%	3	0.08%	3825
	ENGTAA01	0-5	11	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
	Total	26	100.00%	-	-	-	-	26	
	ENGW01	0-5	2,367	100.00%	-	-	-	-	
		11-15	-	-	212	100.00%	-	-	
		16+	-	-	195	99.49%	1	0.51%	
		6-10	1,360	93.54%	94	6.46%	-	-	
		Total	3,727	88.13%	501	11.85%	1	0.02%	4229
	ENGW02	0-5	533	100.00%	-	-	-	-	
		11-15	-	-	63	100.00%	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	281	90.65%	29	9.35%	-	-	
		Total	814	87.25%	119	12.75%	-	-	933
	ENHN01	0-5	3,660	100.00%	-	-	-	-	
11-15		-	-	18	100.00%	-	-		
16+		-	-	15	88.24%	2	11.76%		
6-10		1,053	98.87%	12	1.13%	-	-		
Total		4,713	99.01%	45	0.95%	2	0.04%	4760	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENOE01	0-5	6,612	100.00%	-	-	-	-	
		11-15	-	-	188	100.00%	-	-	
		16+	-	-	70	93.33%	5	6.67%	
		6-10	3,013	94.30%	182	5.70%	-	-	
		Total	9,625	95.58%	440	4.37%	5	0.05%	
	ENTE01	0-5	2,203	100.00%	-	-	-	-	
		11-15	-	-	100	100.00%	-	-	
		16+	-	-	37	97.37%	1	2.63%	
		6-10	1,356	97.27%	38	2.73%	-	-	
		Total	3,559	95.29%	175	4.69%	1	0.03%	
	ENTW01N	0-5	1,252	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	750	99.60%	3	0.40%	-	-	
		Total	2,002	99.06%	16	0.79%	3	0.15%	
	ENTW01S	0-5	1,316	100.00%	-	-	-	-	
		11-15	-	-	127	100.00%	-	-	
		16+	-	-	89	100.00%	-	-	
		6-10	999	92.59%	80	7.41%	-	-	
		Total	2,315	88.66%	296	11.34%	-	-	
	Total		39,823	95.62%	1,800	4.32%	22	0.05%	
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	26	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	61	95.31%	3	4.69%	-	-	64
	EN21	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	144	99.31%	1	0.69%	-	-	145
	EN22	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		214	98.17%	4	1.83%	-	-	218
	Enbridge Pipelines (EP123)	I001	0-5	19	100.00%	-	-	-	-
			16+	-	-	11	100.00%	-	-
6-10			1	50.00%	1	50.00%	-	-	
Total			20	62.50%	12	37.50%	-	-	32
I010		0-5	468	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	71.43%	2	28.57%	
		6-10	16	84.21%	3	15.79%	-	-	
		Total	484	97.19%	12	2.41%	2	0.40%	498
I011		0-5	148	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
Total		153	90.53%	16	9.47%	-	-	169	
I012		0-5	17	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
Total		17	80.95%	4	19.05%	-	-	21	
Total			674	93.61%	44	6.11%	2	0.28%	720

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Enbridge Wind Power (ENWP01)	ENWP01	0-5	1	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	2	100.00%	-	-	-	-	2	
	Total		2	100.00%	-	-	-	-	2	
Englehart , Town Of (EGHT01)	EGHT01	0-5	9	100.00%	-	-	-	-		
		Total	9	100.00%	-	-	-	-	9	
	Total		9	100.00%	-	-	-	-	9	
Enniskillen, Township Of (E002)	E002	0-5	37	100.00%	-	-	-	-		
		Total	37	100.00%	-	-	-	-	37	
	Total		37	100.00%	-	-	-	-	37	
Enova Power (ENOVA123)	EPKW01	0-5	729	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	6	85.71%	1	14.29%		
		6-10	248	99.20%	2	0.80%	-	-		
		Total	977	98.99%	9	0.91%	1	0.10%	987	
	EPWAT01	0-5	401	100.00%	-	-	-	-		
		11-15	-	-	5	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		Total	554	98.58%	7	1.25%	1	0.18%	562	
	EPWEL01	0-5	102	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	53	98.15%	1	1.85%	-	-		
		Total	155	98.73%	2	1.27%	-	-	157	
	EPWOL01	0-5	217	100.00%	-	-	-	-		
		11-15	-	-	5	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	276	96.84%	9	3.16%	-	-	285	
	Total		1,962	98.54%	27	1.36%	2	0.10%	1,991	
	Entegrus (EPICK01)	CKSL01	0-5	115	100.00%	-	-	-	-	
			6-10	21	100.00%	-	-	-	-	
			Total	136	100.00%	-	-	-	-	136
		EPICK01	0-5	278	100.00%	-	-	-	-	
11-15			-	-	1	100.00%	-	-		
Total			329	98.80%	4	1.20%	-	-	333	
EPIMP01		0-5	120	100.00%	-	-	-	-		
		Total	142	100.00%	-	-	-	-	142	
Total			607	99.35%	4	0.65%	-	-	611	
Entegrus Powerlines Inc Ã,â, -âœ St. Thomas (EPISTT01)		EPISTT01	0-5	167	100.00%	-	-	-	-	
	11-15		-	-	2	100.00%	-	-		
	6-10		42	100.00%	-	-	-	-		
	Total		209	99.05%	2	0.95%	-	-	211	
	Total		209	99.05%	2	0.95%	-	-	211	
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	10	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		
		Total	111	96.52%	4	3.48%	-	-	115	
	Total		111	96.52%	4	3.48%	-	-	115	
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	632	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enwin Utilities - Electrical (EWINE01)	EWINE01	6-10	73	94.81%	4	5.19%	-	-	
		Total	705	98.88%	8	1.12%	-	-	713
	Total	705	98.88%	8	1.12%	-	-	713	
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	168	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	177	100.00%	-	-	-	-	177
	Total	177	100.00%	-	-	-	-	177	
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	286	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	286	98.96%	-	-	3	1.04%	289
	Total	286	98.96%	-	-	3	1.04%	289	
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	54	93.10%	4	6.90%	-	-	
		Total	208	96.74%	7	3.26%	-	-	215
	EPNG02	0-5	100	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	112	100.00%	-	-	-	-	112	
	EPNG03	0-5	117	100.00%	-	-	-	-	
		6-10	31	96.88%	1	3.13%	-	-	
		Total	148	99.33%	1	0.67%	-	-	149
	Total	468	98.32%	8	1.68%	-	-	476	
	Erie Shores Wind Farm (ESWF01)	ESWF01	16+	-	-	-	-	1	100.00%
Total			-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Erieau Wind Farm (EWF01)	EWF01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
	Total	5	71.43%	2	28.57%	-	-	7	
Erin, Town Of (ERN01)	ERN01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	10	71.43%	2	14.29%	2	14.29%	14	
Total	10	71.43%	2	14.29%	2	14.29%	14		
Erin, Town Of (ERNSL01)	ERNS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	9	90.00%	1	10.00%	
		Total	1	9.09%	9	81.82%	1	9.09%	11
	ERNSAN01	16+	-	-	8	72.73%	3	27.27%	
		Total	-	-	8	72.73%	3	27.27%	11
	ERNSL01	16+	-	-	26	83.87%	5	16.13%	
		Total	-	-	26	83.87%	5	16.13%	31
Total	1	1.89%	43	81.13%	9	16.98%	53		
Erth Power Corporation (ETP01)	ETP01	0-5	522	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	79	96.34%	3	3.66%	-	-	
		Total	601	99.01%	5	0.82%	1	0.16%	607
	Total	601	99.01%	5	0.82%	1	0.16%	607	
Espanola , Town Of (ESP01)	ESP01	0-5	27	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Espanola , Town Of (ESP01)	ESP01	6-10	5	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total		32	100.00%	-	-	-	-	32
Espanola Hydro (ERH01)	ERH01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	42	97.67%	-	-	1	2.33%	43
	Total		42	97.67%	-	-	1	2.33%	43
Essa, Township Of (ESA123)	ESASSL01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	13	61.90%	5	23.81%	3	14.29%	21
	ESAWS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	12	60.00%	5	25.00%	3	15.00%	20
Total		25	60.98%	10	24.39%	6	14.63%	41	
Essex County Highways (ESXTS01)	ESXTS01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	37.50%	5	62.50%	
		Total	55	85.94%	4	6.25%	5	7.81%	64
	Total		55	85.94%	4	6.25%	5	7.81%	64
Essex Powerlines Corp (A006)	A006	0-5	452	100.00%	-	-	-	-	
		11-15	-	-	39	100.00%	-	-	
		16+	-	-	17	89.47%	2	10.53%	
		6-10	105	91.30%	10	8.70%	-	-	
	Total	557	89.12%	66	10.56%	2	0.32%	625	
Total		557	89.12%	66	10.56%	2	0.32%	625	
Essex Powerlines Corp (A007)	A007	0-5	314	100.00%	-	-	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	6	100.00%	-	-	-	-	
	Total	320	95.81%	-	-	14	4.19%	334	
Total		320	95.81%	-	-	14	4.19%	334	
Essex, Town Of (CO01)	CO01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	3	50.00%	3	50.00%	
		6-10	24	100.00%	-	-	-	-	
	Total	83	93.26%	3	3.37%	3	3.37%	89	
Total		83	93.26%	3	3.37%	3	3.37%	89	
Execulink Telecom (EXTEL123)	ASC2	0-5	252	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	105	100.00%	-	-	-	-	
		Total	357	98.89%	-	-	4	1.11%	361
	EXEC01	0-5	491	100.00%	-	-	-	-	
		11-15	-	-	32	96.97%	1	3.03%	
		16+	-	-	-	-	13	100.00%	
		6-10	165	92.18%	14	7.82%	-	-	
		Total	656	91.62%	46	6.42%	14	1.96%	716
	HT01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	11	61.11%	7	38.89%	-	-	
		Total	53	82.81%	11	17.19%	-	-	64
	HTF1	0-5	14	100.00%	-	-	-	-	
11-15		-	-	1	100.00%	-	-		

UIO Performance Report

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Execulink Telecom (EXTEL123)	HTF1	6-10	5	100.00%	-	-	-	-	20
		Total	19	95.00%	1	5.00%	-	-	
	NE01	0-5	3	100.00%	-	-	-	-	8
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	6	75.00%	1	12.50%	1	12.50%	
	NEK01	0-5	5	100.00%	-	-	-	-	8
		6-10	3	100.00%	-	-	-	-	
Total		8	100.00%	-	-	-	-		
Total			1,099	93.37%	59	5.01%	19	1.61%	1,177
Fanshawe College - Private Property (FSWC02)	FSWC02	16+	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	
	Total			-	-	-	2	100.00%	2
Fanshawe College (FSWC01)	FSWC01	0-5	2	100.00%	-	-	-	-	4
		16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	
	Total			2	50.00%	-	-	2	50.00%
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	11	100.00%	-	-	-	-	15
		6-10	1	25.00%	3	75.00%	-	-	
		Total	12	80.00%	3	20.00%	-	-	
	Total			12	80.00%	3	20.00%	-	-
Festival Hydro (FESTH01)	FESTH01	0-5	491	100.00%	-	-	-	-	599
		16+	-	-	-	-	1	100.00%	
		6-10	107	100.00%	-	-	-	-	
		Total	598	99.83%	-	-	1	0.17%	
	Total			598	99.83%	-	-	1	0.17%
Fibrespeed Inc (FBSDI01)	FBSDI01	11-15	-	-	-	-	3	100.00%	21
		16+	-	-	-	-	18	100.00%	
		Total	-	-	-	-	21	100.00%	
	Total			-	-	-	21	100.00%	21
First Nations Cable (FNC01)	FNC01	0-5	28	100.00%	-	-	-	-	52
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	13	72.22%	5	27.78%	-	-	
		Total	41	78.85%	10	19.23%	1	1.92%	
	Total			41	78.85%	10	19.23%	1	1.92%
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	360	100.00%	-	-	-	-	394
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	390	98.98%	4	1.02%	-	-	
	Total			390	98.98%	4	1.02%	-	-
Fort Frances Power (FFP01)	FFP01	0-5	42	100.00%	-	-	-	-	44
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	42	95.45%	1	2.27%	1	2.27%	44	
Total			42	95.45%	1	2.27%	1	2.27%	44
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	37	100.00%	-	-	-	-	49
		6-10	12	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	
	Total			49	100.00%	-	-	-	-
French River, Municipality Of (FFR01)	FFR01	0-5	4	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
French River, Municipality Of (FFR01)	FFR01	6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Fu Fiber Inc (FUFIO1)	FUFIO1	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	11	73.33%	2	13.33%	2	13.33%	15
	Total		11	73.33%	2	13.33%	2	13.33%	15
Gananoque, Town Of (GNQWST01)	GNQWST01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	32	100.00%	
		Total	-	-	-	-	33	100.00%	33
	Total		-	-	-	-	33	100.00%	33
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13
Georgian Bluffs , Township Of (GB01)	GB01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	GBSL01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		18	100.00%	-	-	-	-	18	
Georgian Peaks Ski Club (GPSC01)	GPSC01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Georgina, Town Of (GGN123)	GGN01	0-5	229	100.00%	-	-	-	-	
		6-10	74	100.00%	-	-	-	-	
		Total	303	100.00%	-	-	-	-	303
	Total		303	100.00%	-	-	-	-	303
Glenfred Gas Wells (GFGW01)	GFGW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Goderich, Town Of (GDR123)	GDRHS01	0-5	109	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	109	99.09%	-	-	1	0.91%	110
	GDRHW01	0-5	108	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	109	99.09%	1	0.91%	-	-	110
Total		218	99.09%	1	0.45%	1	0.45%	220	
GOLDEN RURAL HIGH SPEED (GLDNRL01)	GLDNRL01	16+	-	-	2	66.67%	1	33.33%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	3	75.00%	1	25.00%	4
	Total		-	-	3	75.00%	1	25.00%	4
Gore Bay , Town Of (GBY01)	GBY01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Gosfield North Communications (G001)	G001	0-5	191	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	58	100.00%	-	-	-	-	
		Total	249	98.81%	-	-	3	1.19%	252
	MSCQUAD2	0-5	110	100.00%	-	-	-	-	
	11-15	-	-	1	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Gosfield North Communications (G001)	MSCQUAD2	16+	-	-	-	-	16	100.00%	
		6-10	13	72.22%	5	27.78%	-	-	
		Total	123	84.83%	6	4.14%	16	11.03%	145
	QUAD1	0-5	395	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
	Total	412	100.00%	-	-	-	-	412	
	Total	784	96.91%	6	0.74%	19	2.35%	809	
Gosfield Wind Limited Partnership (BFP01)	BFP01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Government Of Canada (GOC01)	GOC01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total	14	93.33%	1	6.67%	-	-	15	
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	-	-	1	20.00%	5
	Total	4	80.00%	-	-	1	20.00%	5	
Grand Bend Wind Lp (GBWF01)	GBWF01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	-	-	7	100.00%	-	-	
		Total	3	27.27%	7	63.64%	1	9.09%	11
	Total	3	27.27%	7	63.64%	1	9.09%	11	
Grand River Hospital Corp. - KW Campus And Freepoint Campus (FPGRH01)	FPGRH01	16+	-	-	2	28.57%	5	71.43%	
		Total	-	-	2	28.57%	5	71.43%	7
	Total	-	-	2	28.57%	5	71.43%	7	
Grand Valley Wind Farm (GVWF01)	GVWF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	10	76.92%	3	23.08%	
		Total	2	13.33%	10	66.67%	3	20.00%	15
	Total	2	13.33%	10	66.67%	3	20.00%	15	
Grandbridge Energy	GBH01	0-5	1,448	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	730	99.18%	6	0.82%	-	-	
		Total	2,178	99.50%	11	0.50%	-	-	2189
	Total	2,178	99.50%	11	0.50%	-	-	2,189	
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	52	100.00%	-	-	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	57	98.28%	1	1.72%	-	-	58
	Total	57	98.28%	1	1.72%	-	-	58	
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	57	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
	Total	58	100.00%	-	-	-	-	58	
Greater Essex County District School Board - Facility (GEDSB02)	GEDSB02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Greater Essex County District School Board (GEDSB01)	GEDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Madawaska, Township Of (GMDKA01)	GMDKA01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	72	97.30%	2	2.70%	-	-	74
	Total		72	97.30%	2	2.70%	-	-	74
Greater Sudbury Hydro (SH01)	SH01	0-5	318	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	329	99.40%	2	0.60%	-	-	331
	Total		329	99.40%	2	0.60%	-	-	331
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	354	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	354	99.72%	-	-	1	0.28%	355	
Total		354	99.72%	-	-	1	0.28%	355	
Greater Sudbury Hydro Plus Inc. - Street Lights West Nipissing (SH02)	SH02	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		17	100.00%	-	-	-	-	17
Greater Sudbury, City Of (GSBY123)	GSBY03	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	26	100.00%	
		Total	5	16.13%	-	-	26	83.87%	31
	GSBYS01	0-5	263	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	10	90.91%	1	9.09%	
		6-10	18	94.74%	1	5.26%	-	-	
		Total	281	92.43%	22	7.24%	1	0.33%	304
	GSBYSS01	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		Total	208	93.69%	14	6.31%	-	-	222
	GSBYW01	0-5	274	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	11	91.67%	1	8.33%	
Total		293	92.43%	23	7.26%	1	0.32%	317	
Total		787	90.05%	59	6.75%	28	3.20%	874	
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	3	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	20.00%	4	80.00%	-	-	
		Total	5	50.00%	4	40.00%	1	10.00%	10
	Total		5	50.00%	4	40.00%	1	10.00%	10
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Grey Highlands, Municipality Of (GRH01)	GRH01	6-10	2	50.00%	2	50.00%	-	-		
		Total	14	73.68%	2	10.53%	3	15.79%	19	
	Total		14	73.68%	2	10.53%	3	15.79%	19	
Grey, County Of (GREY01)	GREY01	0-5	50	100.00%	-	-	-	-		
		6-10	7	100.00%	-	-	-	-		
		Total	57	100.00%	-	-	-	-	57	
	Total		57	100.00%	-	-	-	-	57	
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	132	100.00%	-	-	-	-		
		6-10	32	100.00%	-	-	-	-		
		Total	164	100.00%	-	-	-	-	164	
	Total		164	100.00%	-	-	-	-	164	
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	89	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	90	100.00%	-	-	-	-	90	
	Total		90	100.00%	-	-	-	-	90	
G-Tel For Algoma Power (AGMP02)	AGMP02	6-10	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	Total		1	100.00%	-	-	-	-	1	
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	103	100.00%	-	-	-	-		
		6-10	34	97.14%	1	2.86%	-	-		
		Total	137	99.28%	1	0.72%	-	-	138	
	Total		137	99.28%	1	0.72%	-	-	138	
G-TEL FOR KITCHENER, CITY OF - ELECTRIC (KITE01)	KITE01	16+	-	-	-	-	7	100.00%		
		Total	-	-	-	-	7	100.00%	7	
	Total		-	-	-	-	7	100.00%	7	
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	34	100.00%	-	-	-	-		
		6-10	1	20.00%	4	80.00%	-	-		
		Total	35	89.74%	4	10.26%	-	-	39	
	Total		35	89.74%	4	10.26%	-	-	39	
Guelph, City Of (GLPH123)	GLPH01	0-5	541	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	272	99.63%	1	0.37%	-	-		
		Total	813	99.63%	3	0.37%	-	-	816	
	GLPH02	0-5	1	100.00%	-	-	-	-		
		6-10	4	100.00%	-	-	-	-		
		Total	5	100.00%	-	-	-	-	5	
	GLPH03	0-5	1	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	2	100.00%	-	-	-	-	2	
	GLPH04	0-5	26	100.00%	-	-	-	-		
		6-10	60	100.00%	-	-	-	-		
		Total	86	100.00%	-	-	-	-	86	
	GLPH05	0-5	37	100.00%	-	-	-	-		
		6-10	64	100.00%	-	-	-	-		
		Total	101	100.00%	-	-	-	-	101	
	Total		1,007	99.70%	3	0.30%	-	-	1,010	
	Guelph, University Of (UGPH01)	UGPH01	0-5	10	100.00%	-	-	-	-	
			11-15	-	-	2	100.00%	-	-	
			16+	-	-	1	100.00%	-	-	
6-10			-	-	1	100.00%	-	-		
Total			10	71.43%	4	28.57%	-	-	14	
Total			10	71.43%	4	28.57%	-	-	14	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Haldimand County (HLDM123)	HLDMD01	0-5	170	100.00%	-	-	-	-	182
		16+	-	-	1	8.33%	11	91.67%	
		Total	170	93.41%	1	0.55%	11	6.04%	
	HLDME01	0-5	74	100.00%	-	-	-	-	95
		11-15	-	-	3	100.00%	-	-	
		6-10	15	83.33%	3	16.67%	-	-	
		Total	89	93.68%	6	6.32%	-	-	
	HLDMS01	0-5	1	100.00%	-	-	-	-	10
		16+	-	-	8	88.89%	1	11.11%	
		Total	1	10.00%	8	80.00%	1	10.00%	
HLDMW01	0-5	8	100.00%	-	-	-	-	9	
	16+	-	-	-	-	1	100.00%		
	Total	8	88.89%	-	-	1	11.11%		
Total			268	90.54%	15	5.07%	13	4.39%	296
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	15	100.00%	15
		Total	-	-	-	-	15	100.00%	
	Total			-	-	-	15	100.00%	15
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOSL01	0-5	2	100.00%	-	-	-	-	3
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	HMTOTS01	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
Total			5	100.00%	-	-	-	5	
Halton Hills Hydro (HHH01)	HHH01	0-5	294	100.00%	-	-	-	-	461
		6-10	165	98.80%	2	1.20%	-	-	
		Total	459	99.57%	2	0.43%	-	-	
	Total			459	99.57%	2	0.43%	-	461
Halton Hills, Town Of (HAH01)	HAH01	0-5	51	100.00%	-	-	-	-	89
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	25	100.00%	-	-	-	-	
		Total	76	85.39%	12	13.48%	1	1.12%	
Total			76	85.39%	12	13.48%	1	1.12%	89
Halton Hills, Town Of (HAH02)	HAH02	0-5	5	100.00%	-	-	-	-	42
		16+	-	-	2	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	40	95.24%	2	4.76%	-	-	
Total			40	95.24%	2	4.76%	-	42	
Halton, Region Of (HLTNB123)	HLTNB01	0-5	7	100.00%	-	-	-	-	12
		6-10	5	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	HLTNBSL01	0-5	10	100.00%	-	-	-	-	20
		16+	-	-	-	-	2	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	18	90.00%	-	-	2	10.00%	
	HLTNBTC01	0-5	9	100.00%	-	-	-	-	17
		6-10	8	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	
	HLTNBTS01	0-5	5	100.00%	-	-	-	-	12
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
Total		11	91.67%	-	-	1	8.33%		
Total			58	95.08%	-	-	3	4.92%	61
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	4	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Halton, Region Of (HLTNH123)	HLTNHTC0 1	6-10	1	100.00%	-	-	-	-	-
		Total	5	100.00%	-	-	-	-	5
	HLTNHTS0 1	0-5	4	100.00%	-	-	-	-	-
		Total	4	100.00%	-	-	-	-	4
	Total		9	100.00%	-	-	-	-	9
Halton, Region Of (HLTNM123)	HLTNM01	0-5	16	100.00%	-	-	-	-	-
		11-15	-	-	2	100.00%	-	-	-
		6-10	13	100.00%	-	-	-	-	-
		Total	29	93.55%	2	6.45%	-	-	31
	HLTNMTC0 1	0-5	14	100.00%	-	-	-	-	-
		11-15	-	-	2	100.00%	-	-	-
		6-10	9	100.00%	-	-	-	-	-
		Total	23	92.00%	2	8.00%	-	-	25
	HLTNMTS0 1	0-5	5	100.00%	-	-	-	-	-
		11-15	-	-	2	100.00%	-	-	-
		6-10	8	100.00%	-	-	-	-	-
		Total	13	86.67%	2	13.33%	-	-	15
	Total		65	91.55%	6	8.45%	-	-	71
	Halton, Region Of (HLTNO123)	HLTNOK01	0-5	16	100.00%	-	-	-	-
11-15			-	-	7	100.00%	-	-	-
6-10			15	93.75%	1	6.25%	-	-	-
Total			31	79.49%	8	20.51%	-	-	39
HLTNOSL01		0-5	13	100.00%	-	-	-	-	-
		11-15	-	-	7	100.00%	-	-	-
		16+	-	-	-	-	1	100.00%	-
		6-10	13	100.00%	-	-	-	-	-
		Total	26	76.47%	7	20.59%	1	2.94%	34
HLTNOTC0 1		0-5	11	100.00%	-	-	-	-	-
		11-15	-	-	7	100.00%	-	-	-
		6-10	9	90.00%	1	10.00%	-	-	-
		Total	20	71.43%	8	28.57%	-	-	28
HLTNOTS0 1		0-5	10	100.00%	-	-	-	-	-
		11-15	-	-	6	100.00%	-	-	-
		16+	-	-	-	-	1	100.00%	-
		6-10	12	100.00%	-	-	-	-	-
Total		22	75.86%	6	20.69%	1	3.45%	29	
Total			99	76.15%	29	22.31%	2	1.54%	130
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	10	100.00%	-	-	-	-	-
		11-15	-	-	1	100.00%	-	-	-
		6-10	1	100.00%	-	-	-	-	-
		Total	11	91.67%	1	8.33%	-	-	12
	Total		11	91.67%	1	8.33%	-	-	12
Halton, Region Of (HLTNT01)	HLTNT01	0-5	12	100.00%	-	-	-	-	-
		11-15	-	-	1	100.00%	-	-	-
		6-10	2	100.00%	-	-	-	-	-
		Total	14	93.33%	1	6.67%	-	-	15
	Total		14	93.33%	1	6.67%	-	-	15
Hamilton , Township Of (HML01)	HML01	0-5	169	100.00%	-	-	-	-	-
		6-10	1	100.00%	-	-	-	-	-
		Total	170	100.00%	-	-	-	-	170
Total		170	100.00%	-	-	-	-	170	
Hamilton Community Energy (HCE1)	HCE1	0-5	7	100.00%	-	-	-	-	-

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hamilton Community Energy (HCE1)	HCE1	16+	-	-	2	100.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total	7	77.78%	2	22.22%	-	-	9	
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
	Total	1	14.29%	6	85.71%	-	-	7	
Total	1	14.29%	6	85.71%	-	-	7		
Hamilton, City Of (CH01)	CH01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	97	97.00%	3	3.00%	-	-	
	Total	181	86.19%	29	13.81%	-	-	210	
Total	181	86.19%	29	13.81%	-	-	210		
Hamilton, City Of (HHP3)	HHP3	0-5	875	100.00%	-	-	-	-	
		11-15	-	-	80	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	312	82.76%	65	17.24%	-	-	
	Total	1,187	88.58%	153	11.42%	-	-	1340	
Total	1,187	88.58%	153	11.42%	-	-	1,340		
Hamilton, City Of (HW01)	HW01	0-5	1,219	100.00%	-	-	-	-	
		11-15	-	-	76	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	452	83.09%	92	16.91%	-	-	
	Total	1,671	90.47%	176	9.53%	-	-	1847	
	HW02	0-5	14	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
Total	15	100.00%	-	-	-	-	15		
Total	1,686	90.55%	176	9.45%	-	-	1,862		
Hanover , Town Of (HNVR01)	HNVR01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	41	93.18%	3	6.82%	-	-	44	
Total	41	93.18%	3	6.82%	-	-	44		
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
Total	2	66.67%	1	33.33%	-	-	3		
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	49	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
	HWKBSL01	0-5	48	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	48	97.96%	1	2.04%	-	-	49	
Total	97	98.98%	1	1.02%	-	-	98		
Hay Communications (H123)	H003	0-5	265	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	51	42.50%	69	57.50%	-	-	
	Total	316	81.87%	70	18.13%	-	-	386	
Total	316	81.87%	70	18.13%	-	-	386		
Hce Telecom (HCEHN01)	HCEHN01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
	16+	-	-	2	50.00%	2	50.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hce Telecom (HCEHN01)	HCEHN01	6-10	24	82.76%	5	17.24%	-	-	
		Total	48	78.69%	11	18.03%	2	3.28%	61
	Total	48	78.69%	11	18.03%	2	3.28%	61	
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Hearst Power (HRSTP01)	HRSTP01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	
	Total	3	100.00%	-	-	-	-	3	
Highbury Canco Corp (HGHBRY01)	HGHBRY01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Highlands East, Municipality Of (HLNDE01)	HLNDE01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Home Hardware Stores Ltd (HHSF01)	HHSF01	16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
	Total	2	66.67%	1	33.33%	-	-	3	
Hornepayne , Township Of (HRP01)	HRP01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
	16+	-	-	-	-	1	100.00%		
	6-10	5	100.00%	-	-	-	-		
	Total	8	72.73%	2	18.18%	1	9.09%	11	
	Total	8	72.73%	2	18.18%	1	9.09%	11	
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	71	100.00%	-	-	
	6-10	56	88.89%	7	11.11%	-	-		
	Total	70	47.30%	78	52.70%	-	-	148	
Total	70	47.30%	78	52.70%	-	-	148		
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	Total	15	83.33%	-	-	3	16.67%	18	
Total	15	83.33%	-	-	3	16.67%	18		
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	16+	-	-	-	-	12	100.00%		
	6-10	3	20.00%	12	80.00%	-	-		
	Total	47	65.28%	13	18.06%	12	16.67%	72	
Total	47	65.28%	13	18.06%	12	16.67%	72		
Huron Perth Healthcare Alliance (HPHA01)	HPHA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Huron Shores , Municipality Of (HRNSSS01)	HRNSSS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Huron, County Of (HRN123)	HRN01	16+	-	-	23	100.00%	-	-	
		Total	-	-	23	100.00%	-	-	23

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Huron, County Of (HRN123)	HRN02	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	18	94.74%	-	-	1	5.26%	19
	HRN03	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	10	66.67%	-	-	5	33.33%	15
	HRN04	16+	-	-	-	-	4	100.00%	
Total		-	-	-	-	4	100.00%	4	
Total		28	45.90%	23	37.70%	10	16.39%	61	
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	71	97.26%	1	1.37%	1	1.37%	73	
Total		71	97.26%	1	1.37%	1	1.37%	73	
Hurontel (HTEL01)	HTEL01	0-5	306	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	3	16.67%	15	83.33%	
		6-10	74	51.75%	69	48.25%	-	-	
	Total	380	78.03%	92	18.89%	15	3.08%	487	
Total		380	78.03%	92	18.89%	15	3.08%	487	
Hydro 2000 (H200001)	H200001	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Hydro Embrun (EMBRH01)	EMBRH01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	2	40.00%	3	60.00%	-	-	
	Total	38	79.17%	3	6.25%	7	14.58%	48	
Total		38	79.17%	3	6.25%	7	14.58%	48	
Hydro Hawkesbury (HHI01)	HHI01	0-5	43	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
	Total	46	93.88%	2	4.08%	1	2.04%	49	
Total		46	93.88%	2	4.08%	1	2.04%	49	
Hydro One Networks Inc (HH123)	HOBRA01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	8	80.00%	-	-	2	20.00%	10
	HOFS01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	16	100.00%	
		6-10	7	100.00%	-	-	-	-	
	Total	79	78.22%	6	5.94%	16	15.84%	101	
	HOHAM01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	22	81.48%	-	-	5	18.52%	27
	HOKIT01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
HOMAR01	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
HOMIS01	0-5	3	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		
	Total	3	75.00%	-	-	1	25.00%	4	
HOTOR01	0-5	254	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (HH123)	HOTOR01	16+	-	-	1	2.50%	39	97.50%	
		6-10	9	47.37%	10	52.63%	-	-	
		Total	263	81.93%	19	5.92%	39	12.15%	321
	HOVAU01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	HOWHI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	O0052	0-5	38	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	OH20	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	1	33.33%	2	66.67%	-	-	
Total		65	87.84%	4	5.41%	5	6.76%	74	
OH30	0-5	7	100.00%	-	-	-	-		
	Total	7	100.00%	-	-	-	-	7	
Total		491	83.22%	29	4.92%	70	11.86%	590	
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	36	80.00%	6	13.33%	3	6.67%	45
	Total		36	80.00%	6	13.33%	3	6.67%	45
Hydro One Networks Inc (H1DX)	H1DGE01	0-5	1,753	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	9	90.00%	1	10.00%	
		6-10	450	97.61%	11	2.39%	-	-	
		Total	2,203	98.26%	38	1.69%	1	0.04%	2242
	H1DGN01	0-5	921	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	197	99.49%	1	0.51%	-	-	
		Total	1,118	99.73%	2	0.18%	1	0.09%	1121
	H1DGN02	0-5	1,067	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	177	97.25%	5	2.75%	-	-	
		Total	1,244	99.28%	9	0.72%	-	-	1253
	H1DGW02	0-5	607	100.00%	-	-	-	-	
		11-15	-	-	50	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	259	91.20%	25	8.80%	-	-	
		Total	866	90.40%	92	9.60%	-	-	958
	H1DHN01	0-5	1,231	100.00%	-	-	-	-	
		11-15	-	-	114	100.00%	-	-	
		16+	-	-	156	100.00%	-	-	
		6-10	257	67.63%	123	32.37%	-	-	
		Total	1,488	79.11%	393	20.89%	-	-	1881
	H1DMOO01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	H1DOE01	0-5	4,752	100.00%	-	-	-	-	
11-15		-	-	131	100.00%	-	-		
16+		-	-	72	98.63%	1	1.37%		
6-10		1,831	97.76%	42	2.24%	-	-		
Total		6,583	96.40%	245	3.59%	1	0.01%	6829	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DONE01	0-5	1,798	100.00%	-	-	-	-	
		11-15	-	-	127	100.00%	-	-	
		16+	-	-	53	98.15%	1	1.85%	
		6-10	616	85.91%	101	14.09%	-	-	
		Total	2,414	89.54%	281	10.42%	1	0.04%	2696
	H1DONW02	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	110	97.35%	3	2.65%	-	-	113
	H1DOS01	0-5	2,579	100.00%	-	-	-	-	
		11-15	-	-	134	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	879	90.90%	88	9.10%	-	-	
		Total	3,458	93.66%	234	6.34%	-	-	3692
	H1DOW01	0-5	4,697	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	10	90.91%	1	9.09%	
		6-10	1,602	97.74%	37	2.26%	-	-	
		Total	6,299	98.48%	96	1.50%	1	0.02%	6396
	H1DTBY01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	20	90.91%	2	9.09%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	87	76.32%	25	21.93%	2	1.75%	114
	H1DX07	0-5	379	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
16+		-	-	113	93.39%	8	6.61%		
6-10		106	97.25%	3	2.75%	-	-		
Total		485	79.25%	119	19.44%	8	1.31%	612	
Total		26,357	94.44%	1,537	5.51%	15	0.05%	27,909	
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	138	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	97	89.81%	11	10.19%	-	-	
		Total	235	88.35%	31	11.65%	-	-	266
Total		235	88.35%	31	11.65%	-	-	266	
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	404	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	103	99.04%	1	0.96%	-	-	
		Total	507	98.83%	6	1.17%	-	-	513
Total		507	98.83%	6	1.17%	-	-	513	
Hydro Ottawa (HOT1)	HOT1	0-5	4,439	100.00%	-	-	-	-	
		11-15	-	-	97	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	1,805	95.35%	88	4.65%	-	-	
		Total	6,244	96.87%	202	3.13%	-	-	6446
	HOT2	0-5	293	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	115	100.00%	-	-	-	-	
		Total	408	99.03%	4	0.97%	-	-	412
		Total		6,652	97.00%	206	3.00%	-	-
Ignace , Township Of (IGN01)	IGN01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Imperial Oil Pipelines (I002)	I002	0-5	220	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	70	100.00%	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	230	73.95%	81	26.05%	-	-	311
Total			230	73.95%	81	26.05%	-	-	311
Imperial Oil Pipelines (I004)	I004	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
		Total	7	100.00%	-	-	-	-	7
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	90.00%	-	-	1	10.00%	10
		Total	9	90.00%	-	-	1	10.00%	10
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	28	71.79%	11	28.21%	
		6-10	1	5.88%	16	94.12%	-	-	
		Total	32	36.78%	44	50.57%	11	12.64%	87
		Total	32	36.78%	44	50.57%	11	12.64%	87
Innisfil, Town Of (INFL01)	INFL01	0-5	198	100.00%	-	-	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	44	100.00%	-	-	-	-	
		Total	242	96.41%	9	3.59%	-	-	251
		Total	242	96.41%	9	3.59%	-	-	251
Innpower (INSFH01)	INSFH01	0-5	343	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	73	100.00%	-	-	-	-	
		Total	416	99.76%	1	0.24%	-	-	417
		Total	416	99.76%	1	0.24%	-	-	417
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
Total	1	50.00%	1	50.00%	-	-	2		
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	50	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
Total	58	100.00%	-	-	-	-	58		
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	6	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	IRQFSL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	3	37.50%	5	62.50%	-	-	8
Total	10	62.50%	6	37.50%	-	-	16		
K2 Wind Farm Ontario (K2WF01)	K2WF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	5
Kapuskasing, Town Of (KAP01)	KAP01	0-5	5	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kapuskasing, Town Of (KAP01)	KAP01	16+	-	-	-	-	4	100.00%	
		Total	5	55.56%	-	-	4	44.44%	9
	Total	5	55.56%	-	-	4	44.44%	9	
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	73	100.00%	-	-	-	-	
		6-10	68	100.00%	-	-	-	-	
		Total	141	100.00%	-	-	-	-	141
	KWLKWS01	0-5	164	100.00%	-	-	-	-	
		6-10	118	99.16%	1	0.84%	-	-	
		Total	282	99.65%	1	0.35%	-	-	283
Total	423	99.76%	1	0.24%	-	-	424		
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	24	77.42%	6	19.35%	1	3.23%	31
	Total	24	77.42%	6	19.35%	1	3.23%	31	
Kearney, Town Of (KRNY01)	KRNY01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Kenora, City Of (KNRA123)	KNRA01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	7	53.85%	6	46.15%	-	-	
		Total	20	60.61%	8	24.24%	5	15.15%	33
	KNRASL01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	11	91.67%	-	-	1	8.33%	12
	KNRAST01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total	60	81.08%	8	10.81%	6	8.11%	74	
	Kent Breeze Wind Farm (SCE01)	SCE01	0-5	6	100.00%	-	-	-	-
Total			6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-	6	
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total	10	100.00%	-	-	-	-	10	
Killarney, Municipality Of (KLNWS01)	KLNWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	131	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	143	100.00%	-	-	-	-	143
	Total	143	100.00%	-	-	-	-	143	
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
King , Township Of (KNGWS01)	KNGSL01	0-5	151	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	170	98.84%	2	1.16%	-	-	172
	KNGWS01	0-5	111	100.00%	-	-	-	-	
16+		-	-	1	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
King , Township Of (KNGWS01)	KNGWS01	6-10	13	92.86%	1	7.14%	-	-	
		Total	124	98.41%	2	1.59%	-	-	126
	Total	294	98.66%	4	1.34%	-	-	298	
Kingsbridge Wind Farm (K1WF01)	K1WF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Kingston General Hospital (KGH01)	KGH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Kingsville, Town Of (TK01)	TK01	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	97	98.98%	1	1.02%	-	-	98
	TKF01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	97	97.98%	2	2.02%	-	-	99	
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total	24	100.00%	-	-	-	-	24	
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	164	100.00%	-	-	-	-	
		6-10	107	96.40%	4	3.60%	-	-	
		Total	271	98.55%	4	1.45%	-	-	275
	Total	271	98.55%	4	1.45%	-	-	275	
Kitchener Utilities (KU02)	KU02	0-5	941	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	313	99.68%	1	0.32%	-	-	
		Total	1,254	98.43%	20	1.57%	-	-	1274
		Total	1,254	98.43%	20	1.57%	-	-	1,274
Kitchener, The City Of (KITS01)	KITS01	0-5	512	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	218	100.00%	-	-	-	-	
		Total	730	99.73%	2	0.27%	-	-	732
	Total	730	99.73%	2	0.27%	-	-	732	
KRUGER ENERGY CHATHAM LP (KEC01)	KEC01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
KRUGER ENERGY PORT ALMA LP (KEPA01)	KEPA01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Kwic Internet (KWIC01)	KWIC01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
	Total	18	94.74%	1	5.26%	-	-	19	
Lagasco Inc (TP01)	TP01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	44	88.00%	4	8.00%	2	4.00%	50
	Total	44	88.00%	4	8.00%	2	4.00%	50	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lagasco Limited (L002)	L002	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	6	54.55%	1	9.09%	4	36.36%	11
Total			6	54.55%	1	9.09%	4	36.36%	11
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	9	45.00%	11	55.00%	-	-	20
Total			9	45.00%	11	55.00%	-	-	20
Lake Of Bays , Township Of (LOB01)	LOB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	111	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	35	97.22%	1	2.78%	-	-	
		Total	146	97.33%	4	2.67%	-	-	150
Total			146	97.33%	4	2.67%	-	-	150
Lakefront Utilities (LUSI123)	COLBH01	0-5	14	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	LUSIH01	0-5	107	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	35	89.74%	4	10.26%	-	-	
Total	142	95.30%	7	4.70%	-	-	149		
Total			167	95.98%	7	4.02%	-	-	174
Lakeland Networks (LKLNN01)	LKLNN01	0-5	148	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	185	96.86%	6	3.14%	-	-	191
Total			185	96.86%	6	3.14%	-	-	191
Lakeland Power (LKLNP123)	LKLNP01	0-5	135	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	75	97.40%	2	2.60%	-	-	
		Total	210	95.89%	9	4.11%	-	-	219
Total			210	95.89%	9	4.11%	-	-	219
Lakeshore, Municipality Of (TOL123)	B002	0-5	382	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	391	100.00%	-	-	-	-	391
Total			391	100.00%	-	-	-	-	391
Lakeview Water System (LKVWW01)	LKVWW01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	16	88.89%	-	-	2	11.11%	18
Total			16	88.89%	-	-	2	11.11%	18
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	97	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	97	95.10%	-	-	5	4.90%	102
Total			97	95.10%	-	-	5	4.90%	102
Lambton County (LMBTN01)	LMBTN01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lambton Shores, Municipality Of (F001)	F001	0-5	160	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	36	81.82%	8	18.18%	-	-	
		Total	196	95.15%	10	4.85%	-	-	206
Total			196	95.15%	10	4.85%	-	-	206
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	3	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total			8	100.00%	-	-	-	-	8
Lanark Highlands , Township Of (LNKH01)	LNKH01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	18	81.82%	-	-	4	18.18%	22
Total			18	81.82%	-	-	4	18.18%	22
Lanark, County Of (LNRK01)	LNRK01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
		Total			15	100.00%	-	-	-
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
		Total			-	-	3	100.00%	3
Larder Lake , Township Of (LRL01)	LRL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total			-	-	1	100.00%	1
Lasalle , Town Of (LSL01)	LSL01	0-5	137	100.00%	-	-	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	85	98.84%	1	1.16%	-	-	
		Total	222	92.89%	17	7.11%	-	-	239
		Total			222	92.89%	17	7.11%	-
Latchford , Town Of (LTFWSS01)	LTFWSS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
		Total			7	100.00%	-	-	-
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	20	100.00%	
		Total	-	-	-	-	20	100.00%	20
		Total			-	-	20	100.00%	20
Laurentian University (LRTU01)	LRTU01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total			4	100.00%	-	-	-
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	3	20.00%	12	80.00%	
		Total	2	10.53%	3	15.79%	14	73.68%	19
		Total			2	10.53%	3	15.79%	14
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	90.00%	-	-	1	10.00%	10
		Total			9	90.00%	-	-	1
Leamington District Memorial Hospital (LDMH01)	LDMH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total			-	-	2	100.00%	2
Leamington Water Services (L001)	L001	0-5	138	100.00%	-	-	-	-	
		11-15	-	-	32	100.00%	-	-	
		16+	-	-	3	30.00%	7	70.00%	
		Total							

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Leamington Water Services (L001)	L001	6-10	15	100.00%	-	-	-	-	
		Total	153	78.46%	35	17.95%	7	3.59%	195
	Total	153	78.46%	35	17.95%	7	3.59%	195	
Leamington, Municipality Of (LS01)	LS01	0-5	304	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	304	99.67%	-	-	1	0.33%	305
	Total	304	99.67%	-	-	1	0.33%	305	
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	36	94.74%	2	5.26%	-	-	38
	Total	36	94.74%	2	5.26%	-	-	38	
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	8	100.00%	8
	LDTI02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	9	100.00%	9
Lennox And Addington, County Of (LXA123)	LXA01	0-5	9	100.00%	-	-	-	-	
		6-10	12	66.67%	6	33.33%	-	-	
		Total	21	77.78%	6	22.22%	-	-	27
	Total	21	77.78%	6	22.22%	-	-	27	
Levant Exploration And Production Corp (RR01)	RR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Liberty Oil And Gas (LBTYOG01)	LBTYOG01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Lincoln, Town Of (LINWS01)	LINWS01	0-5	200	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	201	99.50%	1	0.50%	-	-	202
	Total	201	99.50%	1	0.50%	-	-	202	
Linde - Mississauga (PXRPL02)	PXRPL02	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	16+	-	-	1	16.67%	5	83.33%	
		Total	-	-	1	16.67%	5	83.33%	6
	Total	-	-	1	16.67%	5	83.33%	6	
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total	19	100.00%	-	-	-	-	19	
London District Energy (TG01)	TG01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	35	97.22%	1	2.78%	-	-	
		Total	59	96.72%	2	3.28%	-	-	61
	Total	59	96.72%	2	3.28%	-	-	61	
London Health Sciences (LHS1)	LHS1	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
London Hydro (L003)	L003	0-5	1,346	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
London Hydro (L003)	L003	16+	-	-	7	100.00%	-	-		
		6-10	534	99.26%	4	0.74%	-	-		
		Total	1,880	98.79%	23	1.21%	-	-	1903	
	LHDL01	16+	-	-	-	-	14	100.00%		
		Total	-	-	-	-	14	100.00%	14	
Total		1,880	98.07%	23	1.20%	14	0.73%	1,917		
London, City Of (LN01)	LN01	0-5	1,380	100.00%	-	-	-	-		
		11-15	-	-	11	100.00%	-	-		
		16+	-	-	5	8.20%	56	91.80%		
		6-10	642	99.23%	5	0.77%	-	-		
		Total	2,022	96.33%	21	1.00%	56	2.67%	2099	
	Total		2,022	96.33%	21	1.00%	56	2.67%	2,099	
London, City Of (LN02)	LN02	0-5	3	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-	3	
	Total		3	100.00%	-	-	-	-	3	
Long Point Provincial Park (LPPP01)	LPPP01	16+	-	-	-	-	2	100.00%		
		Total	-	-	-	-	2	100.00%	2	
	Total		-	-	-	-	2	100.00%	2	
Loyalist Township (LYST123)	LYSTBS6	0-5	21	100.00%	-	-	-	-		
		6-10	19	100.00%	-	-	-	-		
		Total	40	100.00%	-	-	-	-	40	
	LYSTBW5	0-5	22	100.00%	-	-	-	-		
		6-10	18	100.00%	-	-	-	-		
		Total	40	100.00%	-	-	-	-	40	
	LYSTEL4	0-5	50	100.00%	-	-	-	-		
		6-10	32	100.00%	-	-	-	-		
		Total	82	100.00%	-	-	-	-	82	
	LYSTFW1	0-5	68	100.00%	-	-	-	-		
		6-10	59	98.33%	1	1.67%	-	-		
		Total	127	99.22%	1	0.78%	-	-	128	
	LYSTLES2	0-5	62	100.00%	-	-	-	-		
		6-10	55	98.21%	1	1.79%	-	-		
		Total	117	99.15%	1	0.85%	-	-	118	
	LYSTSTM3	0-5	82	100.00%	-	-	-	-		
		6-10	64	100.00%	-	-	-	-		
		Total	146	100.00%	-	-	-	-	146	
	Total		552	99.64%	2	0.36%	-	-	554	
	Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	64	100.00%	-	-	-	-	
			11-15	-	-	25	100.00%	-	-	
			16+	-	-	-	-	2	100.00%	
			6-10	4	66.67%	2	33.33%	-	-	
			Total	68	70.10%	27	27.84%	2	2.06%	97
Total			68	70.10%	27	27.84%	2	2.06%	97	
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	0-5	18	100.00%	-	-	-	-		
		16+	-	-	1	33.33%	2	66.67%		
	Total	18	85.71%	1	4.76%	2	9.52%	21		
Total		18	85.71%	1	4.76%	2	9.52%	21		
Machin, Municipality Of (MCHW01)	MCHW01	16+	-	-	-	-	2	100.00%		
		Total	-	-	-	-	2	100.00%	2	
Total		-	-	-	-	2	100.00%	2		
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	16+	-	-	-	-	7	100.00%		
		Total	-	-	-	-	7	100.00%	7	
Total		-	-	-	-	7	100.00%	7		
Malahide, Township Of (MLHD01)	MLHD01	0-5	11	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Malahide, Township Of (MLHD01)	MLHD01	6-10	1	33.33%	2	66.67%	-	-	
		Total	12	85.71%	2	14.29%	-	-	14
	Total	12	85.71%	2	14.29%	-	-	14	
Manitouwadge, Township Of (MTW01)	MTW01	16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total	1	33.33%	1	33.33%	1	33.33%	3	
Mapleton, Township Of (MPLT01)	MPLT01	0-5	23	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total	29	100.00%	-	-	-	-	29	
Marathon, Town Of (MRTH01)	MRTH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Markham "Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	206	100.00%	-	-	-	-	
		6-10	92	100.00%	-	-	-	-	
		Total	298	100.00%	-	-	-	-	298
	Total	298	100.00%	-	-	-	-	298	
Markham District Energy (MDE01)	MDE01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	11	91.67%	-	-	1	8.33%	12
	Total	11	91.67%	-	-	1	8.33%	12	
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	287	100.00%	-	-	-	-	
		6-10	124	100.00%	-	-	-	-	
		Total	411	100.00%	-	-	-	-	411
	Total	411	100.00%	-	-	-	-	411	
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Marwood Metals (MARWDF01)	MARWDF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total	1	50.00%	1	50.00%	-	-	2	
Matachewan, Township Of (MTCWWS01)	MTCWWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Mattawa, Town Of (MTWAWS01)	MTWAWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total	1	33.33%	2	66.67%	-	-	3	
Mattice-Val Cote, Township Of (MVCWS01)	MVCWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total	1	50.00%	1	50.00%	-	-	2	
Mccann Solar (SEH01)	SEH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	0-5	3	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Mcgarry, Township Of (MCGWS01)	MCGWS01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	3
	Total		-	-	2	66.67%	1	33.33%	3
McNab Braeside, Township Of (MCBR01)	MCBR01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	31	93.94%	1	3.03%	1	3.03%	33
	Total		31	93.94%	1	3.03%	1	3.03%	33
Meaford, Municipality Of (MFRD01)	MFRD01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	43	89.58%	5	10.42%	-	-	48
	Total		43	89.58%	5	10.42%	-	-	48
Melancthon Windfarm (MELWF01)	MELWF01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	13	92.86%	1	7.14%	-	-	14	
Total		13	92.86%	1	7.14%	-	-	14	
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	23	95.83%	1	4.17%	
		Total	-	-	23	95.83%	1	4.17%	24
	Total		-	-	23	95.83%	1	4.17%	24
Metalore Resources (MTLORE01)	MTLORE01	0-5	9	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Metro Fibrewerx (MFWX01)	MFWX01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	85	98.84%	1	1.16%	-	-	86
	Total		85	98.84%	1	1.16%	-	-	86
Middlesex, County Of (MDSX01)	MDSX01	0-5	71	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	Total		71	100.00%	-	-	-	-	71
Midland, Town Of (MIDLND01)	MIDLND01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	43	89.58%	-	-	5	10.42%	48
	Total		43	89.58%	-	-	5	10.42%	48
Midland, Town Of (MIDLND03)	MIDLND03	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	37	90.24%	3	7.32%	1	2.44%	41
	Total		37	90.24%	3	7.32%	1	2.44%	41
Milton, Town Of (MLTSS01)	MLTSS01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Milton , Town Of (MLTSS01)	MLTSS01	0-5	153	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	55	96.49%	2	3.51%	-	-	
		Total	208	95.85%	9	4.15%	-	-	217
		Total	211	95.91%	9	4.09%	-	-	220
MILTON HYDRO (MH123)	MHHN01	0-5	580	100.00%	-	-	-	-	
		11-15	-	-	25	100.00%	-	-	
		16+	-	-	6	54.55%	5	45.45%	
		6-10	95	95.00%	5	5.00%	-	-	
		Total	675	94.27%	36	5.03%	5	0.70%	716
		Total	675	94.27%	36	5.03%	5	0.70%	716
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	45	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	47	95.92%	2	4.08%	-	-	49
		Total	47	95.92%	2	4.08%	-	-	49
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	251	100.00%	-	-	-	-	
		6-10	189	100.00%	-	-	-	-	
		Total	440	100.00%	-	-	-	-	440
		Total	440	100.00%	-	-	-	-	440
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	82	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	112	100.00%	-	-	-	-	
		Total	194	99.49%	1	0.51%	-	-	195
		Total	194	99.49%	1	0.51%	-	-	195
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	121	100.00%	-	-	-	-	
		11-15	-	-	-	-	3	100.00%	
		16+	-	-	4	50.00%	4	50.00%	
		Total	121	91.67%	4	3.03%	7	5.30%	132
		Total	121	91.67%	4	3.03%	7	5.30%	132
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	1,515	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	314	99.68%	1	0.32%	-	-	
		Total	1,829	99.29%	6	0.33%	7	0.38%	1842
		Total	1,829	99.29%	6	0.33%	7	0.38%	1,842
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	30	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
		Total	33	100.00%	-	-	-	-	33
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	44.44%	10	55.56%	-	-	
		Total	14	50.00%	14	50.00%	-	-	28
		Total	14	50.00%	14	50.00%	-	-	28
Molded Plastics (MLDP01)	MLDP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Mono , Town Of (MNO123)	MNO01	0-5	9	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	8	72.73%	3	27.27%		
		6-10	-	-	1	100.00%	-	-		
		Total	9	40.91%	10	45.45%	3	13.64%	22	
	MNOSL01	0-5	4	100.00%	-	-	-	-		
		16+	-	-	15	93.75%	1	6.25%		
		6-10	-	-	2	100.00%	-	-		
		Total	4	18.18%	17	77.27%	1	4.55%	22	
		Total	13	29.55%	27	61.36%	4	9.09%	44	
Moosonee , Town Of (MSN01)	MSN01	16+	-	-	-	-	1	100.00%		
		Total	-	-	-	-	1	100.00%	1	
	Total	-	-	-	-	1	100.00%	1		
Mornington Communications (MORNT01)	MORNT01	0-5	13	100.00%	-	-	-	-		
		Total	13	100.00%	-	-	-	-	13	
	MORNT02	0-5	175	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	60	89.55%	7	10.45%	-	-		
		Total	235	95.53%	11	4.47%	-	-	246	
	Total	248	95.75%	11	4.25%	-	-	259		
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	35	100.00%	-	-	-	-		
		Total	35	100.00%	-	-	-	-	35	
	MRTW01	0-5	13	100.00%	-	-	-	-		
		16+	-	-	-	-	4	100.00%		
		6-10	-	-	1	100.00%	-	-		
		Total	13	72.22%	1	5.56%	4	22.22%	18	
Total	48	90.57%	1	1.89%	4	7.55%	53			
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	Total	1	100.00%	-	-	-	-	1		
Muskoka , District Of (MUSKWS01)	MUSKSS01	0-5	46	100.00%	-	-	-	-		
		11-15	-	-	7	100.00%	-	-		
		16+	-	-	1	6.67%	14	93.33%		
		6-10	21	56.76%	16	43.24%	-	-		
		Total	67	63.81%	24	22.86%	14	13.33%	105	
	MUSKWS03	0-5	82	100.00%	-	-	-	-		
		11-15	-	-	1	16.67%	5	83.33%		
		16+	-	-	-	-	4	100.00%		
		6-10	22	95.65%	1	4.35%	-	-		
		Total	104	90.43%	2	1.74%	9	7.83%	115	
	MUSKWS04	0-5	77	100.00%	-	-	-	-		
		11-15	-	-	-	-	1	100.00%		
		6-10	1	100.00%	-	-	-	-		
		Total	78	98.73%	-	-	1	1.27%	79	
	MUSKWS05	0-5	74	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	-	-	12	100.00%		
		6-10	8	53.33%	7	46.67%	-	-		
		Total	82	79.61%	9	8.74%	12	11.65%	103	
	Total	331	82.34%	35	8.71%	36	8.96%	402		
	Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	4	100.00%	-	-	-	-	
			6-10	1	33.33%	2	66.67%	-	-	
			Total	5	71.43%	2	28.57%	-	-	7
Total		5	71.43%	2	28.57%	-	-	7		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	3	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Nairn And Hyman, Township Of (TNHW01)	TNHW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Nation, Municipality Of The (NATN01)	NATN01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	9	56.25%	5	31.25%	2	12.50%	16
Total	9	56.25%	5	31.25%	2	12.50%	16		
Net Optiks	BPNOFC01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
		Total	-	-	-	-	6	100.00%	6
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	54	98.18%	1	1.82%	-	-	55
		Total	54	98.18%	1	1.82%	-	-	55
Netflash Internet Solutions (NISF01)	NISF01	0-5	22	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
		Total	27	100.00%	-	-	-	-	27
Netsolid Internet Solutions Inc	NETSLD01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	4	100.00%	4
		Total	-	-	-	-	4	100.00%	4
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	371	100.00%	-	-	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	404	100.00%	-	-	-	-	404
		Total	404	100.00%	-	-	-	-	404
Newbury, Village Of (NWBWS01)	NWBWS01	16+	-	-	8	100.00%	-	-	
		Total	-	-	8	100.00%	-	-	8
		Total	-	-	8	100.00%	-	-	8
Newmarket, Town Of (NMK01)	NMK01	0-5	107	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	122	95.31%	-	-	6	4.69%	128
		Total	122	95.31%	-	-	6	4.69%	128
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	294	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	296	100.00%	-	-	-	-	296
		Total	296	100.00%	-	-	-	-	296
Niagara Falls, City Of (NFS01)	NFS01	0-5	532	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	284	99.65%	1	0.35%	-	-	
		Total	816	99.76%	2	0.24%	-	-	818
		Total	816	99.76%	2	0.24%	-	-	818
Niagara Parks Commission (NPC01)	NPC01	0-5	57	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Niagara Parks Commission (NPC01)	NPC01	6-10	6	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	Total		63	100.00%	-	-	-	-	63
Niagara Peninsula Energy (NFH01)	NFH01	0-5	570	100.00%	-	-	-	-	
		6-10	272	99.63%	1	0.37%	-	-	
		Total	842	99.88%	1	0.12%	-	-	843
	Total		842	99.88%	1	0.12%	-	-	843
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	836	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	124	100.00%	-	-	-	-	
		Total	960	99.79%	2	0.21%	-	-	962
	Total		960	99.79%	2	0.21%	-	-	962
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	14	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		15	93.75%	1	6.25%	-	-	16
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	271	100.00%	-	-	-	-	
		6-10	233	100.00%	-	-	-	-	
		Total	504	100.00%	-	-	-	-	504
	Total		504	100.00%	-	-	-	-	504
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	264	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	28	63.64%	16	36.36%	
		6-10	234	95.12%	12	4.88%	-	-	
		Total	498	84.12%	78	13.18%	16	2.70%	592
	Total		498	84.12%	78	13.18%	16	2.70%	592
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	239	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	88	100.00%	-	-	-	-	
	Total	327	99.70%	1	0.30%	-	-	328	
Total		327	99.70%	1	0.30%	-	-	328	
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	189	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	58	100.00%	-	-	-	-	
	Total	247	99.60%	1	0.40%	-	-	248	
Total		247	99.60%	1	0.40%	-	-	248	
Nipigon, Township Of (NIP01)	NIP01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
Total		2	66.67%	1	33.33%	-	-	3	
Nor-Del (NORDEL01)	NORDEL01	0-5	245	100.00%	-	-	-	-	
		16+	-	-	1	5.88%	16	94.12%	
		6-10	10	76.92%	3	23.08%	-	-	
	Total	255	92.73%	4	1.45%	16	5.82%	275	
Total		255	92.73%	4	1.45%	16	5.82%	275	
Norfolk County (NFLK123)	NFLK01	0-5	574	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	69	98.57%	1	1.43%	-	-	
	Total	643	99.54%	3	0.46%	-	-	646	
Total		643	99.54%	3	0.46%	-	-	646	
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
		Total	1	50.00%	1	50.00%	-	-	2
North Bay Hydro (NBH01)	NBH01	0-5	195	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	60	88.24%	8	11.76%	-	-	
		Total	255	93.75%	17	6.25%	-	-	272
		Total	255	93.75%	17	6.25%	-	-	272
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	11	78.57%	1	7.14%	2	14.29%	14
		Total	11	78.57%	1	7.14%	2	14.29%	14
North Bay, City Of (NBWS01)	NBWS01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	33.33%	6	66.67%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	87	86.14%	8	7.92%	6	5.94%	101
		Total	87	86.14%	8	7.92%	6	5.94%	101
North Dundas , Township Of (NDND123)	NDND01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	NDND02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	30.77%	9	69.23%	-	-	13
Total	22	70.97%	9	29.03%	-	-	31		
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	306	100.00%	-	-	-	-	
		11-15	-	-	89	100.00%	-	-	
		16+	-	-	3	6.38%	44	93.62%	
		6-10	185	71.98%	72	28.02%	-	-	
		Total	491	70.24%	164	23.46%	44	6.29%	699
		Total	491	70.24%	164	23.46%	44	6.29%	699
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	37	90.24%	-	-	4	9.76%	41
Total	37	90.24%	-	-	4	9.76%	41		
North Grenville , Municipality Of (NGR01)	NGR01	0-5	87	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		Total	87	92.55%	-	-	7	7.45%	94
Total	87	92.55%	-	-	7	7.45%	94		
North Huron, Township Of (NHURON01)	NHURON01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	27	77.14%	4	11.43%	4	11.43%	35
		Total	27	77.14%	4	11.43%	4	11.43%	35
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
Total	2	66.67%	-	-	1	33.33%	3		
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	16+	-	-	-	-	99	100.00%	
		Total	-	-	-	-	99	100.00%	99
		Total	-	-	-	-	99	100.00%	99

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	90	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	91	93.81%	-	-	6	6.19%	97
	Total	91	93.81%	-	-	6	6.19%	97	
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	198	100.00%	-	-	-	-	
		11-15	-	-	2	40.00%	3	60.00%	
		16+	-	-	28	41.79%	39	58.21%	
		6-10	8	80.00%	2	20.00%	-	-	
	Total	206	73.57%	32	11.43%	42	15.00%	280	
Total	206	73.57%	32	11.43%	42	15.00%	280		
North Stormont , Township Of (NST01)	NST01	16+	-	-	42	89.36%	5	10.64%	
		Total	-	-	42	89.36%	5	10.64%	47
	Total	-	-	42	89.36%	5	10.64%	47	
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total	-	-	-	-	7	100.00%	7	
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	15	93.75%	-	-	1	6.25%	16
	Total	15	93.75%	-	-	1	6.25%	16	
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	Total	20	95.24%	1	4.76%	-	-	21	
Northern Rural Networks (NRN01)	NRN01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Northern Tel Limited Partnership (NT01)	NT01	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	39	90.70%	4	9.30%	-	-	
	Total	126	86.30%	20	13.70%	-	-	146	
Total	126	86.30%	20	13.70%	-	-	146		
Northumberland County (NRHB01)	NRHBSL01	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	NRHBSL02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	NRHBSS01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	40	93.02%	2	4.65%	1	2.33%	43
	NRHBSS02	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
Total	13	86.67%	2	13.33%	-	-	15		
NRHBTS01	0-5	3	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Northumberland County (NRHB01)	NRHBTS01	6-10	4	100.00%	-	-	-	-	
		Total	7	87.50%	-	-	1	12.50%	8
	NRHBTS02	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		72	92.31%	4	5.13%	2	2.56%	78	
Norwich , Township Of (NRW01)	NRW01	11-15	-	-	-	-	7	100.00%	
		16+	-	-	-	-	99	100.00%	
		Total	-	-	-	-	106	100.00%	106
	Total		-	-	-	-	106	100.00%	106
Nova Chemicals Corporation (N001)	N001	0-5	11	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
NT Power	NTPWR01	0-5	412	100.00%	-	-	-	-	
		6-10	113	100.00%	-	-	-	-	
		Total	525	100.00%	-	-	-	-	525
	Total		525	100.00%	-	-	-	-	525
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	843	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	21	95.45%	1	4.55%	
		6-10	387	97.97%	8	2.03%	-	-	
		Total	1,230	95.87%	52	4.05%	1	0.08%	1,283
	Total		1,230	95.87%	52	4.05%	1	0.08%	1,283
Oakville, Town Of (OAK123)	OAKBS01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	27	90.00%	3	10.00%	-	-	30
	OAKSS01	0-5	1,106	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	17	94.44%	1	5.56%	
		Total	1,333	97.09%	39	2.84%	1	0.07%	1,373
	OAKTS01	0-5	129	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		Total	249	92.22%	20	7.41%	1	0.37%	270
	Total		1,609	96.17%	62	3.71%	2	0.12%	1,673
	Oil Springs, Village Of (OSWS01)	OSWS01	0-5	5	100.00%	-	-	-	-
Total			5	100.00%	-	-	-	-	5
Total			5	100.00%	-	-	-	-	5
Oliver Paipoonge , Municipality Of (OLVPPG01)	OLVPPG01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	OLVPPG02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	OLVPPG03	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		4	100.00%	-	-	-	-	4
On-Energy Corp (ONNRG01)	ONNRG01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
	Total		11	84.62%	2	15.38%	-	-	13

UIO Performance Report

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	OPGN2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		7	87.50%	-	-	1	12.50%	8	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
	ONTERA02	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	ONTERA03	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	ONTERA04	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	40	88.89%	5	11.11%	-	-	45
	ONTERA05	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	19	95.00%	1	5.00%	-	-	20
	ONTERA06	0-5	40	100.00%	-	-	-	-	
		16+	-	-	32	100.00%	-	-	
6-10		6	85.71%	1	14.29%	-	-		
Total		46	58.23%	33	41.77%	-	-	79	
Total		174	80.93%	41	19.07%	-	-	215	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	149	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	23	95.83%	1	4.17%	-	-	
	Total	172	95.03%	9	4.97%	-	-	181	
Total		172	95.03%	9	4.97%	-	-	181	
Opasatika, Township Of (OPTKWS01)	OPTKWS01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	1	33.33%	1	33.33%	1	33.33%	3	
Total		1	33.33%	1	33.33%	1	33.33%	3	
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	22	100.00%	-	-	-	-	
	Total	54	96.43%	-	-	2	3.57%	56	
Total		54	96.43%	-	-	2	3.57%	56	
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	142	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Orangeville Hydro (ORGVH01)	ORGVH01	6-10	39	100.00%	-	-	-	-	
		Total	181	97.84%	3	1.62%	1	0.54%	185
	Total		181	97.84%	3	1.62%	1	0.54%	185
Orangeville, Town Of (ORGV01)	ORGV01	0-5	125	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	26	92.86%	2	7.14%	-	-	
		Total	151	88.30%	13	7.60%	7	4.09%	171
	Total		151	88.30%	13	7.60%	7	4.09%	171
Orillia, City Of (ORIL123)	ORILSL01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	23	100.00%	-	-	-	-	
		Total	44	89.80%	4	8.16%	1	2.04%	49
	ORILT01	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		6-10	41	97.62%	1	2.38%	-	-	
		Total	78	84.78%	14	15.22%	-	-	92
	ORILWS01	0-5	92	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	98	100.00%	-	-	-	-	
Total		190	95.00%	10	5.00%	-	-	200	
Total		312	91.50%	28	8.21%	1	0.29%	341	
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	38	100.00%	-	-	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
	Total	47	97.92%	1	2.08%	-	-	48	
Total		47	97.92%	1	2.08%	-	-	48	
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	332	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	116	94.31%	7	5.69%	-	-	
		Total	448	94.32%	27	5.68%	-	-	475
	OSHGE03	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	15	83.33%	3	16.67%	-	-	18
Total		463	93.91%	30	6.09%	-	-	493	
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	10	90.91%	1	9.09%	-	-	11	
Total		10	90.91%	1	9.09%	-	-	11	
Oshawa, City Of (OSH01)	OSH01	0-5	95	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	69	95.83%	3	4.17%	-	-	
	Total	164	90.11%	18	9.89%	-	-	182	
Total		164	90.11%	18	9.89%	-	-	182	
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	16+	-	-	2	50.00%	2	50.00%	
		Total	-	-	2	50.00%	2	50.00%	4
Total		-	-	2	50.00%	2	50.00%	4	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ottawa River Power (ORP01)	ORP01	0-5	114	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	114	98.28%	2	1.72%	-	-	116
	Total		114	98.28%	2	1.72%	-	-	116
Ottawa River Power (ORP02)	ORP02	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	72	98.63%	1	1.37%	-	-	73
	Total		72	98.63%	1	1.37%	-	-	73
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	3,612	100.00%	-	-	-	-	
		6-10	629	100.00%	-	-	-	-	
		Total	4,241	100.00%	-	-	-	-	4241
	Total		4,241	100.00%	-	-	-	-	4,241
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	810	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	52	100.00%	-	-	-	-	
		Total	862	99.08%	8	0.92%	-	-	870
	Total		862	99.08%	8	0.92%	-	-	870
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	3,963	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1,640	99.88%	2	0.12%	-	-	
	Total	5,603	99.91%	4	0.07%	1	0.02%	5608	
Total		5,603	99.91%	4	0.07%	1	0.02%	5,608	
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Owen Sound, City Of (OWSD01)	OWSD01	0-5	151	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	177	100.00%	-	-	-	-	177
	Total		177	100.00%	-	-	-	-	177
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	3	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	Total		16	94.12%	1	5.88%	-	-	17
Oxford, County Of - Traffic (OXFTS01)	OXFTS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total		10	90.91%	1	9.09%	-	-	11
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	498	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	509	100.00%	-	-	-	-	509
	Total		509	100.00%	-	-	-	-	509
Oxford, County Of (OXFSTM01)	OXFSTM01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Packet Works (PWRKST01)	PWRKST01	0-5	3	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Packet Works (PWRKST01)	PWRKST01	6-10	3	75.00%	1	25.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total	6	85.71%	1	14.29%	-	-	7	
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	86	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	90	98.90%	-	-	1	1.10%	91
	Total	90	98.90%	-	-	1	1.10%	91	
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	90	95.74%	3	3.19%	1	1.06%	94
	PYWS02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	93	95.88%	3	3.09%	1	1.03%	97	
Peace Tree Local Service Board	PTLSB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	6-10	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total	14	100.00%	-	-	-	-	14	
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PRBM02	0-5	212	100.00%	-	-	-	-	
		11-15	-	-	109	100.00%	-	-	
		16+	-	-	112	98.25%	2	1.75%	
		6-10	532	98.88%	6	1.12%	-	-	
		Total	744	76.46%	227	23.33%	2	0.21%	973
	PREBM02	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	32	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	134	97.81%	3	2.19%	-	-	
		Total	212	78.23%	59	21.77%	-	-	271
	PREC02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	16	72.73%	6	27.27%	-	-	22
	PROC02	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	51	94.44%	3	5.56%	-	-	
		Total	64	74.42%	22	25.58%	-	-	86
	Total	1,036	76.63%	314	23.22%	2	0.15%	1,352	
	Peel Region - Brampton Storm Sewer (PCYSTOS123)	PRBM03	0-5	51	100.00%	-	-	-	-
11-15			-	-	35	100.00%	-	-	
16+			-	-	29	96.67%	1	3.33%	
6-10			114	100.00%	-	-	-	-	
Total			165	71.74%	64	27.83%	1	0.43%	230
PREBM03		0-5	5	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	21	75.00%	7	25.00%	-	-	28

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PREC03	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	12	70.59%	5	29.41%	-	-	
	PROC03	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	69	97.18%	2	2.82%	-	-	
		Total	81	76.42%	25	23.58%	-	-	
Total		279	73.23%	101	26.51%	1	0.26%	381	
Peel Region - Brampton Water (PCYWAT123)	PBMC01	0-5	82	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	20	100.00%	-	-	-	-	
		Total	102	97.14%	-	-	3	2.86%	
	PEBMC01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	37	97.37%	-	-	1	2.63%	
	PIPP05	0-5	10	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	POCWA05	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	22	91.67%	-	-	2	8.33%	
	PRBM01	0-5	622	100.00%	-	-	-	-	
		11-15	-	-	160	100.00%	-	-	
		16+	-	-	140	98.59%	2	1.41%	
		6-10	848	98.03%	17	1.97%	-	-	
		Total	1,470	82.17%	317	17.72%	2	0.11%	
	PREBM01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	16	94.12%	1	5.88%	
		6-10	91	97.85%	2	2.15%	-	-	
		Total	137	75.27%	44	24.18%	1	0.55%	
	PREC01	0-5	4	100.00%	-	-	-	-	
11-15		-	-	5	100.00%	-	-		
16+		-	-	2	100.00%	-	-		
6-10		18	90.00%	2	10.00%	-	-		
Total		22	70.97%	9	29.03%	-	-	31	
PROC01	0-5	26	100.00%	-	-	-	-		
	11-15	-	-	25	100.00%	-	-		
	16+	-	-	10	100.00%	-	-		
	6-10	110	94.83%	6	5.17%	-	-		
	Total	136	76.84%	41	23.16%	-	-		177
Total		1,938	82.19%	411	17.43%	9	0.38%	2,358	
Peel Region (PEEL123)	PEELTS04	0-5	89	100.00%	-	-	-	-	
		6-10	57	100.00%	-	-	-	-	
		Total	146	100.00%	-	-	-	-	
Total		146	100.00%	-	-	-	-	146	
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	266	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	6-10	316	99.68%	1	0.32%	-	-	
		Total	582	97.98%	10	1.68%	2	0.34%	594
	Total		582	97.98%	10	1.68%	2	0.34%	594
Pelee Island, Township Of (PLEWSL01)	PLEWSL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Pelham, Town Of (PEL1)	PEL1	0-5	189	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	223	99.55%	1	0.45%	-	-	224
	Total		223	99.55%	1	0.45%	-	-	224
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	5	50.00%	5	50.00%	-	-	10
	Total		5	50.00%	5	50.00%	-	-	10
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	106	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	106	99.07%	-	-	1	0.93%	107
	Total		106	99.07%	-	-	1	0.93%	107
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	46	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	47	97.92%	1	2.08%	-	-	48
	Total		47	97.92%	1	2.08%	-	-	48
Pennytel Inc (PENTEL01)	PENTEL01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	20	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	Total		20	95.24%	1	4.76%	-	-	21
Perth South, Township Of (PERTHS123)	PERTHS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	PERTHS02	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
Total		8	80.00%	1	10.00%	1	10.00%	10	
Perth, Town Of (PERTH01)	PERTH01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	30	81.08%	3	8.11%	4	10.81%	37
	Total		30	81.08%	3	8.11%	4	10.81%	37
Petawawa, Town Of (PTWA123)	PTWA01	0-5	112	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	117	96.69%	-	-	4	3.31%	121
	PTWASL01	0-5	56	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
Total		189	97.93%	-	-	4	2.07%	193	
Peterborough , City Of (PTRB01)	PTRB01	0-5	380	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request					
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating						
Peterborough , City Of (PTRB01)	PTRB01	16+	-	-	3	25.00%	9	75.00%						
		6-10	87	46.77%	99	53.23%	-	-						
		Total	467	78.62%	118	19.87%	9	1.52%	594					
	Total								467	78.62%	118	19.87%	9	1.52%
Peterborough, County Of (PTB01)	PTB01	0-5	135	100.00%	-	-	-	-						
		16+	-	-	2	66.67%	1	33.33%						
		Total	135	97.83%	2	1.45%	1	0.72%	138					
	Total								135	97.83%	2	1.45%	1	0.72%
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	16+	-	-	3	100.00%	-	-						
		Total	-	-	3	100.00%	-	-	3					
	Total								-	-	3	100.00%	-	-
Petrolia, Town Of (P002)	P002	0-5	24	100.00%	-	-	-	-						
		11-15	-	-	6	75.00%	2	25.00%						
		16+	-	-	-	-	3	100.00%						
		6-10	2	9.52%	19	90.48%	-	-						
		Total	26	46.43%	25	44.64%	5	8.93%	56					
	Total								26	46.43%	25	44.64%	5	8.93%
Pickering , City Of (PKRG01)	PKRG01	0-5	272	100.00%	-	-	-	-						
		11-15	-	-	7	100.00%	-	-						
		16+	-	-	4	80.00%	1	20.00%						
		6-10	39	100.00%	-	-	-	-						
		Total	311	96.28%	11	3.41%	1	0.31%	323					
	Total								311	96.28%	11	3.41%	1	0.31%
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	57	100.00%	-	-	-	-						
		11-15	-	-	6	100.00%	-	-						
		16+	-	-	3	100.00%	-	-						
		6-10	3	42.86%	4	57.14%	-	-						
		Total	60	82.19%	13	17.81%	-	-	73					
	Total								60	82.19%	13	17.81%	-	-
Plympton-Wyoming , Town Of (PLWSS01)	PLWSS01	0-5	132	100.00%	-	-	-	-						
		16+	-	-	1	100.00%	-	-						
		6-10	9	100.00%	-	-	-	-						
	Total	141	99.30%	1	0.70%	-	-	142						
Total								141	99.30%	1	0.70%	-	-	142
Point Edward, Village Of (PE01)	PE01	0-5	15	100.00%	-	-	-	-						
		16+	-	-	-	-	1	100.00%						
		6-10	1	100.00%	-	-	-	-						
	Total	16	94.12%	-	-	1	5.88%	17						
Total								16	94.12%	-	-	1	5.88%	17
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	0-5	1	100.00%	-	-	-	-						
		6-10	1	100.00%	-	-	-	-						
	Total	2	100.00%	-	-	-	-	2						
Total								2	100.00%	-	-	-	-	2
POMAS FARMS INC. (POMF01)	POMF01	0-5	1	100.00%	-	-	-	-						
		Total	1	100.00%	-	-	-	-	1					
Total								1	100.00%	-	-	-	-	1
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	2	100.00%	-	-	-	-						
		Total	2	100.00%	-	-	-	-	2					
Total								2	100.00%	-	-	-	-	2
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	189	100.00%	-	-	-	-						
		6-10	4	100.00%	-	-	-	-						
	Total	193	100.00%	-	-	-	-	193						
Total								193	100.00%	-	-	-	-	193
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	1	100.00%	-	-	-	-						
		11-15	-	-	1	100.00%	-	-						

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	16+	-	-	2	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	Total	1	25.00%	3	75.00%	-	-	4	
Port Hope, Municipality Of (PH123)	PH01	0-5	98	100.00%	-	-	-	-	
		6-10	5	55.56%	4	44.44%	-	-	
		Total	103	96.26%	4	3.74%	-	-	107
	PHSL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	105	96.33%	4	3.67%	-	-	109		
Port Ryerse Wind Project (BPRWF01)	BPRWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Powassan, Municipality Of (PWSN01)	PWSN01	16+	-	-	-	-	4	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	20.00%	4	80.00%	5
	Total	-	-	1	20.00%	4	80.00%	5	
Prescott , Town Of (PRS01)	PRS01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	32	96.97%	-	-	1	3.03%	33
	Total	32	96.97%	-	-	1	3.03%	33	
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS03	16+	-	-	-	-	9	100.00%	
Total	-	-	-	-	11	100.00%	11		
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total	-	-	-	-	5	100.00%	5	
Prince Edward, County Of (PEC04)	PEC04	0-5	114	100.00%	-	-	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	27	100.00%	-	-	-	-	
	Total	141	96.58%	4	2.74%	1	0.68%	146	
Total	141	96.58%	4	2.74%	1	0.68%	146		
PROMARK FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	7	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
	Total	38	100.00%	-	-	-	-	38	
Total	38	100.00%	-	-	-	-	38		
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	52	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	Total	52	100.00%	-	-	-	-	52	
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total	-	-	2	100.00%	-	-	2	
Q9 Networks (QNET01)	QNET01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
QUALITY CABLES AND WIRELESS TELECOMMUNICATIONS LTD. (QCWT01)	QCWT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Queen'S University (QUEENU01)	QUEENU01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Queens University Fibre (QUEENF01)	QUEENF01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	12	85.71%	-	-	2	14.29%	14
	Total		12	85.71%	-	-	2	14.29%	14
Quinte West, City Of (QW123)	QWF01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	23	79.31%	4	13.79%	2	6.90%	29
	QWSL01	0-5	148	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	151	93.79%	9	5.59%	1	0.62%	161
	QWSN01	0-5	100	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	155	96.27%	6	3.73%	-	-	161
	QWSS01	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	130	96.30%	5	3.70%	-	-	135
	QWTS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	75.00%	1	12.50%	1	12.50%	8
QWW01	0-5	125	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	6-10	71	100.00%	-	-	-	-		
	Total	196	97.51%	5	2.49%	-	-	201	
Total		661	95.11%	30	4.32%	4	0.58%	695	
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Raleigh Wind Energy Centre (RWE01)	RWE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total		13	92.86%	1	7.14%	-	-	14
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Red Rock, Township Of (RDRK01)	RDRK01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	Total		1	33.33%	-	-	2	66.67%	3
Redditt Local Service Board (RDSB01)	RDSB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	43	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	HLTNW02	0-5	533	100.00%	-	-	-	-	
		11-15	-	-	38	97.44%	1	2.56%	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	144	98.63%	2	1.37%	-	-	
Total	677	93.64%	42	5.81%	4	0.55%	723		
Total		721	94.00%	42	5.48%	4	0.52%	767	
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	45	97.83%	1	2.17%	-	-	46
	Total		45	97.83%	1	2.17%	-	-	46
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	12	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total		32	100.00%	-	-	-	-	32
Renfrew Hydro (RFH01)	RFH01	0-5	62	100.00%	-	-	-	-	
		Total	62	100.00%	-	-	-	-	62
	Total		62	100.00%	-	-	-	-	62
Renfrew, County Of (RNF123)	RNF01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	58	93.55%	3	4.84%	1	1.61%	62
	Total		58	93.55%	3	4.84%	1	1.61%	62
Renfrew, Town Of (RNF01)	RNF01	0-5	61	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	61	98.39%	-	-	1	1.61%	62
	RNF02	0-5	55	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	56	90.32%	1	1.61%	5	8.06%	62
	Total		117	94.35%	1	0.81%	6	4.84%	124
Residences At Argento Inc. (RAA01)	RAA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Richmond Hill, Town Of (RHL01)	RHL01	0-5	391	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	31	100.00%	-	-	-	-	
		Total	422	99.06%	-	-	4	0.94%	426
	Total		422	99.06%	-	-	4	0.94%	426
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	13	81.25%	3	18.75%	
		6-10	13	100.00%	-	-	-	-	
		Total	28	63.64%	13	29.55%	3	6.82%	44
	Total		28	63.64%	13	29.55%	3	6.82%	44
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	4	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rideau St Lawrence Utilities (RSLU01)	RSLU01	6-10	12	75.00%	4	25.00%	-	-	
		Total	93	94.90%	5	5.10%	-	-	98
		Total	93	94.90%	5	5.10%	-	-	98
Rogers Communications (ROG123)	CABLET01	0-5	140	100.00%	-	-	-	-	
		6-10	73	98.65%	1	1.35%	-	-	
		Total	213	99.53%	1	0.47%	-	-	214
	ROGGE01	0-5	1,192	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	92	98.92%	1	1.08%	-	-	
		Total	1,284	99.07%	12	0.93%	-	-	1296
	ROGHN01	0-5	975	100.00%	-	-	-	-	
		11-15	-	-	117	100.00%	-	-	
		16+	-	-	108	100.00%	-	-	
		6-10	423	91.76%	38	8.24%	-	-	
		Total	1,398	84.17%	263	15.83%	-	-	1661
	ROGLDN01	0-5	1,293	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	349	99.71%	1	0.29%	-	-	
		Total	1,642	99.70%	5	0.30%	-	-	1647
	ROGNTH01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	ROGOE01	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	102	96.23%	4	3.77%	-	-	106
	ROGOTT01	0-5	3,240	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		720	100.00%	-	-	-	-		
Total		3,960	99.80%	8	0.20%	-	-	3968	
ROGPEL01	0-5	1,331	100.00%	-	-	-	-		
	11-15	-	-	45	100.00%	-	-		
	16+	-	-	64	100.00%	-	-		
	6-10	670	97.81%	15	2.19%	-	-		
	Total	2,001	94.16%	124	5.84%	-	-	2125	
ROGRAIL1	0-5	196	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	199	96.60%	7	3.40%	-	-	206	
ROGSIM01	0-5	1,137	100.00%	-	-	-	-		
	11-15	-	-	240	100.00%	-	-		
	16+	-	-	345	100.00%	-	-		
	6-10	388	68.92%	175	31.08%	-	-		
	Total	1,525	66.74%	760	33.26%	-	-	2285	
ROGSWO01	0-5	257	100.00%	-	-	-	-		
	6-10	52	100.00%	-	-	-	-		
	Total	309	100.00%	-	-	-	-	309	
ROGTOR01	0-5	2,720	100.00%	-	-	-	-		
	11-15	-	-	13	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGTOR01	16+	-	-	4	100.00%	-	-	
		6-10	534	99.44%	3	0.56%	-	-	
		Total	3,254	99.39%	20	0.61%	-	-	3274
	ROGWAT01	0-5	2,579	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	545	100.00%	-	-	-	-	
		Total	3,124	99.90%	3	0.10%	-	-	3127
	ROGWIN01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	ROGYRK01	0-5	1,126	100.00%	-	-	-	-	
		11-15	-	-	125	100.00%	-	-	
		16+	-	-	35	100.00%	-	-	
		6-10	759	97.43%	20	2.57%	-	-	
		Total	1,885	91.28%	180	8.72%	-	-	2065
	RUWV01	0-5	63	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	67	97.10%	1	1.45%	1	1.45%	69
	SJRB01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	31	93.94%	2	6.06%	-	-	33
	SJRB02	0-5	111	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
6-10		58	98.31%	1	1.69%	-	-		
Total		169	98.83%	2	1.17%	-	-	171	
SJRB03	0-5	51	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	6-10	11	91.67%	1	8.33%	-	-		
	Total	62	93.94%	4	6.06%	-	-	66	
SJRB04	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total		21,238	93.82%	1,397	6.17%	1	-	22,636	
Romney Wind Energy Centre Lp (RWEC01)	RWEC01	0-5	14	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Rowe Energy Corporation (ROWE01)	ROWE01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	9	60.00%	5	33.33%	1	6.67%	15
	Total		9	60.00%	5	33.33%	1	6.67%	15
Russell, Township Of (RSEL01)	RSEL01	0-5	204	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Russell, Township Of (RSEL01)	RSEL01	6-10	12	92.31%	1	7.69%	-	-	
		Total	216	95.58%	5	2.21%	5	2.21%	226
	Total		216	95.58%	5	2.21%	5	2.21%	226
Ryerson University (RYEU01)	RYEU01	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
	SSRWE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	6	75.00%	2	25.00%	-	-	8
Sarnia, City Of (C006)	C006	0-5	685	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	695	100.00%	-	-	-	-	695
	Total		695	100.00%	-	-	-	-	695
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	8	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	SSSL01	0-5	142	100.00%	-	-	-	-	
		Total	142	100.00%	-	-	-	-	142
	SSWS01	0-5	125	100.00%	-	-	-	-	
		6-10	35	94.59%	2	5.41%	-	-	
		Total	160	98.77%	2	1.23%	-	-	162
Total		320	99.38%	2	0.62%	-	-	322	
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	234	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	20	90.91%	2	9.09%	-	-	
		Total	254	98.45%	4	1.55%	-	-	258
	SSMPUW01	0-5	209	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	17	89.47%	2	10.53%	-	-	
		Total	226	98.26%	4	1.74%	-	-	230
Total		480	98.36%	8	1.64%	-	-	488	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	84	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	84	98.82%	1	1.18%	-	-	85	
Total		84	98.82%	1	1.18%	-	-	85	
Schreiber, Municipality Of (SCBWS01)	SCBWS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total		-	-	1	100.00%	-	-	1	
Scugog, Township Of (SCG01)	SCG01	0-5	137	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	138	97.87%	2	1.42%	1	0.71%	141
	Total		138	97.87%	2	1.42%	1	0.71%	141
Selwyn, Township Of (SLWN01)	SLWN01	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Selwyn, Township Of (SLWN02)	SLWN02	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
	Total	22	95.65%	1	4.35%	-	-	23	
Selwyn, Township Of (SLWN03)	SLWN03	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
	Total	22	95.65%	1	4.35%	-	-	23	
Severn, Township Of (SEVERN01)	SEVERN01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	36	92.31%	3	7.69%	-	-	39
	SEVERN02	0-5	8	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
Total	47	94.00%	3	6.00%	-	-	50		
Shared Tower Inc	SHARET01	16+	-	-	-	-	35	100.00%	
		Total	-	-	-	-	35	100.00%	35
	SHARET02	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
Total		17	80.95%	4	19.05%	-	-	21	
Total	17	30.36%	4	7.14%	35	62.50%	56		
Shelburne , Town Of (SHLB01)	SHLB01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	38	95.00%	2	5.00%	-	-	40	
Total	38	95.00%	2	5.00%	-	-	40		
Shell Canada (SHL1)	SHL1	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
Total	12	92.31%	1	7.69%	-	-	13		
Sick Kids Hospital (SKH01)	SKH01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
Total	3	75.00%	-	-	1	25.00%	4		
Silver Bay Water (SBW1)	SBW1	11-15	-	-	-	-	1	100.00%	
		16+	-	-	9	100.00%	-	-	
		Total	-	-	9	90.00%	1	10.00%	10
Total	-	-	9	90.00%	1	10.00%	10		
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total	6	100.00%	-	-	-	-	6		
Simcoe, County Of (SIM01)	SIM01	0-5	22	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	SIM02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	25	100.00%	-	-	-	-	25		
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	11	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sioux Lookout Hydro (SILOH01)	SILOH01	6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total	12	100.00%	-	-	-	-	12	
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	6	85.71%	-	-	1	14.29%	7
	Total	6	85.71%	-	-	1	14.29%	7	
Six Nations Gas (SNG01)	SNG01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	12	100.00%	
		6-10	11	64.71%	6	35.29%	-	-	
	Total	52	72.22%	7	9.72%	13	18.06%	72	
Total	52	72.22%	7	9.72%	13	18.06%	72		
Sky Generation (Spratt Power) (SGPLWF01)	SGPLWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	52	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	55	93.22%	-	-	4	6.78%	59
	Total	55	93.22%	-	-	4	6.78%	59	
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	17	94.44%	1	5.56%	
		16+	-	-	-	-	38	100.00%	
		6-10	36	70.59%	15	29.41%	-	-	
	Total	60	45.80%	32	24.43%	39	29.77%	131	
Total	60	45.80%	32	24.43%	39	29.77%	131		
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	19	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
	Total	19	90.48%	2	9.52%	-	-	21	
Total	19	90.48%	2	9.52%	-	-	21		
South Dundas , Municipality Of (SDS01)	SDS01	0-5	44	100.00%	-	-	-	-	
		16+	-	-	2	22.22%	7	77.78%	
		6-10	-	-	2	100.00%	-	-	
	Total	44	80.00%	4	7.27%	7	12.73%	55	
Total	44	80.00%	4	7.27%	7	12.73%	55		
South Frontenac, Township Of (SF123)	SFS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	SFSL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	6	100.00%	-	-	-	-	6		
South Glengarry , Township Of (SGG01)	SGG01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	33.33%	4	66.67%	
		6-10	7	70.00%	3	30.00%	-	-	
	Total	62	86.11%	6	8.33%	4	5.56%	72	
Total	62	86.11%	6	8.33%	4	5.56%	72		
South Huron Hospital (SHHA01)	SHHA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	-	-	8	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
South Huron, Municipality Of (SHURN01)	SHURN01	16+	-	-	-	-	189	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	74	27.21%	1	0.37%	197	72.43%	272
	Total								272
South Kent Wind Project (SKWP01)	SKWP01	0-5	17	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total								18
South River , Village Of (SORI01)	SORI01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	6	75.00%	-	-	2	25.00%	8
	Total								8
South Stormont, Township Of (SSTM01)	SSTM01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	53	94.64%	1	1.79%	2	3.57%	56
	Total								56
Southgate Solar Lp (SGSF01)	SGSF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total								3
Southgate, Township (SGWS01)	SGWS01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	2	33.33%	4	66.67%	
		6-10	5	100.00%	-	-	-	-	
		Total	29	82.86%	2	5.71%	4	11.43%	35
	Total								35
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	12	80.00%	3	20.00%	-	-	
	Total	68	89.47%	5	6.58%	3	3.95%	76	
	SWMSX02	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	42	97.67%	1	2.33%	-	-	43
	Total								119
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	16	100.00%	
		6-10	4	40.00%	6	60.00%	-	-	
	Total	7	22.58%	8	25.81%	16	51.61%	31	
Total								31	
Southwold, Township Of (SOW01)	SOW01	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	113	96.58%	3	2.56%	1	0.85%	117	
Total								117	
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total								3
Spanish, Town Of (SPWS01)	SPWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total								2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	2	40.00%	-	-	3	60.00%	5
Total		2	40.00%	-	-	3	60.00%	5	
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	15	78.95%	4	21.05%	-	-	19
Total		15	78.95%	4	21.05%	-	-	19	
St. Catharines, City Of (STC1)	STC1	0-5	404	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	225	99.12%	2	0.88%	-	-	
		Total	629	98.74%	6	0.94%	2	0.31%	637
Total		629	98.74%	6	0.94%	2	0.31%	637	
St. Charles, Municipality Of (STC01)	STC01	16+	-	-	1	12.50%	7	87.50%	
		Total	-	-	1	12.50%	7	87.50%	8
Total		-	-	1	12.50%	7	87.50%	8	
St. Clair, Township Of (M002)	M002	0-5	180	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	185	100.00%	-	-	-	-	185
Total		185	100.00%	-	-	-	-	185	
St. Columban Wind Farms Lp (STCWF01)	STCWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	1	16.67%	5	83.33%	-	-	6
Total		1	16.67%	5	83.33%	-	-	6	
St. Josephs Health Care (London) (SJHC01)	SJHC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
St. Josephs Healthcare (Hamilton) (STJHC01)	STJHC01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total		-	-	1	100.00%	-	-	1	
St. Marys General Hospital (STMGH01)	STMGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	69	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	69	98.57%	-	-	1	1.43%	70
Total		69	98.57%	-	-	1	1.43%	70	
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	3
Total		-	-	2	66.67%	1	33.33%	3	
St. Thomas, City Of (STHWS01)	STHSL01	0-5	169	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	2	33.33%	4	66.67%	
		6-10	98	96.08%	4	3.92%	-	-	
		Total	267	90.82%	23	7.82%	4	1.36%	294
	STHWS01	0-5	208	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	2	28.57%	5	71.43%	
Total	330	89.43%	34	9.21%	5	1.36%	369		
Total		597	90.05%	57	8.60%	9	1.36%	663	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Stardale Solar Lp (STARSF01)	STARSF01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Start Communications (STARTC01)	STARTC02	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	24	96.00%	1	4.00%	-	-	
		Total	59	96.72%	1	1.64%	1	1.64%	61
		Total	59	96.72%	1	1.64%	1	1.64%	61
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
		Total	-	-	-	-	4	100.00%	4
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	20	90.91%	-	-	2	9.09%	22
		Total	20	90.91%	-	-	2	9.09%	22
Storm Internet (STRMF01)	STRMF01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	11
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	6-10	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	16	84.21%	-	-	3	15.79%	19
		Total	16	84.21%	-	-	3	15.79%	19
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	-	-	20	100.00%	
		16+	-	-	-	-	442	100.00%	
		Total	-	-	-	-	462	100.00%	462
		Total	-	-	-	-	462	100.00%	462
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	87	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	87	98.86%	-	-	1	1.14%	88
Total	87	98.86%	-	-	1	1.14%	88		
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	118	100.00%	-	-	-	-	
		Total	118	100.00%	-	-	-	-	118
		Total	118	100.00%	-	-	-	-	118
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
Total	1	50.00%	-	-	1	50.00%	2		
Summer Haven Wind (SHWF01)	SHWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	-	-	1	33.33%	3
		Total	2	66.67%	-	-	1	33.33%	3
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	42	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
		Total	44	100.00%	-	-	-	-	44

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	98	100.00%	-	-	-	-	
		Total	98	100.00%	-	-	-	-	98
	S002	0-5	239	100.00%	-	-	-	-	
		Total	239	100.00%	-	-	-	-	239
	S004	0-5	35	100.00%	-	-	-	-	
Total		35	100.00%	-	-	-	-	35	
Total		372	100.00%	-	-	-	-	372	
Suncor Energy (SCE02)	SCE02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Suncor Energy Products (SNCP05)	SNCP05	16+	-	-	5	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	1	14.29%	6	85.71%	-	-	7	
	Total		1	14.29%	6	85.71%	-	-	7
Suncor Energy Products (SNCP02)	SNCP02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Suncor Energy Products (SNCP03)	SNCP03	16+	-	-	6	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	5	45.45%	6	54.55%	-	-	11	
	Total		5	45.45%	6	54.55%	-	-	11
Suncor Energy Products (SNCP04)	SNCP04	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Suncor Pipelines (SNCP01)	SNCP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Sundridge, Village Of (SNDR01)	SNDR01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	6-10	-	-	1	100.00%	-	-		
	Total	5	71.43%	1	14.29%	1	14.29%	7	
	Total		5	71.43%	1	14.29%	1	14.29%	7
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	505	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
	6-10	122	100.00%	-	-	-	-		
	Total	627	99.52%	3	0.48%	-	-	630	
	Total		627	99.52%	3	0.48%	-	-	630
Talbot Windfarm (TALWF01)	TALWF01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
	Total		5	100.00%	-	-	-	-	5
Tay, Township Of (TAY01)	TAY01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
	6-10	-	-	1	100.00%	-	-		
	Total	42	89.36%	1	2.13%	4	8.51%	47	
	Total		42	89.36%	1	2.13%	4	8.51%	47
Tbaytel (TBYTEL01)	TBYTEL01	0-5	340	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Tbaytel (TBYTEL01)	TBYTEL01	6-10	146	100.00%	-	-	-	-	
		Total	486	99.39%	3	0.61%	-	-	489
	TBYTEL02	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
Total	50	98.04%	1	1.96%	-	-	51		
Total		536	99.26%	4	0.74%	-	-	540	
TC Energy - East (TCP01)	TC03	0-5	286	100.00%	-	-	-	-	
		6-10	19	90.48%	2	9.52%	-	-	
		Total	305	99.35%	2	0.65%	-	-	307
	TC06	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	137	92.57%	11	7.43%	-	-	148
	TC07	0-5	118	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		Total	118	94.40%	-	-	7	5.60%	125
	TC08	0-5	29	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	31
	TC09	0-5	27	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	TC10	0-5	150	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	158	95.76%	7	4.24%	-	-	165
	TC12	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	TC13	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
TC14	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
TC15	0-5	3	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	Total	3	75.00%	1	25.00%	-	-	4	
TC16	0-5	3	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
TC17	0-5	8	100.00%	-	-	-	-		
	Total	8	100.00%	-	-	-	-	8	
TC18	0-5	195	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	3	60.00%	2	40.00%		
	6-10	7	100.00%	-	-	-	-		
	Total	202	95.73%	7	3.32%	2	0.95%	211	
TC19	0-5	19	100.00%	-	-	-	-		
	Total	19	100.00%	-	-	-	-	19	
Total		1,039	96.47%	29	2.69%	9	0.84%	1,077	
Tecumseh, Town Of (TEC123)	TECF01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Tecumseh, Town Of (TEC123)	TECF01	6-10	1	50.00%	1	50.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	TECS01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	13	76.47%	4	23.53%	-	-	
		Total	23	57.50%	16	40.00%	1	2.50%	40
	TECW01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	18	94.74%	1	5.26%	
		16+	-	-	1	25.00%	3	75.00%	
6-10		24	77.42%	7	22.58%	-	-		
Total		39	56.52%	26	37.68%	4	5.80%	69	
Total		63	55.75%	45	39.82%	5	4.42%	113	
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	191	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	5	100.00%	
		6-10	104	97.20%	3	2.80%	-	-	
		Total	295	96.41%	5	1.63%	6	1.96%	306
Total		295	96.41%	5	1.63%	6	1.96%	306	
Telmax Inc (TLMXF01)	TLMXF01	0-5	499	100.00%	-	-	-	-	
		11-15	-	-	44	93.62%	3	6.38%	
		16+	-	-	9	10.84%	74	89.16%	
		6-10	290	86.31%	46	13.69%	-	-	
		Total	789	81.76%	99	10.26%	77	7.98%	965
Total		789	81.76%	99	10.26%	77	7.98%	965	
Telus (TELUS01)	TELGE01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	61	91.04%	4	5.97%	2	2.99%	67
	TELGNO1	0-5	148	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	14	100.00%	-	-	-	-	
		Total	162	89.50%	14	7.73%	5	2.76%	181
	TELGN02	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	58	87.88%	7	10.61%	1	1.52%	66
	TELGW01	0-5	95	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	120	91.60%	10	7.63%	1	0.76%	131
	TELGW02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	TELHN01	0-5	141	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	148	93.67%	8	5.06%	2	1.27%	158
TELOE01	0-5	352	100.00%	-	-	-	-		
	11-15	-	-	20	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELOE01	16+	-	-	3	25.00%	9	75.00%	
		6-10	175	97.22%	5	2.78%	-	-	
		Total	527	93.44%	28	4.96%	9	1.60%	564
	TELONE01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	35	94.59%	2	5.41%	-	-	37
	TELONW01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	TELOS01	0-5	255	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	101	99.02%	1	0.98%	-	-	
		Total	356	96.74%	9	2.45%	3	0.82%	368
	TELOW01	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	107	98.17%	2	1.83%	-	-	109
	TELTE01	0-5	249	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	7	63.64%	4	36.36%	
		6-10	84	100.00%	-	-	-	-	
Total		333	94.33%	16	4.53%	4	1.13%	353	
TELTW01N	0-5	61	100.00%	-	-	-	-		
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	-	-	6	100.00%		
	6-10	17	94.44%	1	5.56%	-	-		
	Total	78	80.41%	13	13.40%	6	6.19%	97	
TELTW01S	0-5	188	100.00%	-	-	-	-		
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	5	100.00%	-	-		
	6-10	92	96.84%	3	3.16%	-	-		
	Total	280	93.33%	20	6.67%	-	-	300	
Total		2,288	93.20%	134	5.46%	33	1.34%	2,455	
Temagami, Municipality Of (TMG01)	TMG01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
Total		1	33.33%	-	-	2	66.67%	3	
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
		Total	34	100.00%	-	-	-	-	34
TENACITY UNITE PEC INC (TU01)	TU01	16+	-	-	11	91.67%	1	8.33%	
		Total	-	-	11	91.67%	1	8.33%	12
		Total	-	-	11	91.67%	1	8.33%	12
Terago Networks Inc (TNF01)	TNF01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
		Total	7	77.78%	2	22.22%	-	-	9
Teraspan Networks (TS01)	TS01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	20	95.24%	-	-	1	4.76%	21
		Total	20	95.24%	-	-	1	4.76%	21

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Terrace Bay , Township Of (TRBWS01)	TRBWS01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	Total		-	-	4	100.00%	-	-	4
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	39	92.86%	2	4.76%	1	2.38%	42
	Total		39	92.86%	2	4.76%	1	2.38%	42
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	65	100.00%	-	-	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	7	50.00%	7	50.00%	-	-	
		Total	72	77.42%	7	7.53%	14	15.05%	93
	Total		72	77.42%	7	7.53%	14	15.05%	93
Thessalon , Town Of (THSWSS01)	THSWSS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Thorold, City Of (THLD01)	THLD01	0-5	173	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	69	92.00%	6	8.00%	-	-	
		Total	242	94.90%	12	4.71%	1	0.39%	255
	Total		242	94.90%	12	4.71%	1	0.39%	255
Thunder Bay Regional HSC	TBRHSC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	84	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	84
	Total		84	100.00%	-	-	-	-	84
Thunder Bay, City Of (THBY123)	THBY01	0-5	243	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	1	3.85%	25	96.15%	
		6-10	39	95.12%	2	4.88%	-	-	
		Total	282	85.71%	22	6.69%	25	7.60%	329
	THBY02	0-5	206	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	56	100.00%	-	-	-	-	
		Total	262	97.04%	1	0.37%	7	2.59%	270
Total		544	90.82%	23	3.84%	32	5.34%	599	
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	17	89.47%	2	10.53%	-	-	
		Total	39	90.70%	4	9.30%	-	-	43
	Total		39	90.70%	4	9.30%	-	-	43
Tillsonburg , Town Of (TSB01)	TSB01	0-5	180	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	184	100.00%	-	-	-	-	184
	Total		184	100.00%	-	-	-	-	184
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	146	100.00%	-	-	-	-	
		Total	146	100.00%	-	-	-	-	146
	Total		146	100.00%	-	-	-	-	146

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	29	90.63%	2	6.25%	1	3.13%	32
		Total			29	90.63%	2	6.25%	1
Timmins, City Of (TMNS01)	TMNS01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	13	76.47%	4	23.53%	-	-	
		Total	80	94.12%	5	5.88%	-	-	85
		Total			80	94.12%	5	5.88%	-
Tiny, Township Of (TNY01)	TNY01	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	35	76.09%	11	23.91%	-	-	
		Total	98	85.96%	16	14.04%	-	-	114
		Total			98	85.96%	16	14.04%	-
Toronto Business Improvement Areas (BIA123)	BDVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	BYEBIA01	0-5	10	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	BYWBIA01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	81.82%	2	18.18%	-	-	11
	CPBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	CRIBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	DFVBIA01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	16	84.21%	3	15.79%	-	-	19
	DNFBIA01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	DYEBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	DYWBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	EGLBIA01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
EVBIA01	0-5	7	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	9	100.00%	-	-	-	-	9	
GIBBIA01	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
GRTBIA01	0-5	5	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	6	100.00%	-	-	-	-	6	
HLCBIA01	0-5	2	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	JGBIA01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	KRBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	LBBIA01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	LBVBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	LIBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	LSVBIA01	11-15	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	MTDNBIA1	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	MTDSBIA1	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	1	25.00%	-	-	3	75.00%	4
	PDVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	PVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	RCVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total		3	100.00%	-	-	-	-	3	
RHVBIA01	11-15	-	-	1	100.00%	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	2	66.67%	1	33.33%	-	-	3	
RMSBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
RSDBIA01	0-5	8	100.00%	-	-	-	-		
	6-10	5	100.00%	-	-	-	-		
	Total	13	100.00%	-	-	-	-	13	
SCGBIA01	0-5	2	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
UPVBIA01	6-10	5	100.00%	-	-	-	-		
	Total	5	100.00%	-	-	-	-	5	
VIBIA01	0-5	3	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	Total	3	75.00%	1	25.00%	-	-	4	
WVBIA01	0-5	1	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	6-10	5	100.00%	-	-	-	-		
	Total	6	66.67%	3	33.33%	-	-	9	
WYWVIA01	6-10	4	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	YEBIA01	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		167	90.27%	15	8.11%	3	1.62%	185
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Toronto East Health Network (TEGH01)	TEGH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Toronto Gas Extraction (TORGE01)	TORGE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Toronto Hydro (TH123)	THFWLTR1	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	21	84.00%	4	16.00%	-	-	25
	THT21	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	16	59.26%	1	3.70%	10	37.04%	27
	THT23	0-5	56	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	202	100.00%	-	-	-	-	
		Total	258	99.61%	1	0.39%	-	-	259
	THTE01	0-5	3,000	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	25	100.00%	-	-	
		6-10	668	98.24%	12	1.76%	-	-	
		Total	3,668	97.42%	97	2.58%	-	-	3765
	THTVE01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	4	66.67%	2	33.33%	
		16+	-	-	-	-	16	100.00%	
		6-10	41	100.00%	-	-	-	-	
		Total	86	79.63%	4	3.70%	18	16.67%	108
	THTW01N	0-5	1,711	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	404	100.00%	-	-	-	-	
		Total	2,115	99.48%	11	0.52%	-	-	2126
	THTW01S	0-5	1,929	100.00%	-	-	-	-	
11-15		-	-	83	100.00%	-	-		
16+		-	-	39	100.00%	-	-		
6-10		376	94.47%	22	5.53%	-	-		
Total		2,305	94.12%	144	5.88%	-	-	2449	
Total		8,469	96.69%	262	2.99%	28	0.32%	8,759	
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	285	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	12	85.71%	2	14.29%	
		6-10	218	100.00%	-	-	-	-	
		Total	503	92.46%	39	7.17%	2	0.37%	544
	TORTSE02	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Traffic Signals (TORTS01)	TORTSE02	16+	-	-	2	100.00%	-	-	
		6-10	64	100.00%	-	-	-	-	
		Total	94	91.26%	9	8.74%	-	-	103
	TORTSWN1	0-5	130	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	83	100.00%	-	-	-	-	
		Total	213	97.71%	5	2.29%	-	-	218
	TORTSWN2	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	26	92.86%	2	7.14%	-	-	28
	TORTSWS1	0-5	200	100.00%	-	-	-	-	
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	163	98.19%	3	1.81%	-	-	
		Total	363	90.98%	34	8.52%	2	0.50%	399
	TORTSWS2	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	45	100.00%	-	-	-	-	
Total		103	89.57%	9	7.83%	3	2.61%	115	
Total		1,302	92.54%	98	6.97%	7	0.50%	1,407	
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	145	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	38	97.44%	1	2.56%	-	-	
		Total	183	93.85%	9	4.62%	3	1.54%	195
Total		183	93.85%	9	4.62%	3	1.54%	195	
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	350	100.00%	-	-	-	-	
		11-15	-	-	30	100.00%	-	-	
		16+	-	-	1	4.55%	21	95.45%	
		6-10	48	96.00%	2	4.00%	-	-	
		Total	398	88.05%	33	7.30%	21	4.65%	452
Total		398	88.05%	33	7.30%	21	4.65%	452	
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	252	100.00%	-	-	-	-	
		6-10	116	100.00%	-	-	-	-	
		Total	368	100.00%	-	-	-	-	368
Total		368	100.00%	-	-	-	-	368	
Toronto Water and Sewer (TORW123)	TORWE01	0-5	376	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	11	73.33%	4	26.67%	
		6-10	309	97.48%	8	2.52%	-	-	
		Total	685	91.82%	57	7.64%	4	0.54%	746
	TORWE02	0-5	129	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	83	100.00%	-	-	-	-	
		Total	212	97.70%	5	2.30%	-	-	217
	TORWE03	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	9	90.00%	-	-	1	10.00%	10	
	TORWE04	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWE04	6-10	41	97.62%	1	2.38%	-	-	
	Total		121	92.37%	9	6.87%	1	0.76%	131
	TORWE05	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total		23	95.83%	1	4.17%	-	-	24
	TORWE06	0-5	9	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total		14	100.00%	-	-	-	-	14
	TORWE07	0-5	265	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	220	97.78%	5	2.22%	-	-	
	Total		485	95.28%	23	4.52%	1	0.20%	509
	TORWW01	0-5	354	100.00%	-	-	-	-	
		11-15	-	-	58	98.31%	1	1.69%	
		16+	-	-	25	71.43%	10	28.57%	
		6-10	369	96.85%	12	3.15%	-	-	
	Total		723	87.21%	95	11.46%	11	1.33%	829
	TORWW02	0-5	268	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	272	100.00%	-	-	-	-	
	Total		540	98.54%	6	1.09%	2	0.36%	548
	TORWW04	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	36	94.74%	2	5.26%	-	-	
	Total		112	89.60%	13	10.40%	-	-	125
	TORWW05	0-5	74	100.00%	-	-	-	-	
	11-15	-	-	3	100.00%	-	-		
	6-10	50	100.00%	-	-	-	-		
Total		124	97.64%	3	2.36%	-	-	127	
TORWW06	0-5	1	100.00%	-	-	-	-		
	6-10	4	100.00%	-	-	-	-		
Total		5	100.00%	-	-	-	-	5	
TORWWN03	0-5	1	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
Total		3	100.00%	-	-	-	-	3	
TORWWN07	0-5	98	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	112	100.00%	-	-	-	-		
Total		210	97.22%	5	2.31%	1	0.46%	216	
TORWWS03	0-5	21	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	29	100.00%	-	-	-	-		
Total		50	86.21%	8	13.79%	-	-	58	
TORWWS07	0-5	145	100.00%	-	-	-	-		
	11-15	-	-	36	100.00%	-	-		
	16+	-	-	19	79.17%	5	20.83%		
	6-10	149	95.51%	7	4.49%	-	-		
Total		294	81.44%	62	17.17%	5	1.39%	361	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	Total		3,610	92.02%	287	7.32%	26	0.66%	3,923
Toronto, University Of (UTOR01)	UTOR01	0-5	21	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
Total		32	100.00%	-	-	-	-	32	
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	627	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	366	100.00%	-	-	-	-	
		Total	993	99.70%	2	0.20%	1	0.10%	996
Total		993	99.70%	2	0.20%	1	0.10%	996	
Transcanada Pipelines - North (TCP02)	TC04	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	14	70.00%	6	30.00%	-	-	20
	TC11	0-5	6	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
Total	7	58.33%	5	41.67%	-	-	12		
Total		21	65.63%	11	34.38%	-	-	32	
Trans-Northern Pipelines (TN01)	TN01	0-5	241	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	258	99.23%	2	0.77%	-	-	260
Total		258	99.23%	2	0.77%	-	-	260	
Trans-Northern Pipelines (TN02)	TN02	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	47	95.92%	2	4.08%	-	-	49
Total		47	95.92%	2	4.08%	-	-	49	
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	45	95.74%	1	2.13%	1	2.13%	47
Total		45	95.74%	1	2.13%	1	2.13%	47	
Trent Lakes, Municipality Of (TRLW01)	TRLW01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-	6	
Trent University (TRENTU123)	TRENTU01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	28.57%	5	71.43%	-	-	7
Total		2	28.57%	5	71.43%	-	-	7	
Tribute Gas (MAGG01)	MAGG01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	19	95.00%	1	5.00%	-	-	
		Total	23	65.71%	5	14.29%	7	20.00%	35
Total		23	65.71%	5	14.29%	7	20.00%	35	
Tuckersmith Communications (TCC01)	TCC01	0-5	289	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request					
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating						
Tuckersmith Communications (TCC01)	TCC01	16+	-	-	-	-	6	100.00%						
		6-10	8	100.00%	-	-	-	-						
		Total	297	97.70%	1	0.33%	6	1.97%	304					
	Total								297	97.70%	1	0.33%	6	1.97%
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	9	100.00%	-	-	-	-						
		Total	9	100.00%	-	-	-	-	9					
	Total								9					
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	6-10	1	100.00%	-	-	-	-						
		Total	1	100.00%	-	-	-	-	1					
	Total								1					
University Health Network - Toronto General (UHNTG01)	UHNTG01	16+	-	-	-	-	1	100.00%						
		6-10	2	100.00%	-	-	-	-						
		Total	2	66.67%	-	-	1	33.33%	3					
	Total								2	66.67%	-	-	1	33.33%
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	2	100.00%	-	-	-	-						
		6-10	5	100.00%	-	-	-	-						
		Total	7	100.00%	-	-	-	-	7					
	Total								7					
University Health Network (UHN01)	UHN01	0-5	3	100.00%	-	-	-	-						
		6-10	8	100.00%	-	-	-	-						
		Total	11	100.00%	-	-	-	-	11					
	Total								11					
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	2	100.00%						
		16+	-	-	-	-	40	100.00%						
		Total	-	-	-	-	42	100.00%	42					
	Total								42					
University Of Windsor (UOW01)	UOW01	11-15	-	-	-	-	1	100.00%						
		16+	-	-	-	-	6	100.00%						
		Total	-	-	-	-	7	100.00%	7					
	Total								7					
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	20	100.00%	-	-	-	-						
		16+	-	-	-	-	5	100.00%						
		6-10	8	80.00%	2	20.00%	-	-						
	Total	28	80.00%	2	5.71%	5	14.29%	35						
Total								28	80.00%	2	5.71%	5	14.29%	35
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	7	100.00%	-	-	-	-						
		Total	7	100.00%	-	-	-	-	7					
	Total								7					
Utilities Kingston (UK123)	UKCENT01	0-5	237	100.00%	-	-	-	-						
		11-15	-	-	7	87.50%	1	12.50%						
		16+	-	-	1	33.33%	2	66.67%						
		6-10	48	92.31%	4	7.69%	-	-						
		Total	285	95.00%	12	4.00%	3	1.00%	300					
	UKEAST01	0-5	43	100.00%	-	-	-	-						
		16+	-	-	-	-	1	100.00%						
		6-10	11	100.00%	-	-	-	-						
	Total	54	98.18%	-	-	1	1.82%	55						
	UKFIBE01	0-5	377	100.00%	-	-	-	-						
		6-10	5	100.00%	-	-	-	-						
		Total	382	100.00%	-	-	-	-	382					
	UKNRTH01	0-5	1	100.00%	-	-	-	-						
6-10		1	100.00%	-	-	-	-							
Total		2	100.00%	-	-	-	-	2						
UKWEST01	0-5	170	100.00%	-	-	-	-							
	11-15	-	-	2	100.00%	-	-							

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Utilities Kingston (UK123)	UKWEST01	6-10	47	100.00%	-	-	-	-	
		Total	217	99.09%	2	0.91%	-	-	219
	Total	940	98.12%	14	1.46%	4	0.42%	958	
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	90	94.74%	5	5.26%	
		Total	-	-	90	94.74%	5	5.26%	95
	Total	-	-	90	94.74%	5	5.26%	95	
Vale Canada (VALE01)	VALE01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	1,121	100.00%	-	-	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	392	100.00%	-	-	-	-	
		Total	1,513	99.21%	-	-	12	0.79%	1525
	Total	1,513	99.21%	-	-	12	0.79%	1,525	
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	4	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total	22	100.00%	-	-	-	-	22	
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	257	100.00%	-	-	-	-	
		16+	-	-	158	100.00%	-	-	
		Total	257	61.93%	158	38.07%	-	-	415
	Total	257	61.93%	158	38.07%	-	-	415	
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	724	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	736	98.92%	8	1.08%	-	-	744
	Total	736	98.92%	8	1.08%	-	-	744	
Videotron Senc (VDT1)	VDT1	0-5	164	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	74	93.67%	5	6.33%	-	-	
		Total	238	95.97%	10	4.03%	-	-	248
	VDT2	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total	246	96.09%	10	3.91%	-	-	256		
VIVE DEVELOPMENT CORPORATION (VIVE01)	VIVE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	1	50.00%	1	50.00%	-	-	2	
Total	1	50.00%	1	50.00%	-	-	2		
Wainfleet Wind Power (WFWF01)	WFWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
WALTHAM ENERGY (WALTE01)	WALTE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	-	1	100.00%	1	
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	5	83.33%	1	16.67%	
		16+	-	-	-	-	15	100.00%	
		6-10	4	57.14%	3	42.86%	-	-	
		Total	11	31.43%	8	22.86%	16	45.71%	35
	Total	11	31.43%	8	22.86%	16	45.71%	35	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	158	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	159	100.00%	-	-	-	-	159
	Total		159	100.00%	-	-	-	-	159
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	147	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	156	97.50%	1	0.63%	3	1.88%	160
	Total		156	97.50%	1	0.63%	3	1.88%	160
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Waste Management Canada (WMFM01)	WMFM01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	18	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		40	100.00%	-	-	-	-	40
Waterloo Innovation Network 2 Inc (WINF03)	WINF03	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Waterloo, City Of (CW01)	CW01	0-5	953	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	40	95.24%	2	4.76%	
		6-10	55	93.22%	4	6.78%	-	-	
		Total	1,008	95.00%	51	4.81%	2	0.19%	1061
	Total		1,008	95.00%	51	4.81%	2	0.19%	1,061
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	110	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	118	98.33%	2	1.67%	-	-	120
	Total		118	98.33%	2	1.67%	-	-	120
Waterloo, Region Of - Weather Stations (RW04)	RW04	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	138	95.83%	6	4.17%	-	-	144
	Total		138	95.83%	6	4.17%	-	-	144
Waterloo, Region Of (RW02)	RW02	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	37	92.50%	3	7.50%	
		6-10	89	97.80%	2	2.20%	-	-	
		Total	193	79.10%	48	19.67%	3	1.23%	244
	Total		193	79.10%	48	19.67%	3	1.23%	244
Waterloo, University Of (UWAT01)	UWAT01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	5	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Wawa, Municipality Of (WAW01)	WAW01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		Total	6	24.00%	7	28.00%	12	48.00%	25
	Total	6	24.00%	7	28.00%	12	48.00%	25	
Welland Hydro (WLNDH01)	WLNDH01	0-5	319	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	239	99.58%	1	0.42%	-	-	
		Total	558	99.29%	1	0.18%	3	0.53%	562
	Total	558	99.29%	1	0.18%	3	0.53%	562	
Welland, City Of (WLD01)	WLD01	0-5	588	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
	Total	601	99.50%	3	0.50%	-	-	604	
Total	601	99.50%	3	0.50%	-	-	604		
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	143	100.00%	-	-	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	-	-	1	100.00%	-	-	
	Total	143	95.33%	2	1.33%	5	3.33%	150	
Total	143	95.33%	2	1.33%	5	3.33%	150		
Wellington North Power Inc (WNP01)	WNP01	0-5	63	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	Total	63	100.00%	-	-	-	-	63	
Wellington North, Township Of (WLG123)	WLG123	0-5	56	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	56	98.25%	1	1.75%	-	-	57	
Total	56	98.25%	1	1.75%	-	-	57		
Wellington, County Of (WLG123)	WLG123	16+	-	-	17	100.00%	-	-	
		Total	-	-	17	100.00%	-	-	17
	Total	-	-	17	100.00%	-	-	17	
West Elgin, Municipality Of (W005)	W005	11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	39	100.00%	
	Total	-	-	-	-	44	100.00%	44	
Total	-	-	-	-	44	100.00%	44		
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	65	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	67	95.71%	-	-	3	4.29%	70	
Total	67	95.71%	-	-	3	4.29%	70		
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	25	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	30	100.00%	-	-	-	-	30	
Total	30	100.00%	-	-	-	-	30		
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	34	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	36	100.00%	-	-	-	-	36	
Total	36	100.00%	-	-	-	-	36		
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	16	100.00%	-	-	-	-	
		Total	37	94.87%	-	-	2	5.13%	39
	WPTHWS01	0-5	37	100.00%	-	-	-	-	
	16+	-	-	-	-	2	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
West Perth, Municipality Of (WPTH123)	WPTHWS01	6-10	16	100.00%	-	-	-	-	
		Total	53	96.36%	-	-	2	3.64%	55
	Total	90	95.74%	-	-	4	4.26%	94	
West Windsor Power (WWP01)	WWP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Westario Power (WPOW01)	WPOW01	0-5	296	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	27	100.00%	
		6-10	39	92.86%	3	7.14%	-	-	
		Total	335	91.53%	3	0.82%	28	7.65%	366
	Total	335	91.53%	3	0.82%	28	7.65%	366	
Westover Express Pipeline	WEX01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	49	98.00%	-	-	1	2.00%	50
	Total	49	98.00%	-	-	1	2.00%	50	
Westport , Village Of (WPT01)	WPT01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
	Total	5	83.33%	-	-	1	16.67%	6	
Whitby, Town Of (WHIT123)	WHITCB01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	WHITF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	8	66.67%	-	-	4	33.33%	12
	WHITS01	0-5	241	100.00%	-	-	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		Total	241	96.79%	5	2.01%	3	1.20%	249
	WHITSL01	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	59	100.00%	-	-	-	-	
		Total	122	96.83%	4	3.17%	-	-	126
Total	377	95.69%	9	2.28%	8	2.03%	394		
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	214	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	219	100.00%	-	-	-	-	219	
	WCSTSC01	0-5	206	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	212	100.00%	-	-	-	-	212	
	WCSTSL01	0-5	297	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	303	100.00%	-	-	-	-	303	
	WCSTW01	0-5	250	100.00%	-	-	-	-	
6-10		6	100.00%	-	-	-	-		
Total	256	100.00%	-	-	-	-	256		
Total	990	100.00%	-	-	-	-	990		
White River , Town Of (WHRWS01)	WHRWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
	Total	12	70.59%	-	-	5	29.41%	17	
	Total	12	70.59%	-	-	5	29.41%	17	
Wiet Peeters Farm Products Limited (WPFPL01)	WPFPL01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Wightman Telecom (WT123)	WT01	0-5	1,030	100.00%	-	-	-	-	
		11-15	-	-	378	99.47%	2	0.53%	
		16+	-	-	5	1.87%	262	98.13%	
		6-10	252	42.93%	335	57.07%	-	-	
		Total	1,282	56.63%	718	31.71%	264	11.66%	2264
	Total	1,282	56.63%	718	31.71%	264	11.66%	2,264	
Wilfrid Laurier University (WLU01)	WLU01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total	7	87.50%	1	12.50%	-	-	8	
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	101	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	105	98.13%	1	0.93%	1	0.93%	107
	Total	105	98.13%	1	0.93%	1	0.93%	107	
Windlectric Inc (AIWF01)	AIWF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	572	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	154	100.00%	-	-	-	-	
		Total	726	99.18%	1	0.14%	5	0.68%	732
	Total	726	99.18%	1	0.14%	5	0.68%	732	
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	78	100.00%	-	-	-	-	
		Total	110	99.10%	-	-	1	0.90%	111
	Total	110	99.10%	-	-	1	0.90%	111	
Windsor, City Of (EWINW01)	EWINW01	0-5	148	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		6-10	185	94.39%	11	5.61%	-	-	
		Total	333	92.50%	27	7.50%	-	-	360
	EWINW02	0-5	82	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	91	100.00%	-	-	-	-	91
Total	424	94.01%	27	5.99%	-	-	451		
Windsor, City Of (WSRSL01)	WSRSL01	0-5	2,057	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	63	100.00%	
		6-10	325	100.00%	-	-	-	-	
		Total	2,382	97.38%	-	-	64	2.62%	2446
	Total	2,382	97.38%	-	-	64	2.62%	2,446	
Wingham & Listowel Hospitals (LWHA01)	LWHA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	397	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Woodstock Water, City Of (WDWAT01)	WDWAT01	16+	-	-	-	-	2	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	406	99.27%	1	0.24%	2	0.49%	409
	Total	406	99.27%	1	0.24%	2	0.49%	409	
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	325	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	334	99.11%	-	-	3	0.89%	337
	Total	334	99.11%	-	-	3	0.89%	337	
Woolwich, Township Of (WLW01)	WLW01	0-5	351	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		Total	351	96.96%	11	3.04%	-	-	362
	Total	351	96.96%	11	3.04%	-	-	362	
Wtc Communications (WTCCT01)	WTCCT01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	12	37.50%	20	62.50%	-	-	
		Total	51	60.00%	29	34.12%	5	5.88%	85
	Total	51	60.00%	29	34.12%	5	5.88%	85	
Xplore Inc	MTLF01	0-5	240	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	23	100.00%	-	-	-	-	
		Total	263	99.62%	-	-	1	0.38%	264
	XPNET01	0-5	670	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	-	-	22	100.00%	
		6-10	83	95.40%	4	4.60%	-	-	
		Total	753	94.60%	21	2.64%	22	2.76%	796
	XPNET02	0-5	157	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	169	97.69%	2	1.16%	2	1.16%	173
	Total	1,185	96.11%	23	1.87%	25	2.03%	1,233	
Xstrata (GCX01)	GCX01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
York Region Water And Sewer (YRWS123)	YRWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	12	80.00%	3	20.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	3	16.67%	12	66.67%	3	16.67%	18	
Total	3	16.67%	12	66.67%	3	16.67%	18		
York University (YORKU01)	YORKU01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total	-	-	-	-	9	100.00%	9	
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	523	100.00%	-	-	-	-	
		11-15	-	-	144	100.00%	-	-	
		16+	-	-	4	10.53%	34	89.47%	
		6-10	478	95.22%	24	4.78%	-	-	
	Total	1,001	82.93%	172	14.25%	34	2.82%	1,207	
Total	1,001	82.93%	172	14.25%	34	2.82%	1,207		
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	89	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	10	62.50%	6	37.50%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYO123)	ZAYOON01	6-10	42	95.45%	2	4.55%	-	-	
		Total	131	83.44%	20	12.74%	6	3.82%	157
	ZAYOON02	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	9	100.00%	-	-	-	-	
		Total	36	66.67%	13	24.07%	5	9.26%	54
	ZAYOON03	0-5	100	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	42	100.00%	-	-	
		Total	140	73.30%	51	26.70%	-	-	191
	ZAYOON04	0-5	22	100.00%	-	-	-	-	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	35	97.22%	1	2.78%	-	-	36
	ZAYOON05	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	36	83.72%	7	16.28%	-	-	
		Total	108	86.40%	16	12.80%	1	0.80%	125
	ZAYOON06	0-5	12	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	17	77.27%	5	22.73%	-	-	22
	ZAYOON07	0-5	104	100.00%	-	-	-	-	
16+		-	-	1	100.00%	-	-		
6-10		36	92.31%	3	7.69%	-	-		
Total		140	97.22%	4	2.78%	-	-	144	
ZAYOON08	0-5	100	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	11	100.00%	-	-		
	Total	124	84.93%	22	15.07%	-	-	146	
ZAYOON09	0-5	15	100.00%	-	-	-	-		
	Total	18	100.00%	-	-	-	-	18	
ZAYOON11	0-5	410	100.00%	-	-	-	-		
	11-15	-	-	156	91.76%	14	8.24%		
	16+	-	-	49	56.32%	38	43.68%		
	6-10	176	90.26%	19	9.74%	-	-		
	Total	586	67.98%	224	25.99%	52	6.03%	862	
ZAYOON12	0-5	50	100.00%	-	-	-	-		
	Total	61	100.00%	-	-	-	-	61	
Total		1,396	76.87%	356	19.60%	64	3.52%	1,816	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	118	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	40	95.24%	2	4.76%	
		6-10	56	100.00%	-	-	-	-	
	Total	174	77.33%	49	21.78%	2	0.89%	225	
Total		174	77.33%	49	21.78%	2	0.89%	225	
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	95	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	95	98.96%	1	1.04%	-	-	96
	Total	95	98.96%	1	1.04%	-	-	96	
Total			362,986	93.20%	22,063	5.66%	4,421	1.14%	389,470