

UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 Locate your organization

Find your organization name in the first column, listed alphabetically.

2 Find your master code

Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 Understand performance metrics

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report

The report includes data for standard and advanced locate requests.

Excluded in this report

Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2026-01-23 03:00:36

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.


UIO Performance Report



Report Period

2025-12-01

2025-12-31



On Time	104,534	93.81%
Late	5,359	4.81%
No 360 Response	1,537	1.38%
Total	111,430	

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
1682468 Corp (168XPL01)	168XPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
407 ETR (407ETR)	407ETR01	0-5	63	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	67	94.37%	4	5.63%	-	-	71
	Total		67	94.37%	4	5.63%	-	-	71
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	73	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	45	100.00%	-	-	-	-	
	Total	118	99.16%	1	0.84%	-	-	119	
	HYTOS01	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	10	100.00%	-	-	-	-	10	
	HYTOW01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		135	99.26%	1	0.74%	-	-	136
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
	Total	-	-	25	100.00%	-	-	25	
Total		-	-	25	100.00%	-	-	25	
Agilis (AGILF01)	AGILF01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
	Total	16	80.00%	2	10.00%	2	10.00%	20	
Total		16	80.00%	2	10.00%	2	10.00%	20	
Air Liquide Canada (AL01)	AL01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
Total		14	100.00%	-	-	-	-	14	
Air Products Canada (APC1)	APC1	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
	Total	3	42.86%	4	57.14%	-	-	7	
Total		3	42.86%	4	57.14%	-	-	7	
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
	Total	82	98.80%	1	1.20%	-	-	83	
Total		82	98.80%	1	1.20%	-	-	83	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Alectra Brampton (ALECBR01)	ALECBR01	0-5	652	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	662	99.85%	1	0.15%	-	-	663
	Total	662	99.85%	1	0.15%	-	-	663	
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	814	100.00%	-	-	-	-	
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	35	100.00%	-	-	
		6-10	223	98.24%	4	1.76%	-	-	
	Total	1,037	93.68%	70	6.32%	-	-	1107	
Total	1,037	93.68%	70	6.32%	-	-	1,107		
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	544	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	47	100.00%	-	-	
		6-10	111	99.11%	1	0.89%	-	-	
	Total	655	88.87%	82	11.13%	-	-	737	
Total	655	88.87%	82	11.13%	-	-	737		
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	240	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
	Total	266	100.00%	-	-	-	-	266	
Total	266	100.00%	-	-	-	-	266		
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	928	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	189	100.00%	-	-	-	-	
	Total	1,117	99.64%	4	0.36%	-	-	1121	
	PSGN05	0-5	168	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	201	98.05%	4	1.95%	-	-	205
Total	1,318	99.40%	8	0.60%	-	-	1,326		
Alectra Utilities (GHY01)	GHY01	0-5	126	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
	Total	154	100.00%	-	-	-	-	154	
Total	154	100.00%	-	-	-	-	154		
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
Total	10	100.00%	-	-	-	-	10		
Algoma Power (AGMP01)	AGMP01	0-5	608	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
	Total	608	99.51%	2	0.33%	1	0.16%	611	
Total	608	99.51%	2	0.33%	1	0.16%	611		
Algonquin College (ALGQC01)	ALGQC01	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
Total	2	66.67%	1	33.33%	-	-	3		
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
Total	2	100.00%	-	-	-	-	2		
ALTECH FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	89	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
	16+	-	-	-	-	7	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
ALTECH FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	6-10	102	92.73%	8	7.27%	-	-	
		Total	191	79.92%	41	17.15%	7	2.93%	239
	Total		191	79.92%	41	17.15%	7	2.93%	239
Amherstburg Public Works (A005)	A005	0-5	56	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	61	93.85%	4	6.15%	-	-	65
	Total		61	93.85%	4	6.15%	-	-	65
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	11	52.38%	6	28.57%	4	19.05%	21
	Total		11	52.38%	6	28.57%	4	19.05%	21
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Atikokan Hydro (ATH01)	ATH01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	42	97.67%	-	-	1	2.33%	43
	Total		42	97.67%	-	-	1	2.33%	43
Aurora, Town Of (AURORA01)	AURORA01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	28	80.00%	7	20.00%	-	-	35
	Total		28	80.00%	7	20.00%	-	-	35
Avetria Networks Inc (ANF01)	ANF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	6	100.00%	
	Total	1	11.11%	1	11.11%	7	77.78%	9	
Total		1	11.11%	1	11.11%	7	77.78%	9	
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	5	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Bancroft, Town Of (BNCF01)	BNCF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Barrie, City Of (BARR01)	BARR01	0-5	320	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	44	100.00%	-	-	-	-	
		Total	364	99.45%	1	0.27%	1	0.27%	366
	Total			364	99.45%	1	0.27%	1	0.27%
Bayham, Municipality Of (BYH01)	BYH01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total			5	83.33%	1	16.67%	-	-
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		6-10	252	100.00%	-	-	-	-	
		Total	445	96.95%	11	2.40%	3	0.65%	459
	Total			445	96.95%	11	2.40%	3	0.65%
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	240	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	179	100.00%	-	-	-	-	
		Total	419	99.52%	1	0.24%	1	0.24%	421
	Total			419	99.52%	1	0.24%	1	0.24%
Bell Canada Damage Prevention (BC01)	360GTA	0-5	232	100.00%	-	-	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	268	100.00%	-	-	-	-	268
	360N	0-5	31	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	34	97.14%	1	2.86%	-	-	35	
	360N01	0-5	94	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	100	84.75%	18	15.25%	-	-	118
	360OTT	0-5	22	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	23	95.83%	1	4.17%	-	-	24	
	BC80701	0-5	43	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	13	92.86%	1	7.14%	-	-	
	Total	56	87.50%	8	12.50%	-	-	64	
	BC80703	0-5	3	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		Total	3	23.08%	10	76.92%	-	-	13
	BCGE01	0-5	1,004	100.00%	-	-	-	-	
11-15		-	-	15	100.00%	-	-		
16+		-	-	6	54.55%	5	45.45%		
6-10		136	96.45%	5	3.55%	-	-		
Total		1,140	97.35%	26	2.22%	5	0.43%	1171	
BCGN01	0-5	1,377	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	7	43.75%	9	56.25%		
	6-10	227	99.13%	2	0.87%	-	-		
	Total	1,604	98.65%	13	0.80%	9	0.55%	1626	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCGN02	0-5	598	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	78	88.64%	10	11.36%	-	-	
		Total	676	91.60%	61	8.27%	1	0.14%	738
	BCGTAA01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
	BCGW01	0-5	1,289	100.00%	-	-	-	-	
		11-15	-	-	41	100.00%	-	-	
		16+	-	-	35	89.74%	4	10.26%	
		6-10	212	98.60%	3	1.40%	-	-	
		Total	1,501	94.76%	79	4.99%	4	0.25%	1584
	BCGW02	0-5	349	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	62	95.38%	3	4.62%	-	-	
		Total	411	97.16%	11	2.60%	1	0.24%	423
	BCHN01	0-5	2,238	100.00%	-	-	-	-	
		11-15	-	-	91	100.00%	-	-	
		16+	-	-	103	98.10%	2	1.90%	
		6-10	328	88.65%	42	11.35%	-	-	
		Total	2,566	91.51%	236	8.42%	2	0.07%	2804
	BCOE01	0-5	2,291	100.00%	-	-	-	-	
		11-15	-	-	48	100.00%	-	-	
		16+	-	-	29	96.67%	1	3.33%	
		6-10	447	99.33%	3	0.67%	-	-	
		Total	2,738	97.13%	80	2.84%	1	0.04%	2819
	BCONE01	0-5	455	100.00%	-	-	-	-	
11-15		-	-	79	100.00%	-	-		
16+		-	-	37	100.00%	-	-		
6-10		191	96.46%	7	3.54%	-	-		
Total		646	84.01%	123	15.99%	-	-	769	
BCONW01	0-5	5	100.00%	-	-	-	-		
	16+	-	-	9	100.00%	-	-		
	Total	5	35.71%	9	64.29%	-	-	14	
BCONW02	0-5	6	100.00%	-	-	-	-		
	16+	-	-	3	100.00%	-	-		
	Total	6	66.67%	3	33.33%	-	-	9	
BCOS01	0-5	1,876	100.00%	-	-	-	-		
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	4	80.00%	1	20.00%		
	6-10	418	98.58%	6	1.42%	-	-		
	Total	2,294	99.01%	22	0.95%	1	0.04%	2317	
BCOW01	0-5	2,191	100.00%	-	-	-	-		
	11-15	-	-	16	100.00%	-	-		
	16+	-	-	5	71.43%	2	28.57%		
	6-10	379	98.44%	6	1.56%	-	-		
	Total	2,570	98.88%	27	1.04%	2	0.08%	2599	
BCTE01	0-5	1,292	100.00%	-	-	-	-		
	11-15	-	-	19	100.00%	-	-		
	16+	-	-	24	88.89%	3	11.11%		
	6-10	219	97.77%	5	2.23%	-	-		
	Total	1,511	96.73%	48	3.07%	3	0.19%	1562	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCTW01N	0-5	459	100.00%	-	-	-	-	571
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	103	98.10%	2	1.90%	-	-	
		Total	562	98.42%	6	1.05%	3	0.53%	
	BCTW01S	0-5	797	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	132	93.62%	9	6.38%	-	-	
	Total	929	93.65%	62	6.25%	1	0.10%	992	
BFTHTOR2	16+	-	-	-	-	11	100.00%		
Total	-	-	-	-	11	100.00%	11		
Total	-	19,661	95.67%	845	4.11%	44	0.21%	20,550	
Belleville , City Of (BLV01)	BLV01	0-5	46	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	Total	46	100.00%	-	-	-	-	46	
Birch Hill Telecom (BHTI01)	BHTI01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	31	100.00%	-	-	-	-	
	Total	54	98.18%	-	-	1	1.82%	55	
Total	54	98.18%	-	-	1	1.82%	55		
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total	25	100.00%	-	-	-	-	25	
Blind River , Town Of (BLR01)	BLR01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	3
	Total	-	-	2	66.67%	1	33.33%	3	
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total	2	66.67%	1	33.33%	-	-	3	
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	28	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	Total	39	100.00%	-	-	-	-	39	
Bluewater Power (S003)	S003	0-5	106	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	113	100.00%	-	-	-	-	113
	Total	113	100.00%	-	-	-	-	113	
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	18	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total	21	100.00%	-	-	-	-	21	
Bluewater, Municipality Of (BLW01)	BLW01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total	22	100.00%	-	-	-	-	22	
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total	23	100.00%	-	-	-	-	23	
Boralex (BOR123)	BORWF02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Borex (BOR123)	BORWF05	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BORWF06	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF08	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		8	100.00%	-	-	-	-	8	
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	14	82.35%	3	17.65%	-	-	17
	Total		14	82.35%	3	17.65%	-	-	17
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	26	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	26	92.86%	1	3.57%	1	3.57%	28
	BFWGSS01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	33	94.29%	1	2.86%	1	2.86%	35
	BFWGW01	0-5	49	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	49	96.08%	1	1.96%	1	1.96%	51
	Total		108	94.74%	3	2.63%	3	2.63%	114
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	74	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	46	100.00%	-	-	-	-	
		Total	120	99.17%	-	-	1	0.83%	121
	Total		120	99.17%	-	-	1	0.83%	121
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	173	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	85	100.00%	-	-	-	-	
		Total	258	99.23%	-	-	2	0.77%	260
	Total		258	99.23%	-	-	2	0.77%	260
Brant, County Of - Fibre (BRNTF01)	BRNTF01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
Total		-	-	5	100.00%	-	-	5	
Brant, County Of (BRNT01)	BRNT01	0-5	56	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	Total		63	100.00%	-	-	-	-	63
Brantford, The City Of (BRAS01)	BRAS01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	62	100.00%	-	-	-	-	
		Total	122	98.39%	2	1.61%	-	-	124
	Total		122	98.39%	2	1.61%	-	-	124
Brantford, The City Of (BRASL01)	BRASL01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	42	95.45%	2	4.55%	-	-	44
	Total		42	95.45%	2	4.55%	-	-	44
Brantford, The City Of (BRATL01)	BRATL01	0-5	7	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brantford, The City Of (BRATL01)	BRATL01	6-10	5	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	13	86.67%	-	-	2	13.33%	15
	Total		13	86.67%	-	-	2	13.33%	15
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
Brock , Township Of (BRCK01)	BRCK01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	23	88.46%	1	3.85%	2	7.69%	26
	Total		23	88.46%	1	3.85%	2	7.69%	26
Brock University (BROCKU01)	BROCKU01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Brockville, City Of (BRKV01)	BRKV01	0-5	25	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	26	96.30%	1	3.70%	-	-	27
	Total		26	96.30%	1	3.70%	-	-	27
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Brooke Telecom (B004)	B004	0-5	6	100.00%	-	-	-	-	
		16+	-	-	22	91.67%	2	8.33%	
		Total	6	20.00%	22	73.33%	2	6.67%	30
	Total		6	20.00%	22	73.33%	2	6.67%	30
Bruce , County Of (BRC01)	BRC01	0-5	16	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total		27	100.00%	-	-	-	-	27
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Bruce Telecom (BTL01)	BTL01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	41	89.13%	5	10.87%	-	-	46
	Total		41	89.13%	5	10.87%	-	-	46
Burlington Hydro (BH01)	BH01	0-5	276	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Burlington Hydro (BH01)	BH01	6-10	60	98.36%	1	1.64%	-	-	
		Total	336	99.41%	1	0.30%	1	0.30%	338
	Total	336	99.41%	1	0.30%	1	0.30%	338	
Burlington, City Of (BRL123)	BRLSL01	0-5	156	100.00%	-	-	-	-	
		Total	156	100.00%	-	-	-	-	156
	BRLSS01	0-5	160	100.00%	-	-	-	-	
		Total	160	100.00%	-	-	-	-	160
	BRLTS01	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
Total	337	100.00%	-	-	-	-	337		
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	25	92.59%	2	7.41%	-	-	
		Total	76	86.36%	12	13.64%	-	-	88
	Total	76	86.36%	12	13.64%	-	-	88	
Callander, Municipality Of (CLN01)	CLN01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total	3	75.00%	1	25.00%	-	-	4	
Cambridge, City Of (CAM123)	CAMS01	0-5	67	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	CAMW01	0-5	56	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	12	100.00%	-	-	-	-	
		Total	68	98.55%	-	-	1	1.45%	69
Total	136	99.27%	-	-	1	0.73%	137		
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	17	100.00%	
		Total	-	-	-	-	17	100.00%	17
	Total	-	-	-	-	17	100.00%	17	
Canadian Niagara Power (CNP01)	CNP01	0-5	168	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	14	100.00%	-	-	-	-	
		Total	182	98.91%	1	0.54%	1	0.54%	184
	Total	182	98.91%	1	0.54%	1	0.54%	184	
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	67	100.00%	
		Total	-	-	-	-	70	100.00%	70
	Total	-	-	-	-	70	100.00%	70	
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	62	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	67	100.00%	-	-	-	-	67
	Total	67	100.00%	-	-	-	-	67	
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	8
	Total	7	87.50%	-	-	1	12.50%	8	
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cavan Monaghan, Township Of (CVNM01)	CVNM01	16+	-	-	1	33.33%	2	66.67%	
		Total	1	20.00%	2	40.00%	2	40.00%	5
	Total	1	20.00%	2	40.00%	2	40.00%	5	
Cedar Point li Wind Farm (CP2WF01)	CP2WF01	16+	-	-	1	33.33%	2	66.67%	
		6-10	1	100.00%	-	-	-	-	
	Total	1	25.00%	1	25.00%	2	50.00%	4	
Total	1	25.00%	1	25.00%	2	50.00%	4		
Celerity Telecom Inc (CTI01)	CTI01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	6-10	18	81.82%	4	18.18%	-	-		
	Total	38	84.44%	4	8.89%	3	6.67%	45	
	Total	38	84.44%	4	8.89%	3	6.67%	45	
Central Frontenac , Township Of (CFS01)	CFS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Central Huron, Municipality Of (CHW01)	CHW01	0-5	3	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
	Total	7	100.00%	-	-	-	-	7	
	Total	7	100.00%	-	-	-	-	7	
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total	-	-	-	-	5	100.00%	5	
Centre Wellington Communications (CWC01)	CWC01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
	Total	5	100.00%	-	-	-	-	5	
Centre Wellington Hydro (CWH01)	CWH01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	6-10	1	100.00%	-	-	-	-		
	Total	14	93.33%	1	6.67%	-	-	15	
	Total	14	93.33%	1	6.67%	-	-	15	
Centre Wellington, Township Of (CTW01)	CTW01	0-5	7	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	19	100.00%	-	-	-	-	19	
	Total	19	100.00%	-	-	-	-	19	
Century Link (LVL3)	LVL3	0-5	164	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	50.00%	3	50.00%	
		6-10	2	66.67%	1	33.33%	-	-	
	Total	166	95.40%	5	2.87%	3	1.72%	174	
	Total	166	95.40%	5	2.87%	3	1.72%	174	
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
	Total	1	33.33%	-	-	2	66.67%	3	
	CHPLSL01	6-10	1	100.00%	-	-	-	-	
Total	1	100.00%	-	-	-	-	1		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Champlain, Township Of (CHPLN123)	CHPLSS01	0-5	1	100.00%	-	-	-	-	3
		16+	-	-	-	-	2	100.00%	
	Total	1	33.33%	-	-	2	66.67%	3	
	CHPLW01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
Total	2	50.00%	-	-	2	50.00%	4		
Total		5	45.45%	-	-	6	54.55%	11	
Charlton And Dack , Municipality Of (CHDWSL01)	CHDWSL01	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	24	100.00%	-	-	-	-	58
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	26	81.25%	6	18.75%	-	-	
		Total	50	86.21%	7	12.07%	1	1.72%	
	CKPUC02	0-5	57	100.00%	-	-	-	-	
		6-10	45	100.00%	-	-	-	-	
		Total	102	100.00%	-	-	-	-	
	CKPUC03	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	21	87.50%	3	12.50%	-	-	
		Total	44	89.80%	5	10.20%	-	-	
	Total		196	93.78%	12	5.74%	1	0.48%	
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	8	100.00%	-	-	-	-	14
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	
	Total		13	92.86%	1	7.14%	-	-	
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	
	Total		-	-	-	-	3	100.00%	
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	6	100.00%	-	-	-	-	9
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	
	Total		8	88.89%	1	11.11%	-	-	
Chatsworth, Township Of (CTSWW01)	CTSWW01	6-10	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	16+	-	-	-	-	4	100.00%	4
		Total	-	-	-	-	4	100.00%	
	Total		-	-	-	-	4	100.00%	
Chippewas Of Rama (CHPPWA01)	CHPPWA01	6-10	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	
Chrysler Canada (CHRYSL01)	CHRYSL01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	
Cik Telecom (CIKT01)	CIKT01	0-5	10	100.00%	-	-	-	-	46
		11-15	-	-	1	20.00%	4	80.00%	
		16+	-	-	-	-	20	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	21	45.65%	1	2.17%	24	52.17%	
		Total		21	45.65%	1	2.17%	24	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
City Of Woodstock Street Light & Traffic Signals Wdsltl01 (WDSLTL01)	WDSLTL01	0-5	38	100.00%	-	-	-	-	45
		16+	-	-	-	-	1	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	43	95.56%	1	2.22%	1	2.22%	
Total			43	95.56%	1	2.22%	1	2.22%	45
Ckpw Chatham Township Garage (CK08)	CK08	0-5	14	100.00%	-	-	-	-	23
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	22	95.65%	1	4.35%	-	-	
Total			22	95.65%	1	4.35%	-	-	23
Ckpw Chatham Water Garage (CK01)	CK01	0-5	53	100.00%	-	-	-	-	58
		6-10	4	80.00%	1	20.00%	-	-	
		Total	57	98.28%	1	1.72%	-	-	
Total			57	98.28%	1	1.72%	-	-	58
Ckpw Dover Township Garage (CK06)	CK06	0-5	29	100.00%	-	-	-	-	32
		6-10	2	66.67%	1	33.33%	-	-	
		Total	31	96.88%	1	3.13%	-	-	
Total			31	96.88%	1	3.13%	-	-	32
Ckpw Kent Centre Garage (CK03)	CK03	0-5	23	100.00%	-	-	-	-	36
		11-15	-	-	2	100.00%	-	-	
		6-10	6	54.55%	5	45.45%	-	-	
		Total	29	80.56%	7	19.44%	-	-	
Total			29	80.56%	7	19.44%	-	-	36
Ckpw Raleigh Garage (CK04)	CK04	0-5	17	100.00%	-	-	-	-	19
		6-10	2	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	
Total			19	100.00%	-	-	-	-	19
Ckpw Thamesville Garage (CK09)	CK09	0-5	11	100.00%	-	-	-	-	23
		6-10	12	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	
Total			23	100.00%	-	-	-	-	23
Ckpw Tilbury East Garage (CK05)	CK05	0-5	25	100.00%	-	-	-	-	25
		Total	25	100.00%	-	-	-	-	
Total			25	100.00%	-	-	-	-	25
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	1	100.00%	-	-	-	-	9
		11-15	-	-	2	100.00%	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	2	22.22%	7	77.78%	-	-	
Total			2	22.22%	7	77.78%	-	-	9
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	29	100.00%	-	-	-	-	29
		Total	29	100.00%	-	-	-	-	
Total			29	100.00%	-	-	-	-	29
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	56	100.00%	-	-	-	-	56
		Total	56	100.00%	-	-	-	-	
	CLRGSS01	0-5	15	100.00%	-	-	-	-	15
		Total	15	100.00%	-	-	-	-	
Total			71	100.00%	-	-	-	-	71
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	1	100.00%	-	-	-	-	10
		6-10	9	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
Total			10	100.00%	-	-	-	-	10
Clearford (LBWW01)	LBWW01	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Clearview, Township Of (CLRV01)	CLRV01	0-5	21	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	Total		23	95.83%	1	4.17%	-	-	24
CLI FOR KITCHENER, CITY OF - ELECTRIC (KITE01)	KITE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Cobourg, Town Of (CBRG123)	CBRGS01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Cochrane Telecom Services (CCT01)	CCT01	11-15	-	-	2	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	2	40.00%	3	60.00%	-	-	5
	Total		2	40.00%	3	60.00%	-	-	5
Cogeco Cable Canada (CBT1)	CBT1	0-5	305	100.00%	-	-	-	-	
		11-15	-	-	64	100.00%	-	-	
		16+	-	-	33	73.33%	12	26.67%	
		6-10	203	88.65%	26	11.35%	-	-	
		Total	508	79.00%	123	19.13%	12	1.87%	643
	Total		508	79.00%	123	19.13%	12	1.87%	643
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	469	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	100	100.00%	-	-	-	-	
	Total	569	95.47%	27	4.53%	-	-	596	
Total		569	95.47%	27	4.53%	-	-	596	
Cogeco Cable Canada (CPVS2)	CBT2	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	17	77.27%	5	22.73%	
		6-10	46	93.88%	3	6.12%	-	-	
	Total	89	70.63%	32	25.40%	5	3.97%	126	
	CPVS2	0-5	120	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	9	81.82%	2	18.18%	
		6-10	51	98.08%	1	1.92%	-	-	
		Total	171	88.14%	21	10.82%	2	1.03%	194
Total			260	81.25%	53	16.56%	7	2.19%	320
Cogeco Connexion	COGOW02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Cogeco Connexion North East (CCNE123)	COGE01	0-5	290	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	32	100.00%	-	-	-	-	
		Total	322	99.08%	2	0.62%	1	0.31%	325
	COOE01	0-5	219	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	18	94.74%	1	5.26%	-	-	
	Total	237	97.13%	7	2.87%	-	-	244	
	COONE01	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
16+		-	-	1	100.00%	-	-		
6-10		16	100.00%	-	-	-	-		
Total	94	94.00%	6	6.00%	-	-	100		
Total		653	97.61%	15	2.24%	1	0.15%	669	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cogeco Connexion Southwest (CC01)	COC01	0-5	69	100.00%	-	-	-	-	95
		6-10	23	88.46%	3	11.54%	-	-	
		Total	92	96.84%	3	3.16%	-	-	
	COE01	0-5	268	100.00%	-	-	-	-	413
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	123	93.89%	8	6.11%	-	-	
		Total	391	94.67%	19	4.60%	3	0.73%	
	COL01	0-5	85	100.00%	-	-	-	-	136
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	45	93.75%	3	6.25%	-	-	
		Total	130	95.59%	5	3.68%	1	0.74%	
	Total		613	95.19%	27	4.19%	4	0.62%	644
	College Boreal (CLGB01)	CLGB01	0-5	1	100.00%	-	-	-	-
Total			1	100.00%	-	-	-	-	
Total			1	100.00%	-	-	-	-	1
Collingwood Public Utilities (COLL123)	COLLS01	0-5	10	100.00%	-	-	-	-	33
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	10.00%	9	90.00%	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	15	45.45%	9	27.27%	9	27.27%	
	COLLW01	0-5	17	100.00%	-	-	-	-	37
		11-15	-	-	4	100.00%	-	-	
		6-10	12	75.00%	4	25.00%	-	-	
		Total	29	78.38%	8	21.62%	-	-	
	Total		44	62.86%	17	24.29%	9	12.86%	70
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	4	100.00%	-	-	-	-	5
		16+	-	-	-	-	1	100.00%	
	Total	4	80.00%	-	-	1	20.00%	5	
Total		4	80.00%	-	-	1	20.00%	5	
Communicate Freely (CFF01)	CFF01	0-5	13	100.00%	-	-	-	-	14
		6-10	1	100.00%	-	-	-	-	
	Total	14	100.00%	-	-	-	-	14	
Total		14	100.00%	-	-	-	-	14	
COMMUNITY FIBRE COMPANY (CFC01)	CFC01	16+	-	-	17	48.57%	18	51.43%	35
		Total	-	-	17	48.57%	18	51.43%	
Total		-	-	17	48.57%	18	51.43%	35	
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	3	100.00%	-	-	-	-	19
		6-10	9	56.25%	7	43.75%	-	-	
	Total	12	63.16%	7	36.84%	-	-	19	
Total		12	63.16%	7	36.84%	-	-	19	
Cornwall , City Of (CRWL123)	CRWL01	0-5	16	100.00%	-	-	-	-	16
		Total	16	100.00%	-	-	-	-	
	CRWLTS01	0-5	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	
Total		19	100.00%	-	-	-	-	19	
Cornwall Electric (CE01)	CE01	0-5	74	100.00%	-	-	-	-	74
		Total	74	100.00%	-	-	-	-	
	Total		74	100.00%	-	-	-	-	74
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	19	100.00%	-	-	-	-	31
		6-10	11	91.67%	1	8.33%	-	-	
		Total	30	96.77%	1	3.23%	-	-	
	Total		30	96.77%	1	3.23%	-	-	31

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cramahe Township - Colborne Water (COLBW01)	COLBW01	6-10	1	50.00%	1	50.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total	1	50.00%	1	50.00%	-	-	2	
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	-	-	16	100.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	29	47.54%	16	26.23%	16	26.23%	61
	Total	29	47.54%	16	26.23%	16	26.23%	61	
Dbi Services (DBIS01)	DBIS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Deep River , Town Of (DRI01)	DRI01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
	Total	3	75.00%	-	-	1	25.00%	4	
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Dryden, City Of (DRYD01)	DRYD01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	7	77.78%	-	-	2	22.22%	9
	Total	7	77.78%	-	-	2	22.22%	9	
Dubreuveville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Dufferin County (DFRN01)	DFRN01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Durham One Net	DON01	0-5	109	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	34	97.14%	1	2.86%	-	-	
		Total	143	98.62%	2	1.38%	-	-	145
	Total	143	98.62%	2	1.38%	-	-	145	
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	209	100.00%	-	-	-	-	
		Total	209	100.00%	-	-	-	-	209
	DURWS02	0-5	126	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	138	95.17%	6	4.14%	1	0.69%	145
	DURWS03	0-5	83	100.00%	-	-	-	-	
Total	83	100.00%	-	-	-	-	83		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Durham Region Water And Sewer (DURWS123)	DURWS04	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	DURWS05	0-5	22	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
Total		486	98.38%	7	1.42%	1	0.20%	494	
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	74	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	35	94.59%	2	5.41%	-	-	
		Total	109	96.46%	2	1.77%	2	1.77%	113
	Total		109	96.46%	2	1.77%	2	1.77%	113
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	28	96.55%	-	-	1	3.45%	29
	Total		28	96.55%	-	-	1	3.45%	29
E L K Energy Inc (E001)	E001	0-5	68	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	38	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	EGWLSS01	0-5	56	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	EGWLW01	0-5	66	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	EGWLWW01	0-5	55	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
	Total		225	100.00%	-	-	-	-	225
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	42	61.76%	26	38.24%	-	-	68	
Total		42	61.76%	26	38.24%	-	-	68	
Eastern Ontario Power (EOP01)	EOP01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	13	86.67%	1	6.67%	1	6.67%	15
Total		13	86.67%	1	6.67%	1	6.67%	15	
Eastern Power Inc (EP01)	EP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Eastlink (EL123)	ELGE01	0-5	36	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	38	95.00%	2	5.00%	-	-	40

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELGN02	0-5	2	100.00%	-	-	-	-	7
		11-15	-	-	1	25.00%	3	75.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	42.86%	1	14.29%	3	42.86%	
	ELOE01	0-5	11	100.00%	-	-	-	-	20
		6-10	8	88.89%	1	11.11%	-	-	
		Total	19	95.00%	1	5.00%	-	-	
	ELOE02	0-5	26	100.00%	-	-	-	-	38
		11-15	-	-	2	100.00%	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	35	92.11%	3	7.89%	-	-	
	ELONE01	0-5	68	100.00%	-	-	-	-	76
		6-10	8	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	
	ELONE02	0-5	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	
	ELONE03	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	ELONE04	0-5	17	100.00%	-	-	-	-	20
		6-10	1	33.33%	2	66.67%	-	-	
		Total	18	90.00%	2	10.00%	-	-	
	ELONE05	0-5	2	100.00%	-	-	-	-	6
		6-10	3	75.00%	1	25.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	
	ELONE06	0-5	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	
	ELONE07	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	ELONE09	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	ELOS01	0-5	4	100.00%	-	-	-	-	8
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	
	ELOS02	0-5	12	100.00%	-	-	-	-	24
		6-10	12	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	
	ELOW01	0-5	38	100.00%	-	-	-	-	65
		11-15	-	-	2	100.00%	-	-	
		6-10	22	88.00%	3	12.00%	-	-	
		Total	60	92.31%	5	7.69%	-	-	
	ELOW02	0-5	24	100.00%	-	-	-	-	37
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	32	86.49%	2	5.41%	3	8.11%	
	ELOW03	0-5	42	100.00%	-	-	-	-	46
11-15		-	-	-	-	1	100.00%		
16+		-	-	-	-	1	100.00%		
6-10		1	50.00%	1	50.00%	-	-		
Total		43	93.48%	1	2.17%	2	4.35%		
ELOW04	0-5	44	100.00%	-	-	-	-	57	
	11-15	-	-	10	100.00%	-	-		
	6-10	1	33.33%	2	66.67%	-	-		
	Total	45	78.95%	12	21.05%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Eastlink (EL123)	ELOW05	0-5	79	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	-	-	2	100.00%		
		6-10	2	66.67%	1	33.33%	-	-		
		Total	81	93.10%	4	4.60%	2	2.30%		87
	ELOW06	0-5	9	100.00%	-	-	-	-		
		11-15	-	-	12	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	5	62.50%	3	37.50%	-	-		
		Total	14	46.67%	15	50.00%	1	3.33%		30
	ELOW07	0-5	11	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	-	-	1	100.00%	-	-		
		Total	11	84.62%	2	15.38%	-	-		13
	ELOW08	0-5	1	100.00%	-	-	-	-		
		6-10	6	100.00%	-	-	-	-		
		Total	7	100.00%	-	-	-	-		7
	MKDLC01	0-5	12	100.00%	-	-	-	-		
		6-10	1	50.00%	1	50.00%	-	-		
		Total	13	92.86%	1	7.14%	-	-		14
	Total		543	89.31%	54	8.88%	11	1.81%	608	
Ed Smith Foods (EDSF01)	EDSF01	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-		1
	Total	1	100.00%	-	-	-	-	1		
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	3	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-		3
	Total	3	100.00%	-	-	-	-	3		
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	146	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	30	96.77%	1	3.23%	-	-		
		Total	176	98.32%	2	1.12%	1	0.56%		179
	ETNF02	0-5	6	100.00%	-	-	-	-		
		6-10	4	100.00%	-	-	-	-		
	Total	10	100.00%	-	-	-	-	10		
	SFNF01	0-5	10	100.00%	-	-	-	-		
		Total	10	100.00%	-	-	-	-		10
	Total		196	98.49%	2	1.01%	1	0.50%	199	
	Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	43	100.00%	-	-	-	-	
			6-10	22	100.00%	-	-	-	-	
Total			65	100.00%	-	-	-	-	65	
ELX02		0-5	123	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		
		6-10	54	100.00%	-	-	-	-		
		Total	177	97.79%	4	2.21%	-	-		181
ELX03		0-5	29	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	21	100.00%	-	-	-	-		
		Total	50	98.04%	1	1.96%	-	-		51
ELX04		0-5	71	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	13	92.86%	1	7.14%	-	-		
		Total	84	97.67%	2	2.33%	-	-		86
ELXGE01		0-5	16	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Elexicon Energy Formerly Veridian (ELX123)	ELXGE01	6-10	13	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	ELXGE02	0-5	34	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	ELXONE01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	ELXWHGE1	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	51	100.00%	-	-	-	-	
		Total	134	98.53%	2	1.47%	-	-	136
Total		587	98.49%	9	1.51%	-	-	596	
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	2	100.00%	
	Total	-	-	-	-	4	100.00%	4	
Total		-	-	-	-	4	100.00%	4	
Elgin, County Of (ELGNE01)	ELGNE01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	9	100.00%	-	-	-	-	9	
Total		9	100.00%	-	-	-	-	9	
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	2	50.00%	1	25.00%	1	25.00%	4	
Total		2	50.00%	1	25.00%	1	25.00%	4	
Emo , Township Of (EMOWS01)	EMOWS01	16+	-	-	-	-	1	100.00%	
	Total	-	-	-	-	1	100.00%	1	
Total		-	-	-	-	1	100.00%	1	
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ENNEBGW1	0-5	10	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	ENNEBOE1	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total	3	100.00%	-	-	-	-	-	3	
Total		16	100.00%	-	-	-	-	16	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	29	93.55%	2	6.45%	-	-	31
	ENVMGN01	0-5	21	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
	Total	43	100.00%	-	-	-	-	43	
	ENVMGN02	0-5	33	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
	Total	46	100.00%	-	-	-	-	46	
	ENVMGW01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	45	97.83%	1	2.17%	-	-	
		Total	73	89.02%	9	10.98%	-	-	82
ENVMGW02	0-5	6	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGW02	6-10	4	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	ENVMHN01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	ENVMOE01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	29	78.38%	8	21.62%	-	-	37
	ENVMTE01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	98	96.08%	4	3.92%	-	-	102
	ENVMTW1N	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	47	97.92%	1	2.08%	-	-	48
	ENVMTW1S	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		Total	55	82.09%	12	17.91%	-	-	67
Total		443	92.29%	37	7.71%	-	-	480	
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	714	100.00%	-	-	-	-	
		11-15	-	-	148	100.00%	-	-	
		16+	-	-	140	100.00%	-	-	
		Total	1,201	77.84%	342	22.16%	-	-	1543
	EN2OE01	0-5	277	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	484	98.17%	9	1.83%	-	-	493
	ENONE01	0-5	382	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	547	97.85%	12	2.15%	-	-	559
	ENONW01	0-5	144	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	166	94.86%	9	5.14%	-	-	175
	ENOS01	0-5	1,229	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		Total	1,825	97.18%	53	2.82%	-	-	1878
ENOW01	0-5	971	100.00%	-	-	-	-		
	11-15	-	-	11	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas (Legacy Union Gas) (UG1)	ENOW01	6-10	487	98.98%	5	1.02%	-	-	
		Total	1,458	98.91%	16	1.09%	-	-	1474
	Total		5,681	92.80%	441	7.20%	-	-	6,122
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	91.30%	2	8.70%	-	-	
		Total	44	93.62%	3	6.38%	-	-	47
	ENCLCHT	0-5	24	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	ENCLEST	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	31
	ENCLHAL	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	13	65.00%	7	35.00%	-	-	20
	ENCLHAM	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	57	85.07%	10	14.93%	-	-	67
	ENCLLDN	0-5	46	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	77	100.00%	-	-	-	-	77
	ENCLNTH	0-5	15	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	ENCLNW01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	ENCLSAR	0-5	31	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
ENCLWAT	0-5	62	100.00%	-	-	-	-		
	6-10	34	100.00%	-	-	-	-		
	Total	96	100.00%	-	-	-	-	96	
ENCLWIN	0-5	64	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	39	95.12%	2	4.88%	-	-		
	Total	103	92.79%	8	7.21%	-	-	111	
Total		537	94.88%	29	5.12%	-	-	566	
Enbridge Gas Distribution (ENB1)	ENGE01	0-5	755	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	303	98.70%	4	1.30%	-	-	
		Total	1,058	97.24%	30	2.76%	-	-	1088
	ENGN01	0-5	1,082	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENGN01	6-10	462	100.00%	-	-	-	-	
		Total	1,544	99.68%	5	0.32%	-	-	1549
	ENGN02	0-5	431	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	149	100.00%	-	-	-	-	
		Total	580	98.98%	6	1.02%	-	-	586
	ENGTAA01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
	Total	20	90.91%	2	9.09%	-	-	22	
	ENGW01	0-5	855	100.00%	-	-	-	-	
		11-15	-	-	74	100.00%	-	-	
		16+	-	-	52	100.00%	-	-	
		6-10	572	98.79%	7	1.21%	-	-	
		Total	1,427	91.47%	133	8.53%	-	-	1560
	ENGW02	0-5	194	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	143	97.95%	3	2.05%	-	-	
	Total	337	95.47%	16	4.53%	-	-	353	
	ENHN01	0-5	1,067	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	26	100.00%	-	-	
		6-10	175	100.00%	-	-	-	-	
	Total	1,242	96.96%	39	3.04%	-	-	1281	
	ENOE01	0-5	1,031	100.00%	-	-	-	-	
11-15		-	-	72	100.00%	-	-		
16+		-	-	33	100.00%	-	-		
6-10		872	99.09%	8	0.91%	-	-		
Total	1,903	94.39%	113	5.61%	-	-	2016		
ENTE01	0-5	885	100.00%	-	-	-	-		
	11-15	-	-	32	100.00%	-	-		
	16+	-	-	24	100.00%	-	-		
	6-10	640	98.92%	7	1.08%	-	-		
Total	1,525	96.03%	63	3.97%	-	-	1588		
ENTW01N	0-5	297	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	6-10	267	99.26%	2	0.74%	-	-		
Total	564	99.12%	5	0.88%	-	-	569		
ENTW01S	0-5	514	100.00%	-	-	-	-		
	11-15	-	-	109	100.00%	-	-		
	16+	-	-	25	100.00%	-	-		
	6-10	416	94.55%	24	5.45%	-	-		
Total	930	85.48%	158	14.52%	-	-	1088		
Total		11,130	95.13%	570	4.87%	-	-	11,700	
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
Total		17	100.00%	-	-	-	-	17	
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	23	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
EN21	0-5	58	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Enbridge Gas Storage And Transmission(ENSTO)	EN21	6-10	9	100.00%	-	-	-	-		
		Total	67	100.00%	-	-	-	-	67	
	EN22	0-5	11	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		Total	11	91.67%	1	8.33%	-	-	12	
Total		103	99.04%	1	0.96%	-	-	104		
Enbridge Pipelines (EP123)	I001	0-5	13	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	3	100.00%	-	-		
		Total	13	76.47%	4	23.53%	-	-	17	
	I010	0-5	154	100.00%	-	-	-	-		
		11-15	-	-	6	100.00%	-	-		
		16+	-	-	4	100.00%	-	-		
		6-10	16	100.00%	-	-	-	-		
		Total	170	94.44%	10	5.56%	-	-	180	
	I011	0-5	28	100.00%	-	-	-	-		
		16+	-	-	2	100.00%	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	29	93.55%	2	6.45%	-	-	31	
	I012	0-5	3	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	3	75.00%	1	25.00%	-	-	4	
	Total		215	92.67%	17	7.33%	-	-	232	
	Englehart , Town Of (EGHT01)	EGHT01	0-5	1	100.00%	-	-	-	-	
			16+	-	-	1	33.33%	2	66.67%	
		Total	1	25.00%	1	25.00%	2	50.00%	4	
Total		1	25.00%	1	25.00%	2	50.00%	4		
Enniskillen, Township Of (E002)	E002	0-5	14	100.00%	-	-	-	-		
		Total	14	100.00%	-	-	-	-	14	
	Total		14	100.00%	-	-	-	-	14	
Enova Power (ENOVA123)	EPKW01	0-5	203	100.00%	-	-	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	51	96.23%	2	3.77%	-	-		
		Total	254	98.07%	5	1.93%	-	-	259	
	EPWAT01	0-5	88	100.00%	-	-	-	-		
		6-10	7	100.00%	-	-	-	-		
		Total	95	100.00%	-	-	-	-	95	
	EPWEL01	0-5	25	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
		Total	28	100.00%	-	-	-	-	28	
	EPWOL01	0-5	48	100.00%	-	-	-	-		
		6-10	11	100.00%	-	-	-	-		
		Total	59	100.00%	-	-	-	-	59	
	Total		436	98.87%	5	1.13%	-	-	441	
Entegrus (EPICK01)	CKSL01	0-5	18	100.00%	-	-	-	-		
		6-10	11	100.00%	-	-	-	-		
		Total	29	100.00%	-	-	-	-	29	
	EPICK01	0-5	29	100.00%	-	-	-	-		
		6-10	18	100.00%	-	-	-	-		
		Total	47	100.00%	-	-	-	-	47	
	EPIMP01	0-5	21	100.00%	-	-	-	-		
		Total	21	100.00%	-	-	-	-	21	
	Total		97	100.00%	-	-	-	-	97	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Entegrus Powerlines Inc Ã,â, -â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	32	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		40	100.00%	-	-	-	-	40
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	3	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	28	100.00%	-	-	-	-	
		Total	42	87.50%	5	10.42%	1	2.08%	48
	Total		42	87.50%	5	10.42%	1	2.08%	48
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	76	98.70%	1	1.30%	-	-	77
	Total		76	98.70%	1	1.30%	-	-	77
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	35	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		35	100.00%	-	-	-	-	35
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	59	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	59
	Total		59	100.00%	-	-	-	-	59
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	53	100.00%	-	-	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	63	98.44%	1	1.56%	-	-	64
	EPNG02	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	EPNG03	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total		79	98.75%	1	1.25%	-	-	80	
Erie Shores Wind Farm (ESWF01)	ESWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Erieau Wind Farm (EWF01)	EWF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Erin, Town Of (ERN01)	ERN01	0-5	9	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Erin, Town Of (ERNSL01)	ERNS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ERNSL01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	14	77.78%	4	22.22%	-	-	18
Total		15	78.95%	4	21.05%	-	-	19	
Erth Power Corporation (ETP01)	ETP01	0-5	108	100.00%	-	-	-	-	
		6-10	34	97.14%	1	2.86%	-	-	
		Total	142	99.30%	1	0.70%	-	-	143
	Total		142	99.30%	1	0.70%	-	-	143

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Espanola , Town Of (ESP01)	ESP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Espanola Hydro (ERH01)	ERH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Essa, Township Of (ESA123)	ESASSL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	24	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	4	14.29%	-	-	24	85.71%	28
	ESAWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	24	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	3	11.11%	-	-	24	88.89%	27
	Total		7	12.73%	-	-	48	87.27%	55
	Essex County Highways (ESXTS01)	ESXTS01	0-5	16	100.00%	-	-	-	-
11-15			-	-	1	100.00%	-	-	
6-10			4	100.00%	-	-	-	-	
Total			20	95.24%	1	4.76%	-	-	21
Total			20	95.24%	1	4.76%	-	-	21
Essex Powerlines Corp (A006)	A006	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	37	97.37%	1	2.63%	-	-	
		Total	150	98.04%	3	1.96%	-	-	153
	Total		150	98.04%	3	1.96%	-	-	153
Essex Powerlines Corp (A007)	A007	0-5	73	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	Total		73	100.00%	-	-	-	-	73
Essex, Town Of (CO01)	CO01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	32	94.12%	2	5.88%	-	-	34
	Total		32	94.12%	2	5.88%	-	-	34
Execulink Telecom (EXTEL123)	ASC2	0-5	54	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	93	100.00%	-	-	-	-	93
	EXEC01	0-5	132	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	43	76.79%	13	23.21%	-	-	
		Total	175	88.83%	21	10.66%	1	0.51%	197
	HT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HTF1	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	20.00%	4	80.00%	-	-	
		Total	7	58.33%	5	41.67%	-	-	12
	NEK01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
Total		279	90.88%	27	8.79%	1	0.33%	307	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	32	86.49%	5	13.51%	
		16+	-	-	1	8.33%	11	91.67%	
		6-10	24	100.00%	-	-	-	-	
		Total	29	37.18%	33	42.31%	16	20.51%	78
Total			29	37.18%	33	42.31%	16	20.51%	78
Festival Hydro (FESTH01)	FESTH01	0-5	43	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
Total			68	100.00%	-	-	-	-	68
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
First Nations Cable (FNC01)	FNC01	0-5	73	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	60.00%	4	40.00%	-	-	
		Total	79	94.05%	4	4.76%	1	1.19%	84
Total			79	94.05%	4	4.76%	1	1.19%	84
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	92	100.00%	-	-	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	99	99.00%	1	1.00%	-	-	100
Total			99	99.00%	1	1.00%	-	-	100
Fort Frances Power (FFP01)	FFP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			4	100.00%	-	-	-	-	4
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
Total			3	75.00%	1	25.00%	-	-	4
French River, Municipality Of (FFR01)	FFR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Fu Fiber Inc (FUFIO1)	FUFIO1	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
Total			3	75.00%	-	-	1	25.00%	4
Gananoque, Town Of (GNQWST01)	GNQWST01	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	11	100.00%	11
Total			-	-	-	-	11	100.00%	11
Gbtel Inc (GBT01)	GBT01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	35	94.59%	2	5.41%	-	-	37
Total			35	94.59%	2	5.41%	-	-	37
Georgian Bluffs , Township Of (GB01)	GB01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	GBSL01	0-5	1	100.00%	-	-	-	-	
Total	1	100.00%	-	-	-	-	1		
Total			3	100.00%	-	-	-	-	3
Georgina, Town Of (GGN123)	GGN01	0-5	72	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	86	100.00%	-	-	-	-	86
Total			86	100.00%	-	-	-	-	86

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Goderich, Town Of (GDR123)	GDRHS01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	27	93.10%	-	-	2	6.90%	
	GDRHW01	0-5	27	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total		29	100.00%	-	-	-	-	29	
Total		56	96.55%	-	-	2	3.45%	58	
GOLDEN RURAL HIGH SPEED (GLDNRL01)	GLDNRL01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Gosfield North Communications (G001)	G001	0-5	60	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	40	100.00%	-	-	-	-	
		Total	100	99.01%	1	0.99%	-	-	
	Total		100	99.01%	1	0.99%	-	-	101
Government Of Canada (GOC01)	GOC01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	55.56%	4	44.44%	-	-	
	Total		5	55.56%	4	44.44%	-	-	9
Grand Bend Wind Lp (GBWF01)	GBWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	
	Total		1	33.33%	2	66.67%	-	-	3
Grand River Hospital Corp. - KW Campus And Freepport Campus (FPGRH01)	FPGRH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Grandbridge Energy	GBH01	0-5	272	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	122	99.19%	1	0.81%	-	-	
		Total	394	99.49%	2	0.51%	-	-	
	Total		394	99.49%	2	0.51%	-	-	396
Grasshopper Solar (GHSE01)	GHSE01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	8	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	8	80.00%	2	20.00%	-	-	
	Total		8	80.00%	2	20.00%	-	-	10
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Greater Essex County District School Board - Facility (GEDSB02)	GEDSB02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	6-10	-	-	1	100.00%	-	-	
		Total	8	80.00%	2	20.00%	-	-	10
	Total	8	80.00%	2	20.00%	-	-	10	
Greater Sudbury Hydro (SH01)	SH01	0-5	96	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	100	100.00%	-	-	-	-	100
	Total	100	100.00%	-	-	-	-	100	
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	79	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	79	98.75%	1	1.25%	-	-	80
	Total	79	98.75%	1	1.25%	-	-	80	
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Greater Sudbury, City Of (GSBY123)	GSBY03	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	10	100.00%	
		Total	2	16.67%	-	-	10	83.33%	12
	GSBYS01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	68	98.55%	1	1.45%	-	-	69
	GSBYSS01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	52	98.11%	1	1.89%	-	-	53
	GSBYW01	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
6-10		1	100.00%	-	-	-	-		
Total		74	97.37%	2	2.63%	-	-	76	
Total	196	93.33%	4	1.90%	10	4.76%	210		
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
	Total	13	92.86%	1	7.14%	-	-	14	
Total	13	92.86%	1	7.14%	-	-	14		
Greenfield South Power Corporation (EP02)	EP02	16+	-	-	-	-	1	100.00%	
	Total	-	-	-	-	1	100.00%	1	
Total	-	-	-	-	1	100.00%	1		
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Grey, County Of (GREY01)	GREY01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	6	100.00%	-	-	-	-	6	
Total	6	100.00%	-	-	-	-	6		
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	75	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	80	96.39%	3	3.61%	-	-	83	
Total	80	96.39%	3	3.61%	-	-	83		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	66	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	Total		66	100.00%	-	-	-	-	66
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	21	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	25	96.15%	1	3.85%	-	-	26
	Total		25	96.15%	1	3.85%	-	-	26
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	Total		3	60.00%	2	40.00%	-	-	5
Guelph, City Of (GLPH123)	GLPH01	0-5	92	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	147	99.32%	1	0.68%	-	-	148
	GLPH02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GLPH04	0-5	21	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	43	97.73%	1	2.27%	-	-	44
	GLPH05	0-5	14	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	34	97.14%	1	2.86%	-	-	35
Total		225	98.68%	3	1.32%	-	-	228	
Guelph, University Of (UGPH01)	UGPH01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	50.00%	2	50.00%	
	Total	5	55.56%	2	22.22%	2	22.22%	9	
Total		5	55.56%	2	22.22%	2	22.22%	9	
Haldimand County (HLDM123)	HLDMD01	0-5	43	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	43	86.00%	1	2.00%	6	12.00%	50
	HLDME01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	12	92.31%	1	7.69%	
		16+	-	-	-	-	2	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	9	36.00%	13	52.00%	3	12.00%	25
	HLDMS01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	HLDMW01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
Total		4	66.67%	2	33.33%	-	-	6	
Total		56	66.67%	19	22.62%	9	10.71%	84	
Halton - MTO - Halton Hills, Region Of (HMTOSL01)	HMTOSL01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOTS01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		4	100.00%	-	-	-	-	4
Halton Hills Hydro (HHH01)	HHH01	0-5	61	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
	Total		79	100.00%	-	-	-	-	79
Halton Hills, Town Of (HAH01)	HAH01	0-5	6	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Halton Hills, Town Of (HAH02)	HAH02	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
	Total		5	71.43%	2	28.57%	-	-	7
Halton, Region Of (HLTNB123)	HLTNB01	0-5	5	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	HLTNBSL01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	HLTNBTC01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	HLTNBTS01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		33	100.00%	-	-	-	-	33
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	HLTNHTS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	4	80.00%	-	-	1	20.00%	5
Total		5	71.43%	-	-	2	28.57%	7	
Halton, Region Of (HLTNM123)	HLTNM01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	HLTNMTC01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	HLTNMTS01	0-5	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
	Total		14	100.00%	-	-	-	-	14
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	9	60.00%	5	33.33%	1	6.67%	15
	HLTNOSL01	0-5	2	100.00%	-	-	-	-	
	11-15	-	-	4	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Halton, Region Of (HLTNO123)	HLTNOSL01	16+	-	-	1	50.00%	1	50.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	11	64.71%	5	29.41%	1	5.88%	17
	HLTNOTC01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	12	70.59%	4	23.53%	1	5.88%	17
	HLTNOTS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	8	66.67%	3	25.00%	1	8.33%	12
Total		40	65.57%	17	27.87%	4	6.56%	61	
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-	6	
Halton, Region Of (HLTNT01)	HLTNT01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Hamilton , Township Of (HML01)	HML01	0-5	31	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	31	96.88%	1	3.13%	-	-	32
Total		31	96.88%	1	3.13%	-	-	32	
Hamilton Community Energy (HCE1)	HCE1	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total		4	100.00%	-	-	-	-	4	
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total		4	100.00%	-	-	-	-	4	
Hamilton, City Of (CH01)	CH01	0-5	32	100.00%	-	-	-	-	
		6-10	27	96.43%	1	3.57%	-	-	
		Total	59	98.33%	1	1.67%	-	-	60
	Total		59	98.33%	1	1.67%	-	-	60
Hamilton, City Of (HHP3)	HHP3	0-5	244	100.00%	-	-	-	-	
		6-10	142	97.93%	3	2.07%	-	-	
		Total	386	99.23%	3	0.77%	-	-	389
	Total		386	99.23%	3	0.77%	-	-	389
Hamilton, City Of (HW01)	HW01	0-5	252	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	181	97.31%	5	2.69%	-	-	
		Total	433	98.19%	8	1.81%	-	-	441
	HW02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		436	98.20%	8	1.80%	-	-	444	
Hanover , Town Of (HNVR01)	HNVR01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	4	57.14%	2	28.57%	1	14.29%	7
Total		4	57.14%	2	28.57%	1	14.29%	7	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	2	40.00%	1	20.00%	2	40.00%	5
	HWKBSL01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total		7	70.00%	1	10.00%	2	20.00%	10	
Hay Communications (H123)	H003	0-5	69	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	80	93.02%	3	3.49%	3	3.49%	86
	Total		80	93.02%	3	3.49%	3	3.49%	86
Hce Telecom (HCEHN01)	HCEHN01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	12	66.67%	6	33.33%	-	-	18
	Total		12	66.67%	6	33.33%	-	-	18
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
Hearst Power (HRSTP01)	HRSTP01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Hiram Walker & Sons (HIRWAL01)	HIRWAL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Home Hardware Stores Ltd (HHSF01)	HHSF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	10	90.91%	-	-	1	9.09%	11
Total		10	90.91%	-	-	1	9.09%	11	
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		3	100.00%	-	-	-	-	3	
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
Total		4	80.00%	1	20.00%	-	-	5	
Huron Perth Healthcare Alliance (HPHA01)	HPHA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Huron, County Of (HRN123)	HRN02	16+	-	-	4	80.00%	1	20.00%		
		Total	-	-	4	80.00%	1	20.00%	5	
	HRN03	16+	-	-	-	-	2	100.00%		
		Total	-	-	-	-	2	100.00%	2	
	Total		-	-	4	57.14%	3	42.86%	7	
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	6	100.00%	-	-	-	-		
		Total	6	100.00%	-	-	-	-	6	
	Total		6	100.00%	-	-	-	-	6	
Hurontel (HTEL01)	HTEL01	0-5	17	100.00%	-	-	-	-		
		11-15	-	-	18	100.00%	-	-		
		16+	-	-	1	20.00%	4	80.00%		
		6-10	6	40.00%	9	60.00%	-	-		
		Total	23	41.82%	28	50.91%	4	7.27%	55	
	Total		23	41.82%	28	50.91%	4	7.27%	55	
Hydro Embrun (EMBRH01)	EMBRH01	16+	-	-	-	-	1	100.00%		
		Total	-	-	-	-	1	100.00%	1	
	Total		-	-	-	-	1	100.00%	1	
Hydro Hawkesbury (HHI01)	HHI01	0-5	5	100.00%	-	-	-	-		
		Total	5	100.00%	-	-	-	-	5	
	Total		5	100.00%	-	-	-	-	5	
Hydro One Networks Inc (HH123)	HOBRA01	0-5	9	100.00%	-	-	-	-		
		11-15	-	-	1	50.00%	1	50.00%		
		16+	-	-	-	-	2	100.00%		
		Total	9	69.23%	1	7.69%	3	23.08%	13	
	HOF01	HOF01	0-5	40	100.00%	-	-	-	-	
			11-15	-	-	1	50.00%	1	50.00%	
			16+	-	-	-	-	5	100.00%	
			6-10	4	100.00%	-	-	-	-	
			Total	44	86.27%	1	1.96%	6	11.76%	51
	HOHAM01	HOHAM01	0-5	6	100.00%	-	-	-	-	
			11-15	-	-	4	100.00%	-	-	
			6-10	-	-	2	100.00%	-	-	
			Total	6	50.00%	6	50.00%	-	-	12
	HOMIS01	HOMIS01	0-5	1	100.00%	-	-	-	-	
			16+	-	-	-	-	1	100.00%	
			Total	1	50.00%	-	-	1	50.00%	2
	HOT01	HOT01	0-5	85	100.00%	-	-	-	-	
			11-15	-	-	13	81.25%	3	18.75%	
			16+	-	-	1	4.17%	23	95.83%	
			6-10	5	83.33%	1	16.67%	-	-	
			Total	90	68.70%	15	11.45%	26	19.85%	131
	HOVAU01	HOVAU01	0-5	1	100.00%	-	-	-	-	
			16+	-	-	-	-	2	100.00%	
			Total	1	33.33%	-	-	2	66.67%	3
	O0052	O0052	0-5	12	100.00%	-	-	-	-	
			Total	12	100.00%	-	-	-	-	12
	OH20	OH20	0-5	6	100.00%	-	-	-	-	
11-15			-	-	2	100.00%	-	-		
16+			-	-	-	-	4	100.00%		
6-10			2	100.00%	-	-	-	-		
Total			8	57.14%	2	14.29%	4	28.57%	14	
OH30	OH30	0-5	2	100.00%	-	-	-	-		
		Total	2	100.00%	-	-	-	-	2	
Total		173	72.08%	25	10.42%	42	17.50%	240		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	15	75.00%	4	20.00%	1	5.00%	20
	Total			15	75.00%	4	20.00%	1	5.00%
Hydro One Networks Inc (H1DX)	H1DGE01	0-5	398	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	6	66.67%	3	33.33%	
		6-10	85	95.51%	4	4.49%	-	-	
		Total	483	96.22%	16	3.19%	3	0.60%	502
	H1DGN01	0-5	470	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	49	100.00%	-	-	-	-	
	Total	519	99.43%	1	0.19%	2	0.38%	522	
	H1DGN02	0-5	269	100.00%	-	-	-	-	
		16+	-	-	2	16.67%	10	83.33%	
		6-10	77	100.00%	-	-	-	-	
		Total	346	96.65%	2	0.56%	10	2.79%	358
	H1DGW02	0-5	225	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	9.09%	10	90.91%	
		6-10	106	96.36%	4	3.64%	-	-	
	Total	331	93.24%	14	3.94%	10	2.82%	355	
	H1DHN01	0-5	335	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	46	100.00%	-	-	
		6-10	81	93.10%	6	6.90%	-	-	
	Total	416	86.49%	65	13.51%	-	-	481	
	H1DOE01	0-5	1,080	100.00%	-	-	-	-	
		11-15	-	-	40	100.00%	-	-	
		16+	-	-	18	94.74%	1	5.26%	
		6-10	439	97.77%	10	2.23%	-	-	
	Total	1,519	95.65%	68	4.28%	1	0.06%	1588	
	H1DONE01	0-5	375	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	120	98.36%	2	1.64%	-	-	
	Total	495	98.61%	7	1.39%	-	-	502	
H1DONW02	0-5	99	100.00%	-	-	-	-		
	6-10	9	100.00%	-	-	-	-		
Total	108	100.00%	-	-	-	-	108		
H1DOS01	0-5	1,003	100.00%	-	-	-	-		
	11-15	-	-	10	90.91%	1	9.09%		
	16+	-	-	6	66.67%	3	33.33%		
	6-10	370	97.88%	8	2.12%	-	-		
Total	1,373	98.00%	24	1.71%	4	0.29%	1401		
H1DOW01	0-5	1,296	100.00%	-	-	-	-		
	11-15	-	-	11	100.00%	-	-		
	16+	-	-	2	50.00%	2	50.00%		
	6-10	292	98.65%	4	1.35%	-	-		
Total	1,588	98.82%	17	1.06%	2	0.12%	1607		
H1DTBY01	0-5	76	100.00%	-	-	-	-		
	16+	-	-	10	90.91%	1	9.09%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DTBY01	6-10	2	50.00%	2	50.00%	-	-	91
		Total	78	85.71%	12	13.19%	1	1.10%	
	H1DX07	0-5	117	100.00%	-	-	-	-	140
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	17	100.00%	-	-	-	-	
	Total	134	95.71%	5	3.57%	1	0.71%		
Total	7,390	96.54%	231	3.02%	34	0.44%	7,655		
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	29	100.00%	-	-	-	-	40
		11-15	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	39	97.50%	1	2.50%	-	-	
	Total	39	97.50%	1	2.50%	-	-	40	
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	56	100.00%	-	-	-	-	61
		16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	58	95.08%	-	-	3	4.92%	
	Total	58	95.08%	-	-	3	4.92%	61	
Hydro Ottawa (HOT1)	HOT1	0-5	687	100.00%	-	-	-	-	1323
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	592	99.83%	1	0.17%	-	-	
		Total	1,279	96.67%	44	3.33%	-	-	
	HOT2	0-5	44	100.00%	-	-	-	-	52
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	51	98.08%	1	1.92%	-	-	
		Total	1,330	96.73%	45	3.27%	-	-	
Ignace , Township Of (IGN01)	IGN01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total	-	-	-	-	1	100.00%	1	
Imperial Oil Pipelines (I002)	I002	0-5	59	100.00%	-	-	-	-	87
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	67	77.01%	20	22.99%	-	-	
	Total	67	77.01%	20	22.99%	-	-	87	
Imperial Oil Pipelines (I003)	I003	0-5	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Imperial Oil Pipelines (I004)	I004	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total	-	-	-	-	1	100.00%	1	
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	2	100.00%	-	-	-	-	3
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	28	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28
Innisfil, Town Of (INFL01)	INFL01	0-5	54	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	61	100.00%	-	-	-	-	61
	Total		61	100.00%	-	-	-	-	61
Innpower (INSFH01)	INSFH01	0-5	153	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	164	100.00%	-	-	-	-	164
	Total		164	100.00%	-	-	-	-	164
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	16	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
	Total		18	94.74%	1	5.26%	-	-	19
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	IRQFSL01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		3	75.00%	1	25.00%	-	-	4	
Johnson, Township Of (JHSNW01)	JHSNW01	16+	-	-	-	-	13	100.00%	
		Total	-	-	-	-	13	100.00%	13
	Total		-	-	-	-	13	100.00%	13
Kapusking, Town Of (KAP01)	KAP01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	37	92.50%	3	7.50%	-	-	40
	KWLKWS01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	59	96.72%	2	3.28%	-	-	61
Total		96	95.05%	5	4.95%	-	-	101	
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kenora, City Of (KNRA123)	KNRA01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	11	91.67%	-	-	1	8.33%	12
	KNRASL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	3	75.00%	-	-	1	25.00%	4	
	KNRAST01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total		21	91.30%	-	-	2	8.70%	23	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kent Breeze Wind Farm (SCE01)	SCE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
	Total		2	66.67%	-	-	1	33.33%	3
Killarney, Municipality Of (KLNWS01)	KLNWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
King , Township Of (KNGWS01)	KNGSL01	0-5	81	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	90	98.90%	-	-	1	1.10%	91
	KNGWS01	0-5	86	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	92	100.00%	-	-	-	-	92
	Total		182	99.45%	-	-	1	0.55%	183
Kingsbridge Wind Farm (K1WF01)	K1WF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingston General Hospital (KGH01)	KGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingsville, Town Of (TK01)	TK01	0-5	47	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	72	97.30%	2	2.70%	-	-	74
	Total		72	97.30%	2	2.70%	-	-	74
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	49	98.00%	1	2.00%	-	-	50
	Total		49	98.00%	1	2.00%	-	-	50
Kitchener Utilities (KU02)	KU02	0-5	185	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	40	97.56%	1	2.44%	-	-	
		Total	225	98.25%	1	0.44%	3	1.31%	229
	Total		225	98.25%	1	0.44%	3	1.31%	229
Kitchener, The City Of (KITS01)	KITS01	0-5	183	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	22	100.00%	-	-	-	-	
		Total	205	99.51%	-	-	1	0.49%	206
	Total		205	99.51%	-	-	1	0.49%	206

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
KRUGER ENERGY CHATHAM LP (KEC01)	KEC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
KRUGER ENERGY PORT ALMA LP (KEPA01)	KEPA01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Kwic Internet (KWIC01)	KWIC01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Lagasco Inc (TP01)	TP01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
	Total		5	83.33%	-	-	1	16.67%	6
Lagasco Limited (L002)	L002	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	7	70.00%	2	20.00%	1	10.00%	10
	Total		7	70.00%	2	20.00%	1	10.00%	10
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
Lake Of The Woods Hospital (LWDH01)	LWDH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	13	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total		14	93.33%	1	6.67%	-	-	15
Lakefront Utilities (LUSI123)	COLBH01	6-10	1	50.00%	1	50.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	LUSIH01	0-5	14	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
Total		16	94.12%	1	5.88%	-	-	17	
Lakeland Networks (LKLNN01)	LKLNN01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	18	85.71%	3	14.29%	-	-	21
	Total		18	85.71%	3	14.29%	-	-	21
Lakeland Power (LKLNP123)	LKLNP01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	59	95.16%	3	4.84%	-	-	62
	Total		59	95.16%	3	4.84%	-	-	62
Lakeshore, Municipality Of (TOL123)	B002	0-5	198	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	28	100.00%	-	-	-	-	
		Total	226	99.56%	-	-	1	0.44%	227
	Total		226	99.56%	-	-	1	0.44%	227
Lakeview Water System (LKVWW01)	LKVWW01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lakeview Water System (LKVWW01)	LKVWW01	6-10	1	100.00%	-	-	-	-	
		Total	8	88.89%	-	-	1	11.11%	9
	Total	8	88.89%	-	-	1	11.11%	9	
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total	15	100.00%	-	-	-	-	15	
Lambton County (LMBTN01)	LMBTN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Lambton Shores, Municipality Of (F001)	F001	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	37	97.37%	-	-	1	2.63%	38
	Total	37	97.37%	-	-	1	2.63%	38	
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Lanark, County Of (LNRK01)	LNRK01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Larder Lake , Township Of (LRL01)	LRL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Lasalle , Town Of (LSL01)	LSL01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	56	96.55%	2	3.45%	-	-	58
	Total	56	96.55%	2	3.45%	-	-	58	
Latchford , Town Of (LTFWSS01)	LTFWSS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Laurentian University (LRTU01)	LRTU01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Leamington Water Services (L001)	L001	0-5	47	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		Total	47	92.16%	3	5.88%	1	1.96%	51
	Total	47	92.16%	3	5.88%	1	1.96%	51	
Leamington, Municipality Of (LS01)	LS01	0-5	65	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total	65	100.00%	-	-	-	-	65	
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		16+	-	-	-	-	5	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Leeds And Grenville , United Counties Of (LDG01)	LDG01	6-10	1	100.00%	-	-	-	-	
		Total	9	47.37%	4	21.05%	6	31.58%	19
	Total	9	47.37%	4	21.05%	6	31.58%	19	
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	LDTI02	16+	-	-	-	-	1	100.00%	
	Total	-	-	-	-	1	100.00%	1	
Total	-	-	-	-	4	100.00%	4		
Lennox And Addington, County Of (LXA123)	LXA01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Total	5	100.00%	-	-	-	-	5		
Lincoln, Town Of (LINWS01)	LINWS01	0-5	49	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
	Total	49	96.08%	2	3.92%	-	-	51	
Total	49	96.08%	2	3.92%	-	-	51		
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	-	1	100.00%	1	
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	6	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	6	85.71%	1	14.29%	-	-	7	
Total	6	85.71%	1	14.29%	-	-	7		
London District Energy (TG01)	TG01	0-5	14	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	22	100.00%	-	-	-	-	22	
Total	22	100.00%	-	-	-	-	22		
London Health Sciences (LHS1)	LHS1	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	
Total	3	100.00%	-	-	-	-	3		
London Hydro (L003)	L003	0-5	264	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	130	100.00%	-	-	-	-	
	Total	394	99.24%	3	0.76%	-	-	397	
	LHDL01	16+	-	-	-	-	8	100.00%	
Total	-	-	-	-	-	8	100.00%	8	
Total	394	97.28%	3	0.74%	8	1.98%	405		
London, City Of (LN01)	LN01	0-5	176	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		16+	-	-	1	2.86%	34	97.14%	
		6-10	158	100.00%	-	-	-	-	
	Total	334	89.54%	3	0.80%	36	9.65%	373	
Total	334	89.54%	3	0.80%	36	9.65%	373		
Loyalist Township (LYST123)	LYSTBS6	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	8	100.00%	-	-	-	-	8	
	LYSTBW5	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	8	100.00%	-	-	-	-	8	
LYSTEL4	0-5	13	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Loyalist Township (LYST123)	LYSTEL4	6-10	3	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	LYSTFW1	0-5	13	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	LYSTLES2	0-5	12	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
LYSTSTM3	0-5	19	100.00%	-	-	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	22	100.00%	-	-	-	-	22	
	Total	83	100.00%	-	-	-	-	83	
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total	17	100.00%	-	-	-	-	17	
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	16.67%	3	50.00%	2	33.33%	6
	Total	1	16.67%	3	50.00%	2	33.33%	6	
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Malahide, Township Of (MLHD01)	MLHD01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	Total	3	60.00%	2	40.00%	-	-	5	
Manitouwadge , Township Of (MTW01)	MTW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Mapleton , Township Of (MPLT01)	MPLT01	0-5	2	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total	6	85.71%	1	14.29%	-	-	7	
Marathon, Town Of (MRTH01)	MRTH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Markham " Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	115	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	143	100.00%	-	-	-	-	143
	Total	143	100.00%	-	-	-	-	143	
Markham District Energy (MDE01)	MDE01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		Total	18	81.82%	1	4.55%	3	13.64%	22
	Total	18	81.82%	1	4.55%	3	13.64%	22	
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	216	100.00%	-	-	-	-	
		6-10	63	100.00%	-	-	-	-	
		Total	279	100.00%	-	-	-	-	279
	Total	279	100.00%	-	-	-	-	279	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	8	80.00%	2	20.00%	
	Total	2	16.67%	8	66.67%	2	16.67%	12	
	Total		2	16.67%	8	66.67%	2	16.67%	12
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	11	91.67%	1	8.33%	-	-	12	
	Total		11	91.67%	1	8.33%	-	-	12
Melancthon Windfarm (MELWF01)	MELWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Metalore Resources (MTLORE01)	MTLORE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Metro Fibrewerx (MFWX01)	MFWX01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	14	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	16	100.00%	-	-	-	-	16	
	Total		16	100.00%	-	-	-	-	16
Middlesex, County Of (MDSX01)	MDSX01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Midland, Town Of (MIDLND01)	MIDLND01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	6-10	4	100.00%	-	-	-	-		
	Total	15	83.33%	-	-	3	16.67%	18	
	Total		15	83.33%	-	-	3	16.67%	18
Midland, Town Of (MIDLND03)	MIDLND03	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Milton , Town Of (MLTSS01)	MLTNTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	MLTSS01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	14	93.33%	1	6.67%	-	-	
	Total	28	90.32%	2	6.45%	1	3.23%	31	
Total		29	90.63%	2	6.25%	1	3.13%	32	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
MILTON HYDRO (MH123)	MHHN01	0-5	134	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	32	91.43%	3	8.57%	-	-	
		Total	166	89.73%	16	8.65%	3	1.62%	185
Total			166	89.73%	16	8.65%	3	1.62%	185
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	24	92.31%	1	3.85%	1	3.85%	26
Total			24	92.31%	1	3.85%	1	3.85%	26
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	239	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	267	100.00%	-	-	-	-	267
Total			267	100.00%	-	-	-	267	
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	78	100.00%	-	-	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	127	100.00%	-	-	-	-	127
Total			127	100.00%	-	-	-	127	
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
Total			-	-	2	100.00%	-	-	2
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	47	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	49	96.08%	1	1.96%	1	1.96%	51
Total			49	96.08%	1	1.96%	1	1.96%	51
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	290	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	69	100.00%	-	-	-	-	
		Total	359	99.72%	1	0.28%	-	-	360
Total			359	99.72%	1	0.28%	-	-	360
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
Total			10	90.91%	1	9.09%	-	-	11
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	72.73%	3	27.27%	-	-	11
Total			8	72.73%	3	27.27%	-	-	11
Montez Office Fund li Limited Partnership (MOFLP01)	MOFLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Mornington Communications (MORNT01)	MORNT01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	5	83.33%	1	16.67%	
		16+	-	-	-	-	1	100.00%	
		6-10	19	79.17%	5	20.83%	-	-	
		Total	33	73.33%	10	22.22%	2	4.44%	45
Total			33	73.33%	10	22.22%	2	4.44%	45
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	-	3

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	11	100.00%	-	-	-	-		
		11-15	-	-	5	100.00%	-	-		
		6-10	3	100.00%	-	-	-	-		
		Total	14	73.68%	5	26.32%	-	-		19
	MUSKWS04	0-5	12	100.00%	-	-	-	-		
		6-10	-	-	1	100.00%	-	-		
		Total	12	92.31%	1	7.69%	-	-		13
	MUSKWS05	0-5	16+	4	100.00%	-	-	-	-	
			16+	-	-	-	-	2	100.00%	
			6-10	1	100.00%	-	-	-	-	
Total		5	71.43%	-	-	2	28.57%	7		
Total		31	79.49%	6	15.38%	2	5.13%	39		
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	1	100.00%	-	-	-	-		
		6-10	2	66.67%	1	33.33%	-	-		
		Total	3	75.00%	1	25.00%	-	-		4
	Total		3	75.00%	1	25.00%	-	-	4	
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	2	100.00%	-	-	-	-		
		16+	-	-	-	-	1	100.00%		
	Total	2	66.67%	-	-	1	33.33%	3		
Total		2	66.67%	-	-	1	33.33%	3		
Nation, Municipality Of The (NATN01)	NATN01	0-5	3	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	3	75.00%	1	25.00%	-	-		4
	Total		3	75.00%	1	25.00%	-	-	4	
Net Optiks	BPNOFC01	16+	-	-	-	-	1	100.00%		
		Total	-	-	-	-	1	100.00%		1
	Total		-	-	-	-	1	100.00%	1	
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	5	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	8	100.00%	-	-	-	-		
		Total	13	92.86%	1	7.14%	-	-		14
	Total		13	92.86%	1	7.14%	-	-	14	
Netflash Internet Solutions (NISF01)	NISF01	0-5	4	100.00%	-	-	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	6	100.00%	-	-	-	-		6
	Total		6	100.00%	-	-	-	-	6	
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	38	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	38	97.44%	1	2.56%	-	-		39
	Total		38	97.44%	1	2.56%	-	-	39	
Newmarket, Town Of (NMK01)	NMK01	0-5	69	100.00%	-	-	-	-		
		Total	69	100.00%	-	-	-	-		69
	Total		69	100.00%	-	-	-	-	69	
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	64	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	65	100.00%	-	-	-	-		65
	Total		65	100.00%	-	-	-	-	65	
Niagara Falls, City Of (NFS01)	NFS01	0-5	104	100.00%	-	-	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	81	100.00%	-	-	-	-		
		Total	185	98.40%	3	1.60%	-	-		188
	Total		185	98.40%	3	1.60%	-	-	188	
Niagara Parks Commission (NPC01)	NPC01	0-5	20	100.00%	-	-	-	-		
		Total	20	100.00%	-	-	-	-		20
	Total		20	100.00%	-	-	-	-	20	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Niagara Peninsula Energy (NFH01)	NFH01	0-5	152	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	99	100.00%	-	-	-	-	
		Total	251	98.82%	3	1.18%	-	-	254
Total			251	98.82%	3	1.18%	-	-	254
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	324	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	44	93.62%	3	6.38%	-	-	
		Total	368	98.66%	3	0.80%	2	0.54%	373
Total			368	98.66%	3	0.80%	2	0.54%	373
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	50.00%	2	33.33%	1	16.67%	6
Total			3	50.00%	2	33.33%	1	16.67%	6
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	115	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	85	100.00%	-	-	-	-	
		Total	200	98.52%	1	0.49%	2	0.99%	203
Total			200	98.52%	1	0.49%	2	0.99%	203
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	72	90.00%	8	10.00%	-	-	
		Total	205	86.86%	29	12.29%	2	0.85%	236
Total			205	86.86%	29	12.29%	2	0.85%	236
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	101	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	106	100.00%	-	-	-	-	106
Total			106	100.00%	-	-	-	106	
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	67	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
Total			72	100.00%	-	-	-	72	
Nipigon , Township Of (NIP01)	NIP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Nor-Del (NORDEL01)	NORDEL01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	26	96.30%	1	3.70%	-	-	
		Total	60	92.31%	2	3.08%	3	4.62%	65
Total			60	92.31%	2	3.08%	3	4.62%	65
Norfolk County (NFLK123)	NFLK01	0-5	175	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	27	96.43%	1	3.57%	-	-	
		Total	202	98.06%	4	1.94%	-	-	206
Total			202	98.06%	4	1.94%	-	206	
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	2	
North Bay Hydro (NBH01)	NBH01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Bay Hydro (NBH01)	NBH01	6-10	18	100.00%	-	-	-	-	
		Total	54	96.43%	2	3.57%	-	-	56
	Total	54	96.43%	2	3.57%	-	-	56	
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
	Total	5	55.56%	-	-	4	44.44%	9	
Total	5	55.56%	-	-	4	44.44%	9		
North Bay, City Of (NBWS01)	NBWS01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
	Total	13	37.14%	21	60.00%	1	2.86%	35	
Total	13	37.14%	21	60.00%	1	2.86%	35		
North Dundas , Township Of (NDND123)	NDND01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	NDND02	16+	-	-	6	100.00%	-	-	
Total	5	45.45%	6	54.55%	-	-	6		
Total	5	45.45%	6	54.55%	-	-	11		
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	107	100.00%	-	-	-	-	
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	70	84.34%	13	15.66%	-	-	
	Total	177	79.02%	41	18.30%	6	2.68%	224	
Total	177	79.02%	41	18.30%	6	2.68%	224		
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	7	87.50%	-	-	1	12.50%	8	
Total	7	87.50%	-	-	1	12.50%	8		
North Grenville , Municipality Of (NGR01)	NGR01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
Total	13	100.00%	-	-	-	-	13		
North Huron, Township Of (NHURON01)	NHURON01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	3	60.00%	1	20.00%	1	20.00%	5	
Total	3	60.00%	1	20.00%	1	20.00%	5		
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total	3	100.00%	-	-	-	-	3		
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	16+	-	-	-	-	30	100.00%	
		Total	-	-	-	-	30	100.00%	30
Total	-	-	-	-	-	30	100.00%	30	
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	9	90.00%	-	-	1	10.00%	10	
Total	9	90.00%	-	-	1	10.00%	10		
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	48	87.27%	6	10.91%	1	1.82%	55	
Total	48	87.27%	6	10.91%	1	1.82%	55		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Stormont , Township Of (NST01)	NST01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Northern Cross Energy (NCNRG01)	NCNRG01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Northern Tel Limited Partnership (NT01)	NT01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	43	95.56%	1	2.22%	1	2.22%	45
	Total		43	95.56%	1	2.22%	1	2.22%	45
Northumberland County (NRHB01)	NRHBSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	NRHBSS01	0-5	9	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
	Total	16	100.00%	-	-	-	-	16	
	NRHBSS02	0-5	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
NRHBTS01	6-10	1	100.00%	-	-	-	-		
Total	1	100.00%	-	-	-	-	1		
Total		19	100.00%	-	-	-	-	19	
Norwich , Township Of (NRW01)	NRW01	16+	-	-	-	-	64	100.00%	
		Total	-	-	-	-	64	100.00%	64
	Total		-	-	-	-	64	100.00%	64
Nova Chemicals Corporation (N001)	N001	0-5	3	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	3	50.00%	3	50.00%	-	-	6
	Total		3	50.00%	3	50.00%	-	-	6
NT Power	NTPWR01	0-5	146	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	163	100.00%	-	-	-	-	163
	Total		163	100.00%	-	-	-	-	163
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	297	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	12	80.00%	3	20.00%	
		6-10	141	93.38%	10	6.62%	-	-	
		Total	438	86.56%	65	12.85%	3	0.59%	506
	Total		438	86.56%	65	12.85%	3	0.59%	506
Oakville, Town Of (OAK123)	OAKBS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	OAKSS01	0-5	268	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Oakville, Town Of (OAK123)	OAKSS01	16+	-	-	11	91.67%	1	8.33%	
		6-10	80	94.12%	5	5.88%	-	-	
		Total	348	88.32%	45	11.42%	1	0.25%	394
	OAKTS01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	78	82.11%	16	16.84%	1	1.05%	95
Total		432	87.10%	62	12.50%	2	0.40%	496	
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Oliver Paiponge , Municipality Of (OLVPPG01)	OLVPPG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
On-Energy Corp (ONNRG01)	ONNRG01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	50.00%	2	33.33%	1	16.67%	6
	Total		3	50.00%	2	33.33%	1	16.67%	6
Ontario Power Generation - Darlington (OPGD1)	OPGD1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	OPGN2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		2	66.67%	-	-	1	33.33%	3	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	10	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	ONTERA02	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	ONTERA04	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	18	75.00%	6	25.00%	-	-	24
	ONTERA05	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ONTERA06	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
16+		-	-	45	100.00%	-	-		
Total		3	6.12%	46	93.88%	-	-	49	
Total		43	45.26%	52	54.74%	-	-	95	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	42	100.00%	-	-	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	53	98.15%	1	1.85%	-	-	54
	Total		53	98.15%	1	1.85%	-	-	54

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		15	93.75%	1	6.25%	-	-	16
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	31	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		35	100.00%	-	-	-	-	35
Orangeville, Town Of (ORGV01)	ORGV01	0-5	30	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total		31	100.00%	-	-	-	-	31
Orillia, City Of (ORIL123)	ORILSL01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	ORILT01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	ORILWS01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
Total		29	93.55%	2	6.45%	-	-	31	
Total		45	95.74%	2	4.26%	-	-	47	
Oro-Medonte, Township Of (ORMED01)	ORMED01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	114	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	40	97.56%	1	2.44%	-	-	
		Total	154	95.06%	7	4.32%	1	0.62%	162
	OSHGE03	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
		Total		169	94.94%	8	4.49%	1	0.56%
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Oshawa, City Of (OSH01)	OSH01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	93	94.90%	5	5.10%	-	-	98
	Total		93	94.90%	5	5.10%	-	-	98
Ottawa River Power (ORP01)	ORP01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	Total		16	94.12%	1	5.88%	-	-	17
Ottawa River Power (ORP02)	ORP02	0-5	29	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	Total		53	100.00%	-	-	-	-	53

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	501	100.00%	-	-	-	-	
		6-10	85	100.00%	-	-	-	-	
		Total	586	100.00%	-	-	-	-	586
	Total		586	100.00%	-	-	-	-	586
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	175	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	184	100.00%	-	-	-	-	184
	Total		184	100.00%	-	-	-	-	184
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	949	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	955	100.00%	-	-	-	-	955
	Total		955	100.00%	-	-	-	-	955
Owen Sound, City Of (OWSD01)	OWSD01	0-5	29	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		30	100.00%	-	-	-	-	30
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Oxford, County Of - Traffic (OXFTS01)	OXFTS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	125	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	127	98.45%	2	1.55%	-	-	129
	Total		127	98.45%	2	1.55%	-	-	129
Oxford, County Of (OXFSTM01)	OXFSTM01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Packet Works (PWRKST01)	PWRKST01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	30	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		30	100.00%	-	-	-	-	30
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	35	87.50%	5	12.50%	-	-	40
	PYWS02	6-10	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
Total		35	81.40%	8	18.60%	-	-	43	
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	6-10	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PRBM02	0-5	247	100.00%	-	-	-	-	
		11-15	-	-	56	100.00%	-	-	
		16+	-	-	43	93.48%	3	6.52%	
	Total								

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PRBM02	6-10	352	98.88%	4	1.12%	-	-		
		Total	599	84.96%	103	14.61%	3	0.43%	705	
	PREBM02	0-5	51	100.00%	-	-	-	-		
		11-15	-	-	9	100.00%	-	-		
		16+	-	-	8	100.00%	-	-		
		6-10	65	98.48%	1	1.52%	-	-		
		Total	116	86.57%	18	13.43%	-	-	134	
	PREC02	0-5	2	100.00%	-	-	-	-		
		6-10	10	100.00%	-	-	-	-		
		Total	12	100.00%	-	-	-	-	12	
	PROC02	0-5	24	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	45	97.83%	1	2.17%	-	-		
Total		69	94.52%	4	5.48%	-	-	73		
Total		796	86.15%	125	13.53%	3	0.32%	924		
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PRBM03	0-5	72	100.00%	-	-	-	-		
		11-15	-	-	9	100.00%	-	-		
		16+	-	-	10	100.00%	-	-		
		6-10	92	100.00%	-	-	-	-		
		Total	164	89.62%	19	10.38%	-	-	183	
	PREBM03	0-5	5	100.00%	-	-	-	-		
		16+	-	-	2	100.00%	-	-		
		Total	15	88.24%	2	11.76%	-	-	17	
	PREC03	0-5	6	100.00%	-	-	-	-		
		Total	20	100.00%	-	-	-	-	20	
	PROC03	0-5	27	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	56	98.25%	1	1.75%	-	-		
		Total	83	95.40%	4	4.60%	-	-	87	
	Total		282	91.86%	25	8.14%	-	-	307	
	Peel Region - Brampton Water (PCYWAT123)	PBMC01	0-5	76	100.00%	-	-	-	-	
			6-10	14	100.00%	-	-	-	-	
			Total	90	100.00%	-	-	-	-	90
PEBMC01		0-5	20	100.00%	-	-	-	-		
		11-15	-	-	1	50.00%	1	50.00%		
		6-10	4	100.00%	-	-	-	-		
		Total	24	92.31%	1	3.85%	1	3.85%	26	
PIPP05		0-5	11	100.00%	-	-	-	-		
Total		11	100.00%	-	-	-	-	11		
POCWA05		0-5	21	100.00%	-	-	-	-		
		16+	-	-	-	-	2	100.00%		
		6-10	1	100.00%	-	-	-	-		
		Total	22	91.67%	-	-	2	8.33%	24	
PRBM01		0-5	358	100.00%	-	-	-	-		
		11-15	-	-	74	100.00%	-	-		
		16+	-	-	46	93.88%	3	6.12%		
		6-10	468	98.94%	5	1.06%	-	-		
	Total	826	86.58%	125	13.10%	3	0.31%	954		
PREBM01	0-5	52	100.00%	-	-	-	-			
	11-15	-	-	12	100.00%	-	-			

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel Region - Brampton Water (PCYWAT123)	PREBM01	16+	-	-	4	100.00%	-	-	
		6-10	62	98.41%	1	1.59%	-	-	
		Total	114	87.02%	17	12.98%	-	-	131
	PREC01	0-5	9	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	PROC01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	94	96.91%	3	3.09%	-	-	
		Total	139	92.05%	12	7.95%	-	-	151
Total		1,247	88.57%	155	11.01%	6	0.43%	1,408	
Peel Region (PEEL123)	PEELTS04	0-5	78	100.00%	-	-	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	127	100.00%	-	-	-	-	127
	Total		127	100.00%	-	-	-	-	127
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	233	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	90	100.00%	-	-	-	-	
		Total	323	99.38%	2	0.62%	-	-	325
	Total		323	99.38%	2	0.62%	-	-	325
Pelham, Town Of (PEL1)	PEL1	0-5	49	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total		65	100.00%	-	-	-	-	65
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	4	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total		4	80.00%	1	20.00%	-	-	5
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	10	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total		13	92.86%	1	7.14%	-	-	14
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	8	100.00%	-	-	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
	Total		17	94.44%	1	5.56%	-	-	18
Perth East, Township Of (PRTHE01)	PRTHE01	16+	-	-	-	-	3	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	1	20.00%	1	20.00%	3	60.00%	5
	Total		1	20.00%	1	20.00%	3	60.00%	5
Perth, Town Of (PERTH01)	PERTH01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	6	40.00%	7	46.67%	2	13.33%	15
	Total		6	40.00%	7	46.67%	2	13.33%	15
Petawawa, Town Of (PTWA123)	PTWA01	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	PTWASL01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		14	100.00%	-	-	-	-	14	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peterborough , City Of (PTRB01)	PTRB01	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	63	98.44%	1	1.56%	-	-	64
	Total	63	98.44%	1	1.56%	-	-	64	
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	61	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
	Total	64	100.00%	-	-	-	-	64	
Peterborough, County Of (PTB01)	PTB01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	39	95.12%	-	-	2	4.88%	41
	Total	39	95.12%	-	-	2	4.88%	41	
Petrolia, Town Of (P002)	P002	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	6	66.67%	2	22.22%	1	11.11%	9
	Total	6	66.67%	2	22.22%	1	11.11%	9	
Pickering , City Of (PKRG01)	PKRG01	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	147	97.35%	4	2.65%	-	-	151
	Total	147	97.35%	4	2.65%	-	-	151	
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
	Total	36	97.30%	1	2.70%	-	-	37	
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	8	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total	17	100.00%	-	-	-	-	17	
Point Edward, Village Of (PE01)	PE01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	48	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	Total	53	100.00%	-	-	-	-	53	
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Port Hope, Municipality Of (PH123)	PH01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total	31	100.00%	-	-	-	-	31	
Powassan, Municipality Of (PWSN01)	PWSN01	11-15	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Powassan, Municipality Of (PWSN01)	PWSN01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Prescott , Town Of (PRS01)	PRS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS02	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	PRERUS03	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	4	100.00%	4	
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Prince Edward, County Of (PEC04)	PEC04	0-5	30	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	39	79.59%	10	20.41%	-	-	49
	Total		39	79.59%	10	20.41%	-	-	49
Prince Wind Energy	PWEWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
PROMARK FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	13	100.00%	-	-	-	-	
		Total	20	86.96%	1	4.35%	2	8.70%	23
	Total		20	86.96%	1	4.35%	2	8.70%	23
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	31	96.88%	-	-	1	3.13%	32	
Total		31	96.88%	-	-	1	3.13%	32	
Q9 Networks (QNET01)	QNET01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Quadro Communications (QUAD1)	MSCQUAD2	0-5	22	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	25	96.15%	1	3.85%	-	-	26
	QUAD1	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	68	97.14%	2	2.86%	-	-	70
Total		93	96.88%	3	3.13%	-	-	96	
Queen'S University (QUEENU01)	QUEENU01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
	Total	5	55.56%	4	44.44%	-	-	9	
Total		5	55.56%	4	44.44%	-	-	9	
Queens University Fibre (QUEENF01)	QUEENF01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Quinte West, City Of (QW123)	QWF01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	QWSL01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	29	90.63%	2	6.25%	1	3.13%	32
	QWSN01	0-5	13	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	QWSS01	0-5	8	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	QWTS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
6-10		-	-	1	100.00%	-	-		
Total		4	66.67%	1	16.67%	1	16.67%	6	
QWW01	0-5	15	100.00%	-	-	-	-		
	6-10	20	100.00%	-	-	-	-		
	Total	35	100.00%	-	-	-	-	35	
Total		106	90.60%	3	2.56%	8	6.84%	117	
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
Red Rock, Township Of (RDRK01)	RDRK01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
Total		-	-	2	100.00%	-	-	2	
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	24	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	HLTNW02	0-5	310	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		Total	450	99.12%	1	0.22%	3	0.66%	454
Total		477	99.17%	1	0.21%	3	0.62%	481	
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	12	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
Total		14	100.00%	-	-	-	-	14	
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
Total		19	100.00%	-	-	-	-	19	
Renfrew Hydro (RFH01)	RFH01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total		4	100.00%	-	-	-	-	4	
Renfrew, County Of (RNF123)	RNF01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total		8	100.00%	-	-	-	-	8	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Renfrew, Town Of (RNF01)	RNF01	0-5	3	100.00%	-	-	-	-	4
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	
	RNF02	0-5	3	100.00%	-	-	-	-	4
		16+	-	-	-	-	1	100.00%	
Total		6	75.00%	-	-	2	25.00%	8	
Richmond Hill, Town Of (RHL01)	RHL01	0-5	186	100.00%	-	-	-	-	186
		Total	186	100.00%	-	-	-	-	
	Total		186	100.00%	-	-	-	-	186
Richmond Hill, Town Of (RHLE01)	RHLE01	11-15	-	-	1	100.00%	-	-	8
		16+	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	2	25.00%	6	75.00%	-	-	
	Total		2	25.00%	6	75.00%	-	-	8
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	1	100.00%	-	-	-	-	3
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	15	100.00%	-	-	-	-	15
		Total	15	100.00%	-	-	-	-	
	Total		15	100.00%	-	-	-	-	15
Rogers Communications (ROG123)	CABLET01	0-5	46	100.00%	-	-	-	-	51
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	50	98.04%	1	1.96%	-	-	
	ROGGE01	0-5	364	100.00%	-	-	-	-	407
		16+	-	-	1	100.00%	-	-	
		6-10	40	95.24%	2	4.76%	-	-	
		Total	404	99.26%	3	0.74%	-	-	
	ROGHN01	0-5	426	100.00%	-	-	-	-	629
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	39	100.00%	-	-	
		6-10	130	94.89%	7	5.11%	-	-	
		Total	556	88.39%	73	11.61%	-	-	
	ROGLDN01	0-5	279	100.00%	-	-	-	-	364
		6-10	85	100.00%	-	-	-	-	
		Total	364	100.00%	-	-	-	-	
	ROGNTH01	0-5	1	100.00%	-	-	-	-	1
	ROGOE01	0-5	20	100.00%	-	-	-	-	21
		6-10	1	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	
	ROGOTT01	0-5	902	100.00%	-	-	-	-	974
		6-10	72	100.00%	-	-	-	-	
		Total	974	100.00%	-	-	-	-	
	ROGPEL01	0-5	507	100.00%	-	-	-	-	816
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	275	98.57%	4	1.43%	-	-	
Total		782	95.83%	34	4.17%	-	-		
ROGRAIL1	0-5	137	100.00%	-	-	-	-	140	
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGRAIL1	6-10	3	100.00%	-	-	-	-	
		Total	140	95.89%	6	4.11%	-	-	146
	ROGSIM01	0-5	323	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	25	100.00%	-	-	
		6-10	90	98.90%	1	1.10%	-	-	
		Total	413	93.02%	31	6.98%	-	-	444
	ROGSWO01	0-5	15	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	ROGTOR01	0-5	1,360	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	223	99.55%	1	0.45%	-	-	
		Total	1,583	99.31%	11	0.69%	-	-	1594
	ROGWAT01	0-5	528	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	78	100.00%	-	-	-	-	
		Total	606	99.51%	3	0.49%	-	-	609
	ROGWIN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ROGYRK01	0-5	399	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	287	98.97%	3	1.03%	-	-	
		Total	686	92.70%	54	7.30%	-	-	740
	RUWV01	0-5	5	100.00%	-	-	-	-	
6-10		6	100.00%	-	-	-	-		
Total		11	100.00%	-	-	-	-	11	
SJRB01	0-5	6	100.00%	-	-	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	9	100.00%	-	-	-	-	9	
SJRB02	0-5	31	100.00%	-	-	-	-		
	6-10	5	100.00%	-	-	-	-		
	Total	36	100.00%	-	-	-	-	36	
SJRB03	0-5	14	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	4	100.00%	-	-	-	-		
	Total	18	94.74%	1	5.26%	-	-	19	
Total		6,673	96.85%	217	3.15%	-	-	6,890	
Romney Wind Energy Centre Lp (RWE01)	RWE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Rowe Energy Corporation (ROWE01)	ROWE01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	9	81.82%	1	9.09%	1	9.09%	11
	Total		9	81.82%	1	9.09%	1	9.09%	11
Russell, Township Of (RSEL01)	RSEL01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Russell, Township Of (RSEL01)	RSEL01	6-10	10	62.50%	6	37.50%	-	-	
		Total	24	75.00%	8	25.00%	-	-	32
	Total	24	75.00%	8	25.00%	-	-	32	
Ryerson University (RYEU01)	RYEU01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Sarnia, City Of (C006)	C006	0-5	84	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	84
	Total	84	100.00%	-	-	-	-	84	
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	SSSL01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	SSWS01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total	67	100.00%	-	-	-	-	67	
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	69	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	SSMPUW01	0-5	47	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	53	100.00%	-	-	-	-	-	53
Total	128	100.00%	-	-	-	-	-	128	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	18	58.06%	5	16.13%	8	25.81%	31
	Total	18	58.06%	5	16.13%	8	25.81%	31	
Scugog, Township Of (SCG01)	SCG01	0-5	26	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	10.00%	18	90.00%	-	-	
		Total	28	59.57%	19	40.43%	-	-	47
	Total	28	59.57%	19	40.43%	-	-	47	
Selwyn, Township Of (SLWN01)	SLWN01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Selwyn, Township Of (SLWN02)	SLWN02	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Selwyn, Township Of (SLWN03)	SLWN03	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Severn, Township Of (SEVERN01)	SEVERN01	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Shared Tower Inc	SHARET01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total	-	-	-	-	4	100.00%	4	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Shelburne , Town Of (SHLB01)	SHLB01	16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	1	25.00%	2	50.00%	1	25.00%	4
Total			1	25.00%	2	50.00%	1	25.00%	4
Shell Canada (SHL1)	SHL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Simcoe, County Of (SIM01)	SIM01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
		Total	4	80.00%	1	20.00%	-	-	5
Six Nations Gas (SNG01)	SNG01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	5	83.33%	1	16.67%	
		16+	-	-	-	-	27	100.00%	
		6-10	15	88.24%	2	11.76%	-	-	
		Total	57	61.96%	7	7.61%	28	30.43%	92
		Total	57	61.96%	7	7.61%	28	30.43%	92
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	5	50.00%	3	30.00%	2	20.00%	10
Total	5	50.00%	3	30.00%	2	20.00%	10		
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	16	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
Total	20	95.24%	1	4.76%	-	-	21		
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
Total	5	83.33%	1	16.67%	-	-	6		
South Dundas , Municipality Of (SDS01)	SDS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	88.89%	-	-	1	11.11%	9
Total	8	88.89%	-	-	1	11.11%	9		
South Frontenac, Township Of (SF123)	SFS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	SFSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	SFW01	6-10	1	100.00%	-	-	-	-	
Total	1	100.00%	-	-	-	-	-	1	
Total	3	100.00%	-	-	-	-	-	3	
South Glengarry , Township Of (SGG01)	SGG01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	40.00%	3	60.00%	-	-	5
Total	2	40.00%	3	60.00%	-	-	5		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	53	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	5	8.47%	-	-	54	91.53%	59
Total			5	8.47%	-	-	54	91.53%	59
South Kent Wind Project (SKWP01)	SKWP01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	3	
South River , Village Of (SORI01)	SORI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	1	
South Stormont, Township Of (SSTM01)	SSTM01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	10	90.91%	-	-	1	9.09%	11
Total			10	90.91%	-	-	1	9.09%	11
Southgate, Township (SGWS01)	SGWS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			4	100.00%	-	-	-	4	
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	81.82%	2	18.18%	-	-	11
Total			9	81.82%	2	18.18%	-	-	11
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	7	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	8	50.00%	-	-	8	50.00%	16
Total			8	50.00%	-	-	8	50.00%	16
Southwold, Township Of (SOW01)	SOW01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	15	88.24%	2	11.76%	-	-	
		Total	39	90.70%	2	4.65%	2	4.65%	43
Total			39	90.70%	2	4.65%	2	4.65%	43
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	8	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
Total			13	100.00%	-	-	-	13	
Spanish, Town Of (SPWS01)	SPWS01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total			-	-	1	100.00%	-	-	1
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	2	100.00%	-	-	-	-	
		Total	7	70.00%	2	20.00%	1	10.00%	10
Total			7	70.00%	2	20.00%	1	10.00%	10
Sprucedale Youth Centre (SPYC01)	SPYC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
St. Catharines, City Of (STC1)	STC1	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
St. Catharines, City Of (STC1)	STC1	6-10	47	100.00%	-	-	-	-	
		Total	149	99.33%	1	0.67%	-	-	150
	Total	149	99.33%	1	0.67%	-	-	150	
St. Charles, Municipality Of (STC01)	STC01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total	-	-	-	-	4	100.00%	4	
St. Clair, Township Of (M002)	M002	0-5	102	100.00%	-	-	-	-	
		Total	102	100.00%	-	-	-	-	102
	Total	102	100.00%	-	-	-	-	102	
St. Joseph, Township Of (STJWS01)	STJWS01	11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	20.00%	3	60.00%	1	20.00%	5
	Total	1	20.00%	3	60.00%	1	20.00%	5	
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	9	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total	12	100.00%	-	-	-	-	12	
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
St. Thomas, City Of (STHWS01)	STHSL01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	30	83.33%	6	16.67%	-	-	
		Total	51	77.27%	15	22.73%	-	-	66
	STHWS01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	41	87.23%	6	12.77%	-	-	
		Total	63	78.75%	16	20.00%	1	1.25%	80
		Total	114	78.08%	31	21.23%	1	0.68%	146
Start Communications (STARTC01)	STARTC02	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	66	100.00%	-	-	-	-	
		Total	138	99.28%	1	0.72%	-	-	139
	Total	138	99.28%	1	0.72%	-	-	139	
Stelco Steel Hamilton Works (SHW01)	SHW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total	-	-	-	-	4	100.00%	4	
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Stone Mills, Township Of (STMSS01)	STMSS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Storm Internet (STRMF01)	STRMF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	5	11.36%	39	88.64%	
		Total	-	-	5	10.87%	41	89.13%	46
	Total		-	-	5	10.87%	41	89.13%	46
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	35	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		35	100.00%	-	-	-	-	35
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Summer Haven Wind (SHWF01)	SHWF01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	29	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		35	100.00%	-	-	-	-	35
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	61	100.00%	-	-	-	-	
		Total	61	100.00%	-	-	-	-	61
	S002	0-5	69	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	69	98.57%	-	-	1	1.43%	70	
	S004	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
Total		139	99.29%	-	-	1	0.71%	140	
Suncor Energy (SCE02)	SCE02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Suncor Energy Products (SNCP05)	SNCP05	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Suncor Energy Products (SNCP03)	SNCP03	0-5	1	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	Total		1	25.00%	3	75.00%	-	-	4
Suncor Pipelines (SNCP01)	SNCP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Sundridge, Village Of (SNDR01)	SNDR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Superior View Gas Inc (SVGPL01)	SVGPL01	16+	-	-	2	100.00%	-	-	
		Total	4	57.14%	3	42.86%	-	-	7
	Total	4	57.14%	3	42.86%	-	-	7	
Swms Lp - Sumac Ridge Wind Farm (SRWF01)	SRWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	102	99.03%	1	0.97%	-	-	103
	Total	102	99.03%	1	0.97%	-	-	103	
Tay, Township Of - Street Lights (TAY02)	TAY02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Tay, Township Of (TAY01)	TAY01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	3	33.33%	-	-	6	66.67%	9
	Total	3	33.33%	-	-	6	66.67%	9	
Tbaytel (TBYTEL01)	TBYTEL01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	110	99.10%	1	0.90%	-	-	111
	TBYTEL02	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
Total	10	83.33%	2	16.67%	-	-	12		
Total	120	97.56%	3	2.44%	-	-	123		
TC Energy - East (TCP01)	TC03	0-5	113	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	113	94.96%	6	5.04%	-	-	119
	TC06	0-5	76	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	TC07	0-5	14	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	TC08	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	10	71.43%	4	28.57%	-	-	14
	TC09	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
Total		5	71.43%	2	28.57%	-	-	7	
TC10	0-5	20	100.00%	-	-	-	-		
	Total	20	100.00%	-	-	-	-	20	
TC12	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
TC14	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
TC Energy - East (TCP01)	TC15	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	TC16	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	3	42.86%	4	57.14%	-	-	7
	TC17	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	TC18	0-5	76	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	77	98.72%	1	1.28%	-	-	78
	TC19	0-5	3	100.00%	-	-	-	-	
6-10		1	100.00%	-	-	-	-		
Total		4	100.00%	-	-	-	-	4	
Total		338	95.21%	17	4.79%	-	-	355	
Tecumseh, Town Of (TEC123)	TECF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TECS01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	11	84.62%	2	15.38%	-	-	
		Total	21	72.41%	5	17.24%	3	10.34%	29
	TECW01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	12	66.67%	6	33.33%	-	-	
		Total	47	79.66%	7	11.86%	5	8.47%	59
	Total		69	77.53%	12	13.48%	8	8.99%	89
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	100	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	102	98.08%	2	1.92%	-	-	104
Total		102	98.08%	2	1.92%	-	-	104	
Telmax Inc (TLMXF01)	TLMXF01	0-5	91	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	78	98.73%	1	1.27%	-	-	
		Total	169	96.57%	5	2.86%	1	0.57%	175
		Total		169	96.57%	5	2.86%	1	0.57%
Telus (TELUS01)	TELGE01	0-5	28	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	TELGN01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	-	-	19	100.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	88	73.33%	13	10.83%	19	15.83%	120
	TELGN02	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	31
	TELGW01	0-5	52	100.00%	-	-	-	-	
16+		-	-	2	66.67%	1	33.33%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Telus (TELUS01)	TELGW01	6-10	8	100.00%	-	-	-	-		
	Total		60	95.24%	2	3.17%	1	1.59%	63	
	TELGW02	0-5	1	100.00%	-	-	-	-		
	Total		1	100.00%	-	-	-	-	1	
	TELHN01	0-5		41	100.00%	-	-	-	-	
		11-15		-	-	1	100.00%	-	-	
		6-10		1	100.00%	-	-	-	-	
		Total		42	97.67%	1	2.33%	-	-	43
	TELOE01	0-5		150	100.00%	-	-	-	-	
		11-15		-	-	5	100.00%	-	-	
		16+		-	-	-	-	2	100.00%	
		6-10		52	100.00%	-	-	-	-	
		Total		202	96.65%	5	2.39%	2	0.96%	209
	TELONE01	0-5		10	100.00%	-	-	-	-	
		6-10		3	100.00%	-	-	-	-	
		Total		13	100.00%	-	-	-	-	13
	TELOW01	0-5		9	100.00%	-	-	-	-	
		Total		9	100.00%	-	-	-	-	9
	TELOS01	0-5		116	100.00%	-	-	-	-	
		11-15		-	-	1	100.00%	-	-	
		6-10		39	100.00%	-	-	-	-	
		Total		155	99.36%	1	0.64%	-	-	156
	TELOW01	0-5		37	100.00%	-	-	-	-	
6-10			2	100.00%	-	-	-	-		
Total			39	100.00%	-	-	-	-	39	
TELTE01	0-5		170	100.00%	-	-	-	-		
	11-15		-	-	4	100.00%	-	-		
	16+		-	-	9	100.00%	-	-		
	6-10		51	100.00%	-	-	-	-		
	Total		221	94.44%	13	5.56%	-	-	234	
TELTW01N	0-5		24	100.00%	-	-	-	-		
	11-15		-	-	1	100.00%	-	-		
	16+		-	-	-	-	2	100.00%		
	6-10		3	100.00%	-	-	-	-		
	Total		27	90.00%	1	3.33%	2	6.67%	30	
TELTW01S	0-5		128	100.00%	-	-	-	-		
	11-15		-	-	11	100.00%	-	-		
	6-10		45	97.83%	1	2.17%	-	-		
	Total		173	93.51%	12	6.49%	-	-	185	
Total		1,090	93.72%	49	4.21%	24	2.06%	1,163		
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	6	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
	Total		7	100.00%	-	-	-	-	7	
Total		7	100.00%	-	-	-	-	7		
TENACITY UNITE PEC INC (TU01)	TU01	0-5	1	100.00%	-	-	-	-		
	Total		1	100.00%	-	-	-	-	1	
Total		1	100.00%	-	-	-	-	1		
Terago Networks Inc (TNF01)	TNF01	0-5	1	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
	Total		4	100.00%	-	-	-	-	4	
Total		4	100.00%	-	-	-	-	4		
Teraspan Networks (TS01)	TS01	0-5	2	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Teraspan Networks (TS01)	TS01	16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total	2	66.67%	-	-	1	33.33%	3	
Terrace Bay , Township Of (TRBWS01)	TRBWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	5	35.71%	3	21.43%	6	42.86%	14
	Total	5	35.71%	3	21.43%	6	42.86%	14	
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	30	88.24%	1	2.94%	3	8.82%	34
	Total	30	88.24%	1	2.94%	3	8.82%	34	
Thorold, City Of (THLD01)	THLD01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		6-10	35	94.59%	2	5.41%	-	-	
		Total	55	76.39%	17	23.61%	-	-	72
	Total	55	76.39%	17	23.61%	-	-	72	
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Thunder Bay, City Of (THBY123)	THBY01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	1	11.11%	8	88.89%	
		6-10	6	100.00%	-	-	-	-	
		Total	45	83.33%	1	1.85%	8	14.81%	54
	THBY02	0-5	34	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	40	95.24%	-	-	2	4.76%	42
		Total	85	88.54%	1	1.04%	10	10.42%	96
		Total	85	88.54%	1	1.04%	10	10.42%	96
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	3	60.00%	1	20.00%	1	20.00%	5
	Total	3	60.00%	1	20.00%	1	20.00%	5	
Tillsonburg , Town Of (TSB01)	TSB01	0-5	47	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total	47	100.00%	-	-	-	-	47	
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total	31	100.00%	-	-	-	-	31	
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Timmins, City Of (TMNS01)	TMNS01	0-5	15	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
	Total	17	94.44%	1	5.56%	-	-	18	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Tiny, Township Of (TNY01)	TNY01	0-5	19	100.00%	-	-	-	-	
		6-10	15	88.24%	2	11.76%	-	-	
		Total	34	94.44%	2	5.56%	-	-	36
	Total		34	94.44%	2	5.56%	-	-	36
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BDVBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	BYEBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	BYWBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	CPBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	CRIBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	CWVBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	DFVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	DYEBIA01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	DYWBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	EGLBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	EVBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	GRTBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total		5	100.00%	-	-	-	-	5	
HLCBIA01	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
KRBIA01	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
LBVBIA01	0-5	5	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	6	100.00%	-	-	-	-	6	
LIBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	1	50.00%	1	50.00%	-	-		
	Total	2	66.67%	1	33.33%	-	-	3	
LSVBIA01	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
MTDNBIA1	0-5	3	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	5	100.00%	-	-	-	-	5	
MTDSBIA1	0-5	2	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	MTDSBIA1	16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	PDVBIA01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	PVBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	RCVBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	RMSBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	RSDBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	VIBIA01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	WVBIA01	0-5	1	100.00%	-	-	-	-	
Total		1	100.00%	-	-	-	-	1	
WYWBIA01	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
YEBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
Total		93	94.90%	4	4.08%	1	1.02%	98	
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Toronto Hydro (TH123)	THFWLTR1	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	THT21	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	15	60.00%	1	4.00%	9	36.00%	25
	THT23	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	44	95.65%	2	4.35%	-	-	
		Total	106	96.36%	4	3.64%	-	-	110
	THTE01	0-5	956	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	20	100.00%	-	-	
		6-10	443	99.11%	4	0.89%	-	-	
		Total	1,399	96.82%	46	3.18%	-	-	1445
	THTVE01	11-15	-	-	-	-	100	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	105	100.00%	105
	THTW01N	0-5	366	100.00%	-	-	-	-	
11-15		-	-	3	100.00%	-	-		
6-10		214	99.07%	2	0.93%	-	-		
Total		580	99.15%	5	0.85%	-	-	585	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Hydro (TH123)	THTW01S	0-5	599	100.00%	-	-	-	-	
		11-15	-	-	84	100.00%	-	-	
		16+	-	-	9	64.29%	5	35.71%	
		6-10	237	96.73%	8	3.27%	-	-	
		Total	836	88.75%	101	10.72%	5	0.53%	942
	Total		2,956	91.46%	157	4.86%	119	3.68%	3,232
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	263	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	111	100.00%	-	-	-	-	
		Total	374	95.65%	17	4.35%	-	-	391
	TORTSE02	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	58	100.00%	-	-	-	-	
		Total	82	92.13%	7	7.87%	-	-	89
	TORTSWN1	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	100	99.01%	1	0.99%	-	-	101
	TORTSWN2	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	TORTSWS1	0-5	143	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	62	96.88%	2	3.13%	-	-	
		Total	205	87.23%	27	11.49%	3	1.28%	235
	TORTSWS2	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	63	87.50%	9	12.50%	-	-	72
Total		840	92.82%	62	6.85%	3	0.33%	905	
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	103	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	119	98.35%	2	1.65%	-	-	121
	Total		119	98.35%	2	1.65%	-	-	121
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	184	100.00%	-	-	-	-	
		11-15	-	-	1	25.00%	3	75.00%	
		16+	-	-	-	-	19	100.00%	
		6-10	45	95.74%	2	4.26%	-	-	
		Total	229	90.16%	3	1.18%	22	8.66%	254
	Total		229	90.16%	3	1.18%	22	8.66%	254
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	186	100.00%	-	-	-	-	
		Total	186	100.00%	-	-	-	-	186
	Total		186	100.00%	-	-	-	-	186
Toronto Water and Sewer (TORW123)	TORWE01	0-5	339	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	184	97.87%	4	2.13%	-	-	
		Total	523	94.40%	31	5.60%	-	-	554
	TORWE02	0-5	91	100.00%	-	-	-	-	
	11-15	-	-	4	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWE02	16+	-	-	4	80.00%	1	20.00%	
		6-10	53	100.00%	-	-	-	-	
		Total	144	94.12%	8	5.23%	1	0.65%	153
	TORWE03	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	TORWE04	0-5	58	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	84	95.45%	4	4.55%	-	-	88
	TORWE05	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
	TORWE06	0-5	2	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
	TORWE07	0-5	194	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	66	98.51%	1	1.49%	-	-	
		Total	260	95.59%	12	4.41%	-	-	272
	TORWW01	0-5	249	100.00%	-	-	-	-	
		11-15	-	-	41	97.62%	1	2.38%	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	191	94.09%	12	5.91%	-	-	
		Total	440	88.00%	57	11.40%	3	0.60%	500
	TORWW02	0-5	171	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
6-10		107	100.00%	-	-	-	-		
Total		278	98.93%	3	1.07%	-	-	281	
TORWW04	0-5	49	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	6-10	17	94.44%	1	5.56%	-	-		
	Total	66	88.00%	9	12.00%	-	-	75	
TORWW05	0-5	18	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	6	100.00%	-	-	-	-		
	Total	24	96.00%	1	4.00%	-	-	25	
TORWW06	0-5	1	100.00%	-	-	-	-		
Total	1	100.00%	-	-	-	-	1		
TORWWN03	0-5	1	100.00%	-	-	-	-		
Total	1	100.00%	-	-	-	-	1		
TORWWN07	0-5	65	100.00%	-	-	-	-		
	6-10	30	100.00%	-	-	-	-		
	Total	95	100.00%	-	-	-	-	95	
TORWWS03	0-5	13	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	7	100.00%	-	-	-	-		
	Total	20	95.24%	1	4.76%	-	-	21	
TORWWS07	0-5	114	100.00%	-	-	-	-		
	11-15	-	-	20	95.24%	1	4.76%		
	16+	-	-	1	50.00%	1	50.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWWS07	6-10	104	95.41%	5	4.59%	-	-	
		Total	218	88.62%	26	10.57%	2	0.81%	246
	Total	2,182	93.13%	155	6.62%	6	0.26%	2,343	
Toronto, University Of (UTOR01)	UTOR01	0-5	13	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	15	100.00%	-	-	-	-	15	
Total	15	100.00%	-	-	-	-	15		
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	390	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	402	99.75%	1	0.25%	-	-	403	
Total	402	99.75%	1	0.25%	-	-	403		
Transcanada Pipelines - North (TCP02)	TC04	0-5	12	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		Total	12	60.00%	8	40.00%	-	-	20
	TC11	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
Total	5	33.33%	10	66.67%	-	-	15		
Total	17	48.57%	18	51.43%	-	-	35		
Trans-Northern Pipelines (TN01)	TN01	0-5	79	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	87	98.86%	1	1.14%	-	-	88	
Total	87	98.86%	1	1.14%	-	-	88		
Trans-Northern Pipelines (TN02)	TN02	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	16	100.00%	-	-	-	-	16	
Total	16	100.00%	-	-	-	-	16		
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	7	100.00%	-	-	-	-	7	
Total	7	100.00%	-	-	-	-	7		
Trent Lakes, Municipality Of (TRLW01)	TRLW01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total	-	-	1	100.00%	-	-	1		
Trent University (TRENTU123)	TRENTU01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	2	100.00%	-	-	-	-	2		
Tribute Gas (MAGG01)	MAGG01	16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
	Total	5	83.33%	-	-	1	16.67%	6	
Total	5	83.33%	-	-	1	16.67%	6		
Tuckersmith Communications (TCC01)	TCC01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	41	97.62%	-	-	1	2.38%	42	
Total	41	97.62%	-	-	1	2.38%	42		
University Health Network - Toronto General (UHNTG01)	UHNTG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
University Health Network - Toronto Western (UHNW01)	UHNW01	6-10	5	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
University Health Network (UHN01)	UHN01	0-5	1	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	25	100.00%	
		Total	-	-	-	-	27	100.00%	27
	Total		-	-	-	-	27	100.00%	27
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	3	37.50%	1	12.50%	4	50.00%	8
	Total		3	37.50%	1	12.50%	4	50.00%	8
Utilities Kingston (UK123)	UK01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	UK04	0-5	121	100.00%	-	-	-	-	
		11-15	-	-	3	33.33%	6	66.67%	
		16+	-	-	-	-	2	100.00%	
		6-10	17	100.00%	-	-	-	-	
		Total	138	92.62%	3	2.01%	8	5.37%	149
Total		139	92.67%	3	2.00%	8	5.33%	150	
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	19	95.00%	1	5.00%	
		Total	-	-	19	95.00%	1	5.00%	20
	Total		-	-	19	95.00%	1	5.00%	20
Vale Canada (VALE01)	VALE01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	346	100.00%	-	-	-	-	
		6-10	62	100.00%	-	-	-	-	
		Total	408	100.00%	-	-	-	-	408
	Total		408	100.00%	-	-	-	-	408
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	17	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	220	100.00%	-	-	-	-	
		16+	-	-	115	100.00%	-	-	
		Total	220	65.67%	115	34.33%	-	-	335
	Total		220	65.67%	115	34.33%	-	-	335
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	325	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	329	96.76%	11	3.24%	-	-	340
	Total		329	96.76%	11	3.24%	-	-	340
Videotron Senc (VDT1)	VDT1	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	115	95.04%	6	4.96%	-	-	121

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Videotron Senc (VDT1)	VDT2	0-5	12	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		Total	12	63.16%	7	36.84%	-	-	19
Total		127	90.71%	13	9.29%	-	-	140	
VIVE DEVELOPMENT CORPORATION (VIVE01)	VIVE01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	8	72.73%	2	18.18%	1	9.09%	11
Total		8	72.73%	2	18.18%	1	9.09%	11	
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
		Total	27	100.00%	-	-	-	-	27
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	18	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
Total		19	100.00%	-	-	-	-	19	
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
		Total	-	-	3	100.00%	-	-	3
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
		Total	7	100.00%	-	-	-	-	7
Waterloo Innovation Network 2 Inc (WINF03)	WINF03	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Waterloo, City Of (CW01)	CW01	0-5	106	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	113	91.87%	10	8.13%	-	-	123
		Total	113	91.87%	10	8.13%	-	-	123
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	21	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
Total		22	100.00%	-	-	-	-	22	
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	61	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
Total		64	100.00%	-	-	-	-	64	
Waterloo, Region Of (RW02)	RW02	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	46	93.88%	1	2.04%	2	4.08%	49
Total		46	93.88%	1	2.04%	2	4.08%	49	
Waterloo, University Of (UWAT01)	UWAT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Wavedirect Telecommunications (WVDT01)	WVDT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Wawa, Municipality Of (WAW01)	WAW01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Welland Hydro (WLNDH01)	WLNDH01	0-5	172	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	56	100.00%	-	-	-	-	
		Total	228	97.44%	5	2.14%	1	0.43%	234
	Total		228	97.44%	5	2.14%	1	0.43%	234
Welland, City Of (WLD01)	WLD01	0-5	254	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	255	100.00%	-	-	-	-	255
	Total		255	100.00%	-	-	-	-	255
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	12	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13
Wellington North Power Inc (WNP01)	WNP01	0-5	17	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Wellington North, Township Of (WLG123)	WLG123	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Wellington, County Of (WLG123)	WLG123	16+	-	-	8	72.73%	3	27.27%	
		Total	-	-	8	72.73%	3	27.27%	11
	Total		-	-	8	72.73%	3	27.27%	11
West Elgin, Municipality Of (W005)	W005	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
West Grey, Municipality Of (WGWS01)	WGWS01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	16	94.12%	-	-	1	5.88%	17
	Total		16	94.12%	-	-	1	5.88%	17
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	7	63.64%	3	27.27%	1	9.09%	11
	Total		7	63.64%	3	27.27%	1	9.09%	11
West Nipissing, Municipality Of (WNIP01)	WNIP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	7	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	WPTHWS01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		28	96.55%	1	3.45%	-	-	29

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
West Windsor Power (WWP01)	WWP01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Westario Power (WPOW01)	WPOW01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	64	98.46%	1	1.54%	-	-	65
	Total		64	98.46%	1	1.54%	-	-	65
Westover Express Pipeline	WEX01	0-5	24	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total		27	100.00%	-	-	-	-	27
Westport , Village Of (WPT01)	WPT01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Whitby, Town Of (WHIT123)	WHITCB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	WHITS01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	48	97.96%	-	-	1	2.04%	49
	WHITSL01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
6-10		15	100.00%	-	-	-	-		
Total		33	97.06%	1	2.94%	-	-	34	
Total		82	97.62%	1	1.19%	1	1.19%	84	
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	52	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	WCSTSL01	0-5	86	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	87	100.00%	-	-	-	-	87
	WCSTW01	0-5	66	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
Total		67	100.00%	-	-	-	-	67	
Total		207	100.00%	-	-	-	-	207	
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
	Total	1	33.33%	-	-	2	66.67%	3	
Total		1	33.33%	-	-	2	66.67%	3	
Wightman Telecom (WT123)	WT01	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	1	1.72%	57	98.28%	
		6-10	30	49.18%	31	50.82%	-	-	
		Total	161	56.49%	67	23.51%	57	20.00%	285
	Total		161	56.49%	67	23.51%	57	20.00%	285
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	19	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	105	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Windsor, City Of - Sewer (WSRS01)	WSRS01	6-10	89	100.00%	-	-	-	-	
		Total	194	98.98%	1	0.51%	1	0.51%	196
	Total		194	98.98%	1	0.51%	1	0.51%	196
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	34	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
Windsor, City Of (EWINW01)	EWINW01	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	84	100.00%	-	-	-	-	
		Total	124	98.41%	2	1.59%	-	-	126
	EWINW02	0-5	36	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
Total		160	98.77%	2	1.23%	-	-	162	
Windsor, City Of (WSRSL01)	WSRSL01	0-5	220	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	240	100.00%	-	-	-	-	240
	Total		240	100.00%	-	-	-	-	240
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	71	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	80	96.39%	2	2.41%	1	1.20%	83
	Total		80	96.39%	2	2.41%	1	1.20%	83
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	61	100.00%	-	-	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
	Total	70	98.59%	1	1.41%	-	-	71	
Total		70	98.59%	1	1.41%	-	-	71	
Woolwich, Township Of (WLW01)	WLW01	0-5	61	100.00%	-	-	-	-	
		Total	61	100.00%	-	-	-	-	61
	Total		61	100.00%	-	-	-	-	61
Wtc Communications (WTCCT01)	WTCCT01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	14	82.35%	3	17.65%	-	-	
	Total	18	66.67%	7	25.93%	2	7.41%	27	
Total		18	66.67%	7	25.93%	2	7.41%	27	
Xplore Inc	MTLF01	0-5	50	100.00%	-	-	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	XPNET01	0-5	366	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	390	99.74%	1	0.26%	-	-	391
	XPNET02	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	21	100.00%	-	-	-	-	
Total	79	97.53%	1	1.23%	1	1.23%	81		
Total		542	99.45%	2	0.37%	1	0.18%	545	
York Region Water And Sewer (YRWS123)	YRWS01	0-5	268	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	273	100.00%	-	-	-	-	273
	Total		273	100.00%	-	-	-	-	273

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
York University (YORKU01)	YORKU01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	213	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	211	98.60%	3	1.40%	-	-	
		Total	424	91.18%	37	7.96%	4	0.86%	465
	Total		424	91.18%	37	7.96%	4	0.86%	465
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	5	50.00%	5	50.00%	
		6-10	20	100.00%	-	-	-	-	
		Total	56	84.85%	5	7.58%	5	7.58%	66
	ZAYOON02	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	3.45%	28	96.55%	
		Total	21	37.50%	7	12.50%	28	50.00%	56
	ZAYOON03	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	13	16.88%	64	83.12%	
		Total	47	36.72%	17	13.28%	64	50.00%	128
	ZAYOON04	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	9	100.00%	-	-	-	-	9	
	ZAYOON05	0-5	23	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	33	97.06%	1	2.94%	-	-	34	
	ZAYOON06	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
	Total	1	33.33%	2	66.67%	-	-	3	
	ZAYOON07	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	14	82.35%	3	17.65%	-	-	
	Total	41	82.00%	9	18.00%	-	-	50	
	ZAYOON08	0-5	26	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	5	100.00%	-	-	-	-	
	Total	31	93.94%	1	3.03%	1	3.03%	33	
	ZAYOON09	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
	Total	5	62.50%	2	25.00%	1	12.50%	8	
	ZAYOON11	0-5	225	100.00%	-	-	-	-	
		11-15	-	-	25	96.15%	1	3.85%	
		16+	-	-	22	25.00%	66	75.00%	
		6-10	42	97.67%	1	2.33%	-	-	
	Total	267	69.90%	48	12.57%	67	17.54%	382	
	ZAYOON12	0-5	8	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYO123)	ZAYOON12	16+	-	-	-	-	1	100.00%	
		Total	8	88.89%	-	-	1	11.11%	9
	Total	519	66.71%	92	11.83%	167	21.47%	778	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
	Total	60	75.00%	20	25.00%	-	-	80	
Total	60	75.00%	20	25.00%	-	-	80		
Zibi Community Utility Lp (ZIBI01)	ZIBI01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
	Total	-	-	-	-	2	100.00%	2	
Total	-	-	-	-	2	100.00%	2		
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	36	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total	36	100.00%	-	-	-	-	36	
Total			104,534	93.81%	5,359	4.81%	1,537	1.38%	111,430