

UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 Locate your organization

Find your organization name in the first column, listed alphabetically.

2 Find your master code

Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 Understand performance metrics

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report

The report includes data for standard and advanced locate requests.

Excluded in this report

Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2026-03-23 02:01:02

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.

UIO Performance Report




Report Period

2026-02-01

-

2026-02-28



On Time	105,632	95.10%
Late	4,261	3.84%
No 360 Response	1,179	1.06%
Total	111,072	

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
1682468 Corp (168XPL01)	168XPL01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2
407 ETR (407ETR)	407ETR01	0-5	77	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	81	98.78%	1	1.22%	-	-	82
		Total	81	98.78%	1	1.22%	-	-	82
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	57	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	90	96.77%	3	3.23%	-	-	93
	HYTOS01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	
	HYTOW01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total	98	97.03%	3	2.97%	-	-	101		
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	16+	-	-	25	100.00%	-	-	
		Total	-	-	25	100.00%	-	-	25
		Total	-	-	25	100.00%	-	-	25
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Agilis (AGILF01)	AGILF01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	64.29%	2	14.29%	3	21.43%	14
		Total	9	64.29%	2	14.29%	3	21.43%	14
Air Liquide Canada (AL01)	AL01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
		Total	9	100.00%	-	-	-	-	9
Air Products Canada (APC1)	APC1	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
		Total	9	90.00%	1	10.00%	-	-	10
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	66	100.00%	4	100.00%	-	-	67

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Ajax, Town Of (AJXSL01)	AJXSL01	6-10	33	100.00%	-	-	-	-		
		Total	99	95.19%	5	4.81%	-	-	104	
		Total	99	95.19%	5	4.81%	-	-	104	
Alectra Brampton (ALECBR01)	ALECBR01	0-5	427	100.00%	-	-	-	-		
		11-15	-	-	12	100.00%	-	-		
		16+	-	-	9	100.00%	-	-		
		6-10	109	99.09%	1	0.91%	-	-		
		Total	536	96.06%	22	3.94%	-	-	558	
		Total	536	96.06%	22	3.94%	-	-	558	
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	677	100.00%	-	-	-	-		
		11-15	-	-	45	100.00%	-	-		
		16+	-	-	24	100.00%	-	-		
		6-10	230	96.23%	9	3.77%	-	-		
		Total	907	92.08%	78	7.92%	-	-	985	
		Total	907	92.08%	78	7.92%	-	-	985	
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	767	100.00%	-	-	-	-		
		11-15	-	-	15	100.00%	-	-		
		16+	-	-	7	100.00%	-	-		
		6-10	119	98.35%	2	1.65%	-	-		
		Total	886	97.36%	24	2.64%	-	-	910	
		Total	886	97.36%	24	2.64%	-	-	910	
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	225	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		6-10	41	100.00%	-	-	-	-		
		Total	266	98.88%	3	1.12%	-	-	269	
		Total	266	98.88%	3	1.12%	-	-	269	
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	790	100.00%	-	-	-	-		
		11-15	-	-	8	100.00%	-	-		
		6-10	271	100.00%	-	-	-	-		
		Total	1,061	99.25%	8	0.75%	-	-	1069	
	PSGN05	0-5	183	100.00%	-	-	-	-		
		6-10	11	100.00%	-	-	-	-		
		Total	194	100.00%	-	-	-	-	194	
	Total	1,255	99.37%	8	0.63%	-	-	1,263		
	Alectra Utilities (GHY01)	GHY01	0-5	124	100.00%	-	-	-	-	
			11-15	-	-	1	100.00%	-	-	
6-10			14	100.00%	-	-	-	-		
Total			138	99.28%	1	0.72%	-	-	139	
Total			138	99.28%	1	0.72%	-	-	139	
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	5	100.00%	-	-	-	-		
		16+	-	-	4	80.00%	1	20.00%		
		Total	5	50.00%	4	40.00%	1	10.00%	10	
Total	5	50.00%	4	40.00%	1	10.00%	10			
Algoma Power (AGMP01)	AGMP01	0-5	346	100.00%	-	-	-	-		
		6-10	20	100.00%	-	-	-	-		
		Total	366	100.00%	-	-	-	-	366	
		Total	366	100.00%	-	-	-	-	366	
Algonquin College (ALGQC01)	ALGQC01	0-5	2	100.00%	-	-	-	-		
		Total	2	100.00%	-	-	-	-	2	
		Total	2	100.00%	-	-	-	-	2	
ALTECH FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	104	100.00%	-	-	-	-		
		11-15	-	-	16	100.00%	-	-		
		16+	-	-	-	-	3	100.00%		
		Total	104	100.00%	16	100.00%	3	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
ALTECH FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	6-10	91	94.79%	5	5.21%	-	-	
		Total	195	89.04%	21	9.59%	3	1.37%	219
	Total		195	89.04%	21	9.59%	3	1.37%	219
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Amherstburg Public Works (A005)	A005	0-5	47	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
	AMHTL01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total		54	96.43%	-	-	2	3.57%	56	
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	13	92.86%	-	-	1	7.14%	14
	Total		13	92.86%	-	-	1	7.14%	14
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	6	75.00%	1	12.50%	1	12.50%	8
	Total		6	75.00%	1	12.50%	1	12.50%	8
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Asphodel Norwood, Township Of (ASP NOR01)	ASP NOR01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	4
	Total		2	50.00%	-	-	2	50.00%	4
Atikokan Hydro (ATH01)	ATH01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	18	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Aurora, Town Of (AURORA01)	AURORA01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	14	87.50%	2	12.50%	-	-	
	Total	20	74.07%	6	22.22%	1	3.70%	27	
Total		20	74.07%	6	22.22%	1	3.70%	27	
Avetria Networks Inc (ANF01)	ANF01	16+	-	-	1	33.33%	2	66.67%	
		Total	-	-	1	33.33%	2	66.67%	3
	Total		-	-	1	33.33%	2	66.67%	3
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	11-15	-	-	11	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	2	15.38%	11	84.62%	-	-	13
	Total		2	15.38%	11	84.62%	-	-	13

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	16	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	Total			16	94.12%	1	5.88%	-	17
Bancroft, Town Of (BNCF01)	BNCF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total			-	-	-	1	100.00%	1
Barrie, City Of (BARR01)	BARR01	0-5	157	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	52	98.11%	1	1.89%	-	-	
		Total	209	98.58%	3	1.42%	-	-	212
	Total			209	98.58%	3	1.42%	-	212
Bayham, Municipality Of (BYH01)	BYH01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
Total			2	66.67%	-	1	33.33%	3	
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	202	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	280	100.00%	-	-	-	-	
	Total	482	98.97%	5	1.03%	-	-	487	
Total			482	98.97%	5	1.03%	-	487	
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	208	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	240	100.00%	-	-	-	-	
	Total	448	99.33%	-	-	3	0.67%	451	
Total			448	99.33%	-	3	0.67%	451	
Bell Canada Damage Prevention (BC01)	360GTA	0-5	229	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	62	100.00%	-	-	-	-	
	Total	291	97.65%	6	2.01%	1	0.34%	298	
	360N	0-5	16	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	360N01	0-5	103	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	106	98.15%	2	1.85%	-	-	108
	360OTT	0-5	23	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	BC80701	0-5	77	100.00%	-	-	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	81	81.00%	19	19.00%	-	-	100
	BC80703	0-5	3	100.00%	-	-	-	-	
11-15		-	-	1	100.00%	-	-		
Total		3	75.00%	1	25.00%	-	-	4	
BCGE01	0-5	937	100.00%	-	-	-	-		
	11-15	-	-	49	100.00%	-	-		
	16+	-	-	22	84.62%	4	15.38%		
	6-10	203	95.31%	10	4.69%	-	-		
	Total	1,140	93.06%	81	6.61%	4	0.33%	1225	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCGN01	0-5	1,088	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	6	31.58%	13	68.42%	
		6-10	317	100.00%	-	-	-	-	
		Total	1,405	97.71%	20	1.39%	13	0.90%	1438
	BCGN02	0-5	508	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	24	96.00%	1	4.00%	
		6-10	47	100.00%	-	-	-	-	
		Total	555	93.12%	40	6.71%	1	0.17%	596
	BCGTAA01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	17	85.00%	1	5.00%	2	10.00%	20
	BCGW01	0-5	1,106	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	29	74.36%	10	25.64%	
		6-10	234	97.10%	7	2.90%	-	-	
		Total	1,340	93.38%	85	5.92%	10	0.70%	1435
	BCGW02	0-5	228	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	60	100.00%	-	-	-	-	
		Total	288	96.32%	7	2.34%	4	1.34%	299
	BCHN01	0-5	2,318	100.00%	-	-	-	-	
		11-15	-	-	44	100.00%	-	-	
		16+	-	-	12	60.00%	8	40.00%	
		6-10	462	96.25%	18	3.75%	-	-	
		Total	2,780	97.13%	74	2.59%	8	0.28%	2862
	BCOE01	0-5	2,101	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		16+	-	-	42	95.45%	2	4.55%	
6-10		439	99.10%	4	0.90%	-	-		
Total		2,540	96.91%	79	3.01%	2	0.08%	2621	
BCONE01	0-5	405	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	105	98.13%	2	1.87%	-	-		
	Total	510	98.08%	10	1.92%	-	-	520	
BCONW01	0-5	11	100.00%	-	-	-	-		
	16+	-	-	25	100.00%	-	-		
	Total	11	30.56%	25	69.44%	-	-	36	
BCONW02	0-5	5	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	Total	5	62.50%	3	37.50%	-	-	8	
BCOS01	0-5	1,784	100.00%	-	-	-	-		
	11-15	-	-	47	100.00%	-	-		
	16+	-	-	5	50.00%	5	50.00%		
	6-10	655	95.48%	31	4.52%	-	-		
	Total	2,439	96.52%	83	3.28%	5	0.20%	2527	
BCOW01	0-5	1,809	100.00%	-	-	-	-		
	11-15	-	-	19	100.00%	-	-		
	16+	-	-	9	81.82%	2	18.18%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCOW01	6-10	415	95.84%	18	4.16%	-	-	2272
		Total	2,224	97.89%	46	2.02%	2	0.09%	
	BCTE01	0-5	1,117	100.00%	-	-	-	-	1440
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	14	58.33%	10	41.67%	
		6-10	272	98.19%	5	1.81%	-	-	
		Total	1,389	96.46%	41	2.85%	10	0.69%	
	BCTW01N	0-5	488	100.00%	-	-	-	-	768
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	4	57.14%	3	42.86%	
		6-10	245	99.59%	1	0.41%	-	-	
		Total	733	95.44%	32	4.17%	3	0.39%	
	BCTW01S	0-5	795	100.00%	-	-	-	-	1007
		11-15	-	-	22	100.00%	-	-	
16+		-	-	5	55.56%	4	44.44%		
6-10		176	97.24%	5	2.76%	-	-		
Total		971	96.43%	32	3.18%	4	0.40%		
BFHTOR2	16+	-	-	-	-	26	100.00%	26	
	Total	-	-	-	-	26	100.00%		
Total			18,869	96.02%	688	3.50%	95	0.48%	19,652
Belleville , City Of (BLV01)	BLV01	0-5	50	100.00%	-	-	-	-	50
		Total	50	100.00%	-	-	-	-	
	Total	50	100.00%	-	-	-	-	50	
Birch Hill Telecom (BHTI01)	BHTI01	0-5	27	100.00%	-	-	-	-	60
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	25	100.00%	-	-	-	-	
		Total	52	86.67%	2	3.33%	6	10.00%	
	Total	52	86.67%	2	3.33%	6	10.00%		
Blackriver Matheson, Township Of (BRMS01)	BRMS01	16+	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	
	Total	-	-	1	100.00%	-	-	1	
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	4	100.00%	-	-	-	-	5
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Blind River , Town Of (BLR01)	BLR01	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	16+	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	
	Total	-	-	1	100.00%	-	-	1	
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
Blue Mountain Village Association (BMVA01)	BMVA01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total	-	-	-	-	1	100.00%	1	
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	31	100.00%	-	-	-	-	43
		16+	-	-	-	-	2	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	41	95.35%	-	-	2	4.65%	
	Total	41	95.35%	-	-	2	4.65%	43	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bluewater Power (S003)	S003	0-5	141	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	17	100.00%	-	-	-	-	
		Total	158	98.14%	2	1.24%	1	0.62%	161
Total			158	98.14%	2	1.24%	1	0.62%	161
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	20	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
Total			23	100.00%	-	-	-	23	
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
Total			1	50.00%	1	50.00%	-	2	
Bluewater, Municipality Of (BLW01)	BLW01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	3	
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
Total			11	100.00%	-	-	-	11	
Borex (BOR123)	BORWF08	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF09	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
Total	1	50.00%	1	50.00%	-	-	2		
Total			2	66.67%	1	33.33%	-	3	
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total			6	100.00%	-	-	-	6	
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	BFWGSS01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	32	96.97%	1	3.03%	-	-	33	
	BFWGW01	0-5	45	100.00%	-	-	-	-	
11-15		-	-	1	100.00%	-	-		
6-10		1	100.00%	-	-	-	-		
Total	46	97.87%	1	2.13%	-	-	47		
Total			105	98.13%	2	1.87%	-	107	
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	88	100.00%	-	-	-	-	
		Total	116	99.15%	-	-	1	0.85%	117
Total			116	99.15%	-	-	1	0.85%	117
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	80	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	170	100.00%	-	-	-	-	
		Total	250	99.21%	-	-	2	0.79%	252
Total			250	99.21%	-	-	2	0.79%	252
Brant, County Of - Fibre (BRNTF01)	BRNTF01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
Total			-	-	4	100.00%	-	-	4

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brant, County Of (BRNT01)	BRNT01	0-5	64	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	67	100.00%	-	-	-	-	67
	Total	67	100.00%	-	-	-	-	67	
Brantford, The City Of (BRAS01)	BRAS01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	1	1.72%	57	98.28%	
		6-10	9	90.00%	1	10.00%	-	-	
	Total	52	46.02%	3	2.65%	58	51.33%	113	
Total	52	46.02%	3	2.65%	58	51.33%	113		
Brantford, The City Of (BRASL01)	BRASL01	0-5	26	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	Total	48	100.00%	-	-	-	-	48	
Brantford, The City Of (BRATL01)	BRATL01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total	15	93.75%	1	6.25%	-	-	16	
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	19	95.00%	1	5.00%	-	-	20	
Total	19	95.00%	1	5.00%	-	-	20		
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	5	83.33%	1	16.67%	-	-	6	
Total	5	83.33%	1	16.67%	-	-	6		
Brock , Township Of (BRCK01)	BRCK01	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	10	100.00%	-	-	-	-	10	
Total	10	100.00%	-	-	-	-	10		
Brock University (BROCKU01)	BROCKU01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total	11	100.00%	-	-	-	-	11	
Brockville, City Of (BRKV01)	BRKV01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	15	93.75%	-	-	1	6.25%	16	
Total	15	93.75%	-	-	1	6.25%	16		
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Brooke Telecom (B004)	B004	0-5	13	100.00%	-	-	-	-	
		16+	-	-	69	100.00%	-	-	
		Total	13	15.85%	69	84.15%	-	-	82
	Total	13	15.85%	69	84.15%	-	-	82	
Bruce , County Of (BRC01)	BRC01	0-5	26	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bruce , County Of (BRC01)	BRC01	6-10	52	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
	Total		78	100.00%	-	-	-	-	78
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	23	95.83%	-	-	1	4.17%	24	
Total		23	95.83%	-	-	1	4.17%	24	
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Bruce Telecom (BTL01)	BTL01	0-5	91	100.00%	-	-	-	-	
		6-10	31	96.88%	1	3.13%	-	-	
	Total	122	99.19%	1	0.81%	-	-	123	
Total		122	99.19%	1	0.81%	-	-	123	
Burlington Hydro (BH01)	BH01	0-5	226	100.00%	-	-	-	-	
		16+	-	-	1	9.09%	10	90.91%	
		6-10	16	100.00%	-	-	-	-	
	Total	242	95.65%	1	0.40%	10	3.95%	253	
Total		242	95.65%	1	0.40%	10	3.95%	253	
Burlington, City Of (BRL123)	BRLSL01	0-5	112	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	113	100.00%	-	-	-	-	113
	BRLSS01	0-5	130	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	131	100.00%	-	-	-	-	131
	BRLTS01	0-5	17	100.00%	-	-	-	-	
Total		17	100.00%	-	-	-	-	17	
Total		261	100.00%	-	-	-	-	261	
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	30	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
	Total	54	100.00%	-	-	-	-	54	
Total		54	100.00%	-	-	-	-	54	
Callander, Municipality Of (CLN01)	CLN01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
Total		2	66.67%	-	-	1	33.33%	3	
Cambridge, City Of (CAM123)	CAMS01	0-5	80	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	84
	CAMW01	0-5	54	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	26	100.00%	-	-	-	-	
Total	80	97.56%	1	1.22%	1	1.22%	82		
Total		164	98.80%	1	0.60%	1	0.60%	166	
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Canadian Niagara Power (CNP01)	CNP01	0-5	183	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
	Total	201	100.00%	-	-	-	-	201	
Total		201	100.00%	-	-	-	-	201	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Canadian Nuclear Laboratories (AECL01)	AECL01	16+	-	-	-	-	74	100.00%	
		Total	-	-	-	-	74	100.00%	74
	Total		-	-	-	-	74	100.00%	74
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	41	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
	Total	45	100.00%	-	-	-	-	-	45
Total		45	100.00%	-	-	-	-	45	
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Cedar Point li Wind Farm (CP2WF01)	CP2WF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	1	50.00%	-	-	-	1	50.00%	2
Total		1	50.00%	-	-	1	50.00%	2	
Celery Telecom Inc (CTI01)	CTI01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	-	3
Total		3	100.00%	-	-	-	-	3	
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	6	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	6	85.71%	1	14.29%	-	-	-	7
Total		6	85.71%	1	14.29%	-	-	7	
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	49	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	61	100.00%	-	-	-	-	-	61
Total		61	100.00%	-	-	-	-	61	
Central Huron, Municipality Of (CHW01)	CHW01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	8	80.00%	1	10.00%	1	10.00%	1	10
Total		8	80.00%	1	10.00%	1	10.00%	10	
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Centre Wellington Communications (CWC01)	CWC01	0-5	6	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	7	87.50%	1	12.50%	-	-	-	8
Total		7	87.50%	1	12.50%	-	-	8	
Centre Wellington Hydro (CWH01)	CWH01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Centre Wellington, Township Of (CTW01)	CTW01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	53.85%	6	46.15%	-	-	
	Total	26	74.29%	8	22.86%	1	2.86%	35	
Total		26	74.29%	8	22.86%	1	2.86%	35	
Century Link (LVL3)	LVL3	0-5	171	100.00%	-	-	-	-	
		16+	-	-	4	57.14%	3	42.86%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Century Link (LVL3)	LVL3	6-10	4	100.00%	-	-	-	-	
		Total	175	96.15%	4	2.20%	3	1.65%	182
	Total	175	96.15%	4	2.20%	3	1.65%	182	
Champlain, Township Of (CHPLN123)	CHPLS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	CHPLSL01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	CHPLSS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	CHPLW01	0-5	1	100.00%	-	-	-	-	
16+		-	-	-	-	3	100.00%		
Total		1	25.00%	-	-	3	75.00%	4	
Total	4	28.57%	1	7.14%	9	64.29%	14		
Chapple, Municipality Of (CHPLE01)	CHPLE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Charlton And Dack , Municipality Of (CHDWSL01)	CHDWSL01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	52	94.55%	3	5.45%	-	-	
		Total	77	92.77%	4	4.82%	2	2.41%	83
	CKPUC02	0-5	51	100.00%	-	-	-	-	
		Total	99	100.00%	-	-	-	-	99
	CKPUC03	0-5	16	100.00%	-	-	-	-	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	49	98.00%	1	2.00%	-	-	50
Total	225	96.98%	5	2.16%	2	0.86%	232		
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	21	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	22	100.00%	-	-	-	-	22	
Total	22	100.00%	-	-	-	-	22		
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total	-	-	2	100.00%	-	-	2	
Chrysler Canada (CHRYSL01)	CHRYSL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Cik Telecom (CIKT01)	CIKT01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	4	100.00%	2	100.00%	3	100.00%	3

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cik Telecom (CIKT01)	CIKT01	6-10	9	100.00%	-	-	-	-	
		Total	13	72.22%	2	11.11%	3	16.67%	18
	Total	13	72.22%	2	11.11%	3	16.67%	18	
City Of Woodstock Street Light & Traffic Signals Wdsltl01 (WDSLTL01)	WDSLTL01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total	25	100.00%	-	-	-	-	25	
Ckpw Chatham Township Garage (CK08)	CK08	0-5	16	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total	26	100.00%	-	-	-	-	26	
Ckpw Chatham Water Garage (CK01)	CK01	0-5	47	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total	47	100.00%	-	-	-	-	47	
Ckpw Dover Township Garage (CK06)	CK06	0-5	16	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
	Total	17	94.44%	1	5.56%	-	-	18	
Ckpw Kent Centre Garage (CK03)	CK03	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	31	96.88%	-	-	1	3.13%	32
	Total	31	96.88%	-	-	1	3.13%	32	
Ckpw Raleigh Garage (CK04)	CK04	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	27	96.43%	-	-	1	3.57%	28
	Total	27	96.43%	-	-	1	3.57%	28	
Ckpw Thamesville Garage (CK09)	CK09	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	19	95.00%	1	5.00%	-	-	20	
Total	19	95.00%	1	5.00%	-	-	20		
Ckpw Tilbury East Garage (CK05)	CK05	0-5	22	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total	23	100.00%	-	-	-	-	23	
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	12	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total	12	92.31%	1	7.69%	-	-	13	
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total	24	100.00%	-	-	-	-	24	
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	72	94.74%	4	5.26%	-	-	76
	CLRGSS01	0-5	51	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	51
Total	123	96.85%	4	3.15%	-	-	127		
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Clearford (LBWW01)	LBWW01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	4	57.14%	3	42.86%	-	-	7
	Total	4	57.14%	3	42.86%	-	-	7	
Clearview, Township Of (CLRV01)	CLRV01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	10	100.00%	-	-	-	-	
	Total	24	92.31%	1	3.85%	1	3.85%	26	
Total	24	92.31%	1	3.85%	1	3.85%	26		
Cobalt , Town Of (CBLWSS01)	CBLWSS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Cobourg, Town Of (CBRG123)	CBRGS01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total	31	100.00%	-	-	-	-	31	
Cochrane Telecom Services (CCT01)	CCT01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	4	66.67%	2	33.33%	-	-	6	
Total	4	66.67%	2	33.33%	-	-	6		
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Cogeco Cable Canada (CBT1)	CBT1	0-5	339	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	197	98.50%	3	1.50%	-	-	
	Total	536	96.93%	17	3.07%	-	-	553	
Total	536	96.93%	17	3.07%	-	-	553		
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	378	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	133	100.00%	-	-	-	-	
	Total	511	98.08%	10	1.92%	-	-	521	
Total	511	98.08%	10	1.92%	-	-	521		
Cogeco Cable Canada (CPVS2)	CBT2	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	22	100.00%	-	-	-	-	
	Total	87	93.55%	5	5.38%	1	1.08%	93	
	CPVS2	0-5	124	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	69	100.00%	-	-	-	-	
		Total	193	96.50%	7	3.50%	-	-	200
	Total	280	95.56%	12	4.10%	1	0.34%	293	
Cogeco Connexion North East (CCNE123)	COGE01	0-5	208	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	237	99.58%	1	0.42%	-	-	238
	COOE01	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
Total	121	97.58%	3	2.42%	-	-	124		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cogeco Connexion North East (CCNE123)	COONE01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	39	92.86%	3	7.14%	-	-	42
	Total		397	98.27%	7	1.73%	-	-	404
Cogeco Connexion Southwest (CC01)	COC01	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	21	100.00%	-	-	-	-	
		Total	111	97.37%	2	1.75%	1	0.88%	114
	COE01	0-5	228	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	143	98.62%	2	1.38%	-	-	
		Total	371	96.87%	11	2.87%	1	0.26%	383
	COL01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	45	97.83%	1	2.17%	-	-	
		Total	129	97.73%	3	2.27%	-	-	132
Total			611	97.14%	16	2.54%	2	0.32%	629
Coleman, Township Of (CLMN01)	CLMN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
College Boreal (CLGB01)	CLGB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Collingwood Public Utilities (COLL123)	COLLS01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	25	78.13%	3	9.38%	4	12.50%	32
	COLLW01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
Total	36	92.31%	3	7.69%	-	-	39		
Total		61	85.92%	6	8.45%	4	5.63%	71	
Comber Wind Farm (COMBWF01)	COMBWF01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Communicate Freely (CFF01)	CFF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
COMMUNITY FIBRE COMPANY (CFC01)	CFC01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	5	100.00%	-	-	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	10	76.92%	3	23.08%	-	-	13
	Total		10	76.92%	3	23.08%	-	-	13
Cornwall , City Of (CRWL123)	CRWL01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	CRWLTS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		11	91.67%	1	8.33%	-	-	12	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cornwall Electric (CE01)	CE01	0-5	66	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	66	98.51%	1	1.49%	-	-	67
Total			66	98.51%	1	1.49%	-	-	67
Cornwall, City Of (Water & Sewer) (CRWLS01)	CRWLS01	0-5	35	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	37	97.37%	1	2.63%	-	-	38
Total			37	97.37%	1	2.63%	-	-	38
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	1	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
Total			4	80.00%	1	20.00%	-	-	5
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
Total			5	83.33%	-	-	1	16.67%	6
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
Total			20	100.00%	-	-	-	-	20
Dbi Services (DBIS01)	DBIS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
Total			3	75.00%	1	25.00%	-	-	4
Deep River , Town Of (DRI01)	DRI01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
Total			1	33.33%	2	66.67%	-	-	3
Deseronto , Town Of (DSR01)	DSR01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total			5	100.00%	-	-	-	-	5
Dotto One (DTONF01)	DTONF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	-	3
Dryden, City Of (DRYD01)	DRYD01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	20.00%	8	80.00%	-	-	10
Total			2	20.00%	8	80.00%	-	-	10
Dufferin County (DFRN01)	DFRN01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
Total			9	100.00%	-	-	-	-	9
Durham One Net	DON01	0-5	165	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Durham One Net	DON01	6-10	80	96.39%	3	3.61%	-	-	
		Total	245	96.46%	8	3.15%	1	0.39%	254
	Total		245	96.46%	8	3.15%	1	0.39%	254
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	251	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	251	99.60%	1	0.40%	-	-	252
	DURWS02	0-5	187	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	13	100.00%	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	198	90.00%	9	4.09%	13	5.91%	220
	DURWS03	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	91	96.81%	3	3.19%	-	-	94
	DURWS04	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	17	94.44%	-	-	1	5.56%	18
DURWS05	0-5	9	100.00%	-	-	-	-		
	Total	9	100.00%	-	-	-	-	9	
Total		566	95.45%	13	2.19%	14	2.36%	593	
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	65	97.01%	2	2.99%	-	-	
	Total	153	96.23%	3	1.89%	3	1.89%	159	
	Total		153	96.23%	3	1.89%	3	1.89%	159
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	18	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	19	95.00%	1	5.00%	-	-	20	
Total		19	95.00%	1	5.00%	-	-	20	
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	1	100.00%	
	Total	-	-	-	-	1	100.00%	1	
Total		-	-	-	-	1	100.00%	1	
E L K Energy Inc (E001)	E001	0-5	46	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	Total		46	100.00%	-	-	-	-	46
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
East Durham Wind Energy Centre (EDWWF01)	EDWWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
East Gwillimbury, Town Of (EGWLSL123)	EGWLSL01	0-5	22	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	EGWLSS01	0-5	33	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	EGWLW01	0-5	43	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
Total		43	91.49%	-	-	4	8.51%	47	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
East Gwillimbury, Town Of (EGWL123)	EGWLWW01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	32	94.12%	-	-	2	5.88%	34
Total			135	95.74%	-	-	6	4.26%	141
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
Total			6	85.71%	-	-	1	14.29%	7
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	16+	-	-	7	100.00%	-	-	
		Total	-	-	7	100.00%	-	-	7
		Total	-	-	7	100.00%	-	-	7
Eastern Ontario Power (EOP01)	EOP01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	5
Eastern Power Inc (EP01)	EP01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Eastlink (EL123)	ELGE01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	21	77.78%	-	-	6	22.22%	27
	ELGN02	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	ELOE01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	12	75.00%	2	12.50%	2	12.50%	16
	ELOE02	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	34	89.47%	4	10.53%	-	-	38	
	ELONE01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	40	80.00%	6	12.00%	4	8.00%	50
	ELONE02	6-10	2	66.67%	1	33.33%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
	ELONE03	0-5	4	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
	ELONE04	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
Total		1	25.00%	1	25.00%	2	50.00%	4	
ELONE05	0-5	3	100.00%	-	-	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	6	100.00%	-	-	-	-	6	
ELONE06	0-5	1	100.00%	-	-	-	-		
Total	1	100.00%	-	-	-	-	1		
ELONE07	0-5	2	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELONE07	6-10	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	ELONE08	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	ELONE09	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ELOS01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	ELOS02	0-5	24	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
	Total	35	100.00%	-	-	-	-	35	
	ELOW01	0-5	41	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	49	100.00%	-	-	-	-	49	
	ELOW02	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
	Total	17	89.47%	-	-	-	2	10.53%	19
	ELOW03	0-5	56	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	59	100.00%	-	-	-	-	-	59
	ELOW04	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
6-10		3	75.00%	1	25.00%	-	-		
Total	48	96.00%	2	4.00%	-	-	-	50	
ELOW05	0-5	73	100.00%	-	-	-	-		
	11-15	-	-	10	100.00%	-	-		
	6-10	8	100.00%	-	-	-	-		
Total	81	89.01%	10	10.99%	-	-	-	91	
ELOW06	0-5	25	100.00%	-	-	-	-		
	11-15	-	-	10	100.00%	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	32	94.12%	2	5.88%	-	-		
Total	57	81.43%	12	17.14%	1	1.43%	-	70	
ELOW07	0-5	16	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
Total	18	100.00%	-	-	-	-	-	18	
ELOW08	0-5	4	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
Total	5	100.00%	-	-	-	-	-	5	
MKDLC01	0-5	22	100.00%	-	-	-	-		
	Total	22	100.00%	-	-	-	-	22	
Total		545	90.53%	40	6.64%	17	2.82%	602	
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	194	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
	Total	200	99.50%	-	-	-	1	0.50%	201
	ETNF02	0-5	6	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
Total	10	100.00%	-	-	-	-	-	10	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ehtel Networks Inc (ETNF01)	SFNF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		211	99.53%	-	-	1	0.47%	212
Elxicon Energy Formerly Veridian (ELX123)	ELX01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	93	95.88%	4	4.12%	-	-	97
	ELX02	0-5	122	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	114	98.28%	2	1.72%	-	-	
		Total	236	88.72%	30	11.28%	-	-	266
	ELX03	0-5	35	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	50
	ELX04	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	84	97.67%	2	2.33%	-	-	86
	ELXGE01	0-5	18	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	ELXGE02	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	11	91.67%	-	-	1	8.33%	12
	ELXONE01	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
Total		10	100.00%	-	-	-	-	10	
ELXWHGE1	0-5	92	100.00%	-	-	-	-		
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	5	100.00%	-	-		
	6-10	50	92.59%	4	7.41%	-	-		
	Total	142	87.12%	21	12.88%	-	-	163	
Total		660	91.92%	57	7.94%	1	0.14%	718	
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	11	100.00%	11
	Total		-	-	-	-	11	100.00%	11
Elgin, County Of (ELGNE01)	ELGNE01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Emo , Township Of (EMOWS01)	EMOWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ENNEBGW1	0-5	11	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
Total		16	100.00%	-	-	-	-	16	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	22	84.62%	4	15.38%	-	-	
	ENVMGN01	0-5	22	100.00%	-	-	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	
	ENVMGN02	0-5	25	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	
	ENVMGW0 1	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	44	100.00%	-	-	-	-	
		Total	79	84.95%	14	15.05%	-	-	
	ENVMGW0 2	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	ENVMHN01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	ENVMOE01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	48	92.31%	4	7.69%	-	-	
ENVMTE01	0-5	24	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	68	100.00%	-	-	-	-		
	Total	92	97.87%	2	2.13%	-	-		94
ENVMTW1 N	0-5	4	100.00%	-	-	-	-		
	11-15	-	-	17	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	66	100.00%	-	-	-	-		
	Total	70	76.92%	21	23.08%	-	-		91
ENVMTW1S	0-5	37	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	6-10	25	100.00%	-	-	-	-		
	Total	62	93.94%	4	6.06%	-	-		66
Total		471	90.58%	49	9.42%	-	-	520	
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	1,127	100.00%	-	-	-	-	
		11-15	-	-	32	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	509	98.64%	7	1.36%	-	-	
		Total	1,636	96.80%	54	3.20%	-	-	
	EN2OE01	0-5	238	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	153	100.00%	-	-	-	-	
		Total	391	96.07%	16	3.93%	-	-	
	ENONE01	0-5	237	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	160	98.77%	2	1.23%	-	-	
		Total	397	97.30%	11	2.70%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas (Legacy Union Gas) (UG1)	ENONW01	0-5	129	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	51	96.23%	2	3.77%	-	-	
		Total	180	92.78%	14	7.22%	-	-	
	ENOS01	0-5	1,418	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	925	99.25%	7	0.75%	-	-	
		Total	2,343	98.16%	44	1.84%	-	-	
	ENOW01	0-5	939	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	496	98.80%	6	1.20%	-	-	
		Total	1,435	98.76%	18	1.24%	-	-	
Total		6,382	97.60%	157	2.40%	-	-	6,539	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	17	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	
	ENCLCHT	0-5	29	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	
	ENCLEST	0-5	18	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	
	ENCLHAL	0-5	22	100.00%	-	-	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	
	ENCLHAM	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	61	93.85%	4	6.15%	-	-	
	ENCLLDN	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	33	94.29%	2	5.71%	-	-	
		Total	66	94.29%	4	5.71%	-	-	
	ENCLNTH	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	24	92.31%	2	7.69%	-	-	
	ENCLNW01	0-5	7	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
ENCLSAR	0-5	19	100.00%	-	-	-	-		
	6-10	9	100.00%	-	-	-	-		
	Total	28	100.00%	-	-	-	-		28
ENCLWAT	0-5	66	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	36	100.00%	-	-	-	-		
	Total	102	98.08%	2	1.92%	-	-		104
ENCLWIN	0-5	48	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	60	100.00%	-	-	-	-		
	Total	108	98.18%	2	1.82%	-	-		110
Total		552	97.53%	14	2.47%	-	-	566	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Cross Bore (Legacy Union Gas) (UGCB1)	EN2SLHN1	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Enbridge Gas Distribution (ENB1)	ENGE01	0-5	705	100.00%	-	-	-	-	
		11-15	-	-	59	100.00%	-	-	
		16+	-	-	28	100.00%	-	-	
		6-10	330	97.35%	9	2.65%	-	-	
		Total	1,035	91.51%	96	8.49%	-	-	1131
	ENGN01	0-5	916	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	540	100.00%	-	-	-	-	
		Total	1,456	99.18%	10	0.68%	2	0.14%	1468
	ENGN02	0-5	421	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	100	99.01%	1	0.99%	-	-	
		Total	521	99.62%	2	0.38%	-	-	523
	ENGTAA01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
	ENGW01	0-5	729	100.00%	-	-	-	-	
		11-15	-	-	73	100.00%	-	-	
		16+	-	-	39	100.00%	-	-	
		6-10	570	98.11%	11	1.89%	-	-	
		Total	1,299	91.35%	123	8.65%	-	-	1422
	ENGW02	0-5	138	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	108	100.00%	-	-	-	-	
		Total	246	96.09%	10	3.91%	-	-	256
	ENHN01	0-5	945	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	218	99.54%	1	0.46%	-	-	
		Total	1,163	98.73%	15	1.27%	-	-	1178
	ENOE01	0-5	1,029	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	34	87.18%	5	12.82%	
		6-10	762	98.58%	11	1.42%	-	-	
		Total	1,791	94.76%	94	4.97%	5	0.26%	1890
	ENTE01	0-5	711	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	24	92.31%	2	7.69%	
		6-10	726	98.64%	10	1.36%	-	-	
		Total	1,437	95.10%	72	4.77%	2	0.13%	1511
	ENTW01N	0-5	243	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	496	99.40%	3	0.60%	-	-	
Total		739	93.54%	51	6.46%	-	-	790	
ENTW01S	0-5	596	100.00%	-	-	-	-		
	11-15	-	-	26	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENTW01S	16+	-	-	13	100.00%	-	-	
		6-10	435	98.42%	7	1.58%	-	-	
		Total	1,031	95.73%	46	4.27%	-	-	1077
	Total		10,746	95.31%	520	4.61%	9	0.08%	11,275
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
	Total		5	71.43%	2	28.57%	-	-	7
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	12	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	EN21	0-5	32	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	EN22	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
Total		61	98.39%	1	1.61%	-	-	62	
Enbridge Pipelines (EP123)	I001	0-5	14	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	14	70.00%	6	30.00%	-	-	20
	I010	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	159	98.76%	2	1.24%	-	-	161
	I011	0-5	31	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
	Total	31	93.94%	2	6.06%	-	-	33	
	I012	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	8
Total		211	95.05%	10	4.50%	1	0.45%	222	
Englehart , Town Of (EGHT01)	EGHT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Enniskillen, Township Of (E002)	E002	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Enova Power (ENOVA123)	EPKW01	0-5	178	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	74	97.37%	2	2.63%	-	-	
		Total	252	96.92%	8	3.08%	-	-	260
	EPWAT01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	31	96.88%	1	3.13%	-	-	
		Total	85	97.70%	2	2.30%	-	-	87
	EPWEL01	0-5	10	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	12	100.00%	-	-	-	-	12	
	EPWOL01	0-5	44	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enova Power (ENOVA123)	EPWOL01	6-10	21	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total		414	97.64%	10	2.36%	-	-	424
Entegrus (EPICK01)	CKSL01	0-5	22	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	EPICK01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	29	96.67%	1	3.33%	-	-	
		Total	60	95.24%	1	1.59%	2	3.17%	63
	EPIMP01	0-5	23	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
Total		131	97.76%	1	0.75%	2	1.49%	134	
Entegrus Powerlines Inc À,â, -â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	40	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	48	100.00%	-	-	-	-	48	
Total		48	100.00%	-	-	-	-	48	
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	86	100.00%	-	-	-	-	
	Total	89	98.89%	1	1.11%	-	-	90	
Total		89	98.89%	1	1.11%	-	-	90	
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	37	100.00%	-	-	-	-	
	Total	116	95.87%	5	4.13%	-	-	121	
Total		116	95.87%	5	4.13%	-	-	121	
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	40	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		40	100.00%	-	-	-	-	40
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	64	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
	Total		64	100.00%	-	-	-	-	64
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	42	100.00%	-	-	-	-	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	54	98.18%	1	1.82%	-	-	55
	EPNG02	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	EPNG03	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		69	98.57%	1	1.43%	-	-	70
Erieau Wind Farm (EWF01)	EWF01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	5	83.33%	-	-	1	16.67%	6	
Total		5	83.33%	-	-	1	16.67%	6	
Erin, Town Of (ERN01)	ERN01	0-5	5	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Erin, Town Of (ERN01)	ERN01	16+	-	-	-	-	3	100.00%	
		Total	5	62.50%	-	-	3	37.50%	8
	Total	5	62.50%	-	-	3	37.50%	8	
Erin, Town Of (ERNSL01)	ERNS01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	ERNSL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	9	75.00%	3	25.00%	-	-	12
Total	11	78.57%	3	21.43%	-	-	14		
Erth Power Corporation (ETP01)	ETP01	0-5	116	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	163	99.39%	1	0.61%	-	-	164
	Total	163	99.39%	1	0.61%	-	-	164	
Espanola , Town Of (ESP01)	ESP01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	50.00%	1	12.50%	3	37.50%	8
	Total	4	50.00%	1	12.50%	3	37.50%	8	
Espanola Hydro (ERH01)	ERH01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Essa, Township Of (ESA123)	ESASSL01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	5	62.50%	2	25.00%	1	12.50%	8
	ESAWS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	6	75.00%	1	12.50%	1	12.50%	8
Total	11	68.75%	3	18.75%	2	12.50%	16		
Essex County Highways (ESXTS01)	ESXTS01	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total	34	100.00%	-	-	-	-	34	
Essex Powerlines Corp (A006)	A006	0-5	120	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	148	99.33%	1	0.67%	-	-	149
	Total	148	99.33%	1	0.67%	-	-	149	
Essex Powerlines Corp (A007)	A007	0-5	77	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	77	98.72%	-	-	1	1.28%	78	
Total	77	98.72%	-	-	1	1.28%	78		
Essex, Town Of (CO01)	CO01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
	Total	36	97.30%	1	2.70%	-	-	37	
Execulink Telecom (EXTEL123)	ASC2	0-5	60	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Execulink Telecom (EXTEL123)	ASC2	6-10	24	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	84
	EXEC01	0-5	125	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	137	100.00%	-	-	-	-	137
	HT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HTF1	0-5	15	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
NE01	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
NEK01	0-5	5	100.00%	-	-	-	-		
	Total	5	100.00%	-	-	-	-	5	
Total			259	100.00%	-	-	-	-	259
Fanshawe College (FSWC01)	FSWC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total			-	-	-	1	100.00%	1
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total			7	87.50%	1	12.50%	-	-
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA02)	TAQA02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total			1	100.00%	-	-	-	1
Festival Hydro (FESTH01)	FESTH01	0-5	78	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	89	98.89%	1	1.11%	-	-	90
	Total			89	98.89%	1	1.11%	-	-
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total			-	-	-	3	100.00%	3
First Nations Cable (FNC01)	FNC01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	34	75.56%	11	24.44%	-	-	45
	Total			34	75.56%	11	24.44%	-	-
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	98	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	104	100.00%	-	-	-	-	104
	Total			104	100.00%	-	-	-	104
Fort Frances Power (FFP01)	FFP01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	6	85.71%	-	-	1	14.29%	7	
Total			6	85.71%	-	-	1	14.29%	7
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total			9	100.00%	-	-	-	9
Fu Fiber Inc (FUFI01)	FUFI01	11-15	-	-	3	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Fu Fiber Inc (FUF101)	FUF101	16+	-	-	-	-	1	100.00%	
		Total	-	-	3	75.00%	1	25.00%	4
	Total		-	-	3	75.00%	1	25.00%	4
Gananoque, Town Of (GNQWST01)	GNQWST01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Gbtel Inc (GBT01)	GBT01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	24	88.89%	-	-	3	11.11%	27
	Total		24	88.89%	-	-	3	11.11%	27
Georgian Bluffs , Township Of (GB01)	GB01	11-15	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total		1	33.33%	2	66.67%	-	-	3
Georgina, Town Of (GGN123)	GGN01	0-5	66	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	Total		74	100.00%	-	-	-	-	74
Glenfred Gas Wells (GFGW01)	GFGW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Goderich, Town Of (GDR123)	GDRHS01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	GDRHW01	0-5	20	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
Total		44	100.00%	-	-	-	-	44	
GOLDEN RURAL HIGH SPEED (GLDNRL01)	GLDNRL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Gore Bay , Town Of (GBY01)	GBY01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Gosfield North Communications (G001)	G001	0-5	72	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
	MSCQUAD2	0-5	7	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	QUAD1	0-5	134	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
Total		137	100.00%	-	-	-	-	137	
Total		239	100.00%	-	-	-	-	239	
Gosfield Wind Limited Partnership (BFP01)	BFP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Government Of Canada (GOC01)	GOC01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	8	88.89%	-	-	1	11.11%	9
	Total		8	88.89%	-	-	1	11.11%	9

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Grand Bend Wind Lp (GBWF01)	GBWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Grand River Hospital Corp. - KW Campus And Freeport Campus (FPGRH01)	FPGRH01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Grandbridge Energy	GBH01	0-5	379	100.00%	-	-	-	-	
		6-10	52	98.11%	1	1.89%	-	-	
		Total	431	99.77%	1	0.23%	-	-	432
	Total		431	99.77%	1	0.23%	-	-	432
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	16	94.12%	-	-	1	5.88%	17
	Total		16	94.12%	-	-	1	5.88%	17
Greater Sudbury Hydro (SH01)	SH01	0-5	54	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
	Total		58	100.00%	-	-	-	-	58
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	47	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total		47	100.00%	-	-	-	-	47
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Greater Sudbury, City Of (GSBY123)	GSBY03	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	GSBYCM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	GSBYS01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	45	97.83%	1	2.17%	-	-	46
	GSBYSS01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		7	100.00%	-	-	-	-		
Total		37	97.37%	1	2.63%	-	-	38	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Sudbury, City Of (GSBY123)	GSBYW01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
Total			130	95.59%	3	2.21%	3	2.21%	136
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	6	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
Total			20	100.00%	-	-	-	-	20
Greenfield South Power Corporation (EP02)	EP02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	-	2
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	1	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
Total			1	50.00%	1	50.00%	-	-	2
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total			8	100.00%	-	-	-	-	8
Grey, County Of (GREY01)	GREY01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
Total			9	100.00%	-	-	-	-	9
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	37	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
Total			47	100.00%	-	-	-	-	47
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	37	97.37%	1	2.63%	-	-	38
Total			37	97.37%	1	2.63%	-	-	38
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
Total			24	100.00%	-	-	-	-	24
G-TEL FOR KITCHENER, CITY OF - ELECTRIC (KITE01)	KITE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Guelph, City Of (GLPH123)	GLPH01	0-5	99	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	137	99.28%	1	0.72%	-	-	138
	GLPH03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GLPH04	0-5	17	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	27	96.43%	1	3.57%	-	-	28
GLPH05	0-5	17	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Guelph, City Of (GLPH123)	GLPH05	6-10	15	100.00%	-	-	-	-	
		Total	32	96.97%	1	3.03%	-	-	33
	Total		197	98.50%	3	1.50%	-	-	200
Guelph, University Of (UGPH01)	UGPH01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	1	25.00%	2	50.00%	1	25.00%	4
	Total		1	25.00%	2	50.00%	1	25.00%	4
Haldimand County (HLDM123)	HLDMD01	0-5	44	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	46	90.20%	-	-	5	9.80%	51
	HLDME01	0-5	3	100.00%	-	-	-	-	
		6-10	21	91.30%	2	8.70%	-	-	
		Total	24	92.31%	2	7.69%	-	-	26
	HLDMS01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	HLDMW01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		74	87.06%	6	7.06%	5	5.88%	85
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOSL01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HMTOTS01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		6	100.00%	-	-	-	-	6	
Halton Hills Hydro (HHH01)	HHH01	0-5	109	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
	Total	138	100.00%	-	-	-	-	138	
Total		138	100.00%	-	-	-	-	138	
Halton Hills, Town Of (HAH01)	HAH01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	17	100.00%	-	-	-	-	
	Total	64	96.97%	-	-	2	3.03%	66	
Total		64	96.97%	-	-	2	3.03%	66	
Halton Hills, Town Of (HAH02)	HAH02	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
	Total	14	93.33%	1	6.67%	-	-	15	
Total		14	93.33%	1	6.67%	-	-	15	
Halton, Region Of (HLTNB123)	HLTNB01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	HLTNBSL01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	HLTNBTC01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
Total		7	87.50%	1	12.50%	-	-	8	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Halton, Region Of (HLTNB123)	HLTNBTS01	0-5	3	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	5	100.00%	-	-	-	-		
		Total	8	88.89%	1	11.11%	-	-	9	
	Total	31	88.57%	4	11.43%	-	-	35		
Halton, Region Of (HLTNH123)	HLTNHTCO 1	6-10	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	HLTNHTSO 1	0-5	1	100.00%	-	-	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-	3	
Total	4	100.00%	-	-	-	-	4			
Halton, Region Of (HLTNM123)	HLTNM01	0-5	13	100.00%	-	-	-	-		
		11-15	-	-	-	-	1	100.00%		
		6-10	11	100.00%	-	-	-	-		
		Total	24	96.00%	-	-	1	4.00%	25	
	HLTNMTCO 1	0-5	8	100.00%	-	-	-	-		
		6-10	8	100.00%	-	-	-	-		
		Total	16	100.00%	-	-	-	-	16	
	HLTNMTSO 1	0-5	4	100.00%	-	-	-	-		
		6-10	6	100.00%	-	-	-	-		
		Total	10	100.00%	-	-	-	-	10	
	Total	50	98.04%	-	-	1	1.96%	51		
	Halton, Region Of (HLTNO123)	HLTNOK01	0-5	7	100.00%	-	-	-	-	
			11-15	-	-	1	20.00%	4	80.00%	
6-10			17	94.44%	1	5.56%	-	-		
Total			24	80.00%	2	6.67%	4	13.33%	30	
HLTNOSL01		0-5	3	100.00%	-	-	-	-		
		11-15	-	-	1	16.67%	5	83.33%		
		6-10	17	94.44%	1	5.56%	-	-		
		Total	20	74.07%	2	7.41%	5	18.52%	27	
HLTNOTCO 1		0-5	2	100.00%	-	-	-	-		
		11-15	-	-	-	-	4	100.00%		
		6-10	13	92.86%	1	7.14%	-	-		
		Total	15	75.00%	1	5.00%	4	20.00%	20	
HLTNOTS0 1		0-5	2	100.00%	-	-	-	-		
		11-15	-	-	-	-	5	100.00%		
		6-10	12	100.00%	-	-	-	-		
		Total	14	73.68%	-	-	5	26.32%	19	
Total		73	76.04%	5	5.21%	18	18.75%	96		
Halton, Region Of (HLTNSS04)		HLTNSS04	0-5	4	100.00%	-	-	-	-	
			6-10	2	100.00%	-	-	-	-	
			Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6		
Halton, Region Of (HLTNT01)	HLTNT01	0-5	3	100.00%	-	-	-	-		
		11-15	-	-	-	-	4	100.00%		
		6-10	4	100.00%	-	-	-	-		
		Total	7	63.64%	-	-	4	36.36%	11	
	Total	7	63.64%	-	-	4	36.36%	11		
Hamilton, Township Of (HML01)	HML01	0-5	29	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	29	96.67%	1	3.33%	-	-	30	
	Total	29	96.67%	1	3.33%	-	-	30		
Hamilton Community Energy (HCE1)	HCE1	0-5	7	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hamilton Community Energy (HCE1)	HCE1	6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Hamilton, City Of (CH01)	CH01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	65	100.00%	-	-	-	-	
		Total	113	99.12%	1	0.88%	-	-	114
	Total		113	99.12%	1	0.88%	-	-	114
Hamilton, City Of (HHP3)	HHP3	0-5	237	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	202	100.00%	-	-	-	-	
		Total	439	98.21%	8	1.79%	-	-	447
	Total		439	98.21%	8	1.79%	-	-	447
Hamilton, City Of (HW01)	HW01	0-5	372	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	239	100.00%	-	-	-	-	
	Total	611	98.07%	12	1.93%	-	-	623	
	HW02	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
Total		4	100.00%	-	-	-	-	4	
Total		615	98.09%	12	1.91%	-	-	627	
Hanover , Town Of (HNVR01)	HNVR01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	4	66.67%	1	16.67%	1	16.67%	6	
Total		4	66.67%	1	16.67%	1	16.67%	6	
Harold And Grace Baker Centre (DPME01)	DPME01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	HWKBSL01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total		8	100.00%	-	-	-	-	8	
Hay Communications (H123)	H003	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	47	97.92%	1	2.08%	-	-	48
	Total		47	97.92%	1	2.08%	-	-	48
Hce Telecom (HCEHN01)	HCEHN01	0-5	15	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	23	100.00%	-	-	-	-	23	
Total		23	100.00%	-	-	-	-	23	
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Hearst Power (HRSTP01)	HRSTP01	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hearst Power (HRSTP01)	HRSTP01	6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Highbury Canco Corp (HGHBRY01)	HGHBRY01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Hiram Walker & Sons (HIRWAL01)	HIRWAL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Hornepayne , Township Of (HRP01)	HRP01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Huron East, Municipality Of (HURNE01)	HURNE01	11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	Total		2	50.00%	2	50.00%	-	-	4
Huron, County Of (HRN123)	HRN01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	HRN02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HRN03	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
Total		2	50.00%	1	25.00%	1	25.00%	4	
Total		4	57.14%	2	28.57%	1	14.29%	7	
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Hurontel (HTEL01)	HTEL01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	76.47%	4	23.53%	-	-	
		Total	36	76.60%	9	19.15%	2	4.26%	47
	Total		36	76.60%	9	19.15%	2	4.26%	47
Hydro Embrun (EMBRH01)	EMBRH01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	12	92.31%	-	-	1	7.69%	13
	Total		12	92.31%	-	-	1	7.69%	13
Hydro Hawkesbury (HHI01)	HHI01	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro Hawkesbury (HHI01)	HHI01	16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	4
	Total	2	50.00%	-	-	2	50.00%	4	
Hydro One Networks Inc (HH123)	HOBRA01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	8
	HOFSS01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	47	79.66%	-	-	12	20.34%	59
		Total	47	79.66%	-	-	12	20.34%	59
	HOHAM01	0-5	9	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	HOKIT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOMAR01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HOMIS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	HOOAK01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOTOR01	0-5	92	100.00%	-	-	-	-	
		11-15	-	-	8	88.89%	1	11.11%	
		16+	-	-	1	3.03%	32	96.97%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	99	69.23%	11	7.69%	33	23.08%	143
	HOVAU01	0-5	3	100.00%	-	-	-	-	
Total		3	100.00%	-	-	-	-	3	
O0052	0-5	21	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		
	Total	21	95.45%	-	-	1	4.55%	22	
OH20	0-5	12	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		
	Total	12	92.31%	-	-	1	7.69%	13	
OH30	0-5	3	100.00%	-	-	-	-		
	16+	-	-	-	-	3	100.00%		
	Total	3	50.00%	-	-	3	50.00%	6	
Total	207	76.10%	12	4.41%	53	19.49%	272		
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	23	85.19%	-	-	4	14.81%	27	
Total	23	85.19%	-	-	4	14.81%	27		
Hydro One Networks Inc (H1DX)	H1DGE01	0-5	335	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	101	98.06%	2	1.94%	-	-	
		Total	436	98.42%	7	1.58%	-	-	443
	H1DGN01	0-5	412	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
16+		-	-	-	-	1	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Hydro One Networks Inc (H1DX)	H1DGN01	6-10	81	100.00%	-	-	-	-		
		Total	493	99.60%	1	0.20%	1	0.20%	495	
	H1DGN02	0-5	201	100.00%	-	-	-	-		
		6-10	41	100.00%	-	-	-	-		
		Total	242	100.00%	-	-	-	-	242	
	H1DGW02	0-5	158	100.00%	-	-	-	-		
		11-15	-	-	5	100.00%	-	-		
		16+	-	-	4	100.00%	-	-		
		6-10	86	100.00%	-	-	-	-		
		Total	244	96.44%	9	3.56%	-	-	253	
		H1DHN01	0-5	396	100.00%	-	-	-	-	
			11-15	-	-	3	100.00%	-	-	
	16+		-	-	3	100.00%	-	-		
	Total		470	98.53%	7	1.47%	-	-	477	
	H1DMOO01	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	H1DOE01	0-5	939	100.00%	-	-	-	-		
		11-15	-	-	27	100.00%	-	-		
		16+	-	-	24	92.31%	2	7.69%		
		6-10	378	98.95%	4	1.05%	-	-		
		Total	1,317	95.85%	55	4.00%	2	0.15%	1374	
	H1DONE01	0-5	272	100.00%	-	-	-	-		
		11-15	-	-	6	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	113	100.00%	-	-	-	-		
		Total	385	98.21%	7	1.79%	-	-	392	
H1DONW02	0-5	169	100.00%	-	-	-	-			
	6-10	29	100.00%	-	-	-	-			
	Total	198	100.00%	-	-	-	-	198		
H1DOS01	0-5	912	100.00%	-	-	-	-			
	11-15	-	-	8	100.00%	-	-			
	16+	-	-	3	100.00%	-	-			
	6-10	245	98.79%	3	1.21%	-	-			
	Total	1,157	98.80%	14	1.20%	-	-	1171		
H1DOW01	0-5	980	100.00%	-	-	-	-			
	11-15	-	-	5	100.00%	-	-			
	16+	-	-	2	100.00%	-	-			
	6-10	230	97.87%	5	2.13%	-	-			
	Total	1,210	99.02%	12	0.98%	-	-	1222		
H1DTBY01	0-5	93	100.00%	-	-	-	-			
	11-15	-	-	1	100.00%	-	-			
	16+	-	-	30	96.77%	1	3.23%			
	6-10	2	100.00%	-	-	-	-			
	Total	95	74.80%	31	24.41%	1	0.79%	127		
H1DX07	0-5	252	100.00%	-	-	-	-			
	11-15	-	-	1	100.00%	-	-			
	16+	-	-	35	100.00%	-	-			
	6-10	26	100.00%	-	-	-	-			
	Total	278	88.54%	36	11.46%	-	-	314		
Total		6,526	97.27%	179	2.67%	4	0.06%	6,709		
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	5	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	6-10	16	100.00%	-	-	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total		21	95.45%	1	4.55%	-	-	22
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	52	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	61	98.39%	-	-	1	1.61%	62
	Total		61	98.39%	-	-	1	1.61%	62
Hydro One Remote Communities Inc (HYR01)	HYR01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	1	50.00%	1	50.00%	-	-	2	
Total		1	50.00%	1	50.00%	-	-	2	
Hydro Ottawa (HOT1)	HOT1	0-5	763	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		16+	-	-	29	100.00%	-	-	
		6-10	564	98.77%	7	1.23%	-	-	
		Total	1,327	95.06%	69	4.94%	-	-	1396
	HOT2	0-5	46	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
	Total		1,382	95.24%	69	4.76%	-	-	1,451
Ignace , Township Of (IGN01)	IGN01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	1	50.00%	-	-	1	50.00%	2	
Total		1	50.00%	-	-	1	50.00%	2	
Imperial Oil Pipelines (I002)	I002	0-5	57	100.00%	-	-	-	-	
		16+	-	-	28	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	58	66.67%	29	33.33%	-	-	87	
Total		58	66.67%	29	33.33%	-	-	87	
Imperial Oil Pipelines (I003)	I003	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	16	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Innisfil, Town Of (INFL01)	INFL01	0-5	64	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	83	100.00%	-	-	-	-	83
	Total		83	100.00%	-	-	-	-	83
Innpower (INSFH01)	INSFH01	0-5	113	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Innpower (INSFH01)	INSFH01	6-10	22	100.00%	-	-	-	-	
		Total	135	100.00%	-	-	-	-	135
	Total		135	100.00%	-	-	-	-	135
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	6	100.00%	-	-	-	-	6	
	Total		6	100.00%	-	-	-	-	6
Johnson, Township Of (JHSNW01)	JHSNW01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	6	66.67%	-	-	3	33.33%	9
	Total		6	66.67%	-	-	3	33.33%	9
K2 Wind Farm Ontario (K2WF01)	K2WF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kapusking, Town Of (KAP01)	KAP01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	38	92.68%	3	7.32%	-	-	41
	KWLKWS01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	67	94.37%	4	5.63%	-	-	71
		Total		105	93.75%	7	6.25%	-	-
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	10	83.33%	1	8.33%	1	8.33%	12
	Total		10	83.33%	1	8.33%	1	8.33%	12
Kenora, City Of (KNRA123)	KNRA01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	4	50.00%	1	12.50%	3	37.50%	8
	KNRASL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	KNRAST01	0-5	4	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
Total	6	75.00%	2	25.00%	-	-	8		
Total		12	66.67%	3	16.67%	3	16.67%	18	
Kent Breeze Wind Farm (SCE01)	SCE01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Killarney, Municipality Of (KLNWS01)	KLNWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kincardine, Municipality Of (KINC123)	KINCAR01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
King , Township Of (KNGWS01)	KNGSL01	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	71	98.61%	1	1.39%	-	-	72
	KNGWS01	0-5	70	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
		Total		143	99.31%	1	0.69%	-	-
Kingston General Hospital (KGH01)	KGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingsville, Town Of (TK01)	TK01	0-5	55	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	58	98.31%	1	1.69%	-	-	59
	Total		58	98.31%	1	1.69%	-	-	59
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	25	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total		33	100.00%	-	-	-	-	33
Kitchener Utilities (KU02)	KU02	0-5	91	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	120	96.77%	4	3.23%	-	-	
		Total	211	91.34%	19	8.23%	1	0.43%	231
	Total		211	91.34%	19	8.23%	1	0.43%	231
Kitchener, The City Of (KITS01)	KITS01	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	80	100.00%	-	-	-	-	
		Total	186	98.94%	2	1.06%	-	-	188
	Total		186	98.94%	2	1.06%	-	-	188
Kwic Internet (KWIC01)	KWIC01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Lagasco Inc (TP01)	TP01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Lagasco Limited (L002)	L002	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lagasco Limited (L002)	L002	6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	-	-	1	25.00%	4
	Total	3	75.00%	-	-	1	25.00%	4	
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
	Total	-	-	-	-	4	100.00%	4	
	Total	-	-	-	-	4	100.00%	4	
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	18	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
	Total	31	100.00%	-	-	-	-	31	
	Total	31	100.00%	-	-	-	-	31	
Lakefront Utilities (LUSI123)	COLBH01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	LUSIH01	0-5	18	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
Total	36	100.00%	-	-	-	-	36		
Lakeland Networks (LKLNN01)	LKLNN01	0-5	23	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	28	100.00%	-	-	-	-	28	
	Total	28	100.00%	-	-	-	-	28	
Lakeland Power (LKLNP123)	LKLNP01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	26	96.30%	1	3.70%	-	-	27
	Total	26	96.30%	1	3.70%	-	-	27	
Lakeshore, Municipality Of (TOL123)	B002	0-5	158	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	Total	158	98.14%	-	-	3	1.86%	161	
	Total	158	98.14%	-	-	3	1.86%	161	
Lakeview Water System (LKVWW01)	LKVWW01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	35	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total	35	100.00%	-	-	-	-	35	
Lambton County (LMBTN01)	LMBTN01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
	Total	2	100.00%	-	-	-	-	2	
Lambton Shores, Municipality Of (F001)	F001	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	50	96.15%	2	3.85%	-	-	52
	Total	50	96.15%	2	3.85%	-	-	52	
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	
	Total	3	100.00%	-	-	-	-	3	
Lanark, County Of (LNRK01)	LNRK01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lasalle , Town Of (LSL01)	LSL01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	22	81.48%	5	18.52%	-	-	
		Total	52	85.25%	9	14.75%	-	-	61
	Total		52	85.25%	9	14.75%	-	-	61
Laurentian University (LRTU01)	LRTU01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Leamington Water Services (L001)	L001	0-5	46	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	Total		46	100.00%	-	-	-	-	46
Leamington, Municipality Of (LS01)	LS01	0-5	45	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	Total		45	100.00%	-	-	-	-	45
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lennox And Addington, County Of (LXA123)	LXA01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	Total		6	75.00%	2	25.00%	-	-	8
Lincoln, Town Of (LINWS01)	LINWS01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	43	97.73%	1	2.27%	-	-	44
	Total		43	97.73%	1	2.27%	-	-	44
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	17	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
London District Energy (TG01)	TG01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	14	73.68%	-	-	5	26.32%	19
	Total		14	73.68%	-	-	5	26.32%	19
London Health Sciences (LHS1)	LHS1	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
London Hydro (L003)	L003	0-5	338	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	310	99.68%	1	0.32%	-	-	
		Total	648	98.63%	9	1.37%	-	-	
	LHDL01	16+	-	-	-	-	13	100.00%	
	Total	-	-	-	-	13	100.00%	13	
	Total	648	96.72%	9	1.34%	13	1.94%	670	
London, City Of (LN01)	LN01	0-5	250	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	32	100.00%	
		6-10	355	99.72%	1	0.28%	-	-	
	Total	605	93.51%	10	1.55%	32	4.95%	647	
	Total	605	93.51%	10	1.55%	32	4.95%	647	
London, City Of (LN02)	LN02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Long Point Provincial Park (LPPP01)	LPPP01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Loyalist Township (LYST123)	LYSTBS6	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	16	94.12%	-	-	1	5.88%	
	LYSTBW5	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	16	94.12%	-	-	1	5.88%	
	LYSTEL4	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	21	95.45%	-	-	1	4.55%	
	LYSTFW1	0-5	8	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	
	LYSTLES2	0-5	8	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	
	LYSTSTM3	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	32	96.97%	-	-	1	3.03%	
	Total	119	96.75%	-	-	4	3.25%	123	
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	15	83.33%	2	11.11%	1	5.56%	18	
	Total	15	83.33%	2	11.11%	1	5.56%	18	
Malahide, Township Of (MLHD01)	MLHD01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
	Total	2	66.67%	1	33.33%	-	-	3	
Manitouwadge, Township Of (MTW01)	MTW01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mapleton , Township Of (MPLT01)	MPLT01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			4	100.00%	-	-	-	-	4
Markham " Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	67	100.00%	-	-	-	-	
		6-10	52	100.00%	-	-	-	-	
		Total	119	100.00%	-	-	-	-	119
Total			119	100.00%	-	-	-	-	119
Markham District Energy (MDE01)	MDE01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	11	84.62%	1	7.69%	1	7.69%	13
Total			11	84.62%	1	7.69%	1	7.69%	13
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
Total			-	-	2	100.00%	-	-	2
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	167	100.00%	-	-	-	-	
		6-10	79	100.00%	-	-	-	-	
		Total	246	100.00%	-	-	-	-	246
Total			246	100.00%	-	-	-	-	246
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
Total			1	50.00%	-	-	1	50.00%	2
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
Total			7	77.78%	2	22.22%	-	-	9
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
Total			9	100.00%	-	-	-	-	9
Melancthon Windfarm (MELWF01)	MELWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
Total			-	-	5	100.00%	-	-	5
Metalore Resources (MTLORE01)	MTLORE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Metro Fibrewerx (MFWX01)	MFWX01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	-	3
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	34	94.44%	2	5.56%	-	-	36
Total			34	94.44%	2	5.56%	-	-	36
Middlesex, County Of (MDSX01)	MDSX01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
Total			29	100.00%	-	-	-	-	29
Midland, Town Of (MIDLND01)	MIDLND01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Midland, Town Of (MIDLND01)	MIDLND01	6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	-	-	1	10.00%	10
	Total	9	90.00%	-	-	1	10.00%	10	
Midland, Town Of (MIDLND03)	MIDLND03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	MLTSS01	0-5	15	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
Total	26	100.00%	-	-	-	-	26		
MILTON HYDRO (MH123)	MHHN01	0-5	153	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	164	96.47%	1	0.59%	5	2.94%	170
	Total	164	96.47%	1	0.59%	5	2.94%	170	
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	366	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	367	100.00%	-	-	-	-	367
	Total	367	100.00%	-	-	-	-	367	
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	49	98.00%	1	2.00%	-	-	
		Total	102	97.14%	3	2.86%	-	-	105
	Total	102	97.14%	3	2.86%	-	-	105	
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total	14	93.33%	1	6.67%	-	-	15	
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	253	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	78	100.00%	-	-	-	-	
		Total	331	99.40%	-	-	2	0.60%	333
	Total	331	99.40%	-	-	2	0.60%	333	
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total	4	80.00%	1	20.00%	-	-	5	
Molded Plastics (MLDP01)	MLDP01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Mono , Town Of (MNO123)	MNO01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mono , Town Of (MNO123)	MNO01	16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	MNOSL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	1	50.00%	1	50.00%	-	-	2	
Total	2	50.00%	2	50.00%	-	-	4		
Montez Office Fund Ii Limited Partnership (MOFLP01)	MOFLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Morningson Communications (MORNT01)	MORNT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	MORNT02	0-5	25	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	21	100.00%	-	-	-	-	
	Total	46	97.87%	-	-	1	2.13%	47	
Total	47	97.92%	-	-	1	2.08%	48		
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	10	83.33%	2	16.67%	-	-	12
	MUSKWS04	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	7	87.50%	-	-	1	12.50%	8	
	MUSKWS05	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
Total	20	90.91%	1	4.55%	1	4.55%	22		
Total	37	88.10%	3	7.14%	2	4.76%	42		
Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
Total	2	100.00%	-	-	-	-	2		
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Nation, Municipality Of The (NATN01)	NATN01	0-5	6	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	12	100.00%	-	-	-	-	12	
Total	12	100.00%	-	-	-	-	12		
Net Optiks	BPNOFC01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	3	100.00%	-	-	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
	Total	11	91.67%	1	8.33%	-	-	12	
	Total	11	91.67%	1	8.33%	-	-	12	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Netflash Internet Solutions (NISF01)	NISF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	41	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	46	100.00%	-	-	-	-	46	
Total		46	100.00%	-	-	-	-	46	
Newmarket, Town Of (NMK01)	NMK01	0-5	47	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	53	100.00%	-	-	-	-	53	
Total		53	100.00%	-	-	-	-	53	
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	40	97.56%	1	2.44%	-	-	41	
Total		40	97.56%	1	2.44%	-	-	41	
Niagara Falls, City Of (NFS01)	NFS01	0-5	108	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	131	100.00%	-	-	-	-	
	Total	239	98.35%	4	1.65%	-	-	243	
Total		239	98.35%	4	1.65%	-	-	243	
Niagara Parks Commission (NPC01)	NPC01	0-5	19	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	21	100.00%	-	-	-	-	21	
Total		21	100.00%	-	-	-	-	21	
Niagara Peninsula Energy (NFH01)	NFH01	0-5	142	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	137	100.00%	-	-	-	-	
	Total	279	98.94%	3	1.06%	-	-	282	
Total		279	98.94%	3	1.06%	-	-	282	
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	280	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	62	100.00%	-	-	-	-	
	Total	342	99.13%	2	0.58%	1	0.29%	345	
Total		342	99.13%	2	0.58%	1	0.29%	345	
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	10	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	12	100.00%	-	-	-	-	12	
Total		12	100.00%	-	-	-	-	12	
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	86	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	105	98.13%	2	1.87%	-	-	
	Total	191	98.45%	3	1.55%	-	-	194	
Total		191	98.45%	3	1.55%	-	-	194	
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	109	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	77	95.06%	4	4.94%	-	-	
	Total	186	87.74%	25	11.79%	1	0.47%	212	
Total		186	87.74%	25	11.79%	1	0.47%	212	
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	65	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	6-10	32	100.00%	-	-	-	-	
		Total	97	98.98%	-	-	1	1.02%	98
	Total		97	98.98%	-	-	1	1.02%	98
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	53	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	84
	Total		84	100.00%	-	-	-	-	84
Nor-Del (NORDEL01)	NORDEL01	0-5	47	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	4	50.00%	4	50.00%	-	-	
		Total	51	89.47%	5	8.77%	1	1.75%	57
	Total		51	89.47%	5	8.77%	1	1.75%	57
Norfolk County (NFLK123)	NFLK01	0-5	114	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	134	98.53%	2	1.47%	-	-	136
	Total		134	98.53%	2	1.47%	-	-	136
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
North Bay Hydro (NBH01)	NBH01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	23	88.46%	3	11.54%	-	-	26
	Total		23	88.46%	3	11.54%	-	-	26
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
North Bay, City Of (NBWS01)	NBWS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	7	63.64%	1	9.09%	3	27.27%	11
	Total		7	63.64%	1	9.09%	3	27.27%	11
North Dundas , Township Of (NDND123)	NDND01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	NDND02	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
Total		3	60.00%	2	40.00%	-	-	5	
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	134	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	77	97.47%	2	2.53%	-	-	
		Total	211	93.78%	13	5.78%	1	0.44%	225
	Total		211	93.78%	13	5.78%	1	0.44%	225
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
North Grenville , Municipality Of (NGR01)	NGR01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
	Total		5	83.33%	-	-	1	16.67%	6

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Huron, Township Of (NHURON01)	NHURON01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	50.00%	1	25.00%	1	25.00%	4
Total			2	50.00%	1	25.00%	1	25.00%	4
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	8
Total			7	87.50%	-	-	1	12.50%	8
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	16+	-	-	-	-	30	100.00%	
		Total	-	-	-	-	30	100.00%	30
Total			-	-	-	-	30	100.00%	30
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	15	93.75%	-	-	1	6.25%	16
Total			15	93.75%	-	-	1	6.25%	16
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
Total			28	96.55%	1	3.45%	-	-	29
North Stormont , Township Of (NST01)	NST01	16+	-	-	2	50.00%	2	50.00%	
		Total	-	-	2	50.00%	2	50.00%	4
Total			-	-	2	50.00%	2	50.00%	4
North York General Hospital (NYGH01)	NYGH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
Total			6	85.71%	1	14.29%	-	-	7
Northern Rural Networks (NRN01)	NRN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Northern Tel Limited Partnership (NT01)	NT01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	36	94.74%	2	5.26%	-	-	38
Total			36	94.74%	2	5.26%	-	-	38
Northumberland County (NRHB01)	NRHBSS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	NRHBSS02	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
NRHBTS02	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total			6	100.00%	-	-	-	-	6
Norwich , Township Of (NRW01)	NRW01	11-15	-	-	-	-	2	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Norwich , Township Of (NRW01)	NRW01	16+	-	-	-	-	54	100.00%	
		Total	-	-	-	-	56	100.00%	56
	Total		-	-	-	-	56	100.00%	56
Nova Chemicals Corporation (N001)	N001	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
NT Power	NTPWR01	0-5	105	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	117	100.00%	-	-	-	-	-	117
	Total		117	100.00%	-	-	-	-	117
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	337	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	156	98.73%	2	1.27%	-	-	
	Total	493	98.21%	9	1.79%	-	-	-	502
	Total		493	98.21%	9	1.79%	-	-	502
Oakville, Town Of (OAK123)	OAKBS01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	-
	OAKSS01	0-5	261	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	105	97.22%	3	2.78%	-	-	
		Total	366	97.34%	7	1.86%	3	0.80%	-
	OAKTS01	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	46	95.83%	2	4.17%	-	-	
		Total	105	94.59%	6	5.41%	-	-	-
Total		478	96.76%	13	2.63%	3	0.61%	494	
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
On-Energy Corp (ONNRG01)	ONNRG01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	OPGN2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		2	66.67%	-	-	1	33.33%	3	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	ONTERA03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ONTERA04	0-5	8	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	ONTERA05	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA06	0-5	31	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	31	88.57%	4	11.43%	-	-	35
Total			56	93.33%	4	6.67%	-	-	60
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	61	96.83%	2	3.17%	-	-	63
Total			61	96.83%	2	3.17%	-	-	63
Opasatika, Township Of (OPTKWS01)	OPTKWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	13	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	13	81.25%	3	18.75%	-	-	16
		Total	13	81.25%	3	18.75%	-	-	16
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	32	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
		Total	32	100.00%	-	-	-	-	32
Orangeville, Town Of (ORGV01)	ORGV01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	26	81.25%	6	18.75%	-	-	32
		Total	26	81.25%	6	18.75%	-	-	32
Orillia, City Of (ORIL123)	ORILSL01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	ORILT01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	ORILWS01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
Total	33	97.06%	1	2.94%	-	-	34		
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	64	98.46%	1	1.54%	-	-	
		Total	132	83.54%	26	16.46%	-	-	158
	OSHGE03	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	16	84.21%	3	15.79%	-	-	19
Total	148	83.62%	29	16.38%	-	-	177		
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Oshawa, City Of - Catch Basins (OSH02)	OSH02	6-10	3	100.00%	-	-	-	-	
		Total	4	66.67%	2	33.33%	-	-	6
	Total		4	66.67%	2	33.33%	-	-	6
Oshawa, City Of (OSH01)	OSH01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	65	98.48%	1	1.52%	-	-	
		Total	109	84.50%	20	15.50%	-	-	129
	Total		109	84.50%	20	15.50%	-	-	129
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Ottawa River Power (ORP01)	ORP01	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Ottawa River Power (ORP02)	ORP02	0-5	13	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	711	100.00%	-	-	-	-	
		6-10	106	100.00%	-	-	-	-	
		Total	817	100.00%	-	-	-	-	817
	Total		817	100.00%	-	-	-	-	817
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	228	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	16	100.00%	-	-	-	-	
		Total	244	97.99%	4	1.61%	1	0.40%	249
	Total		244	97.99%	4	1.61%	1	0.40%	249
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	950	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	77	100.00%	-	-	-	-	
	Total	1,027	99.81%	1	0.10%	1	0.10%	1,029	
Total		1,027	99.81%	1	0.10%	1	0.10%	1,029	
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Owen Sound, City Of (OWSD01)	OWSD01	0-5	42	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total		42	100.00%	-	-	-	-	42
Oxford, County Of - Fiber (OXFF01)	OXFF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Oxford, County Of - Traffic (OXFSTS01)	OXFSTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	137	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	6-10	2	100.00%	-	-	-	-		
		Total	139	100.00%	-	-	-	-	139	
	Total		139	100.00%	-	-	-	-	139	
Oxford, County Of (OXFSTM01)	OXFSTM01	0-5	8	100.00%	-	-	-	-		
		Total	8	100.00%	-	-	-	-	8	
	Total		8	100.00%	-	-	-	-	8	
Packet Works (PWRKST01)	PWRKST01	0-5	1	100.00%	-	-	-	-		
		6-10	4	100.00%	-	-	-	-		
		Total	5	100.00%	-	-	-	-	5	
	Total		5	100.00%	-	-	-	-	5	
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	27	100.00%	-	-	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	29	100.00%	-	-	-	-	29	
	Total		29	100.00%	-	-	-	-	29	
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	4	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	5	83.33%	1	16.67%	-	-	6	
	Total		5	83.33%	1	16.67%	-	-	6	
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	6-10	9	100.00%	-	-	-	-		
		Total	9	100.00%	-	-	-	-	9	
	Total		9	100.00%	-	-	-	-	9	
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PRBM02	0-5	257	100.00%	-	-	-	-		
		11-15	-	-	56	100.00%	-	-		
		16+	-	-	26	100.00%	-	-		
		6-10	374	99.20%	3	0.80%	-	-		
		Total	631	88.13%	85	11.87%	-	-	716	
	PREBM02	0-5	48	100.00%	-	-	-	-		
		11-15	-	-	7	100.00%	-	-		
		16+	-	-	8	100.00%	-	-		
		Total	112	87.50%	16	12.50%	-	-	128	
	PREC02	0-5	4	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		Total	8	88.89%	1	11.11%	-	-	9	
	PROC02	0-5	24	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	28	100.00%	-	-	-	-		
		Total	52	98.11%	1	1.89%	-	-	53	
	Total		803	88.63%	103	11.37%	-	-	906	
	Peel Region - Brampton Storm Sewer (PCYSTOS123)	PRBM03	0-5	68	100.00%	-	-	-	-	
			11-15	-	-	6	100.00%	-	-	
			16+	-	-	3	75.00%	1	25.00%	
6-10			88	100.00%	-	-	-	-		
Total			156	93.98%	9	5.42%	1	0.60%	166	
PREBM03		0-5	12	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	18	94.74%	1	5.26%	-	-	19	
PREC03		0-5	4	100.00%	-	-	-	-		
		Total	13	100.00%	-	-	-	-	13	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PROC03	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	73	96.05%	3	3.95%	-	-	76
	Total			260	94.89%	13	4.74%	1	0.36%
Peel Region - Brampton Water (PCYWAT123)	PBMC01	0-5	89	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	92	100.00%	-	-	-	-	92
	PEBMC01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	PIPP05	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	80.00%	-	-	1	20.00%	5
	POCWA05	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	PRBM01	0-5	378	100.00%	-	-	-	-	
		11-15	-	-	63	100.00%	-	-	
		16+	-	-	30	100.00%	-	-	
		6-10	475	98.34%	8	1.66%	-	-	
		Total	853	89.41%	101	10.59%	-	-	954
	PREBM01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	57	100.00%	-	-	-	-	
	Total	104	92.04%	9	7.96%	-	-	113	
	PREC01	0-5	9	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
PROC01	0-5	47	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	70	100.00%	-	-	-	-		
Total	117	94.35%	7	5.65%	-	-	124		
Total			1,236	91.29%	117	8.64%	1	0.07%	1,354
Peel Region (PEEL123)	PEELTS04	0-5	76	100.00%	-	-	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	119	100.00%	-	-	-	-	119
Total			119	100.00%	-	-	-	119	
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	108	100.00%	-	-	-	-	
		Total	301	99.67%	1	0.33%	-	-	302
Total			301	99.67%	1	0.33%	-	302	
Pelham, Town Of (PEL1)	PEL1	0-5	34	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
Total			40	100.00%	-	-	-	40	
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total			6	100.00%	-	-	-	6	
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total			7	100.00%	-	-	-	7	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Pennytel Inc (PENTEL01)	PENTEL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Perth, Town Of (PERTH01)	PERTH01	0-5	6	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total	8	88.89%	1	11.11%	-	-	9	
Petawawa, Town Of (PTWA123)	PTWA01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	3	60.00%	1	20.00%	1	20.00%	5	
	PTWASL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	4	66.67%	1	16.67%	1	16.67%	6		
Peterborough , City Of (PTRB01)	PTRB01	0-5	57	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	59	98.33%	1	1.67%	-	-	60	
Total	59	98.33%	1	1.67%	-	-	60		
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	48	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	58	100.00%	-	-	-	-	58	
Total	58	100.00%	-	-	-	-	58		
Peterborough, County Of (PTB01)	PTB01	0-5	38	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total	38	100.00%	-	-	-	-	38	
Petrolia, Town Of (P002)	P002	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	66.67%	4	33.33%	-	-	
	Total	10	66.67%	5	33.33%	-	-	15	
Total	10	66.67%	5	33.33%	-	-	15		
Pickering , City Of (PKRG01)	PKRG01	0-5	205	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	9	90.00%	1	10.00%	
		6-10	31	100.00%	-	-	-	-	
	Total	236	94.40%	13	5.20%	1	0.40%	250	
Total	236	94.40%	13	5.20%	1	0.40%	250		
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	42	97.67%	1	2.33%	-	-	43	
Total	42	97.67%	1	2.33%	-	-	43		
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	14	93.33%	-	-	1	6.67%	15	
Total	14	93.33%	-	-	1	6.67%	15		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Point Edward, Village Of (PE01)	PE01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total			5	100.00%	-	-	-	-	5
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	39	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
Total			43	100.00%	-	-	-	-	43
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			4	100.00%	-	-	-	-	4
Port Hope, Municipality Of (PH123)	PH01	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
Total			24	100.00%	-	-	-	-	24
Prescott , Town Of (PRS01)	PRS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	-	3
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	PRERUS03	16+	-	-	-	-	5	100.00%	
Total			-	-	-	-	5	100.00%	5
Total			-	-	-	-	7	100.00%	7
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
Total			-	-	-	-	4	100.00%	4
Prince Edward, County Of (PEC04)	PEC04	0-5	12	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
Total			18	100.00%	-	-	-	-	18
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
PROMARK FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	17	100.00%	-	-	-	-	
		Total	22	75.86%	1	3.45%	6	20.69%	29
Total			22	75.86%	1	3.45%	6	20.69%	29
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
Total			23	100.00%	-	-	-	-	23
Q9 Networks (QNET01)	QNET01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total			-	-	1	100.00%	-	-	1
QUALITY CABLES AND WIRELESS TELECOMMUNICATIONS LTD. (QCWT01)	QCWT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total			-	-	-	-	2	100.00%	2
Queen'S University (QUEENU01)	QUEENU01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total			6	100.00%	-	-	-	-	6
Queens University Fibre (QUEENF01)	QUEENF01	0-5	5	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Queens University Fibre (QUEENF01)	QUEENF01	16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total	5	83.33%	1	16.67%	-	-	6	
Quinte West, City Of (QW123)	QWF01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	10	83.33%	2	16.67%	-	-	12
	QWSL01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	31	86.11%	5	13.89%	-	-	36
	QWSN01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	22	78.57%	3	10.71%	3	10.71%	28
	QWSS01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	22	84.62%	3	11.54%	1	3.85%	26
	QWTS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	3	50.00%	1	16.67%	2	33.33%	6
	QWW01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	30	81.08%	4	10.81%	3	8.11%	37
	Total	118	81.38%	18	12.41%	9	6.21%	145	
	Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	2	100.00%	-	-	-	-
Total			2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	
		Total	16	41.03%	12	30.77%	11	28.21%	39
	HLTNW02	0-5	316	100.00%	-	-	-	-	
		11-15	-	-	3	30.00%	7	70.00%	
		16+	-	-	-	-	3	100.00%	
		Total	448	97.18%	3	0.65%	10	2.17%	461
	Total	464	92.80%	15	3.00%	21	4.20%	500	
	Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	13	100.00%	-	-	-	-
11-15			-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	6-10	2	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		15	93.75%	1	6.25%	-	-	16
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	11	73.33%	4	26.67%	-	-	15
	Total		11	73.33%	4	26.67%	-	-	15
Renfrew Hydro (RFH01)	RFH01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Renfrew, County Of (RNF123)	RNF01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Total		5	100.00%	-	-	-	-	5	
Renfrew, Town Of (RNF01)	RNF01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	RNF02	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	3	75.00%	1	25.00%	-	-	4	
Total		7	87.50%	1	12.50%	-	-	8	
Richmond Hill, Town Of (RHL01)	RHL01	0-5	167	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	168	100.00%	-	-	-	-	168
	Total		168	100.00%	-	-	-	-	168
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	8	57.14%	6	42.86%	-	-	14	
Total		8	57.14%	6	42.86%	-	-	14	
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	8	100.00%	-	-	-	-	8	
Total		8	100.00%	-	-	-	-	8	
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Rogers Communications (ROG123)	CABLET01	0-5	55	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	77	100.00%	-	-	-	-	77
	ROGGE01	0-5	405	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	138	99.28%	1	0.72%	-	-	
		Total	543	98.73%	7	1.27%	-	-	550
	ROGHN01	0-5	504	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	177	100.00%	-	-	-	-	
	Total	681	96.60%	24	3.40%	-	-	705	
ROGLDN01	0-5	428	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGLDN01	6-10	243	100.00%	-	-	-	-	
		Total	671	100.00%	-	-	-	-	671
	ROGOE01	0-5	26	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	ROGOTT01	0-5	828	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	117	100.00%	-	-	-	-	
		Total	945	99.79%	2	0.21%	-	-	947
	ROGPEL01	0-5	531	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	287	99.65%	1	0.35%	-	-	
		Total	818	97.50%	21	2.50%	-	-	839
	ROGRAIL1	0-5	148	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	149	98.03%	3	1.97%	-	-	152
	ROGSIM01	0-5	286	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	71	92.21%	6	7.79%	-	-	
		Total	357	90.84%	36	9.16%	-	-	393
	ROGSWO01	0-5	10	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	ROGTOR01	0-5	1,175	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	495	98.61%	7	1.39%	-	-	
		Total	1,670	98.29%	29	1.71%	-	-	1699
	ROGWAT01	0-5	547	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		138	100.00%	-	-	-	-		
Total		685	99.85%	1	0.15%	-	-	686	
ROGWIN01	0-5	2	100.00%	-	-	-	-		
	6-10	6	100.00%	-	-	-	-		
	Total	8	100.00%	-	-	-	-	8	
ROGYRK01	0-5	472	100.00%	-	-	-	-		
	11-15	-	-	14	100.00%	-	-		
	16+	-	-	11	100.00%	-	-		
	6-10	163	98.79%	2	1.21%	-	-		
	Total	635	95.92%	27	4.08%	-	-	662	
RUWV01	0-5	8	100.00%	-	-	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	11	100.00%	-	-	-	-	11	
SJRB01	0-5	3	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
SJRB02	0-5	24	100.00%	-	-	-	-		
	6-10	8	100.00%	-	-	-	-		
	Total	32	100.00%	-	-	-	-	32	
SJRB03	0-5	9	100.00%	-	-	-	-		
	Total	9	100.00%	-	-	-	-	9	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	Total		7,341	98.00%	150	2.00%	-	-	7,491
Romney Wind Energy Centre Lp (RWE01)	RWE01	0-5	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Rowe Energy Corporation (ROWE01)	ROWE01	6-10	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	16+	-	-	2	66.67%	1	33.33%	
		6-10	1	100.00%	-	-	-	-	
	Total		1	25.00%	2	50.00%	1	25.00%	4
	Total		1	25.00%	2	50.00%	1	25.00%	4
Russell, Township Of (RSEL01)	RSEL01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total		43	97.73%	1	2.27%	-	-	44
	Total		43	97.73%	1	2.27%	-	-	44
Ryerson University (RYEU01)	RYEU01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Sarnia, City Of (C006)	C006	0-5	116	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total		117	99.15%	1	0.85%	-	-	118
	Total		117	99.15%	1	0.85%	-	-	118
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	5	100.00%	
	Total		-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total		5	55.56%	1	11.11%	3	33.33%	9
	SSSL01	0-5	47	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total		49	100.00%	-	-	-	-	49
	SSWS01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	13	86.67%	2	13.33%	-	-	
	Total		40	75.47%	7	13.21%	6	11.32%	53
	Total		94	84.68%	8	7.21%	9	8.11%	111
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	56	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total		56	98.25%	-	-	1	1.75%	57
	SSMPUW01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
Total		39	97.50%	-	-	1	2.50%	40	
Total		95	97.94%	-	-	2	2.06%	97	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
	Total		27	90.00%	1	3.33%	2	6.67%	30
	Total		27	90.00%	1	3.33%	2	6.67%	30

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Schreiber, Municipality Of (SCBWS01)	SCBWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Scugog, Township Of (SCG01)	SCG01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Selwyn, Township Of (SLWN01)	SLWN01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Selwyn, Township Of (SLWN02)	SLWN02	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Selwyn, Township Of (SLWN03)	SLWN03	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Severn, Township Of (SEVERN01)	SEVERN01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	SEVERN02	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		8	88.89%	1	11.11%	-	-	9	
Shared Tower Inc	SHARET01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Shelburne , Town Of (SHLB01)	SHLB01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Shell Canada (SHL1)	SHL1	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Sick Kids Hospital (SKH01)	SKH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Silver Bay Water (SBW1)	SBW1	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Silvercreek Nominee Inc (SCSF01)	SCSF01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Simcoe, County Of (SIM01)	SIM01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	6	75.00%	1	12.50%	1	12.50%	8
	Total		6	75.00%	1	12.50%	1	12.50%	8
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	16+	-	-	1	50.00%	1	50.00%	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total	1	33.33%	1	33.33%	1	33.33%	3	
Six Nations Gas (SNG01)	SNG01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	34	70.83%	14	29.17%	-	-	48
	Total	34	70.83%	14	29.17%	-	-	48	
Sky Generation (Spratt Power) (SGPLWF01)	SGPLWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	23	95.83%	-	-	1	4.17%	24
	Total	23	95.83%	-	-	1	4.17%	24	
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	17	89.47%	2	10.53%	-	-	
		Total	32	82.05%	3	7.69%	4	10.26%	39
	Total	32	82.05%	3	7.69%	4	10.26%	39	
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total	2	66.67%	1	33.33%	-	-	3	
South Dundas , Municipality Of (SDS01)	SDS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
South Frontenac, Township Of (SF123)	SFS01	16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	2
	SFSL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	SFW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	4	80.00%	-	-	1	20.00%	5		
South Glengarry , Township Of (SGG01)	SGG01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	5	62.50%	2	25.00%	1	12.50%	8
	Total	5	62.50%	2	25.00%	1	12.50%	8	
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	10	62.50%	-	-	6	37.50%	16
	Total	10	62.50%	-	-	6	37.50%	16	
South Kent Wind Project (SKWP01)	SKWP01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
South River , Village Of (SORI01)	SORI01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
South Stormont, Township Of (SSTM01)	SSTM01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	9	90.00%	-	-	1	10.00%	10
Total			9	90.00%	-	-	1	10.00%	10
Southgate, Township (SGWS01)	SGWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
Total			2	66.67%	1	33.33%	-	-	3
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	SWMSX02	0-5	6	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
Total			29	100.00%	-	-	-	-	29
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
Total			1	50.00%	-	-	1	50.00%	2
Southwold, Township Of (SOW01)	SOW01	0-5	68	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
Total			68	100.00%	-	-	-	-	68
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	-	3
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
Total			4	80.00%	1	20.00%	-	-	5
St. Catharines, City Of (STC1)	STC1	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	186	97.89%	4	2.11%	-	-	190
Total			186	97.89%	4	2.11%	-	-	190
St. Charles, Municipality Of (STC01)	STC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
St. Clair, Township Of (M002)	M002	0-5	42	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
Total			45	100.00%	-	-	-	-	45
St. Columban Wind Farms Lp (STCWF01)	STCWF01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total			-	-	1	100.00%	-	-	1
St. Marys General Hospital (STMGH01)	STMGH01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
Total			16	100.00%	-	-	-	-	16

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
St. Thomas, City Of (STHWS01)	STHSL01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	23	100.00%	-	-	-	-	
		Total	79	79.80%	10	10.10%	10	10.10%	99
	STHWS01	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	33	100.00%	-	-	-	-	
		Total	98	80.99%	12	9.92%	11	9.09%	121
	Total		177	80.45%	22	10.00%	21	9.55%	220
Start Communications (STARTC01)	STARTC02	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	89	100.00%	-	-	-	-	
	Total	143	97.28%	3	2.04%	1	0.68%	147	
Total		143	97.28%	3	2.04%	1	0.68%	147	
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total		-	-	1	100.00%	-	-	1	
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
Stone Mills, Township Of (STMSS01)	STMSS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Storm Internet (STRMF01)	STRMF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total		5	100.00%	-	-	-	-	5	
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total		-	-	1	100.00%	-	-	1	
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	10	100.00%	-	-	-	-	10	
Total		10	100.00%	-	-	-	-	10	
Stratford, City Of (STRATWS01)	STRATWS01	16+	-	-	-	-	71	100.00%	
		Total	-	-	-	-	71	100.00%	71
Total		-	-	-	-	71	100.00%	71	
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
Total		31	100.00%	-	-	-	-	31	
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	43	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
Total		43	100.00%	-	-	-	-	43	
Summer Haven Wind (SHWF01)	SHWF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	19	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	6-10	1	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		20	100.00%	-	-	-	-	20
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	41	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	S002	0-5	57	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
	Total		119	100.00%	-	-	-	-	119
Suncor Energy (SCE02)	SCE02	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Suncor Energy Products (SNCP05)	SNCP05	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Suncor Energy Products (SNCP03)	SNCP03	16+	-	-	4	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	2	33.33%	4	66.67%	-	-	6
	Total		2	33.33%	4	66.67%	-	-	6
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	80.00%	-	-	1	20.00%	5
Total		4	80.00%	-	-	1	20.00%	5	
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	81	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	103	100.00%	-	-	-	-	103
	Total		103	100.00%	-	-	-	-	103
Talbot Windfarm (TALWF01)	TALWF01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Tay, Township Of (TAY01)	TAY01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Tbaytel (TBYTEL01)	TBYTEL01	0-5	85	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	114	100.00%	-	-	-	-	114
	TBYTEL02	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total		118	100.00%	-	-	-	-	118	
TC Energy - East (TCP01)	TC03	0-5	143	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	143	99.31%	1	0.69%	-	-	144
	TC06	0-5	71	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
Total		73	96.05%	-	-	3	3.95%	76	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
TC Energy - East (TCP01)	TC07	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	TC08	0-5	18	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	18	94.74%	1	5.26%	-	-	19	
	TC09	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	TC10	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	9	90.00%	1	10.00%	-	-	10	
	TC12	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	TC13	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TC15	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
	TC17	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	TC18	0-5	67	100.00%	-	-	-	-	
16+		-	-	2	100.00%	-	-		
6-10		1	100.00%	-	-	-	-		
Total	68	97.14%	2	2.86%	-	-	70		
TC19	0-5	3	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
Total	4	100.00%	-	-	-	-	4		
Total			355	97.80%	5	1.38%	3	0.83%	363
Tecumseh, Town Of (TEC123)	TECF01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	TECS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	38	100.00%	-	-	-	-	
	Total	51	89.47%	4	7.02%	2	3.51%	57	
	TECW01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	57	93.44%	4	6.56%	-	-	
Total	74	92.50%	6	7.50%	-	-	80		
Total			127	91.37%	10	7.19%	2	1.44%	139
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	81	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	6-10	21	100.00%	-	-	-	-		
	Total	102	99.03%	-	-	1	0.97%	103	
Total			102	99.03%	-	-	1	0.97%	103
Telmax Inc (TLMXF01)	TLMXF01	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	51	100.00%	-	-	-	-	
		Total	166	94.32%	6	3.41%	4	2.27%	176
Total			166	94.32%	6	3.41%	4	2.27%	176
Telus (TELUS01)	TELGE01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	22	95.65%	1	4.35%	-	-	23

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELGN01	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	79	84.95%	11	11.83%	3	3.23%	
	TELGN02	0-5	18	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	TELGW01	0-5	54	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	62	100.00%	-	-	-	-	
	TELHN01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	79	96.34%	3	3.66%	-	-	
	TELOE01	0-5	143	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	76	100.00%	-	-	-	-	
		Total	219	93.99%	7	3.00%	7	3.00%	
	TELONE01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	TELONW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	TELOS01	0-5	119	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	63	100.00%	-	-	-	-	
		Total	182	99.45%	1	0.55%	-	-	
TELOW01	0-5	31	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	6	100.00%	-	-	-	-		
	Total	37	90.24%	4	9.76%	-	-		41
TELTE01	0-5	142	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	16+	-	-	6	100.00%	-	-		
	6-10	56	100.00%	-	-	-	-		
	Total	198	94.29%	12	5.71%	-	-		210
TELTW01N	0-5	41	100.00%	-	-	-	-		
	11-15	-	-	7	100.00%	-	-		
	16+	-	-	-	-	3	100.00%		
	6-10	6	100.00%	-	-	-	-		
	Total	47	82.46%	7	12.28%	3	5.26%		57
TELTW01S	0-5	140	100.00%	-	-	-	-		
	11-15	-	-	11	100.00%	-	-		
	16+	-	-	2	66.67%	1	33.33%		
	6-10	69	98.57%	1	1.43%	-	-		
	Total	209	93.30%	14	6.25%	1	0.45%		224
Total		1,160	94.00%	60	4.86%	14	1.13%	1,234	
Temagami, Municipality Of (TMG01)	TMG01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	
	Total		-	-	1	100.00%	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
TENACITY UNITE PEC INC (TU01)	TU01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Terago Networks Inc (TNF01)	TNF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Teraspan Networks (TS01)	TS01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	6	75.00%	-	-	2	25.00%	8
	Total		6	75.00%	-	-	2	25.00%	8
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
	Total	17	85.00%	1	5.00%	2	10.00%	20	
Total		17	85.00%	1	5.00%	2	10.00%	20	
Thorold, City Of (THLD01)	THLD01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	40	100.00%	-	-	-	-	
	Total	78	96.30%	3	3.70%	-	-	81	
Total		78	96.30%	3	3.70%	-	-	81	
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	4	80.00%	-	-	1	20.00%	5	
Total		4	80.00%	-	-	1	20.00%	5	
Thunder Bay, City Of (THBY123)	THBY01	0-5	60	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	THBY02	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	16	94.12%	-	-	1	5.88%	17	
Total		88	98.88%	-	-	1	1.12%	89	
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	4	80.00%	1	20.00%	-	-	5	
Total		4	80.00%	1	20.00%	-	-	5	
Tillsonburg , Town Of (TSB01)	TSB01	0-5	47	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total		47	100.00%	-	-	-	-	47
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	22	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	24	100.00%	-	-	-	-	24	
Total		24	100.00%	-	-	-	-	24	
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	7	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	16+	-	-	-	-	2	100.00%	
		Total	7	77.78%	-	-	2	22.22%	9
	Total	7	77.78%	-	-	2	22.22%	9	
Timmins, City Of (TMNS01)	TMNS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	Total	13	76.47%	4	23.53%	-	-	17	
Tiny, Township Of (TNY01)	TNY01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	8	80.00%	2	20.00%	-	-	10
	Total	8	80.00%	2	20.00%	-	-	10	
Toronto Business Improvement Areas (BIA123)	BDVBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	BYEBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	BYWBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	CPBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	CRIBIA01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	DFVBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	DYE BIA01	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	DYWBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	EGLBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	EVBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	40.00%	1	20.00%	2	40.00%	5
	GIBBIA01	0-5	1	100.00%	-	-	-	-	
Total		1	100.00%	-	-	-	-	1	
GRTBIA01	0-5	1	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	4	100.00%	-	-	-	-		
	Total	5	71.43%	2	28.57%	-	-	7	
HLCBIA01	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
KRBIA01	0-5	2	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	KSWBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	LBVBIA01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	LIBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	MTDNBIA1	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	MTDSBIA1	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	PDVBIA01	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	PVBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	RCVBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	RNVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
RMSBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
RSDBIA01	0-5	9	100.00%	-	-	-	-		
	6-10	6	100.00%	-	-	-	-		
	Total	15	100.00%	-	-	-	-	15	
UPVBIA01	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
VIBIA01	0-5	3	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
WYWBIA01	0-5	3	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	Total	3	75.00%	1	25.00%	-	-	4	
YEBIA01	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
Total			108	90.76%	8	6.72%	3	2.52%	119
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total			-	-	-	-	2	100.00%
Toronto East Health Network (TEGH01)	TEGH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total			-	-	-	-	1	100.00%
Toronto Hydro (TH123)	THT21	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	20	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	9.68%	8	25.81%	20	64.52%	31

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Hydro (TH123)	THT23	0-5	76	100.00%	-	-	-	-	159
		16+	-	-	4	100.00%	-	-	
		6-10	79	100.00%	-	-	-	-	
		Total	155	97.48%	4	2.52%	-	-	
	THTE01	0-5	1,045	100.00%	-	-	-	-	1395
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	306	98.08%	6	1.92%	-	-	
		Total	1,351	96.85%	44	3.15%	-	-	
	THTVE01	0-5	38	100.00%	-	-	-	-	54
		6-10	16	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	
	THTW01N	0-5	540	100.00%	-	-	-	-	813
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	245	100.00%	-	-	-	-	
		Total	785	96.56%	28	3.44%	-	-	
	THTW01S	0-5	675	100.00%	-	-	-	-	947
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
6-10		236	97.93%	5	2.07%	-	-		
Total		911	96.20%	36	3.80%	-	-		
Total		3,259	95.88%	120	3.53%	20	0.59%	3,399	
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	235	100.00%	-	-	-	-	347
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	88	95.65%	4	4.35%	-	-	
		Total	323	93.08%	24	6.92%	-	-	
	TORTSE02	0-5	15	100.00%	-	-	-	-	58
		16+	-	-	5	100.00%	-	-	
		Total	53	91.38%	5	8.62%	-	-	
	TORTSWN1	0-5	66	100.00%	-	-	-	-	187
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	97	100.00%	-	-	-	-	
		Total	163	87.17%	21	11.23%	3	1.60%	
	TORTSWN2	0-5	3	100.00%	-	-	-	-	21
		11-15	-	-	1	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	20	95.24%	1	4.76%	-	-	
	TORTSWS1	0-5	189	100.00%	-	-	-	-	270
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	68	98.55%	1	1.45%	-	-	
		Total	257	95.19%	13	4.81%	-	-	
	TORTSWS2	0-5	55	100.00%	-	-	-	-	107
		11-15	-	-	3	100.00%	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	104	97.20%	3	2.80%	-	-	
	Total		920	92.93%	67	6.77%	3	0.30%	990
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	6-10	21	100.00%	-	-	-	-	
		Total	133	97.08%	4	2.92%	-	-	137
	Total	133	97.08%	4	2.92%	-	-	137	
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	267	100.00%	-	-	-	-	
		11-15	-	-	14	87.50%	2	12.50%	
		16+	-	-	1	3.33%	29	96.67%	
		6-10	57	100.00%	-	-	-	-	
		Total	324	87.57%	15	4.05%	31	8.38%	370
	Total	324	87.57%	15	4.05%	31	8.38%	370	
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	207	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	208	100.00%	-	-	-	-	208	
Total	208	100.00%	-	-	-	-	208		
Toronto Water and Sewer (TORW123)	TORWE01	0-5	220	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	232	98.31%	4	1.69%	-	-	
		Total	452	93.39%	32	6.61%	-	-	484
	TORWE02	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	74	97.37%	2	2.63%	-	-	
		Total	153	94.44%	9	5.56%	-	-	162
	TORWE03	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	7	100.00%	-	-	-	-	7	
	TORWE04	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	77	92.77%	6	7.23%	-	-	83
	TORWE05	0-5	4	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	10	83.33%	2	16.67%	-	-	12	
	TORWE06	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	91.67%	1	8.33%	-	-	12
	TORWE07	0-5	177	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	138	98.57%	2	1.43%	-	-	
		Total	315	92.65%	24	7.06%	1	0.29%	340
	TORWW01	0-5	275	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
6-10		203	96.21%	8	3.79%	-	-		
Total		478	93.91%	30	5.89%	1	0.20%	509	
TORWW02	0-5	145	100.00%	-	-	-	-		
	11-15	-	-	25	100.00%	-	-		
	16+	-	-	2	50.00%	2	50.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWW02	6-10	268	100.00%	-	-	-	-	
		Total	413	93.44%	27	6.11%	2	0.45%	442
	TORWW04	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	70	95.89%	3	4.11%	-	-	73
	TORWW05	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	100	82.64%	21	17.36%	-	-	121
	TORWW06	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	TORWWN07	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	89	100.00%	-	-	-	-	
		Total	140	98.59%	2	1.41%	-	-	142
	TORWWS03	0-5	6	100.00%	-	-	-	-	
6-10		6	100.00%	-	-	-	-		
Total		12	100.00%	-	-	-	-	12	
TORWWS07	0-5	123	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	71	95.95%	3	4.05%	-	-		
	Total	194	95.10%	10	4.90%	-	-	204	
Total		2,432	93.36%	168	6.45%	5	0.19%	2,605	
Toronto, University Of (UTOR01)	UTOR01	0-5	12	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
Total		16	100.00%	-	-	-	-	16	
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	257	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	170	100.00%	-	-	-	-	
		Total	427	97.94%	2	0.46%	7	1.61%	436
Total		427	97.94%	2	0.46%	7	1.61%	436	
Transcanada Pipelines - North (TCP02)	TC04	0-5	23	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		Total	23	67.65%	11	32.35%	-	-	34
	TC11	0-5	24	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		Total	24	70.59%	10	29.41%	-	-	34
Total		47	69.12%	21	30.88%	-	-	68	
Trans-Northern Pipelines (TN01)	TN01	0-5	88	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	99	99.00%	-	-	1	1.00%	100
Total		99	99.00%	-	-	1	1.00%	100	
Trans-Northern Pipelines (TN02)	TN02	0-5	6	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Trans-Northern Pipelines (TN02)	TN02	6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	2	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
	Total	4	66.67%	2	33.33%	-	-	6	
	Total		4	66.67%	2	33.33%	-	-	6
Trent Lakes, Municipality Of (TRLW01)	TRLW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Trent University (TRENTU123)	TRENTU01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	TRENTU02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	33.33%	2	66.67%	-	-	3	
Tribute Gas (MAGG01)	MAGG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Tuckersmith Communications (TCC01)	TCC01	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	50	96.15%	1	1.92%	1	1.92%	52
	Total		50	96.15%	1	1.92%	1	1.92%	52
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
University Health Network - Toronto General (UHNTG01)	UHNTG01	16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	2	40.00%	-	-	3	60.00%	5
	Total		2	40.00%	-	-	3	60.00%	5
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	1	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
	Total	12	100.00%	-	-	-	-	-	12
Total		12	100.00%	-	-	-	-	12	
University Health Network (UHN01)	UHN01	0-5	2	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
	Total	15	100.00%	-	-	-	-	-	15
Total		15	100.00%	-	-	-	-	15	
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	19	100.00%	
	Total	-	-	-	-	20	100.00%	20	
Total		-	-	-	-	20	100.00%	20	
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	28.57%	-	-	5	71.43%	7
	Total		2	28.57%	-	-	5	71.43%	7

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Utilities Kingston (UK123)	UK04	0-5	91	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	21	95.45%	1	4.55%	-	-	
		Total	112	94.12%	6	5.04%	1	0.84%	119
	Total		112	94.12%	6	5.04%	1	0.84%	119
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	18	100.00%	-	-	
		Total	-	-	18	100.00%	-	-	18
	Total		-	-	18	100.00%	-	-	18
Vale Canada (VALE01)	VALE01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	300	100.00%	-	-	-	-	
		6-10	113	100.00%	-	-	-	-	
	Total	413	100.00%	-	-	-	-	413	
Total		413	100.00%	-	-	-	-	413	
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	13	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	23	100.00%	-	-	-	-	23	
Total		23	100.00%	-	-	-	-	23	
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	168	100.00%	-	-	-	-	
		16+	-	-	142	100.00%	-	-	
	Total	168	54.19%	142	45.81%	-	-	310	
Total		168	54.19%	142	45.81%	-	-	310	
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	256	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	13	100.00%	-	-	-	-	
	Total	269	98.53%	-	-	4	1.47%	273	
Total		269	98.53%	-	-	4	1.47%	273	
Videotron Senc (VDT1)	VDT1	0-5	63	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	42	100.00%	-	-	-	-	
	Total	105	96.33%	3	2.75%	1	0.92%	109	
	VDT2	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	15	60.00%	10	40.00%	-	-	25	
	Total		120	89.55%	13	9.70%	1	0.75%	134
Wainfleet Wind Power (WFWF01)	WFWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Walker Environmental Group Inc (NWM01)	NWM01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
	16+	-	-	-	-	1	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Warwick , Township Of (WWKWS01)	WWKWS01	6-10	1	100.00%	-	-	-	-	
		Total	8	66.67%	3	25.00%	1	8.33%	12
	Total	8	66.67%	3	25.00%	1	8.33%	12	
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total	25	100.00%	-	-	-	-	25	
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	20	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	21	100.00%	-	-	-	-	21	
	Total	21	100.00%	-	-	-	-	21	
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total	-	-	2	100.00%	-	-	2	
Waste Management Canada (WMFM01)	WMFM01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Waterloo Innovation Network 2 Inc (WINF03)	WINF03	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Waterloo, City Of (CW01)	CW01	0-5	116	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		Total	116	92.06%	10	7.94%	-	-	126
	Total	116	92.06%	10	7.94%	-	-	126	
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total	13	92.86%	1	7.14%	-	-	14	
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	63	96.92%	1	1.54%	1	1.54%	65
	Total	63	96.92%	1	1.54%	1	1.54%	65	
Waterloo, Region Of (RW02)	RW02	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	12	100.00%	-	-	-	-	
	Total	51	86.44%	4	6.78%	4	6.78%	59	
Total	51	86.44%	4	6.78%	4	6.78%	59		
Waterloo, University Of (UWAT01)	UWAT01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Welland Hydro (WLNDH01)	WLNDH01	0-5	116	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	130	98.48%	2	1.52%	-	-	132
	Total	130	98.48%	2	1.52%	-	-	132	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Welland, City Of (WLD01)	WLD01	0-5	129	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	134	97.81%	1	0.73%	2	1.46%	137
Total			134	97.81%	1	0.73%	2	1.46%	137
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	9	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
Total			9	90.00%	1	10.00%	-	-	10
Wellington North Power Inc (WNP01)	WNP01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total			7	100.00%	-	-	-	-	7
Wellington North, Township Of (WLG123)	WLG123	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total			6	100.00%	-	-	-	-	6
Wellington, County Of (WLG123)	WLG123	16+	-	-	3	75.00%	1	25.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	20.00%	3	60.00%	1	20.00%	5
Total			1	20.00%	3	60.00%	1	20.00%	5
West Elgin, Municipality Of (W005)	W005	0-5	7	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
Total			9	90.00%	1	10.00%	-	-	10
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			4	100.00%	-	-	-	-	4
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	5	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
Total			13	100.00%	-	-	-	-	13
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total			7	100.00%	-	-	-	-	7
West Perth, Municipality Of (WPTH123)	WPTHSS01	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	WPTHWS01	0-5	1	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
Total	5	100.00%	-	-	-	-	5		
Total			9	100.00%	-	-	-	-	9
West Windsor Power (WWP01)	WWP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Westario Power (WPOW01)	WPOW01	0-5	29	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
Total			58	100.00%	-	-	-	-	58
Westover Express Pipeline	WEX01	0-5	15	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
Total			17	100.00%	-	-	-	-	17
Westport , Village Of (WPT01)	WPT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Whitby, Town Of (WHIT123)	WHITS01	0-5	94	100.00%	-	-	-	-	95
		16+	-	-	-	-	1	100.00%	
		Total	94	98.95%	-	-	1	1.05%	
	WHITSL01	0-5	27	100.00%	-	-	-	-	67
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	26	89.66%	3	10.34%	-	-	
		Total	53	79.10%	14	20.90%	-	-	
	Total		147	90.74%	14	8.64%	1	0.62%	162
	Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	49	100.00%	-	-	-	-
6-10			7	100.00%	-	-	-	-	
Total			56	100.00%	-	-	-	-	
WCSTSC01		0-5	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	
WCSTSL01		0-5	70	100.00%	-	-	-	-	77
		6-10	7	100.00%	-	-	-	-	
		Total	77	100.00%	-	-	-	-	
WCSTW01		0-5	60	100.00%	-	-	-	-	67
		6-10	7	100.00%	-	-	-	-	
	Total	67	100.00%	-	-	-	-		
Total		206	100.00%	-	-	-	-	206	
Wiet Peeters Farm Products Limited (WPFPL01)	WPFPL01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Wightman Telecom (WT123)	WT01	0-5	194	100.00%	-	-	-	-	338
		11-15	-	-	36	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	100	95.24%	5	4.76%	-	-	
		Total	294	86.98%	41	12.13%	3	0.89%	
	Total		294	86.98%	41	12.13%	3	0.89%	338
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	16	100.00%	-	-	-	-	24
		11-15	-	-	2	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	22	91.67%	2	8.33%	-	-	
	Total		22	91.67%	2	8.33%	-	-	24
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	222	100.00%	-	-	-	-	351
		6-10	129	100.00%	-	-	-	-	
		Total	351	100.00%	-	-	-	-	
	Total		351	100.00%	-	-	-	-	351
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	24	100.00%	-	-	-	-	85
		16+	-	-	-	-	1	100.00%	
		6-10	60	100.00%	-	-	-	-	
		Total	84	98.82%	-	-	1	1.18%	
	Total		84	98.82%	-	-	1	1.18%	85
Windsor, City Of (EWINW01)	EWINW01	0-5	84	100.00%	-	-	-	-	236
		11-15	-	-	7	100.00%	-	-	
		6-10	145	100.00%	-	-	-	-	
		Total	229	97.03%	7	2.97%	-	-	
	EWINW02	0-5	58	100.00%	-	-	-	-	58
		Total	58	100.00%	-	-	-	-	
Total		287	97.62%	7	2.38%	-	-	294	
Windsor, City Of (WSRSL01)	WSRSL01	0-5	263	100.00%	-	-	-	-	3
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Windsor, City Of (WSRSL01)	WSRSL01	6-10	121	99.18%	1	0.82%	-	-	
		Total	384	98.97%	1	0.26%	3	0.77%	388
	Total		384	98.97%	1	0.26%	3	0.77%	388
Wingham & Listowel Hospitals (LWHA01)	LWHA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	75	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	Total		76	100.00%	-	-	-	-	76
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	75	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	Total		76	100.00%	-	-	-	-	76
Woolwich, Township Of (WLW01)	WLW01	0-5	68	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	68	98.55%	1	1.45%	-	-	69
	Total		68	98.55%	1	1.45%	-	-	69
Wtc Communications (WTCCT01)	WTCCT01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	6	42.86%	4	28.57%	4	28.57%	14
	Total		6	42.86%	4	28.57%	4	28.57%	14
Xplore Inc	MTLF01	0-5	48	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	XPNET01	0-5	220	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	30	100.00%	-	-	-	-	
		Total	250	98.43%	2	0.79%	2	0.79%	254
	XPNET02	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
6-10		10	100.00%	-	-	-	-		
Total		73	92.41%	6	7.59%	-	-	79	
Total		386	97.47%	8	2.02%	2	0.51%	396	
Xstrata (GCX01)	GCX01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
York Region Water And Sewer (YRWS123)	YRWS01	0-5	310	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	17	100.00%	-	-	-	-	
	Total	327	99.09%	-	-	3	0.91%	330	
Total		327	99.09%	-	-	3	0.91%	330	
York University (YORKU01)	YORKU01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	177	100.00%	-	-	-	-	
		11-15	-	-	98	100.00%	-	-	
		16+	-	-	10	58.82%	7	41.18%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	6-10	250	95.42%	12	4.58%	-	-	
		Total	427	77.08%	120	21.66%	7	1.26%	554
		Total	427	77.08%	120	21.66%	7	1.26%	554
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	21	84.00%	4	16.00%	-	-	
		Total	48	77.42%	11	17.74%	3	4.84%	62
	ZAYOON02	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	11	100.00%	-	-	-	-	
		Total	28	82.35%	4	11.76%	2	5.88%	34
	ZAYOON03	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	14	58.33%	10	41.67%	
		6-10	9	100.00%	-	-	-	-	
		Total	43	55.13%	25	32.05%	10	12.82%	78
	ZAYOON04	0-5	15	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	15	88.24%	2	11.76%	-	-	
		Total	30	90.91%	3	9.09%	-	-	33
	ZAYOON05	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	29	80.56%	7	19.44%	-	-	36
	ZAYOON06	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	ZAYOON07	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	34	89.47%	4	10.53%	-	-	
		Total	56	88.89%	7	11.11%	-	-	63
	ZAYOON08	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	21	100.00%	-	-	-	-	
		Total	51	94.44%	2	3.70%	1	1.85%	54
	ZAYOON09	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	3	60.00%	-	-	2	40.00%	5
	ZAYOON11	0-5	388	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	22	37.93%	36	62.07%	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	421	83.20%	49	9.68%	36	7.11%	506
	ZAYOON12	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
6-10		1	100.00%	-	-	-	-		
Total		4	44.44%	3	33.33%	2	22.22%	9	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYO123)	Total		718	81.13%	111	12.54%	56	6.33%	885
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	13	59.09%	9	40.91%	
		6-10	20	100.00%	-	-	-	-	
	Total	65	72.22%	16	17.78%	9	10.00%	90	
	Total		65	72.22%	16	17.78%	9	10.00%	90
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	47	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total		47	100.00%	-	-	-	-	47
Total			105,632	95.10%	4,261	3.84%	1,179	1.06%	111,072