

UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 Locate your organization

Find your organization name in the first column, listed alphabetically.

2 Find your master code

Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 Understand performance metrics

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report

The report includes data for standard and advanced locate requests.

Excluded in this report

Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2026-02-24 03:01:35

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.


UIO Performance Report



Report Period

2026-01-01

2026-01-31



On Time	119,437	94.89%
Late	5,017	3.99%
No 360 Response	1,411	1.12%
Total	125,865	

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
1682468 Corp (168XPL01)	168XPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
407 ETR (407ETR)	407ETR01	0-5	93	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	97	98.98%	1	1.02%	-	-	98
	Total		97	98.98%	1	1.02%	-	-	98
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	83	100.00%	-	-	-	-	
		6-10	62	93.94%	4	6.06%	-	-	
		Total	145	97.32%	4	2.68%	-	-	149
	HYTOS01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	HYTOW01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		156	96.89%	5	3.11%	-	-	161
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	16+	-	-	24	100.00%	-	-	
		Total	-	-	24	100.00%	-	-	24
	Total		-	-	24	100.00%	-	-	24
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Agilis (AGILF01)	AGILF01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	12	70.59%	2	11.76%	3	17.65%	17
	Total		12	70.59%	2	11.76%	3	17.65%	17
Air Liquide Canada (AL01)	AL01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Air Products Canada (APC1)	APC1	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	5	50.00%	5	50.00%	-	-	10
	Total		5	50.00%	5	50.00%	-	-	10
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ajax, Town Of (AJXSL01)	AJXSL01	6-10	29	100.00%	-	-	-	-	
		Total	108	98.18%	2	1.82%	-	-	110
		Total	108	98.18%	2	1.82%	-	-	110
Alectra Brampton (ALECBR01)	ALECBR01	0-5	465	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	174	100.00%	-	-	
		6-10	123	99.19%	1	0.81%	-	-	
		Total	588	74.52%	201	25.48%	-	-	789
Total	588	74.52%	201	25.48%	-	-	789		
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	829	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	35	100.00%	-	-	
		6-10	257	97.72%	6	2.28%	-	-	
		Total	1,086	93.22%	79	6.78%	-	-	1165
Total	1,086	93.22%	79	6.78%	-	-	1,165		
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	668	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	204	95.77%	9	4.23%	-	-	
		Total	872	95.82%	38	4.18%	-	-	910
Total	872	95.82%	38	4.18%	-	-	910		
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	255	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	275	99.64%	1	0.36%	-	-	276
Total	275	99.64%	1	0.36%	-	-	276		
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	985	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	277	100.00%	-	-	-	-	
		Total	1,262	99.76%	3	0.24%	-	-	1265
	PSGN05	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
Total	212	99.07%	2	0.93%	-	-	214		
Total	1,474	99.66%	5	0.34%	-	-	1,479		
Alectra Utilities (GHY01)	GHY01	0-5	114	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	23	95.83%	1	4.17%	-	-	
		Total	137	98.56%	2	1.44%	-	-	139
Total	137	98.56%	2	1.44%	-	-	139		
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total	6	100.00%	-	-	-	-	6		
Algoma Power (AGMP01)	AGMP01	0-5	150	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	150	98.68%	-	-	2	1.32%	152
Total	150	98.68%	-	-	2	1.32%	152		
Algonquin College (ALGQC01)	ALGQC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Algonquin Fiber (ALGQF01)	ALGQF01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
ALTECH FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	158	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	37	90.24%	4	9.76%	-	-	
		Total	195	87.44%	22	9.87%	6	2.69%	223
	Total		195	87.44%	22	9.87%	6	2.69%	223
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Amherstburg Public Works (A005)	A005	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	64	94.12%	3	4.41%	1	1.47%	68
	AMHTL01	16+	-	-	-	-	1	100.00%	
	Total		64	92.75%	3	4.35%	2	2.90%	69
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	15	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	18	100.00%	-	-	-	-	18	
Total		18	100.00%	-	-	-	-	18	
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Asphodel Norwood, Township Of (ASP NOR01)	ASPNOR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Atikokan Hydro (ATH01)	ATH01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	33	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total		33	100.00%	-	-	-	-	33
Aurora, Town Of (AURORA01)	AURORA01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	8	80.00%	2	20.00%	-	-	
	Total	26	66.67%	11	28.21%	2	5.13%	39	
Total		26	66.67%	11	28.21%	2	5.13%	39	
Avetria Networks Inc (ANF01)	ANF01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	3	50.00%	3	50.00%	6
	Total		-	-	3	50.00%	3	50.00%	6

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Bancroft, Town Of (BNCF01)	BNCF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Barrie, City Of (BARR01)	BARR01	0-5	212	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	56	100.00%	-	-	-	-	
		Total	268	98.53%	4	1.47%	-	-	272
	Total		268	98.53%	4	1.47%	-	-	272
Bay Power Corp (NBPP01)	NBPP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Bayham, Municipality Of (BYH01)	BYH01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	275	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	250	100.00%	-	-	-	-	
		Total	525	98.31%	8	1.50%	1	0.19%	534
	Total		525	98.31%	8	1.50%	1	0.19%	534
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	260	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	181	100.00%	-	-	-	-	
		Total	441	99.77%	-	-	1	0.23%	442
	Total		441	99.77%	-	-	1	0.23%	442
Bell Canada Damage Prevention (BC01)	360GTA	0-5	276	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	317	99.69%	1	0.31%	-	-	318
	360N	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	29	90.63%	3	9.38%	-	-	32
	360N01	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	165	98.21%	3	1.79%	-	-	168
	360OTT	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	29	96.67%	1	3.33%	-	-	30
	BC80701	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BC80701	6-10	6	100.00%	-	-	-	-	
		Total	51	68.92%	23	31.08%	-	-	74
	BC80703	0-5	3	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	3	33.33%	6	66.67%	-	-	9
	BCGE01	0-5	996	100.00%	-	-	-	-	
		11-15	-	-	25	100.00%	-	-	
		16+	-	-	14	82.35%	3	17.65%	
		6-10	208	98.58%	3	1.42%	-	-	
		Total	1,204	96.40%	42	3.36%	3	0.24%	1249
	BCGN01	0-5	1,323	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	11	47.83%	12	52.17%	
		6-10	273	98.91%	3	1.09%	-	-	
		Total	1,596	98.09%	19	1.17%	12	0.74%	1627
	BCGN02	0-5	579	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	43	91.49%	4	8.51%	
		6-10	30	81.08%	7	18.92%	-	-	
		Total	609	89.69%	66	9.72%	4	0.59%	679
	BCGTAA01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	80.00%	2	20.00%	-	-	10
	BCGW01	0-5	1,394	100.00%	-	-	-	-	
		11-15	-	-	38	97.44%	1	2.56%	
		16+	-	-	51	83.61%	10	16.39%	
		6-10	262	98.50%	4	1.50%	-	-	
		Total	1,656	94.09%	93	5.28%	11	0.63%	1760
	BCGW02	0-5	282	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	4	44.44%	5	55.56%	
		6-10	77	100.00%	-	-	-	-	
Total		359	94.47%	16	4.21%	5	1.32%	380	
BCHN01	0-5	2,491	100.00%	-	-	-	-		
	11-15	-	-	40	100.00%	-	-		
	16+	-	-	34	87.18%	5	12.82%		
	6-10	594	95.50%	28	4.50%	-	-		
	Total	3,085	96.65%	102	3.20%	5	0.16%	3192	
BCOE01	0-5	2,601	100.00%	-	-	-	-		
	11-15	-	-	45	100.00%	-	-		
	16+	-	-	20	95.24%	1	4.76%		
	6-10	492	99.19%	4	0.81%	-	-		
	Total	3,093	97.79%	69	2.18%	1	0.03%	3163	
BCONE01	0-5	328	100.00%	-	-	-	-		
	11-15	-	-	26	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	100	94.34%	6	5.66%	-	-		
	Total	428	92.84%	33	7.16%	-	-	461	
BCONW01	0-5	13	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	19	100.00%	-	-		
	Total	13	39.39%	20	60.61%	-	-	33	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCONW02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1	20.00%	4	80.00%	-	-	5
	BCOS01	0-5	2,065	100.00%	-	-	-	-	
		11-15	-	-	45	100.00%	-	-	
		16+	-	-	24	92.31%	2	7.69%	
		6-10	596	98.35%	10	1.65%	-	-	
		Total	2,661	97.05%	79	2.88%	2	0.07%	2742
	BCOW01	0-5	2,037	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	448	97.60%	11	2.40%	-	-	
		Total	2,485	99.20%	19	0.76%	1	0.04%	2505
	BCTE01	0-5	1,447	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	27	84.38%	5	15.63%	
		6-10	328	97.04%	10	2.96%	-	-	
		Total	1,775	96.26%	64	3.47%	5	0.27%	1844
	BCTW01N	0-5	598	100.00%	-	-	-	-	
		11-15	-	-	13	92.86%	1	7.14%	
		16+	-	-	19	90.48%	2	9.52%	
		6-10	161	100.00%	-	-	-	-	
		Total	759	95.59%	32	4.03%	3	0.38%	794
	BCTW01S	0-5	970	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
16+		-	-	6	75.00%	2	25.00%		
6-10		234	98.73%	3	1.27%	-	-		
Total		1,204	97.97%	23	1.87%	2	0.16%	1229	
BFTHTOR2	11-15	-	-	-	-	1	100.00%		
	16+	-	-	-	-	23	100.00%		
	Total	-	-	-	-	24	100.00%	24	
Total		21,530	96.43%	720	3.22%	78	0.35%	22,328	
Belleville , City Of (BLV01)	BLV01	0-5	52	100.00%	-	-	-	-	
	Total	52	100.00%	-	-	-	-	52	
	Total	52	100.00%	-	-	-	-	52	
Birch Hill Telecom (BHTI01)	BHTI01	0-5	13	100.00%	-	-	-	-	
	11-15	-	-	1	100.00%	-	-		
	6-10	21	100.00%	-	-	-	-		
	Total	34	97.14%	1	2.86%	-	-	35	
	Total	34	97.14%	1	2.86%	-	-	35	
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
	Total	1	100.00%	-	-	-	-	1	
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	9	100.00%	-	-	-	-	
	Total	9	100.00%	-	-	-	-	9	
	Total	9	100.00%	-	-	-	-	9	
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	0-5	2	100.00%	-	-	-	-	
	16+	-	-	1	100.00%	-	-		
	Total	2	66.67%	1	33.33%	-	-	3	
	Total	2	66.67%	1	33.33%	-	-	3	
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
	Total	1	100.00%	-	-	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Blue Mountain Village Association (BMVA01)	BMVA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	22	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total		27	100.00%	-	-	-	-	27
Bluewater Power (S003)	S003	0-5	160	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	166	99.40%	1	0.60%	-	-	167
	Total		166	99.40%	1	0.60%	-	-	167
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	25	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Bluewater, Municipality Of (BLW01)	BLW01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Boralex (BOR123)	BORWF05	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF08	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		4	100.00%	-	-	-	-	4
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		Total	33	91.67%	3	8.33%	-	-	36
	BFWGSS01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		Total	41	91.11%	4	8.89%	-	-	45
	BFWGW01	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	61	92.42%	5	7.58%	-	-	66
Total		135	91.84%	12	8.16%	-	-	147	
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	90	100.00%	-	-	-	-	
		Total	194	97.98%	1	0.51%	3	1.52%	198
	Total		194	97.98%	1	0.51%	3	1.52%	198

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	210	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	134	100.00%	-	-	-	-	
		Total	344	98.85%	1	0.29%	3	0.86%	348
Total			344	98.85%	1	0.29%	3	0.86%	348
Brant, County Of - Fibre (BRNTF01)	BRNTF01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
Total			-	-	3	100.00%	-	-	3
Brant, County Of (BRNT01)	BRNT01	0-5	84	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	84	98.82%	-	-	1	1.18%	85
Total			84	98.82%	-	-	1	1.18%	85
Brantford, The City Of (BRAS01)	BRAS01	0-5	64	100.00%	-	-	-	-	
		6-10	45	100.00%	-	-	-	-	
		Total	109	100.00%	-	-	-	-	109
Total			109	100.00%	-	-	-	109	
Brantford, The City Of (BRASL01)	BRASL01	0-5	40	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	59
Total			59	100.00%	-	-	-	59	
Brantford, The City Of (BRATL01)	BRATL01	0-5	7	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
Total			13	100.00%	-	-	-	13	
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	54	91.53%	5	8.47%	-	-	59
Total			54	91.53%	5	8.47%	-	59	
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	50.00%	5	50.00%	-	-	10
Total			5	50.00%	5	50.00%	-	10	
Brock , Township Of (BRCK01)	BRCK01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	90.00%	-	-	1	10.00%	10
Total			9	90.00%	-	-	1	10.00%	10
Brock University (BROCKU01)	BROCKU01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	1	
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	13	81.25%	2	12.50%	1	6.25%	16
Total			13	81.25%	2	12.50%	1	6.25%	16
Brockville, City Of (BRKV01)	BRKV01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	25	92.59%	1	3.70%	1	3.70%	27
Total			25	92.59%	1	3.70%	1	3.70%	27
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Brooke Telecom (B004)	B004	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		Total	7	21.21%	26	78.79%	-	-	33
	Total		7	21.21%	26	78.79%	-	-	33
Bruce , County Of (BRC01)	BRC01	0-5	15	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Bruce Telecom (BTL01)	BTL01	0-5	45	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	Total		45	100.00%	-	-	-	-	45
Burlington Hydro (BH01)	BH01	0-5	261	100.00%	-	-	-	-	
		6-10	76	100.00%	-	-	-	-	
		Total	337	100.00%	-	-	-	-	337
	Total		337	100.00%	-	-	-	-	337
Burlington, City Of (BRL123)	BRLSL01	0-5	151	100.00%	-	-	-	-	
		Total	151	100.00%	-	-	-	-	151
	BRLSS01	0-5	167	100.00%	-	-	-	-	
		Total	167	99.40%	-	-	1	0.60%	168
	BRLTS01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
Total		337	99.70%	-	-	1	0.30%	338	
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
	Total	67	98.53%	1	1.47%	-	-	68	
Total		67	98.53%	1	1.47%	-	-	68	
Callander, Municipality Of (CLN01)	CLN01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Cambridge, City Of (CAM123)	CAMS01	0-5	85	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	86	98.85%	1	1.15%	-	-	87
	CAMW01	0-5	75	100.00%	-	-	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	89	98.89%	1	1.11%	-	-	90
Total		175	98.87%	2	1.13%	-	-	177	
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
Canadian Niagara Power (CNP01)	CNP01	0-5	154	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Canadian Niagara Power (CNP01)	CNP01	6-10	15	100.00%	-	-	-	-	
		Total	169	99.41%	-	-	1	0.59%	170
	Total	169	99.41%	-	-	1	0.59%	170	
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	8	100.00%	
		16+	-	-	-	-	108	100.00%	
	Total	-	-	-	-	116	100.00%	116	
Total	-	-	-	-	116	100.00%	116		
Cardinal Power (CARDP01)	CARDP01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	48	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	49	100.00%	-	-	-	-	49	
Total	49	100.00%	-	-	-	-	49		
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
Cavan Monaghan, Township Of (CVNM01)	CVNM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Cedar Point li Wind Farm (CP2WF01)	CP2WF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Celerity Telecom Inc (CTI01)	CTI01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	21	100.00%	-	-	-	-	
	Total	43	74.14%	14	24.14%	1	1.72%	58	
Total	43	74.14%	14	24.14%	1	1.72%	58		
Central Frontenac , Township Of (CFS01)	CFS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Central Huron, Municipality Of (CHW01)	CHW01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Total	5	100.00%	-	-	-	-	5		
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Centre Wellington Communications (CWC01)	CWC01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Total	5	100.00%	-	-	-	-	5		
Centre Wellington Hydro (CWH01)	CWH01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	21	95.45%	-	-	1	4.55%	22	
Total	21	95.45%	-	-	1	4.55%	22		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Centre Wellington, Township Of (CTW01)	CTW01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	33	91.67%	3	8.33%	-	-	36
	Total	33	91.67%	3	8.33%	-	-	36	
Century Link (LVL3)	LVL3	0-5	190	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	1	100.00%	-	-	-	-	
	Total	191	96.46%	6	3.03%	1	0.51%	198	
Total	191	96.46%	6	3.03%	1	0.51%	198		
Champion Pipeline Corp (CPL1)	CPL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	-	1	
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	CHPLSL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	Total	2	40.00%	-	-	3	60.00%	5	
	CHPLSS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
CHPLW01	0-5	4	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
Total	14	82.35%	-	-	3	17.65%	17		
Charlton And Dack , Municipality Of (CHDWSL01)	CHDWSL01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total	-	-	1	100.00%	-	-	-	1	
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	24	88.89%	3	11.11%	-	-	
	Total	69	89.61%	7	9.09%	1	1.30%	77	
	CKPUC02	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	42	100.00%	-	-	-	-	
	Total	86	94.51%	4	4.40%	1	1.10%	91	
	CKPUC03	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	24	80.00%	6	20.00%	-	-	
Total	40	75.47%	13	24.53%	-	-	53		
Total	195	88.24%	24	10.86%	2	0.90%	221		
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	2	100.00%	-	-	
	Total	5	50.00%	3	30.00%	2	20.00%	10	
Total	5	50.00%	3	30.00%	2	20.00%	10		
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
Total	-	-	-	-	4	100.00%	4		
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	6	85.71%	1	14.29%	-	-	7	
Total	6	85.71%	1	14.29%	-	-	7		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Cik Telecom (CIKT01)	CIKT01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	19	73.08%	6	23.08%	1	3.85%	26
	Total		19	73.08%	6	23.08%	1	3.85%	26
City Of Woodstock Street Light & Traffic Signals Wdsltl01 (WDSLTL01)	WDSLTL01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	33	97.06%	-	-	1	2.94%	34
	Total		33	97.06%	-	-	1	2.94%	34
Ckpw Chatham Township Garage (CK08)	CK08	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	37	92.50%	3	7.50%	-	-	40
	Total		37	92.50%	3	7.50%	-	-	40
Ckpw Chatham Water Garage (CK01)	CK01	0-5	51	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	51
	Total		51	100.00%	-	-	-	-	51
Ckpw Dover Township Garage (CK06)	CK06	0-5	17	100.00%	-	-	-	-	
		6-10	8	66.67%	4	33.33%	-	-	
		Total	25	86.21%	4	13.79%	-	-	29
	Total		25	86.21%	4	13.79%	-	-	29
Ckpw Kent Centre Garage (CK03)	CK03	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	34	91.89%	3	8.11%	-	-	37
	Total		34	91.89%	3	8.11%	-	-	37
Ckpw Raleigh Garage (CK04)	CK04	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Ckpw Thamesville Garage (CK09)	CK09	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Ckpw Tilbury East Garage (CK05)	CK05	0-5	25	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	25	92.59%	2	7.41%	-	-	27
	Total		25	92.59%	2	7.41%	-	-	27
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	33	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	35	97.22%	1	2.78%	-	-	36
	Total		35	97.22%	1	2.78%	-	-	36
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	74	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	74	98.67%	1	1.33%	-	-	75	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Clarington, Municipality Of (CLRG123)	CLRGSS01	0-5	47	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total		121	99.18%	1	0.82%	-	-	122
Clearbeach Resources Inc (CBRPL01)	CBRPL01	6-10	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Clearford (LBWW01)	LBWW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Clearview, Township Of (CLRV01)	CLRV01	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Cobourg, Town Of (CBRG123)	CBRGS01	0-5	18	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Cochrane Telecom Services (CCT01)	CCT01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total		1	33.33%	2	66.67%	-	-	3
Cogeco Cable Canada (CBT1)	CBT1	0-5	426	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	17	94.44%	1	5.56%	
		6-10	388	99.49%	2	0.51%	-	-	
		Total	814	96.45%	29	3.44%	1	0.12%	844
	Total		814	96.45%	29	3.44%	1	0.12%	844
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	442	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	5	71.43%	2	28.57%	
		6-10	138	94.52%	8	5.48%	-	-	
		Total	580	96.67%	18	3.00%	2	0.33%	600
	Total		580	96.67%	18	3.00%	2	0.33%	600
Cogeco Cable Canada (CPVS2)	CBT2	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	57	95.00%	3	5.00%	-	-	
		Total	127	88.81%	16	11.19%	-	-	143
	CPVS2	0-5	150	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	118	96.72%	4	3.28%	-	-	
		Total	268	95.04%	14	4.96%	-	-	282
Total		395	92.94%	30	7.06%	-	-	425	
Cogeco Connexion	COGOW02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cogeco Connexion North East (CCNE123)	COGE01	0-5	374	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	402	99.50%	2	0.50%	-	-	
	COOE01	0-5	210	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	218	98.20%	4	1.80%	-	-	
	COONE01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	73	94.81%	4	5.19%	-	-	
	Total		693	98.58%	10	1.42%	-	-	703
Cogeco Connexion Southwest (CC01)	COC01	0-5	114	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	35	97.22%	1	2.78%	-	-	
		Total	149	97.39%	4	2.61%	-	-	
	COE01	0-5	299	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	6	28.57%	15	71.43%	
		Total	486	92.40%	25	4.75%	15	2.85%	
	COL01	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	57	98.28%	1	1.72%	-	-	
		Total	211	95.48%	10	4.52%	-	-	
	Total		846	94.00%	39	4.33%	15	1.67%	900
Collingwood Public Utilities (COLL123)	COLLS01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	51	96.23%	2	3.77%	-	-	
	COLLW01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	53	96.36%	2	3.64%	-	-	
	Total		104	96.30%	4	3.70%	-	-	108
	Comber Wind Farm (COMBWF01)	COMBWF01	0-5	3	100.00%	-	-	-	-
16+			-	-	-	-	1	100.00%	
6-10			2	100.00%	-	-	-	-	
Total			5	83.33%	-	-	1	16.67%	6
Total		5	83.33%	-	-	1	16.67%	6	
Communicate Freely (CFF01)	CFF01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	12	52.17%	11	47.83%	-	-	
	Total		12	52.17%	11	47.83%	-	-	23
COMMUNITY FIBRE COMPANY (CFC01)	CFC01	16+	-	-	3	42.86%	4	57.14%	
		Total	-	-	3	42.86%	4	57.14%	
	Total		-	-	3	42.86%	4	57.14%	7
Conestogo Wind Farm (Nextera Energy) (CNTGWF01)	CNTGWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	6-10	6	33.33%	12	66.67%	-	-	
		Total	9	31.03%	19	65.52%	1	3.45%	29
	Total	9	31.03%	19	65.52%	1	3.45%	29	
Cornwall , City Of (CRWL123)	CRWLSL01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	CRWLTS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	-	4
Total	17	100.00%	-	-	-	-	-	17	
Cornwall Electric (CE01)	CE01	0-5	87	100.00%	-	-	-	-	
		Total	87	100.00%	-	-	-	-	87
	Total	87	100.00%	-	-	-	-	87	
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	43	91.49%	3	6.38%	1	2.13%	47
	Total	43	91.49%	3	6.38%	1	2.13%	47	
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	13	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	4	22.22%	1	5.56%	13	72.22%	18	
Total	4	22.22%	1	5.56%	13	72.22%	18		
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
	Total	18	90.00%	-	-	2	10.00%	20	
Total	18	90.00%	-	-	2	10.00%	20		
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
	Total	55	79.71%	14	20.29%	-	-	69	
Total	55	79.71%	14	20.29%	-	-	69		
Dbi Services (DBIS01)	DBIS01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	6	100.00%	-	-	-	-	6	
Total	6	100.00%	-	-	-	-	6		
Deep River , Town Of (DRI01)	DRI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total	-	-	-	-	4	100.00%	4	
Dofasco (Arcelormittal) (AMD01)	AMD01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Dotto One (DTONF01)	DTONF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Dryden, City Of (DRYD01)	DRYD01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Dubreuveville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dufferin County (DFRN01)	DFRN01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total		7	87.50%	1	12.50%	-	-	8
Durham One Net	DON01	0-5	138	100.00%	-	-	-	-	
		11-15	-	-	15	93.75%	1	6.25%	
		16+	-	-	1	100.00%	-	-	
		6-10	65	98.48%	1	1.52%	-	-	
		Total	203	91.86%	17	7.69%	1	0.45%	221
	Total		203	91.86%	17	7.69%	1	0.45%	221
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	268	100.00%	-	-	-	-	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	280	99.64%	1	0.36%	-	-	281
	DURWS02	0-5	180	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	181	98.37%	1	0.54%	2	1.09%	184
	DURWS03	0-5	104	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	114	100.00%	-	-	-	-	114	
	DURWS04	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	11	100.00%	
		Total	16	59.26%	-	-	11	40.74%	27
	DURWS05	0-5	4	100.00%	-	-	-	-	
Total		4	100.00%	-	-	-	-	4	
Total		595	97.54%	2	0.33%	13	2.13%	610	
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		6-10	75	93.75%	5	6.25%	-	-	
	Total	159	95.78%	6	3.61%	1	0.60%	166	
Total		159	95.78%	6	3.61%	1	0.60%	166	
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	25	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
	Total	29	96.67%	1	3.33%	-	-	30	
Total		29	96.67%	1	3.33%	-	-	30	
E L K Energy Inc (E001)	E001	0-5	43	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	46	100.00%	-	-	-	-	46	
Total		46	100.00%	-	-	-	-	46	
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
Total		2	66.67%	1	33.33%	-	-	3	
East Garafraxa , Township Of (EGXWS01)	EGXWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	17	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	EGWLSS01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	EGWLW01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	EGWLWW01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		103	100.00%	-	-	-	-	103
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	6	28.57%	15	71.43%	-	-	21
	Total		6	28.57%	15	71.43%	-	-	21
Eastern Ontario Power (EOP01)	EOP01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	6	75.00%	1	12.50%	1	12.50%	8
	Total		6	75.00%	1	12.50%	1	12.50%	8
Eastern Power Inc (EP01)	EP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Eastlink (EL123)	ELGE01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	ELGN02	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ELOE01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	10	83.33%	1	8.33%	1	8.33%	12
		Total		10	83.33%	1	8.33%	1	8.33%
	ELOE02	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	44	91.67%	2	4.17%	2	4.17%	48
	ELONE01	0-5	29	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	ELONE02	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
ELONE03	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELONE04	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	ELONE05	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ELONE06	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	ELONE07	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		Total	3	50.00%	3	50.00%	-	-	6
	ELONE08	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ELOS01	0-5	11	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	ELOS02	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	9	69.23%	4	30.77%	-	-	
		Total	40	80.00%	10	20.00%	-	-	50
	ELOW01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	17	85.00%	3	15.00%	-	-	
		Total	47	81.03%	4	6.90%	7	12.07%	58
	ELOW02	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	20.00%	4	80.00%	-	-	
	Total	15	71.43%	6	28.57%	-	-	21	
	ELOW03	0-5	88	100.00%	-	-	-	-	
		Total	88	100.00%	-	-	-	-	88
	ELOW04	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
	Total	44	91.67%	4	8.33%	-	-	48	
	ELOW05	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	71.43%	2	28.57%	-	-	
	Total	58	92.06%	4	6.35%	1	1.59%	63	
	ELOW06	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
16+		-	-	-	-	4	100.00%		
6-10		1	12.50%	7	87.50%	-	-		
Total	16	51.61%	11	35.48%	4	12.90%	31		
ELOW07	0-5	6	100.00%	-	-	-	-		
	6-10	3	75.00%	1	25.00%	-	-		
Total	9	90.00%	1	10.00%	-	-	10		
ELOW08	0-5	12	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
Total	13	100.00%	-	-	-	-	13		
MKDLC01	0-5	9	100.00%	-	-	-	-		
	6-10	3	42.86%	4	57.14%	-	-		
Total	12	75.00%	4	25.00%	-	-	16		
Total			492	87.86%	52	9.29%	16	2.86%	560

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	Total		1	100.00%	-	-	-	-	1	
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	9	100.00%	-	-	-	-		
		Total	9	100.00%	-	-	-	-	9	
	Total		9	100.00%	-	-	-	-	9	
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	107	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	11	100.00%	-	-	-	-		
		Total	118	95.93%	4	3.25%	1	0.81%	123	
	ETNF02	0-5	7	100.00%	-	-	-	-		
		6-10	6	100.00%	-	-	-	-		
	Total	13	100.00%	-	-	-	-	13		
	SFNF01	0-5	4	100.00%	-	-	-	-		
		Total	4	100.00%	-	-	-	-	4	
	Total		135	96.43%	4	2.86%	1	0.71%	140	
	Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	66	100.00%	-	-	-	-	
			11-15	-	-	2	100.00%	-	-	
6-10			25	100.00%	-	-	-	-		
Total			91	97.85%	2	2.15%	-	-	93	
ELX02		0-5	99	100.00%	-	-	-	-		
		11-15	-	-	1	50.00%	1	50.00%		
		16+	-	-	5	100.00%	-	-		
		6-10	55	100.00%	-	-	-	-		
Total		154	95.65%	6	3.73%	1	0.62%	161		
ELX03		0-5	33	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	29	100.00%	-	-	-	-		
Total		62	96.88%	2	3.13%	-	-	64		
ELX04		0-5	124	100.00%	-	-	-	-		
		6-10	11	100.00%	-	-	-	-		
Total		135	100.00%	-	-	-	-	135		
ELXGE01		0-5	14	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	20	100.00%	-	-	-	-		
Total		34	94.44%	2	5.56%	-	-	36		
ELXGE02		0-5	13	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
Total		14	100.00%	-	-	-	-	14		
ELXONE01		0-5	17	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
Total		20	100.00%	-	-	-	-	20		
ELXWHGE1		0-5	105	100.00%	-	-	-	-		
	11-15	-	-	7	100.00%	-	-			
	16+	-	-	2	100.00%	-	-			
	6-10	76	96.20%	3	3.80%	-	-			
Total	181	93.78%	12	6.22%	-	-	193			
Total		691	96.51%	24	3.35%	1	0.14%	716		
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	16+	-	-	-	-	3	100.00%		
		Total	-	-	-	-	3	100.00%	3	
	Total		-	-	-	-	3	100.00%	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Elgin, County Of (ELGNE01)	ELGNE01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	4	66.67%	-	-	2	33.33%	6
	Total		4	66.67%	-	-	2	33.33%	6
Emo , Township Of (EMOWS01)	EMOWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ENNEBGW1	0-5	10	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	ENNEBOE1	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total		24	100.00%	-	-	-	-	24	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	51	82.26%	11	17.74%	-	-	62
	ENVMGN01	0-5	47	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	ENVMGN02	0-5	36	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	ENVMGW0 1	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		Total	62	79.49%	16	20.51%	-	-	78
	ENVMGW0 2	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
	ENVMHN01	0-5	12	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	ENVMOE01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	54	94.74%	3	5.26%	-	-	57
	ENVMTE01	0-5	40	100.00%	-	-	-	-	
11-15		-	-	1	100.00%	-	-		
6-10		69	100.00%	-	-	-	-		
Total		109	99.09%	1	0.91%	-	-	110	
ENVMTW1 N	0-5	25	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Enbridge Distribution Vital Mains (ENVM123)	ENVMTW1N	6-10	68	100.00%	-	-	-	-		
		Total	93	97.89%	2	2.11%	-	-	95	
	ENVMTW1S	0-5	57	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		6-10	40	100.00%	-	-	-	-		
	Total	97	97.00%	3	3.00%	-	-	100		
	Total		599	94.33%	36	5.67%	-	-	635	
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	1,026	100.00%	-	-	-	-		
		11-15	-	-	43	100.00%	-	-		
		16+	-	-	45	100.00%	-	-		
		6-10	933	96.88%	30	3.12%	-	-		
		Total	1,959	94.32%	118	5.68%	-	-	2077	
	EN2OE01	0-5	349	100.00%	-	-	-	-		
		11-15	-	-	6	100.00%	-	-		
		16+	-	-	6	100.00%	-	-		
		6-10	231	97.88%	5	2.12%	-	-		
		Total	580	97.15%	17	2.85%	-	-	597	
	ENONE01	0-5	246	100.00%	-	-	-	-		
		11-15	-	-	9	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	118	99.16%	1	0.84%	-	-		
		Total	364	97.07%	11	2.93%	-	-	375	
	ENONW01	0-5	159	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	40	97.56%	1	2.44%	-	-		
		Total	199	98.51%	3	1.49%	-	-	202	
	ENOS01	0-5	1,405	100.00%	-	-	-	-		
		11-15	-	-	37	100.00%	-	-		
		16+	-	-	25	100.00%	-	-		
		6-10	830	99.05%	8	0.95%	-	-		
		Total	2,235	96.96%	70	3.04%	-	-	2305	
	ENOW01	0-5	1,110	100.00%	-	-	-	-		
		11-15	-	-	7	100.00%	-	-		
		16+	-	-	2	100.00%	-	-		
		6-10	508	98.64%	7	1.36%	-	-		
		Total	1,618	99.02%	16	0.98%	-	-	1634	
		Total		6,955	96.73%	235	3.27%	-	-	7,190
	Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	23	100.00%	-	-	-	-	
			6-10	11	100.00%	-	-	-	-	
Total			34	100.00%	-	-	-	-	34	
ENCLCHT		0-5	39	100.00%	-	-	-	-		
		6-10	11	91.67%	1	8.33%	-	-		
		Total	50	98.04%	1	1.96%	-	-	51	
ENCLEST		0-5	24	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	17	94.44%	1	5.56%	-	-		
		Total	41	95.35%	2	4.65%	-	-	43	
ENCLHAL		0-5	24	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	30	100.00%	-	-	-	-		
		Total	54	96.43%	2	3.57%	-	-	56	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLHAM	0-5	31	100.00%	-	-	-	-	87
		16+	-	-	2	100.00%	-	-	
		6-10	50	92.59%	4	7.41%	-	-	
		Total	81	93.10%	6	6.90%	-	-	
	ENCLLDN	0-5	40	100.00%	-	-	-	-	94
		11-15	-	-	1	100.00%	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	93	98.94%	1	1.06%	-	-	
	ENCLNTH	0-5	16	100.00%	-	-	-	-	28
		11-15	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	27	96.43%	1	3.57%	-	-	
	ENCLNW01	0-5	6	100.00%	-	-	-	-	13
		6-10	7	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	
	ENCLSAR	0-5	25	100.00%	-	-	-	-	57
		6-10	32	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	
	ENCLWAT	0-5	49	100.00%	-	-	-	-	85
		11-15	-	-	2	100.00%	-	-	
6-10		33	97.06%	1	2.94%	-	-		
Total		82	96.47%	3	3.53%	-	-		
ENCLWIN	0-5	41	100.00%	-	-	-	-	114	
	11-15	-	-	6	100.00%	-	-		
	6-10	66	98.51%	1	1.49%	-	-		
	Total	107	93.86%	7	6.14%	-	-		
Total		639	96.53%	23	3.47%	-	-	662	
Enbridge Gas Distribution (ENB1)	ENGE01	0-5	732	100.00%	-	-	-	-	1128
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	
		6-10	339	99.71%	1	0.29%	-	-	
		Total	1,071	94.95%	57	5.05%	-	-	
	ENGN01	0-5	1,044	100.00%	-	-	-	-	1645
		11-15	-	-	6	100.00%	-	-	
		6-10	595	100.00%	-	-	-	-	
		Total	1,639	99.64%	6	0.36%	-	-	
	ENGN02	0-5	523	100.00%	-	-	-	-	635
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	106	100.00%	-	-	-	-	
		Total	629	99.06%	6	0.94%	-	-	
	ENGTAA01	0-5	5	100.00%	-	-	-	-	13
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	11	84.62%	2	15.38%	-	-	
	ENGW01	0-5	910	100.00%	-	-	-	-	1843
		11-15	-	-	75	100.00%	-	-	
		16+	-	-	68	100.00%	-	-	
		6-10	777	98.35%	13	1.65%	-	-	
		Total	1,687	91.54%	156	8.46%	-	-	
	ENGW02	0-5	162	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENGW02	6-10	140	99.29%	1	0.71%	-	-	
		Total	302	94.97%	16	5.03%	-	-	318
	ENHN01	0-5	1,020	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	9	90.00%	1	10.00%	
		6-10	274	98.56%	4	1.44%	-	-	
		Total	1,294	98.25%	22	1.67%	1	0.08%	1317
	ENOE01	0-5	1,162	100.00%	-	-	-	-	
		11-15	-	-	59	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	1,018	99.41%	6	0.59%	-	-	
	Total	2,180	96.46%	80	3.54%	-	-	2260	
	ENTE01	0-5	908	100.00%	-	-	-	-	
		11-15	-	-	40	100.00%	-	-	
		16+	-	-	24	96.00%	1	4.00%	
		6-10	948	99.37%	6	0.63%	-	-	
	Total	1,856	96.32%	70	3.63%	1	0.05%	1927	
	ENTW01N	0-5	442	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	449	100.00%	-	-	-	-	
	Total	891	98.02%	18	1.98%	-	-	909	
	ENTW01S	0-5	731	100.00%	-	-	-	-	
11-15		-	-	26	100.00%	-	-		
16+		-	-	10	100.00%	-	-		
6-10		554	98.05%	11	1.95%	-	-		
Total	1,285	96.47%	47	3.53%	-	-	1332		
Total		12,845	96.38%	480	3.60%	2	0.02%	13,327	
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	19	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	19	95.00%	1	5.00%	-	-	20
Total		19	95.00%	1	5.00%	-	-	20	
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	24	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	26	96.30%	1	3.70%	-	-	27
	EN21	0-5	78	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	80	98.77%	-	-	1	1.23%	81	
	EN22	0-5	16	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	26	100.00%	-	-	-	-	26	
Total		132	98.51%	1	0.75%	1	0.75%	134	
Enbridge Pipelines (EP123)	I001	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	58.82%	7	41.18%	-	-	17
	I010	0-5	179	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	15	88.24%	2	11.76%	-	-	
Total	194	94.17%	12	5.83%	-	-	206		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Enbridge Pipelines (EP123)	I011	0-5	52	100.00%	-	-	-	-		
		16+	-	-	4	100.00%	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	53	92.98%	4	7.02%	-	-		57
	I012	0-5	7	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	14	100.00%	-	-		
		Total	7	31.82%	15	68.18%	-	-		22
	Total			264	87.42%	38	12.58%	-	-	302
	Englehart , Town Of (EGHT01)	EGHT01	0-5	1	100.00%	-	-	-	-	
11-15			-	-	1	100.00%	-	-		
Total			1	50.00%	1	50.00%	-	-	2	
Total				1	50.00%	1	50.00%	-	-	2
Enniskillen, Township Of (E002)	E002	0-5	6	100.00%	-	-	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	8	100.00%	-	-	-	-		8
	Total			8	100.00%	-	-	-	-	8
Enova Power (ENOVA123)	EPKW01	0-5	179	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	-	-	7	100.00%		
		6-10	51	100.00%	-	-	-	-		
		Total	230	96.64%	1	0.42%	7	2.94%		238
	EPWAT01	0-5	102	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	21	95.45%	1	4.55%	-	-		
		Total	123	98.40%	2	1.60%	-	-		125
	EPWEL01	0-5	18	100.00%	-	-	-	-		
		6-10	7	100.00%	-	-	-	-		
		Total	25	100.00%	-	-	-	-		25
	EPWOL01	0-5	59	100.00%	-	-	-	-		
		6-10	32	96.97%	1	3.03%	-	-		
		Total	91	98.91%	1	1.09%	-	-		92
	Total			469	97.71%	4	0.83%	7	1.46%	480
Entegrus (EPICK01)	CKSL01	0-5	24	100.00%	-	-	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	27	100.00%	-	-	-	-		
		Total	51	98.08%	-	-	1	1.92%		52
	EPICK01	0-5	31	100.00%	-	-	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	36	100.00%	-	-	-	-		
	Total	67	98.53%	-	-	1	1.47%	68		
	EPIMP01	0-5	19	100.00%	-	-	-	-		
	Total	19	100.00%	-	-	-	-	-	19	
Total			137	98.56%	-	-	2	1.44%	139	
Entegrus Powerlines Inc À,â, -â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	34	100.00%	-	-	-	-		
		6-10	6	100.00%	-	-	-	-		
		Total	40	100.00%	-	-	-	-		40
	Total			40	100.00%	-	-	-	-	40
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	30	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	55	100.00%	-	-	-	-		
		Total	85	97.70%	1	1.15%	1	1.15%		87
	Total			85	97.70%	1	1.15%	1	1.15%	87

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	32	100.00%	-	-	-	-	
		Total	99	98.02%	1	0.99%	1	0.99%	101
Total			99	98.02%	1	0.99%	1	0.99%	101
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	42	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
Total			43	100.00%	-	-	-	-	43
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	78	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
Total			78	100.00%	-	-	-	-	78
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	48	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	EPNG02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	EPNG03	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
Total		4	100.00%	-	-	-	-	4	
Total			69	100.00%	-	-	-	69	
Erie Brook Energy (EBE01)	EBE01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
Total			-	-	2	100.00%	-	-	2
Erie Shores Wind Farm (ESWF01)	ESWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Erieau Wind Farm (EWF01)	EWF01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total			7	100.00%	-	-	-	7	
Erin, Town Of (ERN01)	ERN01	0-5	14	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
Total			15	100.00%	-	-	-	15	
Erin, Town Of (ERNSL01)	ERNS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	ERNSL01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	5	31.25%	6	37.50%	5	31.25%	16
Total			5	29.41%	6	35.29%	6	35.29%	17
Erth Power Corporation (ETP01)	ETP01	0-5	111	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	89	98.89%	1	1.11%	-	-	
		Total	200	99.01%	2	0.99%	-	-	202
Total			200	99.01%	2	0.99%	-	-	202
Espanola , Town Of (ESP01)	ESP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Espanola Hydro (ERH01)	ERH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	-	2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Essa, Township Of (ESA123)	ESASSL01	0-5	2	100.00%	-	-	-	-	5
		6-10	2	66.67%	1	33.33%	-	-	
		Total	4	80.00%	1	20.00%	-	-	
	ESAWS01	0-5	2	100.00%	-	-	-	-	4
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
Total		8	88.89%	1	11.11%	-	-	9	
Essex County Highways (ESXTS01)	ESXTS01	0-5	22	100.00%	-	-	-	-	24
		6-10	2	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	
	Total		24	100.00%	-	-	-	-	24
Essex Powerlines Corp (A006)	A006	0-5	89	100.00%	-	-	-	-	138
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	132	95.65%	6	4.35%	-	-	
	Total		132	95.65%	6	4.35%	-	-	138
Essex Powerlines Corp (A007)	A007	0-5	93	100.00%	-	-	-	-	93
		Total	93	100.00%	-	-	-	-	
	Total		93	100.00%	-	-	-	-	93
Essex, Town Of (CO01)	CO01	0-5	50	100.00%	-	-	-	-	64
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	58	90.63%	6	9.38%	-	-	
	Total		58	90.63%	6	9.38%	-	-	64
Execulink Telecom (EXTEL123)	ASC2	0-5	38	100.00%	-	-	-	-	71
		6-10	33	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	
	EXEC01	0-5	173	100.00%	-	-	-	-	203
		16+	-	-	1	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	202	99.51%	1	0.49%	-	-	
	HTF1	0-5	9	100.00%	-	-	-	-	11
		16+	-	-	1	100.00%	-	-	
		Total	10	90.91%	1	9.09%	-	-	
	NE01	0-5	4	100.00%	-	-	-	-	6
		6-10	2	100.00%	-	-	-	-	
	Total		6	100.00%	-	-	-	-	6
	NEK01	0-5	2	100.00%	-	-	-	-	3
		6-10	1	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Total		292	99.32%	2	0.68%	-	-	294	
Fanshawe College (FSWC01)	FSWC01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	2	100.00%	-	-	-	-	3
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	
	Total		2	66.67%	-	-	1	33.33%	3
Festival Hydro (FESTH01)	FESTH01	0-5	57	100.00%	-	-	-	-	70
		6-10	13	100.00%	-	-	-	-	
		Total	70	100.00%	-	-	-	-	
	Total		70	100.00%	-	-	-	-	70

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
First Nations Cable (FNC01)	FNC01	0-5	54	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	14	87.50%	2	12.50%	-	-	
		Total	68	91.89%	2	2.70%	4	5.41%	74
		Total	68	91.89%	2	2.70%	4	5.41%	74
Ford Canada - Windsor Plant	FORDW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	85	100.00%	-	-	-	-	
		Total	85	100.00%	-	-	-	-	85
		Total	85	100.00%	-	-	-	-	85
Fort Frances Power (FFP01)	FFP01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
		Total	3	75.00%	1	25.00%	-	-	4
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Fu Fiber Inc (FUFIO1)	FUFIO1	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Gananoque, Town Of (GNQWST01)	GNQWST01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
		Total	-	-	-	-	7	100.00%	7
Gbtel Inc (GBT01)	GBT01	0-5	15	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
		Total	17	100.00%	-	-	-	-	17
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Georgina, Town Of (GGN123)	GGN01	0-5	45	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
		Total	57	100.00%	-	-	-	-	57
Glenfred Gas Wells (GFGW01)	GFGW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Goderich, Town Of (GDR123)	GDRHS01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	45	97.83%	-	-	1	2.17%	46
	GDRHW01	0-5	24	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
Total	91	98.91%	-	-	1	1.09%	92		
Gore Bay , Town Of (GBY01)	GBY01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
Gosfield North Communications (G001)	G001	0-5	91	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Gosfield North Communications (G001)	G001	6-10	31	100.00%	-	-	-	-	
		Total	122	99.19%	1	0.81%	-	-	123
	Total		122	99.19%	1	0.81%	-	-	123
Government Of Canada (GOC01)	GOC01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	46.15%	7	53.85%	-	-	13
	Total		6	46.15%	7	53.85%	-	-	13
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Grand River Hospital Corp. - KW Campus And Freeport Campus (FPGRH01)	FPGRH01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Grandbridge Energy	GBH01	0-5	393	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	78	100.00%	-	-	-	-	
		Total	471	99.79%	1	0.21%	-	-	472
	Total		471	99.79%	1	0.21%	-	-	472
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Greater Sudbury Hydro (SH01)	SH01	0-5	66	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	74	100.00%	-	-	-	-	74	
Total		74	100.00%	-	-	-	-	74	
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	44	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	Total		44	100.00%	-	-	-	-	44
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Greater Sudbury, City Of (GSBY123)	GSBY03	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	GSBYS01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
	GSBYSS01	0-5	38	100.00%	-	-	-	-	
11-15		-	-	1	100.00%	-	-		
Total		38	97.44%	1	2.56%	-	-	39	
GSBYW01	0-5	54	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Sudbury, City Of (GSBY123)	GSBYW01	11-15	-	-	1	100.00%	-	-	
		Total	54	98.18%	1	1.82%	-	-	55
	Total	140	96.55%	3	2.07%	2	1.38%	145	
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	6	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	11	100.00%	-	-	-	-	11	
Total	11	100.00%	-	-	-	-	11		
Greenfield South Power Corporation (EP02)	EP02	11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	100.00%	-	-	
	Total	-	-	1	50.00%	1	50.00%	2	
Total	-	-	1	50.00%	1	50.00%	2		
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	1	50.00%	1	50.00%	-	-	2	
Total	1	50.00%	1	50.00%	-	-	2		
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	3	50.00%	3	50.00%	-	-	6	
Total	3	50.00%	3	50.00%	-	-	6		
Grey, County Of (GREY01)	GREY01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total	8	100.00%	-	-	-	-	8		
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	64	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
	Total	75	97.40%	2	2.60%	-	-	77	
Total	75	97.40%	2	2.60%	-	-	77		
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	1	100.00%	-	-	-	-	
	Total	34	82.93%	1	2.44%	6	14.63%	41	
Total	34	82.93%	1	2.44%	6	14.63%	41		
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	35	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
	Total	39	97.50%	1	2.50%	-	-	40	
Total	39	97.50%	1	2.50%	-	-	40		
G-Tel For Kitchener, City Of - Electric (KITE01)	KITE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total	8	100.00%	-	-	-	-	8		
Guelph, City Of (GLPH123)	GLPH01	0-5	90	100.00%	-	-	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	133	100.00%	-	-	-	-	133
	GLPH02	0-5	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
GLPH04	0-5	20	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Guelph, City Of (GLPH123)	GLPH04	6-10	16	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	GLPH05	0-5	17	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
Total		203	100.00%	-	-	-	-	203	
Guelph, University Of (UGPH01)	UGPH01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
	Total	3	42.86%	3	42.86%	1	14.29%	7	
Total		3	42.86%	3	42.86%	1	14.29%	7	
Haldimand County (HLDM123)	HLDMD01	0-5	56	100.00%	-	-	-	-	
		16+	-	-	1	10.00%	9	90.00%	
		Total	56	84.85%	1	1.52%	9	13.64%	66
	HLDME01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	25	80.65%	5	16.13%	1	3.23%	31
	HLDMS01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	HLDMW01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		87	80.56%	11	10.19%	10	9.26%	108	
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOSL01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HMTOTS01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		4	100.00%	-	-	-	-	4
Halton Hills Hydro (HHH01)	HHH01	0-5	114	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	131	100.00%	-	-	-	-	131
	Total		131	100.00%	-	-	-	-	131
Halton Hills, Town Of (HAH01)	HAH01	0-5	42	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
	Total		49	100.00%	-	-	-	-	49
Halton Hills, Town Of (HAH02)	HAH02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	25	96.15%	1	3.85%	-	-	26
	Total		25	96.15%	1	3.85%	-	-	26
Halton, Region Of (HLTNB123)	HLTNB01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	22	78.57%	6	21.43%	-	-	28
	HLTNBSL01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	21	80.77%	5	19.23%	-	-	26

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Halton, Region Of (HLTNB123)	HLTNBTC01	0-5	6	100.00%	-	-	-	-	19
		11-15	-	-	5	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	14	73.68%	5	26.32%	-	-	
	HLTNBTS01	0-5	7	100.00%	-	-	-	-	20
		11-15	-	-	4	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	16	80.00%	4	20.00%	-	-	
	Total		73	78.49%	20	21.51%	-	-	93
	Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	4	100.00%	-	-	-	-
6-10			4	100.00%	-	-	-	-	
Total			8	100.00%	-	-	-	-	
HLTNHTS01		0-5	7	100.00%	-	-	-	-	15
		6-10	8	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
Total		23	100.00%	-	-	-	-	23	
Halton, Region Of (HLTNM123)	HLTNM01	0-5	15	100.00%	-	-	-	-	21
		6-10	6	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	
	HLTNMTC01	0-5	9	100.00%	-	-	-	-	16
		6-10	7	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	
	HLTNMTS01	0-5	5	100.00%	-	-	-	-	8
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	Total		45	100.00%	-	-	-	-	45
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	11	100.00%	-	-	-	-	33
		11-15	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	32	96.97%	1	3.03%	-	-	
	HLTNOSL01	0-5	10	100.00%	-	-	-	-	34
		11-15	-	-	1	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	33	97.06%	1	2.94%	-	-	
	HLTNOC01	0-5	8	100.00%	-	-	-	-	27
		6-10	19	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	
	HLTNOTS01	0-5	9	100.00%	-	-	-	-	32
		11-15	-	-	1	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	31	96.88%	1	3.13%	-	-	
Total		123	97.62%	3	2.38%	-	-	126	
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	12	100.00%	-	-	-	-	20
		6-10	8	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	Total		20	100.00%	-	-	-	-	20
Halton, Region Of (HLTNT01)	HLTNT01	0-5	7	100.00%	-	-	-	-	12
		6-10	5	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	Total		12	100.00%	-	-	-	-	12
Halton, Region Of (HMTOBM)	HMTBSL01	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	HMTMSL01	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
Total		3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hamilton , Township Of (HML01)	HML01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	64	95.52%	3	4.48%	-	-	67
	Total	64	95.52%	3	4.48%	-	-	67	
Hamilton Community Energy (HCE1)	HCE1	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Hamilton, City Of (CH01)	CH01	0-5	89	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	142	95.95%	6	4.05%	-	-	148
	Total	142	95.95%	6	4.05%	-	-	148	
Hamilton, City Of (HHP3)	HHP3	0-5	285	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	141	100.00%	-	-	-	-	
		Total	426	97.48%	11	2.52%	-	-	437
	Total	426	97.48%	11	2.52%	-	-	437	
Hamilton, City Of (HW01)	HW01	0-5	431	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	215	100.00%	-	-	-	-	
		Total	646	98.33%	11	1.67%	-	-	657
	HW02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	648	98.33%	11	1.67%	-	-	659
Hanover , Town Of (HNVR01)	HNVR01	11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	2	22.22%	7	77.78%	-	-	9
	Total	2	22.22%	7	77.78%	-	-	9	
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	Total	1	33.33%	-	-	2	66.67%	3	
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HWKBSL01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	4	100.00%	-	-	-	-	4		
Hay Communications (H123)	H003	0-5	45	100.00%	-	-	-	-	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	55	96.49%	2	3.51%	-	-	57
	Total	55	96.49%	2	3.51%	-	-	57	
Hce Telecom (HCEHN01)	HCEHN01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hce Telecom (HCEHN01)	HCEHN01	6-10	12	100.00%	-	-	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
	Total	17	94.44%	1	5.56%	-	-	18	
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Hearst Power (HRSTP01)	HRSTP01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Hiram Walker & Sons (HIRWAL01)	HIRWAL01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Home Hardware Stores Ltd (HHSF01)	HHSF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	6	100.00%	-	-	-	-	6	
	Total	6	100.00%	-	-	-	-	6	
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	6-10	-	-	1	100.00%	-	-		
	Total	3	60.00%	1	20.00%	1	20.00%	5	
Total	3	60.00%	1	20.00%	1	20.00%	5		
Huron Perth Healthcare Alliance (HPHA01)	HPHA01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Huron, County Of (HRN123)	HRN01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	HRN02	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	HRN03	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
Total	5	83.33%	-	-	1	16.67%	6		
Total	5	50.00%	4	40.00%	1	10.00%	10		
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Hurontel (HTEL01)	HTEL01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	7	63.64%	4	36.36%	-	-	
		Total	62	86.11%	10	13.89%	-	-	72
	Total	62	86.11%	10	13.89%	-	-	72	
Hydro Embrun (EMBRH01)	EMBRH01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro Hawkesbury (HHI01)	HHI01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Hydro One Networks Inc (HH123)	HOBRA01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	11	73.33%	-	-	4	26.67%	15
	HOFS01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	15	100.00%	
		Total	64	77.11%	4	4.82%	15	18.07%	83
	HOHAM01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	6	85.71%	-	-	1	14.29%	7
	HOMAR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOMIS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	HOOAK01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOTOR01	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	24	92.31%	2	7.69%	
		16+	-	-	1	3.85%	25	96.15%	
		6-10	7	58.33%	5	41.67%	-	-	
		Total	133	70.00%	30	15.79%	27	14.21%	190
	HOVAU01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	HOWHI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	O0052	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	15	93.75%	-	-	1	6.25%	16
OH20	0-5	20	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	-	-	2	100.00%		
	Total	20	86.96%	1	4.35%	2	8.70%	23	
OH30	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
OH40	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total		260	74.71%	36	10.34%	52	14.94%	348	
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	29	87.88%	4	12.12%	-	-	33
	Total		29	87.88%	4	12.12%	-	-	33

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DGE01	0-5	442	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	105	100.00%	-	-	-	-	
		Total	547	98.56%	7	1.26%	1	0.18%	555
	H1DGN01	0-5	394	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	61	100.00%	-	-	-	-	
		Total	455	99.34%	3	0.66%	-	-	458
	H1DGN02	0-5	236	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	264	99.25%	2	0.75%	-	-	266
	H1DGW02	0-5	199	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	127	99.22%	1	0.78%	-	-	
		Total	326	96.17%	13	3.83%	-	-	339
	H1DHN01	0-5	357	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	193	94.61%	11	5.39%	-	-	
		Total	550	91.97%	48	8.03%	-	-	598
	H1DOE01	0-5	1,165	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
16+		-	-	21	84.00%	4	16.00%		
6-10		383	97.95%	8	2.05%	-	-		
Total		1,548	96.15%	58	3.60%	4	0.25%	1610	
H1DONE01	0-5	232	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	6-10	123	99.19%	1	0.81%	-	-		
	Total	355	98.61%	5	1.39%	-	-	360	
H1DONW02	0-5	33	100.00%	-	-	-	-		
	6-10	9	100.00%	-	-	-	-		
	Total	42	100.00%	-	-	-	-	42	
H1DOS01	0-5	1,025	100.00%	-	-	-	-		
	11-15	-	-	25	100.00%	-	-		
	16+	-	-	18	100.00%	-	-		
	6-10	478	98.76%	6	1.24%	-	-		
	Total	1,503	96.84%	49	3.16%	-	-	1552	
H1DOW01	0-5	843	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	361	98.90%	4	1.10%	-	-		
	Total	1,204	99.09%	11	0.91%	-	-	1215	
H1DTBY01	0-5	72	100.00%	-	-	-	-		
	16+	-	-	1	50.00%	1	50.00%		
	6-10	1	100.00%	-	-	-	-		
	Total	73	97.33%	1	1.33%	1	1.33%	75	
H1DX07	0-5	220	100.00%	-	-	-	-		
	16+	-	-	75	100.00%	-	-		
	6-10	4	80.00%	1	20.00%	-	-		
	Total	224	74.67%	76	25.33%	-	-	300	
Total			7,091	96.21%	273	3.70%	6	0.08%	7,370

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	34	89.47%	4	10.53%	-	-	38
Total			34	89.47%	4	10.53%	-	-	38
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	69	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
Total			73	100.00%	-	-	-	-	73
Hydro One Remote Communities Inc (HYR01)	HYR01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
Total			1	50.00%	1	50.00%	-	-	2
Hydro Ottawa (HOT1)	HOT1	0-5	799	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	755	99.87%	1	0.13%	-	-	
		Total	1,554	97.67%	37	2.33%	-	-	1591
	HOT2	0-5	36	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
Total	49	100.00%	-	-	-	-	49		
Total			1,603	97.74%	37	2.26%	-	-	1,640
Ignace , Township Of (IGN01)	IGN01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total			-	-	-	-	2	100.00%	2
Imperial Oil Pipelines (I002)	I002	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	62	79.49%	16	20.51%	-	-	78
Total			62	79.49%	16	20.51%	-	-	78
Imperial Oil Pipelines (I003)	I003	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	-	2
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	-	2
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total			5	100.00%	-	-	-	-	5
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	11	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
Total			19	100.00%	-	-	-	-	19
Innisfil, Town Of (INFL01)	INFL01	0-5	69	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
Total			79	100.00%	-	-	-	-	79
Innpower (INSFH01)	INSFH01	0-5	134	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	144	100.00%	-	-	-	-	144
Total			144	100.00%	-	-	-	-	144

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	4	100.00%	-	-	
		Total	1	16.67%	4	66.67%	1	16.67%	6
	IRQFSL01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		7	58.33%	4	33.33%	1	8.33%	12	
Johnson, Township Of (JHSNW01)	JHSNW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	39	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
	KWLKWS01	0-5	85	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	105	100.00%	-	-	-	-	105
Total		159	100.00%	-	-	-	-	159	
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	12	85.71%	-	-	2	14.29%	14
	Total		12	85.71%	-	-	2	14.29%	14
Kenora, City Of (KNRA123)	KNRA01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	5	71.43%	-	-	2	28.57%	7
	KNRASL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	KNRAST01	0-5	6	100.00%	-	-	-	-	
Total		6	100.00%	-	-	-	-	6	
Total		12	75.00%	-	-	4	25.00%	16	
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
King , Township Of (KNGWS01)	KNGSL01	0-5	81	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	92	100.00%	-	-	-	-	92
	KNGWS01	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	88	98.88%	1	1.12%	-	-	89
Total		180	99.45%	1	0.55%	-	-	181	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kingsbridge Wind Farm (K1WF01)	K1WF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingston General Hospital (KGH01)	KGH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kingsville, Town Of (TK01)	TK01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	2	12.50%	14	87.50%	
		6-10	10	100.00%	-	-	-	-	
		Total	85	76.58%	12	10.81%	14	12.61%	111
	Total		85	76.58%	12	10.81%	14	12.61%	111
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	26	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total		33	100.00%	-	-	-	-	33
Kitchener Utilities (KU02)	KU02	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	36	100.00%	-	-	-	-	
	Total	195	99.49%	1	0.51%	-	-	196	
Total		195	99.49%	1	0.51%	-	-	196	
Kitchener, The City Of (KITS01)	KITS01	0-5	155	100.00%	-	-	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	197	100.00%	-	-	-	-	197
	Total		197	100.00%	-	-	-	-	197
Kwic Internet (KWIC01)	KWIC01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Lagasco Inc (TP01)	TP01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
	Total	5	71.43%	2	28.57%	-	-	7	
Total		5	71.43%	2	28.57%	-	-	7	
Lagasco Limited (L002)	L002	6-10	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	13	100.00%	-	-	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	Total		17	89.47%	2	10.53%	-	-	19
Lakefront Utilities (LUSI123)	COLBH01	0-5	1	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	LUSIH01	0-5	13	100.00%	-	-	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
Total		22	91.67%	2	8.33%	-	-	24	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lakeland Networks (LKLNN01)	LKLNN01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
Total			36	97.30%	1	2.70%	-	-	37
Lakeland Power (LKLNP123)	LKLNP01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	58	98.31%	1	1.69%	-	-	59
Total			58	98.31%	1	1.69%	-	-	59
Lakeshore, Municipality Of (TOL123)	B002	0-5	176	100.00%	-	-	-	-	
		Total	176	100.00%	-	-	-	-	176
Total			176	100.00%	-	-	-	-	176
Lakeview Water System (LKVWW01)	LKVWW01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
Total			15	100.00%	-	-	-	-	15
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
Total			31	100.00%	-	-	-	-	31
Lambton County (LMBTN01)	LMBTN01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			4	100.00%	-	-	-	-	4
Lambton Shores, Municipality Of (F001)	F001	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	33	94.29%	2	5.71%	-	-	35
Total			33	94.29%	2	5.71%	-	-	35
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	-	3
Lanark, County Of (LNRK01)	LNRK01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	-	2
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Lasalle , Town Of (LSL01)	LSL01	0-5	60	100.00%	-	-	-	-	
		6-10	28	93.33%	2	6.67%	-	-	
		Total	88	97.78%	2	2.22%	-	-	90
Total			88	97.78%	2	2.22%	-	-	90
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Laurentian University (LRTU01)	LRTU01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	1	16.67%	-	-	5	83.33%	6
Total			1	16.67%	-	-	5	83.33%	6
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Leamington Water Services (L001)	L001	0-5	60	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total		60	100.00%	-	-	-	-	60
Leamington, Municipality Of (LS01)	LS01	0-5	56	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	Total		56	100.00%	-	-	-	-	56
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	18	90.00%	1	5.00%	1	5.00%	20
	Total		18	90.00%	1	5.00%	1	5.00%	20
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
Lennox And Addington, County Of (LXA123)	LXA01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	9	81.82%	1	9.09%	1	9.09%	11
	Total		9	81.82%	1	9.09%	1	9.09%	11
Levant Exploration And Production Corp (RR01)	RR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lincoln, Town Of (LINWS01)	LINWS01	0-5	52	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
	Total		57	100.00%	-	-	-	-	57
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		Total	-	-	2	33.33%	4	66.67%	6
	Total		-	-	2	33.33%	4	66.67%	6
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		17	100.00%	-	-	-	-	17
London District Energy (TG01)	TG01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	24	92.31%	-	-	2	7.69%	26
	Total		24	92.31%	-	-	2	7.69%	26
London Health Sciences (LHS1)	LHS1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
London Hydro (L003)	L003	0-5	299	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	167	100.00%	-	-	-	-	
		Total	466	98.52%	7	1.48%	-	-	473
	LHDL01	16+	-	-	-	-	14	100.00%	
	Total	-	-	-	-	-	14	100.00%	14
Total		466	95.69%	7	1.44%	14	2.87%	487	
London, City Of (LN01)	LN01	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	8	80.00%	2	20.00%	
		16+	-	-	-	-	42	100.00%	
	Total	-	-	-	-	42	100.00%	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
London, City Of (LN01)	LN01	6-10	188	100.00%	-	-	-	-	
		Total	354	87.19%	8	1.97%	44	10.84%	406
	Total	354	87.19%	8	1.97%	44	10.84%	406	
Loyalist Township (LYST123)	LYSTBS6	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	LYSTBW5	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	LYSTEL4	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	12	75.00%	4	25.00%	-	-	
		Total	27	69.23%	12	30.77%	-	-	39
	LYSTFW1	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	14	77.78%	4	22.22%	-	-	
	Total	33	73.33%	12	26.67%	-	-	45	
	LYSTLES2	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	13	76.47%	4	23.53%	-	-	
		Total	32	72.73%	12	27.27%	-	-	44
	LYSTSTM3	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	13	76.47%	4	23.53%	-	-	
		Total	35	74.47%	12	25.53%	-	-	47
	Total	131	73.18%	48	26.82%	-	-	179	
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	6-10	-	-	1	100.00%	-	-		
	Total	9	81.82%	2	18.18%	-	-	11	
Total	9	81.82%	2	18.18%	-	-	11		
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
Machin, Municipality Of (MCHW01)	MCHW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	1	100.00%	1		
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	1	100.00%	1		
Malahide, Township Of (MLHD01)	MLHD01	0-5	3	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	4	80.00%	1	20.00%	-	-	5	
Total	4	80.00%	1	20.00%	-	-	5		
Mapleton , Township Of (MPLT01)	MPLT01	0-5	8	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	10	100.00%	-	-	-	-	10	
Total	10	100.00%	-	-	-	-	10		
Marathon, Town Of (MRTH01)	MRTH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
Markham " Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	88	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
	Total	113	100.00%	-	-	-	-	113	
Total	113	100.00%	-	-	-	-	113		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Markham District Energy (MDE01)	MDE01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	90.00%	-	-	1	10.00%	10
Total			9	90.00%	-	-	1	10.00%	10
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	191	100.00%	-	-	-	-	
		6-10	48	100.00%	-	-	-	-	
		Total	239	100.00%	-	-	-	-	239
		Total	239	100.00%	-	-	-	-	239
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
Mcgarry, Township Of (MCGWS01)	MCGWS01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	36	85.71%	5	11.90%	1	2.38%	42
		Total	36	85.71%	5	11.90%	1	2.38%	42
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	17	77.27%	5	22.73%	-	-	22
Total	17	77.27%	5	22.73%	-	-	22		
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Metalore Resources (MTLORE01)	MTLORE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Metro Fibrewerx (MFWX01)	MFWX01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	5
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	36	97.30%	-	-	1	2.70%	37
		Total	36	97.30%	-	-	1	2.70%	37
Middlesex, County Of (MDSX01)	MDSX01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	32	94.12%	2	5.88%	-	-	34
		Total	32	94.12%	2	5.88%	-	-	34
Midland, Town Of (MIDLND01)	MIDLND01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	12	80.00%	1	6.67%	2	13.33%	15
		Total	12	80.00%	1	6.67%	2	13.33%	15

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Midland, Town Of (MIDLND03)	MIDLND03	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	MLTSS01	0-5	15	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total		17	100.00%	-	-	-	-	17
Total		19	100.00%	-	-	-	-	19	
MILTON HYDRO (MH123)	MHHN01	0-5	152	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	87.50%	2	12.50%	-	-	
		Total	166	98.22%	3	1.78%	-	-	169
	Total		166	98.22%	3	1.78%	-	-	169
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	337	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total		343	100.00%	-	-	-	-	343
Total		343	100.00%	-	-	-	-	343	
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	38	97.44%	1	2.56%	-	-	
		Total	137	98.56%	2	1.44%	-	-	139
	Total		137	98.56%	2	1.44%	-	-	139
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total		17	94.44%	1	5.56%	-	-	18
Total		17	94.44%	1	5.56%	-	-	18	
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	255	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	96	100.00%	-	-	-	-	
	Total	351	98.60%	4	1.12%	1	0.28%	356	
Total		351	98.60%	4	1.12%	1	0.28%	356	
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	4	57.14%	3	42.86%	-	-	7
	Total		4	57.14%	3	42.86%	-	-	7
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	42.86%	3	42.86%	1	14.29%	7
	Total		3	42.86%	3	42.86%	1	14.29%	7
Mono , Town Of (MNO123)	MNO01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
	Total		1	33.33%	2	66.67%	-	-	3

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mono , Town Of (MNO123)	MNOSL01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		1	16.67%	5	83.33%	-	-	6
Mornington Communications (MORNT01)	MORNT01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	MORNT02	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	18	94.74%	1	5.26%	-	-	
	Total	42	85.71%	4	8.16%	3	6.12%	49	
Total		49	87.50%	4	7.14%	3	5.36%	56	
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Mulmur , Township Of (MLMW01)	MLMW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	9	60.00%	3	20.00%	3	20.00%	15	
	MUSKWS04	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	13	92.86%	-	-	1	7.14%	14
	MUSKWS05	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
6-10		2	100.00%	-	-	-	-		
Total		13	81.25%	-	-	3	18.75%	16	
Total		35	77.78%	3	6.67%	7	15.56%	45	
Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Nation, Municipality Of The (NATN01)	NATN01	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Net Optiks	BPNOFC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	10	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		17	100.00%	-	-	-	-	17
Netflash Internet Solutions (NISF01)	NISF01	0-5	4	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Netflash Internet Solutions (NISF01)	NISF01	6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Netsolid Internet Solutions Inc	NETSLD01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	69	100.00%	-	-	-	-	
		Total	69	100.00%	-	-	-	-	69
	Total		69	100.00%	-	-	-	-	69
Newmarket, Town Of (NMK01)	NMK01	0-5	83	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	86	100.00%	-	-	-	-	86
	Total		86	100.00%	-	-	-	-	86
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	52	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	59
	Total		59	100.00%	-	-	-	-	59
Niagara Falls, City Of (NFS01)	NFS01	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	26	96.30%	1	3.70%	
		6-10	107	98.17%	2	1.83%	-	-	
		Total	233	88.59%	29	11.03%	1	0.38%	263
		Total		233	88.59%	29	11.03%	1	0.38%
Niagara Parks Commission (NPC01)	NPC01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	20	86.96%	3	13.04%	-	-	23
	Total		20	86.96%	3	13.04%	-	-	23
Niagara Peninsula Energy (NFH01)	NFH01	0-5	178	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	19	95.00%	1	5.00%	
		6-10	131	99.24%	1	0.76%	-	-	
		Total	309	93.35%	21	6.34%	1	0.30%	331
	Total		309	93.35%	21	6.34%	1	0.30%	331
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	385	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	57	98.28%	1	1.72%	-	-	
		Total	442	99.10%	4	0.90%	-	-	446
	Total		442	99.10%	4	0.90%	-	-	446
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	8	72.73%	3	27.27%	-	-	11
	Total		8	72.73%	3	27.27%	-	-	11
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	96	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	11	91.67%	1	8.33%	
		6-10	101	100.00%	-	-	-	-	
		Total	197	93.81%	12	5.71%	1	0.48%	210
	Total		197	93.81%	12	5.71%	1	0.48%	210

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	96	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	89	89.90%	10	10.10%	-	-	
		Total	185	82.59%	38	16.96%	1	0.45%	224
	Total			185	82.59%	38	16.96%	1	0.45%
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	83	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
	Total	97	100.00%	-	-	-	-	97	
Total			97	100.00%	-	-	-	97	
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	68	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	80	100.00%	-	-	-	-	80
	Total			80	100.00%	-	-	-	80
Nor-Del (NORDEL01)	NORDEL01	0-5	56	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	66	94.29%	1	1.43%	3	4.29%	70
	Total			66	94.29%	1	1.43%	3	4.29%
Norfolk County (NFLK123)	NFLK01	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	218	99.54%	1	0.46%	-	-	219
	Total			218	99.54%	1	0.46%	-	219
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total			2	100.00%	-	-	-	2
North Bay Hydro (NBH01)	NBH01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	38	90.48%	4	9.52%	-	-	42
	Total			38	90.48%	4	9.52%	-	42
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	2	40.00%	2	40.00%	1	20.00%	5	
Total			2	40.00%	2	40.00%	1	20.00%	5
North Bay, City Of (NBWS01)	NBWS01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	5	71.43%	2	28.57%	-	-	
	Total	25	65.79%	10	26.32%	3	7.89%	38	
Total			25	65.79%	10	26.32%	3	7.89%	38
North Dundas , Township Of (NDND123)	NDND01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	NDND02	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
Total			4	57.14%	3	42.86%	-	7	
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	129	100.00%	-	-	-	-	
		11-15	-	-	63	94.03%	4	5.97%	
		16+	-	-	-	-	2	100.00%	
		6-10	39	88.64%	5	11.36%	-	-	
	Total	168	69.42%	68	28.10%	6	2.48%	242	
Total			168	69.42%	68	28.10%	6	2.48%	242

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
North Grenville , Municipality Of (NGR01)	NGR01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	8	72.73%	1	9.09%	2	18.18%	11
	Total		8	72.73%	1	9.09%	2	18.18%	11
North Huron, Township Of (NHURON01)	NHURON01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	16+	-	-	-	-	29	100.00%	
		Total	-	-	-	-	29	100.00%	29
	Total		-	-	-	-	29	100.00%	29
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	37	88.10%	-	-	5	11.90%	42
	Total		37	88.10%	-	-	5	11.90%	42
North Stormont , Township Of (NST01)	NST01	16+	-	-	8	80.00%	2	20.00%	
		Total	-	-	8	80.00%	2	20.00%	10
	Total		-	-	8	80.00%	2	20.00%	10
North York General Hospital (NYGH01)	NYGH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Northern Tel Limited Partnership (NT01)	NT01	0-5	21	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		30	100.00%	-	-	-	-	30
Northumberland County (NRHB01)	NRHBSL02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	NRHBSS01	0-5	8	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
NRHBSS02	0-5	1	100.00%	-	-	-	-		
Total		1	100.00%	-	-	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Northumberland County (NRHB01)	NRHBTS01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	NRHBTS02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	18	100.00%	-	-	-	-	18	
Norwich , Township Of (NRW01)	NRW01	16+	-	-	-	-	55	100.00%	
		Total	-	-	-	-	55	100.00%	55
	Total	-	-	-	-	55	100.00%	55	
Nova Chemicals Corporation (N001)	N001	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total	13	92.86%	1	7.14%	-	-	14	
NT Power	NTPWR01	0-5	155	100.00%	-	-	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
	Total	161	99.38%	1	0.62%	-	-	162	
	Total	161	99.38%	1	0.62%	-	-	162	
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	436	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	210	100.00%	-	-	-	-	
	Total	646	98.63%	9	1.37%	-	-	655	
	Total	646	98.63%	9	1.37%	-	-	655	
Oakville, Town Of (OAK123)	OAKBS01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	OAKSS01	0-5	300	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	165	100.00%	-	-	-	-	
		Total	465	97.89%	9	1.89%	1	0.21%	475
	OAKTS01	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	65	100.00%	-	-	-	-	
		Total	124	96.88%	4	3.13%	-	-	128
	Total	598	97.71%	13	2.12%	1	0.16%	612	
On-Energy Corp (ONNRG01)	ONNRG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	ONTERA03	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	ONTERA04	0-5	11	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA04	6-10	2	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	ONTERA05	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	ONTERA06	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
Total		25	83.33%	5	16.67%	-	-	30	
Total		51	91.07%	5	8.93%	-	-	56	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	52	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total		65	100.00%	-	-	-	-	65
Opasatika, Township Of (OPTKWS01)	OPTKWS01	16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	13	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	31	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		35	100.00%	-	-	-	-	35
Orangeville, Town Of (ORGV01)	ORGV01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	33	94.29%	2	5.71%	-	-	35
	Total		33	94.29%	2	5.71%	-	-	35
Orillia, City Of (ORIL123)	ORILSL01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	ORILT01	0-5	16	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	19	95.00%	1	5.00%	-	-	20
	ORILWS01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	32	91.43%	3	8.57%	-	-	35
Total		56	93.33%	4	6.67%	-	-	60	
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	96	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	57	100.00%	-	-	-	-	
		Total	153	94.44%	9	5.56%	-	-	162
	OSHGE03	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE03	6-10	9	100.00%	-	-	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total	174	94.57%	10	5.43%	-	-	184	
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Oshawa, City Of (OSH01)	OSH01	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	54	100.00%	-	-	-	-	
		Total	128	94.81%	7	5.19%	-	-	135
	Total	128	94.81%	7	5.19%	-	-	135	
Osler Bluff Ski-Club (OSBC01)	OSBC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Ottawa River Power (ORP01)	ORP01	0-5	20	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total	24	100.00%	-	-	-	-	24	
Ottawa River Power (ORP02)	ORP02	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	21	91.30%	2	8.70%	-	-	23
	Total	21	91.30%	2	8.70%	-	-	23	
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	751	100.00%	-	-	-	-	
		6-10	280	100.00%	-	-	-	-	
		Total	1,031	100.00%	-	-	-	-	1031
	Total	1,031	100.00%	-	-	-	-	1,031	
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	241	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	21	100.00%	-	-	-	-	
	Total	262	97.40%	6	2.23%	1	0.37%	269	
Total	262	97.40%	6	2.23%	1	0.37%	269		
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	1,112	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	1,114	100.00%	-	-	-	-	1114
	Total	1,114	100.00%	-	-	-	-	1,114	
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total	-	-	-	-	4	100.00%	4	
Owen Sound, City Of (OWSD01)	OWSD01	0-5	44	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	Total	44	100.00%	-	-	-	-	44	
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Oxford, County Of - Traffic (OXFSTS01)	OXFSTS01	6-10	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	201	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	204	99.51%	1	0.49%	-	-	205
	Total		204	99.51%	1	0.49%	-	-	205
Oxford, County Of (OXFSTM01)	OXFSTM01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Packet Works (PWRKST01)	PWRKST01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	26	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	PYWS02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		32	100.00%	-	-	-	-	32	
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	3	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PRBM02	0-5	264	100.00%	-	-	-	-	
		11-15	-	-	53	100.00%	-	-	
		16+	-	-	48	97.96%	1	2.04%	
		6-10	457	99.13%	4	0.87%	-	-	
		Total	721	87.18%	105	12.70%	1	0.12%	827
	PREBM02	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	11	91.67%	1	8.33%	
		Total	161	86.56%	24	12.90%	1	0.54%	186
	PREC02	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	PROC02	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	44	97.78%	1	2.22%	-	-	
		Total	65	90.28%	7	9.72%	-	-	72
	Total		956	87.31%	137	12.51%	2	0.18%	1,095
	Peel Region - Brampton Storm Sewer (PCYSTOS123)	PRBM03	0-5	60	100.00%	-	-	-	-
11-15			-	-	18	100.00%	-	-	
16+			-	-	15	100.00%	-	-	
Total			172	83.90%	33	16.10%	-	-	205
PREBM03		0-5	9	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		Total	9	100.00%	3	100.00%	-	-	12

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PREBM03	16+	-	-	3	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	28	82.35%	6	17.65%	-	-	34
	PREC03	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	10	76.92%	3	23.08%	-	-	13
	PROC03	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	56	98.25%	1	1.75%	-	-	
		Total	80	88.89%	10	11.11%	-	-	90
	Total		290	84.80%	52	15.20%	-	-	342
	Peel Region - Brampton Water (PCYWAT123)	PBMC01	0-5	85	100.00%	-	-	-	-
11-15			-	-	1	100.00%	-	-	
6-10			8	100.00%	-	-	-	-	
Total			93	98.94%	1	1.06%	-	-	94
PEBMC01		0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	26	92.86%	1	3.57%	1	3.57%	28
PIPP05		0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
POCWA05		0-5	27	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	29	93.55%	1	3.23%	1	3.23%	31
PRBM01		0-5	435	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	56	100.00%	-	-	
		6-10	611	98.55%	9	1.45%	-	-	
		Total	1,046	89.33%	125	10.67%	-	-	1171
PREBM01		0-5	51	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	80	98.77%	1	1.23%	-	-	
		Total	131	85.62%	22	14.38%	-	-	153
PREC01		0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	15	83.33%	3	16.67%	-	-	18
PROC01		0-5	54	100.00%	-	-	-	-	
	11-15	-	-	8	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	95	98.96%	1	1.04%	-	-		
	Total	149	91.98%	13	8.02%	-	-	162	
Total		1,506	89.96%	166	9.92%	2	0.12%	1,674	
Peel Region (PEEL123)	PEELTS04	0-5	85	100.00%	-	-	-	-	
		6-10	57	100.00%	-	-	-	-	
		Total	142	100.00%	-	-	-	-	142
Total		142	100.00%	-	-	-	-	142	
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	242	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	6-10	135	100.00%	-	-	-	-	
		Total	377	98.95%	4	1.05%	-	-	381
	Total	377	98.95%	4	1.05%	-	-	381	
Pelham, Town Of (PEL1)	PEL1	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
	Total	44	95.65%	2	4.35%	-	-	46	
Total	44	95.65%	2	4.35%	-	-	46		
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
	Total	8	80.00%	2	20.00%	-	-	10	
Total	8	80.00%	2	20.00%	-	-	10		
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
Total	22	100.00%	-	-	-	-	22		
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total	3	100.00%	-	-	-	-	3		
Pennytel Inc (PENTEL01)	PENTEL01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
Total	-	-	-	-	-	3	100.00%	3	
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
	Total	3	60.00%	1	20.00%	1	20.00%	5	
Total	3	60.00%	1	20.00%	1	20.00%	5		
Perth South, Township Of (PERTHS123)	PERTHS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	PERTHS02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	2	100.00%	-	-	-	-	2		
Perth, Town Of (PERTH01)	PERTH01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	70.00%	3	30.00%	-	-	
	Total	8	66.67%	3	25.00%	1	8.33%	12	
Total	8	66.67%	3	25.00%	1	8.33%	12		
Petawawa, Town Of (PTWA123)	PTWA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
	Total	2	40.00%	3	60.00%	-	-	5	
	PTWASL01	6-10	1	100.00%	-	-	-	-	
Total		1	100.00%	-	-	-	-	1	
Total	3	50.00%	3	50.00%	-	-	6		
PETER QUIRING HOLDINGS INC. (PQHI01)	PQHI01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total	-	-	1	100.00%	-	-	1		
Peterborough , City Of (PTRB01)	PTRB01	0-5	74	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	75	98.68%	1	1.32%	-	-	76	
Total	75	98.68%	1	1.32%	-	-	76		
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	71	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	6-10	4	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	Total		75	100.00%	-	-	-	-	75
Peterborough, County Of (PTB01)	PTB01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	27	96.43%	1	3.57%	-	-	28
	Total		27	96.43%	1	3.57%	-	-	28
Petrolia, Town Of (P002)	P002	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Pickering , City Of (PKRG01)	PKRG01	0-5	120	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	20	100.00%	-	-	-	-	
		Total	140	96.55%	3	2.07%	2	1.38%	145
	Total		140	96.55%	3	2.07%	2	1.38%	145
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	37	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
	Total	36	80.00%	3	6.67%	6	13.33%	45	
Total		36	80.00%	3	6.67%	6	13.33%	45	
Point Edward, Village Of (PE01)	PE01	0-5	11	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	46	97.87%	1	2.13%	-	-	47
	Total		46	97.87%	1	2.13%	-	-	47
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Port Hope, Municipality Of (PH123)	PH01	0-5	19	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total		21	95.45%	1	4.55%	-	-	22
Powassan, Municipality Of (PWSN01)	PWSN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Prescott , Town Of (PRS01)	PRS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS03	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Prince Edward, County Of (PEC04)	PEC04	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	24	96.00%	-	-	1	4.00%	25
	Total		24	96.00%	-	-	1	4.00%	25
PROMARK FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	Total		20	95.24%	1	4.76%	-	-	21
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Q9 Networks (QNET01)	QNET01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Quadro Communications (QUAD1)	MSCQUAD2	0-5	14	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	QUAD1	0-5	116	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	119	99.17%	1	0.83%	-	-	120
Total		137	99.28%	1	0.72%	-	-	138	
Queen'S University (QUEENU01)	QUEENU01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Queens University Fibre (QUEENF01)	QUEENF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Quinte West, City Of (QW123)	QWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	1	20.00%	-	-	4	80.00%	5
	QWSL01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	17	65.38%	2	7.69%	7	26.92%	26
	QWSN01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	16	72.73%	2	9.09%	4	18.18%	22
	QWSS01	0-5	8	100.00%	-	-	-	-	
11-15		-	-	1	100.00%	-	-		
16+		-	-	-	-	4	100.00%		
6-10		4	80.00%	1	20.00%	-	-		
Total		12	66.67%	2	11.11%	4	22.22%	18	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Quinte West, City Of (QW123)	QWTS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	QWW01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	17	73.91%	2	8.70%	4	17.39%	23
Total	63	65.63%	8	8.33%	25	26.04%	96		
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Red Rock, Township Of (RDRK01)	RDRK01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	41	93.18%	3	6.82%	-	-	44
	HLTNW02	0-5	270	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	352	99.72%	1	0.28%	-	-	
		Total	622	96.88%	19	2.96%	1	0.16%	642
		Total	663	96.65%	22	3.21%	1	0.15%	686
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	10	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total	13	100.00%	-	-	-	-	13	
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	11	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total	13	100.00%	-	-	-	-	13	
Renfrew Hydro (RFH01)	RFH01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total	13	100.00%	-	-	-	-	13	
Renfrew, County Of (RNF123)	RNF01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Renfrew, Town Of (RNF01)	RNF01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	7	53.85%	-	-	6	46.15%	13
	RNF02	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	7	53.85%	-	-	6	46.15%	13
		Total	14	53.85%	-	-	12	46.15%	26

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Residences At Argento Inc. (RAA01)	RAA01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Richmond Hill, Town Of (RHL01)	RHL01	0-5	186	100.00%	-	-	-	-	
		Total	186	100.00%	-	-	-	-	186
	Total		186	100.00%	-	-	-	-	186
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	11	64.71%	6	35.29%	-	-	17
	Total		11	64.71%	6	35.29%	-	-	17
Richmond Hill, Town Of (RHLTS01)	RHLTS01	6-10	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Rideau Lakes, Township Of (RIL01)	RIL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Rogers Communications (ROG123)	CABLET01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	74	100.00%	-	-	-	-	
		Total	104	99.05%	-	-	1	0.95%	105
	ROGGE01	0-5	443	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	116	98.31%	2	1.69%	-	-	
		Total	559	98.07%	11	1.93%	-	-	570
	ROGHN01	0-5	588	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	276	98.22%	5	1.78%	-	-	
	Total	864	95.58%	40	4.42%	-	-	904	
	ROGLDN01	0-5	399	100.00%	-	-	-	-	
		6-10	90	100.00%	-	-	-	-	
	Total	489	100.00%	-	-	-	-	489	
	ROGNTH01	0-5	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
	ROGOE01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	24	96.00%	1	4.00%	-	-	25
	ROGOTT01	0-5	993	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	88	100.00%	-	-	-	-	
		Total	1,081	99.91%	1	0.09%	-	-	1082
	ROGPEL01	0-5	544	100.00%	-	-	-	-	
11-15		-	-	12	100.00%	-	-		
16+		-	-	8	100.00%	-	-		
6-10		361	99.18%	3	0.82%	-	-		
Total		905	97.52%	23	2.48%	-	-	928	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGRAIL1	0-5	169	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	172	98.85%	2	1.15%	-	-	174
	ROGSIM01	0-5	295	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	81	96.43%	3	3.57%	-	-	
	Total	376	91.48%	35	8.52%	-	-	411	
	ROGSWO01	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	ROGTOR01	0-5	1,539	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	437	99.54%	2	0.46%	-	-	
	Total	1,976	98.95%	21	1.05%	-	-	1997	
	ROGWAT01	0-5	578	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	147	100.00%	-	-	-	-	
	Total	725	99.86%	1	0.14%	-	-	726	
	ROGWIN01	0-5	3	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	ROGYRK01	0-5	462	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	253	99.22%	2	0.78%	-	-	
Total	715	93.96%	46	6.04%	-	-	761		
RUWV01	0-5	17	100.00%	-	-	-	-		
	6-10	11	100.00%	-	-	-	-		
	Total	28	100.00%	-	-	-	-	28	
SJRB01	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
SJRB02	0-5	61	100.00%	-	-	-	-		
	6-10	7	100.00%	-	-	-	-		
	Total	68	100.00%	-	-	-	-	68	
SJRB03	0-5	9	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	10	100.00%	-	-	-	-	10	
SJRB04	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total		8,118	97.81%	181	2.18%	1	0.01%	8,300	
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	1	50.00%	1	50.00%	-	-	2	
Total		1	50.00%	1	50.00%	-	-	2	
Russell, Township Of (RSEL01)	RSEL01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	24	100.00%	-	-	-	-	24	
Total		24	100.00%	-	-	-	-	24	
Ryerson University (RYEU01)	RYEU01	11-15	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	-	-	3	100.00%	-	-	3	
Total		-	-	3	100.00%	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Sarnia, City Of (C006)	C006	0-5	121	100.00%	-	-	-	-	
		Total	121	100.00%	-	-	-	-	121
	Total		121	100.00%	-	-	-	-	121
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	SSSL01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	SSWS01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	26	89.66%	3	10.34%	-	-	29
	Total		53	94.64%	3	5.36%	-	-	56
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	92	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	93	100.00%	-	-	-	-	93
	SSMPUW01	0-5	39	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
Total		133	100.00%	-	-	-	-	133	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Scugog, Township Of (SCG01)	SCG01	0-5	18	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Selwyn, Township Of (SLWN01)	SLWN01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Selwyn, Township Of (SLWN02)	SLWN02	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Selwyn, Township Of (SLWN03)	SLWN03	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Severn, Township Of (SEVERN01)	SEVERN01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	SEVERN02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		4	80.00%	1	20.00%	-	-	5	
Shared Tower Inc	SHARET01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Shelburne , Town Of (SHLB01)	SHLB01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Shelburne , Town Of (SHLB01)	SHLB01	6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	-	-	1	33.33%	3
	Total	2	66.67%	-	-	1	33.33%	3	
Shell Canada (SHL1)	SHL1	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total	10	100.00%	-	-	-	-	10	
Sick Kids Hospital (SKH01)	SKH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Silver Bay Water (SBW1)	SBW1	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Simcoe, County Of (SIM01)	SIM01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	66.67%	1	16.67%	1	16.67%	6
	Total	4	66.67%	1	16.67%	1	16.67%	6	
Six Nations Gas (SNG01)	SNG01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	41	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	28	36.36%	8	10.39%	41	53.25%	77
	Total	28	36.36%	8	10.39%	41	53.25%	77	
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	10	90.91%	1	9.09%	-	-	11	
Total	10	90.91%	1	9.09%	-	-	11		
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	22	78.57%	2	7.14%	4	14.29%	28
	Total	22	78.57%	2	7.14%	4	14.29%	28	
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	
Total	3	100.00%	-	-	-	-	3		
South Dundas , Municipality Of (SDS01)	SDS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
	Total	5	71.43%	1	14.29%	1	14.29%	7	
Total	5	71.43%	1	14.29%	1	14.29%	7		
South Glengarry , Township Of (SGG01)	SGG01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total	7	77.78%	2	22.22%	-	-	9	
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
	16+	-	-	-	-	21	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
South Huron, Municipality Of (SHURN01)	SHURN01	6-10	1	100.00%	-	-	-	-	
		Total	19	46.34%	-	-	22	53.66%	41
	Total	19	46.34%	-	-	22	53.66%	41	
South Kent Wind Project (SKWP01)	SKWP01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
South River , Village Of (SORI01)	SORI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
South Stormont, Township Of (SSTM01)	SSTM01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Southgate, Township (SGWS01)	SGWS01	11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total	1	33.33%	2	66.67%	-	-	3	
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	1	100.00%	-	-	-	-	
		Total	13	81.25%	1	6.25%	2	12.50%	16
	SWMSX02	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total	21	87.50%	1	4.17%	2	8.33%	24		
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	5	50.00%	1	10.00%	4	40.00%	10
	Total	5	50.00%	1	10.00%	4	40.00%	10	
Southwold, Township Of (SOW01)	SOW01	0-5	43	100.00%	-	-	-	-	
		6-10	30	90.91%	3	9.09%	-	-	
		Total	73	96.05%	3	3.95%	-	-	76
	Total	73	96.05%	3	3.95%	-	-	76	
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	10	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total	12	100.00%	-	-	-	-	12	
Spectrum Telecom Group Ltd (STGL01)	STGL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
St. Catharines, City Of (STC1)	STC1	0-5	123	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	36	97.30%	1	2.70%	-	-	
		Total	159	98.15%	3	1.85%	-	-	162
	Total	159	98.15%	3	1.85%	-	-	162	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
St. Charles, Municipality Of (STC01)	STC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
St. Clair, Township Of (M002)	M002	0-5	107	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	110	100.00%	-	-	-	-	110
	Total		110	100.00%	-	-	-	-	110
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	8	88.89%	-	-	-	1	11.11%	9
Total		8	88.89%	-	-	1	11.11%	9	
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
St. Thomas, City Of (STHWS01)	STHSL01	0-5	40	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	61	100.00%	-	-	-	-	61
	STHWS01	0-5	56	100.00%	-	-	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	90
Total		151	100.00%	-	-	-	-	151	
Start Communications (STARTC01)	STARTC02	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	67	100.00%	-	-	-	-	
	Total	144	97.96%	3	2.04%	-	-	147	
Total		144	97.96%	3	2.04%	-	-	147	
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	4	80.00%	-	-	-	1	20.00%	5
Total		4	80.00%	-	-	1	20.00%	5	
Storm Internet (STRMF01)	STRMF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	9	100.00%	-	-	-	-	-	9
Total		9	100.00%	-	-	-	-	9	
Stratford, City Of (STRATWS01)	STRATWS01	16+	-	-	-	-	49	100.00%	
		Total	-	-	-	-	49	100.00%	49
	Total		-	-	-	-	49	100.00%	49
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	38	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Summer Haven Wind (SHWF01)	SHWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Summer Haven Wind (SHWF01)	SHWF01	6-10	-	-	1	100.00%	-	-	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total	1	33.33%	1	33.33%	1	33.33%	3	
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	29	93.55%	-	-	2	6.45%	31
	Total	29	93.55%	-	-	2	6.45%	31	
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	68	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	S002	0-5	88	100.00%	-	-	-	-	
		Total	88	100.00%	-	-	-	-	88
	S004	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total	171	100.00%	-	-	-	-	171	
Suncor Energy (SCE02)	SCE02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Suncor Energy Products (SNCP03)	SNCP03	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total	1	50.00%	-	-	1	50.00%	2	
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	116	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	137	99.28%	1	0.72%	-	-	138
	Total	137	99.28%	1	0.72%	-	-	138	
Tay, Township Of (TAY01)	TAY01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	3	50.00%	2	33.33%	1	16.67%	6
	Total	3	50.00%	2	33.33%	1	16.67%	6	
Tbaytel (TBYTEL01)	TBYTEL01	0-5	111	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	140	99.29%	1	0.71%	-	-	141
	TBYTEL02	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
Total	143	98.62%	1	0.69%	1	0.69%	145		
TC Energy - East (TCP01)	TC03	0-5	173	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	174	99.43%	1	0.57%	-	-	175
	TC06	0-5	96	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
TC Energy - East (TCP01)	TC06	6-10	1	100.00%	-	-	-	-	
		Total	97	98.98%	1	1.02%	-	-	98
	TC07	0-5	41	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	TC08	0-5	30	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	TC09	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	TC10	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	14	70.00%	6	30.00%	-	-	20
	TC12	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	TC13	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	TC14	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
TC16	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
TC17	0-5	6	100.00%	-	-	-	-		
	Total	6	100.00%	-	-	-	-	6	
TC18	0-5	67	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	5	83.33%	1	16.67%	-	-		
	Total	72	94.74%	4	5.26%	-	-	76	
TC19	0-5	12	100.00%	-	-	-	-		
	Total	12	100.00%	-	-	-	-	12	
Total		466	97.08%	14	2.92%	-	-	480	
Tecumseh, Town Of (TEC123)	TECF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	TECS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	15	40.54%	21	56.76%	1	2.70%	37
	TECW01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	9	90.00%	1	10.00%	
		Total	43	76.79%	12	21.43%	1	1.79%	56
	Total		60	62.50%	34	35.42%	2	2.08%	96
	Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	95	100.00%	-	-	-	-
16+			-	-	-	-	1	100.00%	
6-10			1	100.00%	-	-	-	-	
Total		96	98.97%	-	-	1	1.03%	97	
Total		96	98.97%	-	-	1	1.03%	97	
Telmax Inc (TLMXF01)	TLMXF01	0-5	173	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telmax Inc (TLMXF01)	TLMXF01	6-10	34	97.14%	1	2.86%	-	-	
		Total	207	96.73%	5	2.34%	2	0.93%	214
	Total		207	96.73%	5	2.34%	2	0.93%	214
Telus (TELUS01)	TELGE01	0-5	28	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	TELGNO1	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	83	84.69%	12	12.24%	3	3.06%	98
	TELGN02	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	24	96.00%	1	4.00%	-	-	25
	TELGW01	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	75	91.46%	7	8.54%	-	-	82
	TELGW02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	TELHN01	0-5	57	100.00%	-	-	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	64	98.46%	1	1.54%	-	-	65
	TELOE01	0-5	158	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	214	95.11%	10	4.44%	1	0.44%	225
	TELONE01	0-5	8	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	TELONW01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	TELOS01	0-5	103	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	50	100.00%	-	-	-	-	
		Total	153	99.35%	1	0.65%	-	-	154
	TELOW01	0-5	35	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total		37	100.00%	-	-	-	-	37	
TELTE01	0-5	185	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	Total	244	97.21%	7	2.79%	-	-	251	
TELTW01N	0-5	31	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	-	-	1	100.00%		
	Total	38	88.37%	4	9.30%	1	2.33%	43	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELTW01S	0-5	156	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	194	96.52%	7	3.48%	-	-	201
Total		1,182	95.55%	50	4.04%	5	0.40%	1,237	
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total		5	100.00%	-	-	-	-	5	
TENACITY UNITE PEC INC (TU01)	TU01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Terago Networks Inc (TNF01)	TNF01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	9	81.82%	2	18.18%	-	-	11
Total		9	81.82%	2	18.18%	-	-	11	
Teraspan Networks (TS01)	TS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		3	100.00%	-	-	-	-	3	
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	13	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
Total		14	100.00%	-	-	-	-	14	
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	24	85.71%	1	3.57%	3	10.71%	28
Total		24	85.71%	1	3.57%	3	10.71%	28	
Thorold, City Of (THLD01)	THLD01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	30	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	61	96.83%	2	3.17%	-	-	
		Total	80	70.18%	32	28.07%	2	1.75%	114
Total		80	70.18%	32	28.07%	2	1.75%	114	
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
Total		10	100.00%	-	-	-	-	10	
Thunder Bay, City Of (THBY123)	THBY01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	70	85.37%	-	-	12	14.63%	82
	THBY02	0-5	50	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
Total	52	96.30%	-	-	2	3.70%	54		
Total		122	89.71%	-	-	14	10.29%	136	
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
Total		5	83.33%	1	16.67%	-	-	6	
Tillsonburg , Town Of (TSB01)	TSB01	0-5	56	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
		Total	56	100.00%	-	-	-	-	56

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	32	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	33	100.00%	-	-	-	-	33	
	Total		33	100.00%	-	-	-	-	33	
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	Total		1	100.00%	-	-	-	-	1	
Timmins, City Of (TMNS01)	TMNS01	0-5	5	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	7	87.50%	1	12.50%	-	-	8	
	Total		7	87.50%	1	12.50%	-	-	8	
Tiny, Township Of (TNY01)	TNY01	0-5	4	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	5	100.00%	-	-	-	-	5	
	Total		5	100.00%	-	-	-	-	5	
Toronto Business Improvement Areas (BIA123)	BDVBIA01	6-10	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	BYEBIA01	0-5	2	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-	3	
	BYWBIA01	0-5	6	100.00%	-	-	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	8	100.00%	-	-	-	-	8	
	CRIBIA01	6-10	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	DFVBIA01	0-5	11-15	-	-	3	100.00%	-	-	
			16+	-	-	1	100.00%	-	-	
			6-10	5	100.00%	-	-	-	-	
			Total	7	63.64%	4	36.36%	-	-	11
		Total		7	63.64%	4	36.36%	-	-	11
	DNFBIA01	0-5	6-10	1	100.00%	-	-	-	-	
			Total	2	100.00%	-	-	-	-	2
		Total		2	100.00%	-	-	-	-	2
	DYEBIA01	0-5	6-10	4	100.00%	-	-	-	-	
			Total	13	100.00%	-	-	-	-	13
		Total		13	100.00%	-	-	-	-	13
	DYWBIA01	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
EGLBIA01	0-5	1	100.00%	-	-	-	-			
	Total	1	100.00%	-	-	-	-	1		
EVBIA01	11-15	-	-	1	100.00%	-	-			
	Total	-	-	1	100.00%	-	-	1		
GRTBIA01	0-5	6-10	10	100.00%	-	-	-	-		
		Total	21	100.00%	-	-	-	-	21	
	Total		21	100.00%	-	-	-	-	21	
HLCBIA01	0-5	1	100.00%	-	-	-	-			
	Total	1	100.00%	-	-	-	-	1		
JGBIA01	0-5	6-10	1	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-	3	
	Total		3	100.00%	-	-	-	-	3	
KRBIA01	0-5	1	100.00%	-	-	-	-			
	Total	1	100.00%	-	-	-	-	1		
LBVBIA01	0-5	9	100.00%	-	-	-	-			
	Total	9	100.00%	-	-	-	-	9		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	LBVBIA01	16+	-	-	1	100.00%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	LIBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	LSVBIA01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	MTDNBIA1	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	MTDSBIA1	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	PDVBIA01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	PVBIA01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	13	81.25%	3	18.75%	-	-	16
	RCVBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	RMSBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	RSDBIA01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	7	87.50%	-	-	1	12.50%	8
SCGBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
VIBIA01	6-10	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
WVBIA01	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
WYWBIA01	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
Total			118	90.77%	10	7.69%	2	1.54%	130
Toronto Community Housing (TCHC01)	TCHC01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
	Total	-	-	-	-	4	100.00%	4	
Total			-	-	-	-	4	100.00%	4
Toronto East Health Network (TEGH01)	TEGH01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total			-	-	-	-	3	100.00%
Toronto Gas Extraction (TORGE01)	TORGEE01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TORGEWN1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			2	100.00%	-	-	-	-	2
Toronto Hydro (TH123)	THT21	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Toronto Hydro (TH123)	THT21	16+	-	-	-	-	37	100.00%		
		6-10	4	100.00%	-	-	-	-		
		Total	6	13.04%	2	4.35%	38	82.61%	46	
	THT23	0-5	141	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	91	100.00%	-	-	-	-		
		Total	232	99.57%	1	0.43%	-	-	233	
	THTE01	0-5	1,281	100.00%	-	-	-	-		
		11-15	-	-	24	100.00%	-	-		
		16+	-	-	20	90.91%	2	9.09%		
		6-10	495	98.80%	6	1.20%	-	-		
		Total	1,776	97.16%	50	2.74%	2	0.11%	1828	
	THTVE01	11-15	-	-	-	-	94	100.00%		
		16+	-	-	-	-	103	100.00%		
		Total	-	-	-	-	197	100.00%	197	
	THTW01N	0-5	617	100.00%	-	-	-	-		
		11-15	-	-	9	100.00%	-	-		
		6-10	221	99.55%	1	0.45%	-	-		
		Total	838	98.82%	10	1.18%	-	-	848	
	THTW01S	0-5	638	100.00%	-	-	-	-		
		11-15	-	-	26	100.00%	-	-		
		16+	-	-	19	100.00%	-	-		
		6-10	380	97.69%	9	2.31%	-	-		
Total		1,018	94.96%	54	5.04%	-	-	1072		
Total		3,870	91.62%	117	2.77%	237	5.61%	4,224		
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	296	100.00%	-	-	-	-		
		11-15	-	-	10	100.00%	-	-		
		16+	-	-	14	100.00%	-	-		
		6-10	124	100.00%	-	-	-	-		
		Total	420	94.59%	24	5.41%	-	-	444	
	TORTSE02	0-5	20	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	57	100.00%	-	-	-	-		
		Total	77	98.72%	1	1.28%	-	-	78	
	TORTSWN1	0-5	82	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	54	100.00%	-	-	-	-		
		Total	136	98.55%	2	1.45%	-	-	138	
	TORTSWN2	0-5	5	100.00%	-	-	-	-		
		6-10	15	100.00%	-	-	-	-		
		Total	20	100.00%	-	-	-	-	20	
	TORTSWS1	0-5	198	100.00%	-	-	-	-		
		11-15	-	-	7	100.00%	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	87	100.00%	-	-	-	-		
		Total	285	96.61%	10	3.39%	-	-	295	
	TORTSWS2	0-5	49	100.00%	-	-	-	-		
		11-15	-	-	5	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	43	100.00%	-	-	-	-		
		Total	92	93.88%	6	6.12%	-	-	98	
	Total		1,030	95.99%	43	4.01%	-	-	1,073	
	Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	90	100.00%	-	-	-	-	
			11-15	-	-	2	100.00%	-	-	
16+			-	-	3	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	6-10	14	93.33%	1	6.67%	-	-	
		Total	104	94.55%	6	5.45%	-	-	110
	Total		104	94.55%	6	5.45%	-	-	110
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	205	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	4	14.81%	23	85.19%	
		6-10	35	94.59%	2	5.41%	-	-	
		Total	240	82.19%	29	9.93%	23	7.88%	292
	Total		240	82.19%	29	9.93%	23	7.88%	292
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	199	100.00%	-	-	-	-	
		Total	199	100.00%	-	-	-	-	199
	Total		199	100.00%	-	-	-	-	199
Toronto Water and Sewer (TORW123)	TORWE01	0-5	408	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	271	97.48%	7	2.52%	-	-	
		Total	679	95.10%	35	4.90%	-	-	714
	TORWE02	0-5	119	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	45	97.83%	1	2.17%	-	-	
		Total	164	93.18%	12	6.82%	-	-	176
	TORWE03	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	TORWE04	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	44	100.00%	-	-	-	-	
		Total	95	95.96%	4	4.04%	-	-	99
	TORWE05	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	18	90.00%	2	10.00%	-	-	20
	TORWE06	0-5	6	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	TORWE07	0-5	304	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	12	92.31%	1	7.69%	
		6-10	133	97.08%	4	2.92%	-	-	
		Total	437	94.18%	26	5.60%	1	0.22%	464
	TORWW01	0-5	363	100.00%	-	-	-	-	
		11-15	-	-	19	95.00%	1	5.00%	
		16+	-	-	6	75.00%	2	25.00%	
		6-10	286	98.62%	4	1.38%	-	-	
Total		649	95.30%	29	4.26%	3	0.44%	681	
TORWW02	0-5	198	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	6-10	200	99.50%	1	0.50%	-	-		
	Total	398	98.51%	6	1.49%	-	-	404	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWW04	0-5	74	100.00%	-	-	-	-	98
		11-15	-	-	3	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	95	96.94%	3	3.06%	-	-	
	TORWW05	0-5	30	100.00%	-	-	-	-	60
		11-15	-	-	1	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	59	98.33%	1	1.67%	-	-	
	TORWW06	0-5	2	100.00%	-	-	-	-	4
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	TORWWN03	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	TORWWN07	0-5	102	100.00%	-	-	-	-	169
		11-15	-	-	2	100.00%	-	-	
		6-10	65	100.00%	-	-	-	-	
		Total	167	98.82%	2	1.18%	-	-	
	TORWWS03	0-5	11	100.00%	-	-	-	-	17
		6-10	6	100.00%	-	-	-	-	
Total		17	100.00%	-	-	-	-		
TORWWS07	0-5	210	100.00%	-	-	-	-	321	
	11-15	-	-	7	100.00%	-	-		
	16+	-	-	4	80.00%	1	20.00%		
	6-10	98	98.99%	1	1.01%	-	-		
	Total	308	95.95%	12	3.74%	1	0.31%		
Total		3,114	95.76%	133	4.09%	5	0.15%	3,252	
Toronto, University Of (UTOR01)	UTOR01	0-5	14	100.00%	-	-	-	-	16
		6-10	2	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	
Total		16	100.00%	-	-	-	-	16	
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	440	100.00%	-	-	-	-	507
		11-15	-	-	4	100.00%	-	-	
		6-10	63	100.00%	-	-	-	-	
		Total	503	99.21%	4	0.79%	-	-	
Total		503	99.21%	4	0.79%	-	-	507	
Transcanada Pipelines - North (TCP02)	TC04	0-5	23	100.00%	-	-	-	-	31
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	23	74.19%	8	25.81%	-	-	
	TC11	0-5	16	100.00%	-	-	-	-	23
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	19	82.61%	4	17.39%	-	-		
	Total		42	77.78%	12	22.22%	-	-	54
Trans-Northern Pipelines (TN01)	TN01	0-5	83	100.00%	-	-	-	-	93
		11-15	-	-	1	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	91	97.85%	2	2.15%	-	-	
Total		91	97.85%	2	2.15%	-	-	93	
Trans-Northern Pipelines (TN02)	TN02	0-5	7	100.00%	-	-	-	-	11
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	
Total		10	90.91%	1	9.09%	-	-	11	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Trent University (TRENTU123)	TRENTU01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		Total	2	40.00%	1	20.00%	2	40.00%	5
	TRENTU02	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		2	28.57%	2	28.57%	3	42.86%	7
Tribute Gas (MAGG01)	MAGG01	16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	4	80.00%	-	-	1	20.00%	5
	Total		4	80.00%	-	-	1	20.00%	5
Tuckersmith Communications (TCC01)	TCC01	0-5	47	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	50	98.04%	1	1.96%	-	-	51
	Total		50	98.04%	1	1.96%	-	-	51
Tweed, Municipality Of (TWDWS01)	TWDWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
University Health Network - Toronto General (UHNTG01)	UHNTG01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
University Health Network (UHN01)	UHN01	0-5	2	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	30	100.00%	
		Total	-	-	-	-	31	100.00%	31
	Total		-	-	-	-	31	100.00%	31
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	8	42.11%	-	-	11	57.89%	19
	Total		8	42.11%	-	-	11	57.89%	19
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Utilities Kingston (UK123)	UK04	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	50.00%	1	50.00%	
	Total	87	100.00%	1	50.00%	2	75.00%	2	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Utilities Kingston (UK123)	UK04	6-10	9	100.00%	-	-	-	-	
		Total	96	96.97%	1	1.01%	2	2.02%	99
	Total	96	96.97%	1	1.01%	2	2.02%	99	
Uxbridge, Town Of (UXB01)	UXB01	11-15	-	-	2	100.00%	-	-	
		16+	-	-	11	57.89%	8	42.11%	
		Total	-	-	13	61.90%	8	38.10%	21
	Total	-	-	13	61.90%	8	38.10%	21	
Vale Canada (VALE01)	VALE01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	-	-	10	100.00%	
		Total	1	9.09%	-	-	10	90.91%	11
	Total	1	9.09%	-	-	10	90.91%	11	
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	380	100.00%	-	-	-	-	
		6-10	173	100.00%	-	-	-	-	
		Total	553	100.00%	-	-	-	-	553
	Total	553	100.00%	-	-	-	-	553	
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	25	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total	32	100.00%	-	-	-	-	32	
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	263	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	158	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
	Total	267	60.54%	174	39.46%	-	-	441	
Total	267	60.54%	174	39.46%	-	-	441		
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	357	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	362	98.91%	4	1.09%	-	-	366	
Total	362	98.91%	4	1.09%	-	-	366		
Videotron Senc (VDT1)	VDT1	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	51	100.00%	-	-	-	-	
	Total	125	98.43%	1	0.79%	1	0.79%	127	
	VDT2	0-5	11	100.00%	-	-	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	46.15%	14	53.85%	-	-	26
	Total	137	89.54%	15	9.80%	1	0.65%	153	
VIVE DEVELOPMENT CORPORATION (VIVE01)	VIVE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
WALTHAM ENERGY (WALTE01)	WALTE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	50.00%	2	33.33%	1	16.67%	6
	Total	3	50.00%	2	33.33%	1	16.67%	6	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	44	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total		47	100.00%	-	-	-	-	47
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	43	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	Total		48	100.00%	-	-	-	-	48
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	6	100.00%	-	-	
		Total	-	-	6	100.00%	-	-	6
	Total		-	-	6	100.00%	-	-	6
Waste Management Canada (WMFM01)	WMFM01	16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Waterloo, City Of (CW01)	CW01	0-5	154	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	158	95.18%	8	4.82%	-	-	166
	Total		158	95.18%	8	4.82%	-	-	166
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	14	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	58	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	70	100.00%	-	-	-	-	70
	Total		70	100.00%	-	-	-	-	70
Waterloo, Region Of (RW02)	RW02	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	23	95.83%	1	4.17%	-	-	
		Total	88	91.67%	4	4.17%	4	4.17%	96
	Total		88	91.67%	4	4.17%	4	4.17%	96
Waterloo, University Of (UWAT01)	UWAT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
Total		2	100.00%	-	-	-	-	2	
Wawa, Municipality Of (WAW01)	WAW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Welland Hydro (WLNDH01)	WLNDH01	0-5	145	100.00%	-	-	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	179	100.00%	-	-	-	-	179
	Total		179	100.00%	-	-	-	-	179
Welland, City Of (WLD01)	WLD01	0-5	183	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Welland, City Of (WLD01)	WLD01	6-10	5	100.00%	-	-	-	-	
		Total	188	100.00%	-	-	-	-	188
	Total		188	100.00%	-	-	-	-	188
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
	Total	17	80.95%	-	-	4	19.05%	21	
	Total		17	80.95%	-	-	4	19.05%	21
Wellington North Power Inc (WNP01)	WNP01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Wellington North, Township Of (WLG123)	WLG123	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Wellington, County Of (WLG123)	WLG123	16+	-	-	10	83.33%	2	16.67%	
		Total	-	-	10	83.33%	2	16.67%	12
	Total		-	-	10	83.33%	2	16.67%	12
West Elgin, Municipality Of (W005)	W005	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	64.29%	3	21.43%	2	14.29%	14
	Total		9	64.29%	3	21.43%	2	14.29%	14
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	12	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		17	100.00%	-	-	-	-	17
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	WPTHWS01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total		11	100.00%	-	-	-	-	11	
West Windsor Power (WWP01)	WWP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Westario Power (WPOW01)	WPOW01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	39	92.86%	3	7.14%	-	-	42
	Total		39	92.86%	3	7.14%	-	-	42
Westover Express Pipeline	WEX01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Westport , Village Of (WPT01)	WPT01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Whitby, Town Of (WHIT123)	WHITCB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	WHITS01	0-5	101	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
	Total	101	99.02%	-	-	1	0.98%	102	
	WHITSL01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
6-10		25	92.59%	2	7.41%	-	-		
Total	61	91.04%	6	8.96%	-	-	67		
Total			164	95.91%	6	3.51%	1	0.58%	171
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	51	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	51
	WCSTSL01	0-5	80	100.00%	-	-	-	-	
		Total	80	100.00%	-	-	-	-	80
	WCSTW01	0-5	64	100.00%	-	-	-	-	
Total	64	100.00%	-	-	-	-	-	64	
Total			195	100.00%	-	-	-	-	195
White River , Town Of (WHRWS01)	WHRWS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
Total	2	100.00%	-	-	-	-	-	2	
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	-	1
Wiet Peeters Farm Products Limited (WPFPL01)	WPFPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Wightman Telecom (WT123)	WT01	0-5	118	100.00%	-	-	-	-	
		11-15	-	-	13	92.86%	1	7.14%	
		16+	-	-	-	-	11	100.00%	
		6-10	44	80.00%	11	20.00%	-	-	
	Total	162	81.82%	24	12.12%	12	6.06%	198	
Total	162	81.82%	24	12.12%	12	6.06%	198		
Wilfrid Laurier University (WLU01)	WLU01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
Total	2	100.00%	-	-	-	-	-	2	
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	24	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	27	100.00%	-	-	-	-	27	
Total	27	100.00%	-	-	-	-	-	27	
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	209	100.00%	-	-	-	-	
		6-10	94	98.95%	1	1.05%	-	-	
	Total	303	99.67%	1	0.33%	-	-	304	
Total	303	99.67%	1	0.33%	-	-	-	304	
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	41	100.00%	-	-	-	-	
		6-10	45	100.00%	-	-	-	-	
	Total	86	100.00%	-	-	-	-	86	
Total	86	100.00%	-	-	-	-	-	86	
Windsor, City Of (EWINW01)	EWINW01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	112	100.00%	-	-	-	-	
	Total	192	98.46%	3	1.54%	-	-	195	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Windsor, City Of (EWINW01)	EWINW02	0-5	64	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total		257	98.85%	3	1.15%	-	-	260
Windsor, City Of (WSRSL01)	WSRSL01	0-5	284	100.00%	-	-	-	-	
		6-10	97	100.00%	-	-	-	-	
		Total	381	100.00%	-	-	-	-	381
	Total		381	100.00%	-	-	-	-	381
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	88	100.00%	-	-	-	-	
		16+	-	-	5	55.56%	4	44.44%	
		6-10	1	100.00%	-	-	-	-	
	Total	89	90.82%	5	5.10%	4	4.08%	98	
Total		89	90.82%	5	5.10%	4	4.08%	98	
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	87	91.58%	8	8.42%	-	-	95	
Total		87	91.58%	8	8.42%	-	-	95	
Woolwich, Township Of (WLW01)	WLW01	0-5	103	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	103	99.04%	1	0.96%	-	-	104	
Total		103	99.04%	1	0.96%	-	-	104	
Wtc Communications (WTCCT01)	WTCCT01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	5	83.33%	1	16.67%	-	-	
	Total	13	59.09%	4	18.18%	5	22.73%	22	
Total		13	59.09%	4	18.18%	5	22.73%	22	
Xplore Inc	MTLF01	0-5	55	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	29	100.00%	-	-	-	-	
	Total	84	96.55%	2	2.30%	1	1.15%	87	
	XPNET01	0-5	295	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	40	97.56%	1	2.44%	-	-	
	Total	335	98.24%	5	1.47%	1	0.29%	341	
	XPNET02	0-5	114	100.00%	-	-	-	-	
6-10		9	100.00%	-	-	-	-		
Total	123	100.00%	-	-	-	-	123		
Total		542	98.37%	7	1.27%	2	0.36%	551	
York Region Water And Sewer (YRWS123)	YRWS01	0-5	379	100.00%	-	-	-	-	
		6-10	38	100.00%	-	-	-	-	
	Total	417	100.00%	-	-	-	-	417	
Total		417	100.00%	-	-	-	-	417	
York University (YORKU01)	YORKU01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total		-	-	-	-	2	100.00%	2	
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	237	100.00%	-	-	-	-	
		11-15	-	-	72	100.00%	-	-	
		16+	-	-	1	12.50%	7	87.50%	
		6-10	260	98.86%	3	1.14%	-	-	
	Total	497	85.69%	76	13.10%	7	1.21%	580	
Total		497	85.69%	76	13.10%	7	1.21%	580	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	6	66.67%	3	33.33%	
		16+	-	-	7	58.33%	5	41.67%	
		6-10	27	93.10%	2	6.90%	-	-	
		Total	66	74.16%	15	16.85%	8	8.99%	
	ZAYOON02	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	37.50%	5	62.50%	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	43	76.79%	8	14.29%	5	8.93%	
	ZAYOON03	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	6	75.00%	2	25.00%	
16+		-	-	12	66.67%	6	33.33%		
6-10		8	80.00%	2	20.00%	-	-		
Total		49	63.64%	20	25.97%	8	10.39%	77	
ZAYOON04	0-5	8	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	5	71.43%	2	28.57%	-	-		
	Total	13	59.09%	9	40.91%	-	-		22
ZAYOON05	0-5	11	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	6-10	14	93.33%	1	6.67%	-	-		
	Total	25	73.53%	9	26.47%	-	-		34
ZAYOON06	0-5	3	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	5	83.33%	1	16.67%	-	-		
	Total	8	66.67%	4	33.33%	-	-		12
ZAYOON07	0-5	25	100.00%	-	-	-	-		
	11-15	-	-	11	100.00%	-	-		
	16+	-	-	2	100.00%	-	-		
	6-10	25	96.15%	1	3.85%	-	-		
	Total	50	78.13%	14	21.88%	-	-		64
ZAYOON08	0-5	36	100.00%	-	-	-	-		
	11-15	-	-	7	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	12	100.00%	-	-	-	-		
	Total	48	82.76%	10	17.24%	-	-		58
ZAYOON09	0-5	8	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	5	100.00%	-	-	-	-		
	Total	13	92.86%	-	-	1	7.14%		14
ZAYOON11	0-5	351	100.00%	-	-	-	-		
	11-15	-	-	14	77.78%	4	22.22%		
	16+	-	-	24	64.86%	13	35.14%		
	6-10	68	93.15%	5	6.85%	-	-		
	Total	419	87.47%	43	8.98%	17	3.55%		479
ZAYOON12	0-5	7	100.00%	-	-	-	-		
	16+	-	-	-	-	6	100.00%		
	6-10	1	50.00%	1	50.00%	-	-		
	Total	8	53.33%	1	6.67%	6	40.00%		15
Total			742	80.65%	133	14.46%	45	4.89%	920
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	16+	-	-	18	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	69	75.00%	22	23.91%	1	1.09%	92
	Total	69	75.00%	22	23.91%	1	1.09%	92	
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	69	100.00%	-	-	-	-	
		Total	69	100.00%	-	-	-	-	69
	Total	69	100.00%	-	-	-	-	69	
Total			119,437	94.89%	5,017	3.99%	1,411	1.12%	125,865