

UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 Locate your organization

Find your organization name in the first column, listed alphabetically.

2 Find your master code

Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 Understand performance metrics

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report

The report includes data for standard and advanced locate requests.

Excluded in this report

Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2025-09-4 02:00:38

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.


UIO Performance Report



Report Period

2025-07-01

2025-07-31



On Time	346,928	94.86%
Late	15,024	4.11%
No 360 Response	3,783	1.03%
Total	365,735	

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
1682468 Corp (168XPL01)	168XPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
180 Columbia Waterloo Incorporated (COLWAT02)	COLWAT02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
407 ETR (407ETR)	407ETR01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	5	100.00%	-	-	-	-	
		Total	89	89.90%	9	9.09%	1	1.01%	99
	Total		89	89.90%	9	9.09%	1	1.01%	99
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	132	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	90	90.91%	9	9.09%	-	-	
		Total	222	94.47%	13	5.53%	-	-	235
	HYTOS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	6	75.00%	2	25.00%	-	-	8	
	HYTOW01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	16	94.12%	1	5.88%	-	-	17	
Total		244	93.85%	16	6.15%	-	-	260	
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	16+	-	-	60	96.77%	2	3.23%	
		Total	-	-	60	96.77%	2	3.23%	62
	Total		-	-	60	96.77%	2	3.23%	62
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	35.71%	9	64.29%	
	Total	3	16.67%	6	33.33%	9	50.00%	18	
Total		3	16.67%	6	33.33%	9	50.00%	18	
Admaston Bromley, Township Of (ADMBRM01)	ADMBRM01	16+	-	-	3	75.00%	1	25.00%	
		Total	-	-	3	75.00%	1	25.00%	4
	Total		-	-	3	75.00%	1	25.00%	4
Agilis (AGILF01)	AGILF01	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Agilis (AGILF01)	AGILF01	16+	-	-	-	-	3	100.00%	
		6-10	13	86.67%	2	13.33%	-	-	
		Total	83	92.22%	4	4.44%	3	3.33%	90
	Total	83	92.22%	4	4.44%	3	3.33%	90	
Aim Harrow Wind Farm (HARFW01)	HARFW01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Air Liquide Canada (AL01)	AL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Air Products Canada (APC1)	APC1	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total	7	87.50%	1	12.50%	-	-	8	
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	282	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	147	99.32%	1	0.68%	-	-	
		Total	429	97.06%	13	2.94%	-	-	442
	Total	429	97.06%	13	2.94%	-	-	442	
Alectra Brampton (ALECBR01)	ALECBR01	0-5	1,625	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
	Total	1,668	99.64%	6	0.36%	-	-	1674	
Total	1,668	99.64%	6	0.36%	-	-	1,674		
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	2,780	100.00%	-	-	-	-	
		11-15	-	-	42	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	578	97.64%	14	2.36%	-	-	
	Total	3,358	97.73%	78	2.27%	-	-	3436	
Total	3,358	97.73%	78	2.27%	-	-	3,436		
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	2,204	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	31	100.00%	-	-	
		6-10	290	89.51%	34	10.49%	-	-	
	Total	2,494	96.18%	99	3.82%	-	-	2593	
Total	2,494	96.18%	99	3.82%	-	-	2,593		
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	835	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	27	93.10%	2	6.90%	-	-	
	Total	862	98.74%	11	1.26%	-	-	873	
Total	862	98.74%	11	1.26%	-	-	873		
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	2,486	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	40	100.00%	-	-	
		6-10	1,038	99.62%	4	0.38%	-	-	
		Total	3,524	98.63%	49	1.37%	-	-	3573
	PSGN05	0-5	1,289	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	168	98.25%	3	1.75%	-	-	
		Total	1,457	98.98%	15	1.02%	-	-	1472
Total	4,981	98.73%	64	1.27%	-	-	5,045		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Alectra Utilities (GHY01)	GHY01	0-5	738	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	79	100.00%	-	-	-	-	
		Total	817	99.63%	3	0.37%	-	-	820
	Total	817	99.63%	3	0.37%	-	-	820	
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	43	100.00%	-	-	-	-	
		16+	-	-	19	90.48%	2	9.52%	
		Total	43	67.19%	19	29.69%	2	3.13%	64
	Total	43	67.19%	19	29.69%	2	3.13%	64	
Algoma Power (AGMP01)	AGMP01	0-5	318	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	318	99.69%	-	-	1	0.31%	319
	Total	318	99.69%	-	-	1	0.31%	319	
Algonquin College (ALGQC01)	ALGQC01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	6	60.00%	4	40.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	7	38.89%	7	38.89%	4	22.22%	18
	Total	7	38.89%	7	38.89%	4	22.22%	18	
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	4	66.67%	-	-	2	33.33%	6
	Total	4	66.67%	-	-	2	33.33%	6	
Amherstburg Public Works (A005)	A005	0-5	178	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	189	98.44%	3	1.56%	-	-	192
	Total	189	98.44%	3	1.56%	-	-	192	
Apotex (APX2)	APX2	6-10	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	11	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	12	85.71%	2	14.29%	-	-	14
	Total	12	85.71%	2	14.29%	-	-	14	
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	39	100.00%	-	-	-	-	
		Total	41	95.35%	-	-	2	4.65%	43
	Total	41	95.35%	-	-	2	4.65%	43	
Armstrong , Township Of (ARSG01)	ARSG01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	3	75.00%	1	25.00%	
	Total	-	-	3	60.00%	2	40.00%	5	
Total	-	-	3	60.00%	2	40.00%	5		
Armstrong Lsb (ARLSBW01)	ARLSBW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	33.33%	4	66.67%	
		6-10	4	44.44%	5	55.56%	-	-	
		Total	85	86.73%	9	9.18%	4	4.08%	98
	Total	85	86.73%	9	9.18%	4	4.08%	98	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	40.00%	6	60.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	26	70.27%	5	13.51%	6	16.22%	37
Total			26	70.27%	5	13.51%	6	16.22%	37
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	ACWWS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	1	100.00%	-	-	-	-	
Total	2	28.57%	2	28.57%	3	42.86%	7		
Total			2	20.00%	2	20.00%	6	60.00%	10
Asphodel Norwood, Township Of (ASP NOR01)	ASP NOR01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	19	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	11	35.48%	1	3.23%	19	61.29%	31
Total			11	35.48%	1	3.23%	19	61.29%	31
Athens, Township Of (ATHS01)	ATHS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Atikokan Hydro (ATH01)	ATH01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
Total			20	100.00%	-	-	-	-	20
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	22	91.67%	-	-	2	8.33%	24
Total			22	91.67%	-	-	2	8.33%	24
Aurora, Town Of (AURORA01)	AURORA01	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	7	77.78%	2	22.22%	
		6-10	33	100.00%	-	-	-	-	
		Total	169	92.35%	12	6.56%	2	1.09%	183
Total			169	92.35%	12	6.56%	2	1.09%	183
Avetria Networks Inc (ANF01)	ANF01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	11	44.00%	14	56.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	5	14.71%	15	44.12%	14	41.18%	34
Total			5	14.71%	15	44.12%	14	41.18%	34
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	6	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	8	80.00%	2	20.00%	-	-	10
Total			8	80.00%	2	20.00%	-	-	10
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	87	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	91	96.81%	2	2.13%	1	1.06%	94
	OCWA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			93	96.88%	2	2.08%	1	1.04%	96

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bancroft, Town Of (BNCF01)	BNCF01	11-15	-	-	1	33.33%	2	66.67%	
		16+	-	-	-	-	30	100.00%	
		Total	-	-	1	3.03%	32	96.97%	33
	Total					1	3.03%	32	96.97%
Barrie, City Of (BARR01)	BARR01	0-5	1,096	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	334	89.54%	39	10.46%	-	-	
	Total	1,430	96.04%	59	3.96%	-	-	1,489	
Total					59	3.96%			1,489
Bayham, Municipality Of (BYH01)	BYH01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	1	100.00%	-	-	-	-	
	Total	21	67.74%	9	29.03%	1	3.23%	31	
Total					9	29.03%	1	3.23%	31
Bayview Explorations Ltd (BVEPL01)	BVEPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total							1	100.00%
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	448	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	11	40.74%	16	59.26%	
		6-10	387	99.49%	2	0.51%	-	-	
	Total	835	95.21%	26	2.96%	16	1.82%	877	
Total					26	2.96%	16	1.82%	877
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	406	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	218	100.00%	-	-	-	-	
	Total	624	99.68%	-	-	2	0.32%	626	
Total							2	0.32%	626
Bell Canada Damage Prevention (BC01)	360GTA	0-5	352	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	123	100.00%	-	-	-	-	
	Total	475	96.94%	15	3.06%	-	-	490	
	360N	0-5	114	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
	Total	130	86.67%	20	13.33%	-	-	150	
	360N01	0-5	269	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
	Total	299	91.44%	28	8.56%	-	-	327	
	360OTT	0-5	36	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	48	97.96%	1	2.04%	-	-	49	
	BAOS01	6-10	2	100.00%	-	-	-	-	
Total		2	100.00%	-	-	-	-	2	
BC80701	0-5	241	100.00%	-	-	-	-		
	11-15	-	-	11	100.00%	-	-		
	16+	-	-	35	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BC80701	6-10	38	95.00%	2	5.00%	-	-	
		Total	279	85.32%	48	14.68%	-	-	327
	BC80703	0-5	12	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	12	50.00%	12	50.00%	-	-	24
	BCGE01	0-5	3,422	100.00%	-	-	-	-	
		11-15	-	-	57	100.00%	-	-	
		16+	-	-	25	96.15%	1	3.85%	
		6-10	791	99.00%	8	1.00%	-	-	
		Total	4,213	97.89%	90	2.09%	1	0.02%	4304
	BCGN01	0-5	3,931	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	13	81.25%	3	18.75%	
		6-10	984	99.49%	5	0.51%	-	-	
		Total	4,915	99.31%	31	0.63%	3	0.06%	4949
	BCGN02	0-5	3,176	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	83	87.37%	12	12.63%	-	-	
		Total	3,259	99.15%	28	0.85%	-	-	3287
	BCGTAA01	0-5	22	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	BCGW01	0-5	4,102	100.00%	-	-	-	-	
		11-15	-	-	50	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	608	98.38%	10	1.62%	-	-	
		Total	4,710	98.29%	82	1.71%	-	-	4792
	BCGW02	0-5	881	100.00%	-	-	-	-	
11-15		-	-	32	100.00%	-	-		
16+		-	-	29	100.00%	-	-		
6-10		211	99.06%	2	0.94%	-	-		
Total		1,092	94.55%	63	5.45%	-	-	1155	
BCHN01	0-5	8,580	100.00%	-	-	-	-		
	11-15	-	-	145	100.00%	-	-		
	16+	-	-	89	98.89%	1	1.11%		
	6-10	879	95.34%	43	4.66%	-	-		
	Total	9,459	97.14%	277	2.84%	1	0.01%	9737	
BCOE01	0-5	8,871	100.00%	-	-	-	-		
	11-15	-	-	116	100.00%	-	-		
	16+	-	-	51	100.00%	-	-		
	6-10	1,352	98.11%	26	1.89%	-	-		
	Total	10,223	98.15%	193	1.85%	-	-	10416	
BCONE01	0-5	2,673	100.00%	-	-	-	-		
	11-15	-	-	42	100.00%	-	-		
	16+	-	-	8	88.89%	1	11.11%		
	6-10	246	86.32%	39	13.68%	-	-		
	Total	2,919	97.01%	89	2.96%	1	0.03%	3009	
BCONW01	0-5	57	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	41	100.00%	-	-		
	Total	57	56.44%	44	43.56%	-	-	101	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCONW02	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	24	57.14%	18	42.86%	-	-	42
	BCOS01	0-5	6,000	100.00%	-	-	-	-	
		11-15	-	-	125	100.00%	-	-	
		16+	-	-	48	100.00%	-	-	
		6-10	1,418	96.14%	57	3.86%	-	-	
		Total	7,418	96.99%	230	3.01%	-	-	7648
	BCOW01	0-5	8,774	100.00%	-	-	-	-	
		11-15	-	-	53	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	1,365	99.34%	9	0.66%	-	-	
		Total	10,139	99.30%	71	0.70%	-	-	10210
	BCTE01	0-5	3,654	100.00%	-	-	-	-	
		11-15	-	-	41	100.00%	-	-	
		16+	-	-	27	96.43%	1	3.57%	
		6-10	596	99.50%	3	0.50%	-	-	
		Total	4,250	98.33%	71	1.64%	1	0.02%	4322
	BCTW01N	0-5	1,513	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	6	75.00%	2	25.00%	
6-10		244	99.59%	1	0.41%	-	-		
Total		1,757	99.21%	12	0.68%	2	0.11%	1771	
BCTW01S	0-5	1,758	100.00%	-	-	-	-		
	11-15	-	-	35	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	257	95.19%	13	4.81%	-	-		
	Total	2,015	97.48%	52	2.52%	-	-	2067	
BFTHTOR2	16+	-	-	-	-	52	100.00%		
	Total	-	-	-	-	52	100.00%	52	
Total		67,719	97.78%	1,475	2.13%	61	0.09%	69,255	
Belleville , City Of (BLV01)	BLV01	0-5	227	100.00%	-	-	-	-	
		Total	227	100.00%	-	-	-	-	227
	Total		227	100.00%	-	-	-	-	227
Billings , Township Of (BLGWS01)	BLGWS01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Birch Hill Telecom (BHTI01)	BHTI01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	67	100.00%	-	-	-	-	
		Total	97	95.10%	5	4.90%	-	-	102
	Total		97	95.10%	5	4.90%	-	-	102
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
	Total	13	72.22%	-	-	5	27.78%	18	
Total		13	72.22%	-	-	5	27.78%	18	
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		20	100.00%	-	-	-	-	20
Blind River , Town Of (BLR01)	BLR01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Blind River , Town Of (BLR01)	BLR01	6-10	1	25.00%	3	75.00%	-	-	
		Total	17	80.95%	4	19.05%	-	-	21
	Total	17	80.95%	4	19.05%	-	-	21	
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total	-	-	2	100.00%	-	-	2	
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	153	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	179	100.00%	-	-	-	-	179
	Total	179	100.00%	-	-	-	-	179	
Bluewater Power (S003)	S003	0-5	584	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	4	100.00%	
		6-10	175	99.43%	1	0.57%	-	-	
		Total	759	99.09%	2	0.26%	5	0.65%	766
	Total	759	99.09%	2	0.26%	5	0.65%	766	
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	50	100.00%	-	-	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	92	100.00%	-	-	-	-	92
	Total	92	100.00%	-	-	-	-	92	
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Bluewater, Municipality Of (BLW01)	BLW01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	59	96.72%	-	-	2	3.28%	61
	Total	59	96.72%	-	-	2	3.28%	61	
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total	13	100.00%	-	-	-	-	13	
Boralex (BOR123)	BORWF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	BORWF02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF03	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF05	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF06	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BORWF07	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	BORWF08	0-5	15	100.00%	-	-	-	-	
Total		15	100.00%	-	-	-	-	15	
Total	33	100.00%	-	-	-	-	33		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	60	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	Total		66	100.00%	-	-	-	-	66
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	61	95.31%	3	4.69%	-	-	64
	BFWGSS01	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	63	95.45%	3	4.55%	-	-	66
	BFWGW01	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	79	96.34%	3	3.66%	-	-	82
	Total		203	95.75%	9	4.25%	-	-	212
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	69	100.00%	-	-	
		16+	-	-	2	2.17%	90	97.83%	
		6-10	25	71.43%	10	28.57%	-	-	
		Total	55	24.34%	81	35.84%	90	39.82%	226
	Total		55	24.34%	81	35.84%	90	39.82%	226
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	114	100.00%	-	-	-	-	
		11-15	-	-	200	99.50%	1	0.50%	
		16+	-	-	5	1.91%	257	98.09%	
		6-10	115	62.50%	69	37.50%	-	-	
		Total	229	30.09%	274	36.01%	258	33.90%	761
	Total		229	30.09%	274	36.01%	258	33.90%	761
Brant, County Of - Fibre (BRNTF01)	BRNTF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	4	80.00%	1	20.00%	-	-	5	
Total		4	80.00%	1	20.00%	-	-	5	
Brant, County Of (BRNT01)	BRNT01	0-5	246	100.00%	-	-	-	-	
		11-15	-	-	18	90.00%	2	10.00%	
		16+	-	-	-	-	46	100.00%	
		6-10	8	40.00%	12	60.00%	-	-	
		Total	254	76.51%	30	9.04%	48	14.46%	332
	Total		254	76.51%	30	9.04%	48	14.46%	332
Brantford, The City Of (BRAS01)	BRAS01	0-5	208	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	119	99.17%	1	0.83%	-	-	
	Total	327	97.32%	9	2.68%	-	-	336	
Total		327	97.32%	9	2.68%	-	-	336	
Brantford, The City Of (BRASL01)	BRASL01	0-5	282	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	64	98.46%	1	1.54%	-	-	
	Total	346	97.19%	10	2.81%	-	-	356	
Total		346	97.19%	10	2.81%	-	-	356	
Brantford, The City Of (BRATL01)	BRATL01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
	Total	15	71.43%	6	28.57%	-	-	21	
Total		15	71.43%	6	28.57%	-	-	21	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	15	44.12%	19	55.88%	-	-	
		Total	25	34.25%	42	57.53%	6	8.22%	73
Total			25	34.25%	42	57.53%	6	8.22%	73
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	11	52.38%	10	47.62%	-	-	
		Total	16	34.78%	25	54.35%	5	10.87%	46
Total			16	34.78%	25	54.35%	5	10.87%	46
Brock , Township Of (BRCK01)	BRCK01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	24	92.31%	1	3.85%	1	3.85%	26
Total			24	92.31%	1	3.85%	1	3.85%	26
Brock University (BROCKU01)	BROCKU01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total			5	100.00%	-	-	-	5	
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	34	87.18%	1	2.56%	4	10.26%	39
Total			34	87.18%	1	2.56%	4	10.26%	39
Brockville, City Of (BRKV01)	BRKV01	0-5	175	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	3	18.75%	13	81.25%	
		Total	175	91.15%	3	1.56%	14	7.29%	192
Total			175	91.15%	3	1.56%	14	7.29%	192
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
Total			12	100.00%	-	-	-	12	
Brooke Telecom (B004)	B004	0-5	161	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	167	98.82%	1	0.59%	1	0.59%	169
Total			167	98.82%	1	0.59%	1	0.59%	169
Bruce , County Of (BRC01)	BRC01	0-5	195	100.00%	-	-	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	242	100.00%	-	-	-	-	242
Total			242	100.00%	-	-	-	242	
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	2	
Bruce Power (BRCP01)	BRCP01	16+	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
Total			1	25.00%	3	75.00%	-	4	
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
Total			31	100.00%	-	-	-	31	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bruce Telecom (BTL01)	BTL01	0-5	476	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	153	100.00%	-	-	
		6-10	14	46.67%	16	53.33%	-	-	
		Total	490	74.02%	172	25.98%	-	-	662
	Total	490	74.02%	172	25.98%	-	-	662	
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
	Total	17	73.91%	-	-	6	26.09%	23	
Total	17	73.91%	-	-	6	26.09%	23		
Burlington Hydro (BH01)	BH01	0-5	1,281	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
	Total	1,307	99.77%	3	0.23%	-	-	1310	
Total	1,307	99.77%	3	0.23%	-	-	1,310		
Burlington, City Of (BRL123)	BRLSL01	0-5	454	100.00%	-	-	-	-	
		6-10	82	100.00%	-	-	-	-	
		Total	536	100.00%	-	-	-	-	536
	BRLSS01	0-5	317	100.00%	-	-	-	-	
		6-10	87	100.00%	-	-	-	-	
		Total	404	100.00%	-	-	-	-	404
	BRLTS01	0-5	30	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total	982	100.00%	-	-	-	-	982	
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	109	100.00%	-	-	-	-	
		6-10	83	100.00%	-	-	-	-	
	Total	192	100.00%	-	-	-	-	192	
Total	192	100.00%	-	-	-	-	192		
Callander, Municipality Of (CLN01)	CLN01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	13	81.25%	2	12.50%	1	6.25%	16	
Total	13	81.25%	2	12.50%	1	6.25%	16		
Cambridge, City Of (CAM123)	CAMS01	0-5	304	100.00%	-	-	-	-	
		11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	308	97.78%	-	-	7	2.22%	315	
	CAMW01	0-5	265	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	37	100.00%	-	-	-	-	
Total		302	98.05%	-	-	6	1.95%	308	
Total	610	97.91%	-	-	13	2.09%	623		
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
Total	-	-	-	-	6	100.00%	6		
Campbellford Memorial Hospital (CMBFMH01)	CMBFMH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	1	100.00%	1		
Canadian Niagara Power (CNP01)	CNP01	0-5	380	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
	Total	391	99.74%	1	0.26%	-	-	392	
Total	391	99.74%	1	0.26%	-	-	392		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	148	100.00%	
		Total	-	-	-	-	152	100.00%	152
	Total		-	-	-	-	152	100.00%	152
Cardinal Power (CARDP01)	CARDP01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	116	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	116	95.87%	5	4.13%	-	-	121
	Total		116	95.87%	5	4.13%	-	-	121
Cascara Energy - Formerly Guelph Municipal Holdings (ECEPL01)	ECEPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	9	90.00%	1	10.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	33	75.00%	10	22.73%	1	2.27%	44
	Total		33	75.00%	10	22.73%	1	2.27%	44
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	5	71.43%	-	-	2	28.57%	7
	Total		5	71.43%	-	-	2	28.57%	7
Cedar Point li Wind Farm (CP2WF01)	CP2WF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Celerity Telecom Inc (CTI01)	CTI01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	7	87.50%	1	12.50%	
		16+	-	-	-	-	2	100.00%	
		6-10	7	77.78%	2	22.22%	-	-	
	Total	8	40.00%	9	45.00%	3	15.00%	20	
Total		8	40.00%	9	45.00%	3	15.00%	20	
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		15	93.75%	1	6.25%	-	-	16
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	98	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	113	96.58%	4	3.42%	-	-	117
	Total		113	96.58%	4	3.42%	-	-	117
Central Frontenac , Township Of (CFS01)	CFS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Central Huron, Municipality Of (CHW01)	CHW01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	42	93.33%	1	2.22%	2	4.44%	45
	Total		42	93.33%	1	2.22%	2	4.44%	45
Central Manitoulin, Municipality Of (CTMTN01)	CTMTN01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	22	100.00%	
		Total	-	-	-	-	22	100.00%	22
	Total		-	-	-	-	22	100.00%	22
Centre Wellington Communications (CWC01)	CWC01	0-5	21	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Centre Wellington Hydro (CWH01)	CWH01	0-5	151	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	151	99.34%	1	0.66%	-	-	152
	Total		151	99.34%	1	0.66%	-	-	152
Centre Wellington, Township Of (CTW01)	CTW01	0-5	140	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	179	100.00%	-	-	-	-	179
	Total		179	100.00%	-	-	-	-	179
Century Link (LVL3)	LVL3	0-5	410	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	412	98.33%	6	1.43%	1	0.24%	419
	Total		412	98.33%	6	1.43%	1	0.24%	419
Champion Pipeline Corp (CPL1)	CPL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	9	100.00%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	31	72.09%	2	4.65%	10	23.26%	43
	CHPLSL01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	21	95.45%	-	-	1	4.55%	22
	CHPLSS01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	9	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	30	73.17%	1	2.44%	10	24.39%	41
	CHPLW01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	10	100.00%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	39	75.00%	2	3.85%	11	21.15%	52
	Total		121	76.58%	5	3.16%	32	20.25%	158
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Chapple, Municipality Of (CHPLE01)	CHPLE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Charlton And Dack , Municipality Of (CHDWSL01)	CHDWSL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	218	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	125	99.21%	1	0.79%	-	-	
		Total	343	93.97%	16	4.38%	6	1.64%	365
	CKPUC02	0-5	173	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	2	5.56%	34	94.44%	
		6-10	145	98.64%	2	1.36%	-	-	
		Total	318	85.03%	22	5.88%	34	9.09%	374
	CKPUC03	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	-	-	13	100.00%	
		6-10	96	96.00%	4	4.00%	-	-	
		Total	163	84.46%	17	8.81%	13	6.74%	193
Total		824	88.41%	55	5.90%	53	5.69%	932	
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	39	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	41	97.62%	1	2.38%	-	-	42
	Total		41	97.62%	1	2.38%	-	-	42
Chatham Resources (CRPL01)	CRPL01	11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	2	25.00%	6	75.00%	8
	Total		-	-	2	25.00%	6	75.00%	8
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	8	53.33%	7	46.67%	-	-	15
	Total		8	53.33%	7	46.67%	-	-	15
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	-	-	2	100.00%	-	-	
		Total	5	27.78%	7	38.89%	6	33.33%	18
	Total		5	27.78%	7	38.89%	6	33.33%	18
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	7	53.85%	6	46.15%	-	-	13
	Total		7	53.85%	6	46.15%	-	-	13
Chrysler Canada (CHRYSL01)	CHRYSL01	16+	-	-	1	25.00%	3	75.00%	
		Total	-	-	1	25.00%	3	75.00%	4
	Total		-	-	1	25.00%	3	75.00%	4
Cik Telecom (CIKT01)	CIKT01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	-	-	20	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cik Telecom (CIKT01)	CIKT01	6-10	22	95.65%	1	4.35%	-	-	
		Total	47	69.12%	1	1.47%	20	29.41%	68
		Total	47	69.12%	1	1.47%	20	29.41%	68
City Of Woodstock Street Light & Traffic Signals Wdslt01 (WDSLTL01)	WDSLTL01	0-5	204	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	15	50.00%	15	50.00%	-	-	
		Total	219	90.87%	21	8.71%	1	0.41%	241
Total	219	90.87%	21	8.71%	1	0.41%	241		
Ckpw Chatham Township Garage (CK08)	CK08	0-5	52	100.00%	-	-	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	57	98.28%	1	1.72%	-	-	58
Total	57	98.28%	1	1.72%	-	-	58		
Ckpw Chatham Water Garage (CK01)	CK01	0-5	159	100.00%	-	-	-	-	
		6-10	31	72.09%	12	27.91%	-	-	
		Total	190	94.06%	12	5.94%	-	-	202
Total	190	94.06%	12	5.94%	-	-	202		
Ckpw Dover Township Garage (CK06)	CK06	0-5	79	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	90
Total	90	100.00%	-	-	-	-	90		
Ckpw Kent Centre Garage (CK03)	CK03	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	91.30%	2	8.70%	-	-	
		Total	148	98.01%	3	1.99%	-	-	151
Total	148	98.01%	3	1.99%	-	-	151		
Ckpw Raleigh Garage (CK04)	CK04	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	20	74.07%	7	25.93%	-	-	
		Total	126	91.97%	11	8.03%	-	-	137
Total	126	91.97%	11	8.03%	-	-	137		
Ckpw Thamesville Garage (CK09)	CK09	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
Total	16	100.00%	-	-	-	-	16		
Ckpw Tilbury East Garage (CK05)	CK05	0-5	169	100.00%	-	-	-	-	
		11-15	-	-	-	-	4	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	172	97.73%	-	-	4	2.27%	176
Total	172	97.73%	-	-	4	2.27%	176		
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	24	100.00%	-	-	-	-	
		6-10	3	50.00%	3	50.00%	-	-	
		Total	27	90.00%	3	10.00%	-	-	30
Total	27	90.00%	3	10.00%	-	-	30		
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	87	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	88	98.88%	1	1.12%	-	-	89
Total	88	98.88%	1	1.12%	-	-	89		
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	149	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	149	98.68%	2	1.32%	-	-	151

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Clarington, Municipality Of (CLRG123)	CLRGSS01	0-5	52	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
		Total	201	99.01%	2	0.99%	-	-	203
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	5	100.00%	-	-	-	-	
		Total	23	71.88%	8	25.00%	1	3.13%	32
Total	23	71.88%	8	25.00%	1	3.13%	32		
Clearford (LBWW01)	LBWW01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Clearview, Township Of (CLRV01)	CLRV01	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	7	63.64%	4	36.36%	-	-	
		Total	68	77.27%	10	11.36%	10	11.36%	88
Total	68	77.27%	10	11.36%	10	11.36%	88		
CLI FOR KITCHENER, CITY OF - ELECTRIC (KITE01)	KITE01	0-5	2	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
Total	4	80.00%	1	20.00%	-	-	5		
Cobalt , Town Of (CBLWSS01)	CBLWSS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	2	100.00%	-	-	-	-	2		
Cobourg, Town Of (CBRG123)	CBRGS01	0-5	139	100.00%	-	-	-	-	
		Total	139	100.00%	-	-	-	-	139
		Total	139	100.00%	-	-	-	-	139
Cochrane Telecom Services (CCT01)	CCT01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	52	88.14%	7	11.86%	-	-	59
Total	52	88.14%	7	11.86%	-	-	59		
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		Total	18	72.00%	-	-	7	28.00%	25
Total	18	72.00%	-	-	7	28.00%	25		
Cogeco Cable Canada (CBT1)	CBT1	0-5	1,262	100.00%	-	-	-	-	
		11-15	-	-	108	98.18%	2	1.82%	
		16+	-	-	34	97.14%	1	2.86%	
		6-10	740	94.51%	43	5.49%	-	-	
		Total	2,002	91.42%	185	8.45%	3	0.14%	2,190
Total	2,002	91.42%	185	8.45%	3	0.14%	2,190		
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	1,325	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	135	97.83%	3	2.17%	-	-	
		Total	1,460	98.72%	19	1.28%	-	-	1,479
Total	1,460	98.72%	19	1.28%	-	-	1,479		
Cogeco Cable Canada (CPVS2)	CBT2	0-5	239	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	10	71.43%	4	28.57%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cogeco Cable Canada (CPVS2)	CBT2	6-10	108	85.04%	19	14.96%	-	-	
		Total	347	87.41%	46	11.59%	4	1.01%	397
	CPVS2	0-5	384	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	128	99.22%	1	0.78%	-	-	
	Total	512	97.52%	12	2.29%	1	0.19%	525	
Total		859	93.17%	58	6.29%	5	0.54%	922	
Cogeco Connexion	COGOW02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Cogeco Connexion North East (CCNE123)	COGE01	0-5	930	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	58	98.31%	1	1.69%	-	-	
		Total	988	99.30%	5	0.50%	2	0.20%	995
	COOE01	0-5	803	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
	Total	828	99.64%	3	0.36%	-	-	831	
	COONE01	0-5	320	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	87	96.67%	3	3.33%	-	-	
		Total	407	99.03%	4	0.97%	-	-	411
Total		2,223	99.37%	12	0.54%	2	0.09%	2,237	
Cogeco Connexion Southwest (CC01)	COC01	0-5	242	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	127	88.19%	17	11.81%	-	-	
		Total	369	92.95%	27	6.80%	1	0.25%	397
	COE01	0-5	645	100.00%	-	-	-	-	
		11-15	-	-	73	98.65%	1	1.35%	
		16+	-	-	24	80.00%	6	20.00%	
		6-10	386	90.61%	40	9.39%	-	-	
	Total	1,031	87.74%	137	11.66%	7	0.60%	1,175	
	COL01	0-5	382	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	116	99.15%	1	0.85%	-	-	
Total	498	96.32%	15	2.90%	4	0.77%	517		
Total		1,898	90.86%	179	8.57%	12	0.57%	2,089	
Coleman, Township Of (CLMN01)	CLMN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Collingwood Public Utilities (COLL123)	COLLS01	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	5	41.67%	7	58.33%	-	-	
		Total	171	94.48%	10	5.52%	-	-	181
	COLLW01	0-5	188	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		Total	188	97.41%	3	1.55%	2	1.04%	193
Total		359	95.99%	13	3.48%	2	0.53%	374	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Communicate Freely (CFF01)	CFF01	0-5	56	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	Total		75	100.00%	-	-	-	-	75
Conestogo Wind Farm (Nextera Energy) (CNTGWF01)	CNTGWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	32	60.38%	21	39.62%	-	-	
		Total	49	49.49%	38	38.38%	12	12.12%	99
	Total		49	49.49%	38	38.38%	12	12.12%	99
Cornwall , City Of (CRWL123)	CRWL01	0-5	58	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	CRWL02	0-5	8	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		70	100.00%	-	-	-	-	70
Cornwall Electric (CE01)	CE01	0-5	368	100.00%	-	-	-	-	
		Total	368	100.00%	-	-	-	-	368
	Total		368	100.00%	-	-	-	-	368
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	134	97.10%	4	2.90%	-	-	138
	Total		134	97.10%	4	2.90%	-	-	138
Craigleith Ski Club (CGLSC01)	CGLSC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	16	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	23	92.00%	1	4.00%	1	4.00%	25
	Total		23	92.00%	1	4.00%	1	4.00%	25
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total		34	100.00%	-	-	-	-	34
Dbi Services (DBIS01)	DBIS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	8	80.00%	2	20.00%	-	-	10
	Total		8	80.00%	2	20.00%	-	-	10

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
DEDICATED LOCATOR - PROMARK (DLPRO1)	DLPRO1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
DEDICATED LOCATOR - PVS (DLPVS01)	DLPVS01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Deep River , Town Of (DRI01)	DRI01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	34	94.44%	-	-	2	5.56%	36
	Total		34	94.44%	-	-	2	5.56%	36
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Dofasco (Arcelormittal) (AMD01)	AMD01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Dotto One (DTONF01)	DTONF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Dryden, City Of (DRYD01)	DRYD01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	24	100.00%	
		Total	41	62.12%	-	-	25	37.88%	66
	Total		41	62.12%	-	-	25	37.88%	66
Dubreuville, The Corporation Of The Township Of (DBVL01)	DBVL01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	33.33%	2	66.67%	
	Total	-	-	1	25.00%	3	75.00%	4	
Total		-	-	1	25.00%	3	75.00%	4	
Dufferin County (DFRN01)	DFRN01	0-5	41	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
	Total		43	100.00%	-	-	-	-	43
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Durham One Net	DON01	0-5	201	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	224	97.39%	6	2.61%	-	-	230
	Total		224	97.39%	6	2.61%	-	-	230
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	327	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	94	93.07%	7	6.93%	
		6-10	83	100.00%	-	-	-	-	
	Total	410	79.61%	98	19.03%	7	1.36%	515	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Durham Region Water And Sewer (DURWS123)	DURWS02	0-5	245	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	64	83.12%	13	16.88%	-	-	
		Total	309	95.08%	15	4.62%	1	0.31%	325
	DURWS03	0-5	173	100.00%	-	-	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	207	100.00%	-	-	-	-	207
	DURWS04	0-5	100	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	103	91.15%	9	7.96%	1	0.88%	113
	DURWS05	0-5	22	100.00%	-	-	-	-	
Total		22	100.00%	-	-	-	-	22	
Total		1,051	88.92%	122	10.32%	9	0.76%	1,182	
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	153	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	21	100.00%	
		6-10	28	100.00%	-	-	-	-	
		Total	181	85.78%	9	4.27%	21	9.95%	211
	Total		181	85.78%	9	4.27%	21	9.95%	211
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	92	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	93	98.94%	1	1.06%	-	-	94
	Total		93	98.94%	1	1.06%	-	-	94
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	24	100.00%	
		Total	-	-	-	-	24	100.00%	24
	DYST02	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	26	100.00%	26
E L K Energy Inc (E001)	E001	0-5	149	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	153	100.00%	-	-	-	-	153
	Total		153	100.00%	-	-	-	-	153
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total		8	100.00%	-	-	-	-	8	
East Garafraxa , Township Of (EGXWS01)	EGXWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	99	100.00%	-	-	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	115	99.14%	1	0.86%	-	-	116
	EGWLSS01	0-5	59	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
	EGWLW01	0-5	75	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	87	100.00%	-	-	-	-	87
	EGWLWW01	0-5	51	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	61	100.00%	-	-	-	-	61
	Total		352	99.72%	1	0.28%	-	-	353

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
East Hawkesbury, Township Of (EHWKB01)	EHWKB01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
	Total	16	84.21%	2	10.53%	1	5.26%	19	
Total		16	84.21%	2	10.53%	1	5.26%	19	
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	38	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	29	96.67%	1	3.33%	
	Total	29	49.15%	29	49.15%	1	1.69%	59	
Total		29	49.15%	29	49.15%	1	1.69%	59	
Eastern Ontario Power (EOP01)	EOP01	0-5	61	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	62	96.88%	2	3.13%	-	-	64	
Total		62	96.88%	2	3.13%	-	-	64	
Eastern Power Inc (EP01)	EP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Eastlink (EL123)	ELGE01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	4	22.22%	14	77.78%	
		6-10	14	46.67%	16	53.33%	-	-	
	Total	61	54.46%	37	33.04%	14	12.50%	112	
	ELGN02	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	ELOE01	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	13	81.25%	3	18.75%	-	-	
	Total	66	85.71%	8	10.39%	3	3.90%	77	
	ELOE02	0-5	194	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	18	94.74%	1	5.26%	-	-	
	Total	212	96.80%	6	2.74%	1	0.46%	219	
	ELONE01	0-5	377	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	3	100.00%	-	-	-	-	
		Total	380	99.22%	1	0.26%	2	0.52%	383
	ELONE02	0-5	2	100.00%	-	-	-	-	
16+		-	-	-	-	3	100.00%		
Total		2	40.00%	-	-	3	60.00%	5	
ELONE03	0-5	21	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		
	Total	21	95.45%	-	-	1	4.55%	22	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELONE04	0-5	52	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	33.33%	6	66.67%	-	-	
		Total	55	85.94%	6	9.38%	3	4.69%	
	ELONE05	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	46	88.46%	6	11.54%	-	-	
	ELONE06	0-5	19	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	20	95.24%	1	4.76%	-	-	
	ELONE07	0-5	89	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	
	ELONE08	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	ELONE09	0-5	23	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	25	92.59%	2	7.41%	-	-	
	ELOS01	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	61	88.41%	4	5.80%	4	5.80%	
	ELOS02	0-5	102	100.00%	-	-	-	-	
		6-10	15	88.24%	2	11.76%	-	-	
		Total	117	98.32%	2	1.68%	-	-	
	ELOW01	0-5	157	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		6-10	98	100.00%	-	-	-	-	
		Total	255	92.73%	20	7.27%	-	-	
	ELOW02	0-5	204	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	35	89.74%	4	10.26%	-	-	
		Total	239	95.98%	7	2.81%	3	1.20%	
	ELOW03	0-5	252	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	28.57%	5	71.43%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	258	95.91%	6	2.23%	5	1.86%	
	ELOW04	0-5	163	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	26	63.41%	15	36.59%	-	-	
		Total	189	91.30%	18	8.70%	-	-	
	ELOW05	0-5	379	100.00%	-	-	-	-	
11-15		-	-	7	100.00%	-	-		
16+		-	-	-	-	7	100.00%		
6-10		49	94.23%	3	5.77%	-	-		
Total		428	96.18%	10	2.25%	7	1.57%	445	
ELOW06	0-5	172	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	-	-	1	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELOW06	6-10	40	97.56%	1	2.44%	-	-	
	Total		212	98.60%	2	0.93%	1	0.47%	215
	ELOW07	0-5	102	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
	Total		118	100.00%	-	-	-	-	118
	ELOW08	0-5	11	100.00%	-	-	-	-	
	Total		11	100.00%	-	-	-	-	11
MKDLC01		0-5	50	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total		55	100.00%	-	-	-	-	55
Total		2,929	94.09%	136	4.37%	48	1.54%	3,113	
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
Edf Renewables Development Inc	EDFBS01	16+	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	22	100.00%	-	-	-	-	
	Total		22	100.00%	-	-	-	-	22
Total		22	100.00%	-	-	-	-	22	
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	325	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	37	92.50%	3	7.50%	-	-	
		Total	362	98.64%	4	1.09%	1	0.27%	367
	ETNF02	0-5	37	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	47	100.00%	-	-	-	-	47	
	SFNF01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	6	100.00%	-	-	-	-	-	6
Total		415	98.81%	4	0.95%	1	0.24%	420	
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	213	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	73	97.33%	2	2.67%	-	-	
		Total	286	95.33%	14	4.67%	-	-	300
	ELX02	0-5	281	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	193	100.00%	-	-	-	-	
	Total	474	97.53%	11	2.26%	1	0.21%	486	
	ELX03	0-5	141	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	77	100.00%	-	-	-	-	
	Total	218	98.20%	4	1.80%	-	-	222	
	ELX04	0-5	137	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
	Total	161	100.00%	-	-	-	-	161	
	ELXGE01	0-5	120	100.00%	-	-	-	-	
11-15		-	-	1	100.00%	-	-		
16+		-	-	-	-	1	100.00%		
6-10		36	97.30%	1	2.70%	-	-		
Total	156	98.11%	2	1.26%	1	0.63%	159		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Elexicon Energy Formerly Veridian (ELX123)	ELXGE02	0-5	83	100.00%	-	-	-	-	103
		6-10	20	100.00%	-	-	-	-	
		Total	103	100.00%	-	-	-	-	
	ELXONE01	0-5	61	100.00%	-	-	-	-	80
		6-10	18	94.74%	1	5.26%	-	-	
		Total	79	98.75%	1	1.25%	-	-	
	ELXWHGE1	0-5	509	100.00%	-	-	-	-	674
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	158	98.14%	3	1.86%	-	-	
Total		667	98.96%	7	1.04%	-	-		
Total		2,144	98.12%	39	1.78%	2	0.09%	2,185	
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	16+	-	-	-	-	9	100.00%	9
		Total	-	-	-	-	9	100.00%	
Total		-	-	-	-	9	100.00%	9	
Elgin, County Of (ELGNE01)	ELGNE01	0-5	3	100.00%	-	-	-	-	8
		6-10	5	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	Total		8	100.00%	-	-	-	-	8
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	43	100.00%	-	-	-	-	55
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	43	78.18%	3	5.45%	9	16.36%	
Total		43	78.18%	3	5.45%	9	16.36%	55	
Emo , Township Of (EMOWS01)	EMOWS01	0-5	10	100.00%	-	-	-	-	11
		16+	-	-	-	-	1	100.00%	
		Total	10	90.91%	-	-	1	9.09%	
Total		10	90.91%	-	-	1	9.09%	11	
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	9	100.00%	-	-	-	-	12
		6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	ENNEBGW1	0-5	31	100.00%	-	-	-	-	34
		6-10	3	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	
	ENNEBOE1	0-5	8	100.00%	-	-	-	-	9
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
Total		55	100.00%	-	-	-	-	55	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	62	100.00%	-	-	-	-	96
		11-15	-	-	1	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	95	98.96%	1	1.04%	-	-	
	ENVMGN01	0-5	56	100.00%	-	-	-	-	159
		16+	-	-	1	100.00%	-	-	
		6-10	102	100.00%	-	-	-	-	
		Total	158	99.37%	1	0.63%	-	-	
	ENVMGN02	0-5	58	100.00%	-	-	-	-	83
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	79	95.18%	4	4.82%	-	-	
ENVMGW01	0-5	42	100.00%	-	-	-	-	83	
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	8	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGW0 1	6-10	101	99.02%	1	0.98%	-	-	
		Total	143	87.20%	21	12.80%	-	-	164
	ENVMGW0 2	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	ENVMHN01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	ENVMOE01	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	82	97.62%	2	2.38%	-	-	
		Total	144	91.14%	14	8.86%	-	-	158
	ENVMTE01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	122	99.19%	1	0.81%	-	-	
		Total	167	95.98%	7	4.02%	-	-	174
	ENVMTW1 N	0-5	55	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	62	100.00%	-	-	-	-	
Total		117	96.69%	4	3.31%	-	-	121	
ENVMTW1S	0-5	48	100.00%	-	-	-	-		
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	2	100.00%	-	-		
	6-10	65	98.48%	1	1.52%	-	-		
	Total	113	88.28%	15	11.72%	-	-	128	
Total			1,041	93.78%	69	6.22%	-	-	1,110
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	3,858	100.00%	-	-	-	-	
		11-15	-	-	248	100.00%	-	-	
		16+	-	-	326	100.00%	-	-	
		6-10	1,628	88.00%	222	12.00%	-	-	
		Total	5,486	87.33%	796	12.67%	-	-	6282
	EN2OE01	0-5	1,431	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	586	98.16%	11	1.84%	-	-	
		Total	2,017	98.06%	40	1.94%	-	-	2057
	ENONE01	0-5	2,315	100.00%	-	-	-	-	
		11-15	-	-	47	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	698	91.00%	69	9.00%	-	-	
		Total	3,013	96.02%	125	3.98%	-	-	3138
	ENONW01	0-5	1,253	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	376	90.82%	38	9.18%	-	-	
		Total	1,629	95.04%	85	4.96%	-	-	1714
	ENOS01	0-5	4,638	100.00%	-	-	-	-	
		11-15	-	-	178	100.00%	-	-	
		16+	-	-	49	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas (Legacy Union Gas) (UG1)	ENOS01	6-10	2,262	93.24%	164	6.76%	-	-	
		Total	6,900	94.64%	391	5.36%	-	-	7291
	ENOW01	0-5	5,888	100.00%	-	-	-	-	
		11-15	-	-	73	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	1,473	98.00%	30	2.00%	-	-	
		Total	7,361	98.51%	111	1.49%	-	-	7472
Total		26,406	94.46%	1,548	5.54%	-	-	27,954	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		6-10	36	92.31%	3	7.69%	-	-	
		Total	93	86.11%	15	13.89%	-	-	108
	ENCLCHT	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	76	96.20%	3	3.80%	-	-	
		Total	157	91.81%	14	8.19%	-	-	171
	ENCLEST	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	39	97.50%	1	2.50%	-	-	
		Total	86	94.51%	5	5.49%	-	-	91
	ENCLHAL	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	61	82.43%	13	17.57%	-	-	74
	ENCLHAM	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	
		6-10	64	92.75%	5	7.25%	-	-	
		Total	143	80.34%	35	19.66%	-	-	178
	ENCLLDN	0-5	142	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	100	90.09%	11	9.91%	-	-	
		Total	242	88.97%	30	11.03%	-	-	272
	ENCLNTH	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	51	89.47%	6	10.53%	-	-	
		Total	115	84.56%	21	15.44%	-	-	136
	ENCLNW01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	25	71.43%	10	28.57%	-	-	35
	ENCLSAR	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	75	90.36%	8	9.64%	-	-	83
	ENCLWAT	0-5	261	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLWAT	6-10	159	98.76%	2	1.24%	-	-	
		Total	420	94.81%	23	5.19%	-	-	443
	ENCLWIN	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	25	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	163	79.90%	41	20.10%	-	-	204
	Total		1,580	88.02%	215	11.98%	-	-	1,795
Enbridge Gas Distribution (ENB1)	ENDLGN01	0-5	52	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	184	100.00%	-	-	-	-	
		Total	236	99.58%	1	0.42%	-	-	237
	ENDLGN02	0-5	14	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	ENGE01	0-5	2,820	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	26	100.00%	-	-	
		6-10	1,150	99.05%	11	0.95%	-	-	
		Total	3,970	97.88%	86	2.12%	-	-	4056
	ENGN01	0-5	2,834	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	83	100.00%	-	-	
		6-10	1,986	99.65%	7	0.35%	-	-	
		Total	4,820	98.01%	98	1.99%	-	-	4918
	ENGN02	0-5	2,556	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	32	100.00%	-	-	
		6-10	627	98.90%	7	1.10%	-	-	
		Total	3,183	98.36%	53	1.64%	-	-	3236
	ENGTAA01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	31	88.57%	4	11.43%	-	-	35
	ENGW01	0-5	2,690	100.00%	-	-	-	-	
		11-15	-	-	77	100.00%	-	-	
		16+	-	-	34	100.00%	-	-	
6-10		1,401	98.87%	16	1.13%	-	-		
Total		4,091	96.99%	127	3.01%	-	-	4218	
ENGW02	0-5	540	100.00%	-	-	-	-		
	11-15	-	-	53	100.00%	-	-		
	16+	-	-	43	100.00%	-	-		
	6-10	413	98.33%	7	1.67%	-	-		
	Total	953	90.25%	103	9.75%	-	-	1056	
ENHN01	0-5	3,468	100.00%	-	-	-	-		
	11-15	-	-	11	100.00%	-	-		
	16+	-	-	31	100.00%	-	-		
	6-10	281	97.23%	8	2.77%	-	-		
	Total	3,749	98.68%	50	1.32%	-	-	3799	
ENOE01	0-5	5,494	100.00%	-	-	-	-		
	11-15	-	-	161	100.00%	-	-		
	16+	-	-	67	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENOE01	6-10	2,720	96.35%	103	3.65%	-	-	8545
		Total	8,214	96.13%	331	3.87%	-	-	
	ENTE01	0-5	2,435	100.00%	-	-	-	-	4381
		11-15	-	-	68	100.00%	-	-	
		16+	-	-	41	100.00%	-	-	
		6-10	1,822	99.18%	15	0.82%	-	-	
		Total	4,257	97.17%	124	2.83%	-	-	
	ENTED9	0-5	1	100.00%	-	-	-	-	6
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	3	50.00%	1	16.67%	2	33.33%		
	ENTW01N	0-5	1,199	100.00%	-	-	-	-	1731
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	507	98.45%	8	1.55%	-	-	
	Total	1,706	98.56%	25	1.44%	-	-		
	ENTW01S	0-5	1,250	100.00%	-	-	-	-	2137
		11-15	-	-	79	100.00%	-	-	
		16+	-	-	53	100.00%	-	-	
6-10		695	92.05%	60	7.95%	-	-		
Total	1,945	91.02%	192	8.98%	-	-			
ENTWD9	6-10	3	100.00%	-	-	-	-	3	
Total	3	100.00%	-	-	-	-	-		
Total		37,214	96.88%	1,195	3.11%	2	0.01%	38,411	
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	20	100.00%	-	-	-	-	24
		6-10	1	25.00%	3	75.00%	-	-	
		Total	21	87.50%	3	12.50%	-	-	
Total		21	87.50%	3	12.50%	-	-		
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	49	100.00%	-	-	-	-	67
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	15	93.75%	1	6.25%	-	-	
	Total	64	95.52%	2	2.99%	1	1.49%		
	EN21	0-5	116	100.00%	-	-	-	-	148
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	27	96.43%	1	3.57%	-	-	
	Total	143	96.62%	4	2.70%	1	0.68%		
	EN22	0-5	11	100.00%	-	-	-	-	17
		16+	-	-	-	-	4	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	12	70.59%	1	5.88%	4	23.53%		
	Total		219	94.40%	7	3.02%	6	2.59%	
Enbridge Pipelines (EP123)	I001	0-5	28	100.00%	-	-	-	-	37
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	6	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	29	78.38%	7	18.92%	1	2.70%		
	I010	0-5	438	100.00%	-	-	-	-	516
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	40	81.63%	9	18.37%	-	-	
Total		478	92.64%	38	7.36%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Enbridge Pipelines (EP123)	I011	0-5	109	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	17	100.00%	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	110	84.62%	20	15.38%	-	-		130
	I012	0-5	19	100.00%	-	-	-	-		
		16+	-	-	6	100.00%	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	20	76.92%	6	23.08%	-	-		26
	Total		637	89.84%	71	10.01%	1	0.14%	709	
Enbridge Wind Power (ENWP01)	ENWP01	0-5	1	100.00%	-	-	-	-		
		6-10	7	100.00%	-	-	-	-		
		Total	8	100.00%	-	-	-	-		8
	Total		8	100.00%	-	-	-	-	8	
Englehart , Town Of (EGHT01)	EGHT01	0-5	7	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	8	100.00%	-	-	-	-		8
	Total		8	100.00%	-	-	-	-	8	
Enniskillen, Township Of (E002)	E002	0-5	56	100.00%	-	-	-	-		
		6-10	-	-	2	100.00%	-	-		
		Total	56	96.55%	2	3.45%	-	-		58
	Total		56	96.55%	2	3.45%	-	-	58	
Enova Power (ENOVA123)	EPKW01	0-5	1,029	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	6	85.71%	1	14.29%		
		6-10	104	99.05%	1	0.95%	-	-		
		Total	1,133	99.04%	10	0.87%	1	0.09%		1144
	EPWAT01	0-5	363	100.00%	-	-	-	-		
		11-15	-	-	7	100.00%	-	-		
		6-10	134	100.00%	-	-	-	-		
		Total	497	98.61%	7	1.39%	-	-		504
	EPWEL01	0-5	60	100.00%	-	-	-	-		
		6-10	60	100.00%	-	-	-	-		
		Total	120	100.00%	-	-	-	-		120
	EPWOL01	0-5	175	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	46	100.00%	-	-	-	-		
		Total	221	99.55%	1	0.45%	-	-		222
	Total		1,971	99.05%	18	0.90%	1	0.05%	1,990	
	Entegrus (EPICK01)	CKSL01	0-5	86	100.00%	-	-	-	-	
			6-10	37	97.37%	1	2.63%	-	-	
			Total	123	99.19%	1	0.81%	-	-	
EPICK01		0-5	196	100.00%	-	-	-	-		
		6-10	70	98.59%	1	1.41%	-	-		
		Total	266	99.63%	1	0.37%	-	-		267
EPIMP01		0-5	138	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	12	100.00%	-	-	-	-		
		Total	150	99.34%	1	0.66%	-	-		151
Total		539	99.45%	3	0.55%	-	-	542		
Entegrus Powerlines Inc À,â, -â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	128	100.00%	-	-	-	-		
		6-10	30	96.77%	1	3.23%	-	-		
		Total	158	99.37%	1	0.63%	-	-		159
	Total		158	99.37%	1	0.63%	-	-	159	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	35	94.59%	2	5.41%	-	-	37
	Total	35	94.59%	2	5.41%	-	-	37	
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
	Total	112	93.33%	8	6.67%	-	-	120	
Total	112	93.33%	8	6.67%	-	-	120		
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	7	100.00%	-	-	-	-	7	
Total	7	100.00%	-	-	-	-	7		
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	220	100.00%	-	-	-	-	
		6-10	35	100.00%	-	-	-	-	
	Total	255	100.00%	-	-	-	-	255	
Total	255	100.00%	-	-	-	-	255		
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	108	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	108	99.08%	1	0.92%	-	-	109	
Total	108	99.08%	1	0.92%	-	-	109		
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	314	100.00%	-	-	-	-	
		Total	314	100.00%	-	-	-	-	314
Total	314	100.00%	-	-	-	-	314		
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	243	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	88	97.78%	2	2.22%	-	-	
		Total	331	98.22%	6	1.78%	-	-	337
	EPNG02	0-5	74	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	EPNG03	0-5	105	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	154	99.35%	1	0.65%	-	-	155
Total	559	98.76%	7	1.24%	-	-	566		
Erie Brook Energy (EBE01)	EBE01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
Total	-	-	3	100.00%	-	-	3		
Erie Shores Wind Farm (ESWF01)	ESWF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	5	83.33%	1	16.67%	-	-	6	
Total	5	83.33%	1	16.67%	-	-	6		
Erieau Wind Farm (EWF01)	EWF01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	9	90.00%	1	10.00%	-	-	
	Total	26	60.47%	12	27.91%	5	11.63%	43	
Total	26	60.47%	12	27.91%	5	11.63%	43		
Erin, Town Of (ERN01)	ERN01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Erin, Town Of (ERN01)	ERN01	6-10	4	66.67%	2	33.33%	-	-	
		Total	16	66.67%	6	25.00%	2	8.33%	24
	Total	16	66.67%	6	25.00%	2	8.33%	24	
Erin, Town Of (ERNSL01)	ERNS01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	ERNSL01	0-5	17	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
		Total	48	100.00%	-	-	-	-	48
Erth Power Corporation (ETP01)	ETP01	0-5	286	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	63	95.45%	3	4.55%	-	-	
		Total	349	98.59%	5	1.41%	-	-	354
	Total	349	98.59%	5	1.41%	-	-	354	
Erth Power Corporation (ETP02)	ETP02	0-5	132	100.00%	-	-	-	-	
		6-10	32	96.97%	1	3.03%	-	-	
		Total	164	99.39%	1	0.61%	-	-	165
	Total	164	99.39%	1	0.61%	-	-	165	
Espanola , Town Of (ESP01)	ESP01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	25	96.15%	-	-	1	3.85%	26
	Total	25	96.15%	-	-	1	3.85%	26	
Espanola Hydro (ERH01)	ERH01	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total	34	100.00%	-	-	-	-	34	
Essa, Township Of (ESA123)	ESASSL01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	14	87.50%	1	6.25%	1	6.25%	16
	ESAWS01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	14	87.50%	1	6.25%	1	6.25%	16
Total	28	87.50%	2	6.25%	2	6.25%	32		
Essex County Highways (ESXTS01)	ESXTS01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	35	81.40%	6	13.95%	2	4.65%	43
	Total	35	81.40%	6	13.95%	2	4.65%	43	
Essex Powerlines Corp (A006)	A006	0-5	251	100.00%	-	-	-	-	
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	83	91.21%	8	8.79%	-	-	
	Total	334	89.30%	39	10.43%	1	0.27%	374	
Total	334	89.30%	39	10.43%	1	0.27%	374		
Essex Powerlines Corp (A007)	A007	0-5	216	100.00%	-	-	-	-	
		Total	216	100.00%	-	-	-	-	216
	Total	216	100.00%	-	-	-	-	216	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Essex, Town Of (CO01)	CO01	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	77	100.00%	-	-	
		16+	-	-	35	53.85%	30	46.15%	
		6-10	114	91.20%	11	8.80%	-	-	
		Total	195	56.03%	123	35.34%	30	8.62%	348
	Total			195	56.03%	123	35.34%	30	8.62%
Execulink Telecom (EXTEL123)	ASC2	0-5	168	100.00%	-	-	-	-	
		16+	-	-	2	22.22%	7	77.78%	
		6-10	73	98.65%	1	1.35%	-	-	
		Total	241	96.02%	3	1.20%	7	2.79%	251
	EXEC01	0-5	458	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	109	99.09%	1	0.91%	-	-	
		Total	567	98.78%	5	0.87%	2	0.35%	574
	HT01	0-5	15	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	HTF1	0-5	29	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	NE01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	NEK01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	7	100.00%	
Total		-	-	-	-	8	100.00%	8	
Total			872	97.21%	8	0.89%	17	1.90%	897
Fanshawe College - Private Property (FSWC02)	FSWC02	16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	2
	Total			1	50.00%	-	-	1	50.00%
Fanshawe College (FSWC01)	FSWC01	16+	-	-	1	25.00%	3	75.00%	
		Total	-	-	1	25.00%	3	75.00%	4
	Total			-	-	1	25.00%	3	75.00%
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	13	100.00%	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	18	41.86%	12	27.91%	13	30.23%	43
	Total			18	41.86%	12	27.91%	13	30.23%
Fauquier-Strickland , Township Of (FSWS01)	FSWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total			1	100.00%	-	-	-	1
Festival Hydro (FESTH01)	FESTH01	0-5	309	100.00%	-	-	-	-	
		6-10	71	100.00%	-	-	-	-	
		Total	380	100.00%	-	-	-	-	380
	Total			380	100.00%	-	-	-	380
Fibrespeed Inc (FBSDI01)	FBSDI01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	14	100.00%	
		Total	-	-	-	-	15	100.00%	15
	Total			-	-	-	-	15	100.00%
Fisher Wavy Inc (FSWVY01)	FSWVY01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total			8	100.00%	-	-	-	8

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	266	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	267	99.63%	1	0.37%	-	-	268
	Total	267	99.63%	1	0.37%	-	-	268	
Fort Frances Power (FFP01)	FFP01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	49	98.00%	1	2.00%	-	-	50
	Total	49	98.00%	1	2.00%	-	-	50	
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	45	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	Total	52	100.00%	-	-	-	-	52	
French River, Municipality Of (FFR01)	FFR01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total	1	50.00%	-	-	1	50.00%	2	
Fu Fiber Inc (FUF01)	FUF01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	12	70.59%	4	23.53%	1	5.88%	17
	Total	12	70.59%	4	23.53%	1	5.88%	17	
Gananoque, Town Of (GNQWST01)	GNQWST01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	58	100.00%	
		Total	-	-	-	-	59	100.00%	59
	Total	-	-	-	-	59	100.00%	59	
Gbtel Inc (GBT01)	GBT01	0-5	137	100.00%	-	-	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	170	100.00%	-	-	-	-	170
	Total	170	100.00%	-	-	-	-	170	
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
Georgian Bluffs , Township Of (GB01)	GB01	0-5	16	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	GBSL01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total	25	100.00%	-	-	-	-	25		
Georgina, Town Of (GGN123)	GGN01	0-5	199	100.00%	-	-	-	-	
		6-10	19	90.48%	2	9.52%	-	-	
		Total	218	99.09%	2	0.91%	-	-	220
	Total	218	99.09%	2	0.91%	-	-	220	
Glenfred Gas Wells (GFGW01)	GFGW01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total	-	-	-	-	4	100.00%	4	
Goderich, Town Of (GDR123)	GDRHS01	0-5	78	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
	GDRHW01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	14	93.33%	1	6.67%	
		16+	-	-	15	53.57%	13	46.43%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Goderich, Town Of (GDR123)	GDRHW01	6-10	4	28.57%	10	71.43%	-	-	
		Total	25	32.05%	39	50.00%	14	17.95%	78
	Total	103	66.03%	39	25.00%	14	8.97%	156	
Gore Bay , Town Of (GBY01)	GBY01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Gosfield North Communications (G001)	G001	0-5	196	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	37	100.00%	-	-	-	-	
		Total	233	97.90%	3	1.26%	2	0.84%	238
	Total	233	97.90%	3	1.26%	2	0.84%	238	
Gosfield Wind Limited Partnership (BFP01)	BFP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Government Of Canada (GOC01)	GOC01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total	12	100.00%	-	-	-	-	12	
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	7	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total	16	100.00%	-	-	-	-	16	
Grand Bend Wind Lp (GBWF01)	GBWF01	16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	33.33%	2	66.67%	3
	Total	-	-	1	33.33%	2	66.67%	3	
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	1	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Grand River Hospital Corp. - KW Campus And Freepport Campus (FPGRH01)	FPGRH01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	13	100.00%	-	-	
		Total	-	-	13	100.00%	-	-	13
	Total	-	-	13	100.00%	-	-	13	
Grandbridge Energy	GBH01	0-5	1,197	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	688	98.01%	14	1.99%	-	-	
		Total	1,885	98.74%	24	1.26%	-	-	1909
	Total	1,885	98.74%	24	1.26%	-	-	1,909	
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	58	100.00%	-	-	-	-	
		6-10	15	78.95%	4	21.05%	-	-	
		Total	73	94.81%	4	5.19%	-	-	77
	Total	73	94.81%	4	5.19%	-	-	77	
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	77	100.00%	-	-	-	-	
		Total	77	100.00%	-	-	-	-	77
	Total	77	100.00%	-	-	-	-	77	
Greater Essex County District School Board - Facility (GEDSB02)	GEDSB02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Essex County District School Board (GEDSB01)	GEDSB01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	2	28.57%	5	71.43%	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	56	86.15%	4	6.15%	5	7.69%	65
	Total		56	86.15%	4	6.15%	5	7.69%	65
Greater Sudbury Hydro (SH01)	SH01	0-5	830	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	5	83.33%	1	16.67%	-	-	
	Total	835	99.40%	2	0.24%	3	0.36%	840	
Total		835	99.40%	2	0.24%	3	0.36%	840	
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	67	100.00%	-	-	-	-	
		Total	67	100.00%	-	-	-	-	67
	Total		67	100.00%	-	-	-	-	67
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	421	100.00%	-	-	-	-	
		Total	421	100.00%	-	-	-	-	421
	Total		421	100.00%	-	-	-	-	421
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Greater Sudbury, City Of (GSBY123)	GSBY03	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	9	100.00%	
		Total	12	57.14%	-	-	9	42.86%	21
	GSBYCM01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	GSBYS01	0-5	376	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	377	98.95%	4	1.05%	-	-	381
	GSBYSS01	0-5	240	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	241	98.77%	3	1.23%	-	-	244	
	GSBYW01	0-5	403	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
6-10		1	100.00%	-	-	-	-		
Total		404	99.02%	4	0.98%	-	-	408	
Total		1,034	97.92%	11	1.04%	11	1.04%	1,056	
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	7	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
	Total	16	100.00%	-	-	-	-	16	
	Total		16	100.00%	-	-	-	-	16
Greenfield South Power Corporation (EP02)	EP02	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	-	-	3	100.00%	-	-	
		Total	8	44.44%	6	33.33%	4	22.22%	18
	Total		8	44.44%	6	33.33%	4	22.22%	18

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	23	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	23	92.00%	2	8.00%	-	-	25
	Total	23	92.00%	2	8.00%	-	-	25	
Grey, County Of (GREY01)	GREY01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	39	95.12%	2	4.88%	-	-	41
	Total	39	95.12%	2	4.88%	-	-	41	
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	244	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	26	96.30%	1	3.70%	-	-	
		Total	270	97.83%	6	2.17%	-	-	276
	Total	270	97.83%	6	2.17%	-	-	276	
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	121	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	127	95.49%	6	4.51%	-	-	133	
Total	127	95.49%	6	4.51%	-	-	133		
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total	4	100.00%	-	-	-	-	4		
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	174	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	187	98.42%	-	-	3	1.58%	190
	Total	187	98.42%	-	-	3	1.58%	190	
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	35	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total	35	100.00%	-	-	-	-	35	
Guelph, City Of (GLPH123)	GLPH01	0-5	436	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	362	100.00%	-	-	-	-	
		Total	798	99.50%	3	0.37%	1	0.12%	802
	GLPH02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GLPH03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GLPH04	0-5	41	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	94	100.00%	-	-	-	-	
		Total	135	98.54%	2	1.46%	-	-	137
	GLPH05	0-5	39	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
6-10		91	100.00%	-	-	-	-		
Total		130	98.48%	2	1.52%	-	-	132	
Total	1,065	99.25%	7	0.65%	1	0.09%	1,073		
Guelph, University Of (UGPH01)	UGPH01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	22	88.00%	3	12.00%	-	-	25
	Total	22	88.00%	3	12.00%	-	-	25	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Gunns Hill Lp (GHWF01)	GHWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Haldimand County (HLDM123)	HLDMD01	0-5	149	100.00%	-	-	-	-	
		11-15	-	-	1	33.33%	2	66.67%	
		16+	-	-	2	20.00%	8	80.00%	
		Total	149	91.98%	3	1.85%	10	6.17%	162
	HLDME01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	41	100.00%	5	100.00%	3	100.00%	3
	HLDMS01	6-10	35	92.11%	3	7.89%	-	-	
		Total	76	87.36%	8	9.20%	3	3.45%	87
		Total							
	HLDMS01	16+	-	-	4	66.67%	2	33.33%	
		6-10	1	100.00%	-	-	-	-	
Total		1	14.29%	4	57.14%	2	28.57%	7	
HLDMW01	0-5	8	100.00%	-	-	-	-		
	Total	8	100.00%	-	-	-	-	8	
Total		234	88.64%	15	5.68%	15	5.68%	264	
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Hallebourg Lsb (HLEBRG01)	HLEBRG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Halton - MTO - Halton Hills, Region Of (HMT0HO)	HMTOSL01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	HMTOTS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
Total		5	71.43%	2	28.57%	-	-	7	
Halton Hills Hydro (HHH01)	HHH01	0-5	189	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	196	100.00%	-	-	-	-	
		Total	385	99.74%	1	0.26%	-	-	386
	Total		385	99.74%	1	0.26%	-	-	386
Halton Hills, Town Of (HAH01)	HAH01	0-5	85	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	91	98.91%	1	1.09%	-	-	92
	Total		91	98.91%	1	1.09%	-	-	92
Halton Hills, Town Of (HAH02)	HAH02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total		21	95.45%	1	4.55%	-	-	22
Halton, Region Of (HLTNB123)	HLTNB01	0-5	51	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
	HLTNBSL01	0-5	39	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Halton, Region Of (HLTNB123)	HLTNBTC01	0-5	20	100.00%	-	-	-	-		
		6-10	4	100.00%	-	-	-	-		
		Total	24	100.00%	-	-	-	-	24	
	HLTNBTS01	0-5	27	100.00%	-	-	-	-		
		6-10	4	100.00%	-	-	-	-		
		Total	31	100.00%	-	-	-	-	31	
Total		153	100.00%	-	-	-	-	153		
Halton, Region Of (HLTNH123)	HLTNHTC01	6-10	3	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-	3	
	HLTNHTS01	0-5	2	100.00%	-	-	-	-		
		6-10	7	100.00%	-	-	-	-		
		Total	9	100.00%	-	-	-	-	9	
	Total		12	100.00%	-	-	-	-	12	
Halton, Region Of (HLTNM123)	HLTNM01	0-5	38	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	7	100.00%	-	-	-	-		
		Total	45	95.74%	2	4.26%	-	-	47	
	HLTNMTC01	0-5	20	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	5	100.00%	-	-	-	-		
		Total	25	96.15%	1	3.85%	-	-	26	
	HLTNMTS01	0-5	9	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	10	100.00%	-	-	-	-	10	
		Total		80	96.39%	3	3.61%	-	-	83
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	40	100.00%	-	-	-	-		
		11-15	-	-	13	100.00%	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	37	100.00%	-	-	-	-		
		Total	77	82.80%	16	17.20%	-	-	93	
	HLTNOSL01	0-5	29	100.00%	-	-	-	-		
		11-15	-	-	12	100.00%	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	28	100.00%	-	-	-	-		
		Total	57	79.17%	15	20.83%	-	-	72	
	HLTNOC01	0-5	26	100.00%	-	-	-	-		
		11-15	-	-	10	100.00%	-	-		
		6-10	30	96.77%	1	3.23%	-	-		
		Total	56	83.58%	11	16.42%	-	-	67	
	HLTNOTS01	0-5	17	100.00%	-	-	-	-		
		11-15	-	-	12	100.00%	-	-		
		16+	-	-	4	100.00%	-	-		
		6-10	27	100.00%	-	-	-	-		
		Total	44	73.33%	16	26.67%	-	-	60	
	Total		234	80.14%	58	19.86%	-	-	292	
	Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	10	100.00%	-	-	-	-	
			16+	-	-	-	-	1	100.00%	
			6-10	2	100.00%	-	-	-	-	
		Total	12	92.31%	-	-	1	7.69%	13	
Total			12	92.31%	-	-	1	7.69%	13	
Halton, Region Of (HLTNT01)	HLTNT01	0-5	15	100.00%	-	-	-	-		
		Total	15	100.00%	-	-	-	-	15	
	Total		15	100.00%	-	-	-	-	15	
Halton, Region Of (HMTBSL01)	HMTBSL01	0-5	3	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Halton, Region Of (HMTOBM)	HMTBTS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	4	100.00%	-	-	-	-	4
Hamilton , Township Of (HML01)	HML01	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	36.36%	7	63.64%	-	-	
		Total	66	89.19%	8	10.81%	-	-	74
		Total	66	89.19%	8	10.81%	-	-	74
Hamilton Community Energy (HCE1)	HCE1	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	85.71%	2	14.29%	-	-	14
Total	12	85.71%	2	14.29%	-	-	14		
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
		Total	3	75.00%	1	25.00%	-	-	4
Hamilton, City Of (CH01)	CH01	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	121	100.00%	-	-	-	-	
		Total	158	96.34%	6	3.66%	-	-	164
		Total	158	96.34%	6	3.66%	-	-	164
Hamilton, City Of (HHP3)	HHP3	0-5	595	100.00%	-	-	-	-	
		11-15	-	-	364	100.00%	-	-	
		16+	-	-	30	100.00%	-	-	
		6-10	183	46.92%	207	53.08%	-	-	
		Total	778	56.42%	601	43.58%	-	-	1379
Total	778	56.42%	601	43.58%	-	-	1,379		
Hamilton, City Of (HW01)	HW01	0-5	367	100.00%	-	-	-	-	
		11-15	-	-	337	100.00%	-	-	
		16+	-	-	32	100.00%	-	-	
		6-10	200	53.76%	172	46.24%	-	-	
		Total	567	51.17%	541	48.83%	-	-	1108
	HW02	0-5	15	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
Total	582	51.78%	542	48.22%	-	-	1,124		
Hanover , Town Of (HNVR01)	HNVR01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	7	58.33%	5	41.67%	-	-	
		Total	41	82.00%	7	14.00%	2	4.00%	50
Total	41	82.00%	7	14.00%	2	4.00%	50		
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	21	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
Total	22	95.65%	1	4.35%	-	-	23		
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	44	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	45	97.83%	-	-	1	2.17%	46

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hawkesbury , Town Of (HWKB01)	HWKBSL01	0-5	42	100.00%	-	-	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	43	93.48%	3	6.52%	-	-	46
	Total		88	95.65%	3	3.26%	1	1.09%	92
Hay Communications (H123)	H003	0-5	177	100.00%	-	-	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	187	99.47%	1	0.53%	-	-	188
	Total		187	99.47%	1	0.53%	-	-	188
Hce Telecom (HCEHN01)	HCEHN01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	46	88.46%	6	11.54%	-	-	52
	Total		46	88.46%	6	11.54%	-	-	52
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
Hearst Power (HRSTP01)	HRSTP01	0-5	40	100.00%	-	-	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	41	93.18%	3	6.82%	-	-	44
	Total		41	93.18%	3	6.82%	-	-	44
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
	Total		36	97.30%	1	2.70%	-	-	37
Highbury Canco Corp (HGHBR01)	HGHBR01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Home Hardware Stores Ltd (HHSF01)	HHSF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Homewood Health Services (HOMHS01)	HOMHS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Hornepayne , Township Of (HRP01)	HRP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Horton, Township Of (HRTS01)	HRTS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	21	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total		21	95.45%	1	4.55%	-	-	22
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	28	96.55%	-	-	1	3.45%	29
	Total		28	96.55%	-	-	1	3.45%	29
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	32	96.97%	1	3.03%	-	-	
		Total	78	92.86%	6	7.14%	-	-	84
	Total		78	92.86%	6	7.14%	-	-	84

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Huron Shores , Municipality Of (HRN5501)	HRN5501	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		-	-	5	100.00%	-	-	5
Huron, County Of (HRN123)	HRN01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	HRN02	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	HRN03	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	7	77.78%	-	-	2	22.22%	9
	HRN04	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total		10	55.56%	4	22.22%	4	22.22%	18	
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	55	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
	Total	55	100.00%	-	-	-	-	55	
Hurontel (HTEL01)	HTEL01	0-5	301	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	5.26%	18	94.74%	
		6-10	57	80.28%	14	19.72%	-	-	
		Total	358	90.40%	20	5.05%	18	4.55%	396
	Total	358	90.40%	20	5.05%	18	4.55%	396	
Hydro 2000 (H200001)	H200001	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Hydro Embrun (EMBRH01)	EMBRH01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	9	100.00%	
	Total	42	82.35%	-	-	9	17.65%	51	
Total	42	82.35%	-	-	9	17.65%	51		
Hydro Hawkesbury (HHI01)	HHI01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	44	95.65%	2	4.35%	-	-	46
	Total	44	95.65%	2	4.35%	-	-	46	
Hydro One Networks Inc (HH123)	HOBRA01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	14	87.50%	-	-	2	12.50%	16
	HOFS01	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	105	91.30%	3	2.61%	7	6.09%	115
	HOHAM01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	11	64.71%	3	17.65%	3	17.65%	17	
	HOKIT01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
HOMAR01	16+	-	-	-	-	1	100.00%		
	Total	-	-	-	-	1	100.00%	1	
HOMIS01	0-5	2	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (HH123)	HOMIS01	6-10	-	-	1	100.00%	-	-	
		Total	2	50.00%	1	25.00%	1	25.00%	4
	HOTOR01	0-5	183	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	48	100.00%	
		6-10	14	66.67%	7	33.33%	-	-	
		Total	197	75.19%	17	6.49%	48	18.32%	262
	HOVAU01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	O0052	0-5	50	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	51	96.23%	-	-	2	3.77%	53
	OH20	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	6	85.71%	1	14.29%	
		16+	-	-	1	11.11%	8	88.89%	
		Total	65	80.25%	7	8.64%	9	11.11%	81
	OH30	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
OH40	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total		460	81.42%	31	5.49%	74	13.10%	565	
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
	Total	32	94.12%	2	5.88%	-	-	34	
Total		32	94.12%	2	5.88%	-	-	34	
Hydro One Networks Inc (H1DX)	H1DCHP01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	H1DGE01	0-5	1,395	100.00%	-	-	-	-	
		11-15	-	-	30	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		Total	2,031	97.79%	46	2.21%	-	-	2077
	H1DGN01	0-5	853	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	22	91.67%	2	8.33%	
		Total	1,299	98.04%	24	1.81%	2	0.15%	1325
	H1DGN02	0-5	919	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	26	100.00%	-	-	
		Total	1,178	97.11%	35	2.89%	-	-	1213
	H1DGW02	0-5	519	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		Total	919	93.58%	63	6.42%	-	-	982
	H1DHN01	0-5	1,234	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
16+		-	-	18	81.82%	4	18.18%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DHN01	6-10	342	91.94%	30	8.06%	-	-	
		Total	1,576	94.31%	91	5.45%	4	0.24%	1671
	H1DMOO01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	H1DOE01	0-5	4,018	100.00%	-	-	-	-	
		11-15	-	-	116	100.00%	-	-	
		16+	-	-	7	10.94%	57	89.06%	
		6-10	1,667	95.97%	69	3.97%	1	0.06%	
		Total	5,685	95.79%	192	3.24%	58	0.98%	5935
	H1DONE01	0-5	1,764	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	7	70.00%	3	30.00%	
		Total	2,439	96.94%	74	2.94%	3	0.12%	2516
	H1DONW02	0-5	145	100.00%	-	-	-	-	
		6-10	135	98.54%	2	1.46%	-	-	
		Total	280	99.29%	2	0.71%	-	-	282
	H1DOS01	0-5	2,430	100.00%	-	-	-	-	
		11-15	-	-	88	100.00%	-	-	
		16+	-	-	36	80.00%	9	20.00%	
		Total	3,932	94.82%	206	4.97%	9	0.22%	4147
	H1DOW01	0-5	4,464	100.00%	-	-	-	-	
		11-15	-	-	51	100.00%	-	-	
		16+	-	-	6	75.00%	2	25.00%	
Total		5,885	98.76%	72	1.21%	2	0.03%	5959	
H1DTBY01	0-5	112	100.00%	-	-	-	-		
	16+	-	-	5	20.00%	20	80.00%		
	Total	119	79.87%	10	6.71%	20	13.42%	149	
H1DX07	0-5	303	100.00%	-	-	-	-		
	11-15	-	-	9	100.00%	-	-		
	16+	-	-	63	85.14%	11	14.86%		
	Total	329	77.78%	83	19.62%	11	2.60%	423	
Total		25,679	96.23%	898	3.37%	109	0.41%	26,686	
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	180	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	75	100.00%	-	-	-	-	
	Total	255	99.22%	2	0.78%	-	-	257	
Total		255	99.22%	2	0.78%	-	-	257	
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	239	100.00%	-	-	-	-	
		6-10	153	100.00%	-	-	-	-	
	Total	392	100.00%	-	-	-	-	392	
Total		392	100.00%	-	-	-	-	392	
Hydro One Remote Communities Inc (HYR01)	HYR01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
	Total	1	11.11%	-	-	8	88.89%	9	
Total		1	11.11%	-	-	8	88.89%	9	
Hydro Ottawa (HOT1)	HOT1	0-5	3,411	100.00%	-	-	-	-	
		11-15	-	-	69	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro Ottawa (HOT1)	HOT1	6-10	1,662	97.59%	41	2.41%	-	-	5193
		Total	5,073	97.69%	120	2.31%	-	-	
	HOT2	0-5	197	100.00%	-	-	-	-	266
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	67	100.00%	-	-	-	-	
		Total	264	99.25%	2	0.75%	-	-	
Total	5,337	97.77%	122	2.23%	-	-	5,459		
Ignace , Township Of (IGN01)	IGN01	0-5	10	100.00%	-	-	-	-	17
		16+	-	-	-	-	3	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	13	76.47%	1	5.88%	3	17.65%	
	Total	13	76.47%	1	5.88%	3	17.65%	17	
Imperial Oil Pipelines (I002)	I002	0-5	164	100.00%	-	-	-	-	226
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	49	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	173	76.55%	53	23.45%	-	-	
	Total	173	76.55%	53	23.45%	-	-	226	
Imperial Oil Pipelines (I003)	I003	0-5	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Imperial Oil Pipelines (I004)	I004	0-5	2	100.00%	-	-	-	-	3
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	
	Total	-	-	-	-	3	100.00%	3	
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	6	100.00%	-	-	-	-	10
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	7	70.00%	2	20.00%	1	10.00%	
	Total	7	70.00%	2	20.00%	1	10.00%	10	
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	7	100.00%	-	-	-	-	13
		6-10	6	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	
	Total	13	100.00%	-	-	-	-	13	
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	30	100.00%	-	-	-	-	52
		11-15	-	-	5	100.00%	-	-	
		6-10	12	70.59%	5	29.41%	-	-	
		Total	42	80.77%	10	19.23%	-	-	
	Total	42	80.77%	10	19.23%	-	-	52	
Innisfil, Town Of (INFL01)	INFL01	0-5	176	100.00%	-	-	-	-	217
		6-10	41	100.00%	-	-	-	-	
		Total	217	100.00%	-	-	-	-	
	Total	217	100.00%	-	-	-	-	217	
Innpower (INSFH01)	INSFH01	0-5	443	100.00%	-	-	-	-	497
		11-15	-	-	-	-	1	100.00%	
		6-10	53	100.00%	-	-	-	-	
		Total	496	99.80%	-	-	1	0.20%	
	Total	496	99.80%	-	-	1	0.20%	497	
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total	1	50.00%	1	50.00%	-	-	2	
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	52	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	67	100.00%	-	-	-	-	67
	Total	67	100.00%	-	-	-	-	67	
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	14	63.64%	8	36.36%	-	-	22
	IRQFSL01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	18	81.82%	3	13.64%	1	4.55%	22
		Total	32	72.73%	11	25.00%	1	2.27%	44
James, Township Of (JAMES01)	JAMES01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Jogues Local Service Board	JSBS01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Johnson, Township Of (JHSNW01)	JHSNW01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	14	100.00%	14
	Total	-	-	-	-	14	100.00%	14	
K2 Wind Farm Ontario (K2WF01)	K2WF01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Kap Power Corp (KPP01)	KPP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Kapusking, Town Of (KAP01)	KAP01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	59	90.77%	2	3.08%	4	6.15%	65
	Total	59	90.77%	2	3.08%	4	6.15%	65	
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	103	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	108	100.00%	-	-	-	-	108
	KWLKWS01	0-5	223	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	235	100.00%	-	-	-	-	235
Total	343	100.00%	-	-	-	-	343		
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total	1	33.33%	2	66.67%	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kearney, Town Of (KRNY01)	KRNY01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Kenora, City Of (KNRA123)	KNRA01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	48	94.12%	1	1.96%	2	3.92%	51
	KNRASL01	0-5	11	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	KNRAST01	0-5	40	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		105	97.22%	1	0.93%	2	1.85%	108
Kent Breeze Wind Farm (SCE01)	SCE01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		Total	12	80.00%	2	13.33%	1	6.67%	15
	Total		12	80.00%	2	13.33%	1	6.67%	15
Kincardine, Municipality Of (KINCAR01)	KINCAR01	0-5	99	100.00%	-	-	-	-	
		Total	99	100.00%	-	-	-	-	99
	Total		99	100.00%	-	-	-	-	99
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
King , Township Of (KNGWS01)	KNGSL01	0-5	123	100.00%	-	-	-	-	
		16+	-	-	6	60.00%	4	40.00%	
		6-10	54	100.00%	-	-	-	-	
		Total	177	94.65%	6	3.21%	4	2.14%	187
	KNGWS01	0-5	116	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	26	96.30%	1	3.70%	-	-	
		Total	142	97.93%	1	0.69%	2	1.38%	145
Total		319	96.08%	7	2.11%	6	1.81%	332	
Kings University College (KUC01)	KUC01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
Total		2	66.67%	1	33.33%	-	-	3	
Kingston General Hospital (KGH01)	KGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingsville, Town Of (TK01)	TK01	0-5	169	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	19	95.00%	1	5.00%	-	-	
		Total	188	96.91%	6	3.09%	-	-	194
	TKF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		190	96.94%	6	3.06%	-	-	196	
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kirkland Lake , Town Of (KKL01)	KKL01	6-10	2	100.00%	-	-	-	-	
		Total	36	97.30%	-	-	1	2.70%	37
	Total	36	97.30%	-	-	1	2.70%	37	
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	203	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	51	100.00%	-	-	-	-	
		Total	254	99.22%	2	0.78%	-	-	256
	Total	254	99.22%	2	0.78%	-	-	256	
Kitchener Utilities (KU02)	KU02	0-5	998	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	203	98.54%	3	1.46%	-	-	
		Total	1,201	99.01%	8	0.66%	4	0.33%	1213
	Total	1,201	99.01%	8	0.66%	4	0.33%	1,213	
Kitchener, The City Of (KITS01)	KITS01	0-5	394	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	383	95.27%	19	4.73%	-	-	
		Total	777	97.49%	20	2.51%	-	-	797
	Total	777	97.49%	20	2.51%	-	-	797	
KRUGER ENERGY CHATHAM LP (KEC01)	KEC01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total	-	-	2	100.00%	-	-	2	
KRUGER ENERGY PORT ALMA LP (KEPA01)	KEPA01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total	-	-	2	100.00%	-	-	2	
Kwic Internet (KWIC01)	KWIC01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Lagasco Inc (TP01)	TP01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	13	68.42%	6	31.58%	-	-	
		Total	33	76.74%	9	20.93%	1	2.33%	43
	Total	33	76.74%	9	20.93%	1	2.33%	43	
Lagasco Limited (L002)	L002	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	8	72.73%	2	18.18%	1	9.09%	11	
Total	8	72.73%	2	18.18%	1	9.09%	11		
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	11	100.00%	11
	Total	-	-	-	-	11	100.00%	11	
Lake Of Bays , Township Of (LOB01)	LOB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Lake Of The Woods Hospital (LWDH01)	LWDH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	125	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	6-10	41	100.00%	-	-	-	-	
		Total	166	100.00%	-	-	-	-	166
	Total		166	100.00%	-	-	-	-	166
Lakefront Utilities (LUSI123)	COLBH01	0-5	12	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	LUSIH01	0-5	122	100.00%	-	-	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	164	100.00%	-	-	-	-	164
Total		183	100.00%	-	-	-	-	183	
Lakeland Networks (LKLNN01)	LKLNN01	0-5	148	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	179	100.00%	-	-	-	-	179
	Total		179	100.00%	-	-	-	-	179
Lakeland Power (LKLNP123)	LKLNP01	0-5	182	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	74	100.00%	-	-	-	-	
		Total	256	99.22%	2	0.78%	-	-	258
	Total		256	99.22%	2	0.78%	-	-	258
Lakeshore, Municipality Of (TOL123)	B002	0-5	344	100.00%	-	-	-	-	
		Total	344	100.00%	-	-	-	-	344
	Total		344	100.00%	-	-	-	-	344
Lakeview Water System (LKVWW01)	LKVWW01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	102	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	112	97.39%	2	1.74%	1	0.87%	115
	Total		112	97.39%	2	1.74%	1	0.87%	115
Lambton County (LMBTN01)	LMBTN01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Lambton Shores, Municipality Of (F001)	F001	0-5	129	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	9	75.00%	3	25.00%	-	-	
		Total	138	95.83%	4	2.78%	2	1.39%	144
	Total		138	95.83%	4	2.78%	2	1.39%	144
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Lanark Highlands , Township Of (LNKH01)	LNKH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Lanark, County Of (LNRK01)	LNRK01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	10	76.92%	2	15.38%	1	7.69%	13
	Total		10	76.92%	2	15.38%	1	7.69%	13

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lanxess Canada (CMTR01)	CMTR01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Larder Lake , Township Of (LRL01)	LRL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lasalle , Town Of (LSL01)	LSL01	0-5	111	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	53	98.15%	1	1.85%	-	-	
		Total	164	98.80%	1	0.60%	1	0.60%	166
	Total		164	98.80%	1	0.60%	1	0.60%	166
Latchford , Town Of (LTFWSS01)	LTFWSS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	23	100.00%	
		Total	-	-	-	-	23	100.00%	23
	Total		-	-	-	-	23	100.00%	23
Laurentian University (LRTU01)	LRTU01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	23	95.83%	-	-	1	4.17%	24
	Total		23	95.83%	-	-	1	4.17%	24
Leamington Water Services (L001)	L001	0-5	132	100.00%	-	-	-	-	
		11-15	-	-	28	96.55%	1	3.45%	
		16+	-	-	26	32.50%	54	67.50%	
		6-10	35	100.00%	-	-	-	-	
		Total	167	60.51%	54	19.57%	55	19.93%	276
	Total		167	60.51%	54	19.57%	55	19.93%	276
Leamington, Municipality Of (LS01)	LS01	0-5	214	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	214	99.53%	-	-	1	0.47%	215
	Total		214	99.53%	-	-	1	0.47%	215
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	49	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	55	90.16%	2	3.28%	4	6.56%	61
	Total		55	90.16%	2	3.28%	4	6.56%	61
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	10	100.00%	10
	LDTI02	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	4	100.00%	4
Total		-	-	-	-	14	100.00%	14	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lennox And Addington, County Of (LXA123)	LXA01	0-5	24	100.00%	-	-	-	-	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	30	93.75%	2	6.25%	-	-	32
	Total	30	93.75%	2	6.25%	-	-	32	
Liberty Oil And Gas (LBTYOG01)	LBTYOG01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	5	55.56%	3	33.33%	1	11.11%	9	
Total	5	55.56%	3	33.33%	1	11.11%	9		
Lincoln, Town Of (LINWS01)	LINWS01	0-5	155	100.00%	-	-	-	-	
		Total	155	100.00%	-	-	-	-	155
	Total	155	100.00%	-	-	-	-	155	
Linde - Mississauga (PXRPL02)	PXRPL02	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	16+	-	-	1	12.50%	7	87.50%	
		Total	-	-	1	12.50%	7	87.50%	8
	Total	-	-	1	12.50%	7	87.50%	8	
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	19	82.61%	4	17.39%	-	-	23
	Total	19	82.61%	4	17.39%	-	-	23	
London District Energy (TG01)	TG01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	42	95.45%	2	4.55%	-	-	
	Total	49	80.33%	10	16.39%	2	3.28%	61	
Total	49	80.33%	10	16.39%	2	3.28%	61		
London Health Sciences (LHS1)	LHS1	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
London Hydro (L003)	L003	0-5	1,188	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	366	98.92%	4	1.08%	-	-	
		Total	1,554	99.23%	12	0.77%	-	-	1566
	LHDL01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	18	100.00%	
		Total	-	-	-	-	21	100.00%	21
Total	1,554	97.92%	12	0.76%	21	1.32%	1,587		
London, City Of (LN01)	LN01	0-5	1,091	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	49	100.00%	
		6-10	506	99.02%	5	0.98%	-	-	
	Total	1,597	96.15%	15	0.90%	49	2.95%	1661	
Total	1,597	96.15%	15	0.90%	49	2.95%	1,661		
London, City Of (LN02)	LN02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Long Point Provincial Park (LPPP01)	LPPP01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Loyalist Solar Lp (LYLS01)	LYLS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Loyalist Township (LYST123)	LYSTBS6	0-5	18	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	LYSTBW5	0-5	18	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	LYSTEL4	0-5	46	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	LYSTFW1	0-5	57	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
	LYSTLES2	0-5	55	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	LYSTSTM3	0-5	68	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	98	100.00%	-	-	-	-	98
	Total		380	100.00%	-	-	-	-	380
	Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	53	100.00%	-	-	-	-
11-15			-	-	1	100.00%	-	-	
6-10			5	26.32%	14	73.68%	-	-	
Total			58	79.45%	15	20.55%	-	-	73
Total			58	79.45%	15	20.55%	-	-	73
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	16	72.73%	4	18.18%	2	9.09%	22
	Total		16	72.73%	4	18.18%	2	9.09%	22
Machin, Municipality Of (MCHW01)	MCHW01	16+	-	-	-	-	3	100.00%	
	Total		-	-	-	-	3	100.00%	3
Total		-	-	-	-	3	100.00%	3	
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	16+	-	-	-	-	8	100.00%	
	Total		-	-	-	-	8	100.00%	8
Total		-	-	-	-	8	100.00%	8	
Malahide, Township Of (MLHD01)	MLHD01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13
Manitouwadge , Township Of (MTW01)	MTW01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Mapleton , Township Of (MPLT01)	MPLT01	0-5	17	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Marathon, Town Of (MRTH01)	MRTH01	0-5	22	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Marathon, Town Of (MRTH01)	MRTH01	6-10	1	25.00%	3	75.00%	-	-	
		Total	23	88.46%	3	11.54%	-	-	26
	Total	23	88.46%	3	11.54%	-	-	26	
Markham " Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	348	100.00%	-	-	-	-	
		6-10	231	100.00%	-	-	-	-	
	Total	579	100.00%	-	-	-	-	579	
Total	579	100.00%	-	-	-	-	579		
Markham District Energy (MDE01)	MDE01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	1	20.00%	4	80.00%	
	Total	20	80.00%	1	4.00%	4	16.00%	25	
Total	20	80.00%	1	4.00%	4	16.00%	25		
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	401	100.00%	-	-	-	-	
		6-10	173	100.00%	-	-	-	-	
	Total	574	100.00%	-	-	-	-	574	
Total	574	100.00%	-	-	-	-	574		
Markstay Warren , Municipality Of (MKW01)	MKW01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	16+	-	-	1	16.67%	5	83.33%		
Total	2	22.22%	2	22.22%	5	55.56%	9		
Total	2	22.22%	2	22.22%	5	55.56%	9		
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total	4	100.00%	-	-	-	-	4		
Matachewan, Township Of (MTCWWS01)	MTCWWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	7	100.00%	-	-	
		Total	-	-	7	100.00%	-	-	7
Total	-	-	7	100.00%	-	-	7		
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
	Total	5	38.46%	8	61.54%	-	-	13	
Total	5	38.46%	8	61.54%	-	-	13		
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	2	100.00%	-	-	-	-	2		
Mcgarry, Township Of (MCGWS01)	MCGWS01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
Total	-	-	1	50.00%	1	50.00%	2		
Mcnab Braeside, Township Of (MCBR01)	MCBR01	16+	-	-	57	100.00%	-	-	
		Total	-	-	57	100.00%	-	-	57
Total	-	-	57	100.00%	-	-	57		
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
	6-10	4	100.00%	-	-	-	-		
Total	41	95.35%	2	4.65%	-	-	43		
Total	41	95.35%	2	4.65%	-	-	43		
Melancthon Windfarm (MELWF01)	MELWF01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total	4	100.00%	-	-	-	-	4		
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	1	100.00%	1		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	14	70.00%	6	30.00%	
		Total	-	-	14	70.00%	6	30.00%	20
		Total	-	-	14	70.00%	6	30.00%	20
Metalore Resources (MTLORE01)	MTLORE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
		Total	2	66.67%	1	33.33%	-	-	3
Metro Fibrewerx (MFWX01)	MFWX01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	11	91.67%	-	-	1	8.33%	12
		Total	11	91.67%	-	-	1	8.33%	12
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		6-10	22	88.00%	3	12.00%	-	-	
		Total	61	77.22%	18	22.78%	-	-	79
		Total	61	77.22%	18	22.78%	-	-	79
Middlesex, County Of (MDSX01)	MDSX01	0-5	67	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	67	94.37%	4	5.63%	-	-	71
		Total	67	94.37%	4	5.63%	-	-	71
Midland, Town Of (MIDLND01)	MIDLND01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	30	88.24%	-	-	4	11.76%	34
Total	30	88.24%	-	-	4	11.76%	34		
Midland, Town Of (MIDLND03)	MIDLND03	0-5	26	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	26	96.30%	1	3.70%	-	-	27
		Total	26	96.30%	1	3.70%	-	-	27
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	MLTSS01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	93	100.00%	-	-	-	-	
		Total	123	87.86%	17	12.14%	-	-	140
Total	130	87.84%	18	12.16%	-	-	148		
MILTON HYDRO (MH123)	MHHN01	0-5	349	100.00%	-	-	-	-	
		11-15	-	-	47	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	241	97.18%	7	2.82%	-	-	
		Total	590	91.33%	54	8.36%	2	0.31%	646
		Total	590	91.33%	54	8.36%	2	0.31%	646
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
		Total	9	100.00%	-	-	-	-	9
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	65	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	70	100.00%	-	-	-	-	70
		Total	70	100.00%	-	-	-	-	70

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	399	100.00%	-	-	-	-	
		6-10	236	100.00%	-	-	-	-	
		Total	635	100.00%	-	-	-	-	635
	Total		635	100.00%	-	-	-	-	635
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	113	100.00%	-	-	-	-	
		Total	246	99.60%	1	0.40%	-	-	247
	Total		246	99.60%	1	0.40%	-	-	247
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	79	100.00%	-	-	-	-	
		16+	-	-	9	64.29%	5	35.71%	
		Total	79	84.95%	9	9.68%	5	5.38%	93
	Total		79	84.95%	9	9.68%	5	5.38%	93
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	696	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	316	100.00%	-	-	-	-	
		Total	1,012	99.61%	3	0.30%	1	0.10%	1016
	MNSI02	6-10	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Total		1,013	99.61%	3	0.29%	1	0.10%	1,017	
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	40	97.56%	1	2.44%	-	-	41
	Total		40	97.56%	1	2.44%	-	-	41
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	6	54.55%	5	45.45%	-	-	
		Total	22	64.71%	8	23.53%	4	11.76%	34
	Total		22	64.71%	8	23.53%	4	11.76%	34
Mono , Town Of (MNO123)	MNO01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	-	-	1	100.00%	-	-	
		Total	3	27.27%	6	54.55%	2	18.18%	11
	MNOSL01	11-15	-	-	1	100.00%	-	-	
	16+	-	-	10	100.00%	-	-		
Total		-	-	11	100.00%	-	-	11	
Total		3	13.64%	17	77.27%	2	9.09%	22	
Montague , Township Of (MTG01)	MTG01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Montez Office Fund li Limited Partnership (MOFLP01)	MOFLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Moonbeam , Township Of (MBM01)	MBM01	16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Moose Factory Service Board (MFSB01)	MFSB01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Moosonee , Town Of (MSN01)	MSN01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Mornington Communications (MORNT01)	MORNT01	0-5	235	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	13	65.00%	7	35.00%	-	-	
		Total	248	95.75%	11	4.25%	-	-	259
	Total		248	95.75%	11	4.25%	-	-	259
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Mulmur , Township Of (MLMW01)	MLMW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
MULTIVIEW FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	469	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	44	97.78%	1	2.22%	-	-	
	Total	513	99.42%	3	0.58%	-	-	516	
Total		513	99.42%	3	0.58%	-	-	516	
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	69	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	48	90.57%	5	9.43%	-	-	
		Total	117	94.35%	5	4.03%	2	1.61%	124
	MUSKWS04	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	5.88%	16	94.12%	
		Total	89	71.77%	18	14.52%	17	13.71%	124
	MUSKWS05	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	15	100.00%	
		Total	116	86.57%	-	-	18	13.43%	134
	Total		322	84.29%	23	6.02%	37	9.69%	382
Muskoka Algonquin Healthcare (MAHC01)	MAHC01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	6-10	5	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total	10	90.91%	1	9.09%	-	-	11	
Nairn And Hyman, Township Of (TNHW01)	TNHW01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total	1	33.33%	1	33.33%	1	33.33%	3	
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Nation, Municipality Of The (NATN01)	NATN01	16+	-	-	-	-	30	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	3.23%	-	-	30	96.77%	31
	Total	1	3.23%	-	-	30	96.77%	31	
Net Optiks	BPNOFC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	23	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total	32	100.00%	-	-	-	-	32	
Netflash Internet Solutions (NISF01)	NISF01	0-5	24	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total	32	100.00%	-	-	-	-	32	
Netsolid Internet Solutions Inc	NETSLD01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	177	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	184	100.00%	-	-	-	-	184
	Total	184	100.00%	-	-	-	-	184	
Newbury, Village Of (NWBWS01)	NWBWS01	16+	-	-	3	75.00%	1	25.00%	
		Total	-	-	3	75.00%	1	25.00%	4
	Total	-	-	3	75.00%	1	25.00%	4	
Newmarket, Town Of (NMK01)	NMK01	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	149	99.33%	1	0.67%	-	-	150
	Total	149	99.33%	1	0.67%	-	-	150	
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	285	100.00%	-	-	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
	Total	293	99.66%	1	0.34%	-	-	294	
Total	293	99.66%	1	0.34%	-	-	294		
Niagara Falls, City Of (NFS01)	NFS01	0-5	405	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	28	93.33%	2	6.67%	
		6-10	272	98.55%	4	1.45%	-	-	
		Total	677	95.08%	33	4.63%	2	0.28%	712
	Total	677	95.08%	33	4.63%	2	0.28%	712	
Niagara Parks Commission (NPC01)	NPC01	0-5	32	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Niagara Parks Commission (NPC01)	NPC01	6-10	4	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total		36	100.00%	-	-	-	-	36
Niagara Peninsula Energy (NFH01)	NFH01	0-5	439	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	14	93.33%	1	6.67%	
		6-10	241	100.00%	-	-	-	-	
		Total	680	97.70%	15	2.16%	1	0.14%	696
	Total		680	97.70%	15	2.16%	1	0.14%	696
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	725	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	111	100.00%	-	-	-	-	
		Total	836	99.17%	3	0.36%	4	0.47%	843
	Total		836	99.17%	3	0.36%	4	0.47%	843
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	262	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		6-10	149	100.00%	-	-	-	-	
		Total	411	97.86%	6	1.43%	3	0.71%	420
	Total		411	97.86%	6	1.43%	3	0.71%	420
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	368	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		16+	-	-	35	62.50%	21	37.50%	
		6-10	74	98.67%	1	1.33%	-	-	
		Total	442	87.70%	40	7.94%	22	4.37%	504
	Total		442	87.70%	40	7.94%	22	4.37%	504
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	224	100.00%	-	-	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	97	100.00%	-	-	-	-	
	Total	321	93.86%	21	6.14%	-	-	342	
Total		321	93.86%	21	6.14%	-	-	342	
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	183	100.00%	-	-	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	78	100.00%	-	-	-	-	
	Total	261	94.57%	15	5.43%	-	-	276	
Total		261	94.57%	15	5.43%	-	-	276	
Nipigon , Township Of (NIP01)	NIP01	0-5	6	100.00%	-	-	-	-	
		6-10	2	33.33%	4	66.67%	-	-	
	Total	8	66.67%	4	33.33%	-	-	12	
Total		8	66.67%	4	33.33%	-	-	12	
Nor-Del (NORDEL01)	NORDEL01	0-5	200	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	16	100.00%	-	-	-	-	
	Total	216	96.43%	-	-	8	3.57%	224	
Total		216	96.43%	-	-	8	3.57%	224	
Norfolk County (NFLK123)	NFLK01	0-5	475	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Norfolk County (NFLK123)	NFLK01	6-10	64	94.12%	4	5.88%	-	-	
		Total	539	98.54%	8	1.46%	-	-	547
		Total	539	98.54%	8	1.46%	-	-	547
North Bay Hydro (NBH01)	NBH01	0-5	202	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	66	92.96%	5	7.04%	-	-	
		Total	268	96.75%	8	2.89%	1	0.36%	277
		Total	268	96.75%	8	2.89%	1	0.36%	277
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	11	78.57%	1	7.14%	2	14.29%	14
		Total	11	78.57%	1	7.14%	2	14.29%	14
North Bay, City Of (NBWS01)	NBWS01	0-5	94	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	14	87.50%	2	12.50%	-	-	
		Total	108	91.53%	7	5.93%	3	2.54%	118
		Total	108	91.53%	7	5.93%	3	2.54%	118
North Dundas , Township Of (NDND123)	NDND01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	NDND02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	13	92.86%	1	7.14%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	3	13.04%	19	82.61%	1	4.35%	23
Total	17	45.95%	19	51.35%	1	2.70%	37		
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	643	100.00%	-	-	-	-	
		11-15	-	-	85	98.84%	1	1.16%	
		16+	-	-	1	3.33%	29	96.67%	
		6-10	157	71.69%	62	28.31%	-	-	
		Total	800	81.80%	148	15.13%	30	3.07%	978
		Total	800	81.80%	148	15.13%	30	3.07%	978
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	86.67%	2	13.33%	-	-	
		Total	44	91.67%	2	4.17%	2	4.17%	48
Total	44	91.67%	2	4.17%	2	4.17%	48		
North Grenville , Municipality Of (NGR01)	NGR01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	13	56.52%	10	43.48%	-	-	
		Total	43	64.18%	12	17.91%	12	17.91%	67
Total	43	64.18%	12	17.91%	12	17.91%	67		
North Huron, Township Of (NHURON01)	NHURON01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	5	83.33%	1	16.67%	
		16+	-	-	-	-	5	100.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	35	71.43%	8	16.33%	6	12.24%	49
Total	35	71.43%	8	16.33%	6	12.24%	49		
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Kent Wind 1 Lp (NKWF01)	NKWF01	6-10	2	100.00%	-	-	-	-	
		Total	8	80.00%	2	20.00%	-	-	10
	Total	8	80.00%	2	20.00%	-	-	10	
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	151	100.00%	
	Total	-	-	-	-	155	100.00%	155	
Total	-	-	-	-	155	100.00%	155		
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	119	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	120	98.36%	1	0.82%	1	0.82%	122	
Total	120	98.36%	1	0.82%	1	0.82%	122		
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	277	100.00%	-	-	-	-	
		11-15	-	-	7	87.50%	1	12.50%	
		16+	-	-	1	6.67%	14	93.33%	
		6-10	17	77.27%	5	22.73%	-	-	
	Total	294	91.30%	13	4.04%	15	4.66%	322	
Total	294	91.30%	13	4.04%	15	4.66%	322		
North Shore, Township Of the (NSR01)	NSR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	1	100.00%	1		
North Stormont , Township Of (NST01)	NST01	16+	-	-	21	100.00%	-	-	
		Total	-	-	21	100.00%	-	-	21
Total	-	-	21	100.00%	-	-	21		
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	3	42.86%	1	14.29%	3	42.86%	7	
Total	3	42.86%	1	14.29%	3	42.86%	7		
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	9	100.00%	
	Total	-	-	-	-	10	100.00%	10	
Total	-	-	-	-	10	100.00%	10		
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	19	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
	Total	43	100.00%	-	-	-	-	43	
Total	43	100.00%	-	-	-	-	43		
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	2	50.00%	2	50.00%	-	-	
	Total	77	92.77%	4	4.82%	2	2.41%	83	
Total	77	92.77%	4	4.82%	2	2.41%	83		
Northern Rural Networks (NRN01)	NRN01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
Total	-	-	-	-	5	100.00%	5		
Northern Tel Limited Partnership (NT01)	NT01	0-5	268	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
	Total	276	98.92%	3	1.08%	-	-	279	
Total	276	98.92%	3	1.08%	-	-	279		
Northumberland County (NRHBSL01)	NRHBSL01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Northumberland County (NRHB01)	NRHBSL01	6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	NRHBSL02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	NRHBSS01	0-5	7	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	NRHBSS02	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
NRHBTS01	0-5	1	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
NRHBTS02	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total			35	100.00%	-	-	-	-	35
Norwich , Township Of (NRW01)	NRW01	0-5	69	100.00%	-	-	-	-	
		6-10	9	50.00%	9	50.00%	-	-	
	Total	78	89.66%	9	10.34%	-	-	-	87
Total			78	89.66%	9	10.34%	-	-	87
Nova Chemicals Corporation (N001)	N001	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	3	75.00%	1	25.00%	
	Total	10	66.67%	3	20.00%	2	13.33%	15	
Total			10	66.67%	3	20.00%	2	13.33%	15
NT Power	NTPWR01	0-5	482	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	41	97.62%	1	2.38%	-	-	
	Total	523	99.43%	3	0.57%	-	-	526	
Total			523	99.43%	3	0.57%	-	-	526
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	1,103	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	433	95.16%	22	4.84%	-	-	
	Total	1,536	95.52%	72	4.48%	-	-	1,608	
Total			1,536	95.52%	72	4.48%	-	-	1,608
Oakville, Town Of (OAK123)	OAKBS01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	27	90.00%	3	10.00%	-	-	30
	OAKSS01	0-5	1,057	100.00%	-	-	-	-	
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	250	98.04%	5	1.96%	-	-	
	Total	1,307	96.89%	42	3.11%	-	-	1,349	
	OAKTS01	0-5	139	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	109	99.09%	1	0.91%	-	-	
Total	248	91.85%	22	8.15%	-	-	270		
Total			1,582	95.94%	67	4.06%	-	-	1,649
O'Connor, Township Of (OCNR01)	OCNR01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total			-	-	1	100.00%	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Oliver Paipoonge , Municipality Of (OLVPPG01)	OLVPPG01	0-5	4	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	4	80.00%	1	20.00%	-	-	5	
	Total		4	80.00%	1	20.00%	-	-	5
On-Energy Corp (ONNRG01)	ONNRG01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	5	83.33%	-	-	1	16.67%	6
	Total		5	83.33%	-	-	1	16.67%	6
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	OPGN2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		6	85.71%	-	-	1	14.29%	7
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	26	100.00%	-	-	-	-	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	28	87.50%	4	12.50%	-	-	32
	ONTERA02	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	ONTERA03	0-5	25	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	ONTERA04	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	61	96.83%	2	3.17%	-	-	63
	ONTERA05	0-5	15	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	ONTERA06	0-5	45	100.00%	-	-	-	-	
		16+	-	-	24	100.00%	-	-	
Total		45	65.22%	24	34.78%	-	-	69	
Total		184	85.98%	30	14.02%	-	-	214	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	117	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	12	75.00%	4	25.00%	-	-	
		Total	129	88.36%	17	11.64%	-	-	146
	Total		129	88.36%	17	11.64%	-	-	146
Opasatika, Township Of (OPTKWS01)	OPTKWS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		Total	1	16.67%	3	50.00%	2	33.33%	6
	Total		1	16.67%	3	50.00%	2	33.33%	6
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Orangeville Fibre, Town Of (ORGV02)	ORGV02	6-10	21	100.00%	-	-	-	-	
		Total	93	97.89%	2	2.11%	-	-	95
	Total	93	97.89%	2	2.11%	-	-	95	
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	189	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	8	34.78%	15	65.22%	
		6-10	48	94.12%	3	5.88%	-	-	
		Total	237	88.10%	17	6.32%	15	5.58%	269
	Total	237	88.10%	17	6.32%	15	5.58%	269	
Orangeville, Town Of (ORGV01)	ORGV01	0-5	134	100.00%	-	-	-	-	
		11-15	-	-	44	100.00%	-	-	
		16+	-	-	-	-	15	100.00%	
		6-10	30	83.33%	6	16.67%	-	-	
		Total	164	71.62%	50	21.83%	15	6.55%	229
	Total	164	71.62%	50	21.83%	15	6.55%	229	
Orillia, City Of (ORIL123)	ORILSL01	0-5	19	100.00%	-	-	-	-	
		6-10	30	96.77%	1	3.23%	-	-	
		Total	49	98.00%	1	2.00%	-	-	50
	ORILT01	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	96	96.00%	3	3.00%	1	1.00%	100
	ORILWS01	0-5	108	100.00%	-	-	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	155	100.00%	-	-	-	-	155
	Total	300	98.36%	4	1.31%	1	0.33%	305	
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	36	100.00%	-	-	-	-	
		6-10	-	-	3	100.00%	-	-	
	Total	36	92.31%	3	7.69%	-	-	39	
Total	36	92.31%	3	7.69%	-	-	39		
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	275	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	186	97.38%	5	2.62%	-	-	
		Total	461	93.32%	32	6.48%	1	0.20%	494
	OSHGE03	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	33	94.29%	2	5.71%	-	-	35
	Total	494	93.38%	34	6.43%	1	0.19%	529	
	Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	4	100.00%	-	-	-	-
11-15			-	-	1	100.00%	-	-	
6-10			5	100.00%	-	-	-	-	
Total		9	90.00%	1	10.00%	-	-	10	
Total	9	90.00%	1	10.00%	-	-	10		
Oshawa, City Of (OSH01)	OSH01	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	120	99.17%	1	0.83%	-	-	
	Total	207	93.67%	14	6.33%	-	-	221	
Total	207	93.67%	14	6.33%	-	-	221		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		Total	2	25.00%	5	62.50%	1	12.50%	8
	Total		2	25.00%	5	62.50%	1	12.50%	8
Ottawa River Power (ORP01)	ORP01	0-5	136	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	151	100.00%	-	-	-	-	151
	Total		151	100.00%	-	-	-	-	151
Ottawa River Power (ORP02)	ORP02	0-5	73	100.00%	-	-	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	84	98.82%	1	1.18%	-	-	85
	Total		84	98.82%	1	1.18%	-	-	85
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	2,264	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	619	100.00%	-	-	-	-	
		Total	2,883	99.97%	1	0.03%	-	-	2884
	Total		2,883	99.97%	1	0.03%	-	-	2,884
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	689	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	79	100.00%	-	-	-	-	
	Total	768	98.71%	5	0.64%	5	0.64%	778	
Total		768	98.71%	5	0.64%	5	0.64%	778	
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	4,503	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	35	100.00%	-	-	-	-	
	Total	4,538	99.91%	1	0.02%	3	0.07%	4542	
Total		4,538	99.91%	1	0.02%	3	0.07%	4,542	
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Owen Sound, City Of (OWSD01)	OWSD01	0-5	142	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	145	97.97%	-	-	3	2.03%	148	
Total		145	97.97%	-	-	3	2.03%	148	
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	3	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	2	50.00%	1	25.00%	1	25.00%	4	
Total		2	50.00%	1	25.00%	1	25.00%	4	
Oxford, County Of - Traffic (OXFSTS01)	OXFSTS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
	Total	9	90.00%	1	10.00%	-	-	10	
Total		9	90.00%	1	10.00%	-	-	10	
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	355	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	357	100.00%	-	-	-	-	357
	Total		357	100.00%	-	-	-	-	357

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Oxford, County Of (OXFSTM01)	OXFSTM01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Packet Works (PWRKST01)	PWRKST01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	Total		16	94.12%	1	5.88%	-	-	17
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	54	100.00%	-	-	-	-	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	63	96.92%	2	3.08%	-	-	65
	Total		63	96.92%	2	3.08%	-	-	65
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	64	91.43%	3	4.29%	3	4.29%	70
	PYWS02	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		69	92.00%	3	4.00%	3	4.00%	75
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	7	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Peel Region - Brampton Water (PCYWAT123)	PIPP05	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	PRBM02	0-5	351	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	683	99.85%	1	0.15%	-	-	
		Total	1,034	94.00%	66	6.00%	-	-	1100
	PRBM03	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	149	100.00%	-	-	-	-	
		Total	224	88.89%	28	11.11%	-	-	252
	PROC02	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	71	100.00%	-	-	-	-	
		Total	92	92.93%	7	7.07%	-	-	99
	PROC03	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
6-10		61	100.00%	-	-	-	-		
Total		82	93.18%	6	6.82%	-	-	88	
Total		1,435	93.06%	107	6.94%	-	-	1,542	
Peel Region - Caledon Water (PCWAT123)	PBMC01	0-5	116	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	121	100.00%	-	-	-	-	121
	POCWA05	0-5	18	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	21	95.45%	1	4.55%	-	-	22

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel Region - Caledon Water (PCWAT123)	PRBM01	0-5	810	100.00%	-	-	-	-	
		11-15	-	-	61	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	1,081	99.91%	1	0.09%	-	-	
		Total	1,891	95.65%	86	4.35%	-	-	
	PROC01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	132	99.25%	1	0.75%	-	-	
		Total	171	90.48%	18	9.52%	-	-	
Total		2,204	95.45%	105	4.55%	-	-	2,309	
Peel Region (PEEL123)	PEELTS04	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	46	100.00%	-	-	-	-	
		Total	173	98.86%	2	1.14%	-	-	
Total		173	98.86%	2	1.14%	-	-	175	
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	540	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	34	94.44%	2	5.56%	-	-	
		Total	574	98.80%	6	1.03%	1	0.17%	
Total		574	98.80%	6	1.03%	1	0.17%	581	
Pelee Island, Township Of (PLEWSL01)	PLEWSL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	
Total		1	50.00%	-	-	1	50.00%	2	
Pelham, Town Of (PEL1)	PEL1	0-5	150	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	161	100.00%	-	-	-	-	
Total		161	100.00%	-	-	-	-	161	
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	
Total		6	85.71%	1	14.29%	-	-	7	
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	144	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	144	99.31%	1	0.69%	-	-	
Total		144	99.31%	1	0.69%	-	-	145	
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	35	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	
Total		36	100.00%	-	-	-	-	36	
Pennytel Inc (PENTEL01)	PENTEL01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	
Total		-	-	-	-	3	100.00%	3	
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	11	73.33%	4	26.67%	-	-	
Total		11	73.33%	4	26.67%	-	-	15	
Perth South, Township Of (PERTHS123)	PERTHS01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	81.82%	1	9.09%	1	9.09%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Perth South, Township Of (PERTHS123)	PERTHS02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		12	85.71%	1	7.14%	1	7.14%	14
Perth, Town Of (PERTH01)	PERTH01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	54.55%	5	45.45%	-	-	
		Total	35	79.55%	7	15.91%	2	4.55%	44
	Total		35	79.55%	7	15.91%	2	4.55%	44
Petawawa, Town Of (PTWA123)	PTWA01	0-5	159	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	159	98.15%	-	-	3	1.85%	162
	PTWASL01	0-5	58	100.00%	-	-	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	107	100.00%	-	-	-	-	107
Total		266	98.88%	-	-	3	1.12%	269	
Peterborough , City Of (PTRB01)	PTRB01	0-5	462	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	462	99.78%	1	0.22%	-	-	463
Total		462	99.78%	1	0.22%	-	-	463	
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	229	100.00%	-	-	-	-	
		6-10	153	100.00%	-	-	-	-	
		Total	382	100.00%	-	-	-	-	382
	PTBOU07	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		385	100.00%	-	-	-	-	385	
Peterborough, County Of (PTB01)	PTB01	0-5	122	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	122	96.83%	1	0.79%	3	2.38%	126
	Total		122	96.83%	1	0.79%	3	2.38%	126
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
Total		1	25.00%	3	75.00%	-	-	4	
Petrolia, Town Of (P002)	P002	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		16+	-	-	3	17.65%	14	82.35%	
		6-10	5	27.78%	13	72.22%	-	-	
		Total	20	37.04%	19	35.19%	15	27.78%	54
	Total		20	37.04%	19	35.19%	15	27.78%	54
Pickering , City Of (PKRG01)	PKRG01	0-5	294	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	52	92.86%	4	7.14%	-	-	
		Total	346	98.30%	6	1.70%	-	-	352
	Total		346	98.30%	6	1.70%	-	-	352
Pickle Lake, Municipality Of (PKLWS01)	PKLWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	76	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Plains Midstream Pipeline (PMPL01)	PMPL01	6-10	13	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
	Total		89	100.00%	-	-	-	-	89
Plympton-Wyoming, Town Of (PLWWSS01)	PLWWSS01	0-5	93	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	96	98.97%	-	-	1	1.03%	97
	Total		96	98.97%	-	-	1	1.03%	97
Point Edward, Village Of (PE01)	PE01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	33	97.06%	-	-	1	2.94%	34
	Total		33	97.06%	-	-	1	2.94%	34
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	4	40.00%	6	60.00%	-	-	10	
Total		4	40.00%	6	60.00%	-	-	10	
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	2	28.57%	5	71.43%	-	-	7	
Total		2	28.57%	5	71.43%	-	-	7	
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	120	100.00%	-	-	-	-	
		Total	120	100.00%	-	-	-	-	120
	Total		120	100.00%	-	-	-	-	120
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	2	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	7	100.00%	-	-	-	-	7	
Total		7	100.00%	-	-	-	-	7	
Port Hope, Municipality Of (PH123)	PH01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
	Total	86	97.73%	2	2.27%	-	-	88	
Total		86	97.73%	2	2.27%	-	-	88	
Powassan, Municipality Of (PWSN01)	PWSN01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	2	100.00%	-	-	
	Total	6	66.67%	2	22.22%	1	11.11%	9	
Total		6	66.67%	2	22.22%	1	11.11%	9	
Prescott, Town Of (PRS01)	PRS01	0-5	38	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS02	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	PRERUS03	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	11	100.00%	11
Total		-	-	-	-	17	100.00%	17	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Prince , Township Of (PRNC01)	PRNC01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Prince Edward, County Of (PEC04)	PEC04	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	103	98.10%	2	1.90%	-	-	105
	Total		103	98.10%	2	1.90%	-	-	105
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
PROMARK FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	17	100.00%	
		Total	1	4.76%	3	14.29%	17	80.95%	21
	Total		1	4.76%	3	14.29%	17	80.95%	21
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	9	45.00%	11	55.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	29	59.18%	9	18.37%	11	22.45%	49
	Total		29	59.18%	9	18.37%	11	22.45%	49
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Q9 Networks (QNET01)	QNET01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	5	83.33%	-	-	1	16.67%	6
	Total		5	83.33%	-	-	1	16.67%	6
Quadro Communications (QUAD1)	MSCQUAD2	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	78	97.50%	2	2.50%	-	-	80
	QUAD1	0-5	246	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	268	100.00%	-	-	-	-	268
Total		346	99.43%	2	0.57%	-	-	348	
Queen'S University (QUEENU01)	QUEENU01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
	Total	9	69.23%	4	30.77%	-	-	13	
Total		9	69.23%	4	30.77%	-	-	13	
Queens University Fibre (QUEENF01)	QUEENF01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Quinte West, City Of (QW123)	QWF01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	QWSL01	0-5	64	100.00%	-	-	-	-	
11-15		-	-	11	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Quinte West, City Of (QW123)	QWSL01	16+	-	-	-	-	3	100.00%	
		6-10	19	47.50%	21	52.50%	-	-	
		Total	83	70.34%	32	27.12%	3	2.54%	118
	QWSN01	0-5	65	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	39	95.12%	2	4.88%	-	-	
	Total	104	97.20%	2	1.87%	1	0.93%	107	
	QWSS01	0-5	43	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	32	96.97%	1	3.03%	-	-	
	Total	75	97.40%	1	1.30%	1	1.30%	77	
	QWTS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	6	60.00%	4	40.00%	-	-	10	
QWW01	0-5	83	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	53	96.36%	2	3.64%	-	-		
Total	136	97.84%	2	1.44%	1	0.72%	139		
Total		404	87.83%	41	8.91%	15	3.26%	460	
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
	Total	33	91.67%	3	8.33%	-	-	36	
Total		33	91.67%	3	8.33%	-	-	36	
Raleigh Wind Energy Centre (RWE01)	RWE01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	8	66.67%	4	33.33%	-	-	12	
Total		8	66.67%	4	33.33%	-	-	12	
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	22	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	24	100.00%	-	-	-	-	24	
Total		24	100.00%	-	-	-	-	24	
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
Total		12	100.00%	-	-	-	-	12	
Red Rock, Township Of (RDRK01)	RDRK01	16+	-	-	8	100.00%	-	-	
		Total	-	-	8	100.00%	-	-	8
Total		-	-	8	100.00%	-	-	8	
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	40	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
	HLTNW02	0-5	833	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	5	55.56%	4	44.44%	
		6-10	178	99.44%	1	0.56%	-	-	
Total	1,011	98.25%	14	1.36%	4	0.39%	1029		
Total		1,054	98.32%	14	1.31%	4	0.37%	1,072	
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	36	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	41	100.00%	-	-	-	-	41	
Total		41	100.00%	-	-	-	-	41	
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	30	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	6-10	13	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
	Total		43	100.00%	-	-	-	-	43
Renfrew Hydro (RFH01)	RFH01	0-5	58	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	59	98.33%	1	1.67%	-	-	60
	Total		59	98.33%	1	1.67%	-	-	60
Renfrew, County Of (RNF123)	RNF01	0-5	67	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	Total		71	100.00%	-	-	-	-	71
Renfrew, Town Of (RNF01)	RNF01	0-5	56	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	RNF02	0-5	59	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	59	98.33%	1	1.67%	-	-	60
Total		119	99.17%	1	0.83%	-	-	120	
Richmond Hill, Town Of (RHL01)	RHL01	0-5	442	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	443	100.00%	-	-	-	-	443
	Total		443	100.00%	-	-	-	-	443
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	24	47.06%	27	52.94%	-	-	51
	Total		24	47.06%	27	52.94%	-	-	51
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Rideau Lakes, Township Of (RIL01)	RIL01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	32	60.38%	21	39.62%	-	-	
		Total	74	76.29%	23	23.71%	-	-	97
	Total		74	76.29%	23	23.71%	-	-	97
Rogers Communications (ROG123)	CABLET01	0-5	89	100.00%	-	-	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	132	100.00%	-	-	-	-	132
	ROGGE01	0-5	1,234	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	104	100.00%	-	-	-	-	
		Total	1,338	99.41%	8	0.59%	-	-	1346
	ROGHN01	0-5	1,015	100.00%	-	-	-	-	
		11-15	-	-	87	100.00%	-	-	
		16+	-	-	47	100.00%	-	-	
Total		1,479	90.74%	151	9.26%	-	-	1630	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGLDN01	0-5	999	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	306	100.00%	-	-	-	-	
		Total	1,305	99.77%	3	0.23%	-	-	1308
	ROGNTH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ROGOE01	0-5	34	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	ROGOTT01	0-5	2,576	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	346	99.71%	1	0.29%	-	-	
		Total	2,922	99.83%	5	0.17%	-	-	2927
	ROGPEL01	0-5	1,269	100.00%	-	-	-	-	
		11-15	-	-	58	100.00%	-	-	
		16+	-	-	89	100.00%	-	-	
		6-10	836	98.35%	14	1.65%	-	-	
		Total	2,105	92.89%	161	7.11%	-	-	2266
	ROGRAIL1	0-5	279	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	290	96.03%	12	3.97%	-	-	302
	ROGSIM01	0-5	1,050	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	38	100.00%	-	-	
		6-10	587	98.16%	11	1.84%	-	-	
		Total	1,637	95.62%	75	4.38%	-	-	1712
	ROGSWO01	0-5	152	100.00%	-	-	-	-	
6-10		58	100.00%	-	-	-	-		
Total		210	100.00%	-	-	-	-	210	
ROGTOR01	0-5	2,663	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	9	100.00%	-	-		
	6-10	424	99.30%	3	0.70%	-	-		
	Total	3,087	99.45%	17	0.55%	-	-	3104	
ROGWAT01	0-5	2,041	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	8	100.00%	-	-		
	6-10	585	99.66%	2	0.34%	-	-		
	Total	2,626	99.51%	13	0.49%	-	-	2639	
ROGWIN01	0-5	5	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	7	100.00%	-	-	-	-	7	
ROGYRK01	0-5	964	100.00%	-	-	-	-		
	11-15	-	-	255	100.00%	-	-		
	16+	-	-	85	100.00%	-	-		
	6-10	676	94.55%	39	5.45%	-	-		
	Total	1,640	81.23%	379	18.77%	-	-	2019	
RUWV01	0-5	73	100.00%	-	-	-	-		
	6-10	6	100.00%	-	-	-	-		
	Total	79	100.00%	-	-	-	-	79	
SJRB01	0-5	30	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	SJRB01	6-10	5	83.33%	1	16.67%	-	-	
		Total	35	97.22%	1	2.78%	-	-	36
	SJRB02	0-5	222	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	110	99.10%	1	0.90%	-	-	
		Total	332	98.52%	5	1.48%	-	-	337
	SJRB03	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
Total	96	98.97%	1	1.03%	-	-	97		
SJRB04	0-5	6	100.00%	-	-	-	-		
	6-10	4	100.00%	-	-	-	-		
	Total	10	100.00%	-	-	-	-	10	
Total		19,367	95.89%	831	4.11%	-	-	20,198	
Romney Wind Energy Centre Lp (RWE01)	RWE01	0-5	12	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
	Total	14	93.33%	1	6.67%	-	-	15	
Total		14	93.33%	1	6.67%	-	-	15	
Rowe Energy Corporation (ROWE01)	ROWE01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	19	79.17%	5	20.83%	
		6-10	5	71.43%	2	28.57%	-	-	
	Total	10	27.78%	21	58.33%	5	13.89%	36	
Total		10	27.78%	21	58.33%	5	13.89%	36	
Russell, Township Of (RSEL01)	RSEL01	0-5	211	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	39	90.70%	4	9.30%	-	-	
	Total	250	98.04%	4	1.57%	1	0.39%	255	
Total		250	98.04%	4	1.57%	1	0.39%	255	
Ryerson University (RYEU01)	RYEU01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	80.00%	1	20.00%	-	-	5	
Total		4	80.00%	1	20.00%	-	-	5	
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
	Total	3	60.00%	-	-	2	40.00%	5	
	SSRWE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
Total	1	50.00%	-	-	1	50.00%	2		
Total		4	57.14%	-	-	3	42.86%	7	
Sarnia, City Of (C006)	C006	0-5	611	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	619	100.00%	-	-	-	-	619	
Total		619	100.00%	-	-	-	-	619	
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	25	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Saugeen Shores, Town Of (SS123)	SSFM01	6-10	5	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	SSSL01	0-5	197	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	198	100.00%	-	-	-	-	198
	SSWS01	0-5	205	100.00%	-	-	-	-	
		6-10	29	90.63%	3	9.38%	-	-	
Total		234	98.73%	3	1.27%	-	-	237	
Total		462	99.35%	3	0.65%	-	-	465	
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	684	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	710	100.00%	-	-	-	-	710
	SSMPUW01	0-5	600	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	624	100.00%	-	-	-	-	624
Total		1,334	100.00%	-	-	-	-	1,334	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	19	73.08%	7	26.92%	-	-	
		Total	173	92.51%	8	4.28%	6	3.21%	187
	Total		173	92.51%	8	4.28%	6	3.21%	187
Schreiber, Municipality Of (SCBWS01)	SCBWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Scugog, Township Of (SCG01)	SCG01	0-5	95	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	96	98.97%	-	-	1	1.03%	97
	Total		96	98.97%	-	-	1	1.03%	97
Seguin, Township Of (SGN01)	SGN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Selwyn, Township Of (SLWN01)	SLWN01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		Total	16	80.00%	1	5.00%	3	15.00%	20
	Total		16	80.00%	1	5.00%	3	15.00%	20
Selwyn, Township Of (SLWN02)	SLWN02	0-5	17	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Selwyn, Township Of (SLWN03)	SLWN03	0-5	17	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Severn, Township Of (SEVERN01)	SEVERN01	0-5	37	100.00%	-	-	-	-	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	43	95.56%	2	4.44%	-	-	45
	SEVERN02	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
Total		54	96.43%	2	3.57%	-	-	56	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Shared Tower Inc	SHARET01	16+	-	-	-	-	15	100.00%	
		Total	-	-	-	-	15	100.00%	15
	Total		-	-	-	-	15	100.00%	15
Shelburne , Town Of (SHLB01)	SHLB01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	31
	Total		30	96.77%	1	3.23%	-	-	31
Shell Canada - Sault Ste. Marie (SHL2)	SHL2	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Shell Canada (SHL1)	SHL1	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Sick Kids Hospital (SKH01)	SKH01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Silver Bay Water (SBW1)	SBW1	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Simcoe, County Of (SIM01)	SIM01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	18	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	72.73%	2	18.18%	1	9.09%	11
	Total		8	72.73%	2	18.18%	1	9.09%	11
Six Nations Gas (SNG01)	SNG01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	38	76.00%	12	24.00%	-	-	
		Total	90	68.70%	32	24.43%	9	6.87%	131
	Total		90	68.70%	32	24.43%	9	6.87%	131
Sky Generation (Spratt Power) (SGPLWF01)	SGPLWF01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Skyway 8 (SW8WF01)	SW8WF01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	45	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	47	95.92%	2	4.08%	-	-	49
	Total		47	95.92%	2	4.08%	-	-	49

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Smooth Rock Falls, Town Of (SRF01)	SRF01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	15	100.00%	
		6-10	22	70.97%	9	29.03%	-	-	
		Total	90	76.92%	12	10.26%	15	12.82%	117
	Total		90	76.92%	12	10.26%	15	12.82%	117
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	28	100.00%	-	-	-	-	
		6-10	3	42.86%	4	57.14%	-	-	
	Total	31	88.57%	4	11.43%	-	-	35	
Total		31	88.57%	4	11.43%	-	-	35	
South Dundas , Municipality Of (SDS01)	SDS01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	1	20.00%	4	80.00%	
	Total	38	88.37%	1	2.33%	4	9.30%	43	
Total		38	88.37%	1	2.33%	4	9.30%	43	
South Frontenac, Township Of (SF123)	SFS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	SFW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		12	100.00%	-	-	-	-	12	
South Glengarry , Township Of (SGG01)	SGG01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	26	74.29%	4	11.43%	5	14.29%	35
	Total		26	74.29%	4	11.43%	5	14.29%	35
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	92	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
	Total	98	98.99%	-	-	1	1.01%	99	
Total		98	98.99%	-	-	1	1.01%	99	
South Kent Wind Project (SKWP01)	SKWP01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	32	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	40	97.56%	1	2.44%	-	-	
	Total	55	61.80%	34	38.20%	-	-	89	
Total		55	61.80%	34	38.20%	-	-	89	
South River , Village Of (SORI01)	SORI01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total		4	100.00%	-	-	-	-	4	
South Stormont, Township Of (SSTM01)	SSTM01	0-5	64	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
	Total	72	96.00%	1	1.33%	2	2.67%	75	
Total		72	96.00%	1	1.33%	2	2.67%	75	
Southgate Solar Lp (SGSF01)	SGSF01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
Total		-	-	-	-	7	100.00%	7	
Southgate, Township (SGWS01)	SGWS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Southgate, Township (SGWS01)	SGWS01	6-10	-	-	1	100.00%	-	-	
		Total	7	50.00%	7	50.00%	-	-	14
	Total	7	50.00%	7	50.00%	-	-	14	
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	1.45%	68	98.55%	
		6-10	3	100.00%	-	-	-	-	
	Total	36	33.96%	1	0.94%	69	65.09%	106	
	SWMSX02	0-5	15	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
Total	59	45.74%	1	0.78%	69	53.49%	129		
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	53	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	53	85.48%	1	1.61%	8	12.90%	62	
Total	53	85.48%	1	1.61%	8	12.90%	62		
Southwold, Township Of (SOW01)	SOW01	0-5	72	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	Total	72	96.00%	-	-	3	4.00%	75	
Total	72	96.00%	-	-	3	4.00%	75		
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Spanish, Town Of (SPWS01)	SPWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
Total	2	66.67%	-	-	1	33.33%	3		
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
	Total	2	50.00%	1	25.00%	1	25.00%	4	
Total	2	50.00%	1	25.00%	1	25.00%	4		
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
	Total	17	89.47%	2	10.53%	-	-	19	
Total	17	89.47%	2	10.53%	-	-	19		
Sprucedale Youth Centre (SPYC01)	SPYC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
St. Catharines, City Of (STC1)	STC1	0-5	372	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	36	92.31%	3	7.69%	-	-	
	Total	408	97.37%	11	2.63%	-	-	419	
Total	408	97.37%	11	2.63%	-	-	419		
St. Charles, Municipality Of (STC01)	STC01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	Total	1	25.00%	-	-	3	75.00%	4	
Total	1	25.00%	-	-	3	75.00%	4		
St. Clair, Township Of (M002)	M002	0-5	167	100.00%	-	-	-	-	
		Total	167	100.00%	-	-	-	-	167
	Total	167	100.00%	-	-	-	-	167	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
St. Columban Wind Farms Lp (STCWF01)	STCWF01	16+	-	-	4	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	20.00%	4	80.00%	-	-	5
	Total								5
St. Joseph, Township Of (STJWS01)	STJWS01	16+	-	-	1	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total								3
St. Marys General Hospital (STMGH01)	STMGH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total								2
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	38	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	39	97.50%	1	2.50%	-	-	40
	Total								40
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	11	91.67%	1	8.33%	
		Total	-	-	11	91.67%	1	8.33%	12
	Total								12
St. Thomas, City Of (STHWS01)	STHSL01	0-5	123	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	1	9.09%	10	90.91%	
		6-10	72	78.26%	20	21.74%	-	-	
		Total	195	82.63%	31	13.14%	10	4.24%	236
	STHWS01	0-5	142	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	2	14.29%	12	85.71%	
		6-10	72	75.00%	24	25.00%	-	-	
		Total	214	80.75%	39	14.72%	12	4.53%	265
Total								501	
Start Communications (STARTC01)	STARTC02	0-5	156	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	144	100.00%	-	-	-	-	
	Total	300	98.68%	4	1.32%	-	-	304	
Total								304	
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total								2
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	12	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total								13
Stone Mills, Township Of (STMSS01)	STMSS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total								3
Storm Internet (STRMF01)	STRMF01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total								8
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total								5
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	6	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	6-10	10	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	4	21.05%	15	78.95%	
		16+	-	-	-	-	230	100.00%	
		Total	-	-	4	1.61%	245	98.39%	249
	Total		-	-	4	1.61%	245	98.39%	249
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	70	100.00%	-	-	-	-	
		Total	70	100.00%	-	-	-	-	70
	Total		70	100.00%	-	-	-	-	70
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	91	100.00%	-	-	-	-	
		Total	91	100.00%	-	-	-	-	91
	Total		91	100.00%	-	-	-	-	91
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Summer Haven Wind (SHWF01)	SHWF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	4	80.00%	-	-	1	20.00%	5
	Total		4	80.00%	-	-	1	20.00%	5
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	44	97.78%	1	2.22%	-	-	45
	Total		44	97.78%	1	2.22%	-	-	45
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	96	100.00%	-	-	-	-	
		Total	96	100.00%	-	-	-	-	96
	S002	0-5	179	100.00%	-	-	-	-	
		Total	179	100.00%	-	-	-	-	179
	S004	0-5	37	100.00%	-	-	-	-	
Total		312	100.00%	-	-	-	-	312	
Suncor Energy (SCE02)	SCE02	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	16	88.89%	2	11.11%	-	-	18
	Total		16	88.89%	2	11.11%	-	-	18
Suncor Energy Products (SNCP05)	SNCP05	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Suncor Energy Products (SNCP03)	SNCP03	16+	-	-	7	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	12.50%	7	87.50%	-	-	8
	Total		1	12.50%	7	87.50%	-	-	8
Sundridge, Village Of (SNDR01)	SNDR01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Swns Lp - Napier Wind Farm (WPDNWF01)	WPDNWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Swms Lp - Springwood Wind Farm (WPDSWF01)	WPDSWF01	0-5	1	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	2	100.00%	-	-	-	-	2	
	Total		2	100.00%	-	-	-	-	2	
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	26	100.00%	-	-	-	-		
		6-10	-	-	1	100.00%	-	-		
		Total	26	96.30%	1	3.70%	-	-	27	
	Total		26	96.30%	1	3.70%	-	-	27	
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	869	100.00%	-	-	-	-		
		11-15	-	-	8	100.00%	-	-		
		6-10	218	98.20%	4	1.80%	-	-		
		Total	1,087	98.91%	12	1.09%	-	-	1099	
	Total		1,087	98.91%	12	1.09%	-	-	1,099	
Talbot Windfarm (TALWF01)	TALWF01	0-5	1	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
		Total	4	100.00%	-	-	-	-	4	
	Total		4	100.00%	-	-	-	-	4	
Tay, Township Of - Street Lights (TAY02)	TAY02	11-15	-	-	1	100.00%	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	1	50.00%	1	50.00%	-	-	2	
	Total		1	50.00%	1	50.00%	-	-	2	
Tay, Township Of (TAY01)	TAY01	0-5	42	100.00%	-	-	-	-		
		6-10	3	21.43%	11	78.57%	-	-		
		Total	45	80.36%	11	19.64%	-	-	56	
	Total		45	80.36%	11	19.64%	-	-	56	
Tbaytel (TBYTEL01)	TBYTEL01	0-5	597	100.00%	-	-	-	-		
		11-15	-	-	9	100.00%	-	-		
		16+	-	-	2	33.33%	4	66.67%		
		6-10	267	98.52%	4	1.48%	-	-		
		Total	864	97.85%	15	1.70%	4	0.45%	883	
	TBYTEL02	0-5	64	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	6	85.71%	1	14.29%		
		6-10	17	89.47%	2	10.53%	-	-		
		Total	81	89.01%	9	9.89%	1	1.10%	91	
	Total		945	97.02%	24	2.46%	5	0.51%	974	
	TC Energy - East (TCP01)	TC03	0-5	279	100.00%	-	-	-	-	
			6-10	9	64.29%	5	35.71%	-	-	
Total			288	98.29%	5	1.71%	-	-	293	
TC06		0-5	174	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	175	99.43%	1	0.57%	-	-	176	
TC07		0-5	65	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
		Total	68	100.00%	-	-	-	-	68	
TC08		0-5	42	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	1	20.00%	4	80.00%	-	-		
		Total	43	84.31%	8	15.69%	-	-	51	
TC09		0-5	38	100.00%	-	-	-	-		
		16+	-	-	2	100.00%	-	-		
	Total	38	95.00%	2	5.00%	-	-	40		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
TC Energy - East (TCP01)	TC10	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	128	96.97%	4	3.03%	-	-	
	TC12	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	
	TC13	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	
	TC14	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	TC15	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	
	TC16	0-5	7	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	
	TC17	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	
TC18	0-5	162	100.00%	-	-	-	-		
	16+	-	-	9	100.00%	-	-		
	6-10	15	83.33%	3	16.67%	-	-		
	Total	177	93.65%	12	6.35%	-	-		189
TC19	0-5	39	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	40	97.56%	1	2.44%	-	-		41
Total		1,026	96.61%	36	3.39%	-	-	1,062	
Tecumseh, Town Of (TEC123)	TECF01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	
	TECS01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	2	28.57%	5	71.43%	
		6-10	20	80.00%	5	20.00%	-	-	
	Total	74	79.57%	14	15.05%	5	5.38%	93	
	TECW01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	76	90.48%	8	9.52%	-	-	
	Total	122	76.25%	32	20.00%	6	3.75%	160	
Total		202	77.69%	47	18.08%	11	4.23%	260	
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	251	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	50	98.04%	1	1.96%	-	-	
		Total	301	99.01%	3	0.99%	-	-	
	Total		301	99.01%	3	0.99%	-	-	304
Telmax Inc (TLMXF01)	TLMXF01	0-5	283	100.00%	-	-	-	-	
		11-15	-	-	62	95.38%	3	4.62%	
		16+	-	-	7	20.59%	27	79.41%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telmax Inc (TLMXF01)	TLMXF01	6-10	292	94.19%	18	5.81%	-	-	
		Total	575	83.09%	87	12.57%	30	4.34%	692
	Total	575	83.09%	87	12.57%	30	4.34%	692	
Telus (TELUS01)	TELGE01	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	23	100.00%	-	-	-	-	
		Total	101	96.19%	3	2.86%	1	0.95%	105
	TELGNO1	0-5	91	100.00%	-	-	-	-	
		11-15	-	-	25	100.00%	-	-	
		16+	-	-	-	-	16	100.00%	
		6-10	28	96.55%	1	3.45%	-	-	
		Total	119	73.91%	26	16.15%	16	9.94%	161
	TELGN02	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	50	74.63%	16	23.88%	1	1.49%	67
	TELGW01	0-5	109	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	39	97.50%	1	2.50%	-	-	
		Total	148	94.87%	7	4.49%	1	0.64%	156
	TELHN01	0-5	143	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	18	90.00%	2	10.00%	-	-	
		Total	161	96.99%	5	3.01%	-	-	166
	TELOE01	0-5	328	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	161	100.00%	-	-	-	-	
		Total	489	97.41%	9	1.79%	4	0.80%	502
	TELONE01	0-5	30	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
TELONW01	0-5	27	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	30	96.77%	1	3.23%	-	-	31	
TELOS01	0-5	154	100.00%	-	-	-	-		
	11-15	-	-	7	100.00%	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	49	98.00%	1	2.00%	-	-		
	Total	203	95.75%	8	3.77%	1	0.47%	212	
TELOW01	0-5	117	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	20	100.00%	-	-	-	-		
	Total	137	98.56%	2	1.44%	-	-	139	
TELTE01	0-5	224	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	1	33.33%	2	66.67%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELTE01	6-10	134	100.00%	-	-	-	-	366
		Total	358	97.81%	6	1.64%	2	0.55%	
	TELTW01N	0-5	35	100.00%	-	-	-	-	59
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	12	75.00%	4	25.00%	-	-	
		Total	47	79.66%	9	15.25%	3	5.08%	
	TELTW01S	0-5	159	100.00%	-	-	-	-	251
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
6-10		76	98.70%	1	1.30%	-	-		
Total		235	93.63%	15	5.98%	1	0.40%		
Total		2,113	93.91%	107	4.76%	30	1.33%	2,250	
Temagami, Municipality Of (TMG01)	TMG01	0-5	2	100.00%	-	-	-	-	7
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	4	100.00%	
		Total	2	28.57%	-	-	5	71.43%	
	Total		2	28.57%	-	-	5	71.43%	7
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	63	100.00%	-	-	-	-	63
		Total	63	100.00%	-	-	-	-	
	Total		63	100.00%	-	-	-	-	63
Terago Networks Inc (TNF01)	TNF01	0-5	9	100.00%	-	-	-	-	16
		11-15	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	68.75%	5	31.25%	-	-	
	Total		11	68.75%	5	31.25%	-	-	16
Teraspan Networks (TS01)	TS01	0-5	10	100.00%	-	-	-	-	11
		16+	-	-	1	100.00%	-	-	
	Total	10	90.91%	1	9.09%	-	-	11	
Total		10	90.91%	1	9.09%	-	-	11	
Terrace Bay , Township Of (TRBWS01)	TRBWS01	0-5	3	100.00%	-	-	-	-	5
		16+	-	-	-	-	2	100.00%	
	Total	3	60.00%	-	-	2	40.00%	5	
Total		3	60.00%	-	-	2	40.00%	5	
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	37	100.00%	-	-	-	-	40
		16+	-	-	-	-	3	100.00%	
	Total	37	92.50%	-	-	3	7.50%	40	
Total		37	92.50%	-	-	3	7.50%	40	
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	66	100.00%	-	-	-	-	78
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	1	14.29%	6	85.71%	-	-	
	Total	67	85.90%	7	8.97%	4	5.13%	78	
Total		67	85.90%	7	8.97%	4	5.13%	78	
Thessalon , Town Of (THSWSS01)	THSWSS01	11-15	-	-	1	33.33%	2	66.67%	3
		Total	-	-	1	33.33%	2	66.67%	
	Total		-	-	1	33.33%	2	66.67%	3
Thorold, City Of (THLD01)	THLD01	0-5	172	100.00%	-	-	-	-	241
		11-15	-	-	7	87.50%	1	12.50%	
		16+	-	-	-	-	2	100.00%	
		6-10	53	89.83%	6	10.17%	-	-	
	Total	225	93.36%	13	5.39%	3	1.24%	241	
Total		225	93.36%	13	5.39%	3	1.24%	241	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Thunder Bay Regional HSC	TBRHSC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	91	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	94	98.95%	1	1.05%	-	-	95
	Total		94	98.95%	1	1.05%	-	-	95
Thunder Bay, City Of (THBY123)	THBY01	0-5	294	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	2	8.33%	22	91.67%	
		6-10	61	67.78%	29	32.22%	-	-	
		Total	355	79.78%	68	15.28%	22	4.94%	445
	THBY02	0-5	348	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	64	65.98%	33	34.02%	-	-	
		Total	412	83.40%	71	14.37%	11	2.23%	494
Total		767	81.68%	139	14.80%	33	3.51%	939	
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	6	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total		10	90.91%	1	9.09%	-	-	11
Tillsonburg , Town Of (TSB01)	TSB01	0-5	200	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	206	100.00%	-	-	-	-	206
	Total		206	100.00%	-	-	-	-	206
Tillsonburg Hydro (TLNBH01)	TLNBH01	0-5	151	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	153	100.00%	-	-	-	-	153
	Total		153	100.00%	-	-	-	-	153
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	50.00%	3	50.00%	
	Total	64	88.89%	5	6.94%	3	4.17%	72	
Total		64	88.89%	5	6.94%	3	4.17%	72	
Timmins, City Of (TMNS01)	TMNS01	0-5	186	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	201	98.53%	3	1.47%	-	-	204
	Total		201	98.53%	3	1.47%	-	-	204
Tiny, Township Of (TNY01)	TNY01	0-5	72	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	75	98.68%	-	-	1	1.32%	76
	Total		75	98.68%	-	-	1	1.32%	76
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	BDVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	BYEBIA01	0-5	10	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	BYEBIA01	6-10	7	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	BYWBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	CPBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	CRIBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	DFVBIA01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	DNFBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	DYEBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	DYWBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	EGLBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	EVBIA01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	GIBBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	GRTBIA01	0-5	13	100.00%	-	-	-	-	
6-10		3	100.00%	-	-	-	-		
Total		16	100.00%	-	-	-	-	16	
HLCBIA01	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
JGBIA01	0-5	3	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
KRBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	4	100.00%	-	-	-	-		
	Total	5	100.00%	-	-	-	-	5	
KSWBIA01	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
LBBIA01	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
LBVBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
LIBIA01	11-15	-	-	1	100.00%	-	-		
	Total	-	-	1	100.00%	-	-	1	
LSVBIA01	0-5	1	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	LSVBIA01	6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	MTDNBIA1	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	MTDSBIA1	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	PDVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	RMSBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	RSDBIA01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	SCGBIA01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	UPVBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	VIBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
6-10		1	100.00%	-	-	-	-		
Total		4	80.00%	1	20.00%	-	-	5	
WVBIA01	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
WYWBIA01	0-5	7	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	9	100.00%	-	-	-	-	9	
YEBIA01	0-5	3	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
Total			173	96.11%	6	3.33%	1	0.56%	180
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	15	100.00%	
		Total	-	-	-	-	15	100.00%	15
	Total			-	-	-	-	15	100.00%
Toronto East Health Network (TEGH01)	TEGH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total			-	-	-	-	2	100.00%
Toronto Gas Extraction (TORGE01)	TORGEE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TORGEWN1	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			3	100.00%	-	-	-	-	3
Toronto Hydro (TH123)	THFWLTR1	0-5	18	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	18	90.00%	2	10.00%	-	-	20
	THT21	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	5	45.45%	1	9.09%	5	45.45%	11	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Hydro (TH123)	THT23	0-5	91	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	64	100.00%	-	-	-	-	
		Total	155	98.10%	3	1.90%	-	-	158
	THTE01	0-5	3,170	100.00%	-	-	-	-	
		11-15	-	-	58	96.67%	2	3.33%	
		16+	-	-	27	79.41%	7	20.59%	
		6-10	1,487	99.27%	11	0.73%	-	-	
		Total	4,657	97.80%	96	2.02%	9	0.19%	4762
	THTVE01	16+	-	-	-	-	29	100.00%	
		Total	-	-	-	-	29	100.00%	29
	THTW01N	0-5	1,495	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	337	98.54%	5	1.46%	-	-	
		Total	1,832	99.08%	17	0.92%	-	-	1849
	THTW01S	0-5	1,658	100.00%	-	-	-	-	
		11-15	-	-	63	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	506	95.47%	24	4.53%	-	-	
		Total	2,164	95.75%	96	4.25%	-	-	2260
	Total		8,831	97.16%	215	2.37%	43	0.47%	9,089
	Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	381	100.00%	-	-	-	-
11-15			-	-	12	100.00%	-	-	
16+			-	-	11	78.57%	3	21.43%	
6-10			275	100.00%	-	-	-	-	
Total			656	96.19%	23	3.37%	3	0.44%	682
TORTSE02		0-5	28	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	79	100.00%	-	-	-	-	
		Total	107	96.40%	3	2.70%	1	0.90%	111
TORTSWN1		0-5	137	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	86	100.00%	-	-	-	-	
Total		223	98.67%	3	1.33%	-	-	226	
TORTSWN2		0-5	8	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	23	92.00%	2	8.00%	-	-	25
TORTSWS1		0-5	250	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		6-10	134	98.53%	2	1.47%	-	-	
		Total	384	94.81%	21	5.19%	-	-	405
TORTSWS2		0-5	46	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
	16+	-	-	1	100.00%	-	-		
	6-10	59	100.00%	-	-	-	-		
	Total	105	96.33%	4	3.67%	-	-	109	
Total		1,498	96.15%	56	3.59%	4	0.26%	1,558	
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	173	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	34	97.14%	1	2.86%	-	-	
		Total	207	96.28%	6	2.79%	2	0.93%	215
	Total		207	96.28%	6	2.79%	2	0.93%	215

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	426	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	3	14.29%	18	85.71%	
		6-10	55	94.83%	3	5.17%	-	-	
		Total	481	93.76%	14	2.73%	18	3.51%	513
	Total			481	93.76%	14	2.73%	18	3.51%
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	406	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	411	100.00%	-	-	-	-	411	
Total			411	100.00%	-	-	-	411	
Toronto Water and Sewer (TORW123)	TORWE01	0-5	353	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	13	72.22%	5	27.78%	
		6-10	343	98.85%	4	1.15%	-	-	
		Total	696	94.44%	36	4.88%	5	0.68%	737
	TORWE02	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	67	98.53%	1	1.47%	-	-	
		Total	171	92.93%	13	7.07%	-	-	184
	TORWE03	0-5	6	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	11	100.00%	-	-	-	-	11	
	TORWE04	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	56	100.00%	-	-	-	-	
		Total	102	94.44%	6	5.56%	-	-	108
	TORWE05	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
	Total	20	95.24%	1	4.76%	-	-	21	
	TORWE06	0-5	5	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
	Total	16	100.00%	-	-	-	-	16	
	TORWE07	0-5	273	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	16	80.00%	4	20.00%	
		6-10	238	99.17%	2	0.83%	-	-	
		Total	511	92.74%	36	6.53%	4	0.73%	551
	TORWW01	0-5	277	100.00%	-	-	-	-	
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
6-10		237	96.34%	9	3.66%	-	-		
Total		514	92.11%	44	7.89%	-	-	558	
TORWW02	0-5	254	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	186	98.94%	2	1.06%	-	-		
	Total	440	97.78%	10	2.22%	-	-	450	
TORWW04	0-5	62	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	39	100.00%	-	-	-	-		
	Total	101	99.02%	1	0.98%	-	-	102	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWW05	0-5	30	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	54	98.18%	1	1.82%	-	-	55
	TORWW06	0-5	3	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	TORWWN03	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	TORWWN07	0-5	123	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	79	100.00%	-	-	-	-	
		Total	202	96.19%	7	3.33%	1	0.48%	210
	TORWWS03	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
	Total	19	90.48%	2	9.52%	-	-	21	
	TORWWS07	0-5	150	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		105	96.33%	4	3.67%	-	-		
Total		255	91.73%	23	8.27%	-	-	278	
Total		3,127	94.27%	180	5.43%	10	0.30%	3,317	
Toronto, University Of (UTOR01)	UTOR01	0-5	41	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	49	100.00%	-	-	-	-	49	
Total		49	100.00%	-	-	-	-	49	
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	793	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	124	100.00%	-	-	-	-	
	Total	917	99.78%	2	0.22%	-	-	919	
Total		917	99.78%	2	0.22%	-	-	919	
Transcanada Pipelines - North (TCP02)	TC04	0-5	22	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	24	75.00%	8	25.00%	-	-	32	
	TC11	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	43	72.88%	16	27.12%	-	-	59	
	Total		67	73.63%	24	26.37%	-	-	91
Trans-Northern Pipelines (TN01)	TN01	0-5	300	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	19	100.00%	-	-	-	-	
	Total	319	99.69%	-	-	1	0.31%	320	
	TN03	0-5	38	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	39	100.00%	-	-	-	-	39	
Total		358	99.72%	-	-	1	0.28%	359	
Trans-Northern Pipelines (TN02)	TN02	0-5	41	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Trans-Northern Pipelines (TN02)	TN02	6-10	4	80.00%	1	20.00%	-	-	
		Total	45	95.74%	2	4.26%	-	-	47
	Total	45	95.74%	2	4.26%	-	-	47	
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	39	86.67%	4	8.89%	2	4.44%	45
Total	39	86.67%	4	8.89%	2	4.44%	45		
Trent Lakes, Municipality Of (TRLW01)	TRLW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Trent University (TRENTU123)	TRENTU01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	2	100.00%	-	-	-	-	
		Total	3	42.86%	3	42.86%	1	14.29%	7
Total	3	42.86%	3	42.86%	1	14.29%	7		
Tribute Gas (MAGG01)	MAGG01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	16	88.89%	2	11.11%	-	-	18
Total	16	88.89%	2	11.11%	-	-	18		
Tuckersmith Communications (TCC01)	TCC01	0-5	298	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	32	100.00%	-	-	-	-	
		Total	330	99.70%	-	-	1	0.30%	331
Total	330	99.70%	-	-	1	0.30%	331		
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	10	100.00%	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	4	20.00%	5	25.00%	11	55.00%	20
Total	4	20.00%	5	25.00%	11	55.00%	20		
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	6	85.71%	-	-	1	14.29%	7
Total	6	85.71%	-	-	1	14.29%	7		
University Health Network - Toronto General (UHNTG01)	UHNTG01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	8	88.89%	-	-	1	11.11%	9
Total	8	88.89%	-	-	1	11.11%	9		
University Health Network - Toronto Western (UHNW01)	UHNW01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	2	100.00%	-	-	-	-	2		
University Health Network (UHN01)	UHN01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	7	87.50%	-	-	1	12.50%	8
Total	7	87.50%	-	-	1	12.50%	8		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	63	100.00%	
		Total	-	-	-	-	67	100.00%	67
	Total		-	-	-	-	67	100.00%	67
University Of Windsor (UOW01)	UOW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	20	76.92%	-	-	6	23.08%	26
	Total		20	76.92%	-	-	6	23.08%	26
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Utilities Kingston (UK123)	UK01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	UK04	0-5	425	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	2.86%	34	97.14%	
		6-10	92	100.00%	-	-	-	-	
		Total	517	92.49%	8	1.43%	34	6.08%	559
Total		519	92.51%	8	1.43%	34	6.06%	561	
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	120	99.17%	1	0.83%	
		Total	-	-	120	99.17%	1	0.83%	121
	Total		-	-	120	99.17%	1	0.83%	121
Vale Canada (VALE01)	VALE01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Val-Rita Hardy , Township Of (VRHWS01)	VRHWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	618	100.00%	-	-	-	-	
		6-10	260	100.00%	-	-	-	-	
		Total	878	100.00%	-	-	-	-	878
	Total		878	100.00%	-	-	-	-	878
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	8	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total		33	100.00%	-	-	-	-	33
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	336	100.00%	-	-	-	-	
		16+	-	-	109	100.00%	-	-	
		Total	336	75.51%	109	24.49%	-	-	445
	Total		336	75.51%	109	24.49%	-	-	445
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	932	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	24	100.00%	-	-	-	-	
		Total	956	99.90%	-	-	1	0.10%	957
	Total		956	99.90%	-	-	1	0.10%	957
Videotron Senc (VDT1)	VDT1	0-5	211	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Videotron Senc (VDT1)	VDT1	6-10	105	100.00%	-	-	-	-	
		Total	316	96.93%	10	3.07%	-	-	326
	Total		316	96.93%	10	3.07%	-	-	326
VIVE DEVELOPMENT CORPORATION (VIVE01)	VIVE01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Walker Environmental Group Inc (NWM01)	NWM01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	3	25.00%	9	75.00%	-	-	
		Total	5	14.29%	18	51.43%	12	34.29%	35
	Total		5	14.29%	18	51.43%	12	34.29%	35
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	178	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	178	97.80%	-	-	4	2.20%	182
	Total		178	97.80%	-	-	4	2.20%	182
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		16+	-	-	4	18.18%	18	81.82%	
		6-10	23	100.00%	-	-	-	-	
		Total	159	85.95%	6	3.24%	20	10.81%	185
	Total		159	85.95%	6	3.24%	20	10.81%	185
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Waste Management Canada (WMFM01)	WMFM01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		Total	1	16.67%	4	66.67%	1	16.67%	6
	Total		1	16.67%	4	66.67%	1	16.67%	6
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	18	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	28	100.00%	-	-	-	-	28	
Total		28	100.00%	-	-	-	-	28	
Waterloo, City Of (CW01)	CW01	0-5	641	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	32	100.00%	-	-	
		6-10	77	93.90%	5	6.10%	-	-	
		Total	718	94.72%	40	5.28%	-	-	758
	Total		718	94.72%	40	5.28%	-	-	758
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	53	98.15%	1	1.85%	-	-	54
	Total		53	98.15%	1	1.85%	-	-	54
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	136	100.00%	-	-	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	178	100.00%	-	-	-	-	178
	Total		178	100.00%	-	-	-	-	178
Waterloo, Region Of (RW02)	RW02	0-5	109	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Waterloo, Region Of (RW02)	RW02	16+	-	-	-	-	4	100.00%	
		6-10	56	91.80%	5	8.20%	-	-	
		Total	165	86.84%	21	11.05%	4	2.11%	190
	Total		165	86.84%	21	11.05%	4	2.11%	190
Waterloo, University Of (UWAT01)	UWAT01	0-5	1	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Wawa, Municipality Of (WAW01)	WAW01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
		Total	5	38.46%	-	-	8	61.54%	13
	Total		5	38.46%	-	-	8	61.54%	13
Welland Hydro (WLNDH01)	WLNDH01	0-5	327	100.00%	-	-	-	-	
		6-10	246	100.00%	-	-	-	-	
		Total	573	100.00%	-	-	-	-	573
	Total		573	100.00%	-	-	-	-	573
Welland, City Of (WLD01)	WLD01	0-5	520	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	52	46.43%	60	53.57%	-	-	
		Total	572	89.10%	66	10.28%	4	0.62%	642
	Total		572	89.10%	66	10.28%	4	0.62%	642
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	78	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	96	94.12%	3	2.94%	3	2.94%	102
	Total		96	94.12%	3	2.94%	3	2.94%	102
Wellington North Power Inc (WNP01)	WNP01	0-5	93	100.00%	-	-	-	-	
		Total	93	100.00%	-	-	-	-	93
	Total		93	100.00%	-	-	-	-	93
Wellington North, Township Of (WLG123)	WLG123	0-5	69	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	70	90.91%	7	9.09%	-	-	77
	Total		70	90.91%	7	9.09%	-	-	77
Wellington, County Of (WLG123)	WLG123	16+	-	-	21	87.50%	3	12.50%	
		Total	-	-	21	87.50%	3	12.50%	24
	Total		-	-	21	87.50%	3	12.50%	24
West Elgin, Municipality Of (W005)	W005	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	6	85.71%	1	14.29%	
		16+	-	-	-	-	11	100.00%	
		Total	29	61.70%	6	12.77%	12	25.53%	47
	Total		29	61.70%	6	12.77%	12	25.53%	47
West Grey, Municipality Of (WGWS01)	WGWS01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		Total	95	88.79%	5	4.67%	7	6.54%	107
	Total		95	88.79%	5	4.67%	7	6.54%	107

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	26	92.86%	2	7.14%	-	-	28
	Total	26	92.86%	2	7.14%	-	-	28	
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	69	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	72	96.00%	-	-	3	4.00%	75	
Total	72	96.00%	-	-	3	4.00%	75		
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	21	91.30%	-	-	2	8.70%	23
	WPTHWS01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	12	100.00%	-	-	-	-	
		Total	35	94.59%	-	-	2	5.41%	37
Total	56	93.33%	-	-	4	6.67%	60		
West Windsor Power (WWP01)	WWP01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	3	75.00%	-	-	1	25.00%	4	
Total	3	75.00%	-	-	1	25.00%	4		
Westario Power (WPOW01)	WPOW01	0-5	286	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	39	47.56%	43	52.44%	-	-	
	Total	325	86.21%	52	13.79%	-	-	377	
Total	325	86.21%	52	13.79%	-	-	377		
Westover Express Pipeline	WEX01	0-5	57	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
Total	57	100.00%	-	-	-	-	-	57	
Westport , Village Of (WPT01)	WPT01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
	Total	4	66.67%	-	-	2	33.33%	6	
Total	4	66.67%	-	-	2	33.33%	6		
Whitby, Town Of (WHIT123)	WHITCB01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	WHITS01	0-5	178	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	178	98.89%	-	-	2	1.11%	180
	WHITSL01	0-5	71	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	52	100.00%	-	-	-	-	
Total	123	97.62%	3	2.38%	-	-	126		
Total	307	98.40%	3	0.96%	2	0.64%	312		
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	113	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	121	100.00%	-	-	-	-	121
	WCSTSL01	0-5	205	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
Total	215	100.00%	-	-	-	-	215		
WCSTW01	0-5	165	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTW01	6-10	8	100.00%	-	-	-	-	
		Total	173	100.00%	-	-	-	-	173
	Total		509	100.00%	-	-	-	-	509
White River , Town Of (WHRWS01)	WHRWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	88.89%	-	-	1	11.11%	9
	Total		8	88.89%	-	-	1	11.11%	9
Wightman Telecom (WT123)	WT01	0-5	985	100.00%	-	-	-	-	
		11-15	-	-	245	100.00%	-	-	
		16+	-	-	1	0.61%	164	99.39%	
		6-10	268	49.63%	272	50.37%	-	-	
		Total	1,253	64.75%	518	26.77%	164	8.48%	1935
	Total		1,253	64.75%	518	26.77%	164	8.48%	1,935
Wilfrid Laurier University (WLU01)	WLU01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
	Total	5	45.45%	6	54.55%	-	-	11	
Total		5	45.45%	6	54.55%	-	-	11	
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	82	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	82	98.80%	-	-	1	1.20%	83	
Total		82	98.80%	-	-	1	1.20%	83	
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	446	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	149	100.00%	-	-	-	-	
	Total	595	99.50%	2	0.33%	1	0.17%	598	
Total		595	99.50%	2	0.33%	1	0.17%	598	
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	48	100.00%	-	-	-	-	
		6-10	67	100.00%	-	-	-	-	
	Total	115	100.00%	-	-	-	-	115	
Total		115	100.00%	-	-	-	-	115	
Windsor, City Of (EWINW01)	EWINW01	0-5	230	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	90	100.00%	-	-	-	-	
	Total	320	99.38%	1	0.31%	1	0.31%	322	
	EWINW02	0-5	101	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
Total		101	99.02%	1	0.98%	-	-	102	
Total		421	99.29%	2	0.47%	1	0.24%	424	
Windsor, City Of (WSRSL01)	WSRSL01	0-5	583	100.00%	-	-	-	-	
		6-10	178	100.00%	-	-	-	-	
	Total	761	100.00%	-	-	-	-	761	
Total		761	100.00%	-	-	-	-	761	
Wingham & Listowel Hospitals (LWHA01)	LWHA01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	3	75.00%	1	25.00%	-	-	4	
Total		3	75.00%	1	25.00%	-	-	4	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	356	100.00%	-	-	-	-	
		11-15	-	-	5	83.33%	1	16.67%	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	24	51.06%	23	48.94%	-	-	
		Total	380	92.46%	29	7.06%	2	0.49%	
	Total			380	92.46%	29	7.06%	2	0.49%
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	307	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	27	93.10%	2	6.90%	-	-	
		Total	334	98.53%	3	0.88%	2	0.59%	
	Total			334	98.53%	3	0.88%	2	0.59%
Woolwich, Township Of (WLW01)	WLW01	0-5	288	100.00%	-	-	-	-	
		Total	288	100.00%	-	-	-	-	
	Total			288	100.00%	-	-	-	288
Wtc Communications (WTCCT01)	WTCCT01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	18	85.71%	3	14.29%	-	-	
		Total	95	95.96%	4	4.04%	-	-	
	Total			95	95.96%	4	4.04%	-	99
Xplore Inc	MTLF01	0-5	200	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	5	62.50%	3	37.50%	
		6-10	26	100.00%	-	-	-	-	
		Total	226	96.17%	5	2.13%	4	1.70%	
	XPNET01	0-5	543	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	42	95.45%	2	4.55%	-	-	
	Total	585	98.65%	7	1.18%	1	0.17%	593	
	XPNET02	0-5	93	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
Total		101	100.00%	-	-	-	-	101	
Total			912	98.17%	12	1.29%	5	0.54%	929
Xstrata (GCX01)	GCX01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total			1	100.00%	-	-	-	1
York Region Water And Sewer (YRWS123)	YRWS01	0-5	639	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	650	100.00%	-	-	-	-	
	Total			650	100.00%	-	-	-	650
York University (YORKU01)	YORKU01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	
	Total			-	-	-	6	100.00%	6
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	422	100.00%	-	-	-	-	
		11-15	-	-	122	99.19%	1	0.81%	
		16+	-	-	5	38.46%	8	61.54%	
		6-10	616	99.68%	2	0.32%	-	-	
		Total	1,038	88.27%	129	10.97%	9	0.77%	
	Total			1,038	88.27%	129	10.97%	9	0.77%
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	13	100.00%	
		6-10	30	88.24%	4	11.76%	-	-	
	Total	142	84.02%	14	8.28%	13	7.69%	169	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYO123)	ZAYOON02	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	53	82.81%	9	14.06%	2	3.13%	64
	ZAYOON03	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	10	71.43%	4	28.57%	-	-	
		Total	85	64.89%	43	32.82%	3	2.29%	131
	ZAYOON04	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	20	76.92%	1	3.85%	5	19.23%	26
	ZAYOON05	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	4	19.05%	17	80.95%	
		6-10	24	82.76%	5	17.24%	-	-	
		Total	85	70.25%	19	15.70%	17	14.05%	121
	ZAYOON06	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	18	85.71%	-	-	3	14.29%	21
ZAYOON07	0-5	47	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	16+	-	-	-	-	12	100.00%		
	6-10	33	80.49%	8	19.51%	-	-		
	Total	80	75.47%	14	13.21%	12	11.32%	106	
ZAYOON08	0-5	45	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	16+	-	-	-	-	12	100.00%		
	6-10	4	100.00%	-	-	-	-		
	Total	49	71.01%	8	11.59%	12	17.39%	69	
ZAYOON09	0-5	16	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	1	50.00%	1	50.00%	-	-		
	Total	17	73.91%	6	26.09%	-	-	23	
ZAYOON11	0-5	311	100.00%	-	-	-	-		
	11-15	-	-	121	99.18%	1	0.82%		
	16+	-	-	15	15.79%	80	84.21%		
	6-10	103	90.35%	11	9.65%	-	-		
	Total	414	64.49%	147	22.90%	81	12.62%	642	
ZAYOON12	0-5	16	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	6-10	5	100.00%	-	-	-	-		
	Total	21	77.78%	6	22.22%	-	-	27	
Total		984	70.34%	267	19.09%	148	10.58%	1,399	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	29	93.55%	2	6.45%	
		6-10	82	98.80%	1	1.20%	-	-	
		Total	188	83.19%	36	15.93%	2	0.88%	226
Total		188	83.19%	36	15.93%	2	0.88%	226	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	37	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total		37	100.00%	-	-	-	-	37
Total			346,928	94.86%	15,024	4.11%	3,783	1.03%	365,735