

UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 Locate your organization
Find your organization name in the first column, listed alphabetically.

2 Find your master code
Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 Understand performance metrics

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report

The report includes data for standard and advanced locate requests.

Excluded in this report

Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.

The report was generated on 2025-08-1 02:00:46

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.


UIO Performance Report



Report Period

2025-06-01

2025-06-30



On Time	342,283	95.07%
Late	14,462	4.02%
No 360 Response	3,304	0.92%
Total	360,049	

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
1682468 Corp (168XPL01)	168XPL01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
407 ETR (407ETR)	407ETR01	0-5	65	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	71	93.42%	3	3.95%	2	2.63%	76
		Total	71	93.42%	3	3.95%	2	2.63%	76
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	101	98.06%	2	1.94%	-	-	
		Total	228	95.40%	10	4.18%	1	0.42%	239
	HYTOS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	HYTOW01	0-5	15	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
		Total	253	95.47%	11	4.15%	1	0.38%	265
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	14	66.67%	7	33.33%	-	-	
		Total	38	82.61%	8	17.39%	-	-	46
		Total	38	82.61%	8	17.39%	-	-	46
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	2	13.33%	2	13.33%	11	73.33%	15
		Total	2	13.33%	2	13.33%	11	73.33%	15
Admaston Bromley, Township Of (ADMBRM01)	ADMBRM01	16+	-	-	7	100.00%	-	-	
		Total	-	-	7	100.00%	-	-	7
		Total	-	-	7	100.00%	-	-	7
Agilis (AGILF01)	AGILF01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	60	100.00%	1	100.00%	1	100.00%	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Agilis (AGILF01)	AGILF01	6-10	6	85.71%	1	14.29%	-	-	
		Total	66	95.65%	2	2.90%	1	1.45%	69
	Total	66	95.65%	2	2.90%	1	1.45%	69	
Air Liquide Canada (AL01)	AL01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total	17	100.00%	-	-	-	-	17	
Air Products Canada (APC1)	APC1	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	228	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	261	99.24%	2	0.76%	-	-	
		Total	489	98.59%	7	1.41%	-	-	496
	Total	489	98.59%	7	1.41%	-	-	496	
Alectra Brampton (ALECBR01)	ALECBR01	0-5	1,601	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	1,633	99.76%	4	0.24%	-	-	1,637
	Total	1,633	99.76%	4	0.24%	-	-	1,637	
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	2,645	100.00%	-	-	-	-	
		11-15	-	-	40	100.00%	-	-	
		16+	-	-	40	100.00%	-	-	
		6-10	711	98.48%	11	1.52%	-	-	
		Total	3,356	97.36%	91	2.64%	-	-	3,447
	Total	3,356	97.36%	91	2.64%	-	-	3,447	
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	2,164	100.00%	-	-	-	-	
		11-15	-	-	53	100.00%	-	-	
		16+	-	-	49	100.00%	-	-	
		6-10	262	90.03%	29	9.97%	-	-	
		Total	2,426	94.88%	131	5.12%	-	-	2,557
	Total	2,426	94.88%	131	5.12%	-	-	2,557	
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	846	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	78	98.73%	1	1.27%	-	-	
		Total	924	99.35%	6	0.65%	-	-	930
	Total	924	99.35%	6	0.65%	-	-	930	
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	2,557	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	40	100.00%	-	-	
		6-10	699	99.86%	1	0.14%	-	-	
		Total	3,256	98.64%	45	1.36%	-	-	3,301
	PSGN05	0-5	1,789	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	149	99.33%	1	0.67%	-	-	
		Total	1,938	99.69%	6	0.31%	-	-	1,944
		Total	5,194	99.03%	51	0.97%	-	-	5,245
Alectra Utilities (GHY01)	GHY01	0-5	716	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Alectra Utilities (GHY01)	GHY01	6-10	50	98.04%	1	1.96%	-	-	
		Total	766	99.48%	4	0.52%	-	-	770
	Total	766	99.48%	4	0.52%	-	-	770	
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	18	100.00%	-	-	
	Total	45	71.43%	18	28.57%	-	-	63	
Total	45	71.43%	18	28.57%	-	-	63		
Algoma Power (AGMP01)	AGMP01	0-5	109	100.00%	-	-	-	-	
		Total	109	100.00%	-	-	-	-	109
	Total	109	100.00%	-	-	-	-	109	
Algonquin College (ALGQC01)	ALGQC01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	7	87.50%	1	12.50%	-	-	8	
Total	7	87.50%	1	12.50%	-	-	8		
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	9	56.25%	1	6.25%	6	37.50%	16	
Total	9	56.25%	1	6.25%	6	37.50%	16		
Algonquin Highlands	ALGHW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	1	100.00%	1		
Alpine Ski Club (ALPINE01)	ALPINE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	5	83.33%	1	16.67%	-	-	6	
Total	5	83.33%	1	16.67%	-	-	6		
Amherstburg Public Works (A005)	A005	0-5	190	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	54	98.18%	1	1.82%	-	-	
	Total	244	98.39%	4	1.61%	-	-	248	
Total	244	98.39%	4	1.61%	-	-	248		
Apotex (APX2)	APX2	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	2	100.00%	-	-	-	-	2		
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	6	85.71%	-	-	1	14.29%	7	
Total	6	85.71%	-	-	1	14.29%	7		
Armstrong , Township Of (ARSG01)	ARSG01	16+	-	-	8	100.00%	-	-	
		Total	-	-	8	100.00%	-	-	8
Total	-	-	8	100.00%	-	-	8		
Armstrong Lsb (ARLSBW01)	ARLSBW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	1	100.00%	1		
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	76	100.00%	-	-	-	-	
		16+	-	-	-	-	9	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Arnprior, Town Of (ARNPR01)	ARNPR01	6-10	4	57.14%	3	42.86%	-	-	
		Total	80	86.96%	3	3.26%	9	9.78%	92
	Total	80	86.96%	3	3.26%	9	9.78%	92	
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	36	87.80%	2	4.88%	3	7.32%	41	
Total	36	87.80%	2	4.88%	3	7.32%	41		
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	ACWWS01	16+	-	-	1	25.00%	3	75.00%	
		Total	-	-	1	25.00%	3	75.00%	4
Total	-	-	1	11.11%	8	88.89%	9		
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	Total	17	89.47%	2	10.53%	-	-	19	
Atikokan Hydro (ATH01)	ATH01	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total	34	100.00%	-	-	-	-	34	
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	39	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	Total	39	100.00%	-	-	-	-	39	
Augusta , Township Of (AUGE01)	AUGE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Aurora, Town Of (AURORA01)	AURORA01	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	8	66.67%	4	33.33%	
		6-10	25	86.21%	4	13.79%	-	-	
	Total	91	81.98%	16	14.41%	4	3.60%	111	
Total	91	81.98%	16	14.41%	4	3.60%	111		
Avetria Networks Inc (ANF01)	ANF01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	4	36.36%	7	63.64%	
		6-10	1	100.00%	-	-	-	-	
	Total	7	35.00%	5	25.00%	8	40.00%	20	
Total	7	35.00%	5	25.00%	8	40.00%	20		
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	8	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	9	90.00%	1	10.00%	-	-	10	
Total	9	90.00%	1	10.00%	-	-	10		
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	44	91.67%	3	6.25%	1	2.08%	48
	OCWA01	0-5	1	100.00%	-	-	-	-	
Total		1	100.00%	-	-	-	-	1	
Total	45	91.84%	3	6.12%	1	2.04%	49		
Bancroft, Town Of (BNCF01)	BNCF01	11-15	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bancroft, Town Of (BNCF01)	BNCF01	16+	-	-	-	-	30	100.00%	
		Total	-	-	-	-	31	100.00%	31
	Total		-	-	-	-	31	100.00%	31
Barrie, City Of (BARR01)	BARR01	0-5	1,366	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	14	93.33%	1	6.67%	
		6-10	158	73.83%	56	26.17%	-	-	
		Total	1,524	94.89%	81	5.04%	1	0.06%	1606
	Total		1,524	94.89%	81	5.04%	1	0.06%	1,606
Bayham, Municipality Of (BYH01)	BYH01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	1	100.00%	-	-	-	-	
		Total	15	83.33%	2	11.11%	1	5.56%	18
	Total		15	83.33%	2	11.11%	1	5.56%	18
Bayview Explorations Ltd (BVEPL01)	BVEPL01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	368	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	6	21.43%	22	78.57%	
		6-10	340	99.71%	1	0.29%	-	-	
		Total	708	94.78%	17	2.28%	22	2.95%	747
	Total		708	94.78%	17	2.28%	22	2.95%	747
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	472	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	123	100.00%	-	-	-	-	
	Total	595	99.66%	1	0.17%	1	0.17%	597	
Total		595	99.66%	1	0.17%	1	0.17%	597	
Bell Canada Damage Prevention (BC01)	360GTA	0-5	347	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	66	95.65%	3	4.35%	-	-	
		Total	413	99.04%	4	0.96%	-	-	417
	360N	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	69	95.83%	3	4.17%	-	-	72
	360N01	0-5	223	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	246	97.62%	6	2.38%	-	-	252
	360OTT	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	54	96.43%	2	3.57%	-	-	56
	BA80704	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
BA80706	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BA80708	0-5	11	100.00%	-	-	-	-	
		16+	-	-	15	100.00%	-	-	
		Total	11	42.31%	15	57.69%	-	-	26
	BA80709	0-5	3	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	BA80710	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	BAGE01	0-5	37	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	BAGN01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BAGN02	0-5	31	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	BAGW02	0-5	44	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
	BAHN01	0-5	4	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	BAOE01	0-5	162	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	175	100.00%	-	-	-	-	175
	BAONE01	-	-	-	-	-	1	100.00%	
		0-5	170	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	10	40.00%	15	60.00%	-	-	
		Total	180	77.92%	50	21.65%	1	0.43%	231
	BAOS01	0-5	140	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	175	94.09%	11	5.91%	-	-	186
	BAOW01	0-5	613	100.00%	-	-	-	-	
		6-10	91	97.85%	2	2.15%	-	-	
		Total	704	99.72%	2	0.28%	-	-	706
	BC80701	0-5	107	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	67	100.00%	-	-	
		6-10	31	67.39%	15	32.61%	-	-	
		Total	138	57.50%	102	42.50%	-	-	240
	BC80703	0-5	4	100.00%	-	-	-	-	
		16+	-	-	9	100.00%	-	-	
6-10		3	60.00%	2	40.00%	-	-		
Total		7	38.89%	11	61.11%	-	-	18	
BCGE01	0-5	3,424	100.00%	-	-	-	-		
	11-15	-	-	33	100.00%	-	-		
	16+	-	-	18	100.00%	-	-		
	6-10	662	98.95%	7	1.05%	-	-		
	Total	4,086	98.60%	58	1.40%	-	-	4144	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCGN01	0-5	4,233	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	18	94.74%	1	5.26%	
		6-10	648	99.54%	3	0.46%	-	-	
		Total	4,881	99.37%	30	0.61%	1	0.02%	4912
	BCGN02	0-5	3,475	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	91	93.81%	6	6.19%	-	-	
		Total	3,566	99.25%	27	0.75%	-	-	3593
	BCGTAA01	0-5	23	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	24	96.00%	1	4.00%	-	-	25
	BCGW01	0-5	4,160	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	28	100.00%	-	-	
		6-10	587	98.66%	8	1.34%	-	-	
		Total	4,747	98.49%	73	1.51%	-	-	4820
	BCGW02	0-5	814	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	137	96.48%	5	3.52%	-	-	
		Total	951	96.16%	38	3.84%	-	-	989
	BCHN01	0-5	8,424	100.00%	-	-	-	-	
		11-15	-	-	130	100.00%	-	-	
		16+	-	-	102	100.00%	-	-	
		6-10	932	95.10%	48	4.90%	-	-	
		Total	9,356	97.09%	280	2.91%	-	-	9636
	BCOE01	0-5	8,797	100.00%	-	-	-	-	
		11-15	-	-	127	100.00%	-	-	
		16+	-	-	137	98.56%	2	1.44%	
		6-10	1,330	98.30%	23	1.70%	-	-	
		Total	10,127	97.23%	287	2.76%	2	0.02%	10416
BCONE01	0-5	2,180	100.00%	-	-	-	-		
	11-15	-	-	122	100.00%	-	-		
	16+	-	-	23	100.00%	-	-		
	6-10	253	74.41%	87	25.59%	-	-		
	Total	2,433	91.29%	232	8.71%	-	-	2665	
BCONW01	0-5	54	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	3	75.00%	1	25.00%		
	6-10	19	70.37%	8	29.63%	-	-		
	Total	73	83.91%	13	14.94%	1	1.15%	87	
BCONW02	0-5	22	100.00%	-	-	-	-		
	16+	-	-	26	100.00%	-	-		
	6-10	2	66.67%	1	33.33%	-	-		
	Total	24	47.06%	27	52.94%	-	-	51	
BCOS01	0-5	5,514	100.00%	-	-	-	-		
	11-15	-	-	99	100.00%	-	-		
	16+	-	-	21	100.00%	-	-		
	6-10	1,194	96.60%	42	3.40%	-	-		
	Total	6,708	97.64%	162	2.36%	-	-	6870	
BCOW01	0-5	8,149	100.00%	-	-	-	-		
	11-15	-	-	41	100.00%	-	-		
	16+	-	-	6	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCOW01	6-10	1,007	98.24%	18	1.76%	-	-	
		Total	9,156	99.30%	65	0.70%	-	-	9221
	BCTE01	0-5	3,347	100.00%	-	-	-	-	
		11-15	-	-	36	100.00%	-	-	
		16+	-	-	29	96.67%	1	3.33%	
		6-10	731	99.32%	5	0.68%	-	-	
		Total	4,078	98.29%	70	1.69%	1	0.02%	4149
	BCTW01N	0-5	1,501	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	274	100.00%	-	-	-	-	
		Total	1,775	99.05%	17	0.95%	-	-	1792
	BCTW01S	0-5	1,652	100.00%	-	-	-	-	
		11-15	-	-	42	100.00%	-	-	
		16+	-	-	18	94.74%	1	5.26%	
6-10		329	95.92%	14	4.08%	-	-		
Total		1,981	96.35%	74	3.60%	1	0.05%	2056	
BFTHTOR2	16+	-	-	-	-	38	100.00%		
	Total	-	-	-	-	38	100.00%	38	
Total		66,279	97.49%	1,664	2.45%	45	0.07%	67,988	
Belleville , City Of (BLV01)	BLV01	0-5	260	100.00%	-	-	-	-	
		Total	260	100.00%	-	-	-	-	260
	Total		260	100.00%	-	-	-	-	260
Billings , Township Of (BLGWS01)	BLGWS01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Birch Hill Telecom (BHTI01)	BHTI01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	49	98.00%	1	2.00%	-	-	
		Total	62	84.93%	8	10.96%	3	4.11%	73
	Total		62	84.93%	8	10.96%	3	4.11%	73
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	-	-	2	100.00%	-	-	
	Total	6	30.00%	2	10.00%	12	60.00%	20	
Total		6	30.00%	2	10.00%	12	60.00%	20	
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Blind River , Town Of (BLR01)	BLR01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	40.00%	3	60.00%	-	-	
	Total	14	77.78%	3	16.67%	1	5.56%	18	
Total		14	77.78%	3	16.67%	1	5.56%	18	
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	16+	-	-	3	75.00%	1	25.00%	
		Total	-	-	3	75.00%	1	25.00%	4
	Total		-	-	3	75.00%	1	25.00%	4
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	8
	Total		7	87.50%	-	-	1	12.50%	8
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	147	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Blue Mountains, Town Of The (BMTN123)	BMTN03	6-10	26	100.00%	-	-	-	-	
		Total	173	100.00%	-	-	-	-	173
	Total		173	100.00%	-	-	-	-	173
Bluewater Power (S003)	S003	0-5	543	100.00%	-	-	-	-	
		6-10	155	99.36%	1	0.64%	-	-	
		Total	698	99.86%	1	0.14%	-	-	699
	Total		698	99.86%	1	0.14%	-	-	699
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	42	100.00%	-	-	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	84
	Total		84	100.00%	-	-	-	-	84
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Bluewater, Municipality Of (BLW01)	BLW01	0-5	71	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	Total		71	100.00%	-	-	-	-	71
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Boralex (BOR123)	BORWF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	BORWF06	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	BORWF07	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	BORWF08	0-5	2	100.00%	-	-	-	-	
Total		2	100.00%	-	-	-	-	2	
Total		36	100.00%	-	-	-	-	36	
Bracebridge, Town Of (BBRSS01)	BBRSS01	0-5	30	100.00%	-	-	-	-	
		6-10	48	96.00%	2	4.00%	-	-	
		Total	78	97.50%	2	2.50%	-	-	80
	Total		78	97.50%	2	2.50%	-	-	80
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	47	95.92%	2	4.08%	-	-	49
	BFWGSS01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	64	96.97%	2	3.03%	-	-	66
	BFWGW01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	88	97.78%	2	2.22%	-	-	90
Total		199	97.07%	6	2.93%	-	-	205	
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	87	98.86%	1	1.14%	
		16+	-	-	-	-	73	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brampton Storm, City Of (COBSS01)	COBSS01	6-10	26	70.27%	11	29.73%	-	-	
		Total	33	16.10%	98	47.80%	74	36.10%	205
	Total	33	16.10%	98	47.80%	74	36.10%	205	
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	120	100.00%	-	-	-	-	
		11-15	-	-	261	98.49%	4	1.51%	
		16+	-	-	25	9.96%	226	90.04%	
		6-10	102	59.65%	69	40.35%	-	-	
		Total	222	27.51%	355	43.99%	230	28.50%	807
Total	222	27.51%	355	43.99%	230	28.50%	807		
Brant Community Healthcare System (BCHSYS01)	BCHSYS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Brant, County Of - Fibre (BRNTF01)	BRNTF01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	4	66.67%	2	33.33%	-	-	6
	Total	4	66.67%	2	33.33%	-	-	6	
Brant, County Of (BRNT01)	BRNT01	0-5	240	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	-	-	25	100.00%	
		6-10	13	76.47%	4	23.53%	-	-	
		Total	253	84.62%	21	7.02%	25	8.36%	299
Total	253	84.62%	21	7.02%	25	8.36%	299		
Brantford, The City Of (BRAS01)	BRAS01	0-5	227	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	186	99.47%	1	0.53%	-	-	
		Total	413	99.52%	2	0.48%	-	-	415
Total	413	99.52%	2	0.48%	-	-	415		
Brantford, The City Of (BRASL01)	BRASL01	0-5	195	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	133	100.00%	-	-	-	-	
		Total	328	99.70%	1	0.30%	-	-	329
Total	328	99.70%	1	0.30%	-	-	329		
Brantford, The City Of (BRATL01)	BRATL01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
Total	28	96.55%	1	3.45%	-	-	29		
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	25	75.76%	8	24.24%	-	-	
		Total	86	87.76%	11	11.22%	1	1.02%	98
Total	86	87.76%	11	11.22%	1	1.02%	98		
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	35	85.37%	5	12.20%	1	2.44%	41
Total	35	85.37%	5	12.20%	1	2.44%	41		
Brock , Township Of (BRCK01)	BRCK01	0-5	26	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brock , Township Of (BRCK01)	BRCK01	6-10	3	50.00%	3	50.00%	-	-	
		Total	29	85.29%	3	8.82%	2	5.88%	34
	Total	29	85.29%	3	8.82%	2	5.88%	34	
Brock University (BROCKU01)	BROCKU01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	32	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total	32	100.00%	-	-	-	-	32	
Brockville, City Of (BRKV01)	BRKV01	0-5	175	100.00%	-	-	-	-	
		16+	-	-	1	7.14%	13	92.86%	
		Total	175	92.59%	1	0.53%	13	6.88%	189
	Total	175	92.59%	1	0.53%	13	6.88%	189	
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	3	42.86%	-	-	4	57.14%	7
	Total	3	42.86%	-	-	4	57.14%	7	
Brooke Telecom (B004)	B004	0-5	102	100.00%	-	-	-	-	
		Total	102	100.00%	-	-	-	-	102
	Total	102	100.00%	-	-	-	-	102	
Bruce , County Of (BRC01)	BRC01	0-5	116	100.00%	-	-	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	150	100.00%	-	-	-	-	150
	Total	150	100.00%	-	-	-	-	150	
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
	Total	28	96.55%	-	-	1	3.45%	29	
Total	28	96.55%	-	-	1	3.45%	29		
Bruce Telecom (BTL01)	BTL01	0-5	352	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	154	99.35%	1	0.65%	
		6-10	35	97.22%	1	2.78%	-	-	
	Total	387	70.36%	162	29.45%	1	0.18%	550	
Total	387	70.36%	162	29.45%	1	0.18%	550		
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	10	90.91%	-	-	1	9.09%	11	
Total	10	90.91%	-	-	1	9.09%	11		
Burlington Hydro (BH01)	BH01	0-5	1,282	100.00%	-	-	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	56	100.00%	-	-	-	-	
	Total	1,338	98.96%	14	1.04%	-	-	1,352	
Total	1,338	98.96%	14	1.04%	-	-	1,352		
Burlington, City Of (BRL123)	BRLSL01	0-5	515	100.00%	-	-	-	-	
		6-10	53	100.00%	-	-	-	-	
	Total	568	100.00%	-	-	-	-	568	
BRLSS01	0-5	312	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Burlington, City Of (BRL123)	BRLSS01	6-10	68	100.00%	-	-	-	-	
		Total	380	100.00%	-	-	-	-	380
	BRLTS01	0-5	34	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
Total		1,008	100.00%	-	-	-	-	1,008	
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	136	100.00%	-	-	-	-	
		6-10	48	100.00%	-	-	-	-	
		Total	184	100.00%	-	-	-	-	184
	Total		184	100.00%	-	-	-	-	184
Callander, Municipality Of (CLN01)	CLN01	0-5	22	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Cambridge, City Of (CAM123)	CAMS01	0-5	282	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	286	100.00%	-	-	-	-	286
	CAMW01	0-5	244	100.00%	-	-	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	24	100.00%	-	-	-	-	
		Total	268	96.40%	-	-	10	3.60%	278
Total		554	98.23%	-	-	10	1.77%	564	
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Campbellford Memorial Hospital (CMBFMH01)	CMBFMH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Canadian Niagara Power (CNP01)	CNP01	0-5	502	100.00%	-	-	-	-	
		6-10	69	98.57%	1	1.43%	-	-	
		Total	571	99.83%	1	0.17%	-	-	572
	Total		571	99.83%	1	0.17%	-	-	572
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	210	100.00%	
		Total	-	-	-	-	213	100.00%	213
	Total		-	-	-	-	213	100.00%	213
Cardinal Power (CARDP01)	CARDP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	148	100.00%	-	-	-	-	
		Total	148	100.00%	-	-	-	-	148
	Total		148	100.00%	-	-	-	-	148
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	3	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	47	88.68%	5	9.43%	1	1.89%	53
	Total		47	88.68%	5	9.43%	1	1.89%	53
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	10	71.43%	-	-	4	28.57%	14
	Total		10	71.43%	-	-	4	28.57%	14

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cedar Point Ii Wind Farm (CP2WF01)	CP2WF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	1	20.00%	4	80.00%	-	-	5
Total			1	20.00%	4	80.00%	-	-	5
Celerity Telecom Inc (CTI01)	CTI01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	15	51.72%	8	27.59%	6	20.69%	29
Total			15	51.72%	8	27.59%	6	20.69%	29
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
		Total	17	100.00%	-	-	-	-	17
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	65	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	90	97.83%	1	1.09%	1	1.09%	92
Total			90	97.83%	1	1.09%	1	1.09%	92
Central Huron, Municipality Of (CHW01)	CHW01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	41	89.13%	3	6.52%	2	4.35%	46
Total			41	89.13%	3	6.52%	2	4.35%	46
Central Manitoulin, Municipality Of (CTMTN01)	CTMTN01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	-	2
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
Total			-	-	-	-	12	100.00%	12
Centre Wellington Communications (CWC01)	CWC01	0-5	27	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
Total			32	100.00%	-	-	-	-	32
Centre Wellington Hydro (CWH01)	CWH01	0-5	114	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	114	99.13%	-	-	1	0.87%	115
Total			114	99.13%	-	-	1	0.87%	115
Centre Wellington, Township Of (CTW01)	CTW01	0-5	192	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	29	100.00%	-	-	
		6-10	41	97.62%	1	2.38%	-	-	
		Total	233	88.26%	31	11.74%	-	-	264
Total			233	88.26%	31	11.74%	-	-	264
Century Link (LVL3)	LVL3	0-5	362	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	363	97.32%	7	1.88%	3	0.80%	373
Total			363	97.32%	7	1.88%	3	0.80%	373
Champion Pipeline Corp (CPL1)	CPL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Champlain, Township Of (CHPLN123)	CHPLN123	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Champlain, Township Of (CHPLN123)	CHPLS01	16+	-	-	-	-	9	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	18	60.00%	3	10.00%	9	30.00%	30
	CHPLSL01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	19	82.61%	-	-	4	17.39%	23
	CHPLSS01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	17	56.67%	3	10.00%	10	33.33%	30
	CHPLW01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
6-10		1	50.00%	1	50.00%	-	-		
Total		27	69.23%	3	7.69%	9	23.08%	39	
Total		81	66.39%	9	7.38%	32	26.23%	122	
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	2	40.00%	3	60.00%	-	-	5
Total		2	40.00%	3	60.00%	-	-	5	
Chapple, Municipality Of (CHPLE01)	CHPLE01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total		-	-	-	-	2	100.00%	2	
Charlton And Dack , Municipality Of (CHDWL01)	CHDWL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
Total		3	60.00%	2	40.00%	-	-	5	
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	287	100.00%	-	-	-	-	
		11-15	-	-	9	25.00%	27	75.00%	
		16+	-	-	-	-	55	100.00%	
		6-10	65	98.48%	1	1.52%	-	-	
		Total	352	79.28%	10	2.25%	82	18.47%	444
	CKPUC02	0-5	199	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	26	100.00%	
		6-10	134	96.40%	5	3.60%	-	-	
		Total	333	89.52%	13	3.49%	26	6.99%	372
	CKPUC03	0-5	95	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	30	100.00%	
		6-10	45	93.75%	3	6.25%	-	-	
Total		140	76.92%	12	6.59%	30	16.48%	182	
Total		825	82.67%	35	3.51%	138	13.83%	998	
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	12	75.00%	4	25.00%	-	-	
		Total	64	92.75%	5	7.25%	-	-	69
Total		64	92.75%	5	7.25%	-	-	69	
Chatham Resources (CRPL01)	CRPL01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	8	100.00%	
		Total	4	30.77%	1	7.69%	8	61.54%	13
		Total	4	30.77%	1	7.69%	8	61.54%	13
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	18.18%	9	81.82%	-	-	11
Total	2	18.18%	9	81.82%	-	-	11		
Chatsworth, Township Of (CTS01)	CTS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	13	100.00%	
		Total	1	7.14%	-	-	13	92.86%	14
Total	1	7.14%	-	-	13	92.86%	14		
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	12	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	14	87.50%	2	12.50%	-	-	16
Total	14	87.50%	2	12.50%	-	-	16		
Chrysler Canada (CHRYSL01)	CHRYSL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Cik Telecom (CIKT01)	CIKT01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	16	100.00%	
		Total	17	50.00%	-	-	17	50.00%	34
		Total	17	50.00%	-	-	17	50.00%	34
City Of Woodstock Street Light & Traffic Signals Wdsltl01 (WDSLTL01)	WDSLTL01	0-5	227	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	229	97.45%	5	2.13%	1	0.43%	235
Total	229	97.45%	5	2.13%	1	0.43%	235		
Ckpw Chatham Township Garage (CK08)	CK08	0-5	90	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	91	100.00%	-	-	-	-	91
Total	91	100.00%	-	-	-	-	91		
Ckpw Chatham Water Garage (CK01)	CK01	0-5	168	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	170	100.00%	-	-	-	-	170
Total	170	100.00%	-	-	-	-	170		
Ckpw Dover Township Garage (CK06)	CK06	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	28	84.85%	5	15.15%	-	-	
		Total	50	83.33%	10	16.67%	-	-	60
Total	50	83.33%	10	16.67%	-	-	60		
Ckpw Kent Centre Garage (CK03)	CK03	0-5	78	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
		Total	78	100.00%	-	-	-	-	78
Ckpw Raleigh Garage (CK04)	CK04	0-5	211	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ckpw Raleigh Garage (CK04)	CK04	16+	-	-	-	-	1	100.00%	
		Total	211	99.53%	-	-	1	0.47%	212
	Total	211	99.53%	-	-	1	0.47%	212	
Ckpw Thamesville Garage (CK09)	CK09	0-5	39	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total	42	100.00%	-	-	-	-	42	
Ckpw Tilbury East Garage (CK05)	CK05	0-5	170	100.00%	-	-	-	-	
		6-10	54	98.18%	1	1.82%	-	-	
		Total	224	99.56%	1	0.44%	-	-	225
	Total	224	99.56%	1	0.44%	-	-	225	
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	46.67%	8	53.33%	-	-	
		Total	29	76.32%	9	23.68%	-	-	38
	Total	29	76.32%	9	23.68%	-	-	38	
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	106	99.07%	1	0.93%	-	-	107
	Total	106	99.07%	1	0.93%	-	-	107	
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	117	100.00%	-	-	-	-	
		Total	117	100.00%	-	-	-	-	117
	CLRGSS01	0-5	47	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	47	97.92%	1	2.08%	-	-	48
Total	164	99.39%	1	0.61%	-	-	165		
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	14	100.00%	-	-	-	-	
	Total	19	86.36%	-	-	3	13.64%	22	
Total	19	86.36%	-	-	3	13.64%	22		
Clearford (LBWW01)	LBWW01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Clearview, Township Of (CLRV01)	CLRV01	0-5	70	100.00%	-	-	-	-	
		6-10	14	77.78%	4	22.22%	-	-	
		Total	84	95.45%	4	4.55%	-	-	88
	Total	84	95.45%	4	4.55%	-	-	88	
CLI FOR KITCHENER, CITY OF - ELECTRIC (KITE01)	KITE01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Cobalt , Town Of (CBLWSS01)	CBLWSS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Cobourg, Town Of (CBRG123)	CBRG01	0-5	147	100.00%	-	-	-	-	
		Total	147	100.00%	-	-	-	-	147
	Total	147	100.00%	-	-	-	-	147	
Cochrane Telecom Services (CCT01)	CCT01	0-5	33	100.00%	-	-	-	-	
		6-10	17	68.00%	8	32.00%	-	-	
		Total	50	86.21%	8	13.79%	-	-	58
	Total	50	86.21%	8	13.79%	-	-	58	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	18	100.00%	-	-	-	-		
		11-15	-	-	6	100.00%	-	-		
		16+	-	-	-	-	10	100.00%		
		6-10	-	-	2	100.00%	-	-		
		Total	18	50.00%	8	22.22%	10	27.78%	36	
	Total			18	50.00%	8	22.22%	10	27.78%	36
Cogeco Cable Canada (CBT1)	CBT1	0-5	1,286	100.00%	-	-	-	-		
		11-15	-	-	74	100.00%	-	-		
		16+	-	-	30	96.77%	1	3.23%		
		6-10	467	94.15%	29	5.85%	-	-		
		Total	1,753	92.90%	133	7.05%	1	0.05%	1887	
	Total			1,753	92.90%	133	7.05%	1	0.05%	1,887
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	1,154	100.00%	-	-	-	-		
		11-15	-	-	12	100.00%	-	-		
		16+	-	-	8	100.00%	-	-		
		6-10	264	98.88%	3	1.12%	-	-		
		Total	1,418	98.40%	23	1.60%	-	-	1441	
	Total			1,418	98.40%	23	1.60%	-	1,441	
Cogeco Cable Canada (CPVS2)	CBT2	0-5	286	100.00%	-	-	-	-		
		11-15	-	-	26	96.30%	1	3.70%		
		16+	-	-	27	87.10%	4	12.90%		
		6-10	78	80.41%	19	19.59%	-	-		
		Total	364	82.54%	72	16.33%	5	1.13%	441	
	CPVS2	0-5	314	100.00%	-	-	-	-		
		11-15	-	-	24	100.00%	-	-		
		16+	-	-	4	80.00%	1	20.00%		
		6-10	133	97.08%	4	2.92%	-	-		
		Total	447	93.13%	32	6.67%	1	0.21%	480	
	Total			811	88.06%	104	11.29%	6	0.65%	921
	Cogeco Connexion	COGOW02	0-5	2	100.00%	-	-	-	-	
			Total	2	100.00%	-	-	-	-	2
		Total			2	100.00%	-	-	-	2
Cogeco Connexion North East (CCNE123)	COGE01	0-5	905	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	133	99.25%	1	0.75%	-	-		
		Total	1,038	99.62%	4	0.38%	-	-	1042	
	COOE01	0-5	774	100.00%	-	-	-	-		
		6-10	48	100.00%	-	-	-	-		
	Total	822	100.00%	-	-	-	-	822		
	COONE01	0-5	279	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	113	95.76%	5	4.24%	-	-		
		Total	392	97.51%	9	2.24%	1	0.25%	402	
	Total			2,252	99.38%	13	0.57%	1	0.04%	2,266
Cogeco Connexion Southwest (CC01)	COC01	0-5	271	100.00%	-	-	-	-		
		11-15	-	-	20	100.00%	-	-		
		16+	-	-	1	50.00%	1	50.00%		
		6-10	103	84.43%	19	15.57%	-	-		
		Total	374	90.12%	40	9.64%	1	0.24%	415	
	COE01	0-5	534	100.00%	-	-	-	-		
		11-15	-	-	43	100.00%	-	-		
		16+	-	-	2	16.67%	10	83.33%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cogeco Connexion Southwest (CC01)	COE01	6-10	329	90.88%	33	9.12%	-	-	
		Total	863	90.75%	78	8.20%	10	1.05%	951
	COL01	0-5	415	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	100	100.00%	-	-	-	-	
	Total	515	97.91%	10	1.90%	1	0.19%	526	
Total		1,752	92.60%	128	6.77%	12	0.63%	1,892	
Coleman, Township Of (CLMN01)	CLMN01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
College Boreal (CLGB01)	CLGB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Collingwood Public Utilities (COLL123)	COLLS01	0-5	195	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	8	66.67%	4	33.33%	-	-	
		Total	203	96.67%	5	2.38%	2	0.95%	210
	COLLW01	0-5	231	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	231	99.57%	1	0.43%	-	-	232
Total		434	98.19%	6	1.36%	2	0.45%	442	
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Communicate Freely (CFF01)	CFF01	0-5	58	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	61	98.39%	1	1.61%	-	-	62
	Total		61	98.39%	1	1.61%	-	-	62
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	33	64.71%	18	35.29%	-	-	
	Total	47	40.52%	67	57.76%	2	1.72%	116	
	Total		47	40.52%	67	57.76%	2	1.72%	116
Cornwall , City Of (CRWL123)	CRWL01	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	87	98.86%	1	1.14%	-	-	88
	CRWL02	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
Total		91	97.85%	2	2.15%	-	-	93	
Cornwall Electric (CE01)	CE01	0-5	457	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	457	99.78%	1	0.22%	-	-	458	
Total		457	99.78%	1	0.22%	-	-	458	
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	202	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	4	66.67%	2	33.33%	-	-	
	Total	206	97.17%	4	1.89%	2	0.94%	212	
	Total		206	97.17%	4	1.89%	2	0.94%	212

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Craigeith Ski Club (CGLSC01)	CGLSC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	16	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		Total	23	88.46%	2	7.69%	1	3.85%	26
	Total		23	88.46%	2	7.69%	1	3.85%	26
Crh Canada Group Inc	CRH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dacol Resources (DACR01)	DACR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	62	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	62	98.41%	-	-	1	1.59%	63
	Total		62	98.41%	-	-	1	1.59%	63
Dbi Services (DBIS01)	DBIS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
DEDICATED LOCATOR - GTEL (DLGTEL01)	DLGTEL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
DEDICATED LOCATOR - PROMARK (DLPRO1)	DLPRO1	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Deep River , Town Of (DRI01)	DRI01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total		27	100.00%	-	-	-	-	27
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	3	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total		7	87.50%	1	12.50%	-	-	8
Douro-Dummer, Township Of (DRODUM01)	DRODUM01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Dover Coast (DCW01)	DCW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dowser Gas Company Ltd (Pipeline) (DWGP01)	DWGP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dryden, City Of (DRYD01)	DRYD01	0-5	20	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Dryden, City Of (DRYD01)	DRYD01	16+	-	-	-	-	69	100.00%	
		Total	20	22.47%	-	-	69	77.53%	89
	Total	20	22.47%	-	-	69	77.53%	89	
Dubreuve, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total	-	-	1	50.00%	1	50.00%	2	
Dufferin County (DFRN01)	DFRN01	0-5	13	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total	19	100.00%	-	-	-	-	19	
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Durham One Net	DON01	0-5	200	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	207	99.52%	1	0.48%	-	-	208
	Total	207	99.52%	1	0.48%	-	-	208	
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	241	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	120	98.36%	2	1.64%	
		6-10	106	95.50%	5	4.50%	-	-	
	Total	347	72.75%	128	26.83%	2	0.42%	477	
	DURWS02	0-5	236	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	23	95.83%	1	4.17%	-	-	
	Total	259	94.87%	10	3.66%	4	1.47%	273	
	DURWS03	0-5	187	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
	Total	189	97.42%	5	2.58%	-	-	194	
	DURWS04	0-5	41	100.00%	-	-	-	-	
		16+	-	-	18	94.74%	1	5.26%	
		6-10	-	-	1	100.00%	-	-	
		Total	41	67.21%	19	31.15%	1	1.64%	61
	DURWS05	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
Total	24	100.00%	-	-	-	-	24		
Total	860	83.58%	162	15.74%	7	0.68%	1,029		
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	184	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	11	100.00%	
	Total	184	93.40%	1	0.51%	12	6.09%	197	
Total	184	93.40%	1	0.51%	12	6.09%	197		
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	65	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	66	100.00%	-	-	-	-	66	
Total	66	100.00%	-	-	-	-	66		
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total	-	-	-	-	4	100.00%	4	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
E L K Energy Inc (E001)	E001	0-5	130	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	135	100.00%	-	-	-	-	135
	Total		135	100.00%	-	-	-	-	135
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
East Durham Wind Energy Centre (EDWWF01)	EDWWF01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
East Garafraxa , Township Of (EGXWS01)	EGXWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	138	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	142	100.00%	-	-	-	-	142
	EGWLSS01	0-5	24	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	EGWLW01	0-5	40	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	EGWLWW01	0-5	29	100.00%	-	-	-	-	
6-10		2	100.00%	-	-	-	-		
Total		31	100.00%	-	-	-	-	31	
Total		246	100.00%	-	-	-	-	246	
East Hawkesbury, Township Of (EHWKB01)	EHWKB01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	9	60.00%	3	20.00%	3	20.00%	15
Total		9	60.00%	3	20.00%	3	20.00%	15	
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	30	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		30	100.00%	-	-	-	-	30
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	47	68.12%	22	31.88%	-	-	69	
Total		47	68.12%	22	31.88%	-	-	69	
Eastern Ontario Power (EOP01)	EOP01	0-5	48	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	49	96.08%	2	3.92%	-	-	51	
Total		49	96.08%	2	3.92%	-	-	51	
Eastern Power Inc (EP01)	EP01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Eastlink (EL123)	ELGE01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	28	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELGE01	6-10	10	55.56%	8	44.44%	-	-	
	Total		48	52.75%	15	16.48%	28	30.77%	91
	ELGN02	0-5	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
	ELOE01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	11	78.57%	3	21.43%	-	-	
		Total	75	87.21%	7	8.14%	4	4.65%	86
	ELOE02	0-5	179	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	15	88.24%	2	11.76%	-	-	
		Total	194	98.48%	3	1.52%	-	-	197
	ELONE01	0-5	374	100.00%	-	-	-	-	
		6-10	34	97.14%	1	2.86%	-	-	
		Total	408	99.76%	1	0.24%	-	-	409
	ELONE02	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	8	72.73%	3	27.27%	-	-	11
	ELONE03	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	12	70.59%	4	23.53%	1	5.88%	17
	ELONE04	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	82	90.11%	3	3.30%	6	6.59%	91
	ELONE05	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	66	98.51%	1	1.49%	-	-	67
	ELONE06	0-5	30	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	ELONE07	0-5	85	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	87	97.75%	2	2.25%	-	-	89
	ELONE08	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	ELONE09	0-5	28	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	ELOS01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
6-10		4	100.00%	-	-	-	-		
Total		49	94.23%	-	-	3	5.77%	52	
ELOS02	0-5	115	100.00%	-	-	-	-		
	6-10	15	100.00%	-	-	-	-		
	Total	130	100.00%	-	-	-	-	130	
ELOW01	0-5	141	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELOW01	6-10	32	96.97%	1	3.03%	-	-	
		Total	173	98.86%	2	1.14%	-	-	175
	ELOW02	0-5	182	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	43	84.31%	8	15.69%	-	-	
		Total	225	95.34%	11	4.66%	-	-	236
	ELOW03	0-5	255	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	260	100.00%	-	-	-	-	260
	ELOW04	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	11	68.75%	5	31.25%	-	-	
		Total	123	93.89%	8	6.11%	-	-	131
	ELOW05	0-5	294	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	75	92.59%	6	7.41%	-	-	
		Total	369	95.10%	16	4.12%	3	0.77%	388
	ELOW06	0-5	126	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
Total		146	100.00%	-	-	-	-	146	
ELOW07	0-5	57	100.00%	-	-	-	-		
	6-10	9	81.82%	2	18.18%	-	-		
	Total	66	97.06%	2	2.94%	-	-	68	
ELOW08	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
MKDLC01	0-5	35	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	29	90.63%	3	9.38%	-	-		
	Total	64	90.14%	6	8.45%	1	1.41%	71	
Total		2,656	95.30%	85	3.05%	46	1.65%	2,787	
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	145	100.00%	-	-	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	181	100.00%	-	-	-	-	181
	ETNF02	0-5	20	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
Total		207	100.00%	-	-	-	-	207	
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	217	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	89	97.80%	2	2.20%	-	-	
		Total	306	97.76%	7	2.24%	-	-	313
	ELX02	0-5	282	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Elexicon Energy Formerly Veridian (ELX123)	ELX02	6-10	149	97.39%	4	2.61%	-	-	
		Total	431	94.31%	26	5.69%	-	-	457
	ELX03	0-5	135	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	62	98.41%	1	1.59%	-	-	
		Total	197	98.01%	4	1.99%	-	-	201
	ELX04	0-5	186	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	41	100.00%	-	-	-	-	
	Total	227	99.56%	1	0.44%	-	-	228	
	ELXGE01	0-5	144	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	40	100.00%	-	-	-	-	
	Total	184	93.88%	9	4.59%	3	1.53%	196	
	ELXGE02	0-5	74	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
	Total	102	100.00%	-	-	-	-	102	
	ELXONE01	0-5	65	100.00%	-	-	-	-	
6-10		13	100.00%	-	-	-	-		
Total	78	100.00%	-	-	-	-	78		
ELXWHGE1	0-5	486	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	6-10	110	100.00%	-	-	-	-		
Total	596	99.33%	4	0.67%	-	-	600		
Total		2,121	97.52%	51	2.34%	3	0.14%	2,175	
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
Total		-	-	-	-	7	100.00%	7	
Elgin, County Of (ELGNE01)	ELGNE01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total		4	100.00%	-	-	-	-	4	
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	58	80.56%	6	8.33%	8	11.11%	72
Total		58	80.56%	6	8.33%	8	11.11%	72	
Emo , Township Of (EMOWS01)	EMOWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	75.00%	-	-	1	25.00%	4
Total		3	75.00%	-	-	1	25.00%	4	
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	11	91.67%	1	8.33%	-	-	12	
	ENNEBGW1	0-5	37	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
Total	40	100.00%	-	-	-	-	40		
ENNEBOE1	0-5	10	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBOE1	6-10	2	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		63	98.44%	1	1.56%	-	-	64
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	63	98.44%	1	1.56%	-	-	
		Total	136	96.45%	5	3.55%	-	-	141
	ENVMGN01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	72	100.00%	-	-	-	-	
		Total	160	99.38%	1	0.62%	-	-	161
	ENVMGN02	0-5	47	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	86	95.56%	4	4.44%	-	-	90
	ENVMGW0 1	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	76	98.70%	1	1.30%	-	-	
		Total	152	92.12%	13	7.88%	-	-	165
	ENVMGW0 2	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
	ENVMHN01	0-5	8	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	ENVMOE01	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	59	98.33%	1	1.67%	-	-	
		Total	118	80.82%	28	19.18%	-	-	146
	ENVMTE01	0-5	23	100.00%	-	-	-	-	
11-15		-	-	2	100.00%	-	-		
16+		-	-	6	100.00%	-	-		
6-10		131	99.24%	1	0.76%	-	-		
Total		154	94.48%	9	5.52%	-	-	163	
ENVMTW1 N	0-5	61	100.00%	-	-	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	89	100.00%	-	-	-	-		
Total	150	97.40%	4	2.60%	-	-	154		
ENVMTW1S	0-5	44	100.00%	-	-	-	-		
	11-15	-	-	7	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	66	95.65%	3	4.35%	-	-		
	Total	110	88.71%	14	11.29%	-	-	124	
Total		1,082	93.28%	78	6.72%	-	-	1,160	
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	4,089	100.00%	-	-	-	-	
		11-15	-	-	262	100.00%	-	-	
		16+	-	-	316	100.00%	-	-	
		6-10	1,398	87.87%	193	12.13%	-	-	
		Total	5,487	87.68%	771	12.32%	-	-	6258

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas (Legacy Union Gas) (UG1)	EN2OE01	0-5	1,598	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	630	98.28%	11	1.72%	-	-	
		Total	2,228	97.59%	55	2.41%	-	-	2283
	ENONE01	0-5	2,162	100.00%	-	-	-	-	
		11-15	-	-	40	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	794	92.87%	61	7.13%	-	-	
		Total	2,956	96.48%	108	3.52%	-	-	3064
	ENONW01	0-5	1,375	100.00%	-	-	-	-	
		11-15	-	-	56	100.00%	-	-	
		16+	-	-	33	100.00%	-	-	
		6-10	346	77.58%	100	22.42%	-	-	
		Total	1,721	90.10%	189	9.90%	-	-	1910
	ENOS01	0-5	4,487	100.00%	-	-	-	-	
		11-15	-	-	165	100.00%	-	-	
		16+	-	-	31	100.00%	-	-	
		6-10	2,055	94.05%	130	5.95%	-	-	
		Total	6,542	95.25%	326	4.75%	-	-	6868
	ENOW01	0-5	5,491	100.00%	-	-	-	-	
		11-15	-	-	52	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	1,443	95.69%	65	4.31%	-	-	
Total		6,934	98.22%	126	1.78%	-	-	7060	
Total			25,868	94.26%	1,575	5.74%	-	-	27,443
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	51	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	20	76.92%	6	23.08%	-	-	
		Total	71	89.87%	8	10.13%	-	-	79
	ENCLCHT	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	61	98.39%	1	1.61%	-	-	
		Total	126	91.30%	12	8.70%	-	-	138
	ENCLEST	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	44	100.00%	-	-	-	-	
		Total	91	97.85%	2	2.15%	-	-	93
	ENCLHAL	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	80.00%	4	20.00%	-	-	
		Total	67	89.33%	8	10.67%	-	-	75
	ENCLHAM	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	23	100.00%	-	-	
		6-10	55	85.94%	9	14.06%	-	-	
		Total	112	72.73%	42	27.27%	-	-	154
ENCLLDN	0-5	113	100.00%	-	-	-	-		
	11-15	-	-	11	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	97	91.51%	9	8.49%	-	-		
	Total	210	90.91%	21	9.09%	-	-	231	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLNTH	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	72	87.80%	10	12.20%	-	-	
		Total	132	86.27%	21	13.73%	-	-	
	ENCLNW01	11-15	-	-	4	100.00%	-	-	
		16+	-	-	44	100.00%	-	-	
		Total	-	-	48	100.00%	-	-	
	ENCLSAR	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	22	95.65%	1	4.35%	-	-	
		Total	58	92.06%	5	7.94%	-	-	
	ENCLWAT	0-5	204	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	134	91.16%	13	8.84%	-	-	
	Total	338	92.86%	26	7.14%	-	-	364	
	ENCLWIN	0-5	95	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	86	84.31%	16	15.69%	-	-	
	Total	181	79.04%	48	20.96%	-	-	229	
	Total		1,386	85.19%	241	14.81%	-	-	1,627
Enbridge Gas Distribution (ENB1)	ENDLGN01	0-5	105	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	151	100.00%	-	-	-	-	
	Total	256	96.60%	9	3.40%	-	-	265	
	ENDLGN02	0-5	7	100.00%	-	-	-	-	
		6-10	23	100.00%	-	-	-	-	
	Total	30	100.00%	-	-	-	-	30	
	ENGE01	0-5	2,898	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	1,096	98.65%	15	1.35%	-	-	
	Total	3,994	98.06%	79	1.94%	-	-	4073	
	ENGN01	0-5	3,350	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	66	100.00%	-	-	
		6-10	1,403	99.72%	4	0.28%	-	-	
	Total	4,753	98.39%	78	1.61%	-	-	4831	
	ENGN02	0-5	3,017	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	38	100.00%	-	-	
		6-10	524	99.43%	3	0.57%	-	-	
	Total	3,541	98.75%	45	1.25%	-	-	3586	
	ENGTAA01	0-5	22	100.00%	-	-	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
	Total	31	96.88%	1	3.13%	-	-	32	
	ENGW01	0-5	2,968	100.00%	-	-	-	-	
		11-15	-	-	66	100.00%	-	-	
		16+	-	-	42	100.00%	-	-	
		6-10	1,435	98.76%	18	1.24%	-	-	
	Total	4,403	97.22%	126	2.78%	-	-	4529	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENGW02	0-5	608	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	273	96.81%	9	3.19%	-	-	
		Total	881	93.92%	57	6.08%	-	-	938
	ENHN01	0-5	3,134	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	678	98.55%	10	1.45%	-	-	
		Total	3,812	98.60%	54	1.40%	-	-	3866
	ENOE01	0-5	5,477	100.00%	-	-	-	-	
		11-15	-	-	192	100.00%	-	-	
		16+	-	-	56	100.00%	-	-	
		6-10	2,604	96.91%	83	3.09%	-	-	
		Total	8,081	96.07%	331	3.93%	-	-	8412
	ENTE01	0-5	2,360	100.00%	-	-	-	-	
		11-15	-	-	68	100.00%	-	-	
		16+	-	-	34	100.00%	-	-	
		6-10	2,070	99.28%	15	0.72%	-	-	
		Total	4,430	97.43%	117	2.57%	-	-	4547
	ENTED9	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	ENTW01N	0-5	1,318	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
6-10		521	99.81%	1	0.19%	-	-		
Total		1,839	98.39%	30	1.61%	-	-	1869	
ENTW01S	0-5	1,282	100.00%	-	-	-	-		
	11-15	-	-	80	100.00%	-	-		
	16+	-	-	84	100.00%	-	-		
	6-10	736	91.32%	70	8.68%	-	-		
	Total	2,018	89.61%	234	10.39%	-	-	2252	
ENTWD9	6-10	4	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
Total		38,083	97.04%	1,162	2.96%	-	-	39,245	
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	40	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
Total		41	100.00%	-	-	-	-	41	
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	44	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
	EN21	0-5	94	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	108	97.30%	3	2.70%	-	-	111
	EN22	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	11	100.00%	-	-	-	-	
	Total	27	90.00%	1	3.33%	2	6.67%	30	
	Total		184	96.84%	4	2.11%	2	1.05%	190

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Enbridge Pipelines (EP123)	I001	0-5	31	100.00%	-	-	-	-		
		16+	-	-	4	100.00%	-	-		
		6-10	1	50.00%	1	50.00%	-	-		
		Total	32	86.49%	5	13.51%	-	-		37
	I010	0-5	471	100.00%	-	-	-	-		
		11-15	-	-	17	100.00%	-	-		
		16+	-	-	36	100.00%	-	-		
		6-10	59	90.77%	6	9.23%	-	-		
		Total	530	89.98%	59	10.02%	-	-		589
	I011	0-5	104	100.00%	-	-	-	-		
		11-15	-	-	7	100.00%	-	-		
		16+	-	-	32	100.00%	-	-		
		Total	109	73.65%	39	26.35%	-	-		148
	I012	0-5	17	100.00%	-	-	-	-		
		16+	-	-	2	100.00%	-	-		
		6-10	1	50.00%	1	50.00%	-	-		
		Total	18	85.71%	3	14.29%	-	-		21
Total		689	86.67%	106	13.33%	-	-	795		
Enbridge Wind Power (ENWP01)	ENWP01	0-5	5	100.00%	-	-	-	-		
		6-10	8	100.00%	-	-	-	-		
		Total	13	100.00%	-	-	-	-		13
	Total		13	100.00%	-	-	-	-	13	
Englehart , Town Of (EGHT01)	EGHT01	0-5	6	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	-	-	2	100.00%		
		Total	6	60.00%	2	20.00%	2	20.00%		10
	Total		6	60.00%	2	20.00%	2	20.00%	10	
Enniskillen, Township Of (E002)	E002	0-5	48	100.00%	-	-	-	-		
		Total	48	100.00%	-	-	-	-		48
	Total		48	100.00%	-	-	-	-	48	
Enova Power (ENOVA123)	EPKW01	0-5	994	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	2	100.00%	-	-		
		6-10	229	98.71%	3	1.29%	-	-		
		Total	1,223	99.35%	8	0.65%	-	-		1231
	EPWAT01	0-5	349	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	431	98.85%	5	1.15%	-	-		436
	EPWEL01	0-5	84	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		Total	96	98.97%	1	1.03%	-	-		97
	EPWOL01	0-5	142	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	2	100.00%	-	-		
		Total	177	97.25%	5	2.75%	-	-		182
	Total		1,927	99.02%	19	0.98%	-	-	1,946	
	Entegrus (EPICK01)	CKSL01	0-5	95	100.00%	-	-	-	-	
			16+	-	-	1	100.00%	-	-	
			6-10	41	100.00%	-	-	-	-	
Total			136	99.27%	1	0.73%	-	-	137	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Entegrus (EPICK01)	EPICK01	0-5	217	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	72	100.00%	-	-	-	-	
		Total	289	99.31%	2	0.69%	-	-	291
	EPIMP01	0-5	85	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	98	100.00%	-	-	-	-	98
Total		523	99.43%	3	0.57%	-	-	526	
Entegrus Powerlines Inc À,â, -â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	139	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	164	100.00%	-	-	-	-	164
	Total		164	100.00%	-	-	-	-	164
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	28	93.33%	2	6.67%	-	-	30
	Total		28	93.33%	2	6.67%	-	-	30
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	83	96.51%	2	2.33%	1	1.16%	86
	Total		83	96.51%	2	2.33%	1	1.16%	86
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	183	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	55	100.00%	-	-	-	-	
		Total	238	99.58%	-	-	1	0.42%	239
	Total		238	99.58%	-	-	1	0.42%	239
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	87	100.00%	-	-	-	-	
		Total	87	100.00%	-	-	-	-	87
	Total		87	100.00%	-	-	-	-	87
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	350	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	350	99.72%	-	-	1	0.28%	351
	Total		350	99.72%	-	-	1	0.28%	351
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	164	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	48	92.31%	4	7.69%	-	-	
		Total	212	96.36%	8	3.64%	-	-	220
	EPNG02	0-5	73	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	EPNG03	0-5	105	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	129	100.00%	-	-	-	-	129
Total		415	98.11%	8	1.89%	-	-	423	
Erie Shores Wind Farm (ESWF01)	ESWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Erieau Wind Farm (EWF01)	EWF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	6	66.67%	-	-	3	33.33%	
	Total	6	66.67%	-	-	3	33.33%	9	
Erin, Town Of (ERN01)	ERN01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	22	84.62%	1	3.85%	3	11.54%	
	Total	22	84.62%	1	3.85%	3	11.54%	26	
Erin, Town Of (ERNSL01)	ERNS01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	ERNSL01	0-5	15	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	
	Total	41	100.00%	-	-	-	-	41	
Erth Power Corporation (ETP01)	ETP01	0-5	273	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	60	84.51%	11	15.49%	-	-	
	Total	333	95.69%	15	4.31%	-	-	348	
Total	333	95.69%	15	4.31%	-	-	348		
Erth Power Corporation (ETP02)	ETP02	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	28	93.33%	2	6.67%	-	-	
		Total	159	98.15%	3	1.85%	-	-	
	Total	159	98.15%	3	1.85%	-	-	162	
Espanola , Town Of (ESP01)	ESP01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	40	97.56%	1	2.44%	-	-	41	
Total	40	97.56%	1	2.44%	-	-	41		
Espanola Hydro (ERH01)	ERH01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	52	98.11%	-	-	1	1.89%	
	Total	52	98.11%	-	-	1	1.89%	53	
Essa, Township Of (ESA123)	ESASSL01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	11	68.75%	3	18.75%	2	12.50%	
	ESAWS01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
Total	11	73.33%	2	13.33%	2	13.33%	15		
Total	22	70.97%	5	16.13%	4	12.90%	31		
Essex County Highways (ESXTS01)	ESXTS01	0-5	41	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	
	Total	45	100.00%	-	-	-	-	45	
Essex Powerlines Corp (A006)	A006	0-5	286	100.00%	-	-	-	-	
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	1	9.09%	10	90.91%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Essex Powerlines Corp (A006)	A006	6-10	90	87.38%	13	12.62%	-	-	
		Total	376	87.24%	45	10.44%	10	2.32%	431
	Total	376	87.24%	45	10.44%	10	2.32%	431	
Essex Powerlines Corp (A007)	A007	0-5	146	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	146	97.99%	3	2.01%	-	-	149
	Total	146	97.99%	3	2.01%	-	-	149	
Essex, Town Of (CO01)	CO01	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		6-10	58	100.00%	-	-	-	-	
		Total	137	87.26%	20	12.74%	-	-	157
	Total	137	87.26%	20	12.74%	-	-	157	
Execulink Telecom (EXTEL123)	ASC2	0-5	185	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	50	98.04%	1	1.96%	-	-	
		Total	235	98.33%	2	0.84%	2	0.84%	239
	EXEC01	0-5	484	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	85	97.70%	2	2.30%	-	-	
		Total	569	99.13%	5	0.87%	-	-	574
	HT01	0-5	14	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	HTF1	0-5	38	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	45	95.74%	-	-	2	4.26%	47
	NE01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	NEK01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
Total		882	98.11%	7	0.78%	10	1.11%	899	
Fanshawe College - Private Property (FSWC02)	FSWC02	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total	2	66.67%	-	-	1	33.33%	3	
Fanshawe College (FSWC01)	FSWC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	21	80.77%	3	11.54%	2	7.69%	26
	Total	21	80.77%	3	11.54%	2	7.69%	26	
Festival Hydro (FESTH01)	FESTH01	0-5	357	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	74	100.00%	-	-	-	-	
		Total	431	99.77%	1	0.23%	-	-	432
	Total	431	99.77%	1	0.23%	-	-	432	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Fisher Wavy Inc (FSWVY01)	FSWVY01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	310	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	311	99.36%	2	0.64%	-	-	313
	Total		311	99.36%	2	0.64%	-	-	313
Fort Frances Power (FFP01)	FFP01	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	71	98.61%	-	-	1	1.39%	72
	Total		71	98.61%	-	-	1	1.39%	72
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	73	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	Total		73	100.00%	-	-	-	-	73
Fu Fiber Inc (FUF01)	FUF01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	2	100.00%	-	-	-	-	
		Total	4	44.44%	3	33.33%	2	22.22%	9
	Total		4	44.44%	3	33.33%	2	22.22%	9
Gananoque, Town Of (GNQWST01)	GNQWST01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	37	100.00%	
	Total	-	-	-	-	39	100.00%	39	
Gbtel Inc (GBT01)	GBT01	0-5	97	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	130	97.74%	1	0.75%	2	1.50%	133
	Total		130	97.74%	1	0.75%	2	1.50%	133
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Georgian Bluffs , Township Of (GB01)	GB01	0-5	14	100.00%	-	-	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	15	83.33%	3	16.67%	-	-	18
	GBSL01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
Total		26	83.87%	5	16.13%	-	-	31	
Georgina, Town Of (GGN123)	GGN01	0-5	213	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	248	98.80%	3	1.20%	-	-	251
	Total		248	98.80%	3	1.20%	-	-	251
Goderich, Town Of (GDR123)	GDRHS01	0-5	80	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Goderich, Town Of (GDR123)	GDRHS01	16+	-	-	3	75.00%	1	25.00%	
		Total	80	95.24%	3	3.57%	1	1.19%	84
	GDRHW01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	14	87.50%	2	12.50%	
		6-10	11	34.38%	21	65.63%	-	-	
		Total	40	47.62%	42	50.00%	2	2.38%	84
Total	120	71.43%	45	26.79%	3	1.79%	168		
Gore Bay , Town Of (GBY01)	GBY01	16+	-	-	2	50.00%	2	50.00%	
		Total	-	-	2	50.00%	2	50.00%	4
	Total	-	-	2	50.00%	2	50.00%	4	
Gosfield North Communications (G001)	G001	0-5	141	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	21	100.00%	-	-	-	-	
		Total	162	97.59%	-	-	4	2.41%	166
	Total	162	97.59%	-	-	4	2.41%	166	
Government Of Canada (GOC01)	GOC01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total	18	100.00%	-	-	-	-	18	
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Grand Bend Wind Lp (GBWF01)	GBWF01	16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	33.33%	-	-	2	66.67%	3
	Total	1	33.33%	-	-	2	66.67%	3	
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	12	100.00%	-	-	-	-	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	Total	17	89.47%	2	10.53%	-	-	19	
Grand River Hospital Corp. - KW Campus And Freepport Campus (FPGRH01)	FPGRH01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total	-	-	3	100.00%	-	-	3	
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	3	60.00%	2	40.00%	
		Total	-	-	3	60.00%	2	40.00%	5
	Total	-	-	3	60.00%	2	40.00%	5	
Grandbridge Energy	GBH01	0-5	1,044	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	727	98.11%	14	1.89%	-	-	
		Total	1,771	98.55%	26	1.45%	-	-	1797
	Total	1,771	98.55%	26	1.45%	-	-	1,797	
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	64	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	65	98.48%	1	1.52%	-	-	66
	Total	65	98.48%	1	1.52%	-	-	66	
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	55	100.00%	-	-	-	-	
		6-10	6	54.55%	5	45.45%	-	-	
		Total	61	92.42%	5	7.58%	-	-	66
	Total	61	92.42%	5	7.58%	-	-	66	
Greater Madawaska, Township Of (GMDKA01)	GMDKA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	2	25.00%	6	75.00%	-	-	
		Total	50	75.76%	15	22.73%	1	1.52%	66
Total			50	75.76%	15	22.73%	1	1.52%	66
Greater Sudbury Hydro (SH01)	SH01	0-5	672	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	680	98.98%	7	1.02%	-	-	687
Total			680	98.98%	7	1.02%	-	-	687
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	52	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
Total			56	100.00%	-	-	-	-	56
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	462	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	463	99.57%	1	0.22%	1	0.22%	465
Total			463	99.57%	1	0.22%	1	0.22%	465
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total			7	100.00%	-	-	-	-	7
Greater Sudbury, City Of (GSBY123)	GSBY03	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	10	66.67%	-	-	5	33.33%	15
	GSBYCM01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	GSBYS01	0-5	392	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	392	98.49%	6	1.51%	-	-	398
	GSBYSS01	0-5	239	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	239	97.55%	6	2.45%	-	-	245
	GSBYW01	0-5	415	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
6-10		1	100.00%	-	-	-	-		
Total		416	98.58%	6	1.42%	-	-	422	
Total			1,057	97.60%	18	1.66%	8	0.74%	1,083
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	9	100.00%	-	-	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	19	95.00%	1	5.00%	-	-	20
Total			19	95.00%	1	5.00%	-	-	20
Greenfield South Power Corporation (EP02)	EP02	16+	-	-	3	50.00%	3	50.00%	
		Total	-	-	3	50.00%	3	50.00%	6
Total			-	-	3	50.00%	3	50.00%	6
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	10	62.50%	2	12.50%	4	25.00%	16
Total			10	62.50%	2	12.50%	4	25.00%	16
Grey Highlands Clean Wind Farm (GHCWF01)	GHCWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	14	77.78%	2	11.11%	2	11.11%	18
Total			14	77.78%	2	11.11%	2	11.11%	18
Grey, County Of (GREY01)	GREY01	0-5	42	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
Total			43	100.00%	-	-	-	-	43
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	186	100.00%	-	-	-	-	
		6-10	21	91.30%	2	8.70%	-	-	
		Total	207	99.04%	2	0.96%	-	-	209
Total			207	99.04%	2	0.96%	-	-	209
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	12	80.00%	3	20.00%	-	-	
		Total	96	95.05%	5	4.95%	-	-	101
Total			96	95.05%	5	4.95%	-	-	101
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	-	2
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	255	100.00%	-	-	-	-	
		6-10	34	97.14%	1	2.86%	-	-	
		Total	289	99.66%	1	0.34%	-	-	290
Total			289	99.66%	1	0.34%	-	-	290
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	26	76.47%	8	23.53%	-	-	34
Total			26	76.47%	8	23.53%	-	-	34
Guelph, City Of (GLPH123)	GLPH01	0-5	458	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	326	99.69%	1	0.31%	-	-	
		Total	784	99.62%	3	0.38%	-	-	787
	GLPH02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GLPH03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GLPH04	0-5	35	100.00%	-	-	-	-	
		6-10	54	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
GLPH05	0-5	39	100.00%	-	-	-	-		
	6-10	49	100.00%	-	-	-	-		
	Total	88	100.00%	-	-	-	-	88	
Total			963	99.69%	3	0.31%	-	-	966
Guelph, University Of (UGPH01)	UGPH01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	76.92%	3	23.08%	-	-	13
Total			10	76.92%	3	23.08%	-	-	13
Haldimand County (HLDM123)	HLDM01	0-5	101	100.00%	-	-	-	-	
		16+	-	-	2	14.29%	12	85.71%	
		Total	101	87.83%	2	1.74%	12	10.43%	115

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Haldimand County (HLDM123)	HLDME01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	15	75.00%	5	25.00%	-	-	
		Total	75	91.46%	7	8.54%	-	-	
	HLDMS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		Total	1	12.50%	6	75.00%	1	12.50%	
	HLDMW01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	
Total			184	85.98%	17	7.94%	13	6.07%	214
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	
	Total			-	-	-	-	3	100.00%
Hallebourg Lsb (HLEBRG01)	HLEBRG01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	
	Total			-	-	2	100.00%	-	-
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	HMTOTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total			2	100.00%	-	-	-	-
Halton Hills Hydro (HHH01)	HHH01	0-5	202	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	143	100.00%	-	-	-	-	
		Total	345	99.42%	1	0.29%	1	0.29%	
	Total			345	99.42%	1	0.29%	1	0.29%
Halton Hills, Town Of (HAH01)	HAH01	0-5	56	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	56	98.25%	1	1.75%	-	-	
	Total			56	98.25%	1	1.75%	-	-
Halton Hills, Town Of (HAH02)	HAH02	0-5	5	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	Total			9	100.00%	-	-	-	-
Halton, Region Of (HLTNB123)	HLTNB01	0-5	35	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	
	HLTNBSL01	0-5	32	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	
	HLTNBTC01	0-5	15	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	
	HLTNBTS01	0-5	19	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	Total			109	100.00%	-	-	-	-
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	3	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	HLTNHTS01	0-5	3	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Halton, Region Of (HLTNH123)	HLTNHTS01	6-10	7	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		18	100.00%	-	-	-	-	18
Halton, Region Of (HLTNM123)	HLTNM01	0-5	43	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	HLTNMTC01	0-5	32	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	HLTNMTS01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
		Total		94	100.00%	-	-	-	-
	Halton, Region Of (HLTNO123)	HLTNOK01	0-5	32	100.00%	-	-	-	-
11-15			-	-	2	100.00%	-	-	
16+			-	-	1	100.00%	-	-	
6-10			21	100.00%	-	-	-	-	
Total			53	94.64%	3	5.36%	-	-	56
HLTNOSL01		0-5	24	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	40	95.24%	2	4.76%	-	-	42
HLTNOC01		0-5	18	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	35	94.59%	2	5.41%	-	-	37
HLTNOTS01		0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	29	93.55%	2	6.45%	-	-	31
Total			157	94.58%	9	5.42%	-	-	166
Halton, Region Of (HLTNSS04)		HLTNSS04	0-5	10	100.00%	-	-	-	-
	Total		10	100.00%	-	-	-	-	10
Total		10	100.00%	-	-	-	-	10	
Halton, Region Of (HLTNT01)	HLTNT01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
Total		17	100.00%	-	-	-	-	17	
Halton, Region Of (HMTOBM)	HMTBSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HMTBTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		2	100.00%	-	-	-	-	2	
Hamilton , Township Of (HML01)	HML01	0-5	69	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	69	95.83%	-	-	3	4.17%	72
Total		69	95.83%	-	-	3	4.17%	72	
Hamilton Community Energy (HCE1)	HCE1	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
Total		6	85.71%	1	14.29%	-	-	7	
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hamilton Health Sciences (HHSCH01)	HHSCH01	6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total	4	80.00%	1	20.00%	-	-	5	
Hamilton, City Of (CH01)	CH01	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	134	97.81%	3	2.19%	-	-	
		Total	171	90.96%	16	8.51%	1	0.53%	188
	Total	171	90.96%	16	8.51%	1	0.53%	188	
Hamilton, City Of (HHP3)	HHP3	0-5	497	100.00%	-	-	-	-	
		11-15	-	-	348	100.00%	-	-	
		16+	-	-	53	100.00%	-	-	
		6-10	160	38.55%	255	61.45%	-	-	
	Total	657	50.04%	656	49.96%	-	-	1313	
Total	657	50.04%	656	49.96%	-	-	1,313		
Hamilton, City Of (HW01)	HW01	0-5	402	100.00%	-	-	-	-	
		11-15	-	-	355	100.00%	-	-	
		16+	-	-	52	100.00%	-	-	
		6-10	183	52.44%	166	47.56%	-	-	
	Total	585	50.52%	573	49.48%	-	-	1158	
	HW02	0-5	8	100.00%	-	-	-	-	
	Total	8	100.00%	-	-	-	-	8	
Total	593	50.86%	573	49.14%	-	-	1,166		
Hanover , Town Of (HNVR01)	HNVR01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	40	97.56%	1	2.44%	-	-	41	
Total	40	97.56%	1	2.44%	-	-	41		
Harold And Grace Baker Centre (DPME01)	DPME01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	-	1	100.00%	1	
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	7	87.50%	-	-	1	12.50%	8	
Total	7	87.50%	-	-	1	12.50%	8		
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	16.67%	5	83.33%	-	-	
	Total	41	82.00%	7	14.00%	2	4.00%	50	
	HWKBSL01	0-5	49	100.00%	-	-	-	-	
	6-10	1	100.00%	-	-	-	-		
Total	50	100.00%	-	-	-	-	50		
Total	91	91.00%	7	7.00%	2	2.00%	100		
Hay Communications (H123)	H003	0-5	176	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	188	100.00%	-	-	-	-	188	
Total	188	100.00%	-	-	-	-	188		
Hce Telecom (HCEHN01)	HCEHN01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hce Telecom (HCEHN01)	HCEHN01	6-10	45	100.00%	-	-	-	-	
		Total	66	91.67%	6	8.33%	-	-	72
		Total	66	91.67%	6	8.33%	-	-	72
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	11
Hearst Power (HRSTP01)	HRSTP01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	3	33.33%	6	66.67%	-	-	
		Total	44	78.57%	7	12.50%	5	8.93%	56
		Total	44	78.57%	7	12.50%	5	8.93%	56
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	44	95.65%	-	-	2	4.35%	46
		Total	44	95.65%	-	-	2	4.35%	46
Highbury Canco Corp (HGHBRY01)	HGHBRY01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	57.14%	-	-	3	42.86%	7
Total	4	57.14%	-	-	3	42.86%	7		
Highlands East, Municipality Of (HLNDE01)	HLNDE01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	33.33%	1	33.33%	1	33.33%	3
Total	1	33.33%	1	33.33%	1	33.33%	3		
Hilton Beach, Village Of (HIBE01)	HIBE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Home Hardware Stores Ltd (HHSF01)	HHSF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Homewood Health Services (HOMHS01)	HOMHS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Hornepayne , Township Of (HRP01)	HRP01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	5
Horton, Township Of (HRTS01)	HRTS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	35	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	37	94.87%	2	5.13%	-	-	39
		Total	37	94.87%	2	5.13%	-	-	39
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	28	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
		Total	28	100.00%	-	-	-	-	28
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Huron East, Municipality Of (HURNE01)	HURNE01	6-10	11	78.57%	3	21.43%	-	-	
		Total	40	90.91%	4	9.09%	-	-	44
	Total	40	90.91%	4	9.09%	-	-	44	
Huron Shores , Municipality Of (HRN5501)	HRN5501	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total	-	-	2	100.00%	-	-	2	
Huron, County Of (HRN123)	HRN01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	HRN02	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	HRN03	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	HRN04	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	8	66.67%	2	16.67%	2	16.67%	12	
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	61	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	Total	63	100.00%	-	-	-	-	63	
Hurontel (HTEL01)	HTEL01	0-5	285	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	4	16.67%	20	83.33%	
		6-10	60	75.95%	19	24.05%	-	-	
		Total	345	86.90%	32	8.06%	20	5.04%	397
	Total	345	86.90%	32	8.06%	20	5.04%	397	
Hydro 2000 (H200001)	H200001	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
Total	15	100.00%	-	-	-	-	15		
Hydro Embrun (EMBRH01)	EMBRH01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	54	85.71%	2	3.17%	7	11.11%	63
	Total	54	85.71%	2	3.17%	7	11.11%	63	
Hydro Hawkesbury (HHI01)	HHI01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	37.50%	5	62.50%	-	-	
		Total	39	78.00%	10	20.00%	1	2.00%	50
	Total	39	78.00%	10	20.00%	1	2.00%	50	
Hydro One Networks Inc (HH123)	HOBRA01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	18	90.00%	1	5.00%	1	5.00%	20
	HOFS01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		Total	74	80.43%	9	9.78%	9	9.78%	92
	HOHAM01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (HH123)	HOHAM01	16+	-	-	-	-	1	100.00%	
		Total	16	88.89%	1	5.56%	1	5.56%	18
	HOKIT01	11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	1	50.00%	1	50.00%	-	-	2	
	HOMAR01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HOMIS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
	Total	3	60.00%	-	-	-	2	40.00%	5
	HOPIC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOTOR01	0-5	183	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	6	31.58%	13	68.42%	
		6-10	15	75.00%	5	25.00%	-	-	
		Total	198	80.82%	34	13.88%	13	5.31%	245
	HOVAU01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	1	50.00%	1	50.00%	-	-	2	
	HOWHI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	O0052	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	OH20	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
Total		68	80.95%	16	19.05%	-	-	84	
OH30	0-5	8	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	9	100.00%	-	-	-	-	9	
Total		419	82.48%	63	12.40%	26	5.12%	508	
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	36	90.00%	4	10.00%	-	-	40
Total		36	90.00%	4	10.00%	-	-	40	
Hydro One Networks Inc (H1DX)	H1DCHP01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	H1DGE01	0-5	1,514	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	630	98.59%	9	1.41%	-	-	
		Total	2,144	98.12%	41	1.88%	-	-	2185
	H1DGN01	0-5	1,185	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	362	99.45%	2	0.55%	-	-	
	Total	1,547	98.54%	23	1.46%	-	-	1570	
	H1DGN02	0-5	933	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	28	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DGN02	6-10	261	100.00%	-	-	-	-	
		Total	1,194	97.63%	29	2.37%	-	-	1223
	H1DGN02	0-5	584	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	284	96.93%	9	3.07%	-	-	
		Total	868	95.07%	45	4.93%	-	-	913
	H1DHN01	0-5	1,238	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	28	96.55%	1	3.45%	
		6-10	352	87.78%	49	12.22%	-	-	
	Total	1,590	92.77%	123	7.18%	1	0.06%	1714	
	H1DMOO01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	H1DOE01	0-5	4,038	100.00%	-	-	-	-	
		11-15	-	-	107	98.17%	2	1.83%	
		16+	-	-	21	32.31%	44	67.69%	
		6-10	1,697	97.42%	45	2.58%	-	-	
	Total	5,735	96.32%	173	2.91%	46	0.77%	5954	
	H1DONE01	0-5	1,727	100.00%	-	-	-	-	
		11-15	-	-	53	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	750	91.35%	71	8.65%	-	-	
	Total	2,477	95.12%	125	4.80%	2	0.08%	2604	
	H1DONW02	0-5	191	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	112	100.00%	-	-	-	-	
Total	303	98.06%	6	1.94%	-	-	309		
H1DOS01	0-5	2,185	100.00%	-	-	-	-		
	11-15	-	-	66	100.00%	-	-		
	16+	-	-	13	59.09%	9	40.91%		
	6-10	1,264	95.61%	58	4.39%	-	-		
Total	3,449	95.94%	137	3.81%	9	0.25%	3595		
H1DOW01	0-5	3,943	100.00%	-	-	-	-		
	11-15	-	-	28	96.55%	1	3.45%		
	16+	-	-	3	60.00%	2	40.00%		
	6-10	1,244	97.49%	32	2.51%	-	-		
Total	5,187	98.74%	63	1.20%	3	0.06%	5253		
H1DTBY01	0-5	98	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	7	46.67%	8	53.33%		
	6-10	14	93.33%	1	6.67%	-	-		
Total	112	85.50%	11	8.40%	8	6.11%	131		
H1DX07	0-5	316	100.00%	-	-	-	-		
	11-15	-	-	9	100.00%	-	-		
	16+	-	-	29	100.00%	-	-		
	6-10	28	41.18%	40	58.82%	-	-		
Total	344	81.52%	78	18.48%	-	-	422		
Total		24,960	96.43%	854	3.30%	69	0.27%	25,883	
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	143	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	117	100.00%	-	-	-	-	
	Total	260	98.11%	5	1.89%	-	-	265	
Total		260	98.11%	5	1.89%	-	-	265	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	281	100.00%	-	-	-	-		
		6-10	104	100.00%	-	-	-	-		
		Total	385	100.00%	-	-	-	-	385	
	Total		385	100.00%	-	-	-	-	385	
Hydro One Remote Communities Inc (HYR01)	HYR01	16+	-	-	-	-	2	100.00%		
		Total	-	-	-	-	2	100.00%	2	
	Total		-	-	-	-	2	100.00%	2	
Hydro Ottawa (HOT1)	HOT1	0-5	3,474	100.00%	-	-	-	-		
		11-15	-	-	105	100.00%	-	-		
		16+	-	-	16	100.00%	-	-		
		6-10	1,529	97.08%	46	2.92%	-	-		
		Total	5,003	96.77%	167	3.23%	-	-	5170	
	HOT2	0-5	248	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	63	100.00%	-	-	-	-		
	Total	311	99.36%	2	0.64%	-	-	313		
	Total		5,314	96.92%	169	3.08%	-	-	5,483	
	Ignace , Township Of (IGN01)	IGN01	0-5	14	100.00%	-	-	-	-	
			11-15	-	-	2	100.00%	-	-	
16+			-	-	-	-	2	100.00%		
6-10			1	100.00%	-	-	-	-		
Total		15	78.95%	2	10.53%	2	10.53%	19		
Total		15	78.95%	2	10.53%	2	10.53%	19		
Imperial Oil Pipelines (I002)	I002	0-5	169	100.00%	-	-	-	-		
		11-15	-	-	10	100.00%	-	-		
		16+	-	-	54	100.00%	-	-		
		6-10	13	100.00%	-	-	-	-		
	Total	182	73.98%	64	26.02%	-	-	246		
Total		182	73.98%	64	26.02%	-	-	246		
Imperial Oil Pipelines (I003)	I003	0-5	4	100.00%	-	-	-	-		
		Total	4	100.00%	-	-	-	-	4	
	Total		4	100.00%	-	-	-	-	4	
Imperial Oil Pipelines (I004)	I004	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	Total		1	100.00%	-	-	-	-	1	
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	-	-	2	100.00%		
		Total	-	-	-	-	2	100.00%	2	
	Total		-	-	-	-	2	100.00%	2	
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	2	100.00%	-	-	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	1	100.00%	-	-	-	-		
		Total	3	75.00%	-	-	1	25.00%	4	
	Total		3	75.00%	-	-	1	25.00%	4	
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	13	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
		Total	16	100.00%	-	-	-	-	16	
	Total		16	100.00%	-	-	-	-	16	
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	68	100.00%	-	-	-	-		
		11-15	-	-	10	100.00%	-	-		
		6-10	14	87.50%	2	12.50%	-	-		
		Total	82	87.23%	12	12.77%	-	-	94	
	Total		82	87.23%	12	12.77%	-	-	94	
Innisfil, Town Of (INFL01)	INFL01	0-5	222	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Innisfil, Town Of (INFL01)	INFL01	6-10	23	100.00%	-	-	-	-	
		Total	245	100.00%	-	-	-	-	245
	Total		245	100.00%	-	-	-	-	245
Innpower (INSFH01)	INSFH01	0-5	394	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	433	100.00%	-	-	-	-	433
	Total		433	100.00%	-	-	-	-	433
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	50	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	69	98.57%	1	1.43%	-	-	70
	Total		69	98.57%	1	1.43%	-	-	70
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	28.57%	5	71.43%	-	-	
		Total	30	81.08%	5	13.51%	2	5.41%	37
	IRQFSL01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	31	83.78%	6	16.22%	-	-	37
		Total		61	82.43%	11	14.86%	2	2.70%
James, Township Of (JAMES01)	JAMES01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Johnson, Township Of (JHSNW01)	JHSNW01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
K2 Wind Farm Ontario (K2WF01)	K2WF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	4
	Total		2	50.00%	-	-	2	50.00%	4
Kapusking, Town Of (KAP01)	KAP01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	80	86.02%	1	1.08%	12	12.90%	93
	Total		80	86.02%	1	1.08%	12	12.90%	93
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	71	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
	KWLKWS01	0-5	204	100.00%	-	-	-	-	
		6-10	31	96.88%	1	3.13%	-	-	
		Total	235	99.58%	1	0.42%	-	-	236
Total		324	99.69%	1	0.31%	-	-	325	
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	9	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Kearney, Town Of (KRNY01)	KRNY01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Kenora, City Of (KNRA123)	KNRA01	0-5	47	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	51	92.73%	2	3.64%	2	3.64%	55
	KNRASL01	0-5	8	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	10	100.00%	-	-	-	-	10	
	KNRAST01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	42	97.67%	-	-	1	2.33%	43	
Total		103	95.37%	2	1.85%	3	2.78%	108	
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	14	93.33%	-	-	1	6.67%	15	
Total		14	93.33%	-	-	1	6.67%	15	
Killarney, Municipality Of (KLNWS01)	KLNWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
Total		2	66.67%	-	-	1	33.33%	3	
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	85	100.00%	-	-	-	-	
		Total	85	100.00%	-	-	-	-	85
	Total		85	100.00%	-	-	-	-	85
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	3	75.00%	1	25.00%	-	-	4	
Total		3	75.00%	1	25.00%	-	-	4	
King , Township Of (KNGWS01)	KNGSL01	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	48	97.96%	1	2.04%	-	-	
	Total	202	96.65%	5	2.39%	2	0.96%	209	
	KNGWS01	0-5	156	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
Total	160	97.56%	1	0.61%	3	1.83%	164		
Total		362	97.05%	6	1.61%	5	1.34%	373	
Kings University College (KUC01)	KUC01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kingsbridge Wind Farm (K1WF01)	K1WF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingston General Hospital (KGH01)	KGH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kingsville, Town Of (TK01)	TK01	0-5	180	100.00%	-	-	-	-	
		Total	180	100.00%	-	-	-	-	180
	Total	180	100.00%	-	-	-	-	180	
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	56	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	56	98.25%	1	1.75%	-	-	57	
	Total	56	98.25%	1	1.75%	-	-	57	
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	237	100.00%	-	-	-	-	
		6-10	75	98.68%	1	1.32%	-	-	
	Total	312	99.68%	1	0.32%	-	-	313	
	Total	312	99.68%	1	0.32%	-	-	313	
Kitchener Utilities (KU02)	KU02	0-5	1,014	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
	16+	-	-	7	87.50%	1	12.50%		
	6-10	256	99.61%	1	0.39%	-	-		
	Total	1,270	99.14%	10	0.78%	1	0.08%	1281	
	Total	1,270	99.14%	10	0.78%	1	0.08%	1,281	
Kitchener, The City Of (KITS01)	KITS01	0-5	481	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	16+	-	-	2	66.67%	1	33.33%		
	6-10	421	99.76%	1	0.24%	-	-		
	Total	902	99.45%	4	0.44%	1	0.11%	907	
Total	902	99.45%	4	0.44%	1	0.11%	907		
KRUGER ENERGY CHATHAM LP (KEC01)	KEC01	16+	-	-	8	100.00%	-	-	
		Total	-	-	8	100.00%	-	-	8
Total	-	-	8	100.00%	-	-	8		
KRUGER ENERGY PORT ALMA LP (KEPA01)	KEPA01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total	-	-	1	100.00%	-	-	1		
Kwic Internet (KWIC01)	KWIC01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total	14	100.00%	-	-	-	-	14	
Lagasco Inc (TP01)	TP01	0-5	7	100.00%	-	-	-	-	
		6-10	12	70.59%	5	29.41%	-	-	
	Total	19	79.17%	5	20.83%	-	-	24	
	Total	19	79.17%	5	20.83%	-	-	24	
Lagasco Limited (L002)	L002	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
	16+	-	-	-	-	1	100.00%		
	6-10	8	100.00%	-	-	-	-		
	Total	12	80.00%	2	13.33%	1	6.67%	15	
Total	12	80.00%	2	13.33%	1	6.67%	15		
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	11	100.00%	11
	Total	-	-	-	-	11	100.00%	11	
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	103	100.00%	-	-	-	-	
		6-10	54	100.00%	-	-	-	-	
	Total	157	100.00%	-	-	-	-	157	
	Total	157	100.00%	-	-	-	-	157	
Lakefront Utilities (LUSI123)	COLBH01	0-5	12	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
	Total	23	100.00%	-	-	-	-	23	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lakefront Utilities (LUSI123)	LUSIH01	0-5	101	100.00%	-	-	-	-	
		6-10	56	100.00%	-	-	-	-	
		Total	157	100.00%	-	-	-	-	157
	Total		180	100.00%	-	-	-	-	180
Lakeland Networks (LKLNN01)	LKLNN01	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	58	98.31%	1	1.69%	-	-	
	Total	184	98.40%	3	1.60%	-	-	187	
Total		184	98.40%	3	1.60%	-	-	187	
Lakeland Power (LKLNP123)	LKLNP01	0-5	134	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	98	98.00%	2	2.00%	-	-	
	Total	232	98.72%	3	1.28%	-	-	235	
Total		232	98.72%	3	1.28%	-	-	235	
Lakeshore, Municipality Of (TOL123)	B002	0-5	263	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	264	100.00%	-	-	-	-	264	
Total		264	100.00%	-	-	-	-	264	
Lakeview Water System (LKVWW01)	LKVWW01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	19	95.00%	-	-	-	1	5.00%	20
Total		19	95.00%	-	-	1	5.00%	20	
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	97	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	99	97.06%	2	1.96%	1	0.98%	102	
Total		99	97.06%	2	1.96%	1	0.98%	102	
Lambton County (LMBTN01)	LMBTN01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	3	75.00%	1	25.00%	-	-	4	
Total		3	75.00%	1	25.00%	-	-	4	
Lambton Shores, Municipality Of (F001)	F001	0-5	148	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	76.47%	4	23.53%	-	-	
	Total	161	96.41%	4	2.40%	2	1.20%	167	
Total		161	96.41%	4	2.40%	2	1.20%	167	
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	6	100.00%	-	-	-	-	6	
Total		6	100.00%	-	-	-	-	6	
Lanark Highlands , Township Of (LNKH01)	LNKH01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
Total		-	-	-	-	6	100.00%	6	
Lanark, County Of (LNRK01)	LNRK01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	12	100.00%	-	-	-	-	12	
Total		12	100.00%	-	-	-	-	12	
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
Total		-	-	-	-	6	100.00%	6	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Larder Lake , Township Of (LRL01)	LRL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lasalle , Town Of (LSL01)	LSL01	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	40	100.00%	-	-	-	-	
		Total	152	98.70%	2	1.30%	-	-	154
	Total		152	98.70%	2	1.30%	-	-	154
Latchford , Town Of (LTFWSS01)	LTFWSS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	15	100.00%	
		Total	-	-	-	-	15	100.00%	15
	Total		-	-	-	-	15	100.00%	15
Laurentian University (LRTU01)	LRTU01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Leamington Water Services (L001)	L001	0-5	201	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		Total	201	97.10%	5	2.42%	1	0.48%	207
	Total		201	97.10%	5	2.42%	1	0.48%	207
Leamington, Municipality Of (LS01)	LS01	0-5	168	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	168	99.41%	-	-	1	0.59%	169
	Total		168	99.41%	-	-	1	0.59%	169
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
	Total	51	92.73%	4	7.27%	-	-	55	
Total		51	92.73%	4	7.27%	-	-	55	
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	LDTI02	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total		-	-	-	-	8	100.00%	8	
Lennox And Addington, County Of (LXA123)	LXA01	0-5	12	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total		14	93.33%	1	6.67%	-	-	15
Levant Exploration And Production Corp (RR01)	RR01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Limestone District School Board	LDSB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lincoln, Town Of (LINWS01)	LINWS01	0-5	167	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	174	98.86%	2	1.14%	-	-	176
		Total	174	98.86%	2	1.14%	-	-	176
Linde - Mississauga (PXRPL02)	PXRPL02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	33.33%	4	66.67%	
		Total	1	14.29%	2	28.57%	4	57.14%	7
		Total	1	14.29%	2	28.57%	4	57.14%	7
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	17	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
		Total	19	100.00%	-	-	-	-	19
London District Energy (TG01)	TG01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	47	90.38%	5	9.62%	-	-	52
		Total	47	90.38%	5	9.62%	-	-	52
London Health Sciences (LHS1)	LHS1	16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	2
		Total	1	50.00%	-	-	1	50.00%	2
London Hydro (L003)	L003	0-5	1,124	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	404	98.78%	5	1.22%	-	-	
		Total	1,528	98.33%	26	1.67%	-	-	1554
	LHDL01	16+	-	-	-	-	32	100.00%	
	Total	1,528	96.34%	26	1.64%	32	2.02%	1,586	
London, City Of (LN01)	LN01	0-5	1,162	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	581	99.15%	5	0.85%	-	-	
		Total	1,743	98.31%	26	1.47%	4	0.23%	1773
		Total	1,743	98.31%	26	1.47%	4	0.23%	1,773
London, City Of (LN02)	LN02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Long Point Provincial Park (LPPP01)	LPPP01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2
Loyalist Township (LYST123)	LYSTBS6	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	35	97.22%	-	-	1	2.78%	36
	LYSTBW5	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	35	97.22%	-	-	1	2.78%	36

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Loyalist Township (LYST123)	LYSTEL4	0-5	56	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	77	100.00%	-	-	-	-	77
	LYSTFW1	0-5	59	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	LYSTLES2	0-5	58	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	LYSTSTM3	0-5	77	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	103	100.00%	-	-	-	-	103
Total			397	99.50%	-	-	2	0.50%	399
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	14.29%	12	85.71%	
		6-10	17	73.91%	6	26.09%	-	-	
		Total	73	73.74%	14	14.14%	12	12.12%	99
Total			73	73.74%	14	14.14%	12	12.12%	99
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	16+	-	-	1	50.00%	1	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	66.67%	1	33.33%	3
Total			-	-	2	66.67%	1	33.33%	3
Machin, Municipality Of (MCHW01)	MCHW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	4	100.00%	4
Total			-	-	-	-	4	100.00%	4
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	14	100.00%	14
Total			-	-	-	-	14	100.00%	14
Malahide, Township Of (MLHD01)	MLHD01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
Total			9	90.00%	1	10.00%	-	-	10
Manitouwadge , Township Of (MTW01)	MTW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total			-	-	-	-	2	100.00%	2
Mapleton , Township Of (MPLT01)	MPLT01	0-5	18	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
Total			19	100.00%	-	-	-	-	19
Marathon, Town Of (MRTH01)	MRTH01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	81.82%	-	-	2	18.18%	11
Total			9	81.82%	-	-	2	18.18%	11
Markham " Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	255	100.00%	-	-	-	-	
		6-10	175	100.00%	-	-	-	-	
		Total	430	100.00%	-	-	-	-	430
Total			430	100.00%	-	-	-	-	430
Markham District Energy (MDE01)	MDE01	0-5	20	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Markham District Energy (MDE01)	MDE01	16+	-	-	-	-	1	100.00%	
		Total	20	95.24%	-	-	1	4.76%	21
	Total	20	95.24%	-	-	1	4.76%	21	
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	249	100.00%	-	-	-	-	
		6-10	173	100.00%	-	-	-	-	
		Total	422	100.00%	-	-	-	-	422
	Total	422	100.00%	-	-	-	-	422	
Markstay Warren , Municipality Of (MKW01)	MKW01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	3	27.27%	1	9.09%	7	63.64%	11
	Total	3	27.27%	1	9.09%	7	63.64%	11	
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total	10	100.00%	-	-	-	-	10	
Marwood Metals (MARWDF01)	MARWDF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Matachewan, Township Of (MTCWWS01)	MTCWWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	9	100.00%	-	-	
		Total	-	-	9	100.00%	-	-	9
	Total	-	-	9	100.00%	-	-	9	
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Mcgarry, Township Of (MCGWS01)	MCGWS01	16+	-	-	6	100.00%	-	-	
		Total	-	-	6	100.00%	-	-	6
	Total	-	-	6	100.00%	-	-	6	
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	66	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	66	91.67%	6	8.33%	-	-	72
	Total	66	91.67%	6	8.33%	-	-	72	
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	45	80.36%	11	19.64%	-	-	56
	Total	45	80.36%	11	19.64%	-	-	56	
Melancthon Windfarm (MELWF01)	MELWF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	16	80.00%	4	20.00%	
		Total	-	-	16	80.00%	4	20.00%	20
		Total	-	-	16	80.00%	4	20.00%	20
Metalore Resources (MTLORE01)	MTLORE01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	11
Metro Fibrewerx (MFWX01)	MFWX01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	6	60.00%	4	40.00%	-	-	
		Total	60	90.91%	6	9.09%	-	-	66
		Total	60	90.91%	6	9.09%	-	-	66
Middlesex, County Of (MDSX01)	MDSX01	0-5	55	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	55	98.21%	1	1.79%	-	-	56
Total	55	98.21%	1	1.79%	-	-	56		
Midland, Town Of (MIDLND01)	MIDLND01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	38	97.44%	-	-	1	2.56%	39
		Total	38	97.44%	-	-	1	2.56%	39
Midland, Town Of (MIDLND03)	MIDLND03	0-5	36	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
Total	36	97.30%	1	2.70%	-	-	37		
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	MLTSS01	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	96	96.97%	3	3.03%	-	-	99
		Total	105	96.33%	4	3.67%	-	-	109
MILTON HYDRO (MH123)	MHHN01	0-5	429	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	6	66.67%	3	33.33%	
		6-10	104	100.00%	-	-	-	-	
		Total	533	96.21%	18	3.25%	3	0.54%	554
Total	533	96.21%	18	3.25%	3	0.54%	554		
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
		Total	12	100.00%	-	-	-	-	12
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	59	98.33%	-	-	1	1.67%	60
Total	59	98.33%	-	-	1	1.67%	60		
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	593	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mississauga, City Of (MSGAS01)	MSGAS01	6-10	64	100.00%	-	-	-	-	
		Total	657	100.00%	-	-	-	-	657
	Total		657	100.00%	-	-	-	-	657
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	169	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	111	99.11%	1	0.89%	-	-	
		Total	280	98.94%	3	1.06%	-	-	283
	Total		280	98.94%	3	1.06%	-	-	283
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	6	75.00%	2	25.00%	
		Total	59	88.06%	6	8.96%	2	2.99%	67
	Total		59	88.06%	6	8.96%	2	2.99%	67
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	607	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	941	99.16%	8	0.84%	-	-	949
	MNSI02	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		944	99.16%	8	0.84%	-	-	952
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	30	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	32	96.97%	1	3.03%	-	-	33
	Total		32	96.97%	1	3.03%	-	-	33
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	7	100.00%	-	-	
		Total	19	70.37%	8	29.63%	-	-	27
	Total		19	70.37%	8	29.63%	-	-	27
Mono , Town Of (MNO123)	MNO01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	6	75.00%	2	25.00%	
		Total	5	33.33%	8	53.33%	2	13.33%	15
	MNOSL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	11	91.67%	1	8.33%	
		Total	2	13.33%	12	80.00%	1	6.67%	15
Total		7	23.33%	20	66.67%	3	10.00%	30	
Montague , Township Of (MTG01)	MTG01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Moonbeam , Township Of (MBM01)	MBM01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	4	66.67%	2	33.33%	6
	Total		-	-	4	66.67%	2	33.33%	6
Moose Factory Service Board (MFSB01)	MFSB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Moosonee , Town Of (MSN01)	MSN01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Mornington Communications (MORNT01)	MORNT01	0-5	137	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	-	-	20	100.00%	
		6-10	31	43.66%	40	56.34%	-	-	
		Total	168	68.29%	58	23.58%	20	8.13%	246
	Total		168	68.29%	58	23.58%	20	8.13%	246
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	MRTW01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total		17	94.44%	1	5.56%	-	-	18	
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Mulmur , Township Of (MLMW01)	MLMW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
MULTIVIEW FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	551	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	553	98.75%	7	1.25%	-	-	560
	Total		553	98.75%	7	1.25%	-	-	560
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	6	54.55%	5	45.45%	
		6-10	25	89.29%	3	10.71%	-	-	
		Total	109	69.43%	43	27.39%	5	3.18%	157
	MUSKWS04	0-5	69	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	77	88.51%	6	6.90%	4	4.60%	87
	MUSKWS05	0-5	70	100.00%	-	-	-	-	
		16+	-	-	6	27.27%	16	72.73%	
		Total	70	76.09%	6	6.52%	16	17.39%	92
	Total		256	76.19%	55	16.37%	25	7.44%	336
Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	11-15	-	-	6	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	8	57.14%	6	42.86%	-	-	14
	Total		8	57.14%	6	42.86%	-	-	14
Nairn And Hyman, Township Of (TNHW01)	TNHW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Nation, Municipality Of The (NATN01)	NATN01	16+	-	-	-	-	46	100.00%	
		Total	-	-	-	-	46	100.00%	46
	Total		-	-	-	-	46	100.00%	46

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Net Optiks	BPNOFC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	41	97.62%	1	2.38%	-	-	42
	Total		41	97.62%	1	2.38%	-	-	42
Netflash Internet Solutions (NISF01)	NISF01	0-5	12	100.00%	-	-	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	Total		23	95.83%	1	4.17%	-	-	24
Netsolid Internet Solutions Inc	NETSLD01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	316	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	330	99.70%	1	0.30%	-	-	331
	Total		330	99.70%	1	0.30%	-	-	331
Newbury, Village Of (NWBWS01)	NWBWS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Newmarket, Town Of (NMK01)	NMK01	0-5	121	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	135	97.12%	4	2.88%	-	-	139
	Total		135	97.12%	4	2.88%	-	-	139
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	276	100.00%	-	-	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	303	100.00%	-	-	-	-	303
	Total		303	100.00%	-	-	-	-	303
Niagara Falls, City Of (NFS01)	NFS01	0-5	421	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	376	99.73%	1	0.27%	-	-	
		Total	797	98.40%	13	1.60%	-	-	810
	Total		797	98.40%	13	1.60%	-	-	810
Niagara Parks Commission (NPC01)	NPC01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	47	94.00%	3	6.00%	-	-	50
	Total		47	94.00%	3	6.00%	-	-	50
Niagara Peninsula Energy (NFH01)	NFH01	0-5	483	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	339	99.71%	1	0.29%	-	-	
		Total	822	98.92%	9	1.08%	-	-	831
	Total		822	98.92%	9	1.08%	-	-	831
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	809	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
	Total		-	-	7	91.43%	1	14.29%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Niagara Region Water Sanitary Storm (RN01)	RN01	6-10	90	100.00%	-	-	-	-	
		Total	899	99.12%	7	0.77%	1	0.11%	907
	Total	899	99.12%	7	0.77%	1	0.11%	907	
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	16	80.00%	2	10.00%	2	10.00%	20	
Total	16	80.00%	2	10.00%	2	10.00%	20		
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	241	100.00%	-	-	-	-	
		6-10	193	100.00%	-	-	-	-	
	Total	434	100.00%	-	-	-	-	434	
Total	434	100.00%	-	-	-	-	434		
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	387	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	9.09%	10	90.91%	
		6-10	41	89.13%	5	10.87%	-	-	
	Total	428	95.75%	9	2.01%	10	2.24%	447	
Total	428	95.75%	9	2.01%	10	2.24%	447		
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	209	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	72	100.00%	-	-	-	-	
	Total	281	99.65%	1	0.35%	-	-	282	
Total	281	99.65%	1	0.35%	-	-	282		
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	146	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
	Total	201	99.50%	1	0.50%	-	-	202	
Total	201	99.50%	1	0.50%	-	-	202		
Nipigon , Township Of (NIP01)	NIP01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
Total	12	100.00%	-	-	-	-	12		
Nor-Del (NORDEL01)	NORDEL01	0-5	208	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	19	95.00%	1	5.00%	-	-	
	Total	227	97.84%	1	0.43%	4	1.72%	232	
Total	227	97.84%	1	0.43%	4	1.72%	232		
Norfolk County (NFLK123)	NFLK01	0-5	527	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	25	86.21%	4	13.79%	-	-	
	Total	552	99.10%	5	0.90%	-	-	557	
Total	552	99.10%	5	0.90%	-	-	557		
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total	3	100.00%	-	-	-	-	3		
North Bay Hydro (NBH01)	NBH01	0-5	244	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	80	94.12%	5	5.88%	-	-	
	Total	324	96.43%	12	3.57%	-	-	336	
Total	324	96.43%	12	3.57%	-	-	336		
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	16+	-	-	-	-	3	100.00%	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	11	61.11%	3	16.67%	4	22.22%	18
	Total		11	61.11%	3	16.67%	4	22.22%	18
North Bay, City Of (NBWS01)	NBWS01	0-5	116	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	27	96.43%	1	3.57%	-	-	
		Total	143	92.86%	9	5.84%	2	1.30%	154
	Total		143	92.86%	9	5.84%	2	1.30%	154
North Dundas , Township Of (NDND123)	NDND01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	27	96.43%	-	-	1	3.57%	28
	NDND02	16+	-	-	34	91.89%	3	8.11%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	35	92.11%	3	7.89%	38
Total		27	40.91%	35	53.03%	4	6.06%	66	
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	242	100.00%	-	-	-	-	
		11-15	-	-	80	100.00%	-	-	
		16+	-	-	-	-	21	100.00%	
		6-10	78	50.00%	78	50.00%	-	-	
		Total	320	64.13%	158	31.66%	21	4.21%	499
	Total		320	64.13%	158	31.66%	21	4.21%	499
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	30	90.91%	2	6.06%	1	3.03%	33
	Total		30	90.91%	2	6.06%	1	3.03%	33
North Grenville , Municipality Of (NGR01)	NGR01	0-5	66	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	72	96.00%	-	-	3	4.00%	75
	Total		72	96.00%	-	-	3	4.00%	75
North Huron, Township Of (NHURON01)	NHURON01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	17	77.27%	1	4.55%	4	18.18%	22
	Total		17	77.27%	1	4.55%	4	18.18%	22
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	9	100.00%	-	-	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total		14	93.33%	1	6.67%	-	-	15
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	53	100.00%	
		Total	-	-	-	-	54	100.00%	54
	Total		-	-	-	-	54	100.00%	54
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	60	96.77%	-	-	2	3.23%	62
	Total		60	96.77%	-	-	2	3.23%	62
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	266	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	6.25%	15	93.75%	
	Total								

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Renfrew Telecom Company (NRTC01)	NRTC01	6-10	18	90.00%	2	10.00%	-	-	
		Total	284	92.81%	7	2.29%	15	4.90%	306
	Total		284	92.81%	7	2.29%	15	4.90%	306
North Shore, Township Of the (NSR01)	NSR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
North Stormont , Township Of (NST01)	NST01	16+	-	-	21	91.30%	2	8.70%	
		Total	-	-	21	91.30%	2	8.70%	23
	Total		-	-	21	91.30%	2	8.70%	23
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	1	100.00%	-	-	-	-	
		6-10	-	-	4	100.00%	-	-	
		Total	1	20.00%	4	80.00%	-	-	5
	Total		1	20.00%	4	80.00%	-	-	5
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	18	90.00%	-	-	2	10.00%	20
	Total		18	90.00%	-	-	2	10.00%	20
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	116	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	116	98.31%	2	1.69%	-	-	118
	Total		116	98.31%	2	1.69%	-	-	118
Northern Rural Networks (NRN01)	NRN01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
Northern Tel Limited Partnership (NT01)	NT01	0-5	222	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	23	50.00%	23	50.00%	-	-	
		Total	245	83.05%	50	16.95%	-	-	295
Total		245	83.05%	50	16.95%	-	-	295	
Northumberland County (NRHB01)	NRHBSL01	0-5	2	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	NRHBSL02	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	NRHBSS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	22	100.00%	-	-	-	-	
		Total	30	96.77%	-	-	1	3.23%	31
	NRHBSS02	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	NRHBTS01	0-5	2	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
Total		8	100.00%	-	-	-	-	8	
NRHBTS02	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total		55	98.21%	-	-	1	1.79%	56	
Norwich , Township Of (NRW01)	NRW01	0-5	66	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Norwich , Township Of (NRW01)	NRW01	6-10	7	53.85%	6	46.15%	-	-	
		Total	73	92.41%	6	7.59%	-	-	79
	Total	73	92.41%	6	7.59%	-	-	79	
Nova Chemicals Corporation (N001)	N001	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total	6	85.71%	1	14.29%	-	-	7	
NT Power	NTPWR01	0-5	473	100.00%	-	-	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	515	100.00%	-	-	-	-	515
	Total	515	100.00%	-	-	-	-	515	
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	1,153	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	346	98.02%	7	1.98%	-	-	
		Total	1,499	98.10%	29	1.90%	-	-	1528
	Total	1,499	98.10%	29	1.90%	-	-	1,528	
Oakville, Town Of (OAK123)	OAKBS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	21	91.30%	2	8.70%	-	-	23
	OAKSS01	0-5	1,179	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1,382	98.22%	25	1.78%	-	-	1407
	OAKTS01	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	221	95.26%	11	4.74%	-	-	232
	Total	1,624	97.71%	38	2.29%	-	-	1,662	
	Oil Springs, Village Of (OSWS01)	OSWS01	0-5	7	100.00%	-	-	-	-
16+			-	-	-	-	3	100.00%	
Total		7	70.00%	-	-	3	30.00%	10	
Total	7	70.00%	-	-	3	30.00%	10		
Oliver Paipoonge , Municipality Of (OLVPPG01)	OLVPPG01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
On-Energy Corp (ONNRG01)	ONNRG01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
	Total	16	94.12%	-	-	1	5.88%	17	
Total	16	94.12%	-	-	1	5.88%	17		
Ontario Clean Water Agency (OCWAW01)	OCWAW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Ontario Power Generation - Darlington (OPGD1)	OPGD1	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	5	100.00%	-	-	-	-	8
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	OPGN2	11-15	-	-	1	100.00%	-	-	2
		16+	-	-	-	-	1	100.00%	
Total		-	-	1	50.00%	1	50.00%		
Total		8	80.00%	1	10.00%	1	10.00%	10	
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	36	100.00%	-	-	-	-	41
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	36	87.80%	5	12.20%	-	-	
	ONTERA02	0-5	7	100.00%	-	-	-	-	10
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	80.00%	2	20.00%	-	-	
	ONTERA03	0-5	30	100.00%	-	-	-	-	33
		11-15	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	31	93.94%	2	6.06%	-	-	
	ONTERA04	0-5	39	100.00%	-	-	-	-	49
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	43	87.76%	6	12.24%	-	-	
	ONTERA05	0-5	6	100.00%	-	-	-	-	9
		11-15	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	
	ONTERA06	0-5	43	100.00%	-	-	-	-	64
		16+	-	-	21	100.00%	-	-	
Total		43	67.19%	21	32.81%	-	-		
Total		168	81.55%	38	18.45%	-	-	206	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	122	100.00%	-	-	-	-	164
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	14	63.64%	8	36.36%	-	-	
	Total	136	82.93%	28	17.07%	-	-		
Total		136	82.93%	28	17.07%	-	-	164	
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	14	100.00%	-	-	-	-	49
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	29	90.63%	3	9.38%	-	-	
	Total	43	87.76%	6	12.24%	-	-		
Total		43	87.76%	6	12.24%	-	-	49	
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	131	100.00%	-	-	-	-	178
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
	Total	174	97.75%	4	2.25%	-	-		
Total		174	97.75%	4	2.25%	-	-	178	
Orangeville, Town Of (ORGV01)	ORGV01	0-5	107	100.00%	-	-	-	-	26
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	26	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Orangeville, Town Of (ORGV01)	ORGV01	6-10	4	100.00%	-	-	-	-	
		Total	111	75.00%	11	7.43%	26	17.57%	148
	Total	111	75.00%	11	7.43%	26	17.57%	148	
Orillia, City Of (ORIL123)	ORILSL01	0-5	18	100.00%	-	-	-	-	
		6-10	26	96.30%	1	3.70%	-	-	
		Total	44	97.78%	1	2.22%	-	-	45
	ORILTO1	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		6-10	54	83.08%	11	16.92%	-	-	
		Total	86	69.92%	37	30.08%	-	-	123
	ORILWS01	0-5	143	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	146	100.00%	-	-	-	-	146
Total	276	87.90%	38	12.10%	-	-	314		
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	33	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total	33	100.00%	-	-	-	-	33	
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	330	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	235	99.58%	1	0.42%	-	-	
		Total	565	98.26%	9	1.57%	1	0.17%	575
	OSHGE03	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	35	97.22%	1	2.78%	-	-	36
	Total	600	98.20%	10	1.64%	1	0.16%	611	
Oshawa, City Of - Catch Basins (OSH02)	OSH02	6-10	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Oshawa, City Of (OSH01)	OSH01	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	99	100.00%	-	-	-	-	
		Total	158	95.18%	8	4.82%	-	-	166
	Total	158	95.18%	8	4.82%	-	-	166	
Osler Bluff Ski-Club (OSBC01)	OSBC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		6-10	-	-	1	100.00%	-	-	
		Total	1	10.00%	6	60.00%	3	30.00%	10
	Total	1	10.00%	6	60.00%	3	30.00%	10	
Ottawa River Power (ORP01)	ORP01	0-5	98	100.00%	-	-	-	-	
		6-10	12	80.00%	3	20.00%	-	-	
		Total	110	97.35%	3	2.65%	-	-	113
	Total	110	97.35%	3	2.65%	-	-	113	
Ottawa River Power (ORP02)	ORP02	0-5	48	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
	Total	57	100.00%	-	-	-	-	57	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	2,326	100.00%	-	-	-	-	
		6-10	600	100.00%	-	-	-	-	
		Total	2,926	100.00%	-	-	-	-	2926
	Total		2,926	100.00%	-	-	-	-	2,926
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	682	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	53	100.00%	-	-	-	-	
	Total	735	98.66%	9	1.21%	1	0.13%	745	
Total		735	98.66%	9	1.21%	1	0.13%	745	
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	4,573	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	25	100.00%	-	-	-	-	
	Total	4,598	99.96%	2	0.04%	2	0.04%	4600	
Total		4,598	99.96%	-	-	2	0.04%	4,600	
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Owen Sound, City Of (OWSD01)	OWSD01	0-5	116	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	57.14%	3	42.86%	-	-	
	Total	120	96.77%	4	3.23%	-	-	124	
Total		120	96.77%	4	3.23%	-	-	124	
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	16	94.12%	1	5.88%	-	-	17	
Total		16	94.12%	1	5.88%	-	-	17	
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	8	88.89%	-	-	1	11.11%	9	
Total		8	88.89%	-	-	1	11.11%	9	
Oxford, County Of - Traffic (OXFTS01)	OXFTS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	8	80.00%	2	20.00%	-	-	10	
Total		8	80.00%	2	20.00%	-	-	10	
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	406	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
	Total	420	100.00%	-	-	-	-	420	
Total		420	100.00%	-	-	-	-	420	
Oxford, County Of (OXFSTM01)	OXFSTM01	16+	-	-	-	-	22	100.00%	
		Total	-	-	-	-	22	100.00%	22
	Total		-	-	-	-	22	100.00%	22
Packet Works (PWRKST01)	PWRKST01	0-5	8	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	10	100.00%	-	-	-	-	10	
Total		10	100.00%	-	-	-	-	10	
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	57	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	58	100.00%	-	-	-	-	58	
Total		58	100.00%	-	-	-	-	58	
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Parry Sound, Town Of (PYWS123)	PYWS01	16+	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	44	93.62%	3	6.38%	-	-	47
	PYWS02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
Total		45	90.00%	5	10.00%	-	-	50	
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	4	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Peel Region - Brampton Water (PCYWAT123)	PRBM02	0-5	415	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	21	91.30%	2	8.70%	
		6-10	626	99.84%	1	0.16%	-	-	
		Total	1,041	95.16%	51	4.66%	2	0.18%	1094
	PRBM03	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	111	98.23%	2	1.77%	-	-	
		Total	197	91.20%	19	8.80%	-	-	216
	PROC02	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	55	96.49%	2	3.51%	-	-	
		Total	125	87.41%	18	12.59%	-	-	143
	PROC03	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	88	86.27%	14	13.73%	-	-	102
	Total		1,451	93.31%	102	6.56%	2	0.13%	1,555
	Peel Region - Caledon Water (PCWAT123)	PBMC01	0-5	89	100.00%	-	-	-	-
11-15			-	-	3	100.00%	-	-	
16+			-	-	1	100.00%	-	-	
6-10			4	100.00%	-	-	-	-	
Total			93	95.88%	4	4.12%	-	-	97
POCWA05		0-5	21	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	37	92.50%	2	5.00%	1	2.50%	40
PRBM01		0-5	937	100.00%	-	-	-	-	
		11-15	-	-	41	100.00%	-	-	
		16+	-	-	26	89.66%	3	10.34%	
		6-10	913	99.56%	4	0.44%	-	-	
		Total	1,850	96.15%	71	3.69%	3	0.16%	1924
PROC01		0-5	115	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	87	95.60%	4	4.40%	-	-	
		Total	202	88.21%	27	11.79%	-	-	229
Total			2,182	95.28%	104	4.54%	4	0.17%	2,290

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel Region (PEEL123)	PEELTS04	0-5	104	100.00%	-	-	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	157	100.00%	-	-	-	-	157
	Total		157	100.00%	-	-	-	-	157
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	598	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	600	99.01%	6	0.99%	-	-	606	
Total		600	99.01%	6	0.99%	-	-	606	
Pelham, Town Of (PEL1)	PEL1	0-5	117	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	147	100.00%	-	-	-	-	147
	Total		147	100.00%	-	-	-	-	147
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	109	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	109	98.20%	2	1.80%	-	-	111	
Total		109	98.20%	2	1.80%	-	-	111	
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	50	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	Total		56	100.00%	-	-	-	-	56
Pennytel Inc (PENTEL01)	PENTEL01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	12	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Perth South, Township Of (PERTHS123)	PERTHS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
	Total		3	75.00%	-	-	1	25.00%	4
Perth, Town Of (PERTH01)	PERTH01	0-5	24	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Petawawa, Town Of (PTWA123)	PTWA01	0-5	138	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	139	98.58%	1	0.71%	1	0.71%	141	
	PTWASL01	0-5	70	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
Total		96	100.00%	-	-	-	-	96	
Total		235	99.16%	1	0.42%	1	0.42%	237	
Peterborough , City Of (PTRB01)	PTRB01	0-5	479	100.00%	-	-	-	-	
		Total	479	100.00%	-	-	-	-	479
	Total		479	100.00%	-	-	-	-	479
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	267	100.00%	-	-	-	-	
		6-10	103	100.00%	-	-	-	-	
	Total	370	100.00%	-	-	-	-	370	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU07	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		375	100.00%	-	-	-	-	375
Peterborough, County Of (PTB01)	PTB01	0-5	132	100.00%	-	-	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		Total	132	97.06%	2	1.47%	2	1.47%	136
	Total		132	97.06%	2	1.47%	2	1.47%	136
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	4	57.14%	3	42.86%	-	-	7	
Total		4	57.14%	3	42.86%	-	-	7	
Petrolia, Town Of (P002)	P002	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	77.78%	2	22.22%	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	46	80.70%	9	15.79%	2	3.51%	57	
Total		46	80.70%	9	15.79%	2	3.51%	57	
Pickering , City Of (PKRG01)	PKRG01	0-5	280	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	27	100.00%	-	-	-	-	
	Total	307	97.15%	9	2.85%	-	-	316	
Total		307	97.15%	9	2.85%	-	-	316	
Pine Valley Drive - Private Owner (PRPV01)	PRPV01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	61	98.39%	1	1.61%	-	-	62	
Total		61	98.39%	1	1.61%	-	-	62	
Plateau Wind Farm (PLATWF01)	PLATWF01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	95	100.00%	-	-	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	10	100.00%	-	-	-	-	
	Total	105	92.11%	-	-	9	7.89%	114	
Total		105	92.11%	-	-	9	7.89%	114	
Point Edward, Village Of (PE01)	PE01	0-5	17	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	23	100.00%	-	-	-	-	23	
Total		23	100.00%	-	-	-	-	23	
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
POMAS FARMS INC. (POMF01)	POMF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
	Total	8	88.89%	-	-	1	11.11%	9	
Total		8	88.89%	-	-	1	11.11%	9	
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total	2	66.67%	1	33.33%	-	-	3	
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	173	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	184	100.00%	-	-	-	-	184
	Total	184	100.00%	-	-	-	-	184	
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
Port Hope, Municipality Of (PH123)	PH01	0-5	111	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	120	100.00%	-	-	-	-	120
	PHSL01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	122	100.00%	-	-	-	-	122		
Powassan, Municipality Of (PWSN01)	PWSN01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Prescott , Town Of (PRS01)	PRS01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total	27	100.00%	-	-	-	-	27	
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	PRERUS03	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
Total	-	-	-	-	6	100.00%	6		
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total	-	-	-	-	6	100.00%	6	
Prince , Township Of (PRNC01)	PRNC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Prince Edward, County Of (PEC04)	PEC04	0-5	90	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	113	98.26%	2	1.74%	-	-	115
	Total	113	98.26%	2	1.74%	-	-	115	
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	0-5	3	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total	4	80.00%	1	20.00%	-	-	5	
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	35	94.59%	2	5.41%	-	-	37
	Total	35	94.59%	2	5.41%	-	-	37	
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	2	40.00%	3	60.00%	
		Total	-	-	2	40.00%	3	60.00%	5
	Total	-	-	2	40.00%	3	60.00%	5	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Q9 Networks (QNET01)	QNET01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Quadro Communications (QUAD1)	MSCQUAD2	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	56	98.25%	1	1.75%	-	-	57
	QUAD1	0-5	219	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	247	100.00%	-	-	-	-	247
Total		303	99.67%	1	0.33%	-	-	304	
Queen's University (QUEENU01)	QUEENU01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	14	87.50%	2	12.50%	-	-	16
Total		14	87.50%	2	12.50%	-	-	16	
Queens University Fibre (QUEENF01)	QUEENF01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Quinte West, City Of (QW123)	QWF01	16+	-	-	-	-	23	100.00%	
		Total	-	-	-	-	23	100.00%	23
	QWSL01	0-5	132	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	133	100.00%	-	-	-	-	133
	QWSN01	0-5	107	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
	Total	136	99.27%	1	0.73%	-	-	137	
	QWSS01	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
	Total	100	99.01%	1	0.99%	-	-	101	
	QWTS01	0-5	10	100.00%	-	-	-	-	
Total		10	100.00%	-	-	-	-	10	
QWW01	0-5	114	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	36	100.00%	-	-	-	-		
Total	150	99.34%	1	0.66%	-	-	151		
Total		529	95.32%	3	0.54%	23	4.14%	555	
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Raleigh Wind Energy Centre (RWE01)	RWE01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	11	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Red Lake, Municipality Of (RLSS01)	RLSS01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Red Rock, Township Of (RDRK01)	RDRK01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	39	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
	HLTNW02	0-5	751	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	22	88.00%	3	12.00%	-	-	
		Total	773	98.22%	13	1.65%	1	0.13%	787
Total		816	98.31%	13	1.57%	1	0.12%	830	
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	44	97.78%	1	2.22%	-	-	45
	Total		44	97.78%	1	2.22%	-	-	45
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	45	95.74%	1	2.13%	1	2.13%	47
	Total		45	95.74%	1	2.13%	1	2.13%	47
Renfrew Hydro (RFH01)	RFH01	0-5	54	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	55	100.00%	-	-	-	-	55	
Total		55	100.00%	-	-	-	-	55	
Renfrew, County Of (RNF123)	RNF01	0-5	31	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	36	100.00%	-	-	-	-	36	
Total		36	100.00%	-	-	-	-	36	
Renfrew, Town Of (RNF01)	RNF01	0-5	55	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
	RNF02	0-5	53	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	54	98.18%	1	1.82%	-	-	55
Total		109	99.09%	1	0.91%	-	-	110	
Richmond Hill, Town Of (RHL01)	RHL01	0-5	282	100.00%	-	-	-	-	
		Total	282	100.00%	-	-	-	-	282
	Total		282	100.00%	-	-	-	-	282
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	13	37.14%	22	62.86%	-	-	35
	Total		13	37.14%	22	62.86%	-	-	35
Richmond Hill, Town Of (RHLTS01)	RHLTS01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Rideau Lakes, Township Of (RIL01)	RIL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	20	74.07%	7	25.93%	-	-	
		Total	64	83.12%	13	16.88%	-	-	77
	Total	64	83.12%	13	16.88%	-	-	77	
Rogers Communications (ROG123)	CABLET01	0-5	74	100.00%	-	-	-	-	
		6-10	58	100.00%	-	-	-	-	
		Total	132	100.00%	-	-	-	-	132
	ROGGE01	0-5	1,225	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	84	100.00%	-	-	-	-	
		Total	1,309	99.47%	7	0.53%	-	-	1316
	ROGHN01	0-5	1,108	100.00%	-	-	-	-	
		11-15	-	-	57	100.00%	-	-	
		16+	-	-	57	100.00%	-	-	
		6-10	332	90.22%	36	9.78%	-	-	
		Total	1,440	90.57%	150	9.43%	-	-	1590
	ROGLDN01	0-5	1,065	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	261	100.00%	-	-	-	-	
		Total	1,326	99.85%	2	0.15%	-	-	1328
	ROGNTH01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	ROGOE01	0-5	52	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	59
	ROGOTT01	0-5	2,564	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	383	100.00%	-	-	-	-	
		Total	2,947	99.97%	1	0.03%	-	-	2948
	ROGPEL01	0-5	1,376	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	867	99.66%	3	0.34%	-	-	
		Total	2,243	97.82%	50	2.18%	-	-	2293
ROGRAIL1	0-5	253	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	255	98.08%	5	1.92%	-	-	260	
ROGSIM01	0-5	999	100.00%	-	-	-	-		
	11-15	-	-	45	100.00%	-	-		
	16+	-	-	50	100.00%	-	-		
	6-10	547	96.81%	18	3.19%	-	-		
	Total	1,546	93.19%	113	6.81%	-	-	1659	
ROGSWO01	0-5	109	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	63	100.00%	-	-	-	-		
	Total	172	99.42%	1	0.58%	-	-	173	
ROGTOR01	0-5	3,085	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGTOR01	6-10	388	98.73%	5	1.27%	-	-	
		Total	3,473	99.51%	17	0.49%	-	-	3490
	ROGWAT01	0-5	2,277	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	610	100.00%	-	-	-	-	
		Total	2,887	99.79%	6	0.21%	-	-	2893
	ROGWIN01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	ROGYRK01	0-5	1,063	100.00%	-	-	-	-	
		11-15	-	-	88	100.00%	-	-	
		16+	-	-	42	100.00%	-	-	
		6-10	754	99.47%	4	0.53%	-	-	
		Total	1,817	93.13%	134	6.87%	-	-	1951
	RUWV01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	62	98.41%	1	1.59%	-	-	63
	SJRBO1	0-5	38	100.00%	-	-	-	-	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	51	98.08%	1	1.92%	-	-	52
	SJRBO2	0-5	255	100.00%	-	-	-	-	
11-15		-	-	3	100.00%	-	-		
16+		-	-	1	100.00%	-	-		
6-10		115	98.29%	2	1.71%	-	-		
Total		370	98.40%	6	1.60%	-	-	376	
SJRBO3	0-5	95	100.00%	-	-	-	-		
	6-10	32	100.00%	-	-	-	-		
	Total	127	100.00%	-	-	-	-	127	
SJRBO4	0-5	1	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	Total	1	50.00%	1	50.00%	-	-	2	
Total		20,231	97.61%	495	2.39%	-	-	20,726	
Romney Wind Energy Centre Lp (RWEC01)	RWEC01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	6	20.00%	18	60.00%	6	20.00%	30
Total		6	20.00%	18	60.00%	6	20.00%	30	
Rowe Energy Corporation (ROWE01)	ROWE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total		1	100.00%	-	-	-	1
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	20	80.00%	5	20.00%	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	8	21.62%	24	64.86%	5	13.51%	37
Total		8	21.62%	24	64.86%	5	13.51%	37	
Russell, Township Of (RSEL01)	RSEL01	0-5	226	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	28.57%	5	71.43%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Russell, Township Of (RSEL01)	RSEL01	6-10	25	75.76%	8	24.24%	-	-	
		Total	251	93.66%	12	4.48%	5	1.87%	268
	Total	251	93.66%	12	4.48%	5	1.87%	268	
Ryerson University (RYEU01)	RYEU01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	3	23.08%	7	53.85%	3	23.08%	13
	Total	3	23.08%	7	53.85%	3	23.08%	13	
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	9	81.82%	2	18.18%	-	-	11
	SSRWE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	10	83.33%	2	16.67%	-	-	12		
Sarnia, City Of (C006)	C006	0-5	570	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	572	99.65%	2	0.35%	-	-	574
	Total	572	99.65%	2	0.35%	-	-	574	
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	8	80.00%	1	10.00%	1	10.00%	10
	SSSL01	0-5	143	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	143	99.31%	-	-	1	0.69%	144
	SSWS01	0-5	139	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	159	97.55%	3	1.84%	1	0.61%	163
Total	310	97.79%	4	1.26%	3	0.95%	317		
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	606	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	35	97.22%	1	2.78%	-	-	
		Total	641	99.69%	2	0.31%	-	-	643
	SSMPUW01	0-5	541	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	35	97.22%	1	2.78%	-	-	
Total	576	99.65%	2	0.35%	-	-	578		
Total	1,217	99.67%	4	0.33%	-	-	1,221		
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	119	96.75%	3	2.44%	1	0.81%	123
	Total	119	96.75%	3	2.44%	1	0.81%	123	
Schreiber, Municipality Of (SCBWS01)	SCBWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Scugog, Township Of (SCG01)	SCG01	0-5	111	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	112	95.73%	4	3.42%	1	0.85%	117
Total			112	95.73%	4	3.42%	1	0.85%	117
Selwyn, Township Of (SLWN01)	SLWN01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	17	94.44%	-	-	1	5.56%	18
Total			17	94.44%	-	-	1	5.56%	18
Selwyn, Township Of (SLWN02)	SLWN02	0-5	20	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
Total			25	100.00%	-	-	-	25	
Selwyn, Township Of (SLWN03)	SLWN03	0-5	20	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
Total			25	100.00%	-	-	-	25	
Severn, Township Of (SEVERN01)	SEVERN01	0-5	73	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
	SEVERN02	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
Total	9	100.00%	-	-	-	-	9		
Total			88	100.00%	-	-	-	88	
Shared Tower Inc	SHARET01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total			-	-	-	12	100.00%	12
Shelburne , Town Of (SHLB01)	SHLB01	0-5	45	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
Total			49	100.00%	-	-	-	49	
Shell Canada - Sault Ste. Marie (SHL2)	SHL2	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
Total			-	-	-	-	3	100.00%	3
Shell Canada (SHL1)	SHL1	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total			5	100.00%	-	-	-	5	
Sheridan College (SHRC01)	SHRC01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	1	
Sick Kids Hospital (SKH01)	SKH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	2	
Silver Bay Water (SBW1)	SBW1	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
Total			-	-	2	100.00%	-	2	
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	2	
Simcoe, County Of (SIM01)	SIM01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
		Total			8	100.00%	-	-	8

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	16	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	11	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	11	91.67%	1	8.33%	-	-	12
	Total		11	91.67%	1	8.33%	-	-	12
Six Nations Gas (SNG01)	SNG01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	-	-	58	100.00%	
		6-10	7	36.84%	12	63.16%	-	-	
		Total	10	10.42%	28	29.17%	58	60.42%	96
	Total		10	10.42%	28	29.17%	58	60.42%	96
Skyway 8 (SW8WF01)	SW8WF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	40	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	40	97.56%	1	2.44%	-	-	41
	Total		40	97.56%	1	2.44%	-	-	41
Smooth Rock Falls, Town Of (SRF01)	SRF01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	27	45.00%	33	55.00%	-	-	
		Total	57	41.91%	67	49.26%	12	8.82%	136
	Total		57	41.91%	67	49.26%	12	8.82%	136
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	50.00%	3	50.00%	-	-	
	Total	32	80.00%	7	17.50%	1	2.50%	40	
Total		32	80.00%	7	17.50%	1	2.50%	40	
South Dundas , Municipality Of (SDS01)	SDS01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	4	57.14%	3	42.86%	
		Total	40	85.11%	4	8.51%	3	6.38%	47
	Total		40	85.11%	4	8.51%	3	6.38%	47
South Frontenac, Township Of (SF123)	SFS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	SFSL01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	SFW01	0-5	4	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
Total		27	96.43%	1	3.57%	-	-	28	
South Glengarry , Township Of (SGG01)	SGG01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	6	60.00%	4	40.00%	-	-	
	Total	48	87.27%	4	7.27%	3	5.45%	55	
Total		48	87.27%	4	7.27%	3	5.45%	55	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
South Huron Hospital (SHHA01)	SHHA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	81	100.00%	-	-	-	-	
		16+	-	-	1	12.50%	7	87.50%	
		6-10	1	100.00%	-	-	-	-	
		Total	82	91.11%	1	1.11%	7	7.78%	90
	Total		82	91.11%	1	1.11%	7	7.78%	90
South Kent Wind Project (SKWP01)	SKWP01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	73	96.05%	3	3.95%	-	-	
	Total	96	79.34%	24	19.83%	1	0.83%	121	
Total		96	79.34%	24	19.83%	1	0.83%	121	
South River , Village Of (SORI01)	SORI01	0-5	9	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
	Total	13	100.00%	-	-	-	-	13	
Total		13	100.00%	-	-	-	-	13	
South Stormont, Township Of (SSTM01)	SSTM01	0-5	83	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	86	98.85%	-	-	1	1.15%	87	
Total		86	98.85%	-	-	1	1.15%	87	
Southgate, Township (SGWS01)	SGWS01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	50.00%	3	50.00%	-	-	
	Total	22	81.48%	4	14.81%	1	3.70%	27	
Total		22	81.48%	4	14.81%	1	3.70%	27	
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	34	91.89%	-	-	3	8.11%	37	
	SWMSX02	0-5	7	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
Total	15	100.00%	-	-	-	-	15		
Total		49	94.23%	-	-	3	5.77%	52	
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	10	83.33%	2	16.67%	-	-	
	Total	37	80.43%	4	8.70%	5	10.87%	46	
Total		37	80.43%	4	8.70%	5	10.87%	46	
Southwold, Township Of (SOW01)	SOW01	0-5	54	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	20.00%	4	80.00%	-	-	
	Total	55	90.16%	4	6.56%	2	3.28%	61	
Total		55	90.16%	4	6.56%	2	3.28%	61	
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total		8	100.00%	-	-	-	-	8	
Spanish, Town Of (SPWS01)	SPWS01	0-5	3	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Spanish, Town Of (SPWS01)	SPWS01	16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
		Total	3	75.00%	-	-	1	25.00%	4
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	3	50.00%	-	-	3	50.00%	6
		Total	3	50.00%	-	-	3	50.00%	6
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	9	69.23%	4	30.77%	-	-	13
		Total	9	69.23%	4	30.77%	-	-	13
St. Catharines, City Of (STC1)	STC1	0-5	363	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	78	98.73%	1	1.27%	-	-	
		Total	441	98.00%	9	2.00%	-	-	450
		Total	441	98.00%	9	2.00%	-	-	450
St. Charles, Municipality Of (STC01)	STC01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
		Total	-	-	-	-	8	100.00%	8
St. Clair, Township Of (M002)	M002	0-5	152	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	165	100.00%	-	-	-	-	165
		Total	165	100.00%	-	-	-	-	165
St. Columban Wind Farms Lp (STCWF01)	STCWF01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
		Total	-	-	5	100.00%	-	-	5
St. Josephs Health Care (London) (SJHC01)	SJHC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
St. Marys General Hospital (STMGH01)	STMGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	66	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	66	97.06%	1	1.47%	1	1.47%	68
		Total	66	97.06%	1	1.47%	1	1.47%	68
St. Michael'S Hospital (STMH01)	STMH01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	2	40.00%	3	60.00%	-	-	5
		Total	2	40.00%	3	60.00%	-	-	5
St. Thomas, City Of (STHWS01)	STHSL01	0-5	120	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	17	100.00%	
		6-10	79	90.80%	8	9.20%	-	-	
		Total	199	85.41%	17	7.30%	17	7.30%	233
	STHWS01	0-5	149	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	1	4.55%	21	95.45%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
St. Thomas, City Of (STHWS01)	STHWS01	6-10	79	88.76%	10	11.24%	-	-	
		Total	228	83.52%	24	8.79%	21	7.69%	273
	Total	427	84.39%	41	8.10%	38	7.51%	506	
Start Communications (STARTC01)	STARTC02	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	162	98.18%	3	1.82%	-	-	
		Total	298	97.70%	7	2.30%	-	-	305
	Total	298	97.70%	7	2.30%	-	-	305	
Stelco Steel Hamilton Works (SHW01)	SHW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
	Total	-	-	-	-	3	100.00%	3	
	Total	-	-	-	-	3	100.00%	3	
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total	11	100.00%	-	-	-	-	11	
Storm Internet (STRMF01)	STRMF01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	14	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total	19	100.00%	-	-	-	-	19	
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	-	-	15	100.00%	
		16+	-	-	-	-	287	100.00%	
		Total	-	-	-	-	302	100.00%	302
	Total	-	-	-	-	302	100.00%	302	
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	54	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
	Total	57	100.00%	-	-	-	-	57	
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	65	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total	65	100.00%	-	-	-	-	65	
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total	1	50.00%	-	-	1	50.00%	2	
Summer Haven Wind (SHWF01)	SHWF01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	Total	9	90.00%	1	10.00%	-	-	10	
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	64	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	67	100.00%	-	-	-	-	67
	Total	67	100.00%	-	-	-	-	67	
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	120	100.00%	-	-	-	-	
		Total	120	100.00%	-	-	-	-	120
	S002	0-5	237	100.00%	-	-	-	-	
Total	237	100.00%	-	-	-	-	237		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sun Canadian Pipelines (SCP01)	S004	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	15	88.24%	-	-	2	11.76%	17
	Total		372	99.47%	-	-	2	0.53%	374
Suncor Energy (SCE02)	SCE02	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Suncor Energy Products (SNCP05)	SNCP05	16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Suncor Energy Products (SNCP02)	SNCP02	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	Total		2	50.00%	2	50.00%	-	-	4
Suncor Energy Products (SNCP03)	SNCP03	11-15	-	-	1	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		Total	-	-	9	100.00%	-	-	9
	Total		-	-	9	100.00%	-	-	9
Suncor Energy Products (SNCP04)	SNCP04	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Suncor Pipelines (SNCP01)	SNCP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Sundridge, Village Of (SNDR01)	SNDR01	0-5	6	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	-	-	3	100.00%	
		16+	-	-	2	50.00%	2	50.00%	
	Total	6	46.15%	2	15.38%	5	38.46%	13	
Total		6	46.15%	2	15.38%	5	38.46%	13	
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	19	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	Total		23	95.83%	1	4.17%	-	-	24
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	1,083	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	207	99.52%	1	0.48%	-	-	
		Total	1,290	99.69%	4	0.31%	-	-	1294
	Total		1,290	99.69%	4	0.31%	-	-	1,294
Talbot Windfarm (TALWF01)	TALWF01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
TANDEM FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	9	75.00%	3	25.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	1	7.14%	10	71.43%	3	21.43%	14	
Total		1	7.14%	10	71.43%	3	21.43%	14	
Tay, Township Of (TAY01)	TAY01	0-5	36	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Tay, Township Of (TAY01)	TAY01	6-10	2	40.00%	3	60.00%	-	-	
		Total	38	92.68%	3	7.32%	-	-	41
	Total	38	92.68%	3	7.32%	-	-	41	
Tbaytel (TBYTEL01)	TBYTEL01	0-5	755	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	201	100.00%	-	-	-	-	
		Total	956	99.38%	6	0.62%	-	-	962
	TBYTEL02	0-5	47	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	8	72.73%	3	27.27%	-	-	
		Total	55	87.30%	6	9.52%	2	3.17%	63
	Total	1,011	98.63%	12	1.17%	2	0.20%	1,025	
	TC Energy - East (TCP01)	TC03	0-5	328	100.00%	-	-	-	-
11-15			-	-	1	100.00%	-	-	
16+			-	-	6	100.00%	-	-	
6-10			6	85.71%	1	14.29%	-	-	
Total			334	97.66%	8	2.34%	-	-	342
TC06		0-5	192	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		Total	192	94.12%	12	5.88%	-	-	204
TC07		0-5	73	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	73	96.05%	3	3.95%	-	-	76
TC08		0-5	32	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	38	82.61%	8	17.39%	-	-	46
TC09		0-5	33	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
TC10		0-5	208	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	211	98.60%	3	1.40%	-	-	214
TC12		0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
TC13		0-5	4	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
TC14	0-5	14	100.00%	-	-	-	-		
	Total	14	100.00%	-	-	-	-	14	
TC15	0-5	8	100.00%	-	-	-	-		
	Total	8	100.00%	-	-	-	-	8	
TC16	0-5	17	100.00%	-	-	-	-		
	Total	17	100.00%	-	-	-	-	17	
TC17	0-5	11	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	Total	11	91.67%	1	8.33%	-	-	12	
TC18	0-5	194	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	10	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
TC Energy - East (TCP01)	TC18	6-10	18	85.71%	3	14.29%	-	-	
		Total	212	93.81%	14	6.19%	-	-	226
	TC19	0-5	37	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
Total		1,193	96.05%	49	3.95%	-	-	1,242	
Tecumseh, Town Of (TEC123)	TECS01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	27	84.38%	5	15.63%	-	-	
		Total	47	58.02%	26	32.10%	8	9.88%	81
	TECW01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	40	100.00%	-	-	
		16+	-	-	3	21.43%	11	78.57%	
		6-10	65	86.67%	10	13.33%	-	-	
		Total	82	56.16%	53	36.30%	11	7.53%	146
Total		129	56.83%	79	34.80%	19	8.37%	227	
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	235	100.00%	-	-	-	-	
		6-10	93	98.94%	1	1.06%	-	-	
		Total	328	99.70%	1	0.30%	-	-	329
Total		328	99.70%	1	0.30%	-	-	329	
Telmax Inc (TLMXF01)	TLMXF01	0-5	282	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	278	98.58%	4	1.42%	-	-	
		Total	560	96.72%	19	3.28%	-	-	579
Total		560	96.72%	19	3.28%	-	-	579	
Telus (TELUS01)	TELGE01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	102	97.14%	3	2.86%	-	-	105
	TELGN01	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	87	89.69%	8	8.25%	2	2.06%	97
	TELGN02	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		Total	27	87.10%	4	12.90%	-	-	31
	TELGW01	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	125	96.15%	5	3.85%	-	-	130
	TELGW02	0-5	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
	TELHN01	0-5	88	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	99	96.12%	3	2.91%	1	0.97%	103
TELOE01	0-5	293	100.00%	-	-	-	-		
	11-15	-	-	17	94.44%	1	5.56%		
	16+	-	-	1	20.00%	4	80.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELOE01	6-10	157	99.37%	1	0.63%	-	-	
		Total	450	94.94%	19	4.01%	5	1.05%	474
	TELONE01	0-5	30	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	TELONW01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
	TELOS01	0-5	124	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	45	100.00%	-	-	-	-	
		Total	169	96.02%	6	3.41%	1	0.57%	176
	TELOW01	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	97	95.10%	4	3.92%	1	0.98%	102
	TELTE01	0-5	160	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	266	98.15%	4	1.48%	1	0.37%	271
	TELTW01N	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
6-10		16	100.00%	-	-	-	-		
Total		75	82.42%	10	10.99%	6	6.59%	91	
TELTW01S	0-5	121	100.00%	-	-	-	-		
	11-15	-	-	10	100.00%	-	-		
	16+	-	-	4	80.00%	1	20.00%		
	6-10	65	95.59%	3	4.41%	-	-		
	Total	186	91.18%	17	8.33%	1	0.49%	204	
Total		1,747	94.48%	84	4.54%	18	0.97%	1,849	
Temagami, Municipality Of (TMG01)	TMG01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	2	50.00%	1	25.00%	1	25.00%	4	
Total		2	50.00%	1	25.00%	1	25.00%	4	
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	64	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
	Total		64	100.00%	-	-	-	-	64
Terago Networks Inc (TNF01)	TNF01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Teraspan Networks (TS01)	TS01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Terrace Bay , Township Of (TRBWS01)	TRBWS01	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Terrace Bay , Township Of (TRBWS01)	TRBWS01	16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total	2	66.67%	-	-	1	33.33%	3	
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	55.56%	4	44.44%	-	-	
		Total	32	82.05%	6	15.38%	1	2.56%	39
	Total	32	82.05%	6	15.38%	1	2.56%	39	
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	18	62.07%	11	37.93%	-	-	
		Total	55	77.46%	11	15.49%	5	7.04%	71
	Total	55	77.46%	11	15.49%	5	7.04%	71	
Thessalon , Town Of (THSWSS01)	THSWSS01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Thorold, City Of (THLD01)	THLD01	0-5	144	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	48	82.76%	10	17.24%	-	-	
		Total	192	86.10%	24	10.76%	7	3.14%	223
	Total	192	86.10%	24	10.76%	7	3.14%	223	
Thunder Bay Regional HSC	TBRHSC01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total	-	-	-	-	5	100.00%	5	
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	114	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	122	100.00%	-	-	-	-	122
	Total	122	100.00%	-	-	-	-	122	
Thunder Bay, City Of (THBY123)	THBY01	0-5	219	100.00%	-	-	-	-	
		11-15	-	-	85	100.00%	-	-	
		16+	-	-	2	15.38%	11	84.62%	
		6-10	72	29.51%	172	70.49%	-	-	
		Total	291	51.87%	259	46.17%	11	1.96%	561
	THBY02	0-5	287	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	66	24.09%	208	75.91%	-	-	
		Total	353	57.77%	254	41.57%	4	0.65%	611
Total	644	54.95%	513	43.77%	15	1.28%	1,172		
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Tillsonburg , Town Of (TSB01)	TSB01	0-5	219	100.00%	-	-	-	-	
		Total	219	100.00%	-	-	-	-	219
	Total	219	100.00%	-	-	-	-	219	
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	153	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	154	100.00%	-	-	-	-	154
	Total	154	100.00%	-	-	-	-	154	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	64	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		Total	64	94.12%	1	1.47%	3	4.41%	68
	Total		64	94.12%	1	1.47%	3	4.41%	68
Timmins, City Of (TMNS01)	TMNS01	0-5	162	100.00%	-	-	-	-	
		6-10	10	50.00%	10	50.00%	-	-	
		Total	172	94.51%	10	5.49%	-	-	182
	Total		172	94.51%	10	5.49%	-	-	182
Tiny, Township Of (TNY01)	TNY01	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	76	97.44%	2	2.56%	-	-	78
	Total		76	97.44%	2	2.56%	-	-	78
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	BDVBIA01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	BLCBIA01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	BYEBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	BYWBIA01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	CPBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	CRIBIA01	16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	CWVBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	DFVBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	DNFBIA01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	DYEBIA01	0-5	10	100.00%	-	-	-	-	
6-10		2	100.00%	-	-	-	-		
Total		12	100.00%	-	-	-	-	12	
EGLBIA01	0-5	3	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
EVBIA01	0-5	5	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	6	100.00%	-	-	-	-	6	
GIBBIA01	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	GRTBIA01	0-5	7	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	HLCBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	JGBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	KRBIA01	0-5	9	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	LBBIA01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	LBVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	LIBIA01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	81.82%	2	18.18%	-	-	11
	LSVBIA01	11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	MTDNBIA1	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	MTDSBIA1	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	PDVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	RHBVIA01	0-5	2	100.00%	-	-	-	-	
Total		2	100.00%	-	-	-	-	2	
RMSBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
RSDBIA01	0-5	4	100.00%	-	-	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	7	100.00%	-	-	-	-	7	
SCGBIA01	0-5	4	100.00%	-	-	-	-		
	Total	4	100.00%	-	-	-	-	4	
UPVBIA01	0-5	2	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
VIBIA01	6-10	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
WVBIA01	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
WYWBIA01	0-5	3	100.00%	-	-	-	-		
	6-10	4	100.00%	-	-	-	-		
	Total	7	100.00%	-	-	-	-	7	
YEBIA01	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
Total			151	91.52%	13	7.88%	1	0.61%	165

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Toronto Gas Extraction (TORGE01)	TORGEE01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Toronto Hydro (TH123)	THFWLTR1	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	21	70.00%	9	30.00%	-	-	30
	THT21	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	3.45%	28	96.55%	
		6-10	5	100.00%	-	-	-	-	
		Total	12	27.27%	4	9.09%	28	63.64%	44
	THT23	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	131	100.00%	-	-	-	-	
		Total	244	98.79%	3	1.21%	-	-	247
	THTE01	0-5	2,966	100.00%	-	-	-	-	
		11-15	-	-	48	100.00%	-	-	
		16+	-	-	16	84.21%	3	15.79%	
		6-10	1,428	99.51%	7	0.49%	-	-	
	Total	4,394	98.34%	71	1.59%	3	0.07%	4468	
	THTVE01	11-15	-	-	-	-	50	100.00%	
		16+	-	-	-	-	32	100.00%	
		Total	-	-	-	-	82	100.00%	82
	THTW01N	0-5	1,633	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	
		6-10	357	100.00%	-	-	-	-	
	Total	1,990	98.61%	28	1.39%	-	-	2018	
	THTW01S	0-5	1,604	100.00%	-	-	-	-	
11-15		-	-	66	100.00%	-	-		
16+		-	-	23	100.00%	-	-		
6-10		484	92.19%	41	7.81%	-	-		
Total	2,088	94.14%	130	5.86%	-	-	2218		
Total		8,749	96.07%	245	2.69%	113	1.24%	9,107	
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	350	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	6	75.00%	2	25.00%	
		6-10	228	99.56%	1	0.44%	-	-	
	Total	578	96.33%	20	3.33%	2	0.33%	600	
	TORTSE02	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	80	100.00%	-	-	-	-	
	Total	97	89.81%	11	10.19%	-	-	108	
TORTSWN1	0-5	133	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	77	100.00%	-	-	-	-		
Total	210	95.45%	10	4.55%	-	-	220		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Traffic Signals (TORTS01)	TORTSWN2	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	30	93.75%	2	6.25%	-	-	
	TORTSWS1	0-5	219	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	112	99.12%	1	0.88%	-	-	
		Total	331	94.03%	21	5.97%	-	-	
	TORTSWS2	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
6-10		51	100.00%	-	-	-	-		
Total		84	91.30%	8	8.70%	-	-	92	
Total		1,330	94.73%	72	5.13%	2	0.14%	1,404	
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	21	84.00%	4	16.00%	-	-	
		Total	175	91.62%	13	6.81%	3	1.57%	
Total		175	91.62%	13	6.81%	3	1.57%	191	
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	305	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	3	12.50%	21	87.50%	
		6-10	68	97.14%	2	2.86%	-	-	
		Total	373	89.45%	23	5.52%	21	5.04%	
Total		373	89.45%	23	5.52%	21	5.04%	417	
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	324	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	342	100.00%	-	-	-	-	
Total		342	100.00%	-	-	-	-	342	
Toronto Water and Sewer (TORW123)	TORWE01	0-5	352	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	8	72.73%	3	27.27%	
		6-10	429	99.54%	2	0.46%	-	-	
		Total	781	96.18%	28	3.45%	3	0.37%	
	TORWE02	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	98	98.00%	2	2.00%	-	-	
		Total	197	92.06%	17	7.94%	-	-	
	TORWE03	0-5	10	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	
	TORWE04	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	81	100.00%	-	-	-	-	
		Total	144	95.36%	6	3.97%	1	0.66%	
	TORWE05	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
16+		-	-	1	100.00%	-	-		
6-10		7	100.00%	-	-	-	-		
Total		16	88.89%	2	11.11%	-	-	18	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWE06	0-5	10	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	
	TORWE07	0-5	251	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	8	80.00%	2	20.00%	
		6-10	233	98.73%	3	1.27%	-	-	
		Total	484	94.90%	24	4.71%	2	0.39%	
	TORWW01	0-5	298	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	308	95.95%	13	4.05%	-	-	
		Total	606	92.24%	51	7.76%	-	-	
	TORWW02	0-5	327	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	11	91.67%	1	8.33%	
		6-10	220	100.00%	-	-	-	-	
		Total	547	96.81%	17	3.01%	1	0.18%	
	TORWW04	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	39	90.70%	4	9.30%	-	-	
		Total	103	91.96%	9	8.04%	-	-	
	TORWW05	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	77	92.77%	6	7.23%	-	-	
	TORWW06	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
6-10		1	100.00%	-	-	-	-		
Total		4	80.00%	1	20.00%	-	-	5	
TORWWN07	0-5	166	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	16+	-	-	7	87.50%	1	12.50%		
	6-10	129	100.00%	-	-	-	-		
	Total	295	95.47%	13	4.21%	1	0.32%		309
TORWWS03	0-5	11	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	14	82.35%	3	17.65%	-	-		17
TORWWS07	0-5	158	100.00%	-	-	-	-		
	11-15	-	-	15	100.00%	-	-		
	16+	-	-	8	88.89%	1	11.11%		
	6-10	163	97.60%	4	2.40%	-	-		
	Total	321	91.98%	27	7.74%	1	0.29%		349
Total			3,638	94.44%	205	5.32%	9	0.23%	3,852
Toronto, University Of (UTOR01)	UTOR01	0-5	35	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	
Total			37	100.00%	-	-	-	37	
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	712	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	6-10	134	100.00%	-	-	-	-	
		Total	846	99.41%	5	0.59%	-	-	851
	Total		846	99.41%	5	0.59%	-	-	851
Transcanada Pipelines - North (TCP02)	TC04	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	28	93.33%	2	6.67%	-	-	30
	TC11	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	28	66.67%	14	33.33%	-	-	42	
	Total		56	77.78%	16	22.22%	-	-	72
Trans-Northern Pipelines (TN01)	TN01	0-5	339	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	10	100.00%	-	-	-	-	
	Total	349	98.87%	3	0.85%	1	0.28%	353	
	TN03	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	54	94.74%	3	5.26%	-	-	57
	Total		403	98.29%	6	1.46%	1	0.24%	410
Trans-Northern Pipelines (TN02)	TN02	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	54	91.53%	5	8.47%	-	-	59	
	Total		54	91.53%	5	8.47%	-	-	59
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	38	95.00%	1	2.50%	1	2.50%	40	
Total		38	95.00%	1	2.50%	1	2.50%	40	
Trent Lakes, Municipality Of (TRLW01)	TRLW01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	1	50.00%	-	-	1	50.00%	2	
Total		1	50.00%	-	-	1	50.00%	2	
Trent University (TRENTU123)	TRENTU01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	4	57.14%	3	42.86%	-	-	7	
Total		4	57.14%	3	42.86%	-	-	7	
Tribute Gas (MAGG01)	MAGG01	11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	5	71.43%	2	28.57%	-	-	7	
Total		5	71.43%	2	28.57%	-	-	7	
Tuckersmith Communications (TCC01)	TCC01	0-5	313	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	321	99.69%	1	0.31%	-	-	322	
Total		321	99.69%	1	0.31%	-	-	322	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
University Health Network - Toronto General (UHNTG01)	UHNTG01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
University Health Network (UHN01)	UHN01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	50	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	-	-	1	1.92%	51	98.08%	52	
Total	-	-	1	1.92%	51	98.08%	52		
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	22	100.00%	
		Total	-	-	-	-	22	100.00%	22
	Total	-	-	-	-	22	100.00%	22	
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	19	82.61%	3	13.04%	1	4.35%	23	
Total	19	82.61%	3	13.04%	1	4.35%	23		
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Utilities Kingston (UK123)	UK04	0-5	554	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	97	96.04%	4	3.96%	-	-	
	Total	651	97.89%	13	1.95%	1	0.15%	665	
Total	651	97.89%	13	1.95%	1	0.15%	665		
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	101	96.19%	4	3.81%	
		Total	-	-	101	96.19%	4	3.81%	105
	Total	-	-	101	96.19%	4	3.81%	105	
Vale Canada (VALE01)	VALE01	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total	16	100.00%	-	-	-	-	16	
Val-Rita Hardy , Township Of (VRHWS01)	VRHWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	830	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Vaughan (Street Lights), City Of (COV01)	COV01	6-10	252	100.00%	-	-	-	-	
		Total	1,082	99.82%	2	0.18%	-	-	1084
	Total		1,082	99.82%	2	0.18%	-	-	1,084
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	83	97.65%	2	2.35%	-	-	85
	Total		83	97.65%	2	2.35%	-	-	85
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	449	100.00%	-	-	-	-	
		16+	-	-	113	100.00%	-	-	
		Total	449	79.89%	113	20.11%	-	-	562
	Total		449	79.89%	113	20.11%	-	-	562
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	852	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	74	97.37%	2	2.63%	-	-	
		Total	926	99.68%	3	0.32%	-	-	929
	Total		926	99.68%	3	0.32%	-	-	929
Videotron Senc (VDT1)	VDT1	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	99	98.02%	2	1.98%	-	-	
		Total	265	93.64%	17	6.01%	1	0.35%	283
	Total		265	93.64%	17	6.01%	1	0.35%	283
Vineland Power Inc (VLDP01)	VLDP01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
Total		2	100.00%	-	-	-	-	2	
VIVE DEVELOPMENT CORPORATION (VIVE01)	VIVE01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Warwick , Township Of (WWKWS01)	WWKWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	18	75.00%	6	25.00%	
		Total	-	-	18	72.00%	7	28.00%	25
	Total		-	-	18	72.00%	7	28.00%	25
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	169	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	172	100.00%	-	-	-	-	172
	Total		172	100.00%	-	-	-	-	172
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	135	100.00%	-	-	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	11	68.75%	5	31.25%	-	-	
		Total	146	92.41%	8	5.06%	4	2.53%	158
	Total		146	92.41%	8	5.06%	4	2.53%	158
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Waste Management Canada (WMFM01)	WMFM01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		Total	1	16.67%	3	50.00%	2	33.33%	6
	Total		1	16.67%	3	50.00%	2	33.33%	6
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	17	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Waterloo Fibre (WATFOW01)	WATFOW01	6-10	7	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
		Total	24	100.00%	-	-	-	-	24
Waterloo, City Of (CW01)	CW01	0-5	557	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	32	100.00%	-	-	
		6-10	73	92.41%	6	7.59%	-	-	
		Total	630	94.17%	39	5.83%	-	-	669
Total	630	94.17%	39	5.83%	-	-	669		
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	51	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	54	98.18%	1	1.82%	-	-	55
Total	54	98.18%	1	1.82%	-	-	55		
Waterloo, Region Of - Weather Stations (RW04)	RW04	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	167	98.82%	2	1.18%	-	-	169
Total	167	98.82%	2	1.18%	-	-	169		
Waterloo, Region Of (RW02)	RW02	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	57	91.94%	5	8.06%	-	-	
		Total	140	85.37%	12	7.32%	12	7.32%	164
Total	140	85.37%	12	7.32%	12	7.32%	164		
Waterloo, University Of (UWAT01)	UWAT01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	1	100.00%	-	-	-	-	1		
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	4	50.00%	4	50.00%	-	-	8
Total	4	50.00%	4	50.00%	-	-	8		
Wawa, Municipality Of (WAW01)	WAW01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	66.67%	1	16.67%	1	16.67%	6
Total	4	66.67%	1	16.67%	1	16.67%	6		
Welland Hydro (WLNDH01)	WLNDH01	0-5	318	100.00%	-	-	-	-	
		6-10	76	100.00%	-	-	-	-	
		Total	394	100.00%	-	-	-	-	394
Total	394	100.00%	-	-	-	-	394		
Welland, City Of (WLD01)	WLD01	0-5	457	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	464	99.57%	2	0.43%	-	-	466
Total	464	99.57%	2	0.43%	-	-	466		
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Wellesley, Township Of (WLSLY01)	WLSLY01	6-10	6	46.15%	7	53.85%	-	-	
		Total	56	75.68%	14	18.92%	4	5.41%	74
	Total	56	75.68%	14	18.92%	4	5.41%	74	
Wellington North Power Inc (WNP01)	WNP01	0-5	66	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	Total	66	100.00%	-	-	-	-	66	
Wellington North, Township Of (WLG123)	WLG123	0-5	58	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total	60	100.00%	-	-	-	-	60	
Wellington, County Of (WLG123)	WLG123	0-5	4	100.00%	-	-	-	-	
		16+	-	-	16	84.21%	3	15.79%	
		Total	4	17.39%	16	69.57%	3	13.04%	23
	Total	4	17.39%	16	69.57%	3	13.04%	23	
West Elgin, Municipality Of (W005)	W005	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	3.70%	26	96.30%	
		6-10	5	100.00%	-	-	-	-	
		Total	12	30.77%	1	2.56%	26	66.67%	39
	Total	12	30.77%	1	2.56%	26	66.67%	39	
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	72	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	Total	72	100.00%	-	-	-	-	72	
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	32	86.49%	2	5.41%	3	8.11%	37
	Total	32	86.49%	2	5.41%	3	8.11%	37	
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	63	98.44%	1	1.56%	-	-	64
	Total	63	98.44%	1	1.56%	-	-	64	
West Perth, Municipality Of (WPTH123)	WPTH123	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	18	90.00%	-	-	2	10.00%	20
	WPTHWS01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	26	92.86%	-	-	2	7.14%	28
		Total	44	91.67%	-	-	4	8.33%	48
		Total	44	91.67%	-	-	4	8.33%	48
West Windsor Power (WWP01)	WWP01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	1	50.00%	-	-	1	50.00%	2	
Total	1	50.00%	-	-	1	50.00%	2		
Westario Power (WPOW01)	WPOW01	0-5	299	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	24	82.76%	5	17.24%	-	-	
	Total	323	97.29%	9	2.71%	-	-	332	
Total	323	97.29%	9	2.71%	-	-	332		
Westover Express Pipeline	WEX01	0-5	55	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Westover Express Pipeline	WEX01	6-10	-	-	1	100.00%	-	-	
		Total	55	98.21%	1	1.79%	-	-	56
	Total	55	98.21%	1	1.79%	-	-	56	
Westport , Village Of (WPT01)	WPT01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
Whitby, Town Of (WHIT123)	WHITCB01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	WHITS01	0-5	156	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	156	99.36%	-	-	1	0.64%	157
	WHITSL01	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	93	97.89%	2	2.11%	-	-	95
	Total	254	98.83%	2	0.78%	1	0.39%	257	
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	121	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	138	100.00%	-	-	-	-	138
	WCSTSL01	0-5	251	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	278	99.64%	1	0.36%	-	-	279
	WCSTW01	0-5	194	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	220	100.00%	-	-	-	-	220
	Total	636	99.84%	1	0.16%	-	-	637	
White River , Town Of (WHRWS01)	WHRWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	Total	1	25.00%	3	75.00%	-	-	4	
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	5	50.00%	1	10.00%	4	40.00%	10
Total	5	50.00%	1	10.00%	4	40.00%	10		
Wiet Peeters Farm Products Limited (WPFPL01)	WPFPL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
Total	2	66.67%	1	33.33%	-	-	3		
Wightman Telecom (WT123)	WT01	0-5	891	100.00%	-	-	-	-	
		11-15	-	-	158	100.00%	-	-	
		16+	-	-	2	1.02%	195	98.98%	
		6-10	129	42.86%	172	57.14%	-	-	
		Total	1,020	65.93%	332	21.46%	195	12.61%	1547
		Total	1,020	65.93%	332	21.46%	195	12.61%	1,547
Wilfrid Laurier University (WLU01)	WLU01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	72	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Wilmot, Township Of (WLMWS01)	WLMWS01	6-10	1	50.00%	1	50.00%	-	-		
		Total	73	98.65%	1	1.35%	-	-	74	
	Total		73	98.65%	1	1.35%	-	-	74	
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	422	100.00%	-	-	-	-		
		11-15	-	-	6	100.00%	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	104	97.20%	3	2.80%	-	-		
		Total	526	97.77%	12	2.23%	-	-	538	
	Total		526	97.77%	12	2.23%	-	-	538	
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	47	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	73	100.00%	-	-	-	-		
		Total	120	99.17%	1	0.83%	-	-	121	
	Total		120	99.17%	1	0.83%	-	-	121	
Windsor, City Of (EWINW01)	EWINW01	0-5	164	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	122	100.00%	-	-	-	-		
		Total	286	99.31%	1	0.35%	1	0.35%	288	
	EWINW02	0-5	50	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	50	98.04%	1	1.96%	-	-	51	
		Total		336	99.12%	2	0.59%	1	0.29%	339
Windsor, City Of (WSRSL01)	WSRSL01	0-5	538	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	175	100.00%	-	-	-	-		
		Total	713	99.72%	1	0.14%	1	0.14%	715	
	Total		713	99.72%	1	0.14%	1	0.14%	715	
Wingham & Listowel Hospitals (LWHA01)	LWHA01	16+	-	-	-	-	3	100.00%		
		Total	-	-	-	-	3	100.00%	3	
Total						3	100.00%	3		
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	415	100.00%	-	-	-	-		
		11-15	-	-	5	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	5	100.00%	-	-	-	-		
		Total	420	98.59%	5	1.17%	1	0.23%	426	
	Total		420	98.59%	5	1.17%	1	0.23%	426	
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	386	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	7	100.00%	-	-	-	-		
		Total	393	98.74%	5	1.26%	-	-	398	
	Total		393	98.74%	5	1.26%	-	-	398	
Woolwich, Township Of (WLW01)	WLW01	0-5	216	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
	Total	216	99.54%	1	0.46%	-	-	217		
Total		216	99.54%	1	0.46%	-	-	217		
Wtc Communications (WTCCT01)	WTCCT01	0-5	45	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		6-10	7	63.64%	4	36.36%	-	-		
		Total	52	88.14%	7	11.86%	-	-	59	
	Total		52	88.14%	7	11.86%	-	-	59	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Xplore Inc	MTLF01	0-5	260	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	37	100.00%	-	-	-	-	
		Total	297	98.34%	3	0.99%	2	0.66%	
	XPNET01	0-5	541	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	60	95.24%	3	4.76%	-	-	
		Total	601	98.52%	6	0.98%	3	0.49%	
	XPNET02	0-5	65	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	85	98.84%	1	1.16%	-	-	
Total			983	98.50%	10	1.00%	5	0.50%	998
Xstrata (GCX01)	GCX01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total			2	100.00%	-	-	-	2
York Region Water And Sewer (YRWS123)	YRWS01	0-5	661	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	669	99.85%	-	-	1	0.15%	
	Total			669	99.85%	-	-	1	0.15%
York University (YORKU01)	YORKU01	16+	-	-	-	-	27	100.00%	
		Total	-	-	-	-	27	100.00%	
	Total			-	-	-	-	27	100.00%
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	480	100.00%	-	-	-	-	
		11-15	-	-	77	100.00%	-	-	
		16+	-	-	7	41.18%	10	58.82%	
		6-10	623	99.36%	4	0.64%	-	-	
		Total	1,103	91.84%	88	7.33%	10	0.83%	
	Total			1,103	91.84%	88	7.33%	10	0.83%
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	50.00%	4	50.00%	
		6-10	24	68.57%	11	31.43%	-	-	
		Total	112	84.85%	16	12.12%	4	3.03%	
	ZAYOON02	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	23	95.83%	1	4.17%	-	-	
		Total	87	91.58%	7	7.37%	1	1.05%	
	ZAYOON03	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	23	82.14%	5	17.86%	-	-	
		Total	82	86.32%	13	13.68%	-	-	
	ZAYOON04	0-5	34	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	43	97.73%	1	2.27%	-	-	
	ZAYOON05	0-5	56	100.00%	-	-	-	-	
16+		-	-	2	100.00%	-	-		
6-10		24	82.76%	5	17.24%	-	-		
Total		80	91.95%	7	8.05%	-	-	87	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYO123)	ZAYOON06	0-5	10	100.00%	-	-	-	-	13
		6-10	2	66.67%	1	33.33%	-	-	
		Total	12	92.31%	1	7.69%	-	-	
	ZAYOON07	0-5	90	100.00%	-	-	-	-	120
		16+	-	-	1	100.00%	-	-	
		6-10	26	89.66%	3	10.34%	-	-	
		Total	116	96.67%	4	3.33%	-	-	
	ZAYOON08	0-5	52	100.00%	-	-	-	-	74
		16+	-	-	-	-	1	100.00%	
		6-10	18	85.71%	3	14.29%	-	-	
		Total	70	94.59%	3	4.05%	1	1.35%	
	ZAYOON09	0-5	14	100.00%	-	-	-	-	21
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	20	95.24%	1	4.76%	-	-	
	ZAYOON11	0-5	513	100.00%	-	-	-	-	634
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	24	58.54%	17	41.46%	
		6-10	56	94.92%	3	5.08%	-	-	
		Total	569	89.75%	48	7.57%	17	2.68%	
ZAYOON12	0-5	15	100.00%	-	-	-	-	24	
	11-15	-	-	1	100.00%	-	-		
	6-10	6	75.00%	2	25.00%	-	-		
	Total	21	87.50%	3	12.50%	-	-		
Total		1,212	90.52%	104	7.77%	23	1.72%	1,339	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	100	100.00%	-	-	-	-	174
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	32	91.43%	3	8.57%	
		6-10	35	100.00%	-	-	-	-	
	Total	135	77.59%	36	20.69%	3	1.72%		
Total		135	77.59%	36	20.69%	3	1.72%	174	
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	-	-	-	-	4	100.00%	4
	Total	-	-	-	-	4	100.00%		
Total		-	-	-	-	4	100.00%	4	
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	36	100.00%	-	-	-	-	36
		Total	36	100.00%	-	-	-	-	
	Total		36	100.00%	-	-	-	-	36
Total		342,283	95.07%	14,462	4.02%	3,304	0.92%	360,049	