



UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1

Locate your organization
Find your organization name in the first column, listed alphabetically.

2

Find your master code
Flook for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3

Understand performance metrics

- On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report
The report includes data for standard and advanced locate requests.

Excluded in this report
Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

- Every municipality in Ontario;
- Hydro One Inc., as defined in the Electricity Act, 1998;
- Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
- Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
- Every Operator of a distribution system, as defined by the Electricity Act, 1998;
- Every person or entity regulated under the Oil, Gas and Salt Resources Act;
- Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.

The report was generated on 2025-04-24 02:00:42

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

UIO Performance Report



Report Period	2025-03-01	-	2025-03-31
---------------	------------	---	------------



On Time	245,742	95.30%
Late	9,163	3.55%
No 360 Response	2,949	1.14%
Total	257,854	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
156 Columbia St Inc (COLBIA123)	COLB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
1682468 Corp (168XPL01)	168XPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
407 ETR (407ETR)	407ETR01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		Total	44	81.48%	9	16.67%	1	1.85%	54
	Total		44	81.48%	9	16.67%	1	1.85%	54
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	71	94.67%	4	5.33%	-	-	
		Total	186	95.38%	9	4.62%	-	-	195
	HYTOS01	0-5	5	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	HYTOW01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		207	95.83%	9	4.17%	-	-	216
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	47	92.16%	2	3.92%	2	3.92%	51
	Total		47	92.16%	2	3.92%	2	3.92%	51
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	8	53.33%	1	6.67%	6	40.00%	15
	Total		8	53.33%	1	6.67%	6	40.00%	15
Agilis (AGILF01)	AGILF01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	32	94.12%	1	2.94%	1	2.94%	34
	Total		32	94.12%	1	2.94%	1	2.94%	34
Aim Harrow Wind Farm (HARFW01)	HARFW01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Aim Harrow Wind Farm (HARFW01)	HARFW01	6-10	2	100.00%	-	-	-	-	
		Total	7	58.33%	5	41.67%	-	-	12
	Total		7	58.33%	5	41.67%	-	-	12
Aim Sop Phase I Lp (AIMWF01)	AIMWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Air Liquide Canada (AL01)	AL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Air Products Canada (APC1)	APC1	0-5	7	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	286	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		6-10	100	100.00%	-	-	-	-	
		Total	386	96.02%	16	3.98%	-	-	402
	Total		386	96.02%	16	3.98%	-	-	402
Alectra Brampton (ALECBR01)	ALECBR01	0-5	1,334	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	73	96.05%	3	3.95%	-	-	
		Total	1,407	98.88%	16	1.12%	-	-	1423
	Total		1,407	98.88%	16	1.12%	-	-	1,423
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	1,310	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	515	99.61%	2	0.39%	-	-	
		Total	1,825	98.28%	32	1.72%	-	-	1857
	Total		1,825	98.28%	32	1.72%	-	-	1,857
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	2,053	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	42	100.00%	-	-	
		6-10	248	94.30%	15	5.70%	-	-	
		Total	2,301	95.72%	103	4.28%	-	-	2404
	Total		2,301	95.72%	103	4.28%	-	-	2,404
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	623	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	100	97.09%	3	2.91%	-	-	
		Total	723	99.04%	7	0.96%	-	-	730
	Total		723	99.04%	7	0.96%	-	-	730
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	2,188	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	519	100.00%	-	-	-	-	
		Total	2,707	99.12%	24	0.88%	-	-	2731
	PSGN05	0-5	503	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	127	100.00%	-	-	-	-	
		Total	630	99.21%	5	0.79%	-	-	635
	Total		3,337	99.14%	29	0.86%	-	-	3,366

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Alectra Utilities (GHY01)	GHY01	0-5	384	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	57	100.00%	-	-	-	-	
		Total	441	99.77%	1	0.23%	-	-	442
	Total		441	99.77%	1	0.23%	-	-	442
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	40	67.80%	19	32.20%	-	-	59
	Total		40	67.80%	19	32.20%	-	-	59
Algoma Power (AGMP01)	AGMP01	0-5	40	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	Total		41	100.00%	-	-	-	-	41
Algonquin College (ALGQC01)	ALGQC01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Algonquin Fiber (ALGQF01)	ALGQF01	6-10	3	75.00%	1	25.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Algonquin Highlands	ALGHW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Amherstburg Public Works (A005)	A005	0-5	222	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	242	98.78%	3	1.22%	-	-	245
	AMHTL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		242	98.37%	3	1.22%	1	0.41%	246
Apotex (APX2)	APX2	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	6	40.00%	9	60.00%	-	-	15
	Total		6	40.00%	9	60.00%	-	-	15
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Armstrong Lsb (ARLSBW01)	ARLSBW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	21	100.00%	-	-	-	-	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	34	97.14%	1	2.86%	-	-	35
	Total		34	97.14%	1	2.86%	-	-	35
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	14	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Arran-Ederslie, Township Of (ARELD01)	ARELD01	6-10	4	80.00%	1	20.00%	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
	Total		18	94.74%	1	5.26%	-	-	19
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	ACWWS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		7	77.78%	2	22.22%	-	-	9
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	7	77.78%	-	-	2	22.22%	9
	Total		7	77.78%	-	-	2	22.22%	9
Atikokan Hydro (ATH01)	ATH01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Aurora, Town Of (AURORA01)	AURORA01	0-5	184	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	24	70.59%	10	29.41%	
		6-10	23	92.00%	2	8.00%	-	-	
		Total	207	84.49%	28	11.43%	10	4.08%	245
	Total		207	84.49%	28	11.43%	10	4.08%	245
Avetria Networks Inc (ANF01)	ANF01	11-15	-	-	1	33.33%	2	66.67%	
		16+	-	-	-	-	11	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	13.33%	13	86.67%	15
	Total		-	-	2	13.33%	13	86.67%	15
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	54	94.74%	3	5.26%	-	-	57
	OCWA01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		55	93.22%	3	5.08%	1	1.69%	59
Bancroft, Town Of (BNCF01)	BNCF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Barrie, City Of (BARR01)	BARR01	0-5	388	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	207	99.52%	1	0.48%	-	-	
		Total	595	97.06%	17	2.77%	1	0.16%	613
	Total		595	97.06%	17	2.77%	1	0.16%	613
Bayham, Municipality Of (BYH01)	BYH01	0-5	19	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bayham, Municipality Of (BYH01)	BYH01	11-15	-	-	-	-	1	100.00%	
		Total	19	95.00%	-	-	1	5.00%	20
	Total		19	95.00%	-	-	1	5.00%	20
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	393	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	8.33%	11	91.67%	
		6-10	208	100.00%	-	-	-	-	
		Total	601	97.72%	3	0.49%	11	1.79%	615
	Total		601	97.72%	3	0.49%	11	1.79%	615
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	299	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	180	100.00%	-	-	-	-	
		Total	479	99.79%	1	0.21%	-	-	480
	Total		479	99.79%	1	0.21%	-	-	480
Bell Aliant Damage Prevention (BA01)	BA80701	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BA80702	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	BA80703	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	BA80704	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	10	62.50%	6	37.50%	-	-	16
	BA80705	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	BA80706	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BA80707	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	BA80708	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	BA80709	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	BA80710	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	41	91.11%	4	8.89%	-	-	45
	BA80711	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	BAGE01	0-5	263	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	38	97.44%	1	2.56%	-	-	
		Total	301	95.86%	13	4.14%	-	-	314
	BAGN01	0-5	38	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Aliant Damage Prevention (BA01)	BAGN01	6-10	7	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	BAGN02	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	93	76.23%	29	23.77%	-	-	122
	BAGW02	0-5	248	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	68	100.00%	-	-	-	-	
		Total	316	95.76%	14	4.24%	-	-	330
	BAHN01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	27	93.10%	2	6.90%	-	-	29
	BAOE01	0-5	847	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	285	99.65%	1	0.35%	-	-	
		Total	1,132	98.35%	19	1.65%	-	-	1151
	BAONE01	0-5	662	100.00%	-	-	-	-	
		11-15	-	-	61	100.00%	-	-	
		16+	-	-	54	100.00%	-	-	
		6-10	114	88.37%	15	11.63%	-	-	
		Total	776	85.65%	130	14.35%	-	-	906
	BAONW01	0-5	15	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	BAONW02	0-5	5	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	5	55.56%	4	44.44%	-	-	9
	BAOS01	0-5	2,364	100.00%	-	-	-	-	
		11-15	-	-	54	100.00%	-	-	
		6-10	796	97.67%	19	2.33%	-	-	
		Total	3,160	97.74%	73	2.26%	-	-	3233
	BAOW01	0-5	1,487	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	462	98.30%	8	1.70%	-	-	
		Total	1,949	97.60%	48	2.40%	-	-	1997
	Total		7,936	95.81%	347	4.19%	-	-	8,283
Bell Canada Damage Prevention (BC01)	360GTA	0-5	321	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	76	100.00%	-	-	-	-	
		Total	397	99.00%	4	1.00%	-	-	401
	360N	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	64	96.97%	2	3.03%	-	-	66

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Canada Damage Prevention (BC01)	360N01	0-5	200	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	214	98.62%	3	1.38%	-	-	
	360OTT	0-5	41	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		Total	41	80.39%	10	19.61%	-	-	
	BCGE01	0-5	2,033	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	375	97.15%	11	2.85%	-	-	
		Total	2,408	96.71%	82	3.29%	-	-	
	BCGN01	0-5	3,087	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	666	99.70%	2	0.30%	-	-	
		Total	3,753	99.02%	37	0.98%	-	-	
	BCGN02	0-5	1,077	100.00%	-	-	-	-	
		11-15	-	-	96	100.00%	-	-	
		16+	-	-	244	100.00%	-	-	
		6-10	70	65.42%	37	34.58%	-	-	
		Total	1,147	75.26%	377	24.74%	-	-	
	BCGTAA01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	21	77.78%	6	22.22%	-	-	
	BCGW01	0-5	3,230	100.00%	-	-	-	-	
		11-15	-	-	32	100.00%	-	-	
		16+	-	-	23	100.00%	-	-	
		6-10	463	99.36%	3	0.64%	-	-	
		Total	3,693	98.45%	58	1.55%	-	-	
	BCGW02	0-5	275	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	85	97.70%	2	2.30%	-	-	
		Total	360	96.51%	13	3.49%	-	-	
	BCHN01	0-5	6,804	100.00%	-	-	-	-	
		11-15	-	-	158	100.00%	-	-	
		16+	-	-	78	100.00%	-	-	
		6-10	1,013	93.19%	74	6.81%	-	-	
		Total	7,817	96.19%	310	3.81%	-	-	
	BCOE01	0-5	3,461	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		16+	-	-	20	100.00%	-	-	
		6-10	933	99.36%	6	0.64%	-	-	
		Total	4,394	98.68%	59	1.32%	-	-	
	BCONE01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	87	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	57	34.97%	106	65.03%	-	-	
	BCOS01	0-5	3,255	100.00%	-	-	-	-	
		11-15	-	-	85	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Canada Damage Prevention (BC01)	BCOS01	6-10	808	98.78%	10	1.22%	-	-	
		Total	4,063	97.48%	105	2.52%	-	-	4168
	BCOW01	0-5	3,877	100.00%	-	-	-	-	
		11-15	-	-	107	100.00%	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	836	95.32%	41	4.68%	-	-	
		Total	4,713	96.42%	175	3.58%	-	-	4888
	BCTE01	0-5	2,380	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	585	99.32%	4	0.68%	-	-	
		Total	2,965	98.80%	36	1.20%	-	-	3001
	BCTW01N	0-5	846	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	215	99.54%	1	0.46%	-	-	
		Total	1,061	98.42%	17	1.58%	-	-	1078
	BCTW01S	0-5	1,290	100.00%	-	-	-	-	
		11-15	-	-	44	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	280	95.24%	14	4.76%	-	-	
		Total	1,570	95.50%	74	4.50%	-	-	1644
	BFTHTOR2	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	37	100.00%	
		Total	-	-	-	-	39	100.00%	39
	Total		38,738	96.24%	1,474	3.66%	39	0.10%	40,251
Belleville , City Of (BLV01)	BLV01	0-5	153	100.00%	-	-	-	-	
		Total	153	100.00%	-	-	-	-	153
	Total		153	100.00%	-	-	-	-	153
Birch Hill Telecom (BHTI01)	BHTI01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	31	100.00%	-	-	-	-	
		Total	54	98.18%	-	-	1	1.82%	55
	Total		54	98.18%	-	-	1	1.82%	55
Blackriver Matheson, Township Of (BRMS01)	BRMS01	11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	56	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	Total		56	100.00%	-	-	-	-	56
Blind River , Town Of (BLR01)	BLR01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	7	77.78%	1	11.11%	1	11.11%	9
	Total		7	77.78%	1	11.11%	1	11.11%	9
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	66.67%	1	16.67%	1	16.67%	6
	Total		4	66.67%	1	16.67%	1	16.67%	6
Blue Mountain Village Association (BMVA01)	BMVA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	98	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	115	100.00%	-	-	-	-	115
	Total		115	100.00%	-	-	-	-	115
Bluewater Power (S003)	S003	0-5	506	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	1	100.00%	-	-	
		6-10	179	99.44%	1	0.56%	-	-	
		Total	685	99.28%	4	0.58%	1	0.14%	690
	Total		685	99.28%	4	0.58%	1	0.14%	690
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	34	100.00%	-	-	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	Total		71	100.00%	-	-	-	-	71
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Bluewater, Municipality Of (BLW01)	BLW01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	31	96.88%	-	-	1	3.13%	32
	Total		31	96.88%	-	-	1	3.13%	32
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Boralex (BOR123)	BORWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	BORWF02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BORWF03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF05	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF08	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		20	100.00%	-	-	-	-	20
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total		10	90.91%	1	9.09%	-	-	11
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	49	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	51
	BFWGSS01	0-5	61	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	BFWGW01	0-5	70	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	Total		186	100.00%	-	-	-	-	186
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	169	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Brampton Storm, City Of (COBSS01)	COBSS01	6-10	24	100.00%	-	-	-	-	
		Total	193	97.97%	2	1.02%	2	1.02%	197
	Total		193	97.97%	2	1.02%	2	1.02%	197
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	622	100.00%	-	-	-	-	
		11-15	-	-	3	60.00%	2	40.00%	
		16+	-	-	-	-	25	100.00%	
		6-10	47	100.00%	-	-	-	-	
		Total	669	95.71%	3	0.43%	27	3.86%	699
	Total		669	95.71%	3	0.43%	27	3.86%	699
Brant, County Of - Fibre (BRNTF01)	BRNTF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Brant, County Of (BRNT01)	BRNT01	0-5	185	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	-	-	27	100.00%	
		6-10	9	50.00%	9	50.00%	-	-	
		Total	194	77.91%	28	11.24%	27	10.84%	249
	Total		194	77.91%	28	11.24%	27	10.84%	249
Brantford, The City Of (BRAS01)	BRAS01	0-5	168	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	182	99.45%	1	0.55%	-	-	
		Total	350	97.77%	8	2.23%	-	-	358
	Total		350	97.77%	8	2.23%	-	-	358
Brantford, The City Of (BRASL01)	BRASL01	0-5	110	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	89	100.00%	-	-	-	-	
		Total	199	98.51%	3	1.49%	-	-	202
	Total		199	98.51%	3	1.49%	-	-	202
Brantford, The City Of (BRATL01)	BRATL01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	Total		17	89.47%	2	10.53%	-	-	19
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	87.50%	2	12.50%	-	-	
		Total	44	93.62%	3	6.38%	-	-	47
	Total		44	93.62%	3	6.38%	-	-	47
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	22	100.00%	-	-	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	29	96.67%	1	3.33%	-	-	30
	Total		29	96.67%	1	3.33%	-	-	30
Brock , Township Of (BRCK01)	BRCK01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	12	85.71%	1	7.14%	1	7.14%	14
	Total		12	85.71%	1	7.14%	1	7.14%	14
Brock University (BROCKU01)	BROCKU01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	20	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Brockton, Municipality Of (BTNWS01)	BTNWS01	16+	-	-	-	-	1	100.00%	
		Total	20	95.24%	-	-	1	4.76%	21
	Total		20	95.24%	-	-	1	4.76%	21
Brockville, City Of (BRKV01)	BRKV01	0-5	79	100.00%	-	-	-	-	
		16+	-	-	2	16.67%	10	83.33%	
		Total	79	86.81%	2	2.20%	10	10.99%	91
	Total		79	86.81%	2	2.20%	10	10.99%	91
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	12	92.31%	-	-	1	7.69%	13
	Total		12	92.31%	-	-	1	7.69%	13
Brooke Telecom (B004)	B004	0-5	138	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	140	99.29%	-	-	1	0.71%	141
	Total		140	99.29%	-	-	1	0.71%	141
Bruce , County Of (BRC01)	BRC01	0-5	39	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	Total		53	100.00%	-	-	-	-	53
Bruce Power (BRCP01)	BRCP01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Bruce Telecom (BTL01)	BTL01	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	44	46.32%	51	53.68%	-	-	
		Total	203	66.12%	104	33.88%	-	-	307
	Total		203	66.12%	104	33.88%	-	-	307
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Burlington Hydro (BH01)	BH01	0-5	1,291	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	73	98.65%	1	1.35%	-	-	
		Total	1,364	99.85%	2	0.15%	-	-	1366
	Total		1,364	99.85%	2	0.15%	-	-	1,366
Burlington, City Of (BRL123)	BRLSL01	0-5	741	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	56	100.00%	-	-	-	-	
		Total	797	99.87%	1	0.13%	-	-	798
	BRLSS01	0-5	736	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	67	100.00%	-	-	-	-	
		Total	803	99.88%	1	0.12%	-	-	804
	BRLTS01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Burlington, City Of (BRL123)	BRLTS01	6-10	24	100.00%	-	-	-	-	
		Total	42	97.67%	1	2.33%	-	-	43
	Total		1,642	99.82%	3	0.18%	-	-	1,645
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	70	100.00%	-	-	-	-	
		6-10	57	100.00%	-	-	-	-	
		Total	127	100.00%	-	-	-	-	127
	Total		127	100.00%	-	-	-	-	127
Callander, Municipality Of (CLN01)	CLN01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	6	66.67%	-	-	3	33.33%	9
	Total		6	66.67%	-	-	3	33.33%	9
Cambridge, City Of (CAM123)	CAMS01	0-5	250	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	252	98.82%	3	1.18%	-	-	255
	CAMW01	0-5	179	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	65	100.00%	-	-	-	-	
		Total	244	99.19%	2	0.81%	-	-	246
	Total		496	99.00%	5	1.00%	-	-	501
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	26	100.00%	
		Total	-	-	-	-	26	100.00%	26
	Total		-	-	-	-	26	100.00%	26
Canadian Niagara Power (CNP01)	CNP01	0-5	362	100.00%	-	-	-	-	
		6-10	48	100.00%	-	-	-	-	
		Total	410	100.00%	-	-	-	-	410
	Total		410	100.00%	-	-	-	-	410
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	12	100.00%	
		16+	-	-	-	-	82	100.00%	
		Total	-	-	-	-	94	100.00%	94
	Total		-	-	-	-	94	100.00%	94
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	58	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	60	98.36%	1	1.64%	-	-	61
	Total		60	98.36%	1	1.64%	-	-	61
Cascara Energy - Formerly Guelph Municipal Holdings (ECEPL01)	ECEPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Celerity Telecom Inc (CTI01)	CTI01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	67	100.00%	-	-	-	-	
		Total	147	99.32%	1	0.68%	-	-	
	Total		147	99.32%	1	0.68%	-	-	148
Central Huron, Municipality Of (CHW01)	CHW01	0-5	16	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	18	90.00%	2	10.00%	-	-	
	Total		18	90.00%	2	10.00%	-	-	20
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	
	Total		-	-	-	-	9	100.00%	9
Centre Wellington Communications (CWC01)	CWC01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	20	95.24%	-	-	1	4.76%	
	Total		20	95.24%	-	-	1	4.76%	21
Centre Wellington Hydro (CWH01)	CWH01	0-5	94	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	94	97.92%	-	-	2	2.08%	
	Total		94	97.92%	-	-	2	2.08%	96
Centre Wellington, Township Of (CTW01)	CTW01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	46	70.77%	19	29.23%	-	-	
		Total	118	81.94%	26	18.06%	-	-	
	Total		118	81.94%	26	18.06%	-	-	144
Century Link (LVL3)	LVL3	0-5	259	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	261	98.49%	1	0.38%	3	1.13%	
	Total		261	98.49%	1	0.38%	3	1.13%	265
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	25.00%	3	75.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	13	72.22%	1	5.56%	4	22.22%	
	CHPLSL01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	90.00%	-	-	1	10.00%	
	CHPLSS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	20.00%	4	80.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	12	66.67%	1	5.56%	5	27.78%	
	CHPLW01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	8.33%	11	91.67%	
		16+	-	-	-	-	2	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	13	48.15%	1	3.70%	13	48.15%	
	Total		47	64.38%	3	4.11%	23	31.51%	73
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Charlton And Dack , Municipality Of (CHDWSL01)	CHDWSL01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Chatham Kent Health Alliance (CKHA01)	CKHA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	123	100.00%	-	-	-	-	
		11-15	-	-	45	91.84%	4	8.16%	
		16+	-	-	-	-	207	100.00%	
		6-10	85	98.84%	1	1.16%	-	-	
		Total	208	44.73%	46	9.89%	211	45.38%	465
	CKPUC02	0-5	158	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	116	97.48%	3	2.52%	-	-	
		Total	274	98.21%	3	1.08%	2	0.72%	279
	CKPUC03	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	54	96.43%	2	3.57%	
		16+	-	-	-	-	25	100.00%	
		6-10	74	96.10%	3	3.90%	-	-	
		Total	158	65.29%	57	23.55%	27	11.16%	242
	Total		640	64.91%	106	10.75%	240	24.34%	986
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	133	99.25%	1	0.75%	-	-	134
	Total		133	99.25%	1	0.75%	-	-	134
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	55.56%	4	44.44%	-	-	9
	Total		5	55.56%	4	44.44%	-	-	9
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	10	66.67%	5	33.33%	-	-	15
	Total		10	66.67%	5	33.33%	-	-	15
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	11	84.62%	1	7.69%	1	7.69%	13
	Total		11	84.62%	1	7.69%	1	7.69%	13
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Cik Telecom (CIKT01)	CIKT01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	15	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Cik Telecom (CIKT01)	CIKT01	6-10	-	-	5	100.00%	-	-	
		Total	22	51.16%	6	13.95%	15	34.88%	43
		Total	22	51.16%	6	13.95%	15	34.88%	43
City Of Woodstock Street Light & Traffic Signals Wdsltl01 (WDSLTL01)	WDSLTL01	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	108	99.08%	1	0.92%	-	-	109
		Total	108	99.08%	1	0.92%	-	-	109
Ckpw Chatham Township Garage (CK08)	CK08	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	79	100.00%	-	-	
		16+	-	-	-	-	54	100.00%	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	59	30.57%	80	41.45%	54	27.98%	193
		Total	59	30.57%	80	41.45%	54	27.98%	193
Ckpw Chatham Water Garage (CK01)	CK01	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	41	46.59%	47	53.41%	-	-	
		Total	106	68.83%	48	31.17%	-	-	154
		Total	106	68.83%	48	31.17%	-	-	154
Ckpw Dover Township Garage (CK06)	CK06	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	70	97.22%	2	2.78%	-	-	72
		Total	70	97.22%	2	2.78%	-	-	72
Ckpw Kent Centre Garage (CK03)	CK03	0-5	81	100.00%	-	-	-	-	
		Total	81	100.00%	-	-	-	-	81
		Total	81	100.00%	-	-	-	-	81
Ckpw Raleigh Garage (CK04)	CK04	0-5	330	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	331	99.70%	1	0.30%	-	-	332
		Total	331	99.70%	1	0.30%	-	-	332
Ckpw Thamesville Garage (CK09)	CK09	0-5	229	100.00%	-	-	-	-	
		Total	229	100.00%	-	-	-	-	229
		Total	229	100.00%	-	-	-	-	229
Ckpw Tilbury East Garage (CK05)	CK05	0-5	279	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	279	99.64%	-	-	1	0.36%	280
		Total	279	99.64%	-	-	1	0.36%	280
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	15	100.00%	-	-	-	-	
		6-10	9	64.29%	5	35.71%	-	-	
		Total	24	82.76%	5	17.24%	-	-	29
		Total	24	82.76%	5	17.24%	-	-	29
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	48	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
		Total	49	100.00%	-	-	-	-	49
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	71	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	73	98.65%	1	1.35%	-	-	74
	CLRGSS01	0-5	37	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
		Total	110	99.10%	1	0.90%	-	-	111

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	33	76.74%	8	18.60%	2	4.65%	
	Total		33	76.74%	8	18.60%	2	4.65%	43
Clearview, Township Of (CLRV01)	CLRV01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	33	94.29%	1	2.86%	1	2.86%	
	Total		33	94.29%	1	2.86%	1	2.86%	35
Cobalt , Town Of (CBLWSS01)	CBLWSS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Cobourg, Town Of (CBRG123)	CBRG01	0-5	83	100.00%	-	-	-	-	
		Total	83	100.00%	-	-	-	-	
	Total		83	100.00%	-	-	-	-	83
Cochrane Telecom Services (CCT01)	CCT01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	
	Total		2	66.67%	1	33.33%	-	-	3
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Cogeco Cable Canada (CBT1)	CBT1	0-5	1,079	100.00%	-	-	-	-	
		11-15	-	-	94	100.00%	-	-	
		16+	-	-	8	47.06%	9	52.94%	
		6-10	416	82.05%	91	17.95%	-	-	
		Total	1,495	88.10%	193	11.37%	9	0.53%	
	Total		1,495	88.10%	193	11.37%	9	0.53%	1,697
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	869	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	296	99.33%	2	0.67%	-	-	
		Total	1,165	98.81%	14	1.19%	-	-	
	Total		1,165	98.81%	14	1.19%	-	-	1,179
Cogeco Cable Canada (CPVS2)	CBT2	0-5	179	100.00%	-	-	-	-	
		11-15	-	-	28	96.55%	1	3.45%	
		16+	-	-	8	61.54%	5	38.46%	
		6-10	84	87.50%	12	12.50%	-	-	
		Total	263	82.97%	48	15.14%	6	1.89%	
	CPVS2	0-5	244	100.00%	-	-	-	-	
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	4	26.67%	11	73.33%	
		6-10	77	80.21%	19	19.79%	-	-	
		Total	321	83.16%	54	13.99%	11	2.85%	
	Total		584	83.07%	102	14.51%	17	2.42%	703
Cogeco Connexion North East (CCNE123)	COGE01	0-5	603	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	95	100.00%	-	-	-	-	
		Total	698	99.86%	-	-	1	0.14%	
	COOE01	0-5	377	100.00%	-	-	-	-	
		6-10	46	97.87%	1	2.13%	-	-	
	Total		423	99.76%	1	0.24%	-	-	424

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cogeco Connexion North East (CCNE123)	COONE01	0-5	315	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	124	99.20%	1	0.80%	-	-	
		Total	439	99.55%	2	0.45%	-	-	
	Total		1,560	99.74%	3	0.19%	1	0.06%	441
Cogeco Connexion Southwest (CC01)	COC01	0-5	221	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		6-10	111	96.52%	4	3.48%	-	-	
		Total	332	94.05%	21	5.95%	-	-	
	COE01	0-5	569	100.00%	-	-	-	-	
		11-15	-	-	50	100.00%	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		6-10	333	97.37%	9	2.63%	-	-	
		Total	902	93.09%	64	6.60%	3	0.31%	969
	COL01	0-5	323	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	137	95.80%	6	4.20%	-	-	
		Total	460	95.63%	21	4.37%	-	-	481
	Total		1,694	93.95%	106	5.88%	3	0.17%	1,803
Coleman, Township Of (CLMN01)	CLMN01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	
	Total		-	-	-	-	9	100.00%	9
Collingwood Public Utilities (COLL123)	COLLS01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	60	89.55%	6	8.96%	1	1.49%	
	COLLW01	0-5	81	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	84	98.82%	1	1.18%	-	-	
	Total		144	94.74%	7	4.61%	1	0.66%	152
Comber Wind Farm (COMBWF01)	COMBWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Communicate Freely (CFF01)	CFF01	0-5	23	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	
	Total		31	100.00%	-	-	-	-	31
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	13	92.86%	1	7.14%	
		16+	-	-	-	-	7	100.00%	
		6-10	8	50.00%	8	50.00%	-	-	
		Total	15	34.09%	21	47.73%	8	18.18%	
	Total		15	34.09%	21	47.73%	8	18.18%	44
Cornwall , City Of (CRWL123)	CRWL01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	33	94.29%	2	5.71%	-	-	
	CRWLTS01	0-5	3	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	Total		40	95.24%	2	4.76%	-	-	42

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Cornwall Electric (CE01)	CE01	0-5	164	100.00%	-	-	-	-	
		Total	164	100.00%	-	-	-	-	164
	Total		164	100.00%	-	-	-	-	164
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	60	100.00%	-	-	-	-	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	65	97.01%	2	2.99%	-	-	67
	Total		65	97.01%	2	2.99%	-	-	67
Craigleith Ski Club (CGLSC01)	CGLSC01	16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	16	94.12%	-	-	1	5.88%	17
	Total		16	94.12%	-	-	1	5.88%	17
Crh Canada Group Inc	CRH01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Crosslake Fibre Ulc (CRLF01)	CRLF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dacoll Resources (DACR01)	DACR01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	32	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total		33	100.00%	-	-	-	-	33
Dbi Services (DBIS01)	DBIS01	0-5	1	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
DEDICATED LOCATOR - PROMARK (DLPRO1)	DLPRO1	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	68	98.55%	1	1.45%	-	-	69
	Total		68	98.55%	1	1.45%	-	-	69
DEDICATED LOCATOR - PROMARK EAST (DLPRO2)	DLPRO2	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Deep River , Town Of (DRI01)	DRI01	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Deseronto , Town Of (DSR01)	DSR01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Dofasco (Arcelormittal) (AMD01)	AMD01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	5	55.56%	4	44.44%	-	-	9
	Total		5	55.56%	4	44.44%	-	-	9
Dryden, City Of (DRYD01)	DRYD01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Dubreuville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Dufferin County (DFRN01)	DFRN01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Dufferin Wind Power Inc (DFWF01)	DFWF01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Durham One Net	DON01	0-5	151	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	157	100.00%	-	-	-	-	157
	Total		157	100.00%	-	-	-	-	157
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	336	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	338	100.00%	-	-	-	-	338
	DURWS02	0-5	217	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	219	93.99%	5	2.15%	9	3.86%	233
	DURWS03	0-5	63	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	DURWS04	0-5	42	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	DURWS05	0-5	26	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		688	98.01%	5	0.71%	9	1.28%	702
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	148	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	148	99.33%	-	-	1	0.67%	149
	Total		148	99.33%	-	-	1	0.67%	149
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	75	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	Total		75	100.00%	-	-	-	-	75
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
E L K Energy Inc (E001)	E001	0-5	131	100.00%	-	-	-	-	
		Total	131	100.00%	-	-	-	-	131
		Total	131	100.00%	-	-	-	-	131
East Garafraxa , Township Of (EGXWS01)	EGXWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	53	81.54%	12	18.46%	-	-	65
	EGWLSS01	0-5	27	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	EGWLW01	0-5	47	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	EGWLWW01	0-5	31	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
		Total	177	93.65%	12	6.35%	-	-	189
East Hawkesbury, Township Of (EHWKB01)	EHWKB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	19	86.36%	3	13.64%	-	-	22
		Total	19	86.36%	3	13.64%	-	-	22
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
		Total	6	85.71%	-	-	1	14.29%	7
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		Total	32	74.42%	11	25.58%	-	-	43
		Total	32	74.42%	11	25.58%	-	-	43
Eastern Ontario Power (EOP01)	EOP01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	20	95.24%	-	-	1	4.76%	21
		Total	20	95.24%	-	-	1	4.76%	21
Eastern Power Inc (EP01)	EP01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Eastlink (EL123)	ELGE01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	4	66.67%	2	33.33%	
		16+	-	-	-	-	5	100.00%	
		6-10	7	53.85%	6	46.15%	-	-	
		Total	30	63.83%	10	21.28%	7	14.89%	47
	ELOE01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastlink (EL123)	ELOE01	6-10	-	-	2	100.00%	-	-	
		Total	24	75.00%	7	21.88%	1	3.13%	32
	ELOE02	0-5	67	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	77	98.72%	-	-	1	1.28%	78
	ELONE01	0-5	93	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	21	77.78%	6	22.22%	-	-	
		Total	114	90.48%	10	7.94%	2	1.59%	126
	ELONE03	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	3	25.00%	7	58.33%	2	16.67%	12
	ELONE04	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	61.54%	4	30.77%	1	7.69%	13
	ELONE05	0-5	9	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	ELONE06	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	ELONE07	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	ELOS01	0-5	60	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	62	100.00%	-	-	-	-	62
	ELOS02	0-5	107	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	118	100.00%	-	-	-	-	118
	ELOW01	0-5	170	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	22	68.75%	10	31.25%	-	-	
		Total	192	85.71%	25	11.16%	7	3.13%	224
	ELOW02	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		6-10	11	61.11%	7	38.89%	-	-	
		Total	78	77.23%	23	22.77%	-	-	101
	ELOW03	0-5	156	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	80.00%	4	20.00%	-	-	
		Total	172	97.18%	5	2.82%	-	-	177
	ELOW04	0-5	117	100.00%	-	-	-	-	
		6-10	8	50.00%	8	50.00%	-	-	
		Total	125	93.98%	8	6.02%	-	-	133
	ELOW05	0-5	164	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastlink (EL123)	ELOW05	6-10	7	87.50%	1	12.50%	-	-	
		Total	171	98.84%	2	1.16%	-	-	173
	ELOW06	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	38	95.00%	2	5.00%	-	-	
		Total	153	95.03%	8	4.97%	-	-	161
	ELOW07	0-5	40	100.00%	-	-	-	-	
		6-10	5	55.56%	4	44.44%	-	-	
		Total	45	91.84%	4	8.16%	-	-	49
	ELOW08	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	MKDLC01	0-5	27	100.00%	-	-	-	-	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	30	93.75%	2	6.25%	-	-	32
	Total		1,424	90.99%	119	7.60%	22	1.41%	1,565
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	93	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	102	100.00%	-	-	-	-	102
	SFNF01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		106	100.00%	-	-	-	-	106
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	256	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		6-10	95	100.00%	-	-	-	-	
		Total	351	95.64%	16	4.36%	-	-	367
	ELX02	0-5	247	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	104	99.05%	1	0.95%	-	-	
		Total	351	96.43%	13	3.57%	-	-	364
	ELX03	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	122	99.19%	1	0.81%	-	-	123
	ELX04	0-5	91	100.00%	-	-	-	-	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	111	99.11%	1	0.89%	-	-	112
	ELXGE01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	121	98.37%	2	1.63%	-	-	123
	ELXGE02	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	39	95.12%	2	4.88%	-	-	41

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Elexicon Energy Formerly Veridian (ELX123)	ELXONE01	0-5	28	100.00%	-	-	-	-	31
		6-10	3	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	
	ELXWHGE1	0-5	234	100.00%	-	-	-	-	347
		11-15	-	-	1	100.00%	-	-	
		6-10	112	100.00%	-	-	-	-	
		Total	346	99.71%	1	0.29%	-	-	
	Total		1,472	97.61%	36	2.39%	-	-	1,508
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	0-5	1	100.00%	-	-	-	-	4
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	-	-	1	25.00%	
	Total		3	75.00%	-	-	1	25.00%	4
Elgin, County Of (ELGNE01)	ELGNE01	0-5	13	100.00%	-	-	-	-	22
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	20	90.91%	1	4.55%	1	4.55%	
	Total		20	90.91%	1	4.55%	1	4.55%	22
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	6	100.00%	-	-	-	-	11
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	8	72.73%	-	-	3	27.27%	
	Total		8	72.73%	-	-	3	27.27%	11
Emerald Energy From Waste Inc (ALGQP01)	ALGQP01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Emo , Township Of (EMOWS01)	EMOWS01	6-10	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	
	Total		-	-	1	100.00%	-	-	1
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	9	100.00%	-	-	-	-	11
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	
	ENNEBGW1	0-5	23	100.00%	-	-	-	-	30
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	28	93.33%	2	6.67%	-	-	
	ENNEBOE1	0-5	8	100.00%	-	-	-	-	9
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	Total		48	96.00%	2	4.00%	-	-	50
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	31	100.00%	-	-	-	-	49
		11-15	-	-	2	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	47	95.92%	2	4.08%	-	-	
	ENVMGN01	0-5	84	100.00%	-	-	-	-	142
		16+	-	-	1	100.00%	-	-	
		6-10	57	100.00%	-	-	-	-	
		Total	141	99.30%	1	0.70%	-	-	
	ENVMGN02	0-5	30	100.00%	-	-	-	-	60
		16+	-	-	8	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	52	86.67%	8	13.33%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGW01	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	71	100.00%	-	-	-	-	
		Total	108	91.53%	10	8.47%	-	-	
	ENVMGW02	0-5	9	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	
	ENVMHN01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	10	83.33%	2	16.67%	-	-	
	ENVMOE01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	61	96.83%	2	3.17%	-	-	
		Total	78	92.86%	6	7.14%	-	-	
	ENVMTE01	0-5	39	100.00%	-	-	-	-	
		6-10	105	100.00%	-	-	-	-	
		Total	144	100.00%	-	-	-	-	
	ENVMTW1N	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	80	96.39%	3	3.61%	-	-	
	ENVMTW1S	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	35	94.59%	2	5.41%	-	-	
		Total	72	84.71%	13	15.29%	-	-	
	Total		750	94.34%	45	5.66%	-	-	795
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	3,373	100.00%	-	-	-	-	
		11-15	-	-	307	100.00%	-	-	
		16+	-	-	86	96.63%	3	3.37%	
		6-10	1,319	74.99%	440	25.01%	-	-	
		Total	4,692	84.88%	833	15.07%	3	0.05%	
	EN2OE01	0-5	728	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	342	99.71%	1	0.29%	-	-	
		Total	1,070	98.80%	13	1.20%	-	-	
	ENONE01	0-5	641	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	287	98.29%	5	1.71%	-	-	
		Total	928	98.10%	18	1.90%	-	-	
	ENONW01	0-5	33	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	
	ENONW02	0-5	139	100.00%	-	-	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	172	100.00%	-	-	-	-	
	ENOS01	0-5	4,201	100.00%	-	-	-	-	
		11-15	-	-	147	100.00%	-	-	
		16+	-	-	11	91.67%	1	8.33%	
		6-10	2,494	97.69%	59	2.31%	-	-	
		Total	6,695	96.85%	217	3.14%	1	0.01%	
	ENOW01	0-5	3,320	100.00%	-	-	-	-	
		11-15	-	-	82	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas (Legacy Union Gas) (UG1)	ENOW01	16+	-	-	2	50.00%	2	50.00%	
		6-10	1,489	98.61%	21	1.39%	-	-	
		Total	4,809	97.82%	105	2.14%	2	0.04%	4916
	Total		18,399	93.92%	1,186	6.05%	6	0.03%	19,591
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	34	87.18%	5	12.82%	-	-	
		Total	73	89.02%	9	10.98%	-	-	82
	ENCLCHT	0-5	89	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	107	100.00%	-	-	-	-	
		Total	196	98.99%	2	1.01%	-	-	198
	ENCLEST	0-5	44	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	ENCLHAL	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	16	88.89%	2	11.11%	-	-	
		Total	44	84.62%	8	15.38%	-	-	52
	ENCLHAM	0-5	69	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	60	84.51%	11	15.49%	-	-	
		Total	129	81.13%	30	18.87%	-	-	159
	ENCLLDN	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	97	91.51%	9	8.49%	-	-	
		Total	223	90.28%	24	9.72%	-	-	247
	ENCLNTH	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	99	91.67%	9	8.33%	-	-	108
	ENCLNW02	0-5	5	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	ENCLSAR	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	26	96.30%	1	3.70%	-	-	
		Total	38	82.61%	8	17.39%	-	-	46
	ENCLWAT	0-5	137	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	138	96.50%	5	3.50%	-	-	
		Total	275	93.22%	19	6.44%	1	0.34%	295
	ENCLWIN	0-5	129	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	123	97.62%	3	2.38%	-	-	
		Total	252	90.32%	27	9.68%	-	-	279
	Total		1,416	91.18%	136	8.76%	1	0.06%	1,553
Enbridge Gas Distribution (ENB1)	ENDLGN01	0-5	37	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas Distribution (ENB1)	ENDLGN01	6-10	68	100.00%	-	-	-	-	
		Total	105	100.00%	-	-	-	-	105
	ENDLGN02	0-5	14	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	ENGE01	0-5	1,889	100.00%	-	-	-	-	
		11-15	-	-	69	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	641	98.62%	9	1.38%	-	-	
		Total	2,530	96.42%	94	3.58%	-	-	2624
	ENGEDL09	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	ENGN01	0-5	2,703	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	1,109	100.00%	-	-	-	-	
		Total	3,812	99.43%	22	0.57%	-	-	3834
	ENGN02	0-5	1,096	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	33	100.00%	-	-	
		6-10	282	100.00%	-	-	-	-	
		Total	1,378	97.52%	35	2.48%	-	-	1413
	ENGTA01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	21	70.00%	9	30.00%	-	-	30
	ENGW01	0-5	1,624	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	25	100.00%	-	-	
		6-10	1,315	99.77%	3	0.23%	-	-	
		Total	2,939	97.09%	88	2.91%	-	-	3027
	ENGW02	0-5	291	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	281	99.65%	1	0.35%	-	-	
		Total	572	93.77%	38	6.23%	-	-	610
	ENHN01	0-5	2,204	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	612	99.19%	5	0.81%	-	-	
		Total	2,816	98.81%	34	1.19%	-	-	2850
	ENOE01	0-5	2,403	100.00%	-	-	-	-	
		11-15	-	-	74	100.00%	-	-	
		16+	-	-	17	80.95%	4	19.05%	
		6-10	1,796	99.61%	7	0.39%	-	-	
		Total	4,199	97.63%	98	2.28%	4	0.09%	4301
	ENTE01	0-5	1,989	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	
		6-10	1,342	99.63%	5	0.37%	-	-	
		Total	3,331	98.23%	60	1.77%	-	-	3391
	ENTED9	0-5	3	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas Distribution (ENB1)	ENTED9	6-10	4	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	ENTW01N	0-5	776	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	13	92.86%	1	7.14%	
		6-10	390	99.74%	1	0.26%	-	-	
		Total	1,166	96.76%	38	3.15%	1	0.08%	1205
	ENTW01S	0-5	1,131	100.00%	-	-	-	-	
		11-15	-	-	76	100.00%	-	-	
		16+	-	-	26	100.00%	-	-	
		6-10	598	93.29%	43	6.71%	-	-	
		Total	1,729	92.26%	145	7.74%	-	-	1874
	ENTWD9	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		24,650	97.37%	661	2.61%	5	0.02%	25,316
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	32	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	EN21	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	80	95.24%	4	4.76%	-	-	84
	EN22	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	8	61.54%	2	15.38%	3	23.08%	13
	Total		121	93.08%	6	4.62%	3	2.31%	130
Enbridge Pipelines (EP123)	I001	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		Total	20	66.67%	10	33.33%	-	-	30
	I010	0-5	300	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	325	90.28%	35	9.72%	-	-	360
	I011	0-5	57	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	59	84.29%	11	15.71%	-	-	70
	I012	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		409	87.96%	56	12.04%	-	-	465
Enbridge Wind Power (ENWP01)	ENWP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Englehart , Town Of (EGHT01)	EGHT01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Englehart , Town Of (EGHT01)	EGHT01	6-10	3	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	Total		6	75.00%	2	25.00%	-	-	8
Enniskillen, Township Of (E002)	E002	0-5	66	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	Total		71	100.00%	-	-	-	-	71
Enova Power (ENOVA123)	EPKW01	0-5	496	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	282	98.95%	3	1.05%	-	-	
		Total	778	98.61%	11	1.39%	-	-	789
	EPWAT01	0-5	283	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	138	100.00%	-	-	-	-	
		Total	421	99.06%	3	0.71%	1	0.24%	425
	EPWEL01	0-5	24	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	EPWOL01	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	140	99.29%	1	0.71%	-	-	141
	Total		1,367	98.84%	15	1.08%	1	0.07%	1,383
Entegrus (EPICK01)	CKSL01	0-5	78	100.00%	-	-	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	119	100.00%	-	-	-	-	119
	EPICK01	0-5	166	100.00%	-	-	-	-	
		6-10	69	100.00%	-	-	-	-	
		Total	235	100.00%	-	-	-	-	235
	EPIMP01	0-5	74	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	95	100.00%	-	-	-	-	95
	Total		449	100.00%	-	-	-	-	449
Entegrus Powerlines Inc À,~â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	104	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	132	100.00%	-	-	-	-	132
	Total		132	100.00%	-	-	-	-	132
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	31	96.88%	1	3.13%	-	-	32
	Total		31	96.88%	1	3.13%	-	-	32
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	82	92.13%	6	6.74%	1	1.12%	89
	Total		82	92.13%	6	6.74%	1	1.12%	89
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	186	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	73	100.00%	-	-	-	-	
		Total	259	99.23%	2	0.77%	-	-	
	Total		259	99.23%	2	0.77%	-	-	261
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	84	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	
	Total		84	100.00%	-	-	-	-	84
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	130	100.00%	-	-	-	-	
		Total	130	100.00%	-	-	-	-	
	Total		130	100.00%	-	-	-	-	130
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	157	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	85	97.70%	2	2.30%	-	-	
		Total	242	94.90%	12	4.71%	1	0.39%	
	EPNG02	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	43	97.73%	1	2.27%	-	-	
	EPNG03	0-5	60	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	
	Total		350	96.15%	13	3.57%	1	0.27%	364
Erie Shores Wind Farm (ESWF01)	ESWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Erieau Wind Farm (EWF01)	EWF01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	10	83.33%	2	16.67%	-	-	
	Total		10	83.33%	2	16.67%	-	-	12
Erin, Town Of (ERN01)	ERN01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	15	88.24%	-	-	2	11.76%	
	Total		15	88.24%	-	-	2	11.76%	17
Erin, Town Of (ERNSL01)	ERNS01	11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	
	ERNSL01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	22	95.65%	1	4.35%	-	-	
	Total		24	92.31%	2	7.69%	-	-	26
Erth Power Corporation (ETP01)	ETP01	0-5	162	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	65	95.59%	3	4.41%	-	-	
		Total	227	92.65%	17	6.94%	1	0.41%	
	Total		227	92.65%	17	6.94%	1	0.41%	245
Erth Power Corporation (ETP02)	ETP02	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Erth Power Corporation (ETP02)	ETP02	6-10	18	100.00%	-	-	-	-	
		Total	86	98.85%	1	1.15%	-	-	87
	Total		86	98.85%	1	1.15%	-	-	87
Espanola , Town Of (ESP01)	ESP01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Espanola Hydro (ERH01)	ERH01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Essa, Township Of (ESA123)	ESASSL01	0-5	14	100.00%	-	-	-	-	
		6-10	2	11.76%	15	88.24%	-	-	
		Total	16	51.61%	15	48.39%	-	-	31
	ESAWS01	0-5	14	100.00%	-	-	-	-	
		6-10	2	11.76%	15	88.24%	-	-	
		Total	16	51.61%	15	48.39%	-	-	31
	Total		32	51.61%	30	48.39%	-	-	62
Essex County Highways (ESXTS01)	ESXTS01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	35	94.59%	2	5.41%	-	-	37
	Total		35	94.59%	2	5.41%	-	-	37
Essex Powerlines Corp (A006)	A006	0-5	371	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	53	96.36%	2	3.64%	-	-	
		Total	424	94.01%	27	5.99%	-	-	451
	Total		424	94.01%	27	5.99%	-	-	451
Essex Powerlines Corp (A007)	A007	11-15	-	-	-	-	12	100.00%	
		16+	-	-	-	-	156	100.00%	
		Total	-	-	-	-	168	100.00%	168
	Total		-	-	-	-	168	100.00%	168
Essex, Town Of (CO01)	CO01	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	48	97.96%	1	2.04%	-	-	
		Total	118	93.65%	8	6.35%	-	-	126
	Total		118	93.65%	8	6.35%	-	-	126
Execulink Telecom (EXTEL123)	ASC2	0-5	155	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	83	98.81%	1	1.19%	-	-	
		Total	238	97.54%	5	2.05%	1	0.41%	244
	EXEC01	0-5	327	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	158	96.34%	6	3.66%	-	-	
		Total	485	93.45%	34	6.55%	-	-	519
	HT01	0-5	19	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	HTF1	0-5	36	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Execulink Telecom (EXTEL123)	NE01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	NEK01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		804	94.26%	40	4.69%	9	1.06%	853
Fanshawe College - Private Property (FSWC02)	FSWC02	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Fanshawe College (FSWC01)	FSWC01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	25.00%	3	75.00%	
		16+	-	-	-	-	9	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	71	83.53%	2	2.35%	12	14.12%	85
	Total		71	83.53%	2	2.35%	12	14.12%	85
Festival Hydro (FESTH01)	FESTH01	0-5	223	100.00%	-	-	-	-	
		6-10	82	98.80%	1	1.20%	-	-	
		Total	305	99.67%	1	0.33%	-	-	306
	Total		305	99.67%	1	0.33%	-	-	306
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	19	100.00%	
		Total	-	-	-	-	19	100.00%	19
	Total		-	-	-	-	19	100.00%	19
Fisher Wavy Inc (FSWVY01)	FSWVY01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ford Canada - Windsor Plant	FORDW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	205	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	205	98.56%	3	1.44%	-	-	208
	Total		205	98.56%	3	1.44%	-	-	208
Fort Frances Power (FFP01)	FFP01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	8	80.00%	-	-	2	20.00%	10
	Total		8	80.00%	-	-	2	20.00%	10
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Fu Fiber Inc (FUFIO1)	FUFIO1	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	1	25.00%	-	-	3	75.00%	4
	Total		1	25.00%	-	-	3	75.00%	4
Gananoque, Town Of (GNQWST01)	GNQWST01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	14	100.00%	
		Total	-	-	-	-	16	100.00%	16
	Total		-	-	-	-	16	100.00%	16
Gbtel Inc (GBT01)	GBT01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Gbtel Inc (GBT01)	GBT01	6-10	10	100.00%	-	-	-	-	
		Total	49	92.45%	4	7.55%	-	-	53
	Total		49	92.45%	4	7.55%	-	-	53
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	Total		3	60.00%	2	40.00%	-	-	5
Georgian Bluffs , Township Of (GB01)	GB01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	GBSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		5	100.00%	-	-	-	-	5
Georgina, Town Of (GGN123)	GGN01	0-5	176	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	31	100.00%	-	-	-	-	
		Total	207	90.79%	7	3.07%	14	6.14%	228
	Total		207	90.79%	7	3.07%	14	6.14%	228
Goderich, Town Of (GDR123)	GDRHS01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	35	97.22%	1	2.78%	-	-	36
	GDRHW01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	34	91.89%	1	2.70%	2	5.41%	37
	Total		69	94.52%	2	2.74%	2	2.74%	73
Gore Bay , Town Of (GBY01)	GBY01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Gosfield North Communications (G001)	G001	0-5	81	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	32	100.00%	-	-	-	-	
		Total	113	97.41%	-	-	3	2.59%	116
	Total		113	97.41%	-	-	3	2.59%	116
Government Of Canada (GOC01)	GOC01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Grand Bend Wind Lp (GBWF01)	GBWF01	11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	2	66.67%	1	33.33%	3
	Total		-	-	2	66.67%	1	33.33%	3
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	4	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total		4	80.00%	1	20.00%	-	-	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Grandbridge Energy	GBH01	0-5	608	100.00%	-	-	-	-	
		6-10	647	99.69%	2	0.31%	-	-	
		Total	1,255	99.84%	2	0.16%	-	-	1257
	Total		1,255	99.84%	2	0.16%	-	-	1,257
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	28	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	26	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
	Total		28	96.55%	1	3.45%	-	-	29
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	35	79.55%	9	20.45%	-	-	44
	Total		35	79.55%	9	20.45%	-	-	44
Greater Sudbury Hydro (SH01)	SH01	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	21	100.00%	
		6-10	17	58.62%	12	41.38%	-	-	
		Total	148	80.00%	16	8.65%	21	11.35%	185
	Total		148	80.00%	16	8.65%	21	11.35%	185
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	143	100.00%	-	-	-	-	
		16+	-	-	-	-	22	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	146	86.90%	-	-	22	13.10%	168
	Total		146	86.90%	-	-	22	13.10%	168
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Greater Sudbury, City Of (GSBY123)	GSBY03	11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	13	100.00%	
		Total	-	-	-	-	18	100.00%	18
	GSBYS01	0-5	163	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	163	98.79%	-	-	2	1.21%	165
	GSBYSS01	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	127	97.69%	-	-	3	2.31%	130
	GSBYW01	0-5	171	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Greater Sudbury, City Of (GSBY123)	GSBYW01	16+	-	-	-	-	1	100.00%	
		Total	171	98.84%	-	-	2	1.16%	173
		Total	461	94.86%	-	-	25	5.14%	486
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	23	88.46%	3	11.54%	-	-	26
		Total	23	88.46%	3	11.54%	-	-	26
Greenfield South Power Corporation (EP02)	EP02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	2	40.00%	2	40.00%	1	20.00%	5
		Total	2	40.00%	2	40.00%	1	20.00%	5
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
		Total	5	83.33%	-	-	1	16.67%	6
Grey Highlands Clean Wind Farm (GHCWF01)	GHCWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	7	63.64%	2	18.18%	2	18.18%	11
		Total	7	63.64%	2	18.18%	2	18.18%	11
Grey, County Of (GREY01)	GREY01	0-5	21	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
		Total	30	100.00%	-	-	-	-	30
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	173	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	198	98.02%	4	1.98%	-	-	202
		Total	198	98.02%	4	1.98%	-	-	202
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	112	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	115	98.29%	-	-	2	1.71%	117
		Total	115	98.29%	-	-	2	1.71%	117
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	143	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	160	100.00%	-	-	-	-	160
		Total	160	100.00%	-	-	-	-	160
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	25	96.15%	1	3.85%	-	-	26
		Total	25	96.15%	1	3.85%	-	-	26
Guelph, City Of (GLPH123)	GLPH01	0-5	283	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Guelph, City Of (GLPH123)	GLPH01	6-10	190	100.00%	-	-	-	-	
		Total	473	99.58%	2	0.42%	-	-	475
	GLPH02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	GLPH03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GLPH04	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	77	98.72%	1	1.28%	-	-	78
	GLPH05	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	68	98.55%	1	1.45%	-	-	69
	Total		621	99.36%	4	0.64%	-	-	625
Guelph, University Of (UGPH01)	UGPH01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13
Haldimand County (HLDM123)	HLDMD01	0-5	232	100.00%	-	-	-	-	
		11-15	-	-	17	89.47%	2	10.53%	
		16+	-	-	-	-	12	100.00%	
		6-10	21	23.60%	68	76.40%	-	-	
		Total	253	71.88%	85	24.15%	14	3.98%	352
	HLDME01	0-5	107	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	43	97.73%	1	2.27%	-	-	
		Total	150	98.68%	2	1.32%	-	-	152
	HLDMS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	5	55.56%	4	44.44%	
		Total	1	10.00%	5	50.00%	4	40.00%	10
	HLDMW01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	11	91.67%	-	-	1	8.33%	12
	Total		415	78.90%	92	17.49%	19	3.61%	526
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Halton - MTO - Halton Hills, Region Of (HMT0HO)	HMTOSL01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HMTOTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		4	100.00%	-	-	-	-	4
Halton Hills Hydro (HHH01)	HHH01	0-5	211	100.00%	-	-	-	-	
		6-10	49	98.00%	1	2.00%	-	-	
		Total	260	99.62%	1	0.38%	-	-	261
	Total		260	99.62%	1	0.38%	-	-	261
Halton Hills, Town Of (HAH01)	HAH01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton Hills, Town Of (HAH01)	HAH01	6-10	5	100.00%	-	-	-	-	
		Total	37	92.50%	3	7.50%	-	-	40
	Total		37	92.50%	3	7.50%	-	-	40
Halton Hills, Town Of (HAH02)	HAH02	0-5	7	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Halton, Region Of (HLTNB123)	HLTNB01	0-5	17	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	HLTNBSL01	0-5	16	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	HLTNBTC01	0-5	11	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	HLTNBTS01	0-5	13	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		68	100.00%	-	-	-	-	68
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	5	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	HLTNHTS01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		22	100.00%	-	-	-	-	22
Halton, Region Of (HLTNM123)	HLTNM01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	11	100.00%	-	-	-	-	
		Total	47	94.00%	1	2.00%	2	4.00%	50
	HLTNMTC01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	29	96.67%	1	3.33%	-	-	30
	HLTNMTS01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	22	91.67%	1	4.17%	1	4.17%	24
	Total		98	94.23%	3	2.88%	3	2.88%	104
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	41	97.62%	1	2.38%	-	-	42
	HLTNOSL01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	35	92.11%	3	7.89%	-	-	38
	HLTNOTC01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	23	95.83%	1	4.17%	-	-	24

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton, Region Of (HLTNO123)	HLTNOTS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	23	92.00%	2	8.00%	-	-	
	Total		122	94.57%	7	5.43%	-	-	25
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	20	95.24%	-	-	1	4.76%	
	Total		20	95.24%	-	-	1	4.76%	21
Halton, Region Of (HLTNT01)	HLTNT01	0-5	13	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	
	Total		14	100.00%	-	-	-	-	14
Halton, Region Of (HMTOBM)	HMTBSL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	HMTBTS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Hamilton , Township Of (HML01)	HML01	0-5	67	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	67	97.10%	2	2.90%	-	-	
	Total		67	97.10%	2	2.90%	-	-	69
Hamilton Community Energy (HCE1)	HCE1	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	71.43%	2	28.57%	-	-	
	Total		5	71.43%	2	28.57%	-	-	7
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Hamilton, City Of (CH01)	CH01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	122	96.83%	4	3.17%	-	-	
		Total	153	89.47%	18	10.53%	-	-	
	Total		153	89.47%	18	10.53%	-	-	171
Hamilton, City Of (HHP3)	HHP3	0-5	1,087	100.00%	-	-	-	-	
		Total	1,087	100.00%	-	-	-	-	
	Total		1,087	100.00%	-	-	-	-	1,087
Hamilton, City Of (HW01)	HW01	0-5	1,099	100.00%	-	-	-	-	
		11-15	-	-	57	100.00%	-	-	
		16+	-	-	7	70.00%	3	30.00%	
		6-10	403	90.97%	40	9.03%	-	-	
		Total	1,502	93.35%	104	6.46%	3	0.19%	
	HW02	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		1,505	93.36%	104	6.45%	3	0.19%	1,612
Hanover , Town Of (HNVR01)	HNVR01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	39	92.86%	3	7.14%	-	-	
	Total		39	92.86%	3	7.14%	-	-	42

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Harold And Grace Baker Centre (DPME01)	DPME01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	6	60.00%	2	20.00%	2	20.00%	10
	HWKBSL01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		16	80.00%	2	10.00%	2	10.00%	20
Hay Communications (H123)	H003	0-5	140	100.00%	-	-	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	150	99.34%	1	0.66%	-	-	151
	Total		150	99.34%	1	0.66%	-	-	151
Hce Telecom (HCEHN01)	HCEHN01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	17	89.47%	2	10.53%	-	-	
		Total	28	71.79%	11	28.21%	-	-	39
	Total		28	71.79%	11	28.21%	-	-	39
Hearst Power (HRSTP01)	HRSTP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Highbury Canco Corp (HGHBRY01)	HGHBRY01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Hiram Walker & Sons (HIRWAL01)	HIRWAL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Homewood Health Services (HOMHS01)	HOMHS01	11-15	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Hornepayne , Township Of (HRP01)	HRP01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Humber College (HUMBF01)	HUMBF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		Total	6	54.55%	3	27.27%	2	18.18%	11
	Total		6	54.55%	3	27.27%	2	18.18%	11

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total		34	100.00%	-	-	-	-	34
Huron Shores , Municipality Of (HRNSSS01)	HRNSSS01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Huron, County Of (HRN123)	HRN01	16+	-	-	10	100.00%	-	-	
		Total	-	-	10	100.00%	-	-	10
	HRN02	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	HRN03	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	HRN04	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		5	27.78%	12	66.67%	1	5.56%	18
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total		31	100.00%	-	-	-	-	31
Hurontel (HTEL01)	HTEL01	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	9	90.00%	1	10.00%	
		16+	-	-	-	-	7	100.00%	
		6-10	25	58.14%	18	41.86%	-	-	
		Total	184	84.02%	27	12.33%	8	3.65%	219
	Total		184	84.02%	27	12.33%	8	3.65%	219
Hydro 2000 (H200001)	H200001	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	Total		3	60.00%	2	40.00%	-	-	5
Hydro Embrun (EMBRH01)	EMBRH01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
	Total		24	85.71%	-	-	4	14.29%	28
	Total		24	85.71%	-	-	4	14.29%	28
Hydro Hawkesbury (HHI01)	HHI01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Hydro One Networks Inc (HH123)	HOBRA01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	18	85.71%	3	14.29%	-	-	21
	HOFS01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	6	75.00%	2	25.00%	
		16+	-	-	-	-	13	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	61	74.39%	6	7.32%	15	18.29%	82
	HOHAM01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	7	63.64%	4	36.36%	-	-	11
	HOKIT01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro One Networks Inc (HH123)	HOMAR01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HOMIS01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	HOTOR01	0-5	124	100.00%	-	-	-	-	
		11-15	-	-	42	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	34	94.44%	2	5.56%	-	-	
		Total	158	74.88%	53	25.12%	-	-	211
	HOWHI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	O0052	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	39	95.12%	-	-	2	4.88%	41
	OH20	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	39	86.67%	6	13.33%	-	-	45
	OH30	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	12	85.71%	-	-	2	14.29%	14
	Total		346	79.18%	72	16.48%	19	4.35%	437
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	25	80.65%	6	19.35%	-	-	31
	Total		25	80.65%	6	19.35%	-	-	31
Hydro One Networks Inc (H1DX)	H1DCHP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	H1DGE01	0-5	733	100.00%	-	-	-	-	
		11-15	-	-	41	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	211	94.20%	13	5.80%	-	-	
		Total	944	93.28%	68	6.72%	-	-	1012
	H1DGN01	0-5	684	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	376	100.00%	-	-	-	-	
		Total	1,060	99.44%	6	0.56%	-	-	1066
	H1DGN02	0-5	504	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	23	100.00%	-	-	
		6-10	133	100.00%	-	-	-	-	
		Total	637	96.22%	25	3.78%	-	-	662
	H1DGW02	0-5	311	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	330	99.70%	1	0.30%	-	-	
		Total	641	96.39%	24	3.61%	-	-	665

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DHN01	0-5	1,074	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	463	93.16%	34	6.84%	-	-	
		Total	1,537	94.47%	90	5.53%	-	-	
	H1DMOO01	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	H1DOE01	0-5	1,896	100.00%	-	-	-	-	
		11-15	-	-	19	90.48%	2	9.52%	
		16+	-	-	-	-	14	100.00%	
		6-10	1,105	99.82%	2	0.18%	-	-	
		Total	3,001	98.78%	21	0.69%	16	0.53%	
	H1DONE01	0-5	700	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	2	25.00%	6	75.00%	
		6-10	702	99.43%	4	0.57%	-	-	
		Total	1,402	97.29%	33	2.29%	6	0.42%	
	H1DONW02	0-5	48	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	
	H1DOS01	0-5	2,513	100.00%	-	-	-	-	
		11-15	-	-	79	100.00%	-	-	
		16+	-	-	4	44.44%	5	55.56%	
		6-10	1,411	97.78%	32	2.22%	-	-	
		Total	3,924	97.03%	115	2.84%	5	0.12%	
	H1DOW01	0-5	2,514	100.00%	-	-	-	-	
		11-15	-	-	54	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	1,166	98.56%	17	1.44%	-	-	
		Total	3,680	98.03%	73	1.94%	1	0.03%	
	H1DTBY01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	35	87.50%	5	12.50%	-	-	
	H1DX07	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	13	92.86%	1	7.14%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	69	78.41%	18	20.45%	1	1.14%	
	Total		16,989	97.10%	478	2.73%	29	0.17%	17,496
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	49	100.00%	-	-	-	-	
		Total	133	98.52%	1	0.74%	1	0.74%	
	Total		133	98.52%	1	0.74%	1	0.74%	135
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	96	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	117	99.15%	1	0.85%	-	-	
	Total		117	99.15%	1	0.85%	-	-	118
Hydro One Remote Communities Inc (HYR01)	HYR01	16+	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	
	Total		-	-	-	-	3	100.00%	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro Ottawa (HOT1)	HOT1	0-5	1,763	100.00%	-	-	-	-	
		11-15	-	-	41	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	1,046	99.52%	5	0.48%	-	-	
		Total	2,809	98.08%	55	1.92%	-	-	
	HOT2	0-5	86	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	96	100.00%	-	-	-	-	
	Total		2,905	98.14%	55	1.86%	-	-	2,960
Ignace , Township Of (IGN01)	IGN01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Imperial Oil Pipelines (I002)	I002	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	31	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	170	81.34%	39	18.66%	-	-	
	Total		170	81.34%	39	18.66%	-	-	209
Imperial Oil Pipelines (I003)	I003	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	3	75.00%	1	25.00%	
		Total	-	-	3	75.00%	1	25.00%	
	Total		-	-	3	75.00%	1	25.00%	4
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	7	63.64%	4	36.36%	-	-	
	Total		7	63.64%	4	36.36%	-	-	11
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	4	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	
	Total		21	100.00%	-	-	-	-	21
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	58	92.06%	1	1.59%	4	6.35%	
	Total		58	92.06%	1	1.59%	4	6.35%	63
Innisfil, Town Of (INFL01)	INFL01	0-5	122	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	147	100.00%	-	-	-	-	
	Total		147	100.00%	-	-	-	-	147
Innpower (INSFH01)	INSFH01	0-5	237	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	29	100.00%	-	-	-	-	
		Total	266	99.63%	-	-	1	0.37%	
	Total		266	99.63%	-	-	1	0.37%	267
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	45	97.83%	1	2.17%	-	-	
	Total		45	97.83%	1	2.17%	-	-	46
Johnson, Township Of (JHSNW01)	JHSNW01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Johnson, Township Of (JHSNW01)	JHSNW01	11-15	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
K2 Wind Farm Ontario (K2WF01)	K2WF01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Kapusking, Town Of (KAP01)	KAP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	63	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	KWLKWS01	0-5	119	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	126	100.00%	-	-	-	-	126
	Total		194	100.00%	-	-	-	-	194
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	81.82%	-	-	2	18.18%	11
	Total		9	81.82%	-	-	2	18.18%	11
Kenora, City Of (KNRA123)	KNRA01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		Total	13	68.42%	-	-	6	31.58%	19
	KNRASL01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	KNRAST01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		41	87.23%	-	-	6	12.77%	47
Kent Breeze Wind Farm (SCE01)	SCE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	67	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	Total		74	100.00%	-	-	-	-	74
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
King , Township Of (KNGWS01)	KNGSL01	0-5	88	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	124	98.41%	2	1.59%	-	-	126
	KNGWS01	0-5	94	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	103	99.04%	-	-	1	0.96%	104
	Total		227	98.70%	2	0.87%	1	0.43%	230

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Kings University College (KUC01)	KUC01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingston General Hospital (KGH01)	KGH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kingsville, Town Of (TK01)	TK01	0-5	119	100.00%	-	-	-	-	
		Total	119	100.00%	-	-	-	-	119
	TKF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		120	100.00%	-	-	-	-	120
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	136	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	31	100.00%	-	-	-	-	
		Total	167	99.40%	-	-	1	0.60%	168
	Total		167	99.40%	-	-	1	0.60%	168
Kitchener Utilities (KU02)	KU02	0-5	652	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	89	100.00%	-	-	-	-	
		Total	741	99.06%	5	0.67%	2	0.27%	748
	Total		741	99.06%	5	0.67%	2	0.27%	748
Kitchener, The City Of (KITS01)	KITS01	0-5	435	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	217	89.30%	26	10.70%	-	-	
		Total	652	92.35%	54	7.65%	-	-	706
	Total		652	92.35%	54	7.65%	-	-	706
Kruger Energy (KE123)	KEC01	16+	-	-	21	100.00%	-	-	
		Total	-	-	21	100.00%	-	-	21
	KEPA01	16+	-	-	19	100.00%	-	-	
		Total	-	-	19	100.00%	-	-	19
	Total		-	-	40	100.00%	-	-	40
Kwic Internet (KWIC01)	KWIC01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Lagasco Inc (TP01)	TP01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	29	90.63%	3	9.38%	-	-	
		Total	42	82.35%	9	17.65%	-	-	51
	Total		42	82.35%	9	17.65%	-	-	51
Lagasco Limited (L002)	L002	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	61	100.00%	-	-	-	-	
		Total	61	96.83%	1	1.59%	1	1.59%	63
	Total		61	96.83%	1	1.59%	1	1.59%	63
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	6-10	5	100.00%	-	-	-	-	
		Total	13	59.09%	-	-	9	40.91%	22
		Total	13	59.09%	-	-	9	40.91%	22
Lake Of Bays , Township Of (LOB01)	LOB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Lake Of The Woods Hospital (LWDH01)	LWDH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	61	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	83	100.00%	-	-	-	-	83
	Total		83	100.00%	-	-	-	-	83
Lakefront Utilities (LUSI123)	COLBH01	0-5	5	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	LUSIH01	0-5	64	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	82	100.00%	-	-	-	-	82
	Total		91	100.00%	-	-	-	-	91
Lakeland Networks (LKLNN01)	LKLNN01	0-5	48	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	62	100.00%	-	-	-	-	62
	Total		62	100.00%	-	-	-	-	62
Lakeland Power (LKLNP123)	LKLNP01	0-5	43	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	Total		52	100.00%	-	-	-	-	52
Lakeshore, Municipality Of (TOL123)	B002	0-5	273	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	273	98.56%	2	0.72%	2	0.72%	277
	TOLTS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		273	97.85%	2	0.72%	4	1.43%	279
Lakeview Water System (LKVWW01)	LKVWW01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	8
	Total		7	87.50%	-	-	1	12.50%	8
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	85	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	90	98.90%	1	1.10%	-	-	91
	Total		90	98.90%	1	1.10%	-	-	91
Lambton County (LMBTN01)	LMBTN01	0-5	5	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		20	100.00%	-	-	-	-	20
Lambton Shores, Municipality Of (F001)	F001	0-5	128	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	19	86.36%	3	13.64%	-	-	
		Total	147	97.35%	4	2.65%	-	-	151
	Total		147	97.35%	4	2.65%	-	-	151

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	
	Total		6	85.71%	1	14.29%	-	-	7
Lanark, County Of (LNRK01)	LNRK01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Lanxess Canada (CMTR01)	CMTR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Lasalle , Town Of (LSL01)	LSL01	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	116	100.00%	-	-	-	-	
		Total	182	98.38%	3	1.62%	-	-	
	Total		182	98.38%	3	1.62%	-	-	185
Latchford , Town Of (LTFWSS01)	LTFWSS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	Total		6	100.00%	-	-	-	-	6
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Laurentian University (LRTU01)	LRTU01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	Total		12	100.00%	-	-	-	-	12
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	
	Total		2	66.67%	-	-	1	33.33%	3
Leamington District Memorial Hospital (LDMH01)	LDMH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Leamington Water Services (L001)	L001	0-5	177	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	45.45%	6	54.55%	
		Total	177	92.19%	9	4.69%	6	3.13%	
	Total		177	92.19%	9	4.69%	6	3.13%	192
Leamington, Municipality Of (LS01)	LS01	0-5	170	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	170	98.27%	-	-	3	1.73%	
	Total		170	98.27%	-	-	3	1.73%	173
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	29	90.63%	2	6.25%	1	3.13%	
	Total		29	90.63%	2	6.25%	1	3.13%	32

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	LDTI02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	2	100.00%	2
Lennox And Addington, County Of (LXA123)	LXA01	0-5	17	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Liberty Oil And Gas (LBTYOG01)	LBTYOG01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Lincoln, Town Of (LINWS01)	LINWS01	0-5	138	100.00%	-	-	-	-	
		Total	138	100.00%	-	-	-	-	138
	Total		138	100.00%	-	-	-	-	138
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	15	65.22%	8	34.78%	-	-	23
	Total		15	65.22%	8	34.78%	-	-	23
London District Energy (TG01)	TG01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	41	97.62%	1	2.38%	-	-	
		Total	62	92.54%	5	7.46%	-	-	67
	Total		62	92.54%	5	7.46%	-	-	67
London Health Sciences (LHS1)	LHS1	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
London Hydro (L003)	L003	0-5	1,014	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	547	99.64%	2	0.36%	-	-	
		Total	1,561	99.17%	13	0.83%	-	-	1574
	LHDL01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	21	100.00%	
		Total	-	-	-	-	23	100.00%	23
	Total		1,561	97.75%	13	0.81%	23	1.44%	1,597
London, City Of (LN01)	LN01	0-5	1,042	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		6-10	809	99.51%	4	0.49%	-	-	
		Total	1,851	98.98%	19	1.02%	-	-	1870
	Total		1,851	98.98%	19	1.02%	-	-	1,870
London, City Of (LN02)	LN02	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Lowland 450 Phillip Street Gp Ltd (LOWLD01)	LOWLD01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Loyalist Township (LYST123)	LYSTBS6	0-5	9	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Loyalist Township (LYST123)	LYSTBS6	6-10	7	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	LYSTBW5	0-5	9	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	LYSTEL4	0-5	29	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	LYSTFW1	0-5	38	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
	LYSTLES2	0-5	35	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
	LYSTSTM3	0-5	41	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	Total		262	100.00%	-	-	-	-	262
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	44	95.65%	-	-	2	4.35%	46
	Total		44	95.65%	-	-	2	4.35%	46
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Machin, Municipality Of (MCHW01)	MCHW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Malahide, Township Of (MLHD01)	MLHD01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	30	93.75%	2	6.25%	-	-	32
	Total		30	93.75%	2	6.25%	-	-	32
Manitouwadge , Township Of (MTW01)	MTW01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	Total		1	33.33%	-	-	2	66.67%	3
Mapleton , Township Of (MPLT01)	MPLT01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Markham “ Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	352	100.00%	-	-	-	-	
		6-10	163	100.00%	-	-	-	-	
		Total	515	100.00%	-	-	-	-	515
	Total		515	100.00%	-	-	-	-	515
Markham District Energy (MDE01)	MDE01	0-5	8	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Markham District Energy (MDE01)	MDE01	16+	-	-	-	-	3	100.00%	
		Total	8	72.73%	-	-	3	27.27%	11
	Total		8	72.73%	-	-	3	27.27%	11
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	278	100.00%	-	-	-	-	
		6-10	203	100.00%	-	-	-	-	
		Total	481	100.00%	-	-	-	-	481
	Total		481	100.00%	-	-	-	-	481
Markstay Warren , Municipality Of (MKW01)	MKW01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	3	60.00%	2	40.00%	
		16+	-	-	-	-	4	100.00%	
		Total	1	10.00%	3	30.00%	6	60.00%	10
	Total		1	10.00%	3	30.00%	6	60.00%	10
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Marwood Metals (MARWDF01)	MARWDF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Mattawa , Town Of (MTWAWS01)	MTWAWS01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	-	-	7	100.00%	-	-	7
	Total		-	-	7	100.00%	-	-	7
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	12	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Melancthon Windfarm (MELWF01)	MELWF01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	4	80.00%	1	20.00%	
		Total	-	-	4	80.00%	1	20.00%	5
	Total		-	-	4	80.00%	1	20.00%	5
Metalore Resources (MTLORE01)	MTLORE01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	7	77.78%	1	11.11%	1	11.11%	9
	Total		7	77.78%	1	11.11%	1	11.11%	9
Metro Fibrewerx (MFWX01)	MFWX01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		6-10	11	55.00%	9	45.00%	-	-	
		Total	32	59.26%	22	40.74%	-	-	
	Total		32	59.26%	22	40.74%	-	-	54
Middlesex, County Of (MDSX01)	MDSX01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	43	93.48%	3	6.52%	-	-	
	Total		43	93.48%	3	6.52%	-	-	46
Midland, Town Of (MIDLND01)	MIDLND01	0-5	44	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	44	95.65%	2	4.35%	-	-	
	Total		44	95.65%	2	4.35%	-	-	46
Midland, Town Of (MIDLND03)	MIDLND03	0-5	31	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	
	Total		32	100.00%	-	-	-	-	32
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	MLTSS01	0-5	135	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	73	98.65%	1	1.35%	-	-	
		Total	208	99.05%	2	0.95%	-	-	
	Total		212	99.07%	2	0.93%	-	-	214
MILTON HYDRO (MH123)	MHHN01	0-5	459	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	223	96.96%	7	3.04%	-	-	
		Total	682	97.85%	14	2.01%	1	0.14%	
	Total		682	97.85%	14	2.01%	1	0.14%	697
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	37	94.87%	1	2.56%	1	2.56%	
	Total		37	94.87%	1	2.56%	1	2.56%	39
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	588	100.00%	-	-	-	-	
		6-10	122	100.00%	-	-	-	-	
		Total	710	100.00%	-	-	-	-	
	Total		710	100.00%	-	-	-	-	710
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	97	100.00%	-	-	-	-	
		Total	146	97.33%	1	0.67%	3	2.00%	
	Total		146	97.33%	1	0.67%	3	2.00%	150
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	11-15	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	
	Total		1	50.00%	-	-	1	50.00%	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	706	100.00%	-	-	-	-	
		11-15	-	-	14	93.33%	1	6.67%	
		16+	-	-	2	100.00%	-	-	
		6-10	371	100.00%	-	-	-	-	
		Total	1,077	98.45%	16	1.46%	1	0.09%	1094
	Total		1,077	98.45%	16	1.46%	1	0.09%	1,094
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	18	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	19	90.48%	2	9.52%	-	-	21
	Total		19	90.48%	2	9.52%	-	-	21
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	14	87.50%	2	12.50%	-	-	16
	Total		14	87.50%	2	12.50%	-	-	16
Mono , Town Of (MNO123)	MNO01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	5	71.43%	2	28.57%	
		Total	6	46.15%	5	38.46%	2	15.38%	13
	MNOSL01	16+	-	-	11	91.67%	1	8.33%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	12	92.31%	1	7.69%	13
	Total		6	23.08%	17	65.38%	3	11.54%	26
Montague , Township Of (MTG01)	MTG01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Moosonee , Town Of (MSN01)	MSN01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Mornington Communications (MORNT01)	MORNT01	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	39	90.70%	4	9.30%	-	-	
		Total	110	89.43%	5	4.07%	8	6.50%	123
	Total		110	89.43%	5	4.07%	8	6.50%	123
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	MRTW01	0-5	2	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		33	100.00%	-	-	-	-	33
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
MULTIVIEW FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	360	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	368	98.66%	5	1.34%	-	-	373
	Total		368	98.66%	5	1.34%	-	-	373

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	9	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	MUSKWS04	0-5	27	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	MUSKWS05	0-5	29	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		Total	29	90.63%	1	3.13%	2	6.25%	32
	Total		88	96.70%	1	1.10%	2	2.20%	91
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total		1	33.33%	2	66.67%	-	-	3
Nairn And Hyman, Township Of (TNHW01)	TNHW01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Nation, Municipality Of The (NATN01)	NATN01	11-15	-	-	-	-	12	100.00%	
		16+	-	-	-	-	21	100.00%	
		Total	-	-	-	-	33	100.00%	33
	Total		-	-	-	-	33	100.00%	33
Net Optiks	BPNOFC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
	Total		28	96.55%	1	3.45%	-	-	29
Netflash Internet Solutions (NISF01)	NISF01	0-5	19	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total		32	100.00%	-	-	-	-	32
Netsolid Internet Solutions Inc	NETSLD01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	150	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	153	100.00%	-	-	-	-	153
	Total		153	100.00%	-	-	-	-	153
Newmarket, Town Of (NMK01)	NMK01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	102	99.03%	1	0.97%	-	-	103
	Total		102	99.03%	1	0.97%	-	-	103
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	97	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	20	86.96%	3	13.04%	-	-	
		Total	117	95.12%	6	4.88%	-	-	123
	Total		117	95.12%	6	4.88%	-	-	123
Niagara Falls, City Of (NFS01)	NFS01	0-5	138	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Niagara Falls, City Of (NFS01)	NFS01	6-10	188	100.00%	-	-	-	-	
		Total	326	100.00%	-	-	-	-	326
		Total	326	100.00%	-	-	-	-	326
Niagara Parks Commission (NPC01)	NPC01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	31
		Total	30	96.77%	1	3.23%	-	-	31
Niagara Peninsula Energy (NFH01)	NFH01	0-5	309	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	153	98.71%	2	1.29%	-	-	
		Total	462	99.35%	2	0.43%	1	0.22%	465
		Total	462	99.35%	2	0.43%	1	0.22%	465
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	577	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	93	100.00%	-	-	-	-	
		Total	670	99.70%	2	0.30%	-	-	672
		Total	670	99.70%	2	0.30%	-	-	672
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	24	92.31%	1	3.85%	1	3.85%	26
		Total	24	92.31%	1	3.85%	1	3.85%	26
Niagara Regional Broadband Network (NRBN01)	NRBN01	11-15	-	-	-	-	30	100.00%	
		16+	-	-	-	-	298	100.00%	
		Total	-	-	-	-	328	100.00%	328
		Total	-	-	-	-	328	100.00%	328
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	321	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	11	84.62%	2	15.38%	-	-	
		Total	332	98.52%	5	1.48%	-	-	337
		Total	332	98.52%	5	1.48%	-	-	337
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	186	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	189	100.00%	-	-	-	-	189
		Total	189	100.00%	-	-	-	-	189
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	127	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	129	100.00%	-	-	-	-	129
		Total	129	100.00%	-	-	-	-	129
Nor-Del (NORDEL01)	NORDEL01	0-5	130	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	137	94.48%	3	2.07%	5	3.45%	145
		Total	137	94.48%	3	2.07%	5	3.45%	145
Norfolk County (NFLK123)	NFLK01	0-5	366	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	40	93.02%	3	6.98%	-	-	
		Total	406	98.31%	7	1.69%	-	-	413
		Total	406	98.31%	7	1.69%	-	-	413

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
North Bay Hydro (NBH01)	NBH01	0-5	71	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	91	100.00%	-	-	-	-	91
	Total		91	100.00%	-	-	-	-	91
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	-	-	1	25.00%	4
	Total		3	75.00%	-	-	1	25.00%	4
North Bay, City Of (NBWS01)	NBWS01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	41	91.11%	1	2.22%	3	6.67%	45
	Total		41	91.11%	1	2.22%	3	6.67%	45
North Dundas , Township Of (NDND123)	NDND01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	NDND02	16+	-	-	10	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	9.09%	10	90.91%	-	-	11
	Total		13	56.52%	10	43.48%	-	-	23
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	223	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	64	95.52%	3	4.48%	-	-	
		Total	287	95.67%	9	3.00%	4	1.33%	300
	Total		287	95.67%	9	3.00%	4	1.33%	300
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	57.14%	3	42.86%	-	-	
		Total	8	61.54%	4	30.77%	1	7.69%	13
	Total		8	61.54%	4	30.77%	1	7.69%	13
North Grenville , Municipality Of (NGR01)	NGR01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	41	89.13%	3	6.52%	2	4.35%	46
	Total		41	89.13%	3	6.52%	2	4.35%	46
North Huron, Township Of (NHURON01)	NHURON01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		20	100.00%	-	-	-	-	20
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	13	100.00%	-	-	-	-	
		Total	15	71.43%	5	23.81%	1	4.76%	21
	Total		15	71.43%	5	23.81%	1	4.76%	21
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	-	-	6	100.00%	
		16+	-	-	-	-	36	100.00%	
		Total	17	28.81%	-	-	42	71.19%	59
	Total		17	28.81%	-	-	42	71.19%	59
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	53	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
North Perth, Municipality Of (NPRTH01)	NPRTH01	16+	-	-	-	-	1	100.00%	
		Total	53	98.15%	-	-	1	1.85%	54
	Total		53	98.15%	-	-	1	1.85%	54
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	5	100.00%	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	58	86.57%	1	1.49%	8	11.94%	67
	Total		58	86.57%	1	1.49%	8	11.94%	67
North Stormont , Township Of (NST01)	NST01	16+	-	-	3	60.00%	2	40.00%	
		Total	-	-	3	60.00%	2	40.00%	5
	Total		-	-	3	60.00%	2	40.00%	5
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Northern Rural Networks (NRN01)	NRN01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Northern Tel Limited Partnership (NT01)	NT01	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	92	75.41%	30	24.59%	-	-	122
	Total		92	75.41%	30	24.59%	-	-	122
Northumberland County (NRHB01)	NRHBSL02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	NRHBSS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	21	84.00%	-	-	4	16.00%	25
	NRHBSS02	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	NRHBTS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	-	-	1	25.00%	4
	Total		31	86.11%	-	-	5	13.89%	36
Norwich , Township Of (NRW01)	NRW01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	34	77.27%	10	22.73%	-	-	
		Total	111	86.05%	18	13.95%	-	-	129
	Total		111	86.05%	18	13.95%	-	-	129
Nova Chemicals Corporation (N001)	N001	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	Total		9	90.00%	1	10.00%	-	-	10
NT Power	NTPWR01	0-5	433	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
NT Power	NTPWR01	6-10	9	90.00%	1	10.00%	-	-	
		Total	442	96.51%	16	3.49%	-	-	458
	Total		442	96.51%	16	3.49%	-	-	458
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	879	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	256	98.08%	5	1.92%	-	-	
		Total	1,135	98.61%	16	1.39%	-	-	1151
	Total		1,135	98.61%	16	1.39%	-	-	1,151
Oakville, Town Of (OAK123)	OAKBS01	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	OAKSS01	0-5	733	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	188	98.95%	2	1.05%	-	-	
		Total	921	99.14%	8	0.86%	-	-	929
	OAKTS01	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	64	100.00%	-	-	-	-	
		Total	149	96.75%	5	3.25%	-	-	154
	Total		1,080	98.81%	13	1.19%	-	-	1,093
O'Connor, Township Of (OCNR01)	OCNR01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	13	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
On-Energy Corp (ONNRG01)	ONNRG01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	11	78.57%	-	-	3	21.43%	14
	Total		11	78.57%	-	-	3	21.43%	14
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	OPGN2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		6	85.71%	-	-	1	14.29%	7
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	19	82.61%	4	17.39%	-	-	23
	ONTERA02	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	4	57.14%	3	42.86%	-	-	7

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ontera - A Division Of Northerntel (ONTERA)	ONTERA03	0-5	1	100.00%	-	-	-	-	2
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	ONTERA04	0-5	9	100.00%	-	-	-	-	10
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	ONTERA05	0-5	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	
	ONTERA06	0-5	19	100.00%	-	-	-	-	26
		16+	-	-	7	100.00%	-	-	
		Total	19	73.08%	7	26.92%	-	-	
Total		59	80.82%	14	19.18%	-	-	73	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	109	100.00%	-	-	-	-	119
		11-15	-	-	3	100.00%	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	115	96.64%	4	3.36%	-	-	
	Total		115	96.64%	4	3.36%	-	-	119
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	29	100.00%	-	-	-	-	34
		6-10	5	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	
	Total		34	100.00%	-	-	-	-	34
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	58	100.00%	-	-	-	-	90
		6-10	32	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	
	Total		90	100.00%	-	-	-	-	90
Orangeville, Town Of (ORGV01)	ORGV01	0-5	40	100.00%	-	-	-	-	68
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	48	70.59%	15	22.06%	5	7.35%	
	Total		48	70.59%	15	22.06%	5	7.35%	68
Orillia, City Of (ORIL123)	ORILSL01	0-5	14	100.00%	-	-	-	-	26
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	23	88.46%	2	7.69%	1	3.85%	
	ORILT01	0-5	57	100.00%	-	-	-	-	62
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	60	96.77%	2	3.23%	-	-	
	ORILWS01	0-5	91	100.00%	-	-	-	-	106
		6-10	15	100.00%	-	-	-	-	
		Total	106	100.00%	-	-	-	-	
	Total		189	97.42%	4	2.06%	1	0.52%	194
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	
	Total		11	100.00%	-	-	-	-	11
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	342	100.00%	-	-	-	-	499
		11-15	-	-	9	100.00%	-	-	
		6-10	148	100.00%	-	-	-	-	
		Total	490	98.20%	9	1.80%	-	-	
	OSHGE03	0-5	7	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE03	6-10	10	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		507	98.26%	9	1.74%	-	-	516
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Oshawa, City Of (OSH01)	OSH01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	65	100.00%	-	-	-	-	
		Total	137	95.14%	7	4.86%	-	-	144
	Total		137	95.14%	7	4.86%	-	-	144
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Ottawa River Power (ORP01)	ORP01	0-5	38	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	Total		41	100.00%	-	-	-	-	41
Ottawa River Power (ORP02)	ORP02	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	1,270	100.00%	-	-	-	-	
		6-10	57	100.00%	-	-	-	-	
		Total	1,327	100.00%	-	-	-	-	1327
	Total		1,327	100.00%	-	-	-	-	1,327
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	510	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		6-10	68	100.00%	-	-	-	-	
		Total	578	99.66%	-	-	2	0.34%	580
	Total		578	99.66%	-	-	2	0.34%	580
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	2,241	100.00%	-	-	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	2,249	99.96%	1	0.04%	-	-	2250
	Total		2,249	99.96%	1	0.04%	-	-	2,250
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Owen Sound, City Of (OWSD01)	OWSD01	0-5	69	100.00%	-	-	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	77	98.72%	1	1.28%	-	-	78
	Total		77	98.72%	1	1.28%	-	-	78
Oxford, County Of - Fiber (OXFF01)	OXFF01	11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total		4	80.00%	1	20.00%	-	-	5
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oxford, County Of - Traffic (OXFSTS01)	OXFSTS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	57.14%	3	42.86%	-	-	
	Total		4	57.14%	3	42.86%	-	-	7
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	352	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	375	99.47%	2	0.53%	-	-	
	Total		375	99.47%	2	0.53%	-	-	377
Oxford, County Of (OXFSTM01)	OXFSTM01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	
	Total		-	-	-	-	6	100.00%	6
Packet Works (PWRKST01)	PWRKST01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	8	72.73%	3	27.27%	-	-	
	Total		8	72.73%	3	27.27%	-	-	11
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	44	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	
	Total		54	100.00%	-	-	-	-	54
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	13	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	
	Total		16	100.00%	-	-	-	-	16
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	13	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
	Total		15	100.00%	-	-	-	-	15
Peel Region - Brampton Water (PCYWAT123)	PRBM02	0-5	323	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	666	100.00%	-	-	-	-	
		Total	989	95.65%	45	4.35%	-	-	
	PRBM03	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	98	100.00%	-	-	-	-	
		Total	157	89.71%	18	10.29%	-	-	
	PROC02	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	62	98.41%	1	1.59%	-	-	
		Total	99	93.40%	7	6.60%	-	-	
	PROC03	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	50	100.00%	-	-	-	-	
		Total	100	97.09%	3	2.91%	-	-	
	Total		1,345	94.85%	73	5.15%	-	-	1,418
Peel Region - Caledon Water (PCWAT123)	PBMC01	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Peel Region - Caledon Water (PCWAT123)	PBMCO1	6-10	4	100.00%	-	-	-	-	
		Total	86	97.73%	2	2.27%	-	-	88
	POCWA05	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	24	85.71%	-	-	4	14.29%	28
	PRBM01	0-5	557	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	1,013	100.00%	-	-	-	-	
		Total	1,570	96.14%	63	3.86%	-	-	1633
	PROC01	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	100	99.01%	1	0.99%	-	-	
		Total	166	93.79%	11	6.21%	-	-	177
	Total		1,846	95.85%	76	3.95%	4	0.21%	1,926
Peel Region (PEEL123)	PEELTS04	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	73	98.65%	1	1.35%	-	-	
		Total	138	97.18%	2	1.41%	2	1.41%	142
	Total		138	97.18%	2	1.41%	2	1.41%	142
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	451	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	456	99.56%	2	0.44%	-	-	458
	Total		456	99.56%	2	0.44%	-	-	458
Pelham, Town Of (PEL1)	PEL1	0-5	52	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	82	100.00%	-	-	-	-	82
	Total		82	100.00%	-	-	-	-	82
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	39	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	Total		39	100.00%	-	-	-	-	39
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	16	100.00%	-	-	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total		21	95.45%	1	4.55%	-	-	22
Pennytel Inc (PENTEL01)	PENTEL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	6	50.00%	3	25.00%	3	25.00%	12
	Total		6	50.00%	3	25.00%	3	25.00%	12

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Perth, Town Of (PERTH01)	PERTH01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	4	23.53%	13	76.47%	-	-	
		Total	10	40.00%	13	52.00%	2	8.00%	
	Total		10	40.00%	13	52.00%	2	8.00%	25
Petawawa, Town Of (PTWA123)	PTWA01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	PTWASL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	Total		19	100.00%	-	-	-	-	19
PETER QUIRING HOLDINGS INC. (PQHI01)	PQHI01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Peterborough , City Of (PTRB01)	PTRB01	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	121	96.03%	3	2.38%	2	1.59%	
	Total		121	96.03%	3	2.38%	2	1.59%	126
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	105	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	125	100.00%	-	-	-	-	
	PTBOU07	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		126	100.00%	-	-	-	-	126
Peterborough, County Of (PTB01)	PTB01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		Total	48	94.12%	2	3.92%	1	1.96%	
	Total		48	94.12%	2	3.92%	1	1.96%	51
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	
	Total		-	-	2	100.00%	-	-	2
Petrolia, Town Of (P002)	P002	0-5	44	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	
	Total		47	100.00%	-	-	-	-	47
Pickering , City Of (PKRG01)	PKRG01	0-5	209	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	236	99.16%	2	0.84%	-	-	
	Total		236	99.16%	2	0.84%	-	-	238
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	69	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	70	97.22%	2	2.78%	-	-	
	Total		70	97.22%	2	2.78%	-	-	72
Plateau Wind Farm (PLATWF01)	PLATWF01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	73	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	82	95.35%	4	4.65%	-	-	
	Total		82	95.35%	4	4.65%	-	-	86

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Point Edward, Village Of (PE01)	PE01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	19	95.00%	-	-	1	5.00%	20
	Total		19	95.00%	-	-	1	5.00%	20
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	6-10	3	75.00%	1	25.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
POMAS FARMS INC. (POMF01)	POMF01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	97	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	116	99.15%	1	0.85%	-	-	117
	Total		116	99.15%	1	0.85%	-	-	117
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Port Hope, Municipality Of (PH123)	PH01	0-5	46	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	Total		46	100.00%	-	-	-	-	46
Powassan, Municipality Of (PWSN01)	PWSN01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Prescott , Town Of (PRS01)	PRS01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total		27	100.00%	-	-	-	-	27
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS03	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	9	100.00%	9
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Prince , Township Of (PRNC01)	PRNC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Prince Edward, County Of (PEC04)	PEC04	0-5	57	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	Total		71	100.00%	-	-	-	-	71
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	49	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
	Total		49	100.00%	-	-	-	-	49
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Q9 Networks (QNET01)	QNET01	0-5	5	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Quadro Communications (QUAD1)	MSCQUAD2	0-5	61	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	QUAD1	0-5	278	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	290	100.00%	-	-	-	-	290
	Total		363	100.00%	-	-	-	-	363
Queen'S University (QUEENU01)	QUEENU01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Queens University Fibre (QUEENF01)	QUEENF01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Quinte West, City Of (QW123)	QWF01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	10	100.00%	10
	QWSL01	0-5	62	100.00%	-	-	-	-	
		Total	62	100.00%	-	-	-	-	62
	QWSN01	0-5	58	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
	QWSS01	0-5	37	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
	QWTS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	88.89%	-	-	1	11.11%	9
	QWW01	0-5	73	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	98	100.00%	-	-	-	-	98
	Total		301	96.47%	-	-	11	3.53%	312
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Raleigh Wind Energy Centre (RWE01)	RWE01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	3	27.27%	8	72.73%	
		6-10	5	100.00%	-	-	-	-	
		Total	28	71.79%	3	7.69%	8	20.51%	39
	Total		28	71.79%	3	7.69%	8	20.51%	39

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ramara, Township Of (RMAWS01)	RMAWS01	11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	-	-	7	100.00%	-	-	7
	Total		-	-	7	100.00%	-	-	7
Real Oil Enterprises (ROPL01)	ROPL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Red Rock, Township Of (RDRK01)	RDRK01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	51	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	52	98.11%	1	1.89%	-	-	53
	HLTNW02	0-5	815	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	45	95.74%	2	4.26%	-	-	
		Total	860	98.96%	9	1.04%	-	-	869
	Total		912	98.92%	10	1.08%	-	-	922
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	20	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	25	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total		34	100.00%	-	-	-	-	34
Renfrew Hydro (RFH01)	RFH01	0-5	16	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		17	100.00%	-	-	-	-	17
Renfrew, County Of (RNF123)	RNF01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	14	63.64%	8	36.36%	-	-	22
	Total		14	63.64%	8	36.36%	-	-	22
Renfrew, Town Of (RNFW01)	RNFW01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	RNFW02	0-5	16	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		34	100.00%	-	-	-	-	34
Richmond Hill, Town Of (RHL01)	RHL01	0-5	229	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	231	100.00%	-	-	-	-	231
	Total		231	100.00%	-	-	-	-	231
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	30	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	Total		44	100.00%	-	-	-	-	44

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	59	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	59
	Total		59	100.00%	-	-	-	-	59
Rogers Communications (ROG123)	CABLET01	0-5	36	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	ROGGE01	0-5	890	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	60	100.00%	-	-	-	-	
		Total	950	99.69%	3	0.31%	-	-	953
	ROGHN01	0-5	1,011	100.00%	-	-	-	-	
		11-15	-	-	72	100.00%	-	-	
		16+	-	-	44	100.00%	-	-	
		6-10	401	92.61%	32	7.39%	-	-	
		Total	1,412	90.51%	148	9.49%	-	-	1560
	ROGLDN01	0-5	1,257	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	283	100.00%	-	-	-	-	
		Total	1,540	99.74%	4	0.26%	-	-	1544
	ROGNTH01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ROGOE01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	ROGOTT01	0-5	1,800	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	110	99.10%	1	0.90%	-	-	
		Total	1,910	99.74%	5	0.26%	-	-	1915
	ROGPEL01	0-5	1,767	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	803	99.63%	3	0.37%	-	-	
		Total	2,570	99.11%	23	0.89%	-	-	2593
	ROGRAIL1	0-5	207	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	210	97.67%	5	2.33%	-	-	215
	ROGSIM01	0-5	762	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	36	100.00%	-	-	
		6-10	429	99.54%	2	0.46%	-	-	
		Total	1,191	94.67%	67	5.33%	-	-	1258
	ROGSWO01	0-5	114	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	135	100.00%	-	-	-	-	135
	ROGTOR01	0-5	2,559	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Rogers Communications (ROG123)	ROGTOR01	16+	-	-	3	100.00%	-	-	2870
		6-10	295	100.00%	-	-	-	-	
		Total	2,854	99.44%	16	0.56%	-	-	
	ROGWAT01	0-5	1,901	100.00%	-	-	-	-	2318
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	413	100.00%	-	-	-	-	
		Total	2,314	99.83%	4	0.17%	-	-	
	ROGWIN01	0-5	3	100.00%	-	-	-	-	11
		6-10	8	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	
	ROGYRK01	0-5	1,069	100.00%	-	-	-	-	1884
		11-15	-	-	51	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	745	99.73%	2	0.27%	-	-	
		Total	1,814	96.28%	70	3.72%	-	-	
	RUWV01	0-5	40	100.00%	-	-	-	-	50
		6-10	10	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	
	SJRBO1	0-5	12	100.00%	-	-	-	-	14
		6-10	2	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	
	SJRBO2	0-5	33	100.00%	-	-	-	-	44
		6-10	11	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	
	SJRBO3	0-5	10	100.00%	-	-	-	-	12
		6-10	2	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	Total		17,105	98.02%	346	1.98%	-	-	17,451
Romney Wind Energy Centre Lp (RWE01)	RWE01	0-5	8	100.00%	-	-	-	-	12
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	75.00%	2	16.67%	1	8.33%	
	Total		9	75.00%	2	16.67%	1	8.33%	12
Rowe Energy Corporation (ROWE01)	ROWE01	0-5	1	100.00%	-	-	-	-	2
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	1	100.00%	-	-	-	-	10
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	37.50%	5	62.50%	
		Total	1	10.00%	4	40.00%	5	50.00%	
	Total		1	10.00%	4	40.00%	5	50.00%	10
Russell, Township Of (RSEL01)	RSEL01	0-5	145	100.00%	-	-	-	-	165
		16+	-	-	1	25.00%	3	75.00%	
		6-10	14	87.50%	2	12.50%	-	-	
		Total	159	96.36%	3	1.82%	3	1.82%	
	Total		159	96.36%	3	1.82%	3	1.82%	165
Ryerson University (RYEU01)	RYEU01	0-5	1	100.00%	-	-	-	-	5
		16+	-	-	-	-	4	100.00%	
		Total	1	20.00%	-	-	4	80.00%	
	Total		1	20.00%	-	-	4	80.00%	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Sarnia, City Of (C006)	C006	0-5	523	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	20	100.00%	-	-	-	-	
		Total	543	99.82%	-	-	1	0.18%	544
	Total		543	99.82%	-	-	1	0.18%	544
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	3	50.00%	1	16.67%	2	33.33%	6
	SSSL01	0-5	118	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	119	98.35%	-	-	2	1.65%	121
	SSWS01	0-5	123	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	156	92.86%	3	1.79%	9	5.36%	168
	Total		278	94.24%	4	1.36%	13	4.41%	295
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	138	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	143	99.31%	-	-	1	0.69%	144
	SSMPUW01	0-5	78	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total		79	100.00%	-	-	-	-	79
	Total		222	99.55%	-	-	1	0.45%	223
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	34	97.14%	-	-	1	2.86%	35
	Total		34	97.14%	-	-	1	2.86%	35
Schreiber, Municipality Of (SCBWS01)	SCBWS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Scugog, Township Of (SCG01)	SCG01	0-5	46	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	Total		46	100.00%	-	-	-	-	46
Seguin, Township Of (SGN01)	SGN01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Selwyn, Township Of (SLWN01)	SLWN01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Selwyn, Township Of (SLWN02)	SLWN02	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Selwyn, Township Of (SLWN02)	SLWN02	6-10	2	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
		Total	5	83.33%	1	16.67%	-	-	6
Selwyn, Township Of (SLWN03)	SLWN03	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
		Total	5	83.33%	1	16.67%	-	-	6
Severn, Township Of (SEVERN01)	SEVERN01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	14	82.35%	3	17.65%	-	-	17
	SEVERN02	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		22	88.00%	3	12.00%	-	-	25
Shared Tower Inc	SHARET01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Shelburne , Town Of (SHLB01)	SHLB01	0-5	14	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Shell Canada (SHL1)	SHL1	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Sick Kids Hospital (SKH01)	SKH01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Silver Bay Water (SBW1)	SBW1	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Simcoe, County Of (SIM01)	SIM01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Sioux Lookout, Municipality Of (SIOWS01)	SIOWS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	80.00%	1	10.00%	1	10.00%	10
	Total		8	80.00%	1	10.00%	1	10.00%	10
Six Nations Gas (SNG01)	SNG01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	16	84.21%	3	15.79%	
		16+	-	-	1	0.62%	161	99.38%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Six Nations Gas (SNG01)	SNG01	6-10	3	42.86%	4	57.14%	-	-	
		Total	4	2.12%	21	11.11%	164	86.77%	189
	Total		4	2.12%	21	11.11%	164	86.77%	189
Sky Generation (Sprott Power) (SGPLWF01)	SGPLWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	34	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		35	100.00%	-	-	-	-	35
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	18	94.74%	1	5.26%	
		16+	-	-	-	-	10	100.00%	
		6-10	20	83.33%	4	16.67%	-	-	
		Total	40	54.79%	22	30.14%	11	15.07%	73
	Total		40	54.79%	22	30.14%	11	15.07%	73
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	Total		13	76.47%	4	23.53%	-	-	17
South Dundas , Municipality Of (SDS01)	SDS01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	26	96.30%	-	-	1	3.70%	27
	Total		26	96.30%	-	-	1	3.70%	27
South Frontenac, Township Of (SF123)	SFS01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	SFSL01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	SFW01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
South Glengarry , Township Of (SGG01)	SGG01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	11	84.62%	-	-	2	15.38%	13
	Total		11	84.62%	-	-	2	15.38%	13
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	-	-	9	100.00%	
		16+	-	-	-	-	50	100.00%	
		Total	12	16.90%	-	-	59	83.10%	71
	Total		12	16.90%	-	-	59	83.10%	71
South Kent Wind Project (SKWP01)	SKWP01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	38	95.00%	2	5.00%	-	-	
		Total	41	57.75%	29	40.85%	1	1.41%	71
	Total		41	57.75%	29	40.85%	1	1.41%	71
South Stormont, Township Of (SSTM01)	SSTM01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
South Stormont, Township Of (SSTM01)	SSTM01	6-10	2	100.00%	-	-	-	-	
		Total	16	94.12%	-	-	1	5.88%	17
	Total		16	94.12%	-	-	1	5.88%	17
Southgate, Township (SGWS01)	SGWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	62.50%	3	37.50%	-	-	8
	Total		5	62.50%	3	37.50%	-	-	8
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	39	90.70%	-	-	4	9.30%	43
	SWMSX02	0-5	14	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		59	93.65%	-	-	4	6.35%	63
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	15	100.00%	
		6-10	11	84.62%	2	15.38%	-	-	
		Total	30	60.00%	2	4.00%	18	36.00%	50
	Total		30	60.00%	2	4.00%	18	36.00%	50
Southwold, Township Of (SOW01)	SOW01	0-5	80	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
	Total		80	91.95%	-	-	7	8.05%	87
	Total		80	91.95%	-	-	7	8.05%	87
Sp Belle River Wind Lp (BRWF01)	BRWF01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Springwater, Township Of (SPRGW01)	SPRGW01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Sprucedale Youth Centre (SPYC01)	SPYC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
St. Catharines, City Of (STC1)	STC1	0-5	213	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	109	95.61%	5	4.39%	-	-	
		Total	322	97.58%	8	2.42%	-	-	330
	Total		322	97.58%	8	2.42%	-	-	330
St. Clair, Township Of (M002)	M002	0-5	147	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	153	100.00%	-	-	-	-	153
	Total		153	100.00%	-	-	-	-	153
St. Columban Wind Farms Lp (STCWF01)	STCWF01	11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
St. Columban Wind Farms Lp (STCWF01)	STCWF01	6-10	1	100.00%	-	-	-	-	
		Total	1	12.50%	7	87.50%	-	-	8
	Total		1	12.50%	7	87.50%	-	-	8
St. Josephs Health Care (London) (SJHC01)	SJHC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
St. Marys General Hospital (STMGH01)	STMGH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	47	97.92%	1	2.08%	-	-	48
	Total		47	97.92%	1	2.08%	-	-	48
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	3
	Total		-	-	2	66.67%	1	33.33%	3
St. Thomas, City Of (STHWS01)	STHSL01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	15	78.95%	4	21.05%	
		16+	-	-	-	-	17	100.00%	
		6-10	115	95.83%	5	4.17%	-	-	
		Total	170	80.57%	20	9.48%	21	9.95%	211
	STHWS01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	18	81.82%	4	18.18%	
		16+	-	-	-	-	18	100.00%	
		6-10	135	92.47%	11	7.53%	-	-	
		Total	218	81.04%	29	10.78%	22	8.18%	269
	Total		388	80.83%	49	10.21%	43	8.96%	480
Start Communications (STARTC01)	STARTC02	0-5	145	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	170	100.00%	-	-	-	-	
		Total	315	98.44%	5	1.56%	-	-	320
	Total		315	98.44%	5	1.56%	-	-	320
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Stone Mills, Township Of (STMSS01)	STMSS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Storm Internet (STRMF01)	STRMF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	10	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	-	-	18	100.00%	
		16+	-	-	-	-	203	100.00%	
		Total	-	-	-	-	221	100.00%	221
	Total		-	-	-	-	221	100.00%	221
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	70	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	70	97.22%	-	-	2	2.78%	72
	Total		70	97.22%	-	-	2	2.78%	72
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	119	100.00%	-	-	-	-	
		Total	119	100.00%	-	-	-	-	119
	Total		119	100.00%	-	-	-	-	119
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Summer Haven Wind (SHWF01)	SHWF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	41	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	50
	Total		50	100.00%	-	-	-	-	50
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	104	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	104	99.05%	-	-	1	0.95%	105
	S002	0-5	144	100.00%	-	-	-	-	
		Total	144	100.00%	-	-	-	-	144
	S004	0-5	30	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		278	99.64%	-	-	1	0.36%	279
Suncor Energy (SCE02)	SCE02	0-5	6	100.00%	-	-	-	-	
		6-10	-	-	4	100.00%	-	-	
		Total	6	60.00%	4	40.00%	-	-	10
	Total		6	60.00%	4	40.00%	-	-	10
Suncor Energy Products (SNCP05)	SNCP05	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Suncor Energy Products (SNCP02)	SNCP02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Suncor Energy Products (SNCP03)	SNCP03	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Suncor Energy Products (SNCP04)	SNCP04	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Sundridge, Village Of (SNDR01)	SNDR01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Swns Lp - Napier Wind Farm (WPDNWF01)	WPDNWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	5	50.00%	-	-	5	50.00%	
	Total		5	50.00%	-	-	5	50.00%	10
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	102	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	117	100.00%	-	-	-	-	
	Total		117	100.00%	-	-	-	-	117
Talbot Windfarm (TALWF01)	TALWF01	0-5	55	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	
	Total		68	100.00%	-	-	-	-	68
TANDEM FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	3	50.00%	3	50.00%	-	-	
	Total		3	50.00%	3	50.00%	-	-	6
Tay, Township Of - Street Lights (TAY02)	TAY02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Tay, Township Of (TAY01)	TAY01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	18	85.71%	2	9.52%	1	4.76%	
	Total		18	85.71%	2	9.52%	1	4.76%	21
Tbaytel (TBYTEL01)	TBYTEL01	0-5	99	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	115	100.00%	-	-	-	-	
	TBYTEL02	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	75.00%	1	8.33%	2	16.67%	
	Total		124	97.64%	1	0.79%	2	1.57%	127
TC Energy - East (TCP01)	TC03	0-5	217	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	219	97.77%	5	2.23%	-	-	
	TC06	0-5	162	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	165	99.40%	1	0.60%	-	-	
	TC07	0-5	48	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	
	TC08	0-5	12	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	81.25%	3	18.75%	-	-	
	TC09	0-5	23	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	23	95.83%	1	4.17%	-	-	
	TC10	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	38	80.85%	9	19.15%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
TC Energy - East (TCP01)	TC12	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	TC14	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	TC15	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	TC16	0-5	28	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	TC17	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	5	50.00%	5	50.00%	-	-	10
	TC18	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	108	95.58%	5	4.42%	-	-	113
	TC19	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total		679	95.77%	30	4.23%	-	-	709
Tecumseh, Town Of (TEC123)	TECS01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	35	79.55%	9	20.45%	-	-	
		Total	53	60.23%	32	36.36%	3	3.41%	88
	TECW01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	77	87.50%	11	12.50%	-	-	
		Total	101	71.13%	37	26.06%	4	2.82%	142
	Total		154	66.96%	69	30.00%	7	3.04%	230
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	257	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	274	100.00%	-	-	-	-	274
	Total		274	100.00%	-	-	-	-	274
Telmax Inc (TLMXF01)	TLMXF01	0-5	292	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	284	99.30%	2	0.70%	-	-	
		Total	576	92.46%	45	7.22%	2	0.32%	623
	Total		576	92.46%	45	7.22%	2	0.32%	623
Telus (TELUS01)	TELGE01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	59	98.33%	1	1.67%	-	-	60
	TELGN01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	85	80.19%	19	17.92%	2	1.89%	106
	TELGN02	0-5	29	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Telus (TELUS01)	TELGN02	6-10	1	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	TELGW01	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	96	96.97%	3	3.03%	-	-	99
	TELGW02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TELHN01	0-5	78	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	83	100.00%	-	-	-	-	83
	TELOE01	0-5	207	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	133	99.25%	1	0.75%	-	-	
		Total	340	95.24%	12	3.36%	5	1.40%	357
	TELONE01	0-5	10	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	TELONW01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	TELOS01	0-5	134	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	189	97.93%	4	2.07%	-	-	193
	TELOW01	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	73	98.65%	1	1.35%	-	-	74
	TELTE01	0-5	150	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	72	100.00%	-	-	-	-	
		Total	222	96.94%	7	3.06%	-	-	229
	TELTW01N	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	50	84.75%	7	11.86%	2	3.39%	59
	TELTW01S	0-5	143	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	45	97.83%	1	2.17%	-	-	
		Total	188	94.95%	10	5.05%	-	-	198
	Total		1,442	95.18%	64	4.22%	9	0.59%	1,515
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	8
	Total		7	87.50%	-	-	1	12.50%	8
Terago Networks Inc (TNF01)	TNF01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total		1	33.33%	2	66.67%	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Teraspan Networks (TS01)	TS01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	14	87.50%	1	6.25%	1	6.25%	16
	Total		14	87.50%	1	6.25%	1	6.25%	16
Terrace Bay , Township Of (TRBWS01)	TRBWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	35	94.59%	1	2.70%	1	2.70%	37
	Total		35	94.59%	1	2.70%	1	2.70%	37
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	4	100.00%	
		6-10	5	55.56%	4	44.44%	-	-	
		Total	54	85.71%	4	6.35%	5	7.94%	63
	Total		54	85.71%	4	6.35%	5	7.94%	63
Thorold, City Of (THLD01)	THLD01	0-5	108	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	56	96.55%	2	3.45%	-	-	
		Total	164	97.04%	5	2.96%	-	-	169
	Total		164	97.04%	5	2.96%	-	-	169
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	11	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Thunder Bay, City Of (THBY123)	THBY01	0-5	57	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	59	93.65%	-	-	4	6.35%	63
	THBY02	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	41	95.35%	-	-	2	4.65%	43
	Total		100	94.34%	-	-	6	5.66%	106
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Tillsonburg , Town Of (TSB01)	TSB01	0-5	180	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	181	100.00%	-	-	-	-	181
	Total		181	100.00%	-	-	-	-	181
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	134	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	135	100.00%	-	-	-	-	135
	Total		135	100.00%	-	-	-	-	135
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Timmins, City Of (TMNS01)	TMNS01	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
Tiny, Township Of (TNY01)	TNY01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Tiny, Township Of (TNY01)	TNY01	6-10	2	100.00%	-	-	-	-	
		Total	8	88.89%	-	-	1	11.11%	9
	Total		8	88.89%	-	-	1	11.11%	9
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	BDVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	BYEBIA01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	83.33%	2	16.67%	-	-	12
	BYWBIA01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	12	85.71%	2	14.29%	-	-	14
	CPBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	CWVBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	DFVBIA01	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	DNFBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	DYEBIA01	0-5	7	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	EGLBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	EVBIA01	6-10	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	GIBBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GRTBIA01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	HLCBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	JGBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	KRBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	KSWBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	LBBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	LBVBIA01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	LBVBIA01	6-10	2	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	LIBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	LSVBIA01	6-10	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	MTDNBIA1	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	MTDSBIA1	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	PDVBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	RHVBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	RMSBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	RSDBIA01	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	SCGBIA01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	UPVBIA01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	VIBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	WVBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	WYWBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	66.67%	2	33.33%	-	-	6
	YEBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		157	94.01%	10	5.99%	-	-	167
Toronto Community Housing (TCHC01)	TCHC01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Toronto Gas Extraction (TORGE01)	TORGEE01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Toronto Hydro (TH123)	THFWLTR1	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	7	87.50%	-	-	1	12.50%	8

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Hydro (TH123)	THT21	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	28.57%	5	71.43%	
		16+	-	-	-	-	23	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	6.25%	2	6.25%	28	87.50%	
	THT23	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	52	91.23%	5	8.77%	-	-	
		Total	139	90.26%	15	9.74%	-	-	
	THTE01	0-5	2,273	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	16	94.12%	1	5.88%	
		6-10	1,014	99.51%	5	0.49%	-	-	
		Total	3,287	98.32%	55	1.65%	1	0.03%	
	THTW01N	0-5	890	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	12	92.31%	1	7.69%	
		6-10	286	100.00%	-	-	-	-	
		Total	1,176	97.59%	28	2.32%	1	0.08%	
	THTW01S	0-5	1,377	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	18	94.74%	1	5.26%	
		6-10	371	95.13%	19	4.87%	-	-	
		Total	1,748	95.26%	86	4.69%	1	0.05%	
	Total		6,359	96.69%	186	2.83%	32	0.49%	6,577
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	260	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	182	100.00%	-	-	-	-	
		Total	442	95.88%	18	3.90%	1	0.22%	
	TORTSE02	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	65	100.00%	-	-	-	-	
		Total	90	98.90%	1	1.10%	-	-	
	TORTSWN1	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	51	100.00%	-	-	-	-	
	TORTSWN2	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	26	96.30%	1	3.70%	-	-	
	TORTSWS1	0-5	194	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	69	97.18%	2	2.82%	-	-	
	TORTSWS2	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	77	87.50%	11	12.50%	-	-	
	Total		1,028	94.31%	60	5.50%	2	0.18%	1,090

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	132	100.00%	-	-	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	147	99.32%	1	0.68%	-	-	
	Total		147	99.32%	1	0.68%	-	-	148
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	321	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	54	93.10%	4	6.90%	-	-	
		Total	375	92.14%	18	4.42%	14	3.44%	
	Total		375	92.14%	18	4.42%	14	3.44%	407
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	282	100.00%	-	-	-	-	
		6-10	44	100.00%	-	-	-	-	
		Total	326	100.00%	-	-	-	-	
	Total		326	100.00%	-	-	-	-	326
Toronto Water and Sewer (TORW123)	TORWE01	0-5	429	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	363	99.45%	2	0.55%	-	-	
		Total	792	97.54%	19	2.34%	1	0.12%	
	TORWE02	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		16+	-	-	1	100.00%	-	-	
		6-10	98	98.00%	2	2.00%	-	-	
		Total	231	97.06%	6	2.52%	1	0.42%	
	TORWE03	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	11	91.67%	1	8.33%	-	-	
	TORWE04	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	117	98.32%	2	1.68%	-	-	
	TORWE05	0-5	18	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	
	TORWE06	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	17	94.44%	1	5.56%	-	-	
	TORWE07	0-5	270	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	219	98.65%	3	1.35%	-	-	
		Total	489	96.07%	18	3.54%	2	0.39%	
	TORWW01	0-5	362	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	218	96.46%	8	3.54%	-	-	
		Total	580	91.05%	57	8.95%	-	-	
	TORWW02	0-5	309	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	9	81.82%	2	18.18%	
		6-10	182	99.45%	1	0.55%	-	-	
		Total	491	94.97%	24	4.64%	2	0.39%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWW04	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	11	91.67%	1	8.33%	
		6-10	33	100.00%	-	-	-	-	
		Total	100	89.29%	11	9.82%	1	0.89%	
	TORWW05	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	24	100.00%	-	-	-	-	
		Total	73	92.41%	4	5.06%	2	2.53%	79
	TORWW06	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	11	91.67%	1	8.33%	-	-	12
	TORWWN07	0-5	141	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	69	100.00%	-	-	-	-	
		Total	210	91.30%	20	8.70%	-	-	230
	TORWWS03	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	TORWWS07	0-5	184	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	7	70.00%	3	30.00%	
		6-10	100	98.04%	2	1.96%	-	-	
		Total	284	91.03%	25	8.01%	3	0.96%	312
	Total		3,457	94.48%	190	5.19%	12	0.33%	3,659
Toronto, University Of (UTOR01)	UTOR01	0-5	40	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	
	Total		40	100.00%	-	-	-	-	40
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	547	100.00%	-	-	-	-	
		11-15	-	-	14	93.33%	1	6.67%	
		16+	-	-	-	-	22	100.00%	
		6-10	164	99.39%	1	0.61%	-	-	
		Total	711	94.93%	15	2.00%	23	3.07%	749
	Total		711	94.93%	15	2.00%	23	3.07%	749
Transcanada Pipelines - North (TCP02)	TC04	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	21	75.00%	7	25.00%	-	-	28
	TC11	0-5	11	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	16	84.21%	3	15.79%	-	-	19
	Total		37	78.72%	10	21.28%	-	-	47
Trans-Northern Pipelines (TN01)	TN01	0-5	233	100.00%	-	-	-	-	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	266	99.63%	1	0.37%	-	-	267
	TN03	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	24	100.00%	
		Total	-	-	-	-	27	100.00%	27
	Total		266	90.48%	1	0.34%	27	9.18%	294

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Trans-Northern Pipelines (TN02)	TN02	0-5	27	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	
	Total		28	96.55%	1	3.45%	-	-	29
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	22	88.00%	3	12.00%	-	-	
	Total		22	88.00%	3	12.00%	-	-	25
Trent Lakes, Municipality Of (TRLW01)	TRLW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Trent University (TRENTU123)	TRENTU01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		Total	7	53.85%	6	46.15%	-	-	
	Total		7	53.85%	6	46.15%	-	-	13
Tribute Gas (MAGG01)	MAGG01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	8	72.73%	2	18.18%	1	9.09%	
	Total		8	72.73%	2	18.18%	1	9.09%	11
Tuckersmith Communications (TCC01)	TCC01	0-5	162	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	2	100.00%	-	-	-	-	
		Total	164	98.20%	1	0.60%	2	1.20%	
	Total		164	98.20%	1	0.60%	2	1.20%	167
Tweed, Municipality Of (TWDWS01)	TWDWS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	
	Total		-	-	-	-	3	100.00%	3
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
University Health Network - Toronto General (UHNTG01)	UHNTG01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	5	100.00%	
	Total		-	-	-	-	5	100.00%	5
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
University Health Network (UHN01)	UHN01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	Total		6	100.00%	-	-	-	-	6
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	47	100.00%	
		Total	-	-	-	-	52	100.00%	
	Total		-	-	-	-	52	100.00%	52
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	
	Total		-	-	-	-	7	100.00%	7
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	16	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Uplink Communications Inc (UPLKW01)	UPLKW01	6-10	12	100.00%	-	-	-	-	
		Total	32	64.00%	2	4.00%	16	32.00%	50
	Total		32	64.00%	2	4.00%	16	32.00%	50
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	Total		1	33.33%	-	-	2	66.67%	3
Utilities Kingston (UK123)	UK01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	UK04	0-5	280	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	2	6.67%	28	93.33%	
		6-10	89	94.68%	5	5.32%	-	-	
		Total	369	89.35%	16	3.87%	28	6.78%	413
	Total		370	89.37%	16	3.86%	28	6.76%	414
Uxbridge, Town Of (UXB01)	UXB01	11-15	-	-	2	100.00%	-	-	
		16+	-	-	82	95.35%	4	4.65%	
		Total	-	-	84	95.45%	4	4.55%	88
	Total		-	-	84	95.45%	4	4.55%	88
Vale Canada (VALE01)	VALE01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	90.00%	-	-	1	10.00%	10
	Total		9	90.00%	-	-	1	10.00%	10
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	608	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	238	100.00%	-	-	-	-	
		Total	846	99.88%	-	-	1	0.12%	847
	Total		846	99.88%	-	-	1	0.12%	847
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	18	100.00%	-	-	-	-	
		Total	42	97.67%	-	-	1	2.33%	43
	Total		42	97.67%	-	-	1	2.33%	43
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	447	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	43	100.00%	-	-	
		Total	447	91.04%	44	8.96%	-	-	491
	Total		447	91.04%	44	8.96%	-	-	491
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	448	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	21	95.45%	1	4.55%	-	-	
		Total	469	99.36%	2	0.42%	1	0.21%	472
	Total		469	99.36%	2	0.42%	1	0.21%	472
Videotron Senc (VDT1)	VDT1	0-5	138	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	74	100.00%	-	-	-	-	
		Total	212	96.80%	7	3.20%	-	-	219
	Total		212	96.80%	7	3.20%	-	-	219
Wainfleet Wind Power (WFWF01)	WFWF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Warwick , Township Of (WWKWS01)	WWKWS01	11-15	-	-	2	100.00%	-	-	
		16+	-	-	30	78.95%	8	21.05%	
		6-10	2	28.57%	5	71.43%	-	-	
		Total	2	4.26%	37	78.72%	8	17.02%	
	Total		2	4.26%	37	78.72%	8	17.02%	47
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	90	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	95	100.00%	-	-	-	-	
	Total		95	100.00%	-	-	-	-	95
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	1	50.00%	1	50.00%	
		Total	85	95.51%	2	2.25%	2	2.25%	
	Total		85	95.51%	2	2.25%	2	2.25%	89
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	
	Total		-	-	1	100.00%	-	-	1
Waste Management Canada (WMFM01)	WMFM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	13	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	
	Total		26	100.00%	-	-	-	-	26
Waterloo, City Of (CW01)	CW01	0-5	450	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	12	85.71%	2	14.29%	-	-	
		Total	462	95.45%	22	4.55%	-	-	
	Total		462	95.45%	22	4.55%	-	-	484
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	41	93.18%	3	6.82%	-	-	
	Total		41	93.18%	3	6.82%	-	-	44
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	88	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	32	100.00%	-	-	-	-	
		Total	120	99.17%	-	-	1	0.83%	
	Total		120	99.17%	-	-	1	0.83%	121
Waterloo, Region Of (RW02)	RW02	0-5	69	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		16+	-	-	-	-	4	100.00%	
		6-10	62	93.94%	4	6.06%	-	-	
		Total	131	90.97%	8	5.56%	5	3.47%	
	Total		131	90.97%	8	5.56%	5	3.47%	144
Waterloo, University Of (UWAT01)	UWAT01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Wawa, Municipality Of (WAW01)	WAW01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Welland Hydro (WLNDH01)	WLNDH01	0-5	309	100.00%	-	-	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	347	100.00%	-	-	-	-	347
	Total		347	100.00%	-	-	-	-	347
Welland, City Of (WLD01)	WLD01	0-5	402	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	419	100.00%	-	-	-	-	419
	Total		419	100.00%	-	-	-	-	419
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	13	92.86%	-	-	1	7.14%	14
	Total		13	92.86%	-	-	1	7.14%	14
Wellington North Power Inc (WNP01)	WNP01	0-5	42	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total		42	100.00%	-	-	-	-	42
Wellington North, Township Of (WLG123)	WLG123	0-5	28	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	36	92.31%	2	5.13%	1	2.56%	39
	Total		36	92.31%	2	5.13%	1	2.56%	39
Wellington, County Of (WLG123)	WLG123	0-5	14	100.00%	-	-	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		6-10	1	100.00%	-	-	-	-	
		Total	15	65.22%	5	21.74%	3	13.04%	23
	Total		15	65.22%	5	21.74%	3	13.04%	23
West Elgin, Municipality Of (W005)	W005	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	5	45.45%	6	54.55%	-	-	
		Total	7	25.93%	9	33.33%	11	40.74%	27
	Total		7	25.93%	9	33.33%	11	40.74%	27
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total		14	93.33%	1	6.67%	-	-	15
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	16	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		17	100.00%	-	-	-	-	17
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	17	94.44%	-	-	1	5.56%	18
	WPTHWS01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
West Perth, Municipality Of (WPTH123)	WPTHWS01	6-10	8	100.00%	-	-	-	-	
		Total	27	96.43%	-	-	1	3.57%	28
		Total	44	95.65%	-	-	2	4.35%	46
West Windsor Power (WWP01)	WWP01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	5
Westario Power (WPOW01)	WPOW01	0-5	162	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	11	32.35%	23	67.65%	-	-	
		Total	173	82.38%	36	17.14%	1	0.48%	210
		Total	173	82.38%	36	17.14%	1	0.48%	210
Westover Express Pipeline	WEX01	0-5	27	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
		Total	28	100.00%	-	-	-	-	28
Westport , Village Of (WPT01)	WPT01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Whitby, Town Of (WHIT123)	WHITCB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
	WHITS01	0-5	119	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	119	99.17%	-	-	1	0.83%	120
	WHITSL01	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	101	99.02%	1	0.98%	-	-	102
	Total		221	99.10%	1	0.45%	1	0.45%	223
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	62	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	88	100.00%	-	-	-	-	88
	WCSTSL01	0-5	111	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	150	100.00%	-	-	-	-	150
	WCSTW01	0-5	90	100.00%	-	-	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	127	100.00%	-	-	-	-	127
	Total		365	100.00%	-	-	-	-	365
White River , Town Of (WHRWS01)	WHRWS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2
Wightman Telecom (WT123)	WT01	0-5	652	100.00%	-	-	-	-	
		11-15	-	-	25	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	150	83.80%	29	16.20%	-	-	
		Total	802	92.82%	54	6.25%	8	0.93%	864
		Total	802	92.82%	54	6.25%	8	0.93%	864

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Wilfrid Laurier University (WLU01)	WLU01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	4	57.14%	2	28.57%	1	14.29%	7
	Total		4	57.14%	2	28.57%	1	14.29%	7
Wilmot, Township Of (WLMWS01)	WLMWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	51	100.00%	
		Total	-	-	-	-	52	100.00%	52
	Total		-	-	-	-	52	100.00%	52
Windlectric Inc (AIWF01)	AIWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	397	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		6-10	187	98.94%	2	1.06%	-	-	
		Total	584	94.35%	35	5.65%	-	-	619
	Total		584	94.35%	35	5.65%	-	-	619
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	42	100.00%	-	-	-	-	
		6-10	102	100.00%	-	-	-	-	
		Total	144	100.00%	-	-	-	-	144
	Total		144	100.00%	-	-	-	-	144
Windsor, City Of (EWINW01)	EWINW01	0-5	185	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	201	100.00%	-	-	-	-	
		Total	386	99.48%	2	0.52%	-	-	388
	EWINW02	0-5	93	100.00%	-	-	-	-	
		Total	93	100.00%	-	-	-	-	93
	Total		479	99.58%	2	0.42%	-	-	481
Windsor, City Of (WSRSL01)	WSRSL01	0-5	774	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	273	100.00%	-	-	-	-	
		Total	1,047	99.90%	1	0.10%	-	-	1048
	Total		1,047	99.90%	1	0.10%	-	-	1,048
Wingham & Listowel Hospitals (LWHA01)	LWHA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
WJI Farms Inc	WJIF01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	234	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	243	98.78%	2	0.81%	1	0.41%	246
	Total		243	98.78%	2	0.81%	1	0.41%	246
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	223	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	8	100.00%	-	-	-	-	
		Total	231	98.30%	2	0.85%	2	0.85%	235
	Total		231	98.30%	2	0.85%	2	0.85%	235
Woolwich, Township Of (WLW01)	WLW01	0-5	167	100.00%	-	-	-	-	
		Total	167	100.00%	-	-	-	-	167
	Total		167	100.00%	-	-	-	-	167

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Wtc Communications (WTCCT01)	WTCCT01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	52	91.23%	3	5.26%	2	3.51%	
	Total		52	91.23%	3	5.26%	2	3.51%	57
Xplore Inc	MTLF01	0-5	256	100.00%	-	-	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	293	100.00%	-	-	-	-	
	XPNET01	0-5	260	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	280	98.94%	3	1.06%	-	-	
	XPNET02	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	6	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	78	90.70%	1	1.16%	7	8.14%	
	Total		651	98.34%	4	0.60%	7	1.06%	662
York Region Water And Sewer (YRWS123)	YRWS01	0-5	552	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	26	100.00%	-	-	-	-	
		Total	578	99.48%	-	-	3	0.52%	
	Total		578	99.48%	-	-	3	0.52%	581
York University (YORKU01)	YORKU01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	
	Total		-	-	-	-	3	100.00%	3
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	504	100.00%	-	-	-	-	
		11-15	-	-	50	98.04%	1	1.96%	
		16+	-	-	3	37.50%	5	62.50%	
		6-10	600	99.83%	1	0.17%	-	-	
		Total	1,104	94.85%	54	4.64%	6	0.52%	
	Total		1,104	94.85%	54	4.64%	6	0.52%	1,164
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	32	88.89%	4	11.11%	-	-	
		Total	81	79.41%	20	19.61%	1	0.98%	
	ZAYOON02	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	4	36.36%	7	63.64%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	60	76.92%	11	14.10%	7	8.97%	
	ZAYOON03	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	7	43.75%	9	56.25%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	42	58.33%	21	29.17%	9	12.50%	
	ZAYOON04	0-5	21	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	23	88.46%	3	11.54%	-	-	
	ZAYOON05	0-5	61	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided			
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request	
Zayo Canada Inc (ZAYO123)	ZAYOON05	6-10	32	91.43%	3	8.57%	-	-		
		Total	93	91.18%	9	8.82%	-	-	102	
	ZAYOON06	0-5	18	100.00%	-	-	-	-		
		6-10	5	100.00%	-	-	-	-		
		Total	23	100.00%	-	-	-	-	23	
	ZAYOON07	0-5	46	100.00%	-	-	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	33	89.19%	4	10.81%	-	-		
		Total	79	91.86%	7	8.14%	-	-	86	
	ZAYOON08	0-5	28	100.00%	-	-	-	-		
		16+	-	-	2	100.00%	-	-		
		6-10	10	83.33%	2	16.67%	-	-		
		Total	38	90.48%	4	9.52%	-	-	42	
	ZAYOON09	0-5	12	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	14	77.78%	4	22.22%	-	-	18	
	ZAYOON11	0-5	402	100.00%	-	-	-	-		
		11-15	-	-	16	84.21%	3	15.79%		
		16+	-	-	18	58.06%	13	41.94%		
		6-10	47	97.92%	1	2.08%	-	-		
		Total	449	89.80%	35	7.00%	16	3.20%	500	
	ZAYOON12	0-5	8	100.00%	-	-	-	-		
		11-15	-	-	6	100.00%	-	-		
		Total	8	57.14%	6	42.86%	-	-	14	
	Total			910	85.61%	120	11.29%	33	3.10%	1,063
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	60	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		
		16+	-	-	25	89.29%	3	10.71%		
		6-10	27	96.43%	1	3.57%	-	-		
		Total	87	72.50%	30	25.00%	3	2.50%	120	
	Total			87	72.50%	30	25.00%	3	2.50%	120
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	-	-	-	-	4	100.00%		
		Total	-	-	-	-	4	100.00%	4	
	Total			-	-	-	4	100.00%	4	
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	42	100.00%	-	-	-	-		
		Total	42	100.00%	-	-	-	-	42	
	Total			42	100.00%	-	-	-	42	
Total				245,742	95.30%	9,163	3.55%	2,949	1.14%	257,854