

UIO Performance Report



How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 **Locate your organization**
Find your organization name in the first column, listed alphabetically.

2 **Find your master code**
Flook for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 **Understand performance metrics**

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report
The report includes data for standard and advanced locate requests.

Excluded in this report
Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2025-06-23 02:01:28

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.

UIO Performance Report



Report Period	2025-05-01	-	2025-05-31
---------------	------------	---	------------



On Time	386,151	95.12%
Late	15,697	3.87%
No 360 Response	4,118	1.01%
Total	405,966	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
156 Columbia St Inc (COLBIA123)	COLB01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	COLB05	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	COLB06	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			8	100.00%	-	-	-	-	8
1682468 Corp (168XPL01)	168XPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total			-	-	1	100.00%	-	-
170 Columbia Waterloo Incorporated (COLWAT01)	COLWAT01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total			-	-	-	-	3	100.00%
407 ETR (407ETR)	407ETR01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	2	100.00%	-	-	-	-	
		Total	34	82.93%	6	14.63%	1	2.44%	41
	Total			34	82.93%	6	14.63%	1	2.44%
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	118	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	80	94.12%	5	5.88%	-	-	
		Total	198	95.19%	10	4.81%	-	-	208
	HYTOS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	HYTOW01	0-5	20	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total			227	95.38%	11	4.62%	-	-
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	42	80.77%	10	19.23%	-	-	
		Total	82	86.32%	10	10.53%	3	3.16%	95
	Total			82	86.32%	10	10.53%	3	3.16%
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total			1	100.00%	-	-	-	-
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	6-10	12	80.00%	3	20.00%	-	-	
		Total	17	51.52%	5	15.15%	11	33.33%	33
		Total	17	51.52%	5	15.15%	11	33.33%	33
Admaston Bromley, Township Of (ADMBRM01)	ADMBRM01	16+	-	-	5	71.43%	2	28.57%	
		Total	-	-	5	71.43%	2	28.57%	7
		Total	-	-	5	71.43%	2	28.57%	7
Agilis (AGILF01)	AGILF01	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	8	47.06%	9	52.94%	-	-	
		Total	58	75.32%	12	15.58%	7	9.09%	77
		Total	58	75.32%	12	15.58%	7	9.09%	77
Aim Harrow Wind Farm (HARFW01)	HARFW01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Aim Sop Phase I Lp (AIMWF01)	AIMWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Air Liquide Canada (AL01)	AL01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
		Total	13	100.00%	-	-	-	-	13
Air Products Canada (APC1)	APC1	0-5	4	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	4	50.00%	4	50.00%	-	-	8
		Total	4	50.00%	4	50.00%	-	-	8
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	306	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	158	99.37%	1	0.63%	-	-	
		Total	464	99.15%	4	0.85%	-	-	468
		Total	464	99.15%	4	0.85%	-	-	468
Alectra Brampton (ALECBR01)	ALECBR01	0-5	1,685	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	1,717	99.77%	4	0.23%	-	-	1721
		Total	1,717	99.77%	4	0.23%	-	-	1,721
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	3,006	100.00%	-	-	-	-	
		11-15	-	-	50	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	745	99.20%	6	0.80%	-	-	
		Total	3,751	98.35%	63	1.65%	-	-	3814
		Total	3,751	98.35%	63	1.65%	-	-	3,814
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	2,257	100.00%	-	-	-	-	
		11-15	-	-	44	100.00%	-	-	
		16+	-	-	84	100.00%	-	-	
		6-10	252	89.36%	30	10.64%	-	-	
		Total	2,509	94.08%	158	5.92%	-	-	2667
		Total	2,509	94.08%	158	5.92%	-	-	2,667
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	1,016	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	6-10	61	98.39%	1	1.61%	-	-	
		Total	1,077	99.35%	7	0.65%	-	-	1084
		Total	1,077	99.35%	7	0.65%	-	-	1,084
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	3,478	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	46	100.00%	-	-	
		6-10	727	100.00%	-	-	-	-	
		Total	4,205	98.87%	48	1.13%	-	-	4253
	PSGN05	0-5	1,265	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	207	100.00%	-	-	-	-	
		Total	1,472	99.19%	12	0.81%	-	-	1484
	Total		5,677	98.95%	60	1.05%	-	-	5,737
Alectra Utilities (GHY01)	GHY01	0-5	790	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	174	99.43%	1	0.57%	-	-	
		Total	964	99.48%	5	0.52%	-	-	969
	Total		964	99.48%	5	0.52%	-	-	969
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	79	100.00%	-	-	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		Total	79	94.05%	4	4.76%	1	1.19%	84
	Total		79	94.05%	4	4.76%	1	1.19%	84
Algoma Power (AGMP01)	AGMP01	0-5	298	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	298	99.33%	-	-	2	0.67%	300
	Total		298	99.33%	-	-	2	0.67%	300
Algonquin College (ALGQC01)	ALGQC01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	12	46.15%	14	53.85%	-	-	26
	Total		12	46.15%	14	53.85%	-	-	26
Algonquin Highlands	ALGHW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Alpine Ski Club (ALPINE01)	ALPINE01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	7	70.00%	-	-	3	30.00%	10
	Total		7	70.00%	-	-	3	30.00%	10
Amherstburg Public Works (A005)	A005	0-5	228	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Amherstburg Public Works (A005)	A005	6-10	21	95.45%	1	4.55%	-	-	
		Total	249	98.03%	4	1.57%	1	0.39%	254
	Total		249	98.03%	4	1.57%	1	0.39%	254
Apotex (APX2)	APX2	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	18	90.00%	1	5.00%	1	5.00%	20
	Total		18	90.00%	1	5.00%	1	5.00%	20
Armstrong , Township Of (ARSG01)	ARSG01	16+	-	-	6	100.00%	-	-	
		Total	-	-	6	100.00%	-	-	6
	Total		-	-	6	100.00%	-	-	6
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	93	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	12	42.86%	16	57.14%	-	-	
		Total	105	80.15%	26	19.85%	-	-	131
	Total		105	80.15%	26	19.85%	-	-	131
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	42	95.45%	2	4.55%	-	-	44
	Total		42	95.45%	2	4.55%	-	-	44
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	ACWWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total		2	40.00%	1	20.00%	2	40.00%	5
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	27	93.10%	-	-	2	6.90%	29
	Total		27	93.10%	-	-	2	6.90%	29
Athens, Township Of (ATHS01)	ATHS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Atikokan Hydro (ATH01)	ATH01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	34	97.14%	1	2.86%	-	-	35
	Total		34	97.14%	1	2.86%	-	-	35
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	36	97.30%	-	-	1	2.70%	37
	Total		36	97.30%	-	-	1	2.70%	37

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Atura Power Formerly Tc Energy (TCEN01)	TCEN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Aurora, Town Of (AURORA01)	AURORA01	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	24	77.42%	7	22.58%	
		6-10	17	100.00%	-	-	-	-	
		Total	119	72.12%	39	23.64%	7	4.24%	165
	Total		119	72.12%	39	23.64%	7	4.24%	165
Avetria Networks Inc (ANF01)	ANF01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	28.57%	5	71.43%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	7	36.84%	7	36.84%	5	26.32%	19
	Total		7	36.84%	7	36.84%	5	26.32%	19
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	4	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total		4	80.00%	1	20.00%	-	-	5
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	57	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
	Total		57	100.00%	-	-	-	-	57
Bancroft, Town Of (BNCF01)	BNCF01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	36	100.00%	
		Total	-	-	-	-	38	100.00%	38
	Total		-	-	-	-	38	100.00%	38
Barrie, City Of (BARR01)	BARR01	0-5	932	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	206	91.56%	19	8.44%	-	-	
		Total	1,138	96.11%	46	3.89%	-	-	1184
	Total		1,138	96.11%	46	3.89%	-	-	1,184
Bayham, Municipality Of (BYH01)	BYH01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	18	81.82%	2	9.09%	2	9.09%	22
	Total		18	81.82%	2	9.09%	2	9.09%	22
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	483	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	19.05%	17	80.95%	
		6-10	282	100.00%	-	-	-	-	
		Total	765	97.20%	5	0.64%	17	2.16%	787
	Total		765	97.20%	5	0.64%	17	2.16%	787
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	402	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	156	100.00%	-	-	-	-	
		Total	558	98.24%	1	0.18%	9	1.58%	568
	Total		558	98.24%	1	0.18%	9	1.58%	568
Bell Canada Damage Prevention (BC01)	360GTA	0-5	352	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	71	100.00%	-	-	-	-	
		Total	423	99.53%	2	0.47%	-	-	425

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Canada Damage Prevention (BC01)	360N	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	102	94.44%	6	5.56%	-	-	
	360N01	0-5	258	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	278	97.20%	8	2.80%	-	-	
	360OTT	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	47	94.00%	3	6.00%	-	-	
	BA80702	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	77.78%	2	22.22%	-	-	
	BA80704	0-5	21	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	21	87.50%	3	12.50%	-	-	
	BA80705	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	30	75.00%	10	25.00%	-	-	
	BA80706	0-5	19	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	19	82.61%	4	17.39%	-	-	
	BA80707	0-5	6	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	6	54.55%	5	45.45%	-	-	
	BA80708	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	58	77.33%	17	22.67%	-	-	
	BA80709	0-5	15	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	84.21%	3	15.79%	-	-	
	BA80710	0-5	39	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	39	88.64%	5	11.36%	-	-	
	BA80711	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	BA80712	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	
	BAGE01	0-5	372	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Canada Damage Prevention (BC01)	BAGE01	6-10	133	100.00%	-	-	-	-	
		Total	505	99.21%	4	0.79%	-	-	509
	BAGN01	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	BAGN02	0-5	336	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	13	68.42%	6	31.58%	-	-	
		Total	349	97.21%	10	2.79%	-	-	359
	BAGW02	0-5	644	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	144	100.00%	-	-	-	-	
		Total	788	96.45%	29	3.55%	-	-	817
	BAHN01	0-5	61	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	BAOE01	0-5	2,196	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	382	97.70%	9	2.30%	-	-	
		Total	2,578	98.62%	36	1.38%	-	-	2614
	BAONE01	0-5	2,240	100.00%	-	-	-	-	
		11-15	-	-	328	100.00%	-	-	
		16+	-	-	161	100.00%	-	-	
		6-10	222	56.92%	168	43.08%	-	-	
		Total	2,462	78.94%	657	21.06%	-	-	3119
	BAOS01	0-5	2,645	100.00%	-	-	-	-	
		11-15	-	-	66	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	676	95.62%	31	4.38%	-	-	
		Total	3,321	96.94%	105	3.06%	-	-	3426
	BAOW01	0-5	2,853	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	531	98.52%	8	1.48%	-	-	
		Total	3,384	99.27%	25	0.73%	-	-	3409
	BC80701	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	BC80703	0-5	18	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	21	91.30%	2	8.70%	-	-	23
	BCGE01	0-5	4,260	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	546	98.38%	9	1.62%	-	-	
		Total	4,806	99.09%	44	0.91%	-	-	4850
	BCGN01	0-5	5,337	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	22	95.65%	1	4.35%	
		6-10	660	99.10%	6	0.90%	-	-	
		Total	5,997	99.49%	30	0.50%	1	0.02%	6028

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCGN02	0-5	2,751	100.00%	-	-	-	-	
		11-15	-	-	83	100.00%	-	-	
		16+	-	-	36	100.00%	-	-	
		6-10	198	74.44%	68	25.56%	-	-	
		Total	2,949	94.04%	187	5.96%	-	-	
	BCGTAA01	0-5	26	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	
	BCGW01	0-5	4,400	100.00%	-	-	-	-	
		11-15	-	-	71	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	590	99.66%	2	0.34%	-	-	
		Total	4,990	98.38%	82	1.62%	-	-	
	BCGW02	0-5	387	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	85	100.00%	-	-	-	-	
		Total	472	97.12%	14	2.88%	-	-	
	BCHN01	0-5	8,955	100.00%	-	-	-	-	
		11-15	-	-	118	100.00%	-	-	
		16+	-	-	85	100.00%	-	-	
		6-10	923	93.90%	60	6.10%	-	-	
		Total	9,878	97.41%	263	2.59%	-	-	
	BCOE01	0-5	8,176	100.00%	-	-	-	-	
		11-15	-	-	122	100.00%	-	-	
		16+	-	-	79	100.00%	-	-	
		6-10	1,215	95.90%	52	4.10%	-	-	
		Total	9,391	97.38%	253	2.62%	-	-	
	BCONE01	0-5	260	100.00%	-	-	-	-	
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	51	86.44%	8	13.56%	-	-	
		Total	311	87.61%	44	12.39%	-	-	
	BCONW01	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	81	85.26%	14	14.74%	-	-	
	BCONW02	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	32	69.57%	14	30.43%	-	-	
	BCOS01	0-5	4,111	100.00%	-	-	-	-	
		11-15	-	-	50	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	761	96.57%	27	3.43%	-	-	
		Total	4,872	98.29%	84	1.69%	1	0.02%	
	BCOW01	0-5	7,080	100.00%	-	-	-	-	
		11-15	-	-	50	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	940	97.92%	20	2.08%	-	-	
		Total	8,020	98.99%	82	1.01%	-	-	
	BCTE01	0-5	3,098	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Canada Damage Prevention (BC01)	BCTE01	6-10	620	99.36%	4	0.64%	-	-	
		Total	3,718	98.91%	41	1.09%	-	-	3759
	BCTW01N	0-5	2,452	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	199	99.50%	1	0.50%	-	-	
		Total	2,651	99.25%	20	0.75%	-	-	2671
	BCTW01S	0-5	2,045	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	288	97.30%	8	2.70%	-	-	
		Total	2,333	98.48%	36	1.52%	-	-	2369
	BFTHTOR2	16+	-	-	-	-	42	100.00%	
		Total	-	-	-	-	42	100.00%	42
	Total		75,069	97.16%	2,147	2.78%	44	0.06%	77,260
Belleville , City Of (BLV01)	BLV01	0-5	249	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	249	99.60%	-	-	1	0.40%	250
	Total		249	99.60%	-	-	1	0.40%	250
Billings , Township Of (BLGWS01)	BLGWS01	16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Birch Hill Telecom (BHTI01)	BHTI01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	48	92.31%	4	7.69%	-	-	
		Total	73	81.11%	13	14.44%	4	4.44%	90
	Total		73	81.11%	13	14.44%	4	4.44%	90
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	19	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	12	37.50%	1	3.13%	19	59.38%	32
	Total		12	37.50%	1	3.13%	19	59.38%	32
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	36	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total		36	100.00%	-	-	-	-	36
Blind River , Town Of (BLR01)	BLR01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	5	100.00%	-	-	
		Total	14	70.00%	5	25.00%	1	5.00%	20
	Total		14	70.00%	5	25.00%	1	5.00%	20
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	3
	Total		-	-	2	66.67%	1	33.33%	3
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	1	100.00%	-	-	-	-	
		Total	5	62.50%	1	12.50%	2	25.00%	8
	Total		5	62.50%	1	12.50%	2	25.00%	8
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	154	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	176	100.00%	-	-	-	-	176
	Total		176	100.00%	-	-	-	-	176

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bluewater Power (S003)	S003	0-5	518	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	202	100.00%	-	-	-	-	
		Total	720	99.72%	2	0.28%	-	-	
	Total		720	99.72%	2	0.28%	-	-	722
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	37	100.00%	-	-	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	80	100.00%	-	-	-	-	
	Total		80	100.00%	-	-	-	-	80
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
Bluewater, Municipality Of (BLW01)	BLW01	0-5	83	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	83	97.65%	-	-	2	2.35%	
	Total		83	97.65%	-	-	2	2.35%	85
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	16	84.21%	-	-	3	15.79%	
	Total		16	84.21%	-	-	3	15.79%	19
Boralex (BOR123)	BORWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	BORWF07	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	BORWF08	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	62	100.00%	-	-	-	-	
		Total	114	98.28%	2	1.72%	-	-	
	Total		114	98.28%	2	1.72%	-	-	116
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	109	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	121	96.03%	5	3.97%	-	-	
	BFWGSS01	0-5	118	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	128	96.24%	5	3.76%	-	-	
	BFWGW01	0-5	121	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	131	94.93%	7	5.07%	-	-	
	Total		380	95.72%	17	4.28%	-	-	397
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	68	100.00%	-	-	
		16+	-	-	-	-	28	100.00%	
		6-10	106	98.15%	2	1.85%	-	-	
		Total	149	60.32%	70	28.34%	28	11.34%	
	Total		149	60.32%	70	28.34%	28	11.34%	247

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	357	100.00%	-	-	-	-	
		11-15	-	-	169	97.69%	4	2.31%	
		16+	-	-	-	-	81	100.00%	
		6-10	174	76.65%	53	23.35%	-	-	
		Total	531	63.37%	222	26.49%	85	10.14%	
	Total		531	63.37%	222	26.49%	85	10.14%	838
Brant, County Of - Fibre (BRNTF01)	BRNTF01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	
	Total		11	100.00%	-	-	-	-	11
Brant, County Of (BRNT01)	BRNT01	0-5	263	100.00%	-	-	-	-	
		11-15	-	-	3	42.86%	4	57.14%	
		16+	-	-	-	-	16	100.00%	
		6-10	13	40.63%	19	59.38%	-	-	
		Total	276	86.79%	22	6.92%	20	6.29%	
	Total		276	86.79%	22	6.92%	20	6.29%	318
Brantford, The City Of (BRAS01)	BRAS01	0-5	247	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	145	97.97%	3	2.03%	-	-	
		Total	392	98.00%	8	2.00%	-	-	
	Total		392	98.00%	8	2.00%	-	-	400
Brantford, The City Of (BRASL01)	BRASL01	0-5	336	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	86	97.73%	2	2.27%	-	-	
		Total	422	98.60%	6	1.40%	-	-	
	Total		422	98.60%	6	1.40%	-	-	428
Brantford, The City Of (BRATL01)	BRATL01	0-5	20	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	
	Total		34	100.00%	-	-	-	-	34
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	53.33%	14	46.67%	-	-	
		Total	101	85.59%	17	14.41%	-	-	
	Total		101	85.59%	17	14.41%	-	-	118
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	50.00%	10	50.00%	-	-	
		Total	56	82.35%	12	17.65%	-	-	
	Total		56	82.35%	12	17.65%	-	-	68
Brock , Township Of (BRCK01)	BRCK01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	32	88.89%	1	2.78%	3	8.33%	
	Total		32	88.89%	1	2.78%	3	8.33%	36
Brock University (BROCKU01)	BROCKU01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	Total		7	100.00%	-	-	-	-	7
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	66	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	66	98.51%	1	1.49%	-	-	
	Total		66	98.51%	1	1.49%	-	-	67

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Brockville, City Of (BRKV01)	BRKV01	0-5	240	100.00%	-	-	-	-	
		16+	-	-	2	10.00%	18	90.00%	
		Total	240	92.31%	2	0.77%	18	6.92%	260
	Total		240	92.31%	2	0.77%	18	6.92%	260
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Brooke Telecom (B004)	B004	0-5	141	100.00%	-	-	-	-	
		Total	141	100.00%	-	-	-	-	141
	Total		141	100.00%	-	-	-	-	141
Bruce , County Of (BRC01)	BRC01	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	125	99.21%	1	0.79%	-	-	126
	Total		125	99.21%	1	0.79%	-	-	126
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Bruce Telecom (BTL01)	BTL01	0-5	338	100.00%	-	-	-	-	
		11-15	-	-	62	100.00%	-	-	
		16+	-	-	30	100.00%	-	-	
		6-10	68	73.91%	24	26.09%	-	-	
		Total	406	77.78%	116	22.22%	-	-	522
	Total		406	77.78%	116	22.22%	-	-	522
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	4
	Total		2	50.00%	-	-	2	50.00%	4
Burlington Hydro (BH01)	BH01	0-5	1,256	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	81	100.00%	-	-	-	-	
		Total	1,337	99.78%	3	0.22%	-	-	1340
	Total		1,337	99.78%	3	0.22%	-	-	1,340
Burlington, City Of (BRL123)	BRLSL01	0-5	403	100.00%	-	-	-	-	
		6-10	82	100.00%	-	-	-	-	
		Total	485	100.00%	-	-	-	-	485
	BRLSS01	0-5	331	100.00%	-	-	-	-	
		6-10	98	100.00%	-	-	-	-	
		Total	429	100.00%	-	-	-	-	429
	BRLTS01	0-5	16	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total		951	100.00%	-	-	-	-	951
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	246	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	266	100.00%	-	-	-	-	266
	Total		266	100.00%	-	-	-	-	266
Callander, Municipality Of (CLN01)	CLN01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Callander, Municipality Of (CLN01)	CLN01	16+	-	-	1	6.67%	14	93.33%	
		6-10	-	-	1	100.00%	-	-	
		Total	25	54.35%	7	15.22%	14	30.43%	
	Total		25	54.35%	7	15.22%	14	30.43%	46
Cambridge, City Of (CAM123)	CAMS01	0-5	295	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	298	99.67%	1	0.33%	-	-	
	CAMW01	0-5	246	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	280	98.59%	4	1.41%	-	-	284
	Total		578	99.14%	5	0.86%	-	-	583
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	19	100.00%	
		Total	-	-	-	-	19	100.00%	
	Total		-	-	-	-	19	100.00%	19
Campbellford Memorial Hospital (CMBFMH01)	CMBFMH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Canadian Niagara Power (CNP01)	CNP01	0-5	553	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	62	100.00%	-	-	-	-	
		Total	615	99.51%	2	0.32%	1	0.16%	
	Total		615	99.51%	2	0.32%	1	0.16%	618
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	160	100.00%	
		Total	-	-	-	-	165	100.00%	
	Total		-	-	-	-	165	100.00%	165
Cardinal Power (CARDP01)	CARDP01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	139	100.00%	-	-	-	-	
		Total	139	100.00%	-	-	-	-	
	Total		139	100.00%	-	-	-	-	139
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	1	6.67%	14	93.33%	
		6-10	1	100.00%	-	-	-	-	
		Total	32	64.00%	3	6.00%	15	30.00%	
	Total		32	64.00%	3	6.00%	15	30.00%	50
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	10	76.92%	-	-	3	23.08%	
	Total		10	76.92%	-	-	3	23.08%	13
Cedar Point Ii Wind Farm (CP2WF01)	CP2WF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	
	Total		1	50.00%	1	50.00%	-	-	2
Celerity Telecom Inc (CTI01)	CTI01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Celerity Telecom Inc (CTI01)	CTI01	6-10	1	100.00%	-	-	-	-	
		Total	10	71.43%	1	7.14%	3	21.43%	14
		Total	10	71.43%	1	7.14%	3	21.43%	14
Centennial College (CTNLC01)	CTNLC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
		Total	21	100.00%	-	-	-	-	21
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	93	100.00%	-	-	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	134	100.00%	-	-	-	-	134
		Total	134	100.00%	-	-	-	-	134
Central Frontenac , Township Of (CFS01)	CFS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Central Huron, Municipality Of (CHW01)	CHW01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	32	80.00%	6	15.00%	2	5.00%	40
		Total	32	80.00%	6	15.00%	2	5.00%	40
Central Manitoulin, Municipality Of (CTMTN01)	CTMTN01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	18	100.00%	
		Total	-	-	-	-	18	100.00%	18
		Total	-	-	-	-	18	100.00%	18
Centre Wellington Communications (CWC01)	CWC01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
		Total	22	95.65%	1	4.35%	-	-	23
Centre Wellington Hydro (CWH01)	CWH01	0-5	181	100.00%	-	-	-	-	
		Total	181	100.00%	-	-	-	-	181
		Total	181	100.00%	-	-	-	-	181
Centre Wellington, Township Of (CTW01)	CTW01	0-5	284	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	78	86.67%	12	13.33%	-	-	
		Total	362	96.02%	15	3.98%	-	-	377
		Total	362	96.02%	15	3.98%	-	-	377
Century Link (LVL3)	LVL3	0-5	360	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	3	50.00%	3	50.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	361	97.57%	5	1.35%	4	1.08%	370
		Total	361	97.57%	5	1.35%	4	1.08%	370
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	-	-	4	100.00%	
		16+	-	-	2	10.00%	18	90.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	17	40.48%	3	7.14%	22	52.38%	42

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Champlain, Township Of (CHPLN123)	CHPLSL01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	7	100.00%	
		Total	17	65.38%	-	-	9	34.62%	
	CHPLSS01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	-	-	4	100.00%	
		16+	-	-	2	10.53%	17	89.47%	
		6-10	-	-	1	100.00%	-	-	
		Total	14	36.84%	3	7.89%	21	55.26%	38
	CHPLW01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	-	-	4	100.00%	
		16+	-	-	2	8.00%	23	92.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	26	46.43%	3	5.36%	27	48.21%	56
	Total		74	45.68%	9	5.56%	79	48.77%	162
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Charlton And Dack , Municipality Of (CHDWSL01)	CHDWSL01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	
	Total		-	-	2	66.67%	1	33.33%	3
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	156	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	22	100.00%	
		6-10	96	86.49%	15	13.51%	-	-	
		Total	252	84.56%	24	8.05%	22	7.38%	
	CKPUC02	0-5	216	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	-	-	30	100.00%	
		6-10	151	79.06%	40	20.94%	-	-	
		Total	367	79.09%	67	14.44%	30	6.47%	
	CKPUC03	0-5	118	100.00%	-	-	-	-	
		11-15	-	-	18	94.74%	1	5.26%	
		16+	-	-	-	-	26	100.00%	
		6-10	39	84.78%	7	15.22%	-	-	
		Total	157	75.12%	25	11.96%	27	12.92%	
	Total		776	79.92%	116	11.95%	79	8.14%	971
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	145	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	145	99.32%	-	-	1	0.68%	
	Total		145	99.32%	-	-	1	0.68%	146
Chatham Resources (CRPL01)	CRPL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	-	-	4	100.00%	-	-	
		Total	2	22.22%	4	44.44%	3	33.33%	
	Total		2	22.22%	4	44.44%	3	33.33%	9
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	60.00%	4	40.00%	-	-	
	Total		6	60.00%	4	40.00%	-	-	10
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	5	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Chatsworth, Township Of (CTSWW01)	CTSWW01	6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
		Total	8	100.00%	-	-	-	-	8
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		Total	2	22.22%	-	-	7	77.78%	9
		Total	2	22.22%	-	-	7	77.78%	9
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	16	88.89%	1	5.56%	1	5.56%	18
		Total	16	88.89%	1	5.56%	1	5.56%	18
Cik Telecom (CIKT01)	CIKT01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	15	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	18	52.94%	1	2.94%	15	44.12%	34
		Total	18	52.94%	1	2.94%	15	44.12%	34
City Of Woodstock Street Light & Traffic Signals Wdslt01 (WDSLTL01)	WDSLTL01	0-5	184	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	190	100.00%	-	-	-	-	190
		Total	190	100.00%	-	-	-	-	190
Ckpw Chatham Township Garage (CK08)	CK08	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	26	83.87%	5	16.13%	-	-	
		Total	44	78.57%	12	21.43%	-	-	56
		Total	44	78.57%	12	21.43%	-	-	56
Ckpw Chatham Water Garage (CK01)	CK01	0-5	221	100.00%	-	-	-	-	
		Total	221	100.00%	-	-	-	-	221
		Total	221	100.00%	-	-	-	-	221
Ckpw Dover Township Garage (CK06)	CK06	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	32	88.89%	4	11.11%	-	-	
		Total	85	82.52%	16	15.53%	2	1.94%	103
		Total	85	82.52%	16	15.53%	2	1.94%	103
Ckpw Kent Centre Garage (CK03)	CK03	0-5	74	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
		Total	89	100.00%	-	-	-	-	89
Ckpw Raleigh Garage (CK04)	CK04	0-5	144	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	145	99.32%	-	-	1	0.68%	146
		Total	145	99.32%	-	-	1	0.68%	146
Ckpw Thamesville Garage (CK09)	CK09	0-5	33	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
		Total	33	100.00%	-	-	-	-	33
Ckpw Tilbury East Garage (CK05)	CK05	0-5	116	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	122	96.06%	-	-	5	3.94%	127
		Total	122	96.06%	-	-	5	3.94%	127

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	38	100.00%	-	-	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	39	88.64%	5	11.36%	-	-	44
	Total		39	88.64%	5	11.36%	-	-	44
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	110	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	110	97.35%	3	2.65%	-	-	113
	Total		110	97.35%	3	2.65%	-	-	113
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	120	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	133	98.52%	-	-	2	1.48%	135
	CLRGSS01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	56	98.25%	1	1.75%	-	-	57
	Total		189	98.44%	1	0.52%	2	1.04%	192
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	7	63.64%	4	36.36%	-	-	
		Total	14	41.18%	10	29.41%	10	29.41%	34
	Total		14	41.18%	10	29.41%	10	29.41%	34
Clearford (LBWW01)	LBWW01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Clearview, Township Of (CLRV01)	CLRV01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	27	93.10%	2	6.90%	-	-	
		Total	110	92.44%	5	4.20%	4	3.36%	119
	Total		110	92.44%	5	4.20%	4	3.36%	119
Cobalt , Town Of (CBLWSS01)	CBLWSS01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total		10	90.91%	-	-	1	9.09%	11
Cobourg, Town Of (CBRG123)	CBRG01	0-5	199	100.00%	-	-	-	-	
		Total	199	100.00%	-	-	-	-	199
	Total		199	100.00%	-	-	-	-	199
Cochrane Telecom Services (CCT01)	CCT01	0-5	44	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	45	81.82%	3	5.45%	7	12.73%	55
	Total		45	81.82%	3	5.45%	7	12.73%	55
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	32	84.21%	2	5.26%	4	10.53%	38
	Total		32	84.21%	2	5.26%	4	10.53%	38
Cogeco Cable Canada (CBT1)	CBT1	0-5	1,349	100.00%	-	-	-	-	
		11-15	-	-	51	100.00%	-	-	
		16+	-	-	9	40.91%	13	59.09%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Cogeco Cable Canada (CBT1)	CBT1	6-10	510	91.56%	47	8.44%	-	-	
		Total	1,859	93.94%	107	5.41%	13	0.66%	1979
	Total		1,859	93.94%	107	5.41%	13	0.66%	1,979
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	1,453	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	226	100.00%	-	-	-	-	
		Total	1,679	99.23%	12	0.71%	1	0.06%	1692
	Total		1,679	99.23%	12	0.71%	1	0.06%	1,692
Cogeco Cable Canada (CPVS2)	CBT2	0-5	216	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	12	54.55%	10	45.45%	
		6-10	61	77.22%	18	22.78%	-	-	
		Total	277	80.76%	56	16.33%	10	2.92%	343
	CPVS2	0-5	354	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	15	83.33%	3	16.67%	
		6-10	163	93.14%	12	6.86%	-	-	
		Total	517	91.99%	42	7.47%	3	0.53%	562
	Total		794	87.73%	98	10.83%	13	1.44%	905
Cogeco Connexion	COGOW02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Cogeco Connexion North East (CCNE123)	COGE01	0-5	1,191	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	120	88.89%	15	11.11%	-	-	
		Total	1,311	98.57%	19	1.43%	-	-	1330
	COOE01	0-5	841	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	133	98.52%	2	1.48%	-	-	
		Total	974	99.59%	4	0.41%	-	-	978
	COONE01	0-5	292	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	129	99.23%	1	0.77%	-	-	
		Total	421	97.45%	9	2.08%	2	0.46%	432
	Total		2,706	98.76%	32	1.17%	2	0.07%	2,740
Cogeco Connexion Southwest (CC01)	COC01	0-5	277	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		6-10	84	76.36%	26	23.64%	-	-	
		Total	361	87.20%	53	12.80%	-	-	414
	COE01	0-5	660	100.00%	-	-	-	-	
		11-15	-	-	39	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	322	93.88%	21	6.12%	-	-	
		Total	982	93.97%	61	5.84%	2	0.19%	1045
	COL01	0-5	369	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		6-10	97	97.00%	3	3.00%	-	-	
		Total	466	96.08%	19	3.92%	-	-	485
	Total		1,809	93.06%	133	6.84%	2	0.10%	1,944

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Collingwood Public Utilities (COLL123)	COLLS01	0-5	186	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	190	98.45%	3	1.55%	-	-	
	COLLW01	0-5	204	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	207	99.52%	1	0.48%	-	-	
	Total		397	99.00%	4	1.00%	-	-	401
Communicate Freely (CFF01)	CFF01	0-5	83	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	85	100.00%	-	-	-	-	
	Total		85	100.00%	-	-	-	-	85
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	9	39.13%	14	60.87%	-	-	
		Total	48	63.16%	20	26.32%	8	10.53%	
	Total		48	63.16%	20	26.32%	8	10.53%	76
Cornwall , City Of (CRWL123)	CRWLSL01	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	58	96.67%	2	3.33%	-	-	
	CRWLTS01	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	Total		66	97.06%	2	2.94%	-	-	68
Cornwall Electric (CE01)	CE01	0-5	372	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	373	99.73%	1	0.27%	-	-	
	Total		373	99.73%	1	0.27%	-	-	374
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	94	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	99	97.06%	3	2.94%	-	-	
	Total		99	97.06%	3	2.94%	-	-	102
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	10	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
	Total		15	100.00%	-	-	-	-	15
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	
	Total		18	100.00%	-	-	-	-	18
Dacoll Resources (DACR01)	DACR01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	35	92.11%	2	5.26%	1	2.63%	
	Total		35	92.11%	2	5.26%	1	2.63%	38
Dbi Services (DBIS01)	DBIS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Dbi Services (DBIS01)	DBIS01	6-10	7	87.50%	1	12.50%	-	-	
		Total	12	75.00%	4	25.00%	-	-	16
		Total	12	75.00%	4	25.00%	-	-	16
Deep River , Town Of (DRI01)	DRI01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
		Total	31	100.00%	-	-	-	-	31
Deseronto , Town Of (DSR01)	DSR01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	9	100.00%	9
		Total	-	-	-	-	9	100.00%	9
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
		Total	1	50.00%	1	50.00%	-	-	2
Dotto One (DTONF01)	DTONF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
		Total	1	50.00%	-	-	1	50.00%	2
Douro-Dummer, Township Of (DRODUM01)	DRODUM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
		Total	5	83.33%	-	-	1	16.67%	6
Dowser Gas Company Ltd (Pipeline) (DWGP01)	DWGP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Dryden, City Of (DRYD01)	DRYD01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	81	100.00%	
		Total	27	24.77%	-	-	82	75.23%	109
		Total	27	24.77%	-	-	82	75.23%	109
Dufferin County (DFRN01)	DFRN01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	20.00%	8	80.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	28	71.79%	3	7.69%	8	20.51%	39
		Total	28	71.79%	3	7.69%	8	20.51%	39
Dufferin Wind Power Inc (DFWF01)	DFWF01	11-15	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
		Total	-	-	3	100.00%	-	-	3
Durham One Net	DON01	0-5	193	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	217	100.00%	-	-	-	-	217
		Total	217	100.00%	-	-	-	-	217
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	329	100.00%	-	-	-	-	
		11-15	-	-	71	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	53	37.59%	88	62.41%	-	-	
		Total	382	69.58%	159	28.96%	8	1.46%	549
	DURWS02	0-5	206	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Durham Region Water And Sewer (DURWS123)	DURWS02	16+	-	-	-	-	23	100.00%	
		6-10	2	22.22%	7	77.78%	-	-	
		Total	208	80.93%	26	10.12%	23	8.95%	257
	DURWS03	0-5	114	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	130	99.24%	1	0.76%	-	-	131
	DURWS04	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	31	96.88%	1	3.13%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	33	45.21%	39	53.42%	1	1.37%	73
	DURWS05	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	5	100.00%	-	-	
		Total	20	64.52%	11	35.48%	-	-	31
	Total		773	74.26%	236	22.67%	32	3.07%	1,041
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	145	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	34	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	150	79.37%	5	2.65%	34	17.99%	189
	Total		150	79.37%	5	2.65%	34	17.99%	189
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	154	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	55.56%	4	44.44%	-	-	
		Total	159	96.95%	4	2.44%	1	0.61%	164
	Total		159	96.95%	4	2.44%	1	0.61%	164
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
E L K Energy Inc (E001)	E001	0-5	189	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	191	98.96%	-	-	2	1.04%	193
	Total		191	98.96%	-	-	2	1.04%	193
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
	Total		3	75.00%	-	-	1	25.00%	4
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	88	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	100	100.00%	-	-	-	-	100
	EGWLSS01	0-5	52	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	EGWLW01	0-5	72	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	82	100.00%	-	-	-	-	82
	EGWLWW01	0-5	50	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	Total		294	100.00%	-	-	-	-	294

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
East Hawkesbury, Township Of (EHWKB01)	EHWKB01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	27	84.38%	5	15.63%	-	-	32
	Total		27	84.38%	5	15.63%	-	-	32
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	33	68.75%	1	2.08%	14	29.17%	48
	Total		33	68.75%	1	2.08%	14	29.17%	48
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	15	100.00%	-	-	
		Total	42	73.68%	15	26.32%	-	-	57
	Total		42	73.68%	15	26.32%	-	-	57
Eastern Ontario Power (EOP01)	EOP01	0-5	62	100.00%	-	-	-	-	
		Total	62	100.00%	-	-	-	-	62
	Total		62	100.00%	-	-	-	-	62
Eastern Power Inc (EP01)	EP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Eastlink (EL123)	ELGE01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	2	6.45%	29	93.55%	
		6-10	11	47.83%	12	52.17%	-	-	
		Total	65	50.39%	35	27.13%	29	22.48%	129
	ELGN02	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	75.00%	1	12.50%	1	12.50%	8
	ELOE01	0-5	81	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	12	85.71%	2	14.29%	-	-	
		Total	93	94.90%	2	2.04%	3	3.06%	98
	ELOE02	0-5	208	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	216	98.63%	3	1.37%	-	-	219
	ELONE01	0-5	365	100.00%	-	-	-	-	
		11-15	-	-	44	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	70	60.87%	45	39.13%	-	-	
		Total	435	81.92%	89	16.76%	7	1.32%	531
	ELONE02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	ELONE03	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastlink (EL123)	ELONE03	6-10	1	33.33%	2	66.67%	-	-	
		Total	11	73.33%	3	20.00%	1	6.67%	15
	ELONE04	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	46	88.46%	5	9.62%	1	1.92%	52
	ELONE05	0-5	56	100.00%	-	-	-	-	
		6-10	6	54.55%	5	45.45%	-	-	
		Total	62	92.54%	5	7.46%	-	-	67
	ELONE06	0-5	33	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	ELONE07	0-5	93	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	77.78%	4	22.22%	-	-	
		Total	107	95.54%	5	4.46%	-	-	112
	ELONE08	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	6	60.00%	4	40.00%	-	-	10
	ELONE09	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	25	83.33%	5	16.67%	-	-	30
	ELOS01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	11	78.57%	3	21.43%	-	-	
		Total	78	85.71%	13	14.29%	-	-	91
	ELOS02	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	17	85.00%	3	15.00%	-	-	
		Total	119	96.75%	4	3.25%	-	-	123
	ELOW01	0-5	153	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	27	90.00%	3	10.00%	-	-	
		Total	180	95.74%	7	3.72%	1	0.53%	188
	ELOW02	0-5	149	100.00%	-	-	-	-	
		6-10	25	80.65%	6	19.35%	-	-	
		Total	174	96.67%	6	3.33%	-	-	180
	ELOW03	0-5	235	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	242	96.80%	7	2.80%	1	0.40%	250
	ELOW04	0-5	175	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	61.54%	5	38.46%	-	-	
		Total	183	96.83%	6	3.17%	-	-	189
	ELOW05	0-5	397	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		6-10	46	90.20%	5	9.80%	-	-	
		Total	443	95.68%	20	4.32%	-	-	463

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastlink (EL123)	ELOW06	0-5	183	100.00%	-	-	-	-	186
		6-10	3	100.00%	-	-	-	-	
		Total	186	100.00%	-	-	-	-	
	ELOW07	0-5	112	100.00%	-	-	-	-	126
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	63.64%	4	36.36%	-	-	
		Total	119	94.44%	6	4.76%	1	0.79%	
	ELOW08	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	MKDLC01	0-5	36	100.00%	-	-	-	-	57
		11-15	-	-	4	100.00%	-	-	
		6-10	6	35.29%	11	64.71%	-	-	
		Total	42	73.68%	15	26.32%	-	-	
	Total		2,875	90.89%	243	7.68%	45	1.42%	3,163
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Edf Renewables Development Inc	EDFBS01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	23	100.00%	-	-	-	-	23
		Total	23	100.00%	-	-	-	-	
	Total		23	100.00%	-	-	-	-	23
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	171	100.00%	-	-	-	-	222
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	47	100.00%	-	-	-	-	
		Total	218	98.20%	2	0.90%	2	0.90%	
	ETNF02	0-5	6	100.00%	-	-	-	-	18
		16+	-	-	-	-	7	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	10	55.56%	1	5.56%	7	38.89%	
	SFNF01	0-5	8	100.00%	-	-	-	-	9
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	Total		237	95.18%	3	1.20%	9	3.61%	249
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	253	100.00%	-	-	-	-	325
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	69	100.00%	-	-	-	-	
		Total	322	99.08%	3	0.92%	-	-	
	ELX02	0-5	320	100.00%	-	-	-	-	473
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	132	97.78%	3	2.22%	-	-	
		Total	452	95.56%	20	4.23%	1	0.21%	
	ELX03	0-5	336	100.00%	-	-	-	-	417
		11-15	-	-	2	100.00%	-	-	
		6-10	79	100.00%	-	-	-	-	
		Total	415	99.52%	2	0.48%	-	-	
	ELX04	0-5	158	100.00%	-	-	-	-	180
		16+	-	-	-	-	2	100.00%	
		6-10	20	100.00%	-	-	-	-	
		Total	178	98.89%	-	-	2	1.11%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Elexicon Energy Formerly Veridian (ELX123)	ELXGE01	0-5	152	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	170	100.00%	-	-	-	-	170
	ELXGE02	0-5	112	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	138	100.00%	-	-	-	-	138
	ELXONE01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	86	97.73%	2	2.27%	-	-	88
	ELXWHGE1	0-5	553	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	107	96.40%	4	3.60%	-	-	
		Total	660	98.51%	9	1.34%	1	0.15%	670
	Total		2,421	98.37%	36	1.46%	4	0.16%	2,461
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Elgin, County Of (ELGNE01)	ELGNE01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	10	100.00%	
		6-10	4	40.00%	6	60.00%	-	-	
		Total	69	80.23%	6	6.98%	11	12.79%	86
	Total		69	80.23%	6	6.98%	11	12.79%	86
Emo , Township Of (EMOWS01)	EMOWS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	11	73.33%	1	6.67%	3	20.00%	15
	Total		11	73.33%	1	6.67%	3	20.00%	15
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	ENNEBGW1	0-5	39	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	ENNEBOE1	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		61	98.39%	1	1.61%	-	-	62
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	59	100.00%	-	-	-	-	
		Total	116	96.67%	4	3.33%	-	-	120
	ENVMGN01	0-5	75	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	79	100.00%	-	-	-	-	
		Total	154	98.09%	3	1.91%	-	-	157

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGN02	0-5	72	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	96	96.00%	4	4.00%	-	-	
	ENVMGW01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	73	100.00%	-	-	-	-	
		Total	125	92.59%	10	7.41%	-	-	135
	ENVMGW02	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	ENVMHN01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	ENVMOE01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	83	91.21%	8	8.79%	-	-	
		Total	150	82.42%	32	17.58%	-	-	182
	ENVMTE01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	122	100.00%	-	-	-	-	
		Total	173	96.11%	7	3.89%	-	-	180
	ENVMTW1N	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	52	98.11%	1	1.89%	-	-	
		Total	126	96.92%	4	3.08%	-	-	130
	ENVMTW1S	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	55	93.22%	4	6.78%	-	-	
		Total	129	93.48%	9	6.52%	-	-	138
	Total		1,085	93.53%	75	6.47%	-	-	1,160
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	4,121	100.00%	-	-	-	-	
		11-15	-	-	206	100.00%	-	-	
		16+	-	-	567	100.00%	-	-	
		6-10	1,438	83.31%	288	16.69%	-	-	
		Total	5,559	83.97%	1,061	16.03%	-	-	6620
	EN2OE01	0-5	1,698	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	629	98.59%	9	1.41%	-	-	
		Total	2,327	98.56%	34	1.44%	-	-	2361
	ENONE01	0-5	2,169	100.00%	-	-	-	-	
		11-15	-	-	202	100.00%	-	-	
		16+	-	-	34	100.00%	-	-	
		6-10	927	74.10%	324	25.90%	-	-	
		Total	3,096	84.68%	560	15.32%	-	-	3656
	ENONW01	0-5	1,471	100.00%	-	-	-	-	
		11-15	-	-	113	100.00%	-	-	
		16+	-	-	56	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas (Legacy Union Gas) (UG1)	ENONW01	6-10	464	76.82%	140	23.18%	-	-	
		Total	1,935	86.23%	309	13.77%	-	-	2244
	ENOS01	0-5	5,978	100.00%	-	-	-	-	
		11-15	-	-	178	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	
		6-10	2,093	93.27%	151	6.73%	-	-	
		Total	8,071	95.88%	347	4.12%	-	-	8418
	ENOW01	0-5	6,871	100.00%	-	-	-	-	
		11-15	-	-	95	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	1,995	95.91%	85	4.09%	-	-	
		Total	8,866	97.90%	190	2.10%	-	-	9056
	Total		29,854	92.27%	2,501	7.73%	-	-	32,355
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	45	77.59%	13	22.41%	-	-	
		Total	102	82.26%	22	17.74%	-	-	124
	ENCLCHT	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		6-10	50	98.04%	1	1.96%	-	-	
		Total	101	88.60%	13	11.40%	-	-	114
	ENCLEST	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	111	94.87%	6	5.13%	-	-	117
	ENCLHAL	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	27	79.41%	7	20.59%	-	-	
		Total	60	83.33%	12	16.67%	-	-	72
	ENCLHAM	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	78	95.12%	4	4.88%	-	-	
		Total	151	79.06%	40	20.94%	-	-	191
	ENCLLDN	0-5	142	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	89	87.25%	13	12.75%	-	-	
		Total	231	84.93%	41	15.07%	-	-	272
	ENCLNTH	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	61	76.25%	19	23.75%	-	-	
		Total	110	63.58%	63	36.42%	-	-	173
	ENCLNW01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	50	100.00%	-	-	
		Total	-	-	51	100.00%	-	-	51
	ENCLSAR	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	40	90.91%	4	9.09%	-	-	
		Total	66	81.48%	15	18.52%	-	-	81

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLWAT	0-5	234	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	110	85.94%	18	14.06%	-	-	
		Total	344	88.21%	46	11.79%	-	-	
	ENCLWIN	0-5	137	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	78	85.71%	13	14.29%	-	-	
		Total	215	82.69%	45	17.31%	-	-	
	Total		1,491	80.81%	354	19.19%	-	-	1,845
Enbridge Gas Distribution (ENB1)	ENDLGN01	0-5	55	100.00%	-	-	-	-	
		6-10	51	100.00%	-	-	-	-	
		Total	106	100.00%	-	-	-	-	
	ENDLGN02	0-5	8	100.00%	-	-	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	
	ENGE01	0-5	4,224	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	1,177	98.49%	18	1.51%	-	-	
		Total	5,401	98.85%	63	1.15%	-	-	
	ENGN01	0-5	4,136	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	69	100.00%	-	-	
		6-10	1,408	100.00%	-	-	-	-	
		Total	5,544	98.75%	70	1.25%	-	-	
	ENGN02	0-5	2,827	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	40	100.00%	-	-	
		6-10	580	99.32%	4	0.68%	-	-	
		Total	3,407	98.58%	49	1.42%	-	-	
	ENGTA01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	41	97.62%	1	2.38%	-	-	
	ENGW01	0-5	3,458	100.00%	-	-	-	-	
		11-15	-	-	108	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	1,541	98.97%	16	1.03%	-	-	
		Total	4,999	97.28%	140	2.72%	-	-	
	ENGW02	0-5	698	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	375	99.21%	3	0.79%	-	-	
		Total	1,073	95.55%	50	4.45%	-	-	
	ENHN01	0-5	3,757	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	84	100.00%	-	-	
		6-10	517	99.04%	5	0.96%	-	-	
		Total	4,274	97.71%	100	2.29%	-	-	
	ENOE01	0-5	6,456	100.00%	-	-	-	-	
		11-15	-	-	268	100.00%	-	-	
		16+	-	-	117	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas Distribution (ENB1)	ENOE01	6-10	2,692	88.15%	362	11.85%	-	-	
		Total	9,148	92.45%	747	7.55%	-	-	9895
	ENTE01	0-5	2,525	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	1,605	99.57%	7	0.43%	-	-	
		Total	4,130	98.47%	64	1.53%	-	-	4194
	ENTED9	0-5	4	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	ENTW01N	0-5	1,682	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	427	99.07%	4	0.93%	-	-	
		Total	2,109	98.92%	23	1.08%	-	-	2132
	ENTW01S	0-5	1,607	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	682	95.38%	33	4.62%	-	-	
		Total	2,289	95.69%	103	4.31%	-	-	2392
	ENTWD9	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		42,570	96.79%	1,410	3.21%	-	-	43,980
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	33	97.06%	1	2.94%	-	-	34
	Total		33	97.06%	1	2.94%	-	-	34
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	50	100.00%	-	-	-	-	
		16+	-	-	-	-	11	100.00%	
		Total	50	81.97%	-	-	11	18.03%	61
	EN21	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	95	97.94%	2	2.06%	-	-	97
	EN22	0-5	11	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
	Total		156	91.23%	4	2.34%	11	6.43%	171
Enbridge Pipelines (EP123)	I001	0-5	30	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	30	83.33%	6	16.67%	-	-	36
	I010	0-5	440	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	28	80.00%	7	20.00%	-	-	
		Total	468	92.49%	38	7.51%	-	-	506
	I011	0-5	119	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	122	82.43%	26	17.57%	-	-	148
	I012	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Pipelines (EP123)	I012	6-10	1	100.00%	-	-	-	-	
		Total	18	75.00%	6	25.00%	-	-	24
	Total		638	89.36%	76	10.64%	-	-	714
Enbridge Wind Power (ENWP01)	ENWP01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Englehart , Town Of (EGHT01)	EGHT01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		15	93.75%	1	6.25%	-	-	16
Enniskillen, Township Of (E002)	E002	0-5	60	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	61	100.00%	-	-	-	-	61
	Total		61	100.00%	-	-	-	-	61
Enova Power (ENOVA123)	EPKW01	0-5	1,008	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	136	97.84%	3	2.16%	-	-	
		Total	1,144	99.39%	7	0.61%	-	-	1151
	EPWAT01	0-5	435	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	180	97.83%	4	2.17%	-	-	
		Total	615	98.40%	10	1.60%	-	-	625
	EPWEL01	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	45	100.00%	-	-	-	-	
		Total	106	99.07%	1	0.93%	-	-	107
	EPWOL01	0-5	172	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	53	94.64%	3	5.36%	-	-	
		Total	225	98.25%	4	1.75%	-	-	229
	Total		2,090	98.96%	22	1.04%	-	-	2,112
Entegrus (EPICK01)	CKSL01	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	137	99.28%	1	0.72%	-	-	138
	EPICK01	0-5	261	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	60	98.36%	1	1.64%	-	-	
		Total	321	99.07%	3	0.93%	-	-	324
	EPIMP01	0-5	114	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	129	100.00%	-	-	-	-	129
	Total		587	99.32%	4	0.68%	-	-	591
Entegrus Powerlines Inc Ã,â,¬â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	177	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	31	96.88%	1	3.13%	-	-	
		Total	208	99.05%	2	0.95%	-	-	210
	Total		208	99.05%	2	0.95%	-	-	210
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Envi Networks Ltd (ENVIN01)	ENVIN01	6-10	29	100.00%	-	-	-	-	
		Total	34	91.89%	2	5.41%	1	2.70%	37
		Total	34	91.89%	2	5.41%	1	2.70%	37
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	87	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	88	91.67%	8	8.33%	-	-	96
		Total	88	91.67%	8	8.33%	-	-	96
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	317	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	42	100.00%	-	-	-	-	
		Total	359	99.72%	-	-	1	0.28%	360
		Total	359	99.72%	-	-	1	0.28%	360
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	217	100.00%	-	-	-	-	
		Total	217	100.00%	-	-	-	-	217
		Total	217	100.00%	-	-	-	-	217
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	352	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	352	99.72%	-	-	1	0.28%	353
		Total	352	99.72%	-	-	1	0.28%	353
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	194	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	81	97.59%	2	2.41%	-	-	
		Total	275	97.17%	8	2.83%	-	-	283
	EPNG02	0-5	79	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	85	100.00%	-	-	-	-	85
	EPNG03	0-5	79	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	100	100.00%	-	-	-	-	100
	Total		460	98.29%	8	1.71%	-	-	468
Erie Brook Energy (EBE01)	EBE01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
Erie Shores Wind Farm (ESWF01)	ESWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Erieau Wind Farm (EWF01)	EWF01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	27	90.00%	3	10.00%	-	-	30
		Total	27	90.00%	3	10.00%	-	-	30
Erin, Town Of (ERN01)	ERN01	0-5	44	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	44	97.78%	-	-	1	2.22%	45
		Total	44	97.78%	-	-	1	2.22%	45
Erin, Town Of (ERNSL01)	ERNS01	0-5	1	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Erin, Town Of (ERNSL01)	ERNSL01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	64	98.46%	1	1.54%	-	-	
	Total		70	98.59%	1	1.41%	-	-	65
Erth Power Corporation (ETP01)	ETP01	0-5	339	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	50	90.91%	5	9.09%	-	-	
		Total	389	98.23%	7	1.77%	-	-	
	Total		389	98.23%	7	1.77%	-	-	396
Erth Power Corporation (ETP02)	ETP02	0-5	139	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	163	100.00%	-	-	-	-	
	Total		163	100.00%	-	-	-	-	163
Espanola , Town Of (ESP01)	ESP01	0-5	56	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	56	98.25%	1	1.75%	-	-	
	Total		56	98.25%	1	1.75%	-	-	57
Espanola Hydro (ERH01)	ERH01	0-5	64	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	69	98.57%	-	-	1	1.43%	
	Total		69	98.57%	-	-	1	1.43%	70
Essa, Township Of (ESA123)	ESASSL01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	39	90.70%	3	6.98%	1	2.33%	
	ESAWS01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	39	90.70%	3	6.98%	1	2.33%	
	Total		78	90.70%	6	6.98%	2	2.33%	43
Essex County Highways (ESXTS01)	ESXTS01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	36	97.30%	1	2.70%	-	-	
	Total		36	97.30%	1	2.70%	-	-	37
Essex Powerlines Corp (A006)	A006	0-5	458	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	105	82.03%	23	17.97%	-	-	
		Total	563	94.94%	30	5.06%	-	-	
	Total		563	94.94%	30	5.06%	-	-	593
Essex Powerlines Corp (A007)	A007	11-15	-	-	-	-	11	100.00%	
		16+	-	-	-	-	174	100.00%	
		Total	-	-	-	-	185	100.00%	
	Total		-	-	-	-	185	100.00%	185
Essex, Town Of (CO01)	CO01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		6-10	80	82.47%	17	17.53%	-	-	
		Total	121	79.08%	32	20.92%	-	-	
	Total		121	79.08%	32	20.92%	-	-	153
Execulink Telecom (EXTEL123)	ASC2	0-5	242	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Execulink Telecom (EXTEL123)	ASC2	6-10	66	92.96%	5	7.04%	-	-	
		Total	308	95.95%	12	3.74%	1	0.31%	321
	EXEC01	0-5	542	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	288	96.32%	11	3.68%	-	-	
		Total	830	96.85%	27	3.15%	-	-	857
	HT01	0-5	25	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	26	96.30%	1	3.70%	-	-	27
	HTF1	0-5	50	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	50	96.15%	-	-	2	3.85%	52
	NE01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	NEK01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	
		Total	3	25.00%	-	-	9	75.00%	12
	Total		1,225	95.93%	40	3.13%	12	0.94%	1,277
Fanshawe College - Private Property (FSWC02)	FSWC02	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Fanshawe College (FSWC01)	FSWC01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	13	43.33%	10	33.33%	7	23.33%	30
	Total		13	43.33%	10	33.33%	7	23.33%	30
Fauquier-Strickland , Township Of (FSWS01)	FSWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Festival Hydro (FESTH01)	FESTH01	0-5	404	100.00%	-	-	-	-	
		6-10	93	100.00%	-	-	-	-	
		Total	497	100.00%	-	-	-	-	497
	Total		497	100.00%	-	-	-	-	497
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	26	100.00%	
		Total	-	-	-	-	26	100.00%	26
	Total		-	-	-	-	26	100.00%	26
Fisher Wavy Inc (FSWVY01)	FSWVY01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	381	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	384	97.96%	8	2.04%	-	-	392
	Total		384	97.96%	8	2.04%	-	-	392
Fort Frances Power (FFP01)	FFP01	0-5	65	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Fort Frances Power (FFP01)	FFP01	16+	-	-	-	-	3	100.00%	
		Total	65	95.59%	-	-	3	4.41%	68
	Total		65	95.59%	-	-	3	4.41%	68
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	68	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	74	98.67%	1	1.33%	-	-	75
	Total		74	98.67%	1	1.33%	-	-	75
French River, Municipality Of (FFR01)	FFR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Fu Fiber Inc (FUF01)	FUF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	9	100.00%	
		6-10	1	8.33%	11	91.67%	-	-	
		Total	2	8.00%	13	52.00%	10	40.00%	25
	Total		2	8.00%	13	52.00%	10	40.00%	25
Gananoque, Town Of (GNQWST01)	GNQWST01	16+	-	-	-	-	53	100.00%	
		Total	-	-	-	-	53	100.00%	53
	Total		-	-	-	-	53	100.00%	53
Gbtel Inc (GBT01)	GBT01	0-5	84	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	108	100.00%	-	-	-	-	108
	Total		108	100.00%	-	-	-	-	108
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Georgian Bluffs , Township Of (GB01)	GB01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	GBSL01	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		30	100.00%	-	-	-	-	30
Georgina, Town Of (GGN123)	GGN01	0-5	218	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	38	100.00%	-	-	-	-	
		Total	256	95.17%	6	2.23%	7	2.60%	269
	Total		256	95.17%	6	2.23%	7	2.60%	269
Glenfred Gas Wells (GFGW01)	GFGW01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Goderich, Town Of (GDR123)	GDRHS01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	59	98.33%	1	1.67%	-	-	60
	GDRHW01	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	6.67%	14	93.33%	
		6-10	5	38.46%	8	61.54%	-	-	
		Total	35	58.33%	11	18.33%	14	23.33%	60
	Total		94	78.33%	12	10.00%	14	11.67%	120

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Gore Bay , Town Of (GBY01)	GBY01	16+	-	-	2	40.00%	3	60.00%	
		Total	-	-	2	40.00%	3	60.00%	5
	Total		-	-	2	40.00%	3	60.00%	5
Gosfield North Communications (G001)	G001	0-5	115	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	69	100.00%	-	-	-	-	
		Total	184	98.92%	1	0.54%	1	0.54%	186
	Total		184	98.92%	1	0.54%	1	0.54%	186
Government Of Canada (GOC01)	GOC01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	5	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Grand Bend Wind Lp (GBWF01)	GBWF01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	12	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
	Total		13	86.67%	2	13.33%	-	-	15
Grand River Hospital Corp. - KW Campus And Freeport Campus (FPRH01)	FPRH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	9	90.00%	1	10.00%	
		Total	-	-	9	90.00%	1	10.00%	10
	Total		-	-	9	90.00%	1	10.00%	10
Grandbridge Energy	GBH01	0-5	1,557	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	939	99.68%	3	0.32%	-	-	
		Total	2,496	99.64%	9	0.36%	-	-	2505
	Total		2,496	99.64%	9	0.36%	-	-	2,505
Grasshopper Solar (GHSE01)	GHSE01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	63	100.00%	-	-	-	-	
		6-10	3	50.00%	3	50.00%	-	-	
		Total	66	95.65%	3	4.35%	-	-	69
	Total		66	95.65%	3	4.35%	-	-	69
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	67	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	67	97.10%	2	2.90%	-	-	69
	Total		67	97.10%	2	2.90%	-	-	69
Greater Essex County District School Board - Facility (GEDSB02)	GEDSB02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Greater Essex County District School Board (GEDSB01)	GEDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Greater Madawaska, Township Of (GMDKA01)	GMDKA01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	57	100.00%	-	-	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	62	92.54%	3	4.48%	2	2.99%	67
	Total		62	92.54%	3	4.48%	2	2.99%	67
Greater Sudbury Hydro (SH01)	SH01	0-5	761	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	30	83.33%	6	16.67%	-	-	
		Total	791	98.75%	7	0.87%	3	0.37%	801
	Total		791	98.75%	7	0.87%	3	0.37%	801
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	57	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	57	98.28%	1	1.72%	-	-	58
	Total		57	98.28%	1	1.72%	-	-	58
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	610	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	611	100.00%	-	-	-	-	611
	Total		611	100.00%	-	-	-	-	611
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Greater Sudbury, City Of (GSBY123)	GSBY03	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		Total	19	76.00%	-	-	6	24.00%	25
	GSBYCM01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	GSBYS01	0-5	527	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	530	99.07%	5	0.93%	-	-	535
	GSBYSS01	0-5	359	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	362	99.18%	3	0.82%	-	-	365
	GSBYW01	0-5	558	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	561	99.12%	5	0.88%	-	-	566
	Total		1,472	98.59%	13	0.87%	8	0.54%	1,493
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	26	96.30%	1	3.70%	-	-	27
	Total		26	96.30%	1	3.70%	-	-	27
Greenfield South Power Corporation (EP02)	EP02	16+	-	-	1	20.00%	4	80.00%	
		Total	-	-	1	20.00%	4	80.00%	5
	Total		-	-	1	20.00%	4	80.00%	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	13	72.22%	3	16.67%	2	11.11%	
	Total		13	72.22%	3	16.67%	2	11.11%	18
Grey Highlands Clean Wind Farm (GHCWF01)	GHCWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	29	87.88%	2	6.06%	2	6.06%	
	Total		29	87.88%	2	6.06%	2	6.06%	33
Grey, County Of (GREY01)	GREY01	0-5	42	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	
	Total		47	100.00%	-	-	-	-	47
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	219	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	24	96.00%	1	4.00%	-	-	
		Total	243	98.38%	3	1.21%	1	0.40%	
	Total		243	98.38%	3	1.21%	1	0.40%	247
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	69	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	21	75.00%	7	25.00%	-	-	
		Total	90	87.38%	13	12.62%	-	-	
	Total		90	87.38%	13	12.62%	-	-	103
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	324	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	349	99.43%	2	0.57%	-	-	
	Total		349	99.43%	2	0.57%	-	-	351
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	26	81.25%	6	18.75%	-	-	
	Total		26	81.25%	6	18.75%	-	-	32
Guelph, City Of (GLPH123)	GLPH01	0-5	646	100.00%	-	-	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	308	99.68%	1	0.32%	-	-	
		Total	954	99.38%	3	0.31%	3	0.31%	
	GLPH03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	GLPH04	0-5	54	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	58	100.00%	-	-	-	-	
		Total	112	99.12%	1	0.88%	-	-	
	GLPH05	0-5	54	100.00%	-	-	-	-	
		6-10	56	100.00%	-	-	-	-	
		Total	110	100.00%	-	-	-	-	
	Total		1,177	99.41%	4	0.34%	3	0.25%	1,184
Guelph, University Of (UGPH01)	UGPH01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Guelph, University Of (UGPH01)	UGPH01	16+	-	-	1	100.00%	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	15	75.00%	5	25.00%	-	-	20
	Total		15	75.00%	5	25.00%	-	-	20
Gunns Hill Lp (GHWF01)	GHWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Haldimand County (HLDM123)	HLDMD01	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	2	100.00%	-	-	-	-	
		Total	128	94.12%	3	2.21%	5	3.68%	136
	HLDME01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
	HLDMS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	HLDMW01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	11	84.62%	-	-	2	15.38%	13
	Total		193	93.69%	6	2.91%	7	3.40%	206
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Hallebourg Lsb (HLEBRG01)	HLEBRG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Halton - MTO - Halton Hills, Region Of (HMT0HO)	HMTOSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HMTOTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		2	100.00%	-	-	-	-	2
Halton Hills Hydro (HHH01)	HHH01	0-5	239	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	338	98.83%	4	1.17%	-	-	
		Total	577	98.97%	6	1.03%	-	-	583
	Total		577	98.97%	6	1.03%	-	-	583
Halton Hills, Town Of (HAH01)	HAH01	0-5	46	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	Total		48	100.00%	-	-	-	-	48
Halton Hills, Town Of (HAH02)	HAH02	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Halton, Region Of (HLTNB123)	HLTNB01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
	HLTNBSL01	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton, Region Of (HLTNB123)	HLTNBTC01	0-5	14	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	HLTNBTS01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		67	98.53%	1	1.47%	-	-	68
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	3	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	HLTNHTS01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		16	100.00%	-	-	-	-	16
Halton, Region Of (HLTNM123)	HLTNM01	0-5	49	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	HLTNMTC01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	38	97.44%	1	2.56%	-	-	39
	HLTNMTS01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	27	96.43%	1	3.57%	-	-	28
	Total		117	98.32%	2	1.68%	-	-	119
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
	HLTNOSL01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	39	95.12%	2	4.88%	-	-	41
	HLTNOTC01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	32	96.97%	1	3.03%	-	-	33
	HLTNOTS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	20	90.91%	2	9.09%	-	-	22
	Total		139	95.86%	6	4.14%	-	-	145
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	23	95.83%	-	-	1	4.17%	24
	Total		23	95.83%	-	-	1	4.17%	24
Halton, Region Of (HLTNT01)	HLTNT01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	20	90.91%	-	-	2	9.09%	22
	Total		20	90.91%	-	-	2	9.09%	22
Halton, Region Of (HMTBSL01)	HMTBSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton, Region Of (HMTOBM)	HMTBTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	2	100.00%	-	-	-	-	2
Hamilton , Township Of (HML01)	HML01	0-5	95	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	97	97.98%	2	2.02%	-	-	99
		Total	97	97.98%	2	2.02%	-	-	99
Hamilton Community Energy (HCE1)	HCE1	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	12	75.00%	-	-	4	25.00%	16
		Total	12	75.00%	-	-	4	25.00%	16
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
		Total	13	100.00%	-	-	-	-	13
Hamilton, City Of (CH01)	CH01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		6-10	134	96.40%	5	3.60%	-	-	
		Total	191	90.09%	21	9.91%	-	-	212
		Total	191	90.09%	21	9.91%	-	-	212
Hamilton, City Of (HHP3)	HHP3	0-5	1,290	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	20	90.91%	2	9.09%	-	-	
		Total	1,310	99.77%	3	0.23%	-	-	1313
		Total	1,310	99.77%	3	0.23%	-	-	1,313
Hamilton, City Of (HW01)	HW01	0-5	560	100.00%	-	-	-	-	
		11-15	-	-	42	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	414	94.31%	25	5.69%	-	-	
		Total	974	93.30%	70	6.70%	-	-	1044
	HW02	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	985	93.36%	70	6.64%	-	-	1,055
Hanover , Town Of (HNVR01)	HNVR01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	64	94.12%	1	1.47%	3	4.41%	68
		Total	64	94.12%	1	1.47%	3	4.41%	68
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	11
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	57	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	57	91.94%	5	8.06%	-	-	62
	HWKBSL01	0-5	55	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	6	100.00%	-	-	
		Total	55	88.71%	6	9.68%	1	1.61%	62
		Total	112	90.32%	11	8.87%	1	0.81%	124
Hay Communications (H123)	H003	0-5	185	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hay Communications (H123)	H003	6-10	22	100.00%	-	-	-	-	
		Total	207	100.00%	-	-	-	-	207
		Total	207	100.00%	-	-	-	-	207
Hce Telecom (HCEHN01)	HCEHN01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	28	90.32%	3	9.68%	-	-	
		Total	49	89.09%	6	10.91%	-	-	55
		Total	49	89.09%	6	10.91%	-	-	55
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	11
Hearst Power (HRSTP01)	HRSTP01	0-5	60	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	60	98.36%	1	1.64%	-	-	61
		Total	60	98.36%	1	1.64%	-	-	61
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	37	97.37%	-	-	1	2.63%	38
		Total	37	97.37%	-	-	1	2.63%	38
Highbury Canco Corp (HGHBRY01)	HGHBRY01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Highlands East, Municipality Of (HLNDE01)	HLNDE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Home Hardware Stores Ltd (HHSF01)	HHSF01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Hornepayne , Township Of (HRP01)	HRP01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
		Total	1	50.00%	-	-	1	50.00%	2
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	54	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	58	98.31%	1	1.69%	-	-	59
		Total	58	98.31%	1	1.69%	-	-	59
Humber College (HUMBF01)	HUMBF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	35	97.22%	-	-	1	2.78%	36
		Total	35	97.22%	-	-	1	2.78%	36
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	41	100.00%	-	-	-	-	
		6-10	7	50.00%	7	50.00%	-	-	
		Total	48	87.27%	7	12.73%	-	-	55
		Total	48	87.27%	7	12.73%	-	-	55
Huron Shores , Municipality Of (HRNSSS01)	HRNSSS01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Huron, County Of (HRN123)	HRN01	16+	-	-	4	80.00%	1	20.00%	
		Total	-	-	4	80.00%	1	20.00%	5
	HRN02	16+	-	-	7	100.00%	-	-	
		Total	-	-	7	100.00%	-	-	7
	HRN03	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	3	60.00%	-	-	2	40.00%	5
	HRN04	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		3	15.00%	11	55.00%	6	30.00%	20
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	68	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	Total		71	100.00%	-	-	-	-	71
Hurontel (HTEL01)	HTEL01	0-5	299	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	27	100.00%	
		6-10	54	87.10%	8	12.90%	-	-	
		Total	353	88.69%	18	4.52%	27	6.78%	398
	Total		353	88.69%	18	4.52%	27	6.78%	398
Hydro 2000 (H200001)	H200001	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Hydro Embrun (EMBRH01)	EMBRH01	0-5	43	100.00%	-	-	-	-	
		16+	-	-	-	-	20	100.00%	
		Total	43	68.25%	-	-	20	31.75%	63
	Total		43	68.25%	-	-	20	31.75%	63
Hydro Hawkesbury (HHI01)	HHI01	0-5	58	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	59	95.16%	2	3.23%	1	1.61%	62
	Total		59	95.16%	2	3.23%	1	1.61%	62
Hydro One Networks Inc (HH123)	HOBRA01	0-5	10	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	HOFS01	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	15	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	82	79.61%	6	5.83%	15	14.56%	103
	HOHAM01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	16	84.21%	3	15.79%	-	-	19
	HOMAR01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HOMIS01	0-5	3	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	HOPIC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOTOR01	0-5	174	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro One Networks Inc (HH123)	HOTOR01	6-10	16	94.12%	1	5.88%	-	-	
		Total	190	88.37%	25	11.63%	-	-	215
	HOVAU01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	O0052	0-5	39	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	OH20	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	62	98.41%	1	1.59%	-	-	63
	OH30	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	OH40	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		418	88.94%	37	7.87%	15	3.19%	470
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	23	76.67%	7	23.33%	-	-	30
	Total		23	76.67%	7	23.33%	-	-	30
Hydro One Networks Inc (H1DX)	H1DCHP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	H1DGE01	0-5	1,616	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	608	99.02%	6	0.98%	-	-	
		Total	2,224	99.29%	16	0.71%	-	-	2240
	H1DGN01	0-5	1,104	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	23	100.00%	-	-	
		6-10	351	100.00%	-	-	-	-	
		Total	1,455	98.31%	25	1.69%	-	-	1480
	H1DGN02	0-5	1,084	100.00%	-	-	-	-	
		16+	-	-	33	97.06%	1	2.94%	
		6-10	220	99.10%	2	0.90%	-	-	
		Total	1,304	97.31%	35	2.61%	1	0.07%	1340
	H1DGW02	0-5	617	100.00%	-	-	-	-	
		11-15	-	-	25	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	384	99.22%	3	0.78%	-	-	
		Total	1,001	96.62%	35	3.38%	-	-	1036
	H1DHN01	0-5	1,444	100.00%	-	-	-	-	
		11-15	-	-	41	100.00%	-	-	
		16+	-	-	12	85.71%	2	14.29%	
		6-10	302	89.09%	37	10.91%	-	-	
		Total	1,746	94.99%	90	4.90%	2	0.11%	1838
	H1DMOO01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	H1DOE01	0-5	4,746	100.00%	-	-	-	-	
		11-15	-	-	53	98.15%	1	1.85%	
		16+	-	-	6	14.29%	36	85.71%	
		6-10	1,841	98.61%	26	1.39%	-	-	
		Total	6,587	98.18%	85	1.27%	37	0.55%	6709

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DONE01	0-5	1,658	100.00%	-	-	-	-	
		11-15	-	-	240	100.00%	-	-	
		16+	-	-	25	33.78%	49	66.22%	
		6-10	791	71.07%	322	28.93%	-	-	
		Total	2,449	79.38%	587	19.03%	49	1.59%	
	H1DONW02	0-5	186	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	224	100.00%	-	-	-	-	
		Total	410	98.56%	3	0.72%	3	0.72%	
	H1DOS01	0-5	2,474	100.00%	-	-	-	-	
		11-15	-	-	114	100.00%	-	-	
		16+	-	-	4	50.00%	4	50.00%	
		6-10	1,398	96.21%	55	3.79%	-	-	
		Total	3,872	95.63%	173	4.27%	4	0.10%	
	H1DOW01	0-5	4,274	100.00%	-	-	-	-	
		11-15	-	-	56	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	1,520	96.94%	48	3.06%	-	-	
		Total	5,794	98.12%	110	1.86%	1	0.02%	
	H1DTBY01	0-5	93	100.00%	-	-	-	-	
		16+	-	-	7	77.78%	2	22.22%	
		6-10	6	54.55%	5	45.45%	-	-	
		Total	99	87.61%	12	10.62%	2	1.77%	
	H1DX07	0-5	260	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	29	100.00%	-	-	
		6-10	13	65.00%	7	35.00%	-	-	
		Total	273	85.85%	45	14.15%	-	-	
	Total		27,225	95.39%	1,216	4.26%	99	0.35%	28,540
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	187	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	99	100.00%	-	-	-	-	
		Total	286	97.95%	6	2.05%	-	-	
	Total		286	97.95%	6	2.05%	-	-	292
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	910	100.00%	-	-	-	-	
		6-10	136	99.27%	1	0.73%	-	-	
		Total	1,046	99.90%	1	0.10%	-	-	
	Total		1,046	99.90%	1	0.10%	-	-	1,047
Hydro One Remote Communities Inc (HYR01)	HYR01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	6	100.00%	
	Total		-	-	-	-	6	100.00%	6
Hydro Ottawa (HOT1)	HOT1	0-5	3,957	100.00%	-	-	-	-	
		11-15	-	-	202	100.00%	-	-	
		16+	-	-	63	100.00%	-	-	
		6-10	1,459	86.69%	224	13.31%	-	-	
		Total	5,416	91.72%	489	8.28%	-	-	
	HOT2	0-5	590	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	645	99.85%	1	0.15%	-	-	
	Total		6,061	92.52%	490	7.48%	-	-	6,551

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ignace , Township Of (IGN01)	IGN01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
		Total	-	-	-	-	6	100.00%	6
Imperial Oil Pipelines (I002)	I002	0-5	164	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	38	100.00%	-	-	
		6-10	17	89.47%	2	10.53%	-	-	
		Total	181	78.70%	49	21.30%	-	-	230
		Total	181	78.70%	49	21.30%	-	-	230
Imperial Oil Pipelines (I003)	I003	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
		Total	7	100.00%	-	-	-	-	7
Imperial Oil Pipelines (I004)	I004	0-5	2	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	40.00%	3	60.00%	-	-	5
		Total	2	40.00%	3	60.00%	-	-	5
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	3
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	6	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
		Total	6	85.71%	1	14.29%	-	-	7
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	8	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	11
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	100	98.04%	2	1.96%	-	-	102
		Total	100	98.04%	2	1.96%	-	-	102
Innisfil, Town Of (INFL01)	INFL01	0-5	281	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	21	100.00%	-	-	-	-	
		Total	302	99.34%	-	-	2	0.66%	304
		Total	302	99.34%	-	-	2	0.66%	304
Innpower (INSFH01)	INSFH01	0-5	507	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	21	100.00%	-	-	-	-	
		Total	528	99.81%	-	-	1	0.19%	529
		Total	528	99.81%	-	-	1	0.19%	529
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	46	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
		Total	53	100.00%	-	-	-	-	53
Invista (INVIS01)	INVIS01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Invista (INVIS01)	INVIS01	6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	66.67%	3	33.33%	-	-	
		Total	29	85.29%	3	8.82%	2	5.88%	34
	IRQFSL01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	1	6.67%	14	93.33%	-	-	
		Total	10	29.41%	24	70.59%	-	-	34
	Total		39	57.35%	27	39.71%	2	2.94%	68
James, Township Of (JAMES01)	JAMES01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Jogues Local Service Board	JSBS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Johnson, Township Of (JHSNW01)	JHSNW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
K2 Wind Farm Ontario (K2WF01)	K2WF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kapuskasing, Town Of (KAP01)	KAP01	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	8	88.89%	1	11.11%	
		16+	-	-	-	-	15	100.00%	
		Total	62	72.09%	8	9.30%	16	18.60%	86
	Total		62	72.09%	8	9.30%	16	18.60%	86
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	91	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	110	100.00%	-	-	-	-	110
	KWLKWS01	0-5	217	100.00%	-	-	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	260	100.00%	-	-	-	-	260
	Total		370	100.00%	-	-	-	-	370
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	-	-	1	10.00%	10
	Total		9	90.00%	-	-	1	10.00%	10
Kenora, City Of (KNRA123)	KNRA01	0-5	51	100.00%	-	-	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	53	84.13%	1	1.59%	9	14.29%	63
	KNRASL01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	11	91.67%	-	-	1	8.33%	12
	KNRAST01	0-5	40	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		104	90.43%	1	0.87%	10	8.70%	115

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Kent Breeze Wind Farm (SCE01)	SCE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	84	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	90
	Total		90	100.00%	-	-	-	-	90
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
King , Township Of (KNGWS01)	KNGSL01	0-5	138	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	174	99.43%	1	0.57%	-	-	175
	KNGWS01	0-5	103	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	114	100.00%	-	-	-	-	114
	Total		288	99.65%	1	0.35%	-	-	289
Kings University College (KUC01)	KUC01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Kingston General Hospital (KGH01)	KGH01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Kingsville, Town Of (TK01)	TK01	0-5	129	100.00%	-	-	-	-	
		Total	129	100.00%	-	-	-	-	129
	TKF01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		133	100.00%	-	-	-	-	133
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	54	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
	Total		54	100.00%	-	-	-	-	54
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	231	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	60	100.00%	-	-	-	-	
		Total	291	98.64%	2	0.68%	2	0.68%	295
	Total		291	98.64%	2	0.68%	2	0.68%	295
Kitchener Utilities (KU02)	KU02	0-5	1,128	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	189	100.00%	-	-	-	-	
		Total	1,317	99.70%	3	0.23%	1	0.08%	1321
	Total		1,317	99.70%	3	0.23%	1	0.08%	1,321
Kitchener, The City Of (KITS01)	KITS01	0-5	589	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	311	99.68%	1	0.32%	-	-	
		Total	900	99.78%	2	0.22%	-	-	902
	Total		900	99.78%	2	0.22%	-	-	902

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
KRUGER ENERGY CHATHAM LP (KEC01)	KEC01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Kwic Internet (KWIC01)	KWIC01	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Lagasco Inc (TP01)	TP01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	15	68.18%	1	4.55%	6	27.27%	22
	Total		15	68.18%	1	4.55%	6	27.27%	22
Lagasco Limited (L002)	L002	16+	-	-	-	-	11	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	6	35.29%	-	-	11	64.71%	17
	Total		6	35.29%	-	-	11	64.71%	17
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Lake Of The Woods Hospital (LWDH01)	LWDH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	130	100.00%	-	-	-	-	
		6-10	77	100.00%	-	-	-	-	
		Total	207	100.00%	-	-	-	-	207
	Total		207	100.00%	-	-	-	-	207
Lakefront Utilities (LUSI123)	COLBH01	0-5	10	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	LUSIH01	0-5	130	100.00%	-	-	-	-	
		6-10	77	100.00%	-	-	-	-	
		Total	207	100.00%	-	-	-	-	207
	Total		222	100.00%	-	-	-	-	222
Lakeland Networks (LKLNN01)	LKLNN01	0-5	160	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	209	96.31%	8	3.69%	-	-	217
	Total		209	96.31%	8	3.69%	-	-	217
Lakeland Power (LKLNP123)	LKLNP01	0-5	179	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	113	100.00%	-	-	-	-	
		Total	292	98.98%	3	1.02%	-	-	295
	Total		292	98.98%	3	1.02%	-	-	295
Lakeshore, Municipality Of (TOL123)	B002	0-5	251	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	251	99.21%	-	-	2	0.79%	253
	Total		251	99.21%	-	-	2	0.79%	253
Lakeview Water System (LKVWW01)	LKVWW01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	21	87.50%	-	-	3	12.50%	24
	Total		21	87.50%	-	-	3	12.50%	24

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	79	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	83	98.81%	1	1.19%	-	-	84
	Total		83	98.81%	1	1.19%	-	-	84
Lambton County (LMBTN01)	LMBTN01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
	Total		11	84.62%	2	15.38%	-	-	13
Lambton Shores, Municipality Of (F001)	F001	0-5	162	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	169	99.41%	-	-	1	0.59%	170
	Total		169	99.41%	-	-	1	0.59%	170
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	6-10	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Lanark Highlands , Township Of (LNKH01)	LNKH01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
Lanark, County Of (LNRK01)	LNRK01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Lanxess Canada (CMTR01)	CMTR01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Larder Lake , Township Of (LRL01)	LRL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lasalle , Town Of (LSL01)	LSL01	0-5	122	100.00%	-	-	-	-	
		6-10	79	100.00%	-	-	-	-	
		Total	201	100.00%	-	-	-	-	201
	Total		201	100.00%	-	-	-	-	201
Latchford , Town Of (LTFWSS01)	LTFWSS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Laurentian Hills, Town Of (LHWS01)	LHWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
Laurentian University (LRTU01)	LRTU01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	10	100.00%	
		Total	18	64.29%	-	-	10	35.71%	28
	Total		18	64.29%	-	-	10	35.71%	28
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Leamington District Memorial Hospital (LDMH01)	LDMH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Leamington Water Services (L001)	L001	0-5	234	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	17	94.44%	1	5.56%	
		6-10	5	100.00%	-	-	-	-	
		Total	239	92.64%	18	6.98%	1	0.39%	258
	Total		239	92.64%	18	6.98%	1	0.39%	258
Leamington, Municipality Of (LS01)	LS01	0-5	191	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	191	99.48%	1	0.52%	-	-	192
	Total		191	99.48%	1	0.52%	-	-	192
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	44	80.00%	6	10.91%	5	9.09%	55
	Total		44	80.00%	6	10.91%	5	9.09%	55
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	LDTI02	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	8	100.00%	8
Lennox And Addington, County Of (LXA123)	LXA01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	29	85.29%	1	2.94%	4	11.76%	34
	Total		29	85.29%	1	2.94%	4	11.76%	34
Liberty Oil And Gas (LBTYOG01)	LBTYOG01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Lincoln, Town Of (LINWS01)	LINWS01	0-5	198	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	199	99.50%	1	0.50%	-	-	200
	Total		199	99.50%	1	0.50%	-	-	200
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	17	100.00%	-	-	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	17	85.00%	3	15.00%	-	-	20
	Total		17	85.00%	3	15.00%	-	-	20
Local Services Board Of Gogama (GOGAMA01)	GOGAMA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
London District Energy (TG01)	TG01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	40	90.91%	4	9.09%	-	-	
		Total	57	91.94%	5	8.06%	-	-	62
	Total		57	91.94%	5	8.06%	-	-	62

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
London Health Sciences (LHS1)	LHS1	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
London Hydro (L003)	L003	0-5	1,412	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	428	99.07%	4	0.93%	-	-	
		Total	1,840	99.41%	11	0.59%	-	-	1851
	LHDL01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	26	100.00%	
		Total	-	-	-	-	27	100.00%	27
	Total		1,840	97.98%	11	0.59%	27	1.44%	1,878
London, City Of (LN01)	LN01	0-5	1,594	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	590	98.99%	6	1.01%	-	-	
		Total	2,184	99.36%	14	0.64%	-	-	2198
	Total		2,184	99.36%	14	0.64%	-	-	2,198
London, City Of (LN02)	LN02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Long Point Provincial Park (LPPP01)	LPPP01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Lowland 450 Phillip Street Gp Ltd (LOWLD01)	LOWLD01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	LOWLD02	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	2	100.00%	2
Loyalist Township (LYST123)	LYSTBS6	0-5	11	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	LYSTBW5	0-5	11	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	LYSTEL4	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	45	100.00%	-	-	-	-	
		Total	96	96.00%	4	4.00%	-	-	100
	LYSTFW1	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	46	100.00%	-	-	-	-	
		Total	120	97.56%	3	2.44%	-	-	123
	LYSTLES2	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	46	100.00%	-	-	-	-	
		Total	117	97.50%	3	2.50%	-	-	120
	LYSTSTM3	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	61	100.00%	-	-	-	-	
		Total	132	97.06%	3	2.21%	1	0.74%	136
	Total		521	97.38%	13	2.43%	1	0.19%	535
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	11	91.67%	1	8.33%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Lucan Biddulph, Township Of (LCBD01)	LCBD01	16+	-	-	9	75.00%	3	25.00%	
		6-10	3	33.33%	6	66.67%	-	-	
		Total	47	61.04%	26	33.77%	4	5.19%	77
	Total		47	61.04%	26	33.77%	4	5.19%	77
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	1	16.67%	5	83.33%	6
	Total		-	-	1	16.67%	5	83.33%	6
Machin, Municipality Of (MCHW01)	MCHW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Malahide, Township Of (MLHD01)	MLHD01	0-5	14	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	15	88.24%	2	11.76%	-	-	17
	Total		15	88.24%	2	11.76%	-	-	17
Manitouwadge , Township Of (MTW01)	MTW01	0-5	3	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total		4	80.00%	1	20.00%	-	-	5
Mapleton , Township Of (MPLT01)	MPLT01	0-5	18	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Marathon, Town Of (MRTH01)	MRTH01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Markham “ Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	248	100.00%	-	-	-	-	
		6-10	161	100.00%	-	-	-	-	
		Total	409	100.00%	-	-	-	-	409
	Total		409	100.00%	-	-	-	-	409
Markham District Energy (MDE01)	MDE01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	21	91.30%	-	-	2	8.70%	23
	Total		21	91.30%	-	-	2	8.70%	23
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	324	100.00%	-	-	-	-	
		6-10	147	100.00%	-	-	-	-	
		Total	471	100.00%	-	-	-	-	471
	Total		471	100.00%	-	-	-	-	471
Markstay Warren , Municipality Of (MKW01)	MKW01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	9	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total		10	90.91%	1	9.09%	-	-	11
Marwood Metals (MARWDF01)	MARWDF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Matachewan, Township Of (MTCWWS01)	MTCWWS01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
		Total	14	100.00%	-	-	-	-	14
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	12	100.00%	-	-	
		Total	-	-	12	100.00%	-	-	12
		Total	-	-	12	100.00%	-	-	12
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	7	77.78%	-	-	2	22.22%	9
		Total	7	77.78%	-	-	2	22.22%	9
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
Mcgarry, Township Of (MCGWS01)	MCGWS01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	104	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	104	99.05%	-	-	1	0.95%	105
		Total	104	99.05%	-	-	1	0.95%	105
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	43	97.73%	1	2.27%	-	-	44
		Total	43	97.73%	1	2.27%	-	-	44
Melancthon Windfarm (MELWF01)	MELWF01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	14	93.33%	-	-	1	6.67%	15
		Total	14	93.33%	-	-	1	6.67%	15
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	18	64.29%	10	35.71%	
		Total	-	-	18	64.29%	10	35.71%	28
		Total	-	-	18	64.29%	10	35.71%	28
Metalore Resources (MTLORE01)	MTLORE01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
		Total	5	83.33%	-	-	1	16.67%	6
Metro Fibrewerx (MFWX01)	MFWX01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	5
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	62	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	18	90.00%	2	10.00%	-	-	
		Total	80	94.12%	5	5.88%	-	-	85
		Total	80	94.12%	5	5.88%	-	-	85
Middlesex, County Of (MDSX01)	MDSX01	0-5	55	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	55	96.49%	1	1.75%	1	1.75%	57
		Total	55	96.49%	1	1.75%	1	1.75%	57
Midland, Town Of (MIDLND01)	MIDLND01	0-5	45	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Midland, Town Of (MIDLND01)	MIDLND01	6-10	-	-	1	100.00%	-	-	
		Total	45	91.84%	1	2.04%	3	6.12%	49
	Total		45	91.84%	1	2.04%	3	6.12%	49
Midland, Town Of (MIDLND03)	MIDLND03	0-5	35	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	Total		35	100.00%	-	-	-	-	35
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	MLTSS01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	77	97.47%	2	2.53%	-	-	79
	Total		84	97.67%	2	2.33%	-	-	86
MILTON HYDRO (MH123)	MHHN01	0-5	337	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	251	97.29%	7	2.71%	-	-	
		Total	588	97.84%	12	2.00%	1	0.17%	601
	Total		588	97.84%	12	2.00%	1	0.17%	601
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	58	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	58	98.31%	1	1.69%	-	-	59
	Total		58	98.31%	1	1.69%	-	-	59
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	391	100.00%	-	-	-	-	
		6-10	202	100.00%	-	-	-	-	
		Total	593	100.00%	-	-	-	-	593
	Total		593	100.00%	-	-	-	-	593
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	105	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	104	97.20%	3	2.80%	-	-	
		Total	209	97.66%	5	2.34%	-	-	214
	Total		209	97.66%	5	2.34%	-	-	214
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	70	100.00%	-	-	-	-	
		16+	-	-	8	61.54%	5	38.46%	
		6-10	-	-	1	100.00%	-	-	
		Total	70	83.33%	9	10.71%	5	5.95%	84
	Total		70	83.33%	9	10.71%	5	5.95%	84
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	979	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	419	99.52%	2	0.48%	-	-	
		Total	1,398	99.36%	9	0.64%	-	-	1407
	MNSI02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1,399	99.36%	9	0.64%	-	-	1,408

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	36	94.74%	1	2.63%	1	2.63%	
	Total		36	94.74%	1	2.63%	1	2.63%	38
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	30	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	32	96.97%	1	3.03%	-	-	
	Total		32	96.97%	1	3.03%	-	-	33
Mono , Town Of (MNO123)	MNO01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	9	47.37%	10	52.63%	
		Total	3	13.64%	9	40.91%	10	45.45%	
	MNOSL01	16+	-	-	12	54.55%	10	45.45%	
		Total	-	-	12	54.55%	10	45.45%	
	Total		3	6.82%	21	47.73%	20	45.45%	44
Montague , Township Of (MTG01)	MTG01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Montez Office Fund li Limited Partnership (MOFLP01)	MOFLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Moosonee , Town Of (MSN01)	MSN01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	
	Total		-	-	-	-	7	100.00%	7
Mornington Communications (MORNT01)	MORNT01	0-5	186	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	48	59.26%	33	40.74%	-	-	
		Total	234	79.86%	57	19.45%	2	0.68%	
	Total		234	79.86%	57	19.45%	2	0.68%	293
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	
	MRTW01	16+	-	-	1	33.33%	2	66.67%	
		Total	-	-	1	33.33%	2	66.67%	
	Total		7	63.64%	1	9.09%	3	27.27%	11
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Mulmur , Township Of (MLMW01)	MLMW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
MULTIVIEW FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	531	100.00%	-	-	-	-	
		6-10	76	100.00%	-	-	-	-	
		Total	607	100.00%	-	-	-	-	
	Total		607	100.00%	-	-	-	-	607
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	5	18.52%	22	81.48%	
		6-10	60	92.31%	5	7.69%	-	-	
		Total	131	66.16%	45	22.73%	22	11.11%	
	MUSKWS04	0-5	151	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Muskoka , District Of (MUSKWS01)	MUSKWS04	6-10	3	75.00%	1	25.00%	-	-	
		Total	154	96.25%	2	1.25%	4	2.50%	160
	MUSKWS05	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	10	50.00%	10	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	85	78.70%	12	11.11%	11	10.19%	108
Total		370	79.40%	59	12.66%	37	7.94%	466	
Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
	Total		13	86.67%	2	13.33%	-	-	15
Nairn And Hyman, Township Of (TNHW01)	TNHW01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Nation, Municipality Of The (NATN01)	NATN01	11-15	-	-	-	-	6	100.00%	
		16+	-	-	-	-	49	100.00%	
		Total	-	-	-	-	55	100.00%	55
	Total		-	-	-	-	55	100.00%	55
Net Optiks	BPNOFC01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	17	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Netflash Internet Solutions (NISF01)	NISF01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	22	91.67%	2	8.33%	-	-	24
	Total		22	91.67%	2	8.33%	-	-	24
Netsolid Internet Solutions Inc	NETSLD01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	282	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	286	100.00%	-	-	-	-	286
	Total		286	100.00%	-	-	-	-	286
Newbury, Village Of (NWBWS01)	NWBWS01	16+	-	-	3	50.00%	3	50.00%	
		Total	-	-	3	50.00%	3	50.00%	6
	Total		-	-	3	50.00%	3	50.00%	6
Newmarket, Town Of (NMK01)	NMK01	0-5	140	100.00%	-	-	-	-	
		16+	-	-	-	-	10	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Newmarket, Town Of (NMK01)	NMK01	6-10	13	100.00%	-	-	-	-	
		Total	153	93.87%	-	-	10	6.13%	163
	Total		153	93.87%	-	-	10	6.13%	163
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	322	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	333	100.00%	-	-	-	-	333
	Total		333	100.00%	-	-	-	-	333
Niagara Falls, City Of (NFS01)	NFS01	0-5	568	100.00%	-	-	-	-	
		6-10	227	99.56%	1	0.44%	-	-	
		Total	795	99.87%	1	0.13%	-	-	796
	Total		795	99.87%	1	0.13%	-	-	796
Niagara Parks Commission (NPC01)	NPC01	0-5	35	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	Total		46	100.00%	-	-	-	-	46
Niagara Peninsula Energy (NFH01)	NFH01	0-5	659	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	223	99.55%	1	0.45%	-	-	
		Total	882	99.77%	2	0.23%	-	-	884
	Total		882	99.77%	2	0.23%	-	-	884
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	789	100.00%	-	-	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	79	100.00%	-	-	-	-	
		Total	868	98.41%	-	-	14	1.59%	882
	Total		868	98.41%	-	-	14	1.59%	882
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	14	77.78%	3	16.67%	1	5.56%	18
	Total		14	77.78%	3	16.67%	1	5.56%	18
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	307	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	132	100.00%	-	-	-	-	
		Total	439	99.77%	1	0.23%	-	-	440
	Total		439	99.77%	1	0.23%	-	-	440
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	397	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	35	94.59%	2	5.41%	-	-	
		Total	432	98.86%	5	1.14%	-	-	437
	Total		432	98.86%	5	1.14%	-	-	437
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	197	100.00%	-	-	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	250	100.00%	-	-	-	-	250
	Total		250	100.00%	-	-	-	-	250
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	148	100.00%	-	-	-	-	
		6-10	40	100.00%	-	-	-	-	
		Total	188	100.00%	-	-	-	-	188
	Total		188	100.00%	-	-	-	-	188
Nipigon , Township Of (NIP01)	NIP01	0-5	10	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Nipigon , Township Of (NIP01)	NIP01	6-10	3	60.00%	2	40.00%	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
	Total		13	86.67%	2	13.33%	-	-	15
Nor-Del (NORDEL01)	NORDEL01	0-5	262	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	277	99.28%	1	0.36%	1	0.36%	279
	Total		277	99.28%	1	0.36%	1	0.36%	279
Norfolk County (NFLK123)	NFLK01	0-5	584	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	59	81.94%	13	18.06%	-	-	
		Total	643	97.57%	16	2.43%	-	-	659
	Total		643	97.57%	16	2.43%	-	-	659
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
North Bay Hydro (NBH01)	NBH01	0-5	279	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	107	97.27%	3	2.73%	-	-	
		Total	386	98.22%	7	1.78%	-	-	393
	Total		386	98.22%	7	1.78%	-	-	393
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	5	62.50%	2	25.00%	1	12.50%	8
	Total		5	62.50%	2	25.00%	1	12.50%	8
North Bay, City Of (NBWS01)	NBWS01	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	15	62.50%	9	37.50%	-	-	
		Total	119	87.50%	15	11.03%	2	1.47%	136
	Total		119	87.50%	15	11.03%	2	1.47%	136
North Dundas , Township Of (NDND123)	NDND01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	NDND02	11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	70.00%	3	30.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	9	75.00%	3	25.00%	12
	Total		15	55.56%	9	33.33%	3	11.11%	27
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	390	100.00%	-	-	-	-	
		11-15	-	-	42	100.00%	-	-	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	92	82.14%	20	17.86%	-	-	
		Total	482	87.48%	63	11.43%	6	1.09%	551
	Total		482	87.48%	63	11.43%	6	1.09%	551
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		Total	36	83.72%	1	2.33%	6	13.95%	43
	Total		36	83.72%	1	2.33%	6	13.95%	43
North Grenville , Municipality Of (NGR01)	NGR01	0-5	77	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
North Grenville , Municipality Of (NGR01)	NGR01	6-10	2	40.00%	3	60.00%	-	-	
		Total	79	94.05%	3	3.57%	2	2.38%	84
	Total		79	94.05%	3	3.57%	2	2.38%	84
North Huron, Township Of (NHURON01)	NHURON01	0-5	44	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	16.67%	10	83.33%	-	-	
		Total	46	79.31%	10	17.24%	2	3.45%	58
	Total		46	79.31%	10	17.24%	2	3.45%	58
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	10	62.50%	4	25.00%	2	12.50%	16
	Total		10	62.50%	4	25.00%	2	12.50%	16
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	109	100.00%	
		Total	-	-	-	-	111	100.00%	111
	Total		-	-	-	-	111	100.00%	111
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	101	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	105	97.22%	-	-	3	2.78%	108
	Total		105	97.22%	-	-	3	2.78%	108
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	315	100.00%	-	-	-	-	
		11-15	-	-	1	25.00%	3	75.00%	
		16+	-	-	-	-	18	100.00%	
		6-10	13	72.22%	5	27.78%	-	-	
		Total	328	92.39%	6	1.69%	21	5.92%	355
	Total		328	92.39%	6	1.69%	21	5.92%	355
North Stormont , Township Of (NST01)	NST01	16+	-	-	49	87.50%	7	12.50%	
		Total	-	-	49	87.50%	7	12.50%	56
	Total		-	-	49	87.50%	7	12.50%	56
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	2	40.00%	2	40.00%	1	20.00%	5
	Total		2	40.00%	2	40.00%	1	20.00%	5
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	16	84.21%	-	-	3	15.79%	19
	Total		16	84.21%	-	-	3	15.79%	19
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	118	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	118	99.16%	1	0.84%	-	-	119
	Total		118	99.16%	1	0.84%	-	-	119
Northern Rural Networks (NRN01)	NRN01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Northern Tel Limited Partnership (NT01)	NT01	0-5	275	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	41	100.00%	-	-	
		6-10	21	63.64%	12	36.36%	-	-	
		Total	296	74.94%	99	25.06%	-	-	
	Total		296	74.94%	99	25.06%	-	-	395
Northumberland County (NRHB01)	NRHBSL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	NRHBSL02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	NRHBSS01	0-5	18	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	
	NRHBSS02	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	NRHBTS01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	NRHBTS02	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		42	100.00%	-	-	-	-	42
Norwich , Township Of (NRW01)	NRW01	0-5	79	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	4	50.00%	4	50.00%	-	-	
		Total	83	92.22%	6	6.67%	1	1.11%	
	Total		83	92.22%	6	6.67%	1	1.11%	90
Nova Chemicals Corporation (N001)	N001	0-5	15	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	15	83.33%	3	16.67%	-	-	
	Total		15	83.33%	3	16.67%	-	-	18
NT Power	NTPWR01	0-5	560	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	23	71.88%	9	28.13%	-	-	
		Total	583	98.31%	10	1.69%	-	-	
	Total		583	98.31%	10	1.69%	-	-	593
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	1,091	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	291	98.64%	4	1.36%	-	-	
		Total	1,382	98.86%	16	1.14%	-	-	
	Total		1,382	98.86%	16	1.14%	-	-	1,398
Oakville, Town Of (OAK123)	OAKBS01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	18	94.74%	1	5.26%	-	-	
	OAKSS01	0-5	1,043	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	181	99.45%	1	0.55%	-	-	
		Total	1,224	99.11%	11	0.89%	-	-	
	OAKTS01	0-5	120	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oakville, Town Of (OAK123)	OAKTS01	6-10	81	98.78%	1	1.22%	-	-	
		Total	201	96.17%	8	3.83%	-	-	209
	Total		1,443	98.63%	20	1.37%	-	-	1,463
O'Connor, Township Of (OCNR01)	OCNR01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	17	89.47%	-	-	2	10.53%	19
	Total		17	89.47%	-	-	2	10.53%	19
Oliver Paipoonge , Municipality Of (OLVPPG01)	OLVPPG01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	OLVPPG02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		5	100.00%	-	-	-	-	5
On-Energy Corp (ONNRG01)	ONNRG01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	4	57.14%	1	14.29%	2	28.57%	7
	Total		4	57.14%	1	14.29%	2	28.57%	7
Ontario Clean Water Agency (OCWAW01)	OCWAW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Ontario Power Generation - Darlington (OPGD1)	OPGD1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	6	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	OPGN2	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		12	100.00%	-	-	-	-	12
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	15	50.00%	15	50.00%	-	-	30
	ONTERA02	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	ONTERA03	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	28	65.12%	15	34.88%	-	-	43
	ONTERA04	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ontera - A Division Of Northerntel (ONTERA)	ONTERA04	6-10	1	14.29%	6	85.71%	-	-	
		Total	37	66.07%	19	33.93%	-	-	56
	ONTERA05	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	70.00%	3	30.00%	-	-	10
	ONTERA06	0-5	47	100.00%	-	-	-	-	
		16+	-	-	35	100.00%	-	-	
		Total	47	57.32%	35	42.68%	-	-	82
	Total		139	61.23%	88	38.77%	-	-	227
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	105	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	122	94.57%	7	5.43%	-	-	129
	Total		122	94.57%	7	5.43%	-	-	129
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	40	88.89%	5	11.11%	-	-	
		Total	52	77.61%	14	20.90%	1	1.49%	67
	Total		52	77.61%	14	20.90%	1	1.49%	67
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	255	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	87	100.00%	-	-	-	-	
		Total	342	99.71%	1	0.29%	-	-	343
	Total		342	99.71%	1	0.29%	-	-	343
Orangeville, Town Of (ORGV01)	ORGV01	0-5	241	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	5	26.32%	14	73.68%	
		6-10	29	96.67%	1	3.33%	-	-	
		Total	270	86.54%	28	8.97%	14	4.49%	312
	Total		270	86.54%	28	8.97%	14	4.49%	312
Orillia, City Of (ORIL123)	ORILSL01	0-5	34	100.00%	-	-	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	ORILT01	0-5	59	100.00%	-	-	-	-	
		6-10	85	100.00%	-	-	-	-	
		Total	144	100.00%	-	-	-	-	144
	ORILWS01	0-5	141	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	24	92.31%	2	7.69%	-	-	
		Total	165	98.21%	3	1.79%	-	-	168
	Total		375	99.21%	3	0.79%	-	-	378
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	66	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	531	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	280	98.59%	4	1.41%	-	-	
		Total	811	99.02%	8	0.98%	-	-	819

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE03	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	38	92.68%	3	7.32%	-	-	
	Total		849	98.72%	11	1.28%	-	-	860
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	3	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	Total		10	100.00%	-	-	-	-	10
Oshawa, City Of (OSH01)	OSH01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	91	98.91%	1	1.09%	-	-	
		Total	175	98.31%	3	1.69%	-	-	
	Total		175	98.31%	3	1.69%	-	-	178
Osler Bluff Ski-Club (OSBC01)	OSBC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	1	33.33%	1	33.33%	1	33.33%	
	Total		1	33.33%	1	33.33%	1	33.33%	3
Ottawa River Power (ORP01)	ORP01	0-5	141	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	148	100.00%	-	-	-	-	
	Total		148	100.00%	-	-	-	-	148
Ottawa River Power (ORP02)	ORP02	0-5	60	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	77	100.00%	-	-	-	-	
	Total		77	100.00%	-	-	-	-	77
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	2,943	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	581	99.66%	2	0.34%	-	-	
		Total	3,524	99.91%	3	0.09%	-	-	
	Total		3,524	99.91%	3	0.09%	-	-	3,527
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	718	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	52	100.00%	-	-	-	-	
		Total	770	98.47%	7	0.90%	5	0.64%	
	Total		770	98.47%	7	0.90%	5	0.64%	782
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	5,582	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	5,599	99.93%	4	0.07%	-	-	
	Total		5,599	99.93%	4	0.07%	-	-	5,603
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	
	Total		-	-	-	-	4	100.00%	4
Owen Sound, City Of (OWSD01)	OWSD01	0-5	153	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Owen Sound, City Of (OWSD01)	OWSD01	6-10	11	78.57%	3	21.43%	-	-	
		Total	164	97.62%	4	2.38%	-	-	168
	Total		164	97.62%	4	2.38%	-	-	168
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	81.82%	2	18.18%	-	-	11
	Total		9	81.82%	2	18.18%	-	-	11
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Oxford, County Of - Traffic (OXFTS01)	OXFTS01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	526	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	541	100.00%	-	-	-	-	541
	Total		541	100.00%	-	-	-	-	541
Oxford, County Of (OXFSTM01)	OXFSTM01	16+	-	-	-	-	22	100.00%	
		Total	-	-	-	-	22	100.00%	22
	Total		-	-	-	-	22	100.00%	22
Packet Works (PWRKST01)	PWRKST01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	91.67%	1	8.33%	-	-	12
	Total		11	91.67%	1	8.33%	-	-	12
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	54	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	62	98.41%	-	-	1	1.59%	63
	Total		62	98.41%	-	-	1	1.59%	63
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	50	100.00%	-	-	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	57	98.28%	1	1.72%	-	-	58
	PYWS02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		59	98.33%	1	1.67%	-	-	60
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	10	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Peel Region - Brampton Water (PCYWAT123)	PRBM02	0-5	403	100.00%	-	-	-	-	
		11-15	-	-	63	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	653	99.69%	2	0.31%	-	-	
		Total	1,056	93.37%	75	6.63%	-	-	1131
	PRBM03	0-5	91	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Peel Region - Brampton Water (PCYWAT123)	PRBM03	6-10	140	100.00%	-	-	-	-	
		Total	231	91.30%	22	8.70%	-	-	253
	PROC02	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	64	98.46%	1	1.54%	-	-	
		Total	108	92.31%	9	7.69%	-	-	117
	PROC03	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	92	95.83%	4	4.17%	-	-	96
	Total		1,487	93.11%	110	6.89%	-	-	1,597
Peel Region - Caledon Water (PCWAT123)	PBMC01	0-5	116	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	119	100.00%	-	-	-	-	119
	POCWA05	0-5	15	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	2	100.00%	-	-	-	-	
		Total	17	85.00%	2	10.00%	1	5.00%	20
	PRBM01	0-5	997	100.00%	-	-	-	-	
		11-15	-	-	94	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	954	99.79%	2	0.21%	-	-	
		Total	1,951	94.75%	108	5.25%	-	-	2059
	PROC01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	113	99.12%	1	0.88%	-	-	
		Total	180	91.84%	16	8.16%	-	-	196
	Total		2,267	94.70%	126	5.26%	1	0.04%	2,394
Peel Region (PEEL123)	PEELTS04	0-5	56	100.00%	-	-	-	-	
		6-10	74	96.10%	3	3.90%	-	-	
		Total	130	97.74%	3	2.26%	-	-	133
	Total		130	97.74%	3	2.26%	-	-	133
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	540	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	67	100.00%	-	-	-	-	
		Total	607	99.35%	2	0.33%	2	0.33%	611
	Total		607	99.35%	2	0.33%	2	0.33%	611
Pelee Island, Township Of (PLEWSL01)	PLEWSL01	11-15	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Pelham, Town Of (PEL1)	PEL1	0-5	192	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	208	100.00%	-	-	-	-	208
	Total		208	100.00%	-	-	-	-	208
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	141	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Pembroke, City Of (PMBRK01)	PMBRK01	16+	-	-	2	100.00%	-	-	
		Total	141	97.92%	2	1.39%	1	0.69%	144
	Total		141	97.92%	2	1.39%	1	0.69%	144
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	78	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	88	100.00%	-	-	-	-	88
	Total		88	100.00%	-	-	-	-	88
Pennytel Inc (PENTEL01)	PENTEL01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	2	33.33%	3	50.00%	1	16.67%	6
	Total		2	33.33%	3	50.00%	1	16.67%	6
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	11	100.00%	-	-	-	-	
		6-10	-	-	5	100.00%	-	-	
		Total	11	68.75%	5	31.25%	-	-	16
	Total		11	68.75%	5	31.25%	-	-	16
Perth South, Township Of (PERTHS123)	PERTHS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	PERTHS02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		2	100.00%	-	-	-	-	2
Perth, Town Of (PERTH01)	PERTH01	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	27.78%	13	72.22%	-	-	
		Total	29	65.91%	13	29.55%	2	4.55%	44
	Total		29	65.91%	13	29.55%	2	4.55%	44
Petawawa, Town Of (PTWA123)	PTWA01	0-5	194	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	196	98.99%	1	0.51%	1	0.51%	198
	PTWASL01	0-5	86	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	125	100.00%	-	-	-	-	125
	Total		321	99.38%	1	0.31%	1	0.31%	323
Peterborough , City Of (PTRB01)	PTRB01	0-5	1,094	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	9	64.29%	5	35.71%	-	-	
		Total	1,103	99.28%	8	0.72%	-	-	1111
	Total		1,103	99.28%	8	0.72%	-	-	1,111
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	889	100.00%	-	-	-	-	
		6-10	131	99.24%	1	0.76%	-	-	
		Total	1,020	99.90%	1	0.10%	-	-	1021
	PTBOU07	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1,021	99.90%	1	0.10%	-	-	1,022
Peterborough, County Of (PTB01)	PTB01	0-5	112	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		Total	112	96.55%	1	0.86%	3	2.59%	116
	Total		112	96.55%	1	0.86%	3	2.59%	116
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Petrolia, Town Of (P002)	P002	0-5	4	100.00%	-	-	-	-	
		16+	-	-	42	97.67%	1	2.33%	
		6-10	4	40.00%	6	60.00%	-	-	
		Total	8	14.04%	48	84.21%	1	1.75%	
	Total		8	14.04%	48	84.21%	1	1.75%	57
Pickering , City Of (PKRG01)	PKRG01	0-5	295	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	43	79.63%	11	20.37%	-	-	
	Total		338	95.21%	16	4.51%	1	0.28%	355
Pickle Lake, Municipality Of (PKLWS01)	PKLWS01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	
	Total		-	-	-	-	4	100.00%	4
Pine Valley Drive - Private Owner (PRPV01)	PRPV01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	
	Total		-	-	-	-	3	100.00%	3
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	62	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	77.78%	2	22.22%	-	-	
	Total		69	95.83%	3	4.17%	-	-	72
Plateau Wind Farm (PLATWF01)	PLATWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	13	100.00%	-	-	-	-	
	Total		91	97.85%	-	-	2	2.15%	93
Point Edward, Village Of (PE01)	PE01	0-5	13	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	
	Total		19	100.00%	-	-	-	-	19
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	155	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	27	96.43%	1	3.57%	-	-	
	Total		182	98.91%	2	1.09%	-	-	184
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	15	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	Total		20	100.00%	-	-	-	-	20
Port Hope, Municipality Of (PH123)	PH01	0-5	111	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	129	99.23%	1	0.77%	-	-	
	PHSL01	0-5	1	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	
	Total		130	98.48%	2	1.52%	-	-	132

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Powassan, Municipality Of (PWSN01)	PWSN01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Prescott , Town Of (PRS01)	PRS01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	31	96.88%	-	-	1	3.13%	32
	Total		31	96.88%	-	-	1	3.13%	32
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	PRERUS02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS03	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	13	100.00%	13
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Prince , Township Of (PRNC01)	PRNC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Prince Edward, County Of (PEC04)	PEC04	0-5	94	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	127	99.22%	1	0.78%	-	-	128
	Total		127	99.22%	1	0.78%	-	-	128
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	58	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	58	98.31%	-	-	1	1.69%	59
	Total		58	98.31%	-	-	1	1.69%	59
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	Total		-	-	4	100.00%	-	-	4
Q9 Networks (QNET01)	QNET01	0-5	7	100.00%	-	-	-	-	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	Total		20	95.24%	1	4.76%	-	-	21
Quadro Communications (QUAD1)	MSCQUAD2	0-5	84	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	88	100.00%	-	-	-	-	88
	QUAD1	0-5	265	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	284	100.00%	-	-	-	-	284
	Total		372	100.00%	-	-	-	-	372
QUALITY CABLES AND WIRELESS TELECOMMUNICATIONS LTD. (QCWT01)	QCWT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Queen'S University (QUEENU01)	QUEENU01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	21	91.30%	2	8.70%	-	-	23
	Total		21	91.30%	2	8.70%	-	-	23

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Queens University Fibre (QUEENF01)	QUEENF01	0-5	24	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Quinte West, City Of (QW123)	QWF01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	12	100.00%	12
	QWSL01	0-5	129	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	27.27%	8	72.73%	-	-	
		Total	132	92.96%	8	5.63%	2	1.41%	142
	QWSN01	0-5	103	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	146	98.65%	2	1.35%	-	-	148
	QWSS01	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	96	98.97%	1	1.03%	-	-	97
	QWTS01	0-5	2	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	QWW01	0-5	125	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	51	100.00%	-	-	-	-	
		Total	176	98.88%	2	1.12%	-	-	178
	Total		553	95.02%	15	2.58%	14	2.41%	582
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Raleigh Wind Energy Centre (RWE01)	RWE01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	5	71.43%	1	14.29%	1	14.29%	7
	Total		5	71.43%	1	14.29%	1	14.29%	7
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	30	100.00%	-	-	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	30	90.91%	3	9.09%	-	-	33
	Total		30	90.91%	3	9.09%	-	-	33
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Red Rock, Township Of (RDRK01)	RDRK01	16+	-	-	8	80.00%	2	20.00%	
		Total	-	-	8	80.00%	2	20.00%	10
	Total		-	-	8	80.00%	2	20.00%	10
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	42	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	44	97.78%	1	2.22%	-	-	45
	HLTNW02	0-5	787	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	44	93.62%	3	6.38%	-	-	
		Total	831	98.93%	7	0.83%	2	0.24%	840
	Total		875	98.87%	8	0.90%	2	0.23%	885

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	64	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	71	98.61%	-	-	1	1.39%	
	Total		71	98.61%	-	-	1	1.39%	72
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	34	97.14%	1	2.86%	-	-	
	Total		34	97.14%	1	2.86%	-	-	35
Renfrew Hydro (RFH01)	RFH01	0-5	86	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	87	100.00%	-	-	-	-	
	Total		87	100.00%	-	-	-	-	87
Renfrew, County Of (RNF123)	RNF01	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	73	96.05%	3	3.95%	-	-	
	Total		73	96.05%	3	3.95%	-	-	76
Renfrew, Town Of (RNF01)	RNF01	0-5	85	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	85	97.70%	-	-	2	2.30%	
	RNF02	0-5	84	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		Total	84	96.55%	1	1.15%	2	2.30%	
	Total		169	97.13%	1	0.57%	4	2.30%	174
Richmond Hill, Town Of (RHL01)	RHL01	0-5	274	100.00%	-	-	-	-	
		Total	274	100.00%	-	-	-	-	
	Total		274	100.00%	-	-	-	-	274
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	30	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	20	40.00%	30	60.00%	-	-	
	Total		20	40.00%	30	60.00%	-	-	50
Richmond Hill, Town Of (RHLS01)	RHLS01	0-5	9	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
	Total		15	100.00%	-	-	-	-	15
Rideau Lakes, Township Of (RIL01)	RIL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	102	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	109	100.00%	-	-	-	-	
	Total		109	100.00%	-	-	-	-	109
Rogers Communications (ROG123)	CABLET01	0-5	125	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	145	100.00%	-	-	-	-	
	ROGGE01	0-5	1,492	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	123	100.00%	-	-	-	-	
		Total	1,615	99.75%	4	0.25%	-	-	
	ROGHN01	0-5	1,087	100.00%	-	-	-	-	
		11-15	-	-	52	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Rogers Communications (ROG123)	ROGHN01	16+	-	-	40	100.00%	-	-	1611
		6-10	397	91.90%	35	8.10%	-	-	
		Total	1,484	92.12%	127	7.88%	-	-	
	ROGLDN01	0-5	1,251	100.00%	-	-	-	-	1606
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	350	99.72%	1	0.28%	-	-	
		Total	1,601	99.69%	5	0.31%	-	-	
	ROGNTH01	0-5	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	
	ROGOE01	0-5	37	100.00%	-	-	-	-	38
		6-10	1	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	
	ROGOTT01	0-5	2,914	100.00%	-	-	-	-	3303
		16+	-	-	3	100.00%	-	-	
		6-10	386	100.00%	-	-	-	-	
		Total	3,300	99.91%	3	0.09%	-	-	
	ROGPEL01	0-5	1,627	100.00%	-	-	-	-	2561
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	25	100.00%	-	-	
		6-10	896	99.56%	4	0.44%	-	-	
		Total	2,523	98.52%	38	1.48%	-	-	
	ROGRAIL1	0-5	217	100.00%	-	-	-	-	234
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	222	94.87%	12	5.13%	-	-	
	ROGSIM01	0-5	1,276	100.00%	-	-	-	-	2044
		11-15	-	-	51	100.00%	-	-	
		16+	-	-	71	100.00%	-	-	
		6-10	622	96.28%	24	3.72%	-	-	
		Total	1,898	92.86%	146	7.14%	-	-	
	ROGSWO01	0-5	145	100.00%	-	-	-	-	219
		16+	-	-	2	100.00%	-	-	
		6-10	72	100.00%	-	-	-	-	
		Total	217	99.09%	2	0.91%	-	-	
	ROGTOR01	0-5	2,925	100.00%	-	-	-	-	3199
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	262	99.24%	2	0.76%	-	-	
		Total	3,187	99.62%	12	0.38%	-	-	
	ROGWAT01	0-5	2,580	100.00%	-	-	-	-	3209
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	624	99.84%	1	0.16%	-	-	
		Total	3,204	99.84%	4	0.12%	1	0.03%	
	ROGWIN01	0-5	9	100.00%	-	-	-	-	13
		6-10	4	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	
	ROGYRK01	0-5	1,597	100.00%	-	-	-	-	2537
		11-15	-	-	64	100.00%	-	-	
		16+	-	-	34	100.00%	-	-	
		6-10	840	99.76%	2	0.24%	-	-	
		Total	2,437	96.06%	100	3.94%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Rogers Communications (ROG123)	RUWV01	0-5	93	100.00%	-	-	-	-	106
		6-10	13	100.00%	-	-	-	-	
		Total	106	100.00%	-	-	-	-	
	SJR01	0-5	28	100.00%	-	-	-	-	43
		6-10	15	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	
	SJR02	0-5	327	100.00%	-	-	-	-	488
		11-15	-	-	4	100.00%	-	-	
		6-10	153	97.45%	4	2.55%	-	-	
		Total	480	98.36%	8	1.64%	-	-	
	SJR03	0-5	92	100.00%	-	-	-	-	148
		11-15	-	-	1	100.00%	-	-	
		6-10	54	98.18%	1	1.82%	-	-	
		Total	146	98.65%	2	1.35%	-	-	
	SJR04	0-5	1	100.00%	-	-	-	-	2
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	
	Total		22,664	97.99%	464	2.01%	1	-	23,129
Romney Wind Energy Centre Lp (RVEC01)	RVEC01	6-10	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Rowe Energy Corporation (ROWE01)	ROWE01	16+	-	-	-	-	7	100.00%	15
		6-10	8	100.00%	-	-	-	-	
		Total	8	53.33%	-	-	7	46.67%	
	Total		8	53.33%	-	-	7	46.67%	15
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	7	100.00%	-	-	-	-	36
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	15	71.43%	6	28.57%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	11	30.56%	19	52.78%	6	16.67%	
	Total		11	30.56%	19	52.78%	6	16.67%	36
Russell, Township Of (RSEL01)	RSEL01	0-5	306	100.00%	-	-	-	-	330
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	323	97.88%	2	0.61%	5	1.52%	
	Total		323	97.88%	2	0.61%	5	1.52%	330
Ryerson University (RYEU01)	RYEU01	0-5	1	100.00%	-	-	-	-	4
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	
	Total		1	25.00%	3	75.00%	-	-	4
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	3	100.00%	-	-	-	-	4
		6-10	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	
	SSRWE01	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	Total		5	83.33%	1	16.67%	-	-	6
Sarnia, City Of (C006)	C006	0-5	526	100.00%	-	-	-	-	547
		16+	-	-	-	-	9	100.00%	
		6-10	12	100.00%	-	-	-	-	
		Total	538	98.35%	-	-	9	1.65%	
	Total		538	98.35%	-	-	9	1.65%	547

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	21	95.45%	-	-	1	4.55%	22
	SSSL01	0-5	180	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	180	98.90%	-	-	2	1.10%	182
	SSWS01	0-5	161	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	30	96.77%	1	3.23%	-	-	
		Total	191	96.95%	2	1.02%	4	2.03%	197
	Total		392	97.76%	2	0.50%	7	1.75%	401
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	748	100.00%	-	-	-	-	
		6-10	120	100.00%	-	-	-	-	
		Total	868	100.00%	-	-	-	-	868
	SSMPUW01	0-5	606	100.00%	-	-	-	-	
		6-10	115	100.00%	-	-	-	-	
		Total	721	100.00%	-	-	-	-	721
	Total		1,589	100.00%	-	-	-	-	1,589
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	169	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	174	98.86%	-	-	2	1.14%	176
	Total		174	98.86%	-	-	2	1.14%	176
Schreiber, Municipality Of (SCBWS01)	SCBWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Scugog, Township Of (SCG01)	SCG01	0-5	126	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	14	87.50%	2	12.50%	-	-	
		Total	140	97.90%	2	1.40%	1	0.70%	143
	Total		140	97.90%	2	1.40%	1	0.70%	143
Seguin, Township Of (SGN01)	SGN01	16+	-	-	1	25.00%	3	75.00%	
		Total	-	-	1	25.00%	3	75.00%	4
	Total		-	-	1	25.00%	3	75.00%	4
Selwyn, Township Of (SLWN01)	SLWN01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	27	87.10%	-	-	4	12.90%	31
	Total		27	87.10%	-	-	4	12.90%	31
Selwyn, Township Of (SLWN02)	SLWN02	0-5	22	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total		36	100.00%	-	-	-	-	36
Selwyn, Township Of (SLWN03)	SLWN03	0-5	22	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total		36	100.00%	-	-	-	-	36

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Severn, Township Of (SEVERN01)	SEVERN01	0-5	49	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	
	SEVERN02	0-5	19	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	
	Total		74	100.00%	-	-	-	-	74
Shared Tower Inc	SHARET01	16+	-	-	-	-	18	100.00%	
		Total	-	-	-	-	18	100.00%	
	Total		-	-	-	-	18	100.00%	18
Shelburne , Town Of (SHLB01)	SHLB01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	33	89.19%	2	5.41%	2	5.41%	
	Total		33	89.19%	2	5.41%	2	5.41%	37
Shell Canada - Sault Ste. Marie (SHL2)	SHL2	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	
	Total		-	-	-	-	5	100.00%	5
Shell Canada (SHL1)	SHL1	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	6	46.15%	7	53.85%	-	-	
	Total		6	46.15%	7	53.85%	-	-	13
Sick Kids Hospital (SKH01)	SKH01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	
	Total		6	85.71%	1	14.29%	-	-	7
Silver Bay Water (SBW1)	SBW1	16+	-	-	6	100.00%	-	-	
		Total	-	-	6	100.00%	-	-	
	Total		-	-	6	100.00%	-	-	6
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Simcoe County District School Board (SCDSB01)	SCDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Simcoe, County Of (SIM01)	SIM01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	12	85.71%	2	14.29%	-	-	
	Total		12	85.71%	2	14.29%	-	-	14
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
	Total		15	100.00%	-	-	-	-	15
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		Total	8	53.33%	-	-	7	46.67%	
	Total		8	53.33%	-	-	7	46.67%	15
Six Nations Gas (SNG01)	SNG01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	50	100.00%	-	-	
		16+	-	-	-	-	37	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Six Nations Gas (SNG01)	SNG01	6-10	2	25.00%	6	75.00%	-	-	
		Total	4	4.12%	56	57.73%	37	38.14%	97
		Total	4	4.12%	56	57.73%	37	38.14%	97
Sky Generation (Sprott Power) (SGPLWF01)	SGPLWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Skyway 8 (SW8WF01)	SW8WF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
		Total	1	50.00%	-	-	1	50.00%	2
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	66	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	73	96.05%	-	-	3	3.95%	76
		Total	73	96.05%	-	-	3	3.95%	76
Smooth Rock Falls, Town Of (SRF01)	SRF01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	19	100.00%	
		Total	-	-	-	-	22	100.00%	22
		Total	-	-	-	-	22	100.00%	22
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	28	84.85%	5	15.15%	
		16+	-	-	-	-	38	100.00%	
		6-10	2	11.76%	15	88.24%	-	-	
		Total	36	29.51%	43	35.25%	43	35.25%	122
		Total	36	29.51%	43	35.25%	43	35.25%	122
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	18	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	19	90.48%	2	9.52%	-	-	21
		Total	19	90.48%	2	9.52%	-	-	21
South Dundas , Municipality Of (SDS01)	SDS01	0-5	54	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	54	96.43%	2	3.57%	-	-	56
		Total	54	96.43%	2	3.57%	-	-	56
South Frontenac, Township Of (SF123)	SFS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	SFSL01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	SFW01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	24	100.00%	-	-	-	-	24
South Glengarry , Township Of (SGG01)	SGG01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	30	81.08%	3	8.11%	4	10.81%	37
		Total	30	81.08%	3	8.11%	4	10.81%	37
South Huron Hospital (SHHA01)	SHHA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	1	11.11%	8	88.89%	
		16+	-	-	-	-	50	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
South Huron, Municipality Of (SHURN01)	SHURN01	6-10	7	70.00%	3	30.00%	-	-	
		Total	52	45.61%	4	3.51%	58	50.88%	114
		Total	52	45.61%	4	3.51%	58	50.88%	114
South Kent Wind Project (SKWP01)	SKWP01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	29	90.63%	3	9.38%	-	-	
		Total	33	57.89%	22	38.60%	2	3.51%	57
		Total	33	57.89%	22	38.60%	2	3.51%	57
South River , Village Of (SORI01)	SORI01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	11	78.57%	-	-	3	21.43%	14
		Total	11	78.57%	-	-	3	21.43%	14
South Stormont, Township Of (SSTM01)	SSTM01	0-5	87	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	87	96.67%	-	-	3	3.33%	90
		Total	87	96.67%	-	-	3	3.33%	90
Southgate, Township (SGWS01)	SGWS01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	14	70.00%	5	25.00%	1	5.00%	20
		Total	14	70.00%	5	25.00%	1	5.00%	20
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	21	95.45%	1	4.55%	
		16+	-	-	2	4.44%	43	95.56%	
		6-10	17	51.52%	16	48.48%	-	-	
		Total	32	27.83%	39	33.91%	44	38.26%	115
	SWMSX02	0-5	28	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		62	42.76%	39	26.90%	44	30.34%	145
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	109	100.00%	-	-	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	29	74.36%	10	25.64%	-	-	
		Total	138	87.34%	10	6.33%	10	6.33%	158
		Total	138	87.34%	10	6.33%	10	6.33%	158
Southwold, Township Of (SOW01)	SOW01	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	75.00%	3	25.00%	-	-	
		Total	68	93.15%	4	5.48%	1	1.37%	73
		Total	68	93.15%	4	5.48%	1	1.37%	73
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	1	100.00%	-	-	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
		Total	5	71.43%	2	28.57%	-	-	7
Spanish, Town Of (SPWS01)	SPWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	16	72.73%	6	27.27%	-	-	
	Total		16	72.73%	6	27.27%	-	-	22
St. Catharines, City Of (STC1)	STC1	0-5	385	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
	Total		428	99.07%	4	0.93%	-	-	432
St. Charles, Municipality Of (STC01)	STC01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	5	100.00%	
	Total		-	-	-	-	5	100.00%	5
St. Clair, Township Of (M002)	M002	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	159	98.76%	2	1.24%	-	-	
	Total		159	98.76%	2	1.24%	-	-	161
St. Columban Wind Farms Lp (STCWF01)	STCWF01	16+	-	-	15	93.75%	1	6.25%	
		Total	-	-	15	93.75%	1	6.25%	
		Total	-	-	15	93.75%	1	6.25%	
	Total		-	-	15	93.75%	1	6.25%	16
St. Joseph, Township Of (STJWS01)	STJWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
St. Josephs Health Care (London) (SJHC01)	SJHC01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
St. Marys General Hospital (STMGH01)	STMGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	62	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	65	98.48%	-	-	1	1.52%	
	Total		65	98.48%	-	-	1	1.52%	66
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	
	Total		-	-	5	100.00%	-	-	5
St. Thomas, City Of (STHWS01)	STHSL01	0-5	139	100.00%	-	-	-	-	
		11-15	-	-	8	80.00%	2	20.00%	
		16+	-	-	1	7.14%	13	92.86%	
		6-10	98	91.59%	9	8.41%	-	-	
	STHWS01	0-5	181	100.00%	-	-	-	-	
		11-15	-	-	9	81.82%	2	18.18%	
		16+	-	-	1	7.14%	13	92.86%	
		6-10	107	90.68%	11	9.32%	-	-	
	Total		237	87.78%	18	6.67%	15	5.56%	270
			237	87.78%	18	6.67%	15	5.56%	
			237	87.78%	18	6.67%	15	5.56%	
			237	87.78%	18	6.67%	15	5.56%	
	Total		288	88.89%	21	6.48%	15	4.63%	324
			288	88.89%	21	6.48%	15	4.63%	
			288	88.89%	21	6.48%	15	4.63%	
			288	88.89%	21	6.48%	15	4.63%	
Stardale Solar Lp (STARSF01)	STARSF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Start Communications (STARTC01)	STARTC02	0-5	170	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total								

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Start Communications (STARTC01)	STARTC02	6-10	161	99.38%	1	0.62%	-	-	
		Total	331	99.40%	2	0.60%	-	-	333
	Total		331	99.40%	2	0.60%	-	-	333
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total		27	100.00%	-	-	-	-	27
Stone Mills, Township Of (STMSS01)	STMSS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Stonebridge Golf And Country Club (SBGCC01)	SBGCC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Storm Internet (STRMF01)	STRMF01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	7	87.50%	-	-	1	12.50%	8
	Total		7	87.50%	-	-	1	12.50%	8
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	21	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total		33	100.00%	-	-	-	-	33
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	-	-	19	100.00%	
		16+	-	-	-	-	353	100.00%	
		Total	-	-	-	-	372	100.00%	372
	Total		-	-	-	-	372	100.00%	372
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	60	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total		60	100.00%	-	-	-	-	60
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	88	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	88	98.88%	1	1.12%	-	-	89
	Total		88	98.88%	1	1.12%	-	-	89
Sudbury District Energy (SDEONE01)	SDEONE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Summer Haven Wind (SHWF01)	SHWF01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	13	92.86%	-	-	1	7.14%	14
	Total		13	92.86%	-	-	1	7.14%	14
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	62	100.00%	-	-	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	68	98.55%	1	1.45%	-	-	69
	Total		68	98.55%	1	1.45%	-	-	69

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	114	100.00%	-	-	-	-	
		Total	114	100.00%	-	-	-	-	114
	S002	0-5	187	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	187	98.94%	2	1.06%	-	-	189
	S004	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	31	96.88%	-	-	1	3.13%	32
	Total		332	99.10%	2	0.60%	1	0.30%	335
Suncor Energy (SCE02)	SCE02	0-5	8	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Suncor Energy Products (SNCP05)	SNCP05	0-5	1	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	Total		1	25.00%	3	75.00%	-	-	4
Suncor Energy Products (SNCP03)	SNCP03	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Suncor Pipelines (SNCP01)	SNCP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Sundridge, Village Of (SNDRO1)	SNDRO1	11-15	-	-	1	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	Total		1	25.00%	3	75.00%	-	-	4
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Swns Lp - Napier Wind Farm (WPDNWF01)	WPDNWF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	-	-	4	100.00%	-	-	
		Total	25	73.53%	5	14.71%	4	11.76%	34
	Total		25	73.53%	5	14.71%	4	11.76%	34
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	1,288	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	255	99.61%	1	0.39%	-	-	
		Total	1,543	99.68%	2	0.13%	3	0.19%	1548
	Total		1,543	99.68%	2	0.13%	3	0.19%	1,548
Talbot Windfarm (TALWF01)	TALWF01	0-5	4	100.00%	-	-	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	11	91.67%	1	8.33%	-	-	12
	Total		11	91.67%	1	8.33%	-	-	12
TANDEM FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		Total	2	33.33%	3	50.00%	1	16.67%	6
	Total		2	33.33%	3	50.00%	1	16.67%	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Tay, Township Of - Street Lights (TAY02)	TAY02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Tay, Township Of (TAY01)	TAY01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	5	45.45%	6	54.55%	-	-	
		Total	54	77.14%	8	11.43%	8	11.43%	70
	Total		54	77.14%	8	11.43%	8	11.43%	70
Tbaytel (TBYTEL01)	TBYTEL01	0-5	875	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	278	100.00%	-	-	-	-	
		Total	1,153	99.74%	1	0.09%	2	0.17%	1156
	TBYTEL02	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	10	71.43%	4	28.57%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	49	75.38%	12	18.46%	4	6.15%	65
	Total		1,202	98.44%	13	1.06%	6	0.49%	1,221
TC Energy - East (TCP01)	TC03	0-5	254	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	261	100.00%	-	-	-	-	261
	TC06	0-5	179	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	183	99.46%	1	0.54%	-	-	184
	TC07	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	82	97.62%	2	2.38%	-	-	84
	TC08	0-5	39	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	TC09	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	41	97.62%	1	2.38%	-	-	42
	TC10	0-5	132	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	135	94.41%	8	5.59%	-	-	143
	TC12	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TC13	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	TC14	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	TC15	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	TC16	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
TC Energy - East (TCP01)	TC17	0-5	15	100.00%	-	-	-	-	15
		Total	15	100.00%	-	-	-	-	
	TC18	0-5	211	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	218	97.32%	6	2.68%	-	-	
	TC19	0-5	33	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	33	97.06%	1	2.94%	-	-	
	Total		1,048	98.22%	19	1.78%	-	-	1,067
Techform, A Division Of Magna Mechatronics	TCFM01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Tecumseh, Town Of (TEC123)	TECS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	66	86.84%	10	13.16%	-	-	
		Total	72	66.67%	32	29.63%	4	3.70%	
	TECW01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	83	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	101	87.83%	14	12.17%	-	-	
		Total	108	51.43%	99	47.14%	3	1.43%	
	Total		180	56.60%	131	41.19%	7	2.20%	318
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	287	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	336	99.70%	1	0.30%	-	-	
	Total		336	99.70%	1	0.30%	-	-	337
Telmax Inc (TLMXF01)	TLMXF01	0-5	418	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	12	48.00%	13	52.00%	
		6-10	356	98.61%	5	1.39%	-	-	
		Total	774	94.51%	32	3.91%	13	1.59%	
	Total		774	94.51%	32	3.91%	13	1.59%	819
Telus (TELUS01)	TELGE01	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	89	97.80%	2	2.20%	-	-	
	TELGN01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	45	97.83%	1	2.17%	-	-	
		Total	100	80.00%	22	17.60%	3	2.40%	
	TELGN02	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	54	90.00%	4	6.67%	2	3.33%	
	TELGW01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELGW01	6-10	26	100.00%	-	-	-	-	
		Total	106	95.50%	4	3.60%	1	0.90%	111
	TELGW02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TELHN01	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	110	96.49%	4	3.51%	-	-	114
	TELOE01	0-5	303	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	2	15.38%	11	84.62%	
		6-10	169	98.83%	2	1.17%	-	-	
		Total	472	91.47%	33	6.40%	11	2.13%	516
	TELONE01	0-5	29	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	TELONW01	0-5	18	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	TELOS01	0-5	150	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	57	96.61%	2	3.39%	-	-	
		Total	207	95.39%	9	4.15%	1	0.46%	217
	TELOW01	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	77	97.47%	1	1.27%	1	1.27%	79
	TELTE01	0-5	177	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	109	100.00%	-	-	-	-	
		Total	286	97.95%	4	1.37%	2	0.68%	292
	TELTW01N	0-5	73	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	93	95.88%	1	1.03%	3	3.09%	97
	TELTW01S	0-5	123	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	89	100.00%	-	-	-	-	
		Total	212	94.64%	12	5.36%	-	-	224
	Total		1,863	93.95%	96	4.84%	24	1.21%	1,983
Temagami, Municipality Of (TMG01)	TMG01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	Total		3	60.00%	2	40.00%	-	-	5
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	74	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	Total		74	100.00%	-	-	-	-	74

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Terago Networks Inc (TNF01)	TNF01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Teraspan Networks (TS01)	TS01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	14	93.33%	-	-	1	6.67%	15
	Total		14	93.33%	-	-	1	6.67%	15
Terrace Bay , Township Of (TRBWS01)	TRBWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	10	45.45%	12	54.55%	-	-	
		Total	30	61.22%	16	32.65%	3	6.12%	49
	Total		30	61.22%	16	32.65%	3	6.12%	49
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	49	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	7	53.85%	6	46.15%	-	-	
		Total	56	82.35%	6	8.82%	6	8.82%	68
	Total		56	82.35%	6	8.82%	6	8.82%	68
Thessalon , Town Of (THSWSS01)	THSWSS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Thorold, City Of (THLD01)	THLD01	0-5	150	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	49	90.74%	5	9.26%	-	-	
		Total	199	94.31%	11	5.21%	1	0.47%	211
	Total		199	94.31%	11	5.21%	1	0.47%	211
Thunder Bay Regional HSC	TBRHSC01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	157	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	170	100.00%	-	-	-	-	170
	Total		170	100.00%	-	-	-	-	170
Thunder Bay, City Of (THBY123)	THBY01	0-5	353	100.00%	-	-	-	-	
		11-15	-	-	198	99.50%	1	0.50%	
		16+	-	-	5	7.35%	63	92.65%	
		6-10	47	27.98%	121	72.02%	-	-	
		Total	400	50.76%	324	41.12%	64	8.12%	788
	THBY02	0-5	342	100.00%	-	-	-	-	
		11-15	-	-	86	100.00%	-	-	
		16+	-	-	4	33.33%	8	66.67%	
		6-10	63	27.27%	168	72.73%	-	-	
		Total	405	60.36%	258	38.45%	8	1.19%	671
	Total		805	55.17%	582	39.89%	72	4.93%	1,459
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Tillsonburg , Town Of (TSB01)	TSB01	0-5	281	100.00%	-	-	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	304	100.00%	-	-	-	-	304
	Total		304	100.00%	-	-	-	-	304
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	123	100.00%	-	-	-	-	
		6-10	80	100.00%	-	-	-	-	
		Total	203	100.00%	-	-	-	-	203
	Total		203	100.00%	-	-	-	-	203
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	75	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	Total		75	100.00%	-	-	-	-	75
Timmins, City Of (TMNS01)	TMNS01	0-5	226	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	19	86.36%	3	13.64%	-	-	
		Total	245	98.39%	4	1.61%	-	-	249
	Total		245	98.39%	4	1.61%	-	-	249
Tiny, Township Of (TNY01)	TNY01	0-5	60	100.00%	-	-	-	-	
		6-10	9	69.23%	4	30.77%	-	-	
		Total	69	94.52%	4	5.48%	-	-	73
	Total		69	94.52%	4	5.48%	-	-	73
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	BDVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	BYEBIA01	0-5	10	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	BYWBIA01	0-5	5	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	CPBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	CRIBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	DFVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	DYEIA01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	EGLBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	EVBIA01	0-5	7	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	GIBBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	GRTBIA01	0-5	14	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	HLCBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	JGBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	KRBIA01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	KSWBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	LBBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	LBVBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	LIBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	LSVBIA01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	MTDNBIA1	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	MTDSBIA1	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	1	25.00%	-	-	3	75.00%	4
	PDVBIA01	11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	RCVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	RHHVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	RMSBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	RSDBIA01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	SCGBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	UPVBIA01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	VIBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	WVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	WYWBIA01	0-5	7	100.00%	-	-	-	-	11
		6-10	4	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	
	YEBIA01	0-5	7	100.00%	-	-	-	-	9
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	Total		177	96.20%	4	2.17%	3	1.63%	184
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	
	Total		-	-	-	-	3	100.00%	3
Toronto East Health Network (TEGH01)	TEGH01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Toronto Gas Extraction (TORGE01)	TORGEWN1	0-5	2	100.00%	-	-	-	-	4
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	TORGEWS1	16+	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	
		Total	4	66.67%	-	-	2	33.33%	6
Toronto Hydro (TH123)	THFWLTR1	0-5	24	100.00%	-	-	-	-	25
		16+	-	-	-	-	1	100.00%	
		Total	24	96.00%	-	-	1	4.00%	
	THT21	0-5	5	100.00%	-	-	-	-	15
		16+	-	-	-	-	10	100.00%	
		Total	5	33.33%	-	-	10	66.67%	
	THT23	0-5	136	100.00%	-	-	-	-	205
		11-15	-	-	3	100.00%	-	-	
		6-10	66	100.00%	-	-	-	-	
		Total	202	98.54%	3	1.46%	-	-	
	THTE01	0-5	3,055	100.00%	-	-	-	-	4310
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	1,213	99.51%	6	0.49%	-	-	
		Total	4,268	99.03%	41	0.95%	1	0.02%	
	THTVE01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	THTW01N	0-5	2,097	100.00%	-	-	-	-	2450
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	10	90.91%	1	9.09%	
		6-10	329	98.80%	4	1.20%	-	-	
		Total	2,426	99.02%	23	0.94%	1	0.04%	
	THTW01S	0-5	1,930	100.00%	-	-	-	-	2492
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	523	98.87%	6	1.13%	-	-	
		Total	2,453	98.43%	39	1.57%	-	-	
	Total		9,378	98.74%	106	1.12%	14	0.15%	9,498
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	300	100.00%	-	-	-	-	521
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	207	100.00%	-	-	-	-	
		Total	507	97.31%	14	2.69%	-	-	
	TORTSE02	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Traffic Signals (TORTS01)	TORTSE02	6-10	74	100.00%	-	-	-	-	103
		Total	101	98.06%	2	1.94%	-	-	
	TORTSWN1	0-5	153	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	60	100.00%	-	-	-	-	
		Total	213	98.16%	4	1.84%	-	-	
	TORTSWN2	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	23	95.83%	1	4.17%	-	-	
	TORTSWS1	0-5	226	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	109	97.32%	3	2.68%	-	-	
		Total	335	95.44%	16	4.56%	-	-	
	TORTSWS2	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	92	97.87%	2	2.13%	-	-	
	Total		1,271	97.02%	39	2.98%	-	-	1,310
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	181	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	198	94.74%	8	3.83%	3	1.44%	
	Total		198	94.74%	8	3.83%	3	1.44%	209
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	355	100.00%	-	-	-	-	
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	7	23.33%	23	76.67%	
		6-10	40	90.91%	4	9.09%	-	-	
		Total	395	86.43%	39	8.53%	23	5.03%	
	Total		395	86.43%	39	8.53%	23	5.03%	457
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	403	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	406	99.75%	1	0.25%	-	-	
	Total		406	99.75%	1	0.25%	-	-	407
Toronto Water and Sewer (TORW123)	TORWE01	0-5	400	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	293	98.65%	4	1.35%	-	-	
		Total	693	97.33%	19	2.67%	-	-	
	TORWE02	0-5	103	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	112	100.00%	-	-	-	-	
		Total	215	97.73%	5	2.27%	-	-	
	TORWE03	0-5	5	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	
	TORWE04	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Water and Sewer (TORW123)	TORWE04	6-10	52	96.30%	2	3.70%	-	-	
		Total	138	96.50%	4	2.80%	1	0.70%	143
	TORWE05	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	35	94.59%	2	5.41%	-	-	37
	TORWE06	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	TORWE07	0-5	290	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	219	98.21%	4	1.79%	-	-	
		Total	509	97.14%	15	2.86%	-	-	524
	TORWW01	0-5	331	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	234	99.15%	2	0.85%	-	-	
		Total	565	95.76%	25	4.24%	-	-	590
	TORWW02	0-5	314	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	142	100.00%	-	-	-	-	
		Total	456	97.23%	13	2.77%	-	-	469
	TORWW04	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	95	96.94%	3	3.06%	-	-	98
	TORWW05	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	56	96.55%	2	3.45%	-	-	58
	TORWW06	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TORWWN03	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	TORWWN07	0-5	141	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	73	100.00%	-	-	-	-	
		Total	214	95.11%	10	4.44%	1	0.44%	225
	TORWWS03	0-5	13	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	TORWWS07	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	113	100.00%	-	-	-	-	
		Total	279	96.21%	11	3.79%	-	-	290

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Water and Sewer (TORW123)	Total		3,312	96.70%	111	3.24%	2	0.06%	3,425
Toronto, University Of (UTOR01)	UTOR01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	43	97.73%	1	2.27%	-	-	44
	Total		43	97.73%	1	2.27%	-	-	44
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	934	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	12	100.00%	-	-	-	-	
		Total	946	99.68%	-	-	3	0.32%	949
	Total		946	99.68%	-	-	3	0.32%	949
Transcanada Pipelines - North (TCP02)	TC04	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	16	69.57%	7	30.43%	-	-	23
	TC11	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	18	81.82%	4	18.18%	-	-	22
	Total		34	75.56%	11	24.44%	-	-	45
Trans-Northern Pipelines (TN01)	TN01	0-5	318	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	25	83.33%	5	16.67%	-	-	
		Total	343	97.17%	7	1.98%	3	0.85%	353
	TN03	0-5	47	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	52	98.11%	-	-	1	1.89%	53
	Total		395	97.29%	7	1.72%	4	0.99%	406
Trans-Northern Pipelines (TN02)	TN02	0-5	68	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	Total		74	100.00%	-	-	-	-	74
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	9	75.00%	3	25.00%	-	-	
		Total	41	85.42%	5	10.42%	2	4.17%	48
	Total		41	85.42%	5	10.42%	2	4.17%	48
Trent Lakes, Municipality Of (TRLW01)	TRLW01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	2	33.33%	2	33.33%	2	33.33%	6
	Total		2	33.33%	2	33.33%	2	33.33%	6
Trent University (TRENTU123)	TRENTU01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	4	50.00%	4	50.00%	-	-	8
	Total		4	50.00%	4	50.00%	-	-	8
Tribute Gas (MAGG01)	MAGG01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Tribute Gas (MAGG01)	MAGG01	6-10	1	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
		Total	6	85.71%	1	14.29%	-	-	7
Tuckersmith Communications (TCC01)	TCC01	0-5	314	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	318	99.07%	3	0.93%	-	-	321
		Total	318	99.07%	3	0.93%	-	-	321
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	4	100.00%	-	-	
		Total	7	50.00%	4	28.57%	3	21.43%	14
		Total	7	50.00%	4	28.57%	3	21.43%	14
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
University Health Network - Toronto General (UHNTG01)	UHNTG01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
University Health Network (UHN01)	UHN01	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
		Total	9	100.00%	-	-	-	-	9
University Of Western Ontario (UW01)	UW01	16+	-	-	-	-	60	100.00%	
		Total	-	-	-	-	60	100.00%	60
		Total	-	-	-	-	60	100.00%	60
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	14	100.00%	
		Total	-	-	-	-	14	100.00%	14
		Total	-	-	-	-	14	100.00%	14
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	10	43.48%	5	21.74%	8	34.78%	23
		Total	10	43.48%	5	21.74%	8	34.78%	23
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Utilities Kingston (UK123)	UK01	0-5	1	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	UK04	0-5	566	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	2	8.70%	21	91.30%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Utilities Kingston (UK123)	UK04	6-10	153	96.84%	5	3.16%	-	-	
		Total	719	95.11%	16	2.12%	21	2.78%	756
		Total	721	94.99%	17	2.24%	21	2.77%	759
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	151	98.05%	3	1.95%	
		Total	-	-	151	98.05%	3	1.95%	154
		Total	-	-	151	98.05%	3	1.95%	154
Vale Canada (VALE01)	VALE01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
		Total	19	100.00%	-	-	-	-	19
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	1,199	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	480	100.00%	-	-	-	-	
		Total	1,679	99.94%	1	0.06%	-	-	1680
		Total	1,679	99.94%	1	0.06%	-	-	1,680
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	3	100.00%	-	-	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
		Total	30	100.00%	-	-	-	-	30
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	399	100.00%	-	-	-	-	
		16+	-	-	32	100.00%	-	-	
		Total	399	92.58%	32	7.42%	-	-	431
		Total	399	92.58%	32	7.42%	-	-	431
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	723	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	56	93.33%	4	6.67%	-	-	
		Total	779	99.24%	6	0.76%	-	-	785
		Total	779	99.24%	6	0.76%	-	-	785
Videotron Senc (VDT1)	VDT1	0-5	226	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	98	100.00%	-	-	-	-	
		Total	324	95.29%	16	4.71%	-	-	340
		Total	324	95.29%	16	4.71%	-	-	340
Walker Environmental Group Inc (NWM01)	NWM01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	6	30.00%	14	70.00%	
		6-10	1	20.00%	4	80.00%	-	-	
		Total	9	23.68%	15	39.47%	14	36.84%	38
		Total	9	23.68%	15	39.47%	14	36.84%	38
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	210	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	213	100.00%	-	-	-	-	213
		Total	213	100.00%	-	-	-	-	213
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	184	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		6-10	8	57.14%	6	42.86%	-	-	
		Total	192	94.12%	6	2.94%	6	2.94%	204
		Total	192	94.12%	6	2.94%	6	2.94%	204

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	3	75.00%	1	25.00%	
		Total	-	-	3	75.00%	1	25.00%	4
	Total		-	-	3	75.00%	1	25.00%	4
Waste Management Canada (WMFM01)	WMFM01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	38	95.00%	2	5.00%	-	-	40
	Total		38	95.00%	2	5.00%	-	-	40
Waterloo Innovation Network 2 Inc (WINF03)	WINF03	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Waterloo, City Of (CW01)	CW01	0-5	763	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	40	100.00%	-	-	
		6-10	91	92.86%	7	7.14%	-	-	
		Total	854	94.05%	54	5.95%	-	-	908
	Total		854	94.05%	54	5.95%	-	-	908
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	80	98.77%	1	1.23%	-	-	81
	Total		80	98.77%	1	1.23%	-	-	81
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	162	100.00%	-	-	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	195	100.00%	-	-	-	-	195
	Total		195	100.00%	-	-	-	-	195
Waterloo, Region Of (RW02)	RW02	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	-	-	21	100.00%	
		6-10	53	94.64%	3	5.36%	-	-	
		Total	137	76.97%	20	11.24%	21	11.80%	178
	Total		137	76.97%	20	11.24%	21	11.80%	178
Waterloo, University Of (UWAT01)	UWAT01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	3	60.00%	-	-	2	40.00%	5
	Total		3	60.00%	-	-	2	40.00%	5
Wawa, Municipality Of (WAW01)	WAW01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	13	72.22%	3	16.67%	2	11.11%	18
	Total		13	72.22%	3	16.67%	2	11.11%	18
Welland Hydro (WLNDH01)	WLNDH01	0-5	389	100.00%	-	-	-	-	
		6-10	125	100.00%	-	-	-	-	
		Total	514	100.00%	-	-	-	-	514
	Total		514	100.00%	-	-	-	-	514

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Welland, City Of (WLD01)	WLD01	0-5	564	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	569	100.00%	-	-	-	-	
	Total		569	100.00%	-	-	-	-	569
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	41	97.62%	1	2.38%	-	-	
		Total	83	91.21%	1	1.10%	7	7.69%	
	Total		83	91.21%	1	1.10%	7	7.69%	91
Wellington North Power Inc (WNP01)	WNP01	0-5	103	100.00%	-	-	-	-	
		Total	103	100.00%	-	-	-	-	
	Total		103	100.00%	-	-	-	-	103
Wellington North, Township Of (WLG123)	WLG123	0-5	94	100.00%	-	-	-	-	
		Total	94	100.00%	-	-	-	-	
	Total		94	100.00%	-	-	-	-	94
Wellington, County Of (WLG123)	WLG123	0-5	1	100.00%	-	-	-	-	
		16+	-	-	18	75.00%	6	25.00%	
		Total	1	4.00%	18	72.00%	6	24.00%	
	Total		1	4.00%	18	72.00%	6	24.00%	25
West Elgin, Municipality Of (W005)	W005	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	29	100.00%	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	8	17.39%	4	8.70%	34	73.91%	
	Total		8	17.39%	4	8.70%	34	73.91%	46
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	11	61.11%	7	38.89%	-	-	
		Total	66	74.16%	22	24.72%	1	1.12%	
	Total		66	74.16%	22	24.72%	1	1.12%	89
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	14	100.00%	-	-	-	-	
		Total	38	90.48%	1	2.38%	3	7.14%	
	Total		38	90.48%	1	2.38%	3	7.14%	42
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	66	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	68	97.14%	1	1.43%	1	1.43%	
	Total		68	97.14%	1	1.43%	1	1.43%	70
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	14	100.00%	-	-	-	-	
		Total	36	92.31%	-	-	3	7.69%	
	WPTHWS01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	48	94.12%	-	-	3	5.88%	
	Total		84	93.33%	-	-	6	6.67%	90
West Windsor Power (WWP01)	WWP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Westario Power (WPOW01)	WPOW01	0-5	332	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	15	33.33%	30	66.67%	-	-	
		Total	347	90.60%	36	9.40%	-	-	
	Total		347	90.60%	36	9.40%	-	-	383
Westover Express Pipeline	WEX01	0-5	58	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	62	98.41%	1	1.59%	-	-	
	Total		62	98.41%	1	1.59%	-	-	63
Westport , Village Of (WPT01)	WPT01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	
	Total		19	100.00%	-	-	-	-	19
Whitby, Town Of (WHIT123)	WHITCB01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	9	90.00%	-	-	1	10.00%	
	WHITS01	0-5	144	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	144	98.63%	1	0.68%	1	0.68%	
	WHITSL01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	27	96.43%	1	3.57%	-	-	
		Total	81	93.10%	6	6.90%	-	-	
	Total		234	96.30%	7	2.88%	2	0.82%	243
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	169	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	178	100.00%	-	-	-	-	
	WCSTSL01	0-5	288	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	307	100.00%	-	-	-	-	
	WCSTW01	0-5	237	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
	Total		251	100.00%	-	-	-	-	251
	Total		736	100.00%	-	-	-	-	736
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	
	Total		-	-	-	-	12	100.00%	12
Wightman Telecom (WT123)	WT01	0-5	1,204	100.00%	-	-	-	-	
		11-15	-	-	244	100.00%	-	-	
		16+	-	-	21	5.97%	331	94.03%	
		6-10	302	70.56%	126	29.44%	-	-	
		Total	1,506	67.59%	391	17.55%	331	14.86%	
	Total		1,506	67.59%	391	17.55%	331	14.86%	2,228
Wilfrid Laurier University (WLU01)	WLU01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	6	54.55%	4	36.36%	1	9.09%	
	Total		6	54.55%	4	36.36%	1	9.09%	11
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	38	100.00%	
		Total	52	56.52%	-	-	40	43.48%	
	Total		52	56.52%	-	-	40	43.48%	92

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	502	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	209	100.00%	-	-	-	-	
		Total	711	99.86%	1	0.14%	-	-	
	Total		711	99.86%	1	0.14%	-	-	712
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	44	100.00%	-	-	-	-	
		6-10	90	100.00%	-	-	-	-	
		Total	134	100.00%	-	-	-	-	
	Total		134	100.00%	-	-	-	-	134
Windsor, City Of (EWINW01)	EWINW01	0-5	208	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	163	100.00%	-	-	-	-	
		Total	371	99.73%	-	-	1	0.27%	
	EWINW02	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	86	95.56%	4	4.44%	-	-	
	Total		457	98.92%	4	0.87%	1	0.22%	462
Windsor, City Of (WSRSL01)	WSRSL01	0-5	1,116	100.00%	-	-	-	-	
		6-10	259	99.62%	1	0.38%	-	-	
		Total	1,375	99.93%	1	0.07%	-	-	
	Total		1,375	99.93%	1	0.07%	-	-	1,376
Wingham & Listowel Hospitals (LWHA01)	LWHA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	341	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	351	100.00%	-	-	-	-	
	Total		351	100.00%	-	-	-	-	351
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	310	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	320	100.00%	-	-	-	-	
	Total		320	100.00%	-	-	-	-	320
Woolwich, Township Of (WLW01)	WLW01	0-5	294	100.00%	-	-	-	-	
		Total	294	100.00%	-	-	-	-	
	Total		294	100.00%	-	-	-	-	294
Wtc Communications (WTCCT01)	WTCCT01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	22	84.62%	4	15.38%	-	-	
		Total	97	84.35%	12	10.43%	6	5.22%	
	Total		97	84.35%	12	10.43%	6	5.22%	115
Xplore Inc	MTLF01	0-5	295	100.00%	-	-	-	-	
		6-10	48	100.00%	-	-	-	-	
		Total	343	100.00%	-	-	-	-	
	XPNET01	0-5	685	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	56	98.25%	1	1.75%	-	-	
		Total	741	98.54%	10	1.33%	1	0.13%	
	XPNET02	0-5	102	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	109	99.09%	1	0.91%	-	-	
	Total		1,193	99.00%	11	0.91%	1	0.08%	1,205

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Xstrata (GCX01)	GCX01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
York Region Water And Sewer (YRWS123)	YRWS01	0-5	627	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	39	100.00%	-	-	-	-	
		Total	666	99.85%	-	-	1	0.15%	667
	Total		666	99.85%	-	-	1	0.15%	667
York University (YORKU01)	YORKU01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	21	100.00%	
		Total	-	-	-	-	22	100.00%	22
	Total		-	-	-	-	22	100.00%	22
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	567	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	710	99.30%	5	0.70%	-	-	
		Total	1,277	94.87%	67	4.98%	2	0.15%	1346
	Total		1,277	94.87%	67	4.98%	2	0.15%	1,346
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	9	52.94%	8	47.06%	
		6-10	56	96.55%	2	3.45%	-	-	
		Total	140	83.83%	19	11.38%	8	4.79%	167
	ZAYOON02	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	8	40.00%	12	60.00%	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	43	62.32%	14	20.29%	12	17.39%	69
	ZAYOON03	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	5	16.13%	26	83.87%	
		6-10	18	90.00%	2	10.00%	-	-	
		Total	66	57.89%	22	19.30%	26	22.81%	114
	ZAYOON04	0-5	29	100.00%	-	-	-	-	
		6-10	14	77.78%	4	22.22%	-	-	
		Total	43	91.49%	4	8.51%	-	-	47
	ZAYOON05	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	24	66.67%	12	33.33%	-	-	
		Total	76	78.35%	21	21.65%	-	-	97
	ZAYOON06	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	20	86.96%	3	13.04%	-	-	23
	ZAYOON07	0-5	54	100.00%	-	-	-	-	
		6-10	48	81.36%	11	18.64%	-	-	
		Total	102	90.27%	11	9.73%	-	-	113
	ZAYOON08	0-5	62	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	33	91.67%	3	8.33%	-	-	
		Total	95	90.48%	10	9.52%	-	-	105

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Zayo Canada Inc (ZAYO123)	ZAYOON09	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	50.00%	3	50.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	15	65.22%	5	21.74%	3	13.04%	
	ZAYOON11	0-5	449	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	26	34.67%	49	65.33%	
		6-10	49	83.05%	10	16.95%	-	-	
		Total	498	83.28%	51	8.53%	49	8.19%	
	ZAYOON12	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	13	54.17%	9	37.50%	2	8.33%	
	Total		1,111	80.51%	169	12.25%	100	7.25%	1,380
	Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	119	100.00%	-	-	-	-
11-15			-	-	8	100.00%	-	-	
16+			-	-	35	94.59%	2	5.41%	
6-10			41	100.00%	-	-	-	-	
Total			160	78.05%	43	20.98%	2	0.98%	205
Total		160	78.05%	43	20.98%	2	0.98%	205	
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	46	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	
	Total		46	100.00%	-	-	-	-	46
Total			386,151	95.12%	15,697	3.87%	4,118	1.01%	405,966