

UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 Locate your organization

Find your organization name in the first column, listed alphabetically.

2 Find your master code

Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 Understand performance metrics

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report

The report includes data for standard and advanced locate requests.

Excluded in this report

Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2026-01-4 07:00:17

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.


UIO Performance Report



Report Period

2025-11-01

2025-11-30



On Time	191,900	93.83%
Late	10,291	5.03%
No 360 Response	2,325	1.14%
Total	204,516	

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
156 Columbia St Inc (COLBIA123)	COLB01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
1682468 Corp (168XPL01)	168XPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
170 Columbia Waterloo Incorporated (COLWAT01)	COLWAT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
180 Columbia Waterloo Incorporated (COLWAT02)	COLWAT02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
407 ETR (407ETR)	407ETR01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	1	33.33%	2	66.67%	
		Total	60	92.31%	1	1.54%	4	6.15%	65
	Total		60	92.31%	1	1.54%	4	6.15%	65
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	94	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	51	94.44%	3	5.56%	-	-	
	Total	145	96.03%	6	3.97%	-	-	151	
	HYTOS01	0-5	3	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
	Total	7	100.00%	-	-	-	-	7	
	HYTOW01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total		157	96.32%	6	3.68%	-	-	163	
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	16+	-	-	46	95.83%	2	4.17%	
		Total	-	-	46	95.83%	2	4.17%	48
	Total		-	-	46	95.83%	2	4.17%	48
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	75.00%	-	-	1	25.00%	4
	Total		3	75.00%	-	-	1	25.00%	4
Agilis (AGILF01)	AGILF01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Agilis (AGILF01)	AGILF01	6-10	8	53.33%	7	46.67%	-	-	
		Total	56	86.15%	7	10.77%	2	3.08%	65
	Total	56	86.15%	7	10.77%	2	3.08%	65	
Air Liquide Canada (AL01)	AL01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total	17	100.00%	-	-	-	-	17	
Air Products Canada (APC1)	APC1	0-5	6	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	Total	6	75.00%	2	25.00%	-	-	8	
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	63	95.45%	3	4.55%	-	-	
		Total	176	92.63%	14	7.37%	-	-	190
	Total	176	92.63%	14	7.37%	-	-	190	
Alectra Brampton (ALECBR01)	ALECBR01	0-5	979	100.00%	-	-	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	1,021	99.13%	9	0.87%	-	-	1030
	Total	1,021	99.13%	9	0.87%	-	-	1,030	
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	1,421	100.00%	-	-	-	-	
		11-15	-	-	52	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	368	96.34%	14	3.66%	-	-	
	Total	1,789	95.57%	83	4.43%	-	-	1872	
Total	1,789	95.57%	83	4.43%	-	-	1,872		
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	1,144	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	52	100.00%	-	-	
		6-10	152	98.06%	3	1.94%	-	-	
	Total	1,296	94.81%	71	5.19%	-	-	1367	
Total	1,296	94.81%	71	5.19%	-	-	1,367		
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	421	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	64	100.00%	-	-	-	-	
	Total	485	99.59%	2	0.41%	-	-	487	
Total	485	99.59%	2	0.41%	-	-	487		
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	1,722	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	251	100.00%	-	-	-	-	
	Total	1,973	99.20%	16	0.80%	-	-	1989	
	PSGN05	0-5	796	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	68	95.77%	3	4.23%	-	-	
		Total	864	99.08%	8	0.92%	-	-	872
Total		2,837	99.16%	24	0.84%	-	-	2,861	
Alectra Utilities (GHY01)	GHY01	0-5	235	100.00%	-	-	-	-	
		6-10	24	92.31%	2	7.69%	-	-	
	Total	259	99.23%	2	0.77%	-	-	261	
Total	259	99.23%	2	0.77%	-	-	261		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	Total	23	95.83%	1	4.17%	-	-	24	
Algoma Power (AGMP01)	AGMP01	0-5	789	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	791	100.00%	-	-	-	-	791
	Total	791	100.00%	-	-	-	-	791	
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	20.00%	8	80.00%	-	-	10
	Total	2	20.00%	8	80.00%	-	-	10	
Alpine Ski Club (ALPINE01)	ALPINE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
ALTECH FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	241	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	81	95.29%	4	4.71%	-	-	
		Total	322	95.55%	12	3.56%	3	0.89%	337
	Total	322	95.55%	12	3.56%	3	0.89%	337	
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Amherstburg Public Works (A005)	A005	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	144	99.31%	1	0.69%	-	-	145
	AMHTL01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	144	98.63%	1	0.68%	1	0.68%	146		
Apotex (APX2)	APX2	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total	5	83.33%	1	16.67%	-	-	6	
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Armstrong , Township Of (ARSG01)	ARSG01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	28	71.79%	11	28.21%	-	-	39
	Total	28	71.79%	11	28.21%	-	-	39	
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Arran-Ederslie, Township Of (ARELD01)	ARELD01	6-10	4	100.00%	-	-	-	-	
		Total	20	95.24%	1	4.76%	-	-	21
	Total	20	95.24%	1	4.76%	-	-	21	
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	3	75.00%	1	25.00%	4
	ACWWS01	16+	-	-	-	-	1	100.00%	
		6-10	-	-	2	100.00%	-	-	
Total	-	-	2	66.67%	1	33.33%	3		
Total	-	-	5	71.43%	2	28.57%	7		
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	1	33.33%	1	33.33%	1	33.33%	3	
Total	1	33.33%	1	33.33%	1	33.33%	3		
Atikokan Hydro (ATH01)	ATH01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	7	87.50%	1	12.50%	-	-	8	
Total	7	87.50%	1	12.50%	-	-	8		
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	7	87.50%	-	-	1	12.50%	8	
Total	7	87.50%	-	-	1	12.50%	8		
Aurora, Town Of (AURORA01)	AURORA01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	9	75.00%	3	25.00%	-	-	
	Total	56	72.73%	21	27.27%	-	-	77	
Total	56	72.73%	21	27.27%	-	-	77		
Avetria Networks Inc (ANF01)	ANF01	16+	-	-	-	-	15	100.00%	
		Total	-	-	-	-	15	100.00%	15
Total	-	-	-	-	15	100.00%	15		
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	25	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	26	100.00%	-	-	-	-	26	
Total	26	100.00%	-	-	-	-	26		
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	23	92.00%	1	4.00%	1	4.00%	25	
	OCWA01	0-5	1	100.00%	-	-	-	-	
Total	1	100.00%	-	-	-	-	1		
Total	24	92.31%	1	3.85%	1	3.85%	26		
Bancroft, Town Of (BNCF01)	BNCF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
Total	-	-	-	-	3	100.00%	3		
Barrie, City Of (BARR01)	BARR01	0-5	958	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	132	95.65%	6	4.35%	-	-	
	Total	1,090	99.09%	10	0.91%	-	-	1100	
Total	1,090	99.09%	10	0.91%	-	-	1,100		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bayham, Municipality Of (BYH01)	BYH01	0-5	9	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	Total		9	90.00%	1	10.00%	-	-	10
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	194	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	378	100.00%	-	-	-	-	
		Total	572	98.96%	5	0.87%	1	0.17%	578
	Total		572	98.96%	5	0.87%	1	0.17%	578
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	208	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	283	100.00%	-	-	-	-	
	Total	491	99.39%	-	-	3	0.61%	494	
Total		491	99.39%	-	-	3	0.61%	494	
Bell Canada Damage Prevention (BC01)	360GTA	0-5	284	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	46	100.00%	-	-	-	-	
		Total	330	98.51%	5	1.49%	-	-	335
	360N	0-5	52	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	53	98.15%	1	1.85%	-	-	54
	360N01	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	203	98.54%	3	1.46%	-	-	206
	360OTT	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	39	97.50%	1	2.50%	-	-	40	
	BC80701	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	29	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	88	71.54%	35	28.46%	-	-	123	
	BC80703	0-5	8	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		Total	8	42.11%	11	57.89%	-	-	19
	BCGE01	0-5	2,011	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	347	96.12%	14	3.88%	-	-	
		Total	2,358	98.09%	45	1.87%	1	0.04%	2404
BCGN01	0-5	2,565	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	16+	-	-	8	72.73%	3	27.27%		
	6-10	264	99.25%	2	0.75%	-	-		
	Total	2,829	99.33%	16	0.56%	3	0.11%	2848	
BCGN02	0-5	1,473	100.00%	-	-	-	-		
	11-15	-	-	141	100.00%	-	-		
	16+	-	-	40	100.00%	-	-		
	6-10	122	69.32%	54	30.68%	-	-		
	Total	1,595	87.16%	235	12.84%	-	-	1830	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCGTAA01	0-5	13	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	BCGW01	0-5	2,264	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	26	86.67%	4	13.33%	
		6-10	319	98.15%	6	1.85%	-	-	
		Total	2,583	96.42%	92	3.43%	4	0.15%	2679
	BCGW02	0-5	565	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	101	97.12%	3	2.88%	-	-	
		Total	666	97.80%	13	1.91%	2	0.29%	681
	BCHN01	0-5	4,512	100.00%	-	-	-	-	
		11-15	-	-	128	100.00%	-	-	
		16+	-	-	94	98.95%	1	1.05%	
		6-10	655	90.59%	68	9.41%	-	-	
		Total	5,167	94.67%	290	5.31%	1	0.02%	5458
	BCOE01	0-5	4,222	100.00%	-	-	-	-	
		11-15	-	-	36	100.00%	-	-	
		16+	-	-	17	100.00%	-	-	
		6-10	780	98.36%	13	1.64%	-	-	
		Total	5,002	98.70%	66	1.30%	-	-	5068
	BCONE01	0-5	1,031	100.00%	-	-	-	-	
		11-15	-	-	165	100.00%	-	-	
		16+	-	-	137	99.28%	1	0.72%	
		6-10	207	86.61%	32	13.39%	-	-	
		Total	1,238	78.70%	334	21.23%	1	0.06%	1573
	BCONW01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
16+		-	-	13	100.00%	-	-		
Total		16	53.33%	14	46.67%	-	-	30	
BCONW02	0-5	10	100.00%	-	-	-	-		
	16+	-	-	5	100.00%	-	-		
	Total	10	66.67%	5	33.33%	-	-	15	
BCOS01	0-5	3,444	100.00%	-	-	-	-		
	11-15	-	-	80	100.00%	-	-		
	16+	-	-	33	97.06%	1	2.94%		
	6-10	722	95.88%	31	4.12%	-	-		
	Total	4,166	96.64%	144	3.34%	1	0.02%	4311	
BCOW01	0-5	4,878	100.00%	-	-	-	-		
	11-15	-	-	20	100.00%	-	-		
	16+	-	-	4	80.00%	1	20.00%		
	6-10	549	97.34%	15	2.66%	-	-		
	Total	5,427	99.27%	39	0.71%	1	0.02%	5467	
BCTE01	0-5	2,089	100.00%	-	-	-	-		
	11-15	-	-	27	100.00%	-	-		
	16+	-	-	30	93.75%	2	6.25%		
	6-10	338	98.54%	5	1.46%	-	-		
	Total	2,427	97.43%	62	2.49%	2	0.08%	2491	
BCTW01N	0-5	1,042	100.00%	-	-	-	-		
	11-15	-	-	1	50.00%	1	50.00%		
	16+	-	-	2	40.00%	3	60.00%		
	6-10	171	100.00%	-	-	-	-		
	Total	1,213	99.43%	3	0.25%	4	0.33%	1220	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCTW01S	0-5	1,077	100.00%	-	-	-	-	
		11-15	-	-	92	100.00%	-	-	
		16+	-	-	65	95.59%	3	4.41%	
		6-10	138	79.77%	35	20.23%	-	-	
	Total		1,215	86.17%	192	13.62%	3	0.21%	1410
	BFTHTOR2	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	15	100.00%	
Total		-	-	-	-	16	100.00%	16	
Total		36,649	95.70%	1,606	4.19%	39	0.10%	38,294	
Belleville , City Of (BLV01)	BLV01	0-5	110	100.00%	-	-	-	-	
		Total	110	100.00%	-	-	-	-	110
	Total		110	100.00%	-	-	-	-	110
Billings , Township Of (BLGWS01)	BLGWS01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Birch Hill Telecom (BHTI01)	BHTI01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	60	96.77%	2	3.23%	-	-	62
	Total		60	96.77%	2	3.23%	-	-	62
Blackriver Matheson, Township Of (BRMS01)	BRMS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Blind River , Town Of (BLR01)	BLR01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
	Total		3	75.00%	-	-	1	25.00%	4
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	4	44.44%	-	-	5	55.56%	9
	Total		4	44.44%	-	-	5	55.56%	9
Blue Mountain Village Association (BMVA01)	BMVA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	57	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	Total		73	100.00%	-	-	-	-	73
Bluewater Power (S003)	S003	0-5	301	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	53	96.36%	2	3.64%	-	-	
		Total	354	99.16%	3	0.84%	-	-	357
	Total		354	99.16%	3	0.84%	-	-	357
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	35	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
	Total		55	100.00%	-	-	-	-	55

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Bluewater, Municipality Of (BLW01)	BLW01	0-5	26	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	12	85.71%	-	-	2	14.29%	14
	Total		12	85.71%	-	-	2	14.29%	14
Boralex (BOR123)	BORWF02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BORWF05	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	BORWF08	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BORWF09	0-5	1	100.00%	-	-	-	-	
Total		1	100.00%	-	-	-	-	1	
Total		8	100.00%	-	-	-	-	8	
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	Total		16	94.12%	1	5.88%	-	-	17
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	30	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	BFWGSS01	0-5	35	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	BFWGW01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	54	94.74%	3	5.26%	-	-	57
Total		131	97.76%	3	2.24%	-	-	134	
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	62	100.00%	-	-	
		16+	-	-	2	15.38%	11	84.62%	
		6-10	75	80.65%	18	19.35%	-	-	
	Total	98	51.31%	82	42.93%	11	5.76%	191	
Total		98	51.31%	82	42.93%	11	5.76%	191	
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	105	97.22%	3	2.78%	
		16+	-	-	2	7.14%	26	92.86%	
		6-10	179	85.24%	31	14.76%	-	-	
	Total	256	60.52%	138	32.62%	29	6.86%	423	
Total		256	60.52%	138	32.62%	29	6.86%	423	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brant Community Healthcare System (BCHSYS01)	BCHSYS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Brant, County Of - Fibre (BRNTF01)	BRNTF01	16+	-	-	6	100.00%	-	-	
		Total	-	-	6	100.00%	-	-	6
	Total		-	-	6	100.00%	-	-	6
Brant, County Of (BRNT01)	BRNT01	0-5	151	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	152	100.00%	-	-	-	-	152
	Total		152	100.00%	-	-	-	-	152
Brantford, The City Of (BRAS01)	BRAS01	0-5	129	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	58	100.00%	-	-	-	-	
	Total	187	99.47%	1	0.53%	-	-	188	
Total		187	99.47%	1	0.53%	-	-	188	
Brantford, The City Of (BRASL01)	BRASL01	0-5	168	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
	Total	193	99.48%	1	0.52%	-	-	194	
Total		193	99.48%	1	0.52%	-	-	194	
Brantford, The City Of (BRATL01)	BRATL01	0-5	12	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	22	100.00%	-	-	-	-	22	
Total		22	100.00%	-	-	-	-	22	
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	113	96.58%	4	3.42%	-	-	117	
Total		113	96.58%	4	3.42%	-	-	117	
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	17	85.00%	3	15.00%	-	-	20	
Total		17	85.00%	3	15.00%	-	-	20	
Brock , Township Of (BRCK01)	BRCK01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	22	95.65%	-	-	1	4.35%	23	
Total		22	95.65%	-	-	1	4.35%	23	
Brock University (BROCKU01)	BROCKU01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Brockville, City Of (BRKV01)	BRKV01	0-5	73	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	73	94.81%	1	1.30%	3	3.90%	77	
Total		73	94.81%	1	1.30%	3	3.90%	77	
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brooke Telecom (B004)	B004	0-5	24	100.00%	-	-	-	-	
		16+	-	-	64	98.46%	1	1.54%	
		Total	24	26.97%	64	71.91%	1	1.12%	89
	Total								89
Bruce , County Of (BRC01)	BRC01	0-5	117	100.00%	-	-	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	164	100.00%	-	-	-	-	164
	Total								164
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
	Total	11	84.62%	-	-	2	15.38%	13	
Total								13	
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total								7
Bruce Telecom (BTL01)	BTL01	0-5	231	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	30	96.77%	1	3.23%	-	-	
		Total	261	98.49%	3	1.13%	1	0.38%	265
	Total								265
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total								2
Burlington Hydro (BH01)	BH01	0-5	579	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	105	100.00%	-	-	-	-	
		Total	684	99.85%	1	0.15%	-	-	685
	Total								685
Burlington, City Of (BRL123)	BRLSL01	0-5	308	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	316	100.00%	-	-	-	-	316
	BRLSS01	0-5	231	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	237	100.00%	-	-	-	-	237
	BRLTS01	0-5	21	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total								578
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	30	90.91%	3	9.09%	-	-	
	Total	79	84.95%	14	15.05%	-	-	93	
Total								93	
Callander, Municipality Of (CLN01)	CLN01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total								5
Cambridge, City Of (CAM123)	CAMS01	0-5	136	100.00%	-	-	-	-	
		Total	136	100.00%	-	-	-	-	136
	CAMW01	0-5	122	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cambridge, City Of (CAM123)	CAMW01	6-10	11	100.00%	-	-	-	-	
		Total	133	100.00%	-	-	-	-	133
	Total		269	100.00%	-	-	-	-	269
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Canadian Niagara Power (CNP01)	CNP01	0-5	267	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	314	99.68%	1	0.32%	-	-	315
	Total		314	99.68%	1	0.32%	-	-	315
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	129	100.00%	
		Total	-	-	-	-	131	100.00%	131
	Total		-	-	-	-	131	100.00%	131
Canderel Management Inc (FRGCE01)	FRGCE01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	66	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	Total		76	100.00%	-	-	-	-	76
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	7	87.50%	-	-	1	12.50%	8
	Total		7	87.50%	-	-	1	12.50%	8
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Cedar Point li Wind Farm (CP2WF01)	CP2WF01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Celerity Telecom Inc (CTI01)	CTI01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	60.00%	-	-	2	40.00%	5
	Total		3	60.00%	-	-	2	40.00%	5
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	Total		4	80.00%	1	20.00%	-	-	5
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	78	95.12%	4	4.88%	-	-	82
	Total		78	95.12%	4	4.88%	-	-	82
Central Frontenac , Township Of (CFS01)	CFS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Central Huron, Municipality Of (CHW01)	CHW01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Central Huron, Municipality Of (CHW01)	CHW01	6-10	1	100.00%	-	-	-	-	
		Total	17	94.44%	-	-	1	5.56%	18
	Total		17	94.44%	-	-	1	5.56%	18
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Centre Wellington Communications (CWC01)	CWC01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Centre Wellington Hydro (CWH01)	CWH01	0-5	43	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
	Total		43	100.00%	-	-	-	-	43
Centre Wellington, Township Of (CTW01)	CTW01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	8	72.73%	3	27.27%	-	-	
		Total	55	79.71%	14	20.29%	-	-	69
	Total		55	79.71%	14	20.29%	-	-	69
Century Link (LVL3)	LVL3	0-5	247	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	247	98.02%	5	1.98%	-	-	252
	Total		247	98.02%	5	1.98%	-	-	252
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	5	62.50%	2	25.00%	1	12.50%	8
	CHPLSL01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	12	92.31%	-	-	1	7.69%	13
	CHPLSS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	4	66.67%	1	16.67%	1	16.67%	6
	CHPLW01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	13	81.25%	2	12.50%	1	6.25%	16
Total		34	79.07%	5	11.63%	4	9.30%	43	
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	1	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	6	100.00%	-	-	-	-	6	
Total		6	100.00%	-	-	-	-	6	
Chatham Kent Health Alliance (CKHA01)	CKHA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	96	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	48	92.31%	4	7.69%	-	-	
		Total	144	87.80%	18	10.98%	2	1.22%	164
	CKPUC02	0-5	159	100.00%	-	-	-	-	
		16+	-	-	-	-	14	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Chatham Kent PUC (CKPUC123)	CKPUC02	6-10	86	94.51%	5	5.49%	-	-	
		Total	245	92.80%	5	1.89%	14	5.30%	264
	CKPUC03	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	-	-	20	100.00%	
		Total	55	88.71%	7	11.29%	-	-	146
	Total		490	85.37%	48	8.36%	36	6.27%	574
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	34	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	35	100.00%	-	-	-	-	35	
	Total		35	100.00%	-	-	-	-	35
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	17	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	17	94.44%	1	5.56%	-	-	18	
	Total		17	94.44%	1	5.56%	-	-	18
Chatsworth, Township Of (CTS01)	CTS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
	Total		4	100.00%	-	-	-	-	4
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	3	100.00%	-	-	
	Total	2	11.76%	11	64.71%	4	23.53%	17	
Total		2	11.76%	11	64.71%	4	23.53%	17	
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
	Total	8	72.73%	2	18.18%	1	9.09%	11	
Total		8	72.73%	2	18.18%	1	9.09%	11	
Cik Telecom (CIKT01)	CIKT01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		6-10	1	20.00%	4	80.00%	-	-	
	Total	5	38.46%	6	46.15%	2	15.38%	13	
Total		5	38.46%	6	46.15%	2	15.38%	13	
City Of Woodstock Street Light & Traffic Signals Wdsltl01 (WDSLTL01)	WDSLTL01	0-5	92	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	93	100.00%	-	-	-	-	93	
	Total		93	100.00%	-	-	-	-	93
Ckpw Chatham Township Garage (CK08)	CK08	0-5	45	100.00%	-	-	-	-	
		6-10	9	69.23%	4	30.77%	-	-	
	Total	54	93.10%	4	6.90%	-	-	58	
	Total		54	93.10%	4	6.90%	-	-	58
Ckpw Chatham Water Garage (CK01)	CK01	0-5	129	100.00%	-	-	-	-	
		6-10	22	42.31%	30	57.69%	-	-	
	Total	151	83.43%	30	16.57%	-	-	181	
	Total		151	83.43%	30	16.57%	-	-	181
Ckpw Dover Township Garage (CK06)	CK06	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ckpw Dover Township Garage (CK06)	CK06	6-10	12	85.71%	2	14.29%	-	-	
		Total	34	89.47%	4	10.53%	-	-	38
	Total	34	89.47%	4	10.53%	-	-	38	
Ckpw Kent Centre Garage (CK03)	CK03	0-5	126	100.00%	-	-	-	-	
		Total	126	100.00%	-	-	-	-	126
	Total	126	100.00%	-	-	-	-	126	
Ckpw Raleigh Garage (CK04)	CK04	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	49	98.00%	1	2.00%	-	-	50
	Total	49	98.00%	1	2.00%	-	-	50	
Ckpw Thamesville Garage (CK09)	CK09	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total	19	100.00%	-	-	-	-	19	
Ckpw Tilbury East Garage (CK05)	CK05	0-5	60	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	66	97.06%	1	1.47%	1	1.47%	68
	Total	66	97.06%	1	1.47%	1	1.47%	68	
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	36	100.00%	-	-	-	-	
		6-10	7	58.33%	5	41.67%	-	-	
		Total	43	89.58%	5	10.42%	-	-	48
	Total	43	89.58%	5	10.42%	-	-	48	
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	36	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total	36	100.00%	-	-	-	-	36	
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	94	100.00%	-	-	-	-	
		Total	94	100.00%	-	-	-	-	94
	CLRGSS01	0-5	38	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
Total	132	100.00%	-	-	-	-	132		
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	100.00%	-	-	-	-	
	Total	12	70.59%	3	17.65%	2	11.76%	17	
Total	12	70.59%	3	17.65%	2	11.76%	17		
Clearview, Township Of (CLRV01)	CLRV01	0-5	32	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	34	94.44%	2	5.56%	-	-	36
	Total	34	94.44%	2	5.56%	-	-	36	
CLI FOR KITCHENER, CITY OF - ELECTRIC (KITE01)	KITE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Cobourg, Town Of (CBRG123)	CBRGS01	0-5	79	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
	Total	79	100.00%	-	-	-	-	79	
Cochrane Telecom Services (CCT01)	CCT01	0-5	7	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total	10	100.00%	-	-	-	-	10	
Cochrane, Town Of (COCRAN01)	COCRAN01	11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cochrane, Town Of (COCRAN01)	COCRAN01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	3	50.00%	3	50.00%	6
	Total		-	-	3	50.00%	3	50.00%	6
Cogeco Cable Canada (CBT1)	CBT1	0-5	621	100.00%	-	-	-	-	
		11-15	-	-	124	99.20%	1	0.80%	
		16+	-	-	36	69.23%	16	30.77%	
		6-10	398	90.25%	43	9.75%	-	-	
		Total	1,019	82.24%	203	16.38%	17	1.37%	1239
	Total		1,019	82.24%	203	16.38%	17	1.37%	1,239
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	871	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	11	91.67%	1	8.33%	
		6-10	270	98.54%	4	1.46%	-	-	
		Total	1,141	97.86%	24	2.06%	1	0.09%	1166
	Total		1,141	97.86%	24	2.06%	1	0.09%	1,166
Cogeco Cable Canada (CPVS2)	CBT2	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	16	76.19%	5	23.81%	
		6-10	49	94.23%	3	5.77%	-	-	
		Total	175	84.95%	26	12.62%	5	2.43%	206
	CPVS2	0-5	218	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		16+	-	-	15	100.00%	-	-	
		6-10	81	97.59%	2	2.41%	-	-	
		Total	299	93.44%	20	6.25%	1	0.31%	320
Total		474	90.11%	46	8.75%	6	1.14%	526	
Cogeco Connexion	COGOW02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Cogeco Connexion North East (CCNE123)	COGE01	0-5	602	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	639	99.84%	1	0.16%	-	-	640
	COOE01	0-5	437	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
	Total	457	99.78%	1	0.22%	-	-	458	
	COONE01	0-5	155	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
6-10		28	96.55%	1	3.45%	-	-		
Total	183	97.86%	4	2.14%	-	-	187		
Total		1,279	99.53%	6	0.47%	-	-	1,285	
Cogeco Connexion Southwest (CC01)	COC01	0-5	226	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	67	72.04%	26	27.96%	-	-	
		Total	293	85.17%	50	14.53%	1	0.29%	344
	COE01	0-5	458	100.00%	-	-	-	-	
		11-15	-	-	22	73.33%	8	26.67%	
		16+	-	-	18	75.00%	6	25.00%	
		6-10	218	98.20%	4	1.80%	-	-	
		Total	676	92.10%	44	5.99%	14	1.91%	734

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Cogeco Connexion Southwest (CC01)	COL01	0-5	234	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	76	98.70%	1	1.30%	-	-	
		Total	310	98.73%	4	1.27%	-	-	314
Total			1,279	91.88%	98	7.04%	15	1.08%	1,392
Collingwood Public Utilities (COLL123)	COLLS01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	2	33.33%	4	66.67%	-	-	
	Total	44	69.84%	8	12.70%	11	17.46%	63	
	COLLW01	0-5	45	100.00%	-	-	-	-	
		6-10	19	70.37%	8	29.63%	-	-	
		Total	64	88.89%	8	11.11%	-	-	72
Total			108	80.00%	16	11.85%	11	8.15%	135
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	3	
Communicate Freely (CFF01)	CFF01	0-5	41	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
		Total	41	100.00%	-	-	-	-	41
COMMUNITY FIBRE COMPANY (CFC01)	CFC01	16+	-	-	10	35.71%	18	64.29%	
		Total	-	-	10	35.71%	18	64.29%	28
		Total	-	-	10	35.71%	18	64.29%	28
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	18	100.00%	-	-	-	-	
		6-10	10	47.62%	11	52.38%	-	-	
		Total	28	71.79%	11	28.21%	-	-	39
	Total	28	71.79%	11	28.21%	-	-	39	
Cornwall , City Of (CRWL123)	CRWLSL01	0-5	56	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	57	96.61%	2	3.39%	-	-	59
	CRWLTS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
Total	65	97.01%	2	2.99%	-	-	67		
Cornwall Electric (CE01)	CE01	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	14	82.35%	3	17.65%	-	-	
		Total	180	94.74%	8	4.21%	2	1.05%	190
		Total	180	94.74%	8	4.21%	2	1.05%	190
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	97	100.00%	-	-	-	-	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	100	98.04%	2	1.96%	-	-	102
Total	100	98.04%	2	1.96%	-	-	102		
Craigleith Ski Club (CGLSC01)	CGLSC01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total	7	87.50%	1	12.50%	-	-	8	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	173	100.00%	-	-	-	-	
		16+	-	-	2	28.57%	5	71.43%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	177	95.68%	3	1.62%	5	2.70%	185
Total			177	95.68%	3	1.62%	5	2.70%	185
Dbi Services (DBIS01)	DBIS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
Total			5	83.33%	1	16.67%	-	6	
Deep River , Town Of (DRI01)	DRI01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
		Total	-	-	-	-	6	100.00%	6
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			4	100.00%	-	-	-	4	
Dotto One (DTONF01)	DTONF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Douro-Dummer, Township Of (DRODUM01)	DRODUM01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	3
Dover Coast (DCW01)	DCW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Dryden, City Of (DRYD01)	DRYD01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	14	87.50%	2	12.50%	-	-	16
Total			14	87.50%	2	12.50%	-	16	
Dubreuville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	3	75.00%	1	25.00%	
		Total	-	-	3	75.00%	1	25.00%	4
		Total	-	-	3	75.00%	1	25.00%	4
Dufferin County (DFRN01)	DFRN01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	19	95.00%	1	5.00%	-	-	20
		Total	19	95.00%	1	5.00%	-	-	20
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
Total			1	50.00%	1	50.00%	-	2	
Durham One Net	DON01	0-5	180	100.00%	-	-	-	-	
		6-10	67	100.00%	-	-	-	-	
		Total	247	100.00%	-	-	-	-	247
		Total	247	100.00%	-	-	-	-	247
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	361	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	365	99.73%	1	0.27%	-	-	366

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Durham Region Water And Sewer (DURWS123)	DURWS02	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		6-10	161	81.73%	36	18.27%	-	-	
		Total	215	80.52%	52	19.48%	-	-	
	DURWS03	0-5	119	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	120	100.00%	-	-	-	-	
	DURWS04	0-5	46	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	
	DURWS05	0-5	22	100.00%	-	-	-	-	
Total		22	100.00%	-	-	-	-	22	
Total			768	93.54%	53	6.46%	-	-	821
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	89	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	35	87.50%	5	12.50%	-	-	
		Total	124	91.18%	12	8.82%	-	-	
	Total			124	91.18%	12	8.82%	-	-
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	33	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	34	94.44%	2	5.56%	-	-	
	Total			34	94.44%	2	5.56%	-	-
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	
	Total			-	-	-	5	100.00%	5
E L K Energy Inc (E001)	E001	0-5	71	100.00%	-	-	-	-	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	73	96.05%	3	3.95%	-	-	
	Total			73	96.05%	3	3.95%	-	-
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total			1	100.00%	-	-	-	-
East Durham Wind Energy Centre (EDWWF01)	EDWWF01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	
	Total			-	-	1	100.00%	-	-
East Garafraxa , Township Of (EGXWS01)	EGXWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total			3	100.00%	-	-	-	-
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	41	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	
	EGWLSS01	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	
	EGWLW01	0-5	36	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	
	EGWLWW01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
Total			131	100.00%	-	-	-	-	131
East Hawkesbury, Township Of (EHWKB01)	EHWKB01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total			-	-	-	2	100.00%	2
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	6-10	1	100.00%	-	-	-	-	
		Total	12	92.31%	-	-	1	7.69%	13
	Total		12	92.31%	-	-	1	7.69%	13
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	16	100.00%	-	-	
		Total	27	62.79%	16	37.21%	-	-	43
	Total		27	62.79%	16	37.21%	-	-	43
Eastern Ontario Power (EOP01)	EOP01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	37.50%	5	62.50%	-	-	
		Total	15	68.18%	6	27.27%	1	4.55%	22
	Total		15	68.18%	6	27.27%	1	4.55%	22
Eastlink (EL123)	ELGE01	0-5	60	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	62	100.00%	-	-	-	-	62
	ELGN02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ELOE01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	38	77.55%	8	16.33%	3	6.12%	49
	ELOE02	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	50.00%	4	50.00%	-	-	
		Total	86	94.51%	5	5.49%	-	-	91
	ELONE01	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	82.35%	3	17.65%	-	-	
		Total	147	97.35%	4	2.65%	-	-	151
	ELONE03	0-5	9	100.00%	-	-	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	9	75.00%	3	25.00%	-	-	12
	ELONE04	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	20	86.96%	3	13.04%	-	-	23
	ELONE05	0-5	16	100.00%	-	-	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	25	96.15%	1	3.85%	-	-	26
	ELONE06	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	ELONE07	0-5	7	100.00%	-	-	-	-	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	12	80.00%	3	20.00%	-	-	15
ELONE09	0-5	1	100.00%	-	-	-	-		
	6-10	1	50.00%	1	50.00%	-	-		
	Total	2	66.67%	1	33.33%	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELOS01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	43	93.48%	3	6.52%	-	-	46
	ELOS02	0-5	61	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	ELOW01	0-5	100	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	116	98.31%	2	1.69%	-	-	118
	ELOW02	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	85	94.44%	5	5.56%	-	-	90
	ELOW03	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	12	85.71%	2	14.29%	-	-	
		Total	145	96.67%	5	3.33%	-	-	150
	ELOW04	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	10	66.67%	5	33.33%	-	-	
		Total	82	84.54%	14	14.43%	1	1.03%	97
	ELOW05	0-5	276	100.00%	-	-	-	-	
		6-10	49	90.74%	5	9.26%	-	-	
		Total	325	98.48%	5	1.52%	-	-	330
ELOW06	0-5	56	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	11	100.00%	-	-	-	-		
	Total	67	95.71%	2	2.86%	1	1.43%	70	
ELOW07	0-5	37	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	2	13.33%	13	86.67%	-	-		
	Total	39	72.22%	15	27.78%	-	-	54	
ELOW08	0-5	5	100.00%	-	-	-	-		
	Total	5	100.00%	-	-	-	-	5	
MKDLC01	0-5	15	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	4	44.44%	5	55.56%	-	-		
	Total	19	73.08%	7	26.92%	-	-	26	
Total		1,414	93.95%	86	5.71%	5	0.33%	1,505	
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	19	86.36%	3	13.64%	-	-	22
Total		19	86.36%	3	13.64%	-	-	22	
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	424	100.00%	-	-	-	-	
		6-10	60	100.00%	-	-	-	-	
		Total	484	100.00%	-	-	-	-	484
	ETNF02	0-5	35	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ehtel Networks Inc (ETNF01)	ETNF02	6-10	4	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	SFNF01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		527	100.00%	-	-	-	-	527
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		6-10	65	97.01%	2	2.99%	-	-	
		Total	148	90.80%	15	9.20%	-	-	163
	ELX02	0-5	165	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	153	96.84%	5	3.16%	-	-	336
	ELX03	0-5	117	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	150	97.40%	4	2.60%	-	-	154
	ELX04	0-5	126	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	16	100.00%	-	-	-	-	
		Total	142	99.30%	-	-	1	0.70%	143
	ELXGE01	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	80	98.77%	1	1.23%	-	-	81
	ELXGE02	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	55	98.21%	1	1.79%	-	-	56
	ELXONE01	0-5	39	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	ELXWHGE1	0-5	196	100.00%	-	-	-	-	
16+		-	-	1	100.00%	-	-		
6-10		75	98.68%	1	1.32%	-	-		
Total		271	99.27%	2	0.73%	-	-	273	
Total		1,203	96.63%	41	3.29%	1	0.08%	1,245	
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	4	100.00%	
	Total	-	-	-	-	6	100.00%	6	
	Total		-	-	-	6	100.00%	6	
Elgin, County Of (ELGNE01)	ELGNE01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	21	87.50%	2	8.33%	1	4.17%	24
	Total		21	87.50%	2	8.33%	1	4.17%	24
Emo , Township Of (EMOWS01)	EMOWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	4	100.00%	-	-	-	-	6
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	
	ENNEBGW1	0-5	17	100.00%	-	-	-	-	19
		6-10	2	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	
	ENNEBOE1	0-5	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	
	Total			28	96.55%	1	3.45%	-	-
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	21	100.00%	-	-	-	-	54
		11-15	-	-	3	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	51	94.44%	3	5.56%	-	-	
	ENVMGN01	0-5	35	100.00%	-	-	-	-	83
		16+	-	-	1	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	82	98.80%	1	1.20%	-	-	
	ENVMGN02	0-5	50	100.00%	-	-	-	-	64
		16+	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	63	98.44%	1	1.56%	-	-	
	ENVMGW0 1	0-5	35	100.00%	-	-	-	-	101
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	82	81.19%	19	18.81%	-	-	
	ENVMGW0 2	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	ENVMHN01	0-5	14	100.00%	-	-	-	-	17
		6-10	3	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	
	ENVMOE01	0-5	32	100.00%	-	-	-	-	79
		11-15	-	-	6	100.00%	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	73	92.41%	6	7.59%	-	-	
	ENVMTE01	0-5	36	100.00%	-	-	-	-	117
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	69	98.57%	1	1.43%	-	-	
		Total	105	89.74%	12	10.26%	-	-	
ENVMTW1 N	0-5	31	100.00%	-	-	-	-	71	
	11-15	-	-	1	100.00%	-	-		
	6-10	39	100.00%	-	-	-	-		
	Total	70	98.59%	1	1.41%	-	-		
ENVMTW1S	0-5	16	100.00%	-	-	-	-	80	
	11-15	-	-	16	100.00%	-	-		
	16+	-	-	15	100.00%	-	-		
	6-10	28	84.85%	5	15.15%	-	-		
	Total	44	55.00%	36	45.00%	-	-		
Total			589	88.17%	79	11.83%	-	-	668
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	1,803	100.00%	-	-	-	-	
		11-15	-	-	193	100.00%	-	-	
		16+	-	-	174	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	6-10	853	90.46%	90	9.54%	-	-	
		Total	2,656	85.32%	457	14.68%	-	-	3113
	EN2OE01	0-5	753	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	382	98.45%	6	1.55%	-	-	
		Total	1,135	97.93%	24	2.07%	-	-	1159
	ENONE01	0-5	908	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	223	96.54%	8	3.46%	-	-	
	Total	1,131	98.35%	19	1.65%	-	-	1150	
	ENONW01	0-5	401	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	101	95.28%	5	4.72%	-	-	
	Total	502	97.29%	14	2.71%	-	-	516	
	ENOS01	0-5	2,555	100.00%	-	-	-	-	
		11-15	-	-	86	100.00%	-	-	
		16+	-	-	38	100.00%	-	-	
		6-10	1,146	94.87%	62	5.13%	-	-	
	Total	3,701	95.21%	186	4.79%	-	-	3887	
	ENOW01	0-5	2,868	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	770	98.59%	11	1.41%	-	-	
	Total	3,638	99.16%	31	0.84%	-	-	3669	
	Total			12,763	94.58%	731	5.42%	-	-
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	40	100.00%	-	-	-	-	
		Total	82	96.47%	3	3.53%	-	-	85
	ENCLCHT	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	25	96.15%	1	3.85%	-	-	
	Total	69	87.34%	10	12.66%	-	-	79	
	ENCLEST	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
	Total	68	93.15%	5	6.85%	-	-	73	
	ENCLHAL	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	32	94.12%	2	5.88%	-	-	
	Total	52	77.61%	15	22.39%	-	-	67	
	ENCLHAM	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	52	98.11%	1	1.89%	-	-	
	Total	122	92.42%	10	7.58%	-	-	132	
	ENCLLDN	0-5	97	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	61	100.00%	-	-	-	-	
		Total	158	98.14%	3	1.86%	-	-	161

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLNTH	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	24	88.89%	3	11.11%	-	-	
		Total	92	92.93%	7	7.07%	-	-	
	ENCLNW01	0-5	10	100.00%	-	-	-	-	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	22	95.65%	1	4.35%	-	-	
	ENCLSAR	0-5	32	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	
	ENCLWAT	0-5	161	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	55	98.21%	1	1.79%	-	-	
		Total	216	99.08%	2	0.92%	-	-	
	ENCLWIN	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	58	95.08%	3	4.92%	-	-	
		Total	148	91.93%	13	8.07%	-	-	
	Total		1,086	94.03%	69	5.97%	-	-	1,155
	Enbridge Gas Distribution (ENB1)	ENGE01	0-5	1,534	100.00%	-	-	-	-
11-15			-	-	38	100.00%	-	-	
16+			-	-	11	100.00%	-	-	
6-10			670	96.54%	24	3.46%	-	-	
Total			2,204	96.79%	73	3.21%	-	-	2277
ENGN01		0-5	1,650	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	36	100.00%	-	-	
		6-10	613	99.84%	1	0.16%	-	-	
		Total	2,263	98.22%	41	1.78%	-	-	
ENGN02		0-5	1,175	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	274	97.16%	8	2.84%	-	-	
		Total	1,449	97.77%	33	2.23%	-	-	
ENGTAA01		0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	25	89.29%	3	10.71%	-	-	
ENGW01		0-5	1,460	100.00%	-	-	-	-	
		11-15	-	-	100	100.00%	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	806	97.93%	17	2.07%	-	-	
		Total	2,266	94.02%	144	5.98%	-	-	
ENGW02		0-5	366	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	191	92.72%	15	7.28%	-	-	
		Total	557	94.73%	31	5.27%	-	-	
ENHN01		0-5	1,983	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	29	100.00%	-	-	
	6-10	467	99.15%	4	0.85%	-	-		
	Total	2,450	98.12%	47	1.88%	-	-	2497	
ENOE01	0-5	2,185	100.00%	-	-	-	-		
	11-15	-	-	45	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Enbridge Gas Distribution (ENB1)	ENOE01	16+	-	-	12	100.00%	-	-		
		6-10	1,377	98.57%	20	1.43%	-	-		
		Total	3,562	97.88%	77	2.12%	-	-	3639	
	ENTE01	0-5	1,454	100.00%	-	-	-	-		
		11-15	-	-	53	100.00%	-	-		
		16+	-	-	42	100.00%	-	-		
		6-10	945	97.93%	20	2.07%	-	-		
		Total	2,399	95.43%	115	4.57%	-	-	2514	
		Total	2	100.00%	-	-	-	-	2	
	ENTW01N	0-5	858	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		16+	-	-	6	100.00%	-	-		
		6-10	408	100.00%	-	-	-	-		
		Total	1,266	99.29%	9	0.71%	-	-	1275	
	ENTW01S	0-5	588	100.00%	-	-	-	-		
		11-15	-	-	240	100.00%	-	-		
		16+	-	-	241	100.00%	-	-		
		6-10	326	66.26%	166	33.74%	-	-		
		Total	914	58.55%	647	41.45%	-	-	1561	
	Total	19,357	94.07%	1,220	5.93%	-	-	20,577		
	Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	23	100.00%	-	-	-	-	
			Total	23	100.00%	-	-	-	-	23
		Total	23	100.00%	-	-	-	-	23	
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	47	100.00%	-	-	-	-		
		6-10	4	80.00%	1	20.00%	-	-		
		Total	51	98.08%	1	1.92%	-	-	52	
	EN21	0-5	72	100.00%	-	-	-	-		
		6-10	6	85.71%	1	14.29%	-	-		
	Total	78	98.73%	1	1.27%	-	-	79		
	EN22	0-5	13	100.00%	-	-	-	-		
		Total	13	100.00%	-	-	-	-	13	
	Total	142	98.61%	2	1.39%	-	-	144		
	Enbridge Pipelines (EP123)	I001	0-5	20	100.00%	-	-	-	-	
16+			-	-	9	100.00%	-	-		
Total			20	68.97%	9	31.03%	-	-	29	
I010		0-5	240	100.00%	-	-	-	-		
		11-15	-	-	15	100.00%	-	-		
		16+	-	-	25	100.00%	-	-		
		6-10	33	89.19%	4	10.81%	-	-		
		Total	273	86.12%	44	13.88%	-	-	317	
I011		0-5	103	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	7	100.00%	-	-		
		6-10	-	-	3	100.00%	-	-		
Total		103	90.35%	11	9.65%	-	-	114		
I012		0-5	13	100.00%	-	-	-	-		
		16+	-	-	2	100.00%	-	-		
		Total	13	86.67%	2	13.33%	-	-	15	
Total		409	86.11%	66	13.89%	-	-	475		
Enbridge Wind Power (ENWP01)		ENWP01	0-5	4	100.00%	-	-	-	-	
			Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4		
Englehart , Town Of (EGHT01)	EGHT01	0-5	1	100.00%	-	-	-	-		
		16+	-	-	-	-	1	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Englehart , Town Of (EGHT01)	EGHT01	6-10	-	-	1	100.00%	-	-	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total	1	33.33%	1	33.33%	1	33.33%	3	
Enniskillen, Township Of (E002)	E002	0-5	25	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	Total	27	100.00%	-	-	-	-	27	
Enova Power (ENOVA123)	EPKW01	0-5	643	100.00%	-	-	-	-	
		16+	-	-	18	100.00%	-	-	
		6-10	101	100.00%	-	-	-	-	
		Total	744	97.64%	18	2.36%	-	-	762
	EPWAT01	0-5	190	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	213	99.07%	2	0.93%	-	-	215
	EPWEL01	0-5	42	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
		Total	49	100.00%	-	-	-	-	49
	EPWOL01	0-5	114	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
Total		124	100.00%	-	-	-	-	124	
Total		1,130	98.26%	20	1.74%	-	-	1,150	
Entegrus (EPICK01)	CKSL01	0-5	132	100.00%	-	-	-	-	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	152	99.35%	1	0.65%	-	-	153
	EPICK01	0-5	186	100.00%	-	-	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	221	100.00%	-	-	-	-	221
	EPIMP01	0-5	33	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total	410	99.76%	1	0.24%	-	-	411	
Entegrus Powerlines Inc Ã,â, -â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	68	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
	Total	89	100.00%	-	-	-	-	89	
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	8	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total	23	100.00%	-	-	-	-	23	
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	30	100.00%	-	-	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
	Total	79	100.00%	-	-	-	-	79	
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	110	100.00%	-	-	-	-	
		6-10	60	100.00%	-	-	-	-	
		Total	170	100.00%	-	-	-	-	170
	Total	170	100.00%	-	-	-	-	170	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	48	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	Total		48	100.00%	-	-	-	-	48
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	124	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	124	99.20%	-	-	1	0.80%	125
	Total		124	99.20%	-	-	1	0.80%	125
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	119	100.00%	-	-	-	-	
		6-10	36	97.30%	1	2.70%	-	-	
		Total	155	99.36%	1	0.64%	-	-	156
	EPNG02	0-5	40	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	EPNG03	0-5	77	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	87	100.00%	-	-	-	-	87
	Total		284	99.65%	1	0.35%	-	-	285
Erie Brook Energy (EBE01)	EBE01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Erie Shores Wind Farm (ESWF01)	ESWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Erieau Wind Farm (EWF01)	EWF01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	23	95.83%	-	-	1	4.17%	24
	Total		23	95.83%	-	-	1	4.17%	24
Erin, Town Of (ERN01)	ERN01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	14	93.33%	-	-	1	6.67%	15
	Total		14	93.33%	-	-	1	6.67%	15
Erin, Town Of (ERNSL01)	ERNS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ERNSL01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		Total	17	85.00%	3	15.00%	-	-	20
	Total		18	85.71%	3	14.29%	-	-	21
Erth Power Corporation (ETP01)	ETP01	0-5	151	100.00%	-	-	-	-	
		6-10	34	94.44%	2	5.56%	-	-	
		Total	185	98.93%	2	1.07%	-	-	187
	Total		185	98.93%	2	1.07%	-	-	187
Erth Power Corporation (ETP02)	ETP02	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	66	97.06%	2	2.94%	-	-	68
	Total		66	97.06%	2	2.94%	-	-	68
Espanola , Town Of (ESP01)	ESP01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total		13	92.86%	1	7.14%	-	-	14

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Espanola Hydro (ERH01)	ERH01	0-5	15	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Essa, Township Of (ESA123)	ESASSL01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	8	34.78%	7	30.43%	8	34.78%	23
	ESAWS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	7	31.82%	7	31.82%	8	36.36%	22
Total		15	33.33%	14	31.11%	16	35.56%	45	
Essex County Highways (ESXTS01)	ESXTS01	0-5	41	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total		42	100.00%	-	-	-	-	42
Essex Powerlines Corp (A006)	A006	0-5	198	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	74	98.67%	1	1.33%	-	-	
		Total	272	97.84%	6	2.16%	-	-	278
Total		272	97.84%	6	2.16%	-	-	278	
Essex Powerlines Corp (A007)	A007	0-5	163	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	164	100.00%	-	-	-	-	164
	Total		164	100.00%	-	-	-	-	164
Essex, Town Of (CO01)	CO01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	62	95.38%	3	4.62%	-	-	65
Total		62	95.38%	3	4.62%	-	-	65	
Execulink Telecom (EXTEL123)	ASC2	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	55	84.62%	10	15.38%	-	-	
		Total	131	87.92%	15	10.07%	3	2.01%	149
	EXEC01	0-5	163	100.00%	-	-	-	-	
		11-15	-	-	61	100.00%	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	63	46.67%	72	53.33%	-	-	
		Total	226	61.92%	134	36.71%	5	1.37%	365
	HT01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HTF1	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	2	22.22%	7	77.78%	
		6-10	63	98.44%	1	1.56%	-	-	
		Total	84	79.25%	15	14.15%	7	6.60%	106
NE01	0-5	1	100.00%	-	-	-	-		
	6-10	-	-	4	100.00%	-	-		
	Total	1	20.00%	4	80.00%	-	-	5	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Execulink Telecom (EXTEL123)	NEK01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	Total		447	70.73%	170	26.90%	15	2.37%	632
Fanshawe College - Private Property (FSWC02)	FSWC02	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Fanshawe College (FSWC01)	FSWC01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	16	80.00%	4	20.00%	-	-	20	
Total		16	80.00%	4	20.00%	-	-	20	
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA02)	TAQA02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Festival Hydro (FESTH01)	FESTH01	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	69	100.00%	-	-	-	-	
	Total	173	97.74%	4	2.26%	-	-	177	
Total		173	97.74%	4	2.26%	-	-	177	
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	13	100.00%	
		Total	-	-	-	-	13	100.00%	13
	Total		-	-	-	-	13	100.00%	13
First Nations Cable (FNC01)	FNC01	0-5	57	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	59	95.16%	-	-	3	4.84%	62	
Total		59	95.16%	-	-	3	4.84%	62	
Ford Canada - Windsor Plant	FORDW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	187	100.00%	-	-	-	-	
		Total	187	100.00%	-	-	-	-	187
	Total		187	100.00%	-	-	-	-	187
Fort Frances Power (FFP01)	FFP01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	15	93.75%	-	-	1	6.25%	16
	Total		15	93.75%	-	-	1	6.25%	16
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Fu Fiber Inc (FUFIO1)	FUFIO1	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Gananoque, Town Of (GNQWST01)	GNQWST01	16+	-	-	-	-	18	100.00%	
		Total	-	-	-	-	18	100.00%	18
	Total		-	-	-	-	18	100.00%	18

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Gbtel Inc (GBT01)	GBT01	0-5	60	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	Total		72	100.00%	-	-	-	-	72
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Georgian Bluffs , Township Of (GB01)	GB01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	GBSL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		11	91.67%	1	8.33%	-	-	12	
Georgian Peaks Ski Club (GPSC01)	GPSC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Georgina, Town Of (GGN123)	GGN01	0-5	92	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	108	100.00%	-	-	-	-	108
	Total		108	100.00%	-	-	-	-	108
Glenfred Gas Wells (GFGW01)	GFGW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	6	100.00%	6	
Goderich, Town Of (GDR123)	GDRHS01	0-5	52	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	52	98.11%	-	-	1	1.89%	53
	GDRHW01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	49	90.74%	3	5.56%	2	3.70%	54
Total		101	94.39%	3	2.80%	3	2.80%	107	
GOLDEN RURAL HIGH SPEED (GLDNRL01)	GLDNRL01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	2	100.00%	2	
Gore Bay , Town Of (GBY01)	GBY01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Gosfield North Communications (G001)	G001	0-5	183	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	44	97.78%	1	2.22%	-	-	
	Total	227	98.70%	1	0.43%	2	0.87%	230	
Total		227	98.70%	1	0.43%	2	0.87%	230	
Government Of Canada (GOC01)	GOC01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	7	87.50%	-	-	1	12.50%	8	
Total		7	87.50%	-	-	1	12.50%	8	
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Grand Bend Wind Lp (GBWF01)	GBWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Grand River Hospital Corp. - KW Campus And Freepport Campus (FPGRH01)	FPGRH01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	1	14.29%	6	85.71%	
		Total	-	-	1	14.29%	6	85.71%	7
	Total		-	-	1	14.29%	6	85.71%	7
Grandbridge Energy	GBH01	0-5	676	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	419	99.29%	3	0.71%	-	-	
		Total	1,095	99.46%	6	0.54%	-	-	1101
	Total		1,095	99.46%	6	0.54%	-	-	1,101
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	21	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	21	91.30%	2	8.70%	-	-	23
	Total		21	91.30%	2	8.70%	-	-	23
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	22	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
	Total		22	95.65%	1	4.35%	-	-	23
Greater Madawaska, Township Of (GMDKA01)	GMDKA01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	17	85.00%	3	15.00%	-	-	20
	Total		17	85.00%	3	15.00%	-	-	20
Greater Sudbury Hydro (SH01)	SH01	0-5	215	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	218	100.00%	-	-	-	-	218
	Total		218	100.00%	-	-	-	-	218
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	187	100.00%	-	-	-	-	
		Total	187	100.00%	-	-	-	-	187
	Total		187	100.00%	-	-	-	-	187
Greater Sudbury Hydro Plus Inc. - Street Lights West Nipissing (SH02)	SH02	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Greater Sudbury, City Of (GSBY123)	GSBY03	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	11	52.38%	-	-	10	47.62%	21	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Sudbury, City Of (GSBY123)	GSBYCM01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	GSBYS01	0-5	138	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	148	98.67%	-	-	2	1.33%	150
	GSBYSS01	0-5	95	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	105	98.13%	-	-	2	1.87%	107
GSBYW01	0-5	165	100.00%	-	-	-	-		
	16+	-	-	-	-	2	100.00%		
	6-10	10	100.00%	-	-	-	-		
	Total	175	98.87%	-	-	2	1.13%	177	
Total		439	95.43%	-	-	21	4.57%	460	
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	11	84.62%	2	15.38%	-	-	
		Total	22	88.00%	3	12.00%	-	-	25
Total		22	88.00%	3	12.00%	-	-	25	
Greenfield South Power Corporation (EP02)	EP02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
		Total	1	33.33%	-	-	2	66.67%	3
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
		Total	6	85.71%	1	14.29%	-	-	7
Grey, County Of (GREY01)	GREY01	0-5	53	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
		Total	55	100.00%	-	-	-	-	55
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	228	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	21	91.30%	2	8.70%	-	-	
		Total	249	98.03%	5	1.97%	-	-	254
		Total	249	98.03%	5	1.97%	-	-	254
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	144	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	19.15%	38	80.85%	-	-	
		Total	153	79.69%	39	20.31%	-	-	192
		Total	153	79.69%	39	20.31%	-	-	192
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	71	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
		Total	79	100.00%	-	-	-	-	79

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	8	100.00%	-	-	-	-		
		6-10	1	20.00%	4	80.00%	-	-		
		Total	9	69.23%	4	30.77%	-	-	13	
	Total		9	69.23%	4	30.77%	-	-	13	
Guelph, City Of (GLPH123)	GLPH01	0-5	189	100.00%	-	-	-	-		
		6-10	68	100.00%	-	-	-	-		
		Total	257	100.00%	-	-	-	-	257	
	GLPH02	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	GLPH04	0-5	22	100.00%	-	-	-	-		
		6-10	17	100.00%	-	-	-	-		
		Total	39	100.00%	-	-	-	-	39	
	GLPH05	0-5	26	100.00%	-	-	-	-		
		6-10	18	100.00%	-	-	-	-		
		Total	44	100.00%	-	-	-	-	44	
	Total		341	100.00%	-	-	-	-	341	
	Guelph, University Of (UGPH01)	UGPH01	0-5	4	100.00%	-	-	-	-	
6-10			2	100.00%	-	-	-	-		
Total			6	100.00%	-	-	-	-	6	
Total			6	100.00%	-	-	-	-	6	
Haldimand County (HLDM123)	HLDMD01	0-5	99	100.00%	-	-	-	-		
		16+	-	-	2	16.67%	10	83.33%		
		6-10	-	-	2	100.00%	-	-		
		Total	99	87.61%	4	3.54%	10	8.85%	113	
	HLDME01	0-5	11	100.00%	-	-	-	-		
		11-15	-	-	4	100.00%	-	-		
		16+	-	-	-	-	2	100.00%		
		Total	23	95.83%	1	4.17%	-	-	41	
	HLDMS01	0-5	1	100.00%	-	-	-	-		
		16+	-	-	2	100.00%	-	-		
		Total	1	33.33%	2	66.67%	-	-	3	
	HLDMW01	0-5	5	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	5	83.33%	1	16.67%	-	-	6	
	Total		139	85.28%	12	7.36%	12	7.36%	163	
	Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	1	100.00%	
			Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1	
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOSL01	16+	-	-	1	100.00%	-	-		
		6-10	6	100.00%	-	-	-	-		
		Total	6	85.71%	1	14.29%	-	-	7	
	HMTOTS01	16+	-	-	1	100.00%	-	-		
		6-10	6	100.00%	-	-	-	-		
		Total	6	85.71%	1	14.29%	-	-	7	
Total		12	85.71%	2	14.29%	-	-	14		
Halton Hills Hydro (HHH01)	HHH01	0-5	105	100.00%	-	-	-	-		
		6-10	60	100.00%	-	-	-	-		
		Total	165	100.00%	-	-	-	-	165	
	Total		165	100.00%	-	-	-	-	165	
Halton Hills, Town Of (HAH01)	HAH01	0-5	32	100.00%	-	-	-	-		
		6-10	12	100.00%	-	-	-	-		
		Total	44	100.00%	-	-	-	-	44	
	Total		44	100.00%	-	-	-	-	44	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Halton Hills, Town Of (HAH02)	HAH02	0-5	2	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	Total		3	60.00%	2	40.00%	-	-	5
Halton, Region Of (HLTNB123)	HLTNB01	0-5	13	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	HLTNBSL01	0-5	10	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	HLTNBTC01	0-5	5	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	HLTNBTS01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		44	100.00%	-	-	-	-	44
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	66.67%	2	33.33%	-	-	6
	HLTNHTS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
Total		10	71.43%	4	28.57%	-	-	14	
Halton, Region Of (HLTNM123)	HLTNM01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	31	96.88%	1	3.13%	-	-	32
	HLTNMTC01	0-5	14	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	HLTNMTS01	0-5	5	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		63	98.44%	1	1.56%	-	-	64
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	23	67.65%	10	29.41%	1	2.94%	34
	HLTNOSL01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	15	62.50%	9	37.50%	-	-	24
	HLTNOC01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	14	87.50%	2	12.50%	-	-	
		Total	19	70.37%	7	25.93%	1	3.70%	27

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Halton, Region Of (HLTNO123)	HLTNOTS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	11	84.62%	2	15.38%	-	-	
		Total	13	59.09%	8	36.36%	1	4.55%	22
Total			70	65.42%	34	31.78%	3	2.80%	107
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	6	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
Total			12	100.00%	-	-	-	-	12
Halton, Region Of (HLTNT01)	HLTNT01	0-5	8	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
Total			12	100.00%	-	-	-	-	12
Halton, Region Of (HMTOBM)	HMTBSL01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HMTBTS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			3	100.00%	-	-	-	-	3
Hamilton , Township Of (HML01)	HML01	0-5	93	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	94	98.95%	1	1.05%	-	-	95
Total			94	98.95%	1	1.05%	-	-	95
Hamilton Community Energy (HCE1)	HCE1	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total			5	100.00%	-	-	-	-	5
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			3	100.00%	-	-	-	-	3
Hamilton, City Of (CH01)	CH01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	57	82.61%	12	17.39%	-	-	
		Total	108	65.85%	56	34.15%	-	-	164
Total			108	65.85%	56	34.15%	-	-	164
Hamilton, City Of (HHP3)	HHP3	0-5	362	100.00%	-	-	-	-	
		11-15	-	-	85	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	193	77.51%	56	22.49%	-	-	
		Total	555	79.63%	142	20.37%	-	-	697
Total			555	79.63%	142	20.37%	-	-	697
Hamilton, City Of (HW01)	HW01	0-5	265	100.00%	-	-	-	-	
		11-15	-	-	132	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	239	82.70%	50	17.30%	-	-	
		Total	504	73.36%	183	26.64%	-	-	687
	HW02	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total	5	100.00%	-	-	-	-	5		
Total			509	73.55%	183	26.45%	-	-	692
Hanover , Town Of (HNVR01)	HNVR01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	2	50.00%	2	50.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hanover , Town Of (HNVR01)	HNVR01	6-10	96	96.97%	3	3.03%	-	-	
		Total	116	94.31%	5	4.07%	2	1.63%	123
	Total	116	94.31%	5	4.07%	2	1.63%	123	
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	HWKBSL01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	14	82.35%	-	-	3	17.65%	17
Total	30	88.24%	1	2.94%	3	8.82%	34		
Hay Communications (H123)	H003	0-5	140	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	152	99.35%	1	0.65%	-	-	153
	Total	152	99.35%	1	0.65%	-	-	153	
Hce Telecom (HCEHN01)	HCEHN01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	6	75.00%	2	25.00%	-	-	
	Total	18	78.26%	5	21.74%	-	-	23	
Total	18	78.26%	5	21.74%	-	-	23		
Hearst Connect Corporation (HWFF01)	HWFF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Hearst Power (HRSTP01)	HRSTP01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total	12	92.31%	1	7.69%	-	-	13	
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total	10	100.00%	-	-	-	-	10	
Highbury Canco Corp (HGHBRY01)	HGHBRY01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Highlands East, Municipality Of (HLNDE01)	HLNDE01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total	-	-	-	-	3	100.00%	3	
Hilton Beach, Village Of (HIBE01)	HIBE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total	1	50.00%	1	50.00%	-	-	2	
Hornepayne , Township Of (HRP01)	HRP01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total	2	66.67%	-	-	1	33.33%	3	
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Howick, Township Of (HOWKSS01)	HOWKSS01	6-10	3	75.00%	1	25.00%	-	-	
		Total	26	92.86%	1	3.57%	1	3.57%	28
	Total	26	92.86%	1	3.57%	1	3.57%	28	
Huntsville, Town Of (HTVSS01)	HTVSS01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	18	94.74%	-	-	1	5.26%	19	
Total	18	94.74%	-	-	1	5.26%	19		
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	4	50.00%	4	50.00%	-	-	
	Total	14	38.89%	10	27.78%	12	33.33%	36	
Total	14	38.89%	10	27.78%	12	33.33%	36		
Huron Perth Healthcare Alliance (HPHA01)	HPHA01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total	-	-	1	100.00%	-	-	1		
Huron, County Of (HRN123)	HRN01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	HRN02	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	HRN03	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	4	80.00%	-	-	1	20.00%	5	
	HRN04	16+	-	-	-	-	1	100.00%	
Total		-	-	-	-	1	100.00%	1	
Total	4	28.57%	8	57.14%	2	14.29%	14		
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	31	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
	Total	33	97.06%	1	2.94%	-	-	34	
Total	33	97.06%	1	2.94%	-	-	34		
Hurontel (HTEL01)	HTEL01	0-5	108	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	17	51.52%	16	48.48%	
		6-10	22	55.00%	18	45.00%	-	-	
	Total	130	65.33%	53	26.63%	16	8.04%	199	
Total	130	65.33%	53	26.63%	16	8.04%	199		
Hydro Embrun (EMBRH01)	EMBRH01	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	13	100.00%	-	-	-	-	13	
Total	13	100.00%	-	-	-	-	13		
Hydro Hawkesbury (HHI01)	HHI01	0-5	15	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	15	93.75%	1	6.25%	-	-	16	
Total	15	93.75%	1	6.25%	-	-	16		
Hydro One Networks Inc (HH123)	HOBRA01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	13	52.00%	7	28.00%	5	20.00%	25	
	HOFS01	0-5	40	100.00%	-	-	-	-	
11-15		-	-	6	100.00%	-	-		
16+	-	-	-	-	17	100.00%			

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (HH123)	HOF501	6-10	3	75.00%	1	25.00%	-	-	
		Total	43	64.18%	7	10.45%	17	25.37%	67
	HOHAM01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		Total	6	66.67%	3	33.33%	-	-	9
	HOKIT01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HOMAR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOMIS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	HOTOR01	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	48	97.96%	1	2.04%	
		16+	-	-	1	2.94%	33	97.06%	
		6-10	16	72.73%	6	27.27%	-	-	
		Total	131	59.55%	55	25.00%	34	15.45%	220
	HOVAU01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	50.00%	1	25.00%	1	25.00%	4	
	O0052	0-5	29	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	30	96.77%	1	3.23%	-	-	31	
	OH20	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
6-10		4	57.14%	3	42.86%	-	-		
Total	40	80.00%	4	8.00%	6	12.00%	50		
OH30	0-5	4	100.00%	-	-	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	2	100.00%	-	-	-	-		
Total	6	85.71%	-	-	1	14.29%	7		
Total		274	65.71%	78	18.71%	65	15.59%	417	
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	27	90.00%	3	10.00%	-	-	30
	Total		27	90.00%	3	10.00%	-	-	30
Hydro One Networks Inc (H1DX)	H1DGE01	0-5	952	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	236	96.33%	9	3.67%	-	-	
		Total	1,188	98.10%	17	1.40%	6	0.50%	1211
	H1DGN01	0-5	606	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	25.00%	12	75.00%	
		6-10	108	100.00%	-	-	-	-	
	Total	714	97.54%	6	0.82%	12	1.64%	732	
	H1DGN02	0-5	522	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	25.00%	12	75.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DGN02	6-10	103	99.04%	1	0.96%	-	-	
		Total	625	97.20%	6	0.93%	12	1.87%	643
	H1DGW02	0-5	309	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	4	28.57%	10	71.43%	
		6-10	193	97.47%	5	2.53%	-	-	
		Total	502	93.48%	25	4.66%	10	1.86%	537
	H1DHN01	0-5	751	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	45	97.83%	1	2.17%	
		6-10	196	97.03%	6	2.97%	-	-	
	Total	947	93.95%	60	5.95%	1	0.10%	1008	
	H1DOE01	0-5	2,294	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	12	54.55%	10	45.45%	
		6-10	815	98.43%	13	1.57%	-	-	
	Total	3,109	98.14%	49	1.55%	10	0.32%	3168	
	H1DONE01	0-5	874	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	248	97.64%	6	2.36%	-	-	
	Total	1,122	98.59%	13	1.14%	3	0.26%	1138	
	H1DONW02	0-5	87	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
	Total	101	100.00%	-	-	-	-	101	
	H1DOS01	0-5	1,617	100.00%	-	-	-	-	
11-15		-	-	70	100.00%	-	-		
16+		-	-	28	47.46%	31	52.54%		
6-10		588	94.99%	31	5.01%	-	-		
Total	2,205	93.23%	129	5.45%	31	1.31%	2365		
H1DOW01	0-5	2,334	100.00%	-	-	-	-		
	11-15	-	-	16	100.00%	-	-		
	16+	-	-	5	71.43%	2	28.57%		
	6-10	500	98.43%	8	1.57%	-	-		
Total	2,834	98.92%	29	1.01%	2	0.07%	2865		
H1DTBY01	0-5	63	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		
	16+	-	-	-	-	2	100.00%		
	6-10	-	-	1	100.00%	-	-		
Total	63	87.50%	7	9.72%	2	2.78%	72		
H1DX07	0-5	109	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	6-10	27	81.82%	6	18.18%	-	-		
Total	136	88.31%	18	11.69%	-	-	154		
Total		13,546	96.80%	359	2.57%	89	0.64%	13,994	
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
	Total	109	97.32%	3	2.68%	-	-	112	
Total		109	97.32%	3	2.68%	-	-	112	
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	129	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	6-10	14	100.00%	-	-	-	-	
		Total	143	98.62%	1	0.69%	1	0.69%	145
	Total		143	98.62%	1	0.69%	1	0.69%	145
Hydro One Remote Communities Inc (HYR01)	HYR01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Hydro Ottawa (HOT1)	HOT1	0-5	1,286	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	891	98.78%	11	1.22%	-	-	
		Total	2,177	97.80%	49	2.20%	-	-	2226
	HOT2	0-5	77	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	94	98.95%	1	1.05%	-	-	95
		Total		2,271	97.85%	50	2.15%	-	-
Ignace , Township Of (IGN01)	IGN01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	Total		1	33.33%	-	-	2	66.67%	3
Imperial Oil Pipelines (I002)	I002	0-5	111	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	42	100.00%	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	121	72.46%	46	27.54%	-	-	167
	Total		121	72.46%	46	27.54%	-	-	167
Imperial Oil Pipelines (I003)	I003	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	5	45.45%	6	54.55%	-	-	
		Total	15	60.00%	10	40.00%	-	-	25
	Total		15	60.00%	10	40.00%	-	-	25
Innisfil, Town Of (INFL01)	INFL01	0-5	161	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	171	100.00%	-	-	-	-	171
	Total		171	100.00%	-	-	-	-	171
Innpower (INSFH01)	INSFH01	0-5	248	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Innpower (INSFH01)	INSFH01	6-10	2	100.00%	-	-	-	-	
		Total	250	100.00%	-	-	-	-	250
	Total		250	100.00%	-	-	-	-	250
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	20	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	IRQFSL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total		12	92.31%	1	7.69%	-	-	13	
James, Township Of (JAMES01)	JAMES01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Johnson, Township Of (JHSNW01)	JHSNW01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	13	100.00%	
		Total	-	-	-	-	16	100.00%	16
	Total		-	-	-	-	16	100.00%	16
K2 Wind Farm Ontario (K2WF01)	K2WF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kapusking, Town Of (KAP01)	KAP01	0-5	8	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	72	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
	KWLKWS01	0-5	125	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	9	100.00%	-	-	-	-	136
Total		213	99.07%	2	0.93%	-	-	215	
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Kearney, Town Of (KRNY01)	KRNY01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Kenora, City Of (KNRA123)	KNRA01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	5	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	18	66.67%	3	11.11%	6	22.22%	27
	KNRASL01	0-5	6	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
Total		11	100.00%	-	-	-	-	11	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kenora, City Of (KNRA123)	KNRAST01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total	54	85.71%	3	4.76%	6	9.52%	63	
Kent Breeze Wind Farm (SCE01)	SCE01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total	-	-	1	100.00%	-	-	1	
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
	Total	3	75.00%	-	-	1	25.00%	4	
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	35	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total	36	100.00%	-	-	-	-	36	
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
King , Township Of (KNGWS01)	KNGSL01	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	121	95.28%	6	4.72%	-	-	127
	KNGWS01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
Total	78	98.73%	1	1.27%	-	-	79		
Total	199	96.60%	7	3.40%	-	-	206		
Kingsbridge Wind Farm (K1WF01)	K1WF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Kingston General Hospital (KGH01)	KGH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Kingsville, Town Of (TK01)	TK01	0-5	94	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	66	88.00%	9	12.00%	-	-	
		Total	160	90.40%	17	9.60%	-	-	177
Total	160	90.40%	17	9.60%	-	-	177		
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	14	93.33%	-	-	1	6.67%	15	
Total	14	93.33%	-	-	1	6.67%	15		
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	196	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	208	100.00%	-	-	-	-	208
	Total	208	100.00%	-	-	-	-	208	
Kitchener Utilities (KU02)	KU02	0-5	613	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	65	98.48%	1	1.52%	-	-	
		Total	678	99.41%	1	0.15%	3	0.44%	682
	Total	678	99.41%	1	0.15%	3	0.44%	682	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kitchener, The City Of (KITS01)	KITS01	0-5	407	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	153	100.00%	-	-	-	-	
		Total	560	99.82%	1	0.18%	-	-	561
	Total	560	99.82%	1	0.18%	-	-	561	
KRUGER ENERGY CHATHAM LP (KEC01)	KEC01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total	-	-	3	100.00%	-	-	3	
Kwic Internet (KWIC01)	KWIC01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Lagasco Inc (TP01)	TP01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total	12	92.31%	1	7.69%	-	-	13	
Lagasco Limited (L002)	L002	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	11	100.00%	11
	Total	-	-	-	-	11	100.00%	11	
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	86	97.73%	2	2.27%	-	-	88
	Total	86	97.73%	2	2.27%	-	-	88	
Lakefront Utilities (LUSI123)	COLBH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	LUSIH01	0-5	78	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	87	98.86%	1	1.14%	-	-	88
Total	88	98.88%	1	1.12%	-	-	89		
Lakeland Networks (LKLNN01)	LKLNN01	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
	Total	57	98.28%	1	1.72%	-	-	58	
Total	57	98.28%	1	1.72%	-	-	58		
Lakeland Power (LKLNP123)	LKLNP01	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	77	98.72%	1	1.28%	-	-	78
	Total	77	98.72%	1	1.28%	-	-	78	
Lakeshore, Municipality Of (TOL123)	B002	0-5	218	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	237	100.00%	-	-	-	-	237
	Total	237	100.00%	-	-	-	-	237	
Lakeview Water System (LKVWW01)	LKVWW01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	8	72.73%	-	-	3	27.27%	11
	Total	8	72.73%	-	-	3	27.27%	11	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	53	98.15%	1	1.85%	-	-	54
	Total	53	98.15%	1	1.85%	-	-	54	
Lambton County (LMBTN01)	LMBTN01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Lambton Shores, Municipality Of (F001)	F001	0-5	73	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	90	96.77%	1	1.08%	2	2.15%	93
	Total	90	96.77%	1	1.08%	2	2.15%	93	
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Lanark Highlands , Township Of (LNKH01)	LNKH01	0-5	9	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	Total	9	90.00%	1	10.00%	-	-	10	
Lanark, County Of (LNRK01)	LNRK01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Lanxess Canada (CMTR01)	CMTR01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Lasalle , Town Of (LSL01)	LSL01	0-5	81	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	114	98.28%	1	0.86%	1	0.86%	116
	Total	114	98.28%	1	0.86%	1	0.86%	116	
Latchford , Town Of (LTFWSS01)	LTFWSS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total	12	100.00%	-	-	-	-	12	
Leamington Water Services (L001)	L001	0-5	83	100.00%	-	-	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		Total	83	93.26%	5	5.62%	1	1.12%	89
	Total	83	93.26%	5	5.62%	1	1.12%	89	
Leamington, Municipality Of (LS01)	LS01	0-5	100	100.00%	-	-	-	-	
		Total	100	100.00%	-	-	-	-	100
	Total	100	100.00%	-	-	-	-	100	
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	35	89.74%	3	7.69%	1	2.56%	39
	Total	35	89.74%	3	7.69%	1	2.56%	39	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	LDTI02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	4	100.00%	4	
Lennox And Addington, County Of (LXA123)	LXA01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		Total	12	70.59%	1	5.88%	4	23.53%	17
		Total	12	70.59%	1	5.88%	4	23.53%	17
Levant Exploration And Production Corp (RR01)	RR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Lincoln, Town Of (LINWS01)	LINWS01	0-5	138	100.00%	-	-	-	-	
		Total	138	100.00%	-	-	-	-	138
		Total	138	100.00%	-	-	-	-	138
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	16+	-	-	2	25.00%	6	75.00%	
		Total	-	-	2	25.00%	6	75.00%	8
		Total	-	-	2	25.00%	6	75.00%	8
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	37.50%	5	62.50%	-	-	
		Total	12	66.67%	6	33.33%	-	-	18
		Total	12	66.67%	6	33.33%	-	-	18
London District Energy (TG01)	TG01	0-5	21	100.00%	-	-	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	32	96.97%	1	3.03%	-	-	33
	Total	32	96.97%	1	3.03%	-	-	33	
London Health Sciences (LHS1)	LHS1	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
London Hydro (L003)	L003	0-5	595	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	226	100.00%	-	-	-	-	
		Total	821	99.64%	3	0.36%	-	-	824
	LHDL01	16+	-	-	-	-	15	100.00%	
		Total	-	-	-	-	15	100.00%	15
	Total	821	97.85%	3	0.36%	15	1.79%	839	
London, City Of (LN01)	LN01	0-5	527	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	2.50%	39	97.50%	
		6-10	288	100.00%	-	-	-	-	
		Total	815	94.99%	4	0.47%	39	4.55%	858
	Total	815	94.99%	4	0.47%	39	4.55%	858	
London, City Of (LN02)	LN02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Long Point Provincial Park (LPPP01)	LPPP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Loyalist Township (LYST123)	LYSTBS6	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Loyalist Township (LYST123)	LYSTBW5	0-5	6	100.00%	-	-	-	-	9	
		6-10	3	100.00%	-	-	-	-		
		Total	9	100.00%	-	-	-	-		
	LYSTEL4	0-5	31	100.00%	-	-	-	-	48	
		6-10	8	47.06%	9	52.94%	-	-		
		Total	39	81.25%	9	18.75%	-	-		
	LYSTFW1	0-5	45	100.00%	-	-	-	-	61	
		6-10	7	43.75%	9	56.25%	-	-		
		Total	52	85.25%	9	14.75%	-	-		
	LYSTLES2	0-5	44	100.00%	-	-	-	-	59	
		6-10	6	40.00%	9	60.00%	-	-		
		Total	50	84.75%	9	15.25%	-	-		
	LYSTSTM3	0-5	48	100.00%	-	-	-	-	66	
		6-10	9	50.00%	9	50.00%	-	-		
		Total	57	86.36%	9	13.64%	-	-		
	Total			216	85.71%	36	14.29%	-	-	252
	Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	17	100.00%	-	-	-	-	20
			11-15	-	-	1	100.00%	-	-	
16+			-	-	-	-	1	100.00%		
6-10			-	-	1	100.00%	-	-		
Total			17	85.00%	2	10.00%	1	5.00%		
Total			17	85.00%	2	10.00%	1	5.00%	20	
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	0-5	19	100.00%	-	-	-	-	33	
		11-15	-	-	1	100.00%	-	-		
		6-10	11	84.62%	2	15.38%	-	-		
		Total	30	90.91%	3	9.09%	-	-		
Total			30	90.91%	3	9.09%	-	-	33	
Machin, Municipality Of (MCHW01)	MCHW01	16+	-	-	-	-	3	100.00%	3	
		Total	-	-	-	-	3	100.00%		
Total			-	-	-	-	3	100.00%	3	
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	16+	-	-	-	-	2	100.00%	2	
		Total	-	-	-	-	2	100.00%		
Total			-	-	-	-	2	100.00%	2	
Malahide, Township Of (MLHD01)	MLHD01	0-5	7	100.00%	-	-	-	-	8	
		6-10	-	-	1	100.00%	-	-		
		Total	7	87.50%	1	12.50%	-	-		
Total			7	87.50%	1	12.50%	-	-	8	
Manitouwadge , Township Of (MTW01)	MTW01	16+	-	-	-	-	1	100.00%	1	
		Total	-	-	-	-	1	100.00%		
Total			-	-	-	-	1	100.00%	1	
Mapleton , Township Of (MPLT01)	MPLT01	0-5	9	100.00%	-	-	-	-	10	
		6-10	1	100.00%	-	-	-	-		
		Total	10	100.00%	-	-	-	-		
Total			10	100.00%	-	-	-	-	10	
Marathon, Town Of (MRTH01)	MRTH01	0-5	3	100.00%	-	-	-	-	3	
		Total	3	100.00%	-	-	-	-		
Total			3	100.00%	-	-	-	-	3	
Markham " Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	159	100.00%	-	-	-	-	237	
		6-10	78	100.00%	-	-	-	-		
		Total	237	100.00%	-	-	-	-		
Total			237	100.00%	-	-	-	-	237	
Markham District Energy (MDE01)	MDE01	0-5	11	100.00%	-	-	-	-	11	
		Total	11	100.00%	-	-	-	-		
Total			11	100.00%	-	-	-	-	11	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Markham Stouffville Hospital (MSH01)	MSH01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
Total			1	50.00%	1	50.00%	-	-	2
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	247	100.00%	-	-	-	-	
		6-10	76	100.00%	-	-	-	-	
		Total	323	100.00%	-	-	-	-	323
Total			323	100.00%	-	-	-	-	323
Markstay Warren , Municipality Of (MKW01)	MKW01	16+	-	-	-	-	3	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	25.00%	3	75.00%	4
Total			-	-	1	25.00%	3	75.00%	4
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
Total			4	80.00%	1	20.00%	-	-	5
Marwood Metals (MARWDF01)	MARWDF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	-	1
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
Total			-	-	3	100.00%	-	-	3
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total			2	100.00%	-	-	-	-	2
Mcnab Braeside, Township Of (MCBR01)	MCBR01	16+	-	-	25	92.59%	2	7.41%	
		Total	-	-	25	92.59%	2	7.41%	27
Total			-	-	25	92.59%	2	7.41%	27
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
Total	30	88.24%	4	11.76%	-	-	-	34	
Total			30	88.24%	4	11.76%	-	-	34
Melancthon Windfarm (MELWF01)	MELWF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total			6	100.00%	-	-	-	-	6
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
Total			-	-	-	-	4	100.00%	4
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	7	70.00%	3	30.00%	
		Total	-	-	7	70.00%	3	30.00%	10
Total			-	-	7	70.00%	3	30.00%	10
Metalore Resources (MTLORE01)	MTLORE01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	2	40.00%	-	-	3	60.00%	5
Total			2	40.00%	-	-	3	60.00%	5
Metro Fibrewerx (MFWX01)	MFWX01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			4	100.00%	-	-	-	-	4
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	80	94.12%	5	5.88%	-	-	85
Total			80	94.12%	5	5.88%	-	-	85

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Middlesex, County Of (MDSX01)	MDSX01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	46	95.83%	1	2.08%	1	2.08%	48
	Total		46	95.83%	1	2.08%	1	2.08%	48
Midland, Town Of (MIDLND01)	MIDLND01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	20	83.33%	2	8.33%	2	8.33%	24
	Total		20	83.33%	2	8.33%	2	8.33%	24
Midland, Town Of (MIDLND03)	MIDLND03	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	5	55.56%	3	33.33%	1	11.11%	9
	MLTSS01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	30	100.00%	-	-	-	-	
		Total	54	79.41%	13	19.12%	1	1.47%	68
Total		59	76.62%	16	20.78%	2	2.60%	77	
MILTON HYDRO (MH123)	MHHN01	0-5	225	100.00%	-	-	-	-	
		11-15	-	-	25	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	71	87.65%	10	12.35%	-	-	
		Total	296	88.62%	37	11.08%	1	0.30%	334
	Total		296	88.62%	37	11.08%	1	0.30%	334
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	5	83.33%	1	16.67%	-	-	6	
Total		5	83.33%	1	16.67%	-	-	6	
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	63	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	63	98.44%	-	-	1	1.56%	64	
Total		63	98.44%	-	-	1	1.56%	64	
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	225	100.00%	-	-	-	-	
		6-10	114	100.00%	-	-	-	-	
	Total	339	100.00%	-	-	-	-	339	
Total		339	100.00%	-	-	-	-	339	
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	66	92.96%	5	7.04%	-	-	
		Total	154	95.65%	7	4.35%	-	-	161
	Total		154	95.65%	7	4.35%	-	-	161
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	23	92.00%	1	4.00%	1	4.00%	25
	Total		23	92.00%	1	4.00%	1	4.00%	25

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	512	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	84	100.00%	-	-	-	-	
	Total	596	99.83%	-	-	1	0.17%	597	
	MNSI02	0-5	2	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
	Total		598	99.83%	-	-	1	0.17%	599
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
	Total	13	81.25%	3	18.75%	-	-	16	
	Total		13	81.25%	3	18.75%	-	-	16
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
	Total	14	77.78%	4	22.22%	-	-	18	
	Total		14	77.78%	4	22.22%	-	-	18
Molded Plastics (MLDP01)	MLDP01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	
	Total		-	-	2	100.00%	-	-	2
Mono , Town Of (MNO123)	MNO01	16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	33.33%	2	66.67%	
	MNOSL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	1	33.33%	1	33.33%	1	33.33%	3	
	Total		1	16.67%	2	33.33%	3	50.00%	6
Mornington Communications (MORNT01)	MORNT01	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	15	60.00%	10	40.00%	-	-	
	Total	96	81.36%	20	16.95%	2	1.69%	118	
	Total		96	81.36%	20	16.95%	2	1.69%	118
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
Mt Sinai Hospital (MTSIH01)	MTSIH01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	
	Total		-	-	2	100.00%	-	-	2
Mulmur , Township Of (MLMW01)	MLMW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	35	92.11%	1	2.63%	2	5.26%	38	
	MUSKWS04	0-5	34	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	
	MUSKWS05	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
16+		-	-	-	-	4	100.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Muskoka , District Of (MUSKWS01)	MUSKWS05	6-10	6	85.71%	1	14.29%	-	-	
		Total	27	79.41%	3	8.82%	4	11.76%	34
	Total	96	90.57%	4	3.77%	6	5.66%	106	
Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	3	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total	6	85.71%	1	14.29%	-	-	7	
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	3	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total	5	83.33%	1	16.67%	-	-	6	
Nairn And Hyman, Township Of (TNHW01)	TNHW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	6	85.71%	-	-	1	14.29%	7
	Total	6	85.71%	-	-	1	14.29%	7	
Nation, Municipality Of The (NATN01)	NATN01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	15	83.33%	3	16.67%	-	-	18
	Total	15	83.33%	3	16.67%	-	-	18	
Net Optiks	BPNOFC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	14	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total	31	100.00%	-	-	-	-	31	
Netflash Internet Solutions (NISF01)	NISF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	77	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
	Total	78	100.00%	-	-	-	-	78	
Newbury, Village Of (NWBWS01)	NWBWS01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	Total	-	-	4	100.00%	-	-	4	
Newmarket, Town Of (NMK01)	NMK01	0-5	106	100.00%	-	-	-	-	
		Total	106	100.00%	-	-	-	-	106
	Total	106	100.00%	-	-	-	-	106	
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	157	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	159	99.38%	-	-	1	0.63%	160
	Total	159	99.38%	-	-	1	0.63%	160	
Niagara Falls, City Of (NFS01)	NFS01	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
	Total	166	100.00%	8	100.00%	-	-	166	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Niagara Falls, City Of (NFS01)	NFS01	6-10	167	99.40%	1	0.60%	-	-	
		Total	333	97.37%	9	2.63%	-	-	342
		Total	333	97.37%	9	2.63%	-	-	342
Niagara Parks Commission (NPC01)	NPC01	0-5	30	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
		Total	31	100.00%	-	-	-	-	31
Niagara Peninsula Energy (NFH01)	NFH01	0-5	251	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	196	99.49%	1	0.51%	-	-	
		Total	447	98.03%	9	1.97%	-	-	456
		Total	447	98.03%	9	1.97%	-	-	456
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	513	100.00%	-	-	-	-	
		6-10	69	100.00%	-	-	-	-	
		Total	582	100.00%	-	-	-	-	582
		Total	582	100.00%	-	-	-	-	582
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	8	72.73%	3	27.27%	-	-	11
		Total	8	72.73%	3	27.27%	-	-	11
Niagara Regional Broadband Network (NRBN01)	NRBN01	0-5	140	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	161	100.00%	-	-	-	-	
		Total	301	97.41%	8	2.59%	-	-	309
		Total	301	97.41%	8	2.59%	-	-	309
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	195	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	85	97.70%	2	2.30%	-	-	
		Total	280	87.50%	40	12.50%	-	-	320
		Total	280	87.50%	40	12.50%	-	-	320
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	118	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	141	98.60%	2	1.40%	-	-	143
Total	141	98.60%	2	1.40%	-	-	143		
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	89	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	105	99.06%	1	0.94%	-	-	106
Total	105	99.06%	1	0.94%	-	-	106		
Nipigon, Township Of (NIP01)	NIP01	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
		Total	2	66.67%	1	33.33%	-	-	3
Nor-Del (NORDEL01)	NORDEL01	0-5	108	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	13.33%	13	86.67%	
		Total	108	100.00%	4	13.33%	13	86.67%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Nor-Del (NORDEL01)	NORDEL01	6-10	21	100.00%	-	-	-	-	
		Total	129	88.36%	4	2.74%	13	8.90%	146
	Total	129	88.36%	4	2.74%	13	8.90%	146	
Norfolk County (NFLK123)	NFLK01	0-5	309	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	37	97.37%	1	2.63%	-	-	
		Total	346	98.86%	4	1.14%	-	-	350
	Total	346	98.86%	4	1.14%	-	-	350	
North Bay Hydro (NBH01)	NBH01	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	18	90.00%	2	10.00%	-	-	
		Total	97	96.04%	4	3.96%	-	-	101
	Total	97	96.04%	4	3.96%	-	-	101	
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
	Total	1	33.33%	-	-	2	66.67%	3	
Total	1	33.33%	-	-	2	66.67%	3		
North Bay, City Of (NBWS01)	NBWS01	0-5	53	100.00%	-	-	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
	Total	59	98.33%	1	1.67%	-	-	60	
Total	59	98.33%	1	1.67%	-	-	60		
North Dundas , Township Of (NDND123)	NDND01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	NDND02	16+	-	-	4	100.00%	-	-	
	Total	-	-	4	100.00%	-	-	4	
Total	6	60.00%	4	40.00%	-	-	10		
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	225	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	1	11.11%	8	88.89%	
		6-10	99	83.19%	20	16.81%	-	-	
	Total	324	87.57%	38	10.27%	8	2.16%	370	
Total	324	87.57%	38	10.27%	8	2.16%	370		
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	10	76.92%	2	15.38%	1	7.69%	13	
Total	10	76.92%	2	15.38%	1	7.69%	13		
North Grenville , Municipality Of (NGR01)	NGR01	0-5	11	100.00%	-	-	-	-	
		6-10	13	72.22%	5	27.78%	-	-	
	Total	24	82.76%	5	17.24%	-	-	29	
Total	24	82.76%	5	17.24%	-	-	29		
North Huron, Township Of (NHURON01)	NHURON01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	18.18%	9	81.82%	-	-	
	Total	14	58.33%	10	41.67%	-	-	24	
Total	14	58.33%	10	41.67%	-	-	24		
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	9	100.00%	-	-	-	-	9	
Total	9	100.00%	-	-	-	-	9		
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	11-15	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	16+	-	-	-	-	83	100.00%	
		Total	-	-	-	-	84	100.00%	84
	Total		-	-	-	-	84	100.00%	84
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	2	33.33%	4	66.67%	
		Total	35	85.37%	2	4.88%	4	9.76%	41
	Total		35	85.37%	2	4.88%	4	9.76%	41
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		16+	-	-	1	4.00%	24	96.00%	
		6-10	18	81.82%	4	18.18%	-	-	
		Total	100	74.63%	9	6.72%	25	18.66%	134
	Total		100	74.63%	9	6.72%	25	18.66%	134
North Shore, Township Of the (NSR01)	NSR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
North Stormont , Township Of (NST01)	NST01	16+	-	-	16	80.00%	4	20.00%	
		Total	-	-	16	80.00%	4	20.00%	20
	Total		-	-	16	80.00%	4	20.00%	20
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total		13	92.86%	1	7.14%	-	-	14
Northern Rural Networks (NRN01)	NRN01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Northern Tel Limited Partnership (NT01)	NT01	0-5	98	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	84.21%	3	15.79%	-	-	
		Total	114	96.61%	4	3.39%	-	-	118
	Total		114	96.61%	4	3.39%	-	-	118
Northumberland County (NRHBSL01)	NRHBSL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	NRHBSL02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	NRHBSS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	24	88.89%	3	11.11%	-	-	27

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Northumberland County (NRHB01)	NRHBSS02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	NRHBTS01	11-15	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	4	66.67%	2	33.33%	-	-	6
Total		34	82.93%	7	17.07%	-	-	41	
Norwich , Township Of (NRW01)	NRW01	0-5	161	100.00%	-	-	-	-	
		11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	41	100.00%	
		Total	161	78.16%	-	-	45	21.84%	206
	Total		161	78.16%	-	-	45	21.84%	206
Nova Chemicals Corporation (N001)	N001	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	16	94.12%	-	-	1	5.88%	17
	Total		16	94.12%	-	-	1	5.88%	17
NT Power	NTPWR01	0-5	361	100.00%	-	-	-	-	
		6-10	66	100.00%	-	-	-	-	
		Total	427	100.00%	-	-	-	-	427
	Total		427	100.00%	-	-	-	-	427
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	471	100.00%	-	-	-	-	
		11-15	-	-	76	98.70%	1	1.30%	
		16+	-	-	16	55.17%	13	44.83%	
		6-10	314	90.23%	34	9.77%	-	-	
		Total	785	84.86%	126	13.62%	14	1.51%	925
	Total		785	84.86%	126	13.62%	14	1.51%	925
Oakville, Town Of (OAK123)	OAKBS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	12	75.00%	4	25.00%	-	-	16
	OAKSS01	0-5	466	100.00%	-	-	-	-	
		11-15	-	-	59	100.00%	-	-	
		16+	-	-	11	47.83%	12	52.17%	
		6-10	149	88.17%	20	11.83%	-	-	
		Total	615	85.77%	90	12.55%	12	1.67%	717
	OAKTS01	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	5	55.56%	4	44.44%	
		6-10	54	91.53%	5	8.47%	-	-	
		Total	117	74.52%	36	22.93%	4	2.55%	157
Total		744	83.60%	130	14.61%	16	1.80%	890	
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Oliver Paipoonge , Municipality Of (OLVPPG01)	OLVPPG01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	OLVPPG02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		3	100.00%	-	-	-	-	3	
On-Energy Corp (ONNRG01)	ONNRG01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
On-Energy Corp (ONNRG01)	ONNRG01	6-10	1	100.00%	-	-	-	-	
		Total	8	66.67%	1	8.33%	3	25.00%	12
	Total	8	66.67%	1	8.33%	3	25.00%	12	
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	OPGN2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	1	50.00%	-	-	1	50.00%	2		
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	13	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	ONTERA02	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	ONTERA03	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	ONTERA04	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	31	67.39%	15	32.61%	-	-	46
	ONTERA05	0-5	13	100.00%	-	-	-	-	
11-15		-	-	1	100.00%	-	-		
6-10		2	100.00%	-	-	-	-		
Total		15	93.75%	1	6.25%	-	-	16	
ONTERA06	0-5	13	100.00%	-	-	-	-		
	16+	-	-	10	100.00%	-	-		
	Total	13	56.52%	10	43.48%	-	-	23	
Total	91	77.78%	26	22.22%	-	-	117		
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	5	55.56%	4	44.44%	-	-	
	Total	66	81.48%	15	18.52%	-	-	81	
Total	66	81.48%	15	18.52%	-	-	81		
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	36	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	37	100.00%	-	-	-	-	37	
Total	37	100.00%	-	-	-	-	37		
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	169	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	28	100.00%	-	-	-	-	
	Total	197	99.49%	-	-	1	0.51%	198	
Total	197	99.49%	-	-	1	0.51%	198		
Orangeville, Town Of (ORGV01)	ORGV01	0-5	190	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	191	98.45%	3	1.55%	-	-	194	
Total	191	98.45%	3	1.55%	-	-	194		
Orillia, City Of (ORIL123)	ORILSL01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
	Total	25	92.59%	2	7.41%	-	-	27	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Orillia, City Of (ORIL123)	ORILT01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	47	97.92%	1	2.08%	-	-	48
	ORILWS01	0-5	79	100.00%	-	-	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	93	98.94%	1	1.06%	-	-	94
Total		165	97.63%	4	2.37%	-	-	169	
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	10	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
Total		12	100.00%	-	-	-	-	12	
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHG01	0-5	145	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	118	95.93%	5	4.07%	-	-	
		Total	263	94.60%	15	5.40%	-	-	278
	OSHG03	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	22	91.67%	2	8.33%	-	-	24
		Total		285	94.37%	17	5.63%	-	-
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-	6	
Oshawa, City Of (OSH01)	OSH01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	80	100.00%	-	-	-	-	
		Total	126	97.67%	3	2.33%	-	-	129
Total		126	97.67%	3	2.33%	-	-	129	
Osler Bluff Ski-Club (OSBC01)	OSBC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Ottawa River Power (ORP01)	ORP01	0-5	33	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	Total		52	100.00%	-	-	-	-	52
Ottawa River Power (ORP02)	ORP02	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
		Total		16	94.12%	1	5.88%	-	-
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	1,051	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	221	100.00%	-	-	-	-	
		Total	1,272	99.76%	3	0.24%	-	-	1275
	Total		1,272	99.76%	3	0.24%	-	-	1,275
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	394	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	6-10	26	100.00%	-	-	-	-	
		Total	420	99.53%	2	0.47%	-	-	422
	Total	420	99.53%	2	0.47%	-	-	422	
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	1,862	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	1,862	99.95%	1	0.05%	-	-	1,863	
Total	1,862	99.95%	1	0.05%	-	-	1,863		
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total	-	-	-	-	7	100.00%	7	
Owen Sound, City Of (OWSD01)	OWSD01	0-5	52	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	Total	52	100.00%	-	-	-	-	52	
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
Total	2	66.67%	1	33.33%	-	-	3		
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
Total	4	100.00%	-	-	-	-	4		
Oxford, County Of - Traffic (OXFSTS01)	OXFSTS01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Total	5	100.00%	-	-	-	-	5		
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	220	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	222	100.00%	-	-	-	-	222	
Total	222	100.00%	-	-	-	-	222		
Oxford, County Of (OXFSTM01)	OXFSTM01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Packet Works (PWRKST01)	PWRKST01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Total	5	100.00%	-	-	-	-	5		
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	50.00%	3	50.00%	-	-	
	Total	37	90.24%	3	7.32%	1	2.44%	41	
Total	37	90.24%	3	7.32%	1	2.44%	41		
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	20	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	PYWS02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total	24	96.00%	1	4.00%	-	-	25		
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	4	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
	Total	13	100.00%	-	-	-	-	13	
Total	13	100.00%	-	-	-	-	13		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Peel Region - Brampton Sanitary Sewer (PCYSANS123)	PRBM02	0-5	361	100.00%	-	-	-	-		
		11-15	-	-	71	100.00%	-	-		
		16+	-	-	16	94.12%	1	5.88%		
		6-10	426	99.30%	3	0.70%	-	-		
		Total	787	89.64%	90	10.25%	1	0.11%	878	
	PREBM02	0-5	86	100.00%	-	-	-	-		
		11-15	-	-	16	100.00%	-	-		
		16+	-	-	1	12.50%	7	87.50%		
		6-10	109	100.00%	-	-	-	-		
		Total	195	89.04%	17	7.76%	7	3.20%	219	
	PREC02	0-5	5	100.00%	-	-	-	-		
		16+	-	-	-	-	2	100.00%		
		6-10	8	100.00%	-	-	-	-		
		Total	13	86.67%	-	-	2	13.33%	15	
	PROC02	0-5	25	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	40	100.00%	-	-	-	-		
		Total	65	95.59%	3	4.41%	-	-	68	
	Total		1,060	89.83%	110	9.32%	10	0.85%	1,180	
Peel Region - Brampton Storm Sewer (PCYSTOS123)	PRBM03	0-5	104	100.00%	-	-	-	-		
		11-15	-	-	10	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	97	100.00%	-	-	-	-		
		Total	201	94.81%	11	5.19%	-	-	212	
	PREBM03	0-5	10	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	-	-	3	100.00%		
		6-10	16	100.00%	-	-	-	-		
		Total	26	83.87%	2	6.45%	3	9.68%	31	
	PREC03	0-5	3	100.00%	-	-	-	-		
		6-10	6	100.00%	-	-	-	-		
		Total	9	100.00%	-	-	-	-	9	
	PROC03	0-5	22	100.00%	-	-	-	-		
		6-10	40	100.00%	-	-	-	-		
		Total	62	100.00%	-	-	-	-	62	
	Total		298	94.90%	13	4.14%	3	0.96%	314	
	Peel Region - Brampton Water (PCYWAT123)	PBMC01	0-5	108	100.00%	-	-	-	-	
			6-10	3	100.00%	-	-	-	-	
			Total	111	100.00%	-	-	-	-	111
PEBMC01		0-5	47	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	-	-	6	100.00%		
		6-10	1	100.00%	-	-	-	-		
		Total	48	87.27%	1	1.82%	6	10.91%	55	
PIPP05		0-5	20	100.00%	-	-	-	-		
		Total	20	100.00%	-	-	-	-	20	
POCWA05		0-5	18	100.00%	-	-	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	8	100.00%	-	-	-	-		
		Total	26	96.30%	-	-	1	3.70%	27	
PRBM01		0-5	539	100.00%	-	-	-	-		
		11-15	-	-	86	100.00%	-	-		
		16+	-	-	25	96.15%	1	3.85%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel Region - Brampton Water (PCYWAT123)	PRBM01	6-10	612	99.67%	2	0.33%	-	-	1265
		Total	1,151	90.99%	113	8.93%	1	0.08%	
	PREBM01	0-5	62	100.00%	-	-	-	-	150
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	77	98.72%	1	1.28%	-	-	
		Total	139	92.67%	9	6.00%	2	1.33%	
	PREC01	0-5	9	100.00%	-	-	-	-	18
		6-10	9	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	
	PROC01	0-5	51	100.00%	-	-	-	-	162
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		99	100.00%	-	-	-	-		
Total		150	92.59%	12	7.41%	-	-		
Total		1,663	91.98%	135	7.47%	10	0.55%	1,808	
Peel Region (PEEL123)	PEELTS04	0-5	86	100.00%	-	-	-	-	153
		16+	-	-	1	100.00%	-	-	
		6-10	65	98.48%	1	1.52%	-	-	
		Total	151	98.69%	2	1.31%	-	-	
	Total		151	98.69%	2	1.31%	-	-	153
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	352	100.00%	-	-	-	-	423
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	67	100.00%	-	-	-	-	
	Total	419	99.05%	4	0.95%	-	-		
Total		419	99.05%	4	0.95%	-	-	423	
Pelham, Town Of (PEL1)	PEL1	0-5	60	100.00%	-	-	-	-	87
		16+	-	-	2	100.00%	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	85	97.70%	2	2.30%	-	-	
	Total		85	97.70%	2	2.30%	-	-	87
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	8	100.00%	-	-	-	-	8
		Total	8	100.00%	-	-	-	-	
Total		8	100.00%	-	-	-	-	8	
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	48	100.00%	-	-	-	-	48
		Total	48	100.00%	-	-	-	-	
Total		48	100.00%	-	-	-	-	48	
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	17	100.00%	-	-	-	-	17
		Total	17	100.00%	-	-	-	-	
Total		17	100.00%	-	-	-	-	17	
Pennytel Inc (PENTEL01)	PENTEL01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
Total		-	-	-	-	1	100.00%	1	
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	2	100.00%	-	-	-	-	9
		11-15	-	-	2	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	6	66.67%	3	33.33%	-	-	
	Total		6	66.67%	3	33.33%	-	-	9
Perth South, Township Of (PERTHS123)	PERTHS01	0-5	2	100.00%	-	-	-	-	4
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	75.00%	-	-	1	25.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Perth South, Township Of (PERTHS123)	PERTHS02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		4	80.00%	-	-	1	20.00%	5
Perth, Town Of (PERTH01)	PERTH01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	75.00%	3	25.00%	-	-	12
	Total		9	75.00%	3	25.00%	-	-	12
Petawawa, Town Of (PTWA123)	PTWA01	0-5	28	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	PTWASL01	0-5	15	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
Total		44	100.00%	-	-	-	-	44	
Peterborough , City Of (PTRB01)	PTRB01	0-5	142	100.00%	-	-	-	-	
		Total	142	100.00%	-	-	-	-	142
	Total		142	100.00%	-	-	-	-	142
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	124	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
	Total	141	100.00%	-	-	-	-	141	
Total		141	100.00%	-	-	-	-	141	
Peterborough, County Of (PTB01)	PTB01	0-5	89	100.00%	-	-	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		Total	89	93.68%	4	4.21%	2	2.11%	95
	Total		89	93.68%	4	4.21%	2	2.11%	95
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Petrolia, Town Of (P002)	P002	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	12.50%	7	87.50%	
		6-10	3	42.86%	4	57.14%	-	-	
		Total	16	55.17%	6	20.69%	7	24.14%	29
	Total		16	55.17%	6	20.69%	7	24.14%	29
Pickering , City Of (PKRG01)	PKRG01	0-5	249	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	24	92.31%	2	7.69%	-	-	
		Total	273	97.15%	6	2.14%	2	0.71%	281
	Total		273	97.15%	6	2.14%	2	0.71%	281
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	65	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	66	97.06%	2	2.94%	-	-	68	
Total		66	97.06%	2	2.94%	-	-	68	
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	48	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	50	100.00%	-	-	-	-	50	
Total		50	100.00%	-	-	-	-	50	
Point Edward, Village Of (PE01)	PE01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	11	91.67%	-	-	1	8.33%	12	
Total		11	91.67%	-	-	1	8.33%	12	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	40.00%	3	60.00%	-	-	5
	Total		2	40.00%	3	60.00%	-	-	5
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	60	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
	Total		78	100.00%	-	-	-	-	78
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Port Hope, Municipality Of (PH123)	PH01	0-5	41	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	Total		45	100.00%	-	-	-	-	45
Powassan, Municipality Of (PWSN01)	PWSN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Prescott , Town Of (PRS01)	PRS01	0-5	26	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	26	96.30%	-	-	1	3.70%	27
	Total		26	96.30%	-	-	1	3.70%	27
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS02	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	PRERUS03	16+	-	-	-	-	4	100.00%	
Total		-	-	-	-	7	100.00%	7	
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
Prince , Township Of (PRNC01)	PRNC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Prince Edward, County Of (PEC04)	PEC04	0-5	63	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	83	96.51%	3	3.49%	-	-	86
	Total		83	96.51%	3	3.49%	-	-	86
PROMARK FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total		14	93.33%	1	6.67%	-	-	15
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	36	97.30%	-	-	1	2.70%	37
	Total		36	97.30%	-	-	1	2.70%	37

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Q9 Networks (QNET01)	QNET01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Quadro Communications (QUAD1)	MSCQUAD2	0-5	31	100.00%	-	-	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	38	97.44%	1	2.56%	-	-	39
	QUAD1	0-5	185	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	204	99.03%	2	0.97%	-	-	206
	Total		242	98.78%	3	1.22%	-	-	245
QUALITY CABLES AND WIRELESS TELECOMMUNICATIONS LTD. (QCWT01)	QCWT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Queen'S University (QUEENU01)	QUEENU01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Queens University Fibre (QUEENF01)	QUEENF01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Quinte West, City Of (QW123)	QWF01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	8	100.00%	8
	QWSL01	0-5	74	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	74	98.67%	-	-	1	1.33%	75
	QWSN01	0-5	59	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	QWSS01	0-5	44	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	QWTS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
QWW01	0-5	70	100.00%	-	-	-	-		
	6-10	25	100.00%	-	-	-	-		
	Total	95	100.00%	-	-	-	-	95	
Total		304	96.82%	-	-	10	3.18%	314	
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Red Rock, Township Of (RDRK01)	RDRK01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		-	-	5	100.00%	-	-	5
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	36	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	HLTNW02	0-5	435	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	216	99.08%	2	0.92%	-	-	
		Total	651	98.19%	9	1.36%	3	0.45%	663
		Total		695	98.30%	9	1.27%	3	0.42%
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	32	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total		34	100.00%	-	-	-	-	34
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	26	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28
Renfrew Hydro (RFH01)	RFH01	0-5	14	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Renfrew, County Of (RNF123)	RNF01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	25	92.59%	2	7.41%	-	-	27
	Total		25	92.59%	2	7.41%	-	-	27
Renfrew, Town Of (RNF01)	RNF01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	RNF02	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
		Total		32	100.00%	-	-	-	-
Richmond Hill, Town Of (RHL01)	RHL01	0-5	251	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	251	99.60%	-	-	1	0.40%	252
	Total		251	99.60%	-	-	1	0.40%	252
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		Total	12	60.00%	8	40.00%	-	-	20
	Total		12	60.00%	8	40.00%	-	-	20
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Rideau Lakes, Township Of (RIL01)	RIL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	63	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	Total		63	100.00%	-	-	-	-	63
Rogers Communications (ROG123)	CABLET01	0-5	41	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	ROGGE01	0-5	784	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	58	100.00%	-	-	-	-	
		Total	842	99.88%	1	0.12%	-	-	843
	ROGHN01	0-5	692	100.00%	-	-	-	-	
		11-15	-	-	59	100.00%	-	-	
		16+	-	-	44	100.00%	-	-	
		Total	966	88.22%	129	11.78%	-	-	1095
	ROGLDN01	0-5	571	100.00%	-	-	-	-	
		6-10	198	100.00%	-	-	-	-	
		Total	769	100.00%	-	-	-	-	769
	ROGOE01	0-5	71	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	81	100.00%	-	-	-	-	81
	ROGOTT01	0-5	1,467	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	133	99.25%	1	0.75%	-	-	
		Total	1,600	99.75%	4	0.25%	-	-	1604
	ROGPEL01	0-5	654	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	34	100.00%	-	-	
		Total	1,207	94.08%	76	5.92%	-	-	1283
	ROGRAIL1	0-5	205	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
Total		208	98.58%	3	1.42%	-	-	211	
ROGSIM01	0-5	535	100.00%	-	-	-	-		
	11-15	-	-	18	100.00%	-	-		
	16+	-	-	40	100.00%	-	-		
	Total	745	92.32%	62	7.68%	-	-	807	
ROGSWO01	0-5	58	100.00%	-	-	-	-		
	6-10	16	100.00%	-	-	-	-		
	Total	74	100.00%	-	-	-	-	74	
ROGTOR01	0-5	1,966	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	16+	-	-	7	100.00%	-	-		
	Total	2,209	99.24%	17	0.76%	-	-	2226	
ROGWAT01	0-5	1,200	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	4	100.00%	-	-		
	Total	1,510	99.67%	5	0.33%	-	-	1515	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGWIN01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	ROGYRK01	0-5	555	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	348	94.57%	20	5.43%	-	-	
		Total	903	93.09%	67	6.91%	-	-	970
		Total	35	100.00%	-	-	-	-	35
	RUWV01	0-5	29	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	35
	SJRB01	0-5	10	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	SJRB02	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	111	99.11%	1	0.89%	-	-	112
	SJRB03	0-5	39	100.00%	-	-	-	-	
6-10		1	100.00%	-	-	-	-		
Total		40	100.00%	-	-	-	-	40	
SJRB04	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total		11,392	96.90%	365	3.10%	-	-	11,757	
Romney Wind Energy Centre Lp (RWEC01)	RWEC01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Rowe Energy Corporation (ROWE01)	ROWE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	17	94.44%	1	5.56%	
		6-10	-	-	1	100.00%	-	-	
		Total	2	8.00%	22	88.00%	1	4.00%	25
	Total		2	8.00%	22	88.00%	1	4.00%	25
Russell, Township Of (RSEL01)	RSEL01	0-5	70	100.00%	-	-	-	-	
		6-10	10	62.50%	6	37.50%	-	-	
		Total	80	93.02%	6	6.98%	-	-	86
	Total		80	93.02%	6	6.98%	-	-	86
Ryerson University (RYEU01)	RYEU01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	2	66.67%	1	33.33%	3
	SSRWE01	16+	-	-	1	100.00%	-	-	
	Total	-	-	1	100.00%	-	-	1	
Total		-	-	3	75.00%	1	25.00%	4	
Sarnia, City Of (C006)	C006	0-5	272	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sarnia, City Of (C006)	C006	6-10	1	100.00%	-	-	-	-	
		Total	273	100.00%	-	-	-	-	273
	Total		273	100.00%	-	-	-	-	273
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	SSSL01	0-5	65	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	SSWS01	0-5	68	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
Total		154	100.00%	-	-	-	-	154	
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	204	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	205	100.00%	-	-	-	-	205	
	SSMPUW01	0-5	152	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
Total		153	100.00%	-	-	-	-	153	
Total		358	100.00%	-	-	-	-	358	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	77	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	77	98.72%	-	-	-	1	1.28%	78
Total		77	98.72%	-	-	1	1.28%	78	
Scugog, Township Of (SCG01)	SCG01	0-5	95	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	95	98.96%	1	1.04%	-	-	-	96
Total		95	98.96%	1	1.04%	-	-	96	
Seguin, Township Of (SGN01)	SGN01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Selwyn, Township Of (SLWN01)	SLWN01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	9	81.82%	2	18.18%	-	-	-	11
Total		9	81.82%	2	18.18%	-	-	11	
Selwyn, Township Of (SLWN02)	SLWN02	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	9	81.82%	2	18.18%	-	-	-	11
Total		9	81.82%	2	18.18%	-	-	11	
Selwyn, Township Of (SLWN03)	SLWN03	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	9	81.82%	2	18.18%	-	-	-	11
Total		9	81.82%	2	18.18%	-	-	11	
Severn, Township Of (SEVERN01)	SEVERN01	0-5	15	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
	Total	17	89.47%	2	10.53%	-	-	-	19
	SEVERN02	0-5	5	100.00%	-	-	-	-	
Total	5	100.00%	-	-	-	-	-	5	
Total		22	91.67%	2	8.33%	-	-	24	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Shared Tower Inc	SHARET01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
		Total	-	-	-	-	6	100.00%	6
Shelburne , Town Of (SHLB01)	SHLB01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	13	81.25%	1	6.25%	2	12.50%	16
Total	13	81.25%	1	6.25%	2	12.50%	16		
Shell Canada - Sault Ste. Marie (SHL2)	SHL2	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2
Shell Canada (SHL1)	SHL1	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
		Total	7	87.50%	1	12.50%	-	-	8
Sick Kids Hospital (SKH01)	SKH01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	5
Silver Bay Water (SBW1)	SBW1	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
		Total	-	-	3	100.00%	-	-	3
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Simcoe, County Of (SIM01)	SIM01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
		Total	8	100.00%	-	-	-	-	8
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
		Total	9	100.00%	-	-	-	-	9
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
		Total	2	50.00%	2	50.00%	-	-	4
Six Nations Gas (SNG01)	SNG01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	5	17.24%	24	82.76%	
		6-10	7	41.18%	10	58.82%	-	-	
		Total	28	34.57%	29	35.80%	24	29.63%	81
		Total	28	34.57%	29	35.80%	24	29.63%	81
Sky Generation (Sprott Power) (SGPLWF01)	SGPLWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	25.00%	6	75.00%	-	-	
		Total	10	55.56%	7	38.89%	1	5.56%	18
Total	10	55.56%	7	38.89%	1	5.56%	18		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Smooth Rock Falls, Town Of (SRF01)	SRF01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	7	46.67%	8	53.33%	-	-	
		Total	32	58.18%	22	40.00%	1	1.82%	55
	Total		32	58.18%	22	40.00%	1	1.82%	55
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
	Total	13	81.25%	2	12.50%	1	6.25%	16	
Total		13	81.25%	2	12.50%	1	6.25%	16	
South Dundas , Municipality Of (SDS01)	SDS01	0-5	26	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total	28	96.55%	-	-	1	3.45%	29	
Total		28	96.55%	-	-	1	3.45%	29	
South Glengarry , Township Of (SGG01)	SGG01	0-5	7	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	10	90.91%	1	9.09%	-	-	11	
Total		10	90.91%	1	9.09%	-	-	11	
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	87	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	23	20.72%	-	-	88	79.28%	111	
Total		23	20.72%	-	-	88	79.28%	111	
South Kent Wind Project (SKWP01)	SKWP01	0-5	32	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
	Total	48	100.00%	-	-	-	-	48	
Total		48	100.00%	-	-	-	-	48	
South River , Village Of (SORI01)	SORI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
South Stormont, Township Of (SSTM01)	SSTM01	0-5	18	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	24	100.00%	-	-	-	-	24	
Total		24	100.00%	-	-	-	-	24	
Southgate, Township (SGWS01)	SGWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	6	66.67%	2	22.22%	1	11.11%	9	
Total		6	66.67%	2	22.22%	1	11.11%	9	
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total	22	81.48%	1	3.70%	4	14.81%	27	
	SWMSX02	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total	6	100.00%	-	-	-	-	6		
Total		28	84.85%	1	3.03%	4	12.12%	33	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	22.22%	7	77.78%	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	14	50.00%	7	25.00%	7	25.00%	28
Total			14	50.00%	7	25.00%	7	25.00%	28
Southwold, Township Of (SOW01)	SOW01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	42	95.45%	1	2.27%	1	2.27%	44
Total			42	95.45%	1	2.27%	1	2.27%	44
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total			5	100.00%	-	-	-	-	5
Spanish, Town Of (SPWS01)	SPWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	1	25.00%	1	25.00%	2	50.00%	4
Total			1	25.00%	1	25.00%	2	50.00%	4
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		Total	1	14.29%	-	-	6	85.71%	7
Total			1	14.29%	-	-	6	85.71%	7
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	4	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
Total			5	71.43%	2	28.57%	-	-	7
St. Catharines, City Of (STC1)	STC1	0-5	172	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	78	100.00%	-	-	-	-	
		Total	250	98.04%	5	1.96%	-	-	255
Total			250	98.04%	5	1.96%	-	-	255
St. Charles, Municipality Of (STC01)	STC01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
Total			-	-	-	-	4	100.00%	4
St. Clair, Township Of (M002)	M002	0-5	97	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	98	100.00%	-	-	-	-	98
		Total	98	100.00%	-	-	-	-	98
St. Joseph, Township Of (STJWS01)	STJWS01	11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	10	100.00%	-	-	-	-	
		Total	10	71.43%	2	14.29%	2	14.29%	14
Total			10	71.43%	2	14.29%	2	14.29%	14
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
Total			15	100.00%	-	-	-	-	15
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	6	100.00%	-	-	
		Total	-	-	6	100.00%	-	-	6
Total			-	-	6	100.00%	-	-	6
St. Thomas, City Of (STHWS01)	STHWS01	0-5	89	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	76	100.00%	-	-	-	-	
		Total	165	97.06%	5	2.94%	-	-	170

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
St. Thomas, City Of (STHWS01)	STHWS01	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		6-10	88	100.00%	-	-	-	-	
		Total	187	96.39%	7	3.61%	-	-	194
	Total	352	96.70%	12	3.30%	-	-	364	
Stardale Solar Lp (STARSF01)	STARSF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Start Communications (STARTC01)	STARTC02	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	86	100.00%	-	-	-	-	
		Total	201	99.01%	2	0.99%	-	-	203
	Total	201	99.01%	2	0.99%	-	-	203	
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total	7	100.00%	-	-	-	-	7	
Storm Internet (STRMF01)	STRMF01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	8	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total	11	100.00%	-	-	-	-	11	
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	1	20.00%	4	80.00%	
		16+	-	-	1	0.75%	133	99.25%	
		Total	-	-	2	1.44%	137	98.56%	139
	Total	-	-	2	1.44%	137	98.56%	139	
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	32	96.97%	-	-	1	3.03%	33
	Total	32	96.97%	-	-	1	3.03%	33	
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	64	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
	Total	64	100.00%	-	-	-	-	64	
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total	2	66.67%	-	-	1	33.33%	3	
Summer Haven Wind (SHWF01)	SHWF01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	37	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	44	95.65%	1	2.17%	1	2.17%	46
	Total	44	95.65%	1	2.17%	1	2.17%	46	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	76	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	76	97.44%	1	1.28%	1	1.28%	78
	S002	0-5	125	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	125	99.21%	1	0.79%	-	-	126
	S004	0-5	38	100.00%	-	-	-	-	
Total		38	100.00%	-	-	-	-	38	
	Total	239	98.76%	2	0.83%	1	0.41%	242	
Suncor Energy (SCE02)	SCE02	0-5	2	100.00%	-	-	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total	7	87.50%	1	12.50%	-	-	8	
Suncor Energy Products (SNCP05)	SNCP05	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total	-	-	-	-	3	100.00%	-	3
Suncor Energy Products (SNCP03)	SNCP03	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	16+	-	-	7	100.00%	-	-		
	6-10	1	100.00%	-	-	-	-		
		Total	3	27.27%	8	72.73%	-	-	11
	Total	3	27.27%	8	72.73%	-	-	11	
Sundridge, Village Of (SNDR01)	SNDR01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	9	81.82%	-	-	2	18.18%	11
	Total	9	81.82%	-	-	2	18.18%	11	
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	6-10	-	-	1	100.00%	-	-		
		Total	17	89.47%	2	10.53%	-	-	19
	Total	17	89.47%	2	10.53%	-	-	19	
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	295	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	6-10	31	100.00%	-	-	-	-		
		Total	326	99.69%	1	0.31%	-	-	327
	Total	326	99.69%	1	0.31%	-	-	327	
Talbot Windfarm (TALWF01)	TALWF01	0-5	2	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total	5	100.00%	-	-	-	-	5	
Tay, Township Of (TAY01)	TAY01	0-5	11	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	12	85.71%	2	14.29%	-	-	14
	Total	12	85.71%	2	14.29%	-	-	14	
Tbaytel (TBYTEL01)	TBYTEL01	0-5	235	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	6-10	48	97.96%	1	2.04%	-	-		
		Total	283	99.30%	2	0.70%	-	-	285
	TBYTEL02	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Tbaytel (TBYTEL01)	TBYTEL02	6-10	-	-	2	100.00%	-	-	
		Total	17	80.95%	2	9.52%	2	9.52%	21
	Total	300	98.04%	4	1.31%	2	0.65%	306	
TC Energy - East (TCP01)	TC03	0-5	178	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	180	99.45%	1	0.55%	-	-	181
	TC06	0-5	132	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	132	98.51%	2	1.49%	-	-	134
	TC07	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	79	97.53%	2	2.47%	-	-	81
	TC08	0-5	28	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	57.14%	3	42.86%	-	-	
		Total	32	88.89%	4	11.11%	-	-	36
	TC09	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	21	91.30%	2	8.70%	-	-	23
	TC10	0-5	53	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	54	98.18%	1	1.82%	-	-	55
	TC12	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	TC13	0-5	3	100.00%	-	-	-	-	
Total		4	100.00%	-	-	-	-	4	
TC14	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
TC15	0-5	2	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
TC16	0-5	3	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	Total	3	42.86%	4	57.14%	-	-	7	
TC17	0-5	12	100.00%	-	-	-	-		
	Total	12	100.00%	-	-	-	-	12	
TC18	0-5	124	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	2	100.00%	-	-		
	6-10	13	86.67%	2	13.33%	-	-		
Total	137	96.48%	5	3.52%	-	-	142		
TC19	0-5	21	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	23	95.83%	1	4.17%	-	-	24	
Total		686	96.89%	22	3.11%	-	-	708	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Tecumseh, Town Of (TEC123)	TECF01	6-10	1	50.00%	1	50.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	TECS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	29	72.50%	11	27.50%	-	-	
		Total	42	67.74%	17	27.42%	3	4.84%	62
	TECW01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	5	71.43%	2	28.57%	
6-10		35	70.00%	15	30.00%	-	-		
Total		48	57.83%	33	39.76%	2	2.41%	83	
Total		91	61.90%	51	34.69%	5	3.40%	147	
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	238	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
	Total	238	99.17%	2	0.83%	-	-	240	
Total		238	99.17%	2	0.83%	-	-	240	
Telmax Inc (TLMXF01)	TLMXF01	0-5	442	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	163	98.19%	3	1.81%	-	-	
		Total	605	97.74%	14	2.26%	-	-	619
Total		605	97.74%	14	2.26%	-	-	619	
Telus (TELUS01)	TELGE01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	46	95.83%	2	4.17%	-	-	48
	TELGN01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	18	94.74%	1	5.26%	-	-	
		Total	101	95.28%	5	4.72%	-	-	106
	TELGN02	0-5	31	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	32	96.97%	1	3.03%	-	-	33	
	TELGW01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	76	97.44%	2	2.56%	-	-	78
	TELGW02	0-5	1	100.00%	-	-	-	-	
	Total	1	100.00%	-	-	-	-	1	
	TELHN01	0-5	78	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	81	97.59%	1	1.20%	1	1.20%	83
	TELOE01	0-5	220	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
16+		-	-	-	-	1	100.00%		
6-10		82	100.00%	-	-	-	-		
Total		302	97.73%	6	1.94%	1	0.32%	309	
TELONE01	0-5	17	100.00%	-	-	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	20	100.00%	-	-	-	-	20	
TELONW01	0-5	11	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELONW01	6-10	2	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	TELOS01	0-5	156	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	54	100.00%	-	-	-	-	
		Total	210	96.77%	6	2.76%	1	0.46%	217
	TELOW01	0-5	47	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	50
	TELTE01	0-5	202	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	52	96.30%	2	3.70%	-	-	
		Total	254	96.21%	10	3.79%	-	-	264
	TELTW01N	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	75	87.21%	11	12.79%	-	-	86
	TELTW01S	0-5	142	100.00%	-	-	-	-	
11-15		-	-	25	100.00%	-	-		
16+		-	-	3	23.08%	10	76.92%		
6-10		28	84.85%	5	15.15%	-	-		
Total		170	79.81%	33	15.49%	10	4.69%	213	
Total		1,431	94.08%	77	5.06%	13	0.85%	1,521	
Temagami, Municipality Of (TMG01)	TMG01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
	Total	1	25.00%	2	50.00%	1	25.00%	4	
Total		1	25.00%	2	50.00%	1	25.00%	4	
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	13	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
Total		13	100.00%	-	-	-	-	13	
TENACITY UNITE PEC INC (TU01)	TU01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-	6	
Terago Networks Inc (TNF01)	TNF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Teraspan Networks (TS01)	TS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	9	75.00%	3	25.00%	-	-	
		Total	30	75.00%	5	12.50%	5	12.50%	40
	Total		30	75.00%	5	12.50%	5	12.50%	40
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	61	89.71%	3	4.41%	4	5.88%	68
	Total		61	89.71%	3	4.41%	4	5.88%	68

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Thorold, City Of (THLD01)	THLD01	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	62	95.38%	3	4.62%	-	-	
		Total	168	94.92%	8	4.52%	1	0.56%	177
	Total			168	94.92%	8	4.52%	1	0.56%
Thunder Bay Regional HSC	TBRHSC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total			-	-	-	3	100.00%	3
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	37	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total			37	100.00%	-	-	-	37
Thunder Bay, City Of (THBY123)	THBY01	0-5	135	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	37	80.43%	9	19.57%	-	-	
		Total	172	91.49%	11	5.85%	5	2.66%	188
	THBY02	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	6	100.00%	
		6-10	16	84.21%	3	15.79%	-	-	
		Total	99	89.19%	5	4.50%	7	6.31%	111
Total			271	90.64%	16	5.35%	12	4.01%	299
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	1	16.67%	1	16.67%	4	66.67%	6
	Total			1	16.67%	1	16.67%	4	66.67%
Tillsonburg , Town Of (TSB01)	TSB01	0-5	118	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	119	100.00%	-	-	-	-	119
	Total			119	100.00%	-	-	-	119
Tillsonburg Hydro (TLNBH01)	TLNBH01	0-5	87	100.00%	-	-	-	-	
		Total	87	100.00%	-	-	-	-	87
	Total			87	100.00%	-	-	-	87
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	Total	12	80.00%	-	-	3	20.00%	15	
Total			12	80.00%	-	-	3	20.00%	15
Timmins, City Of (TMNS01)	TMNS01	0-5	48	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	50	98.04%	1	1.96%	-	-	51
	Total			50	98.04%	1	1.96%	-	51
Tiny, Township Of (TNY01)	TNY01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	23	100.00%	-	-	-	-	
		Total	55	98.21%	-	-	1	1.79%	56
	Total			55	98.21%	-	-	1	1.79%
Toronto Business Improvement Areas (BIA123)	BBPBIA01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	BDVBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	60.00%	2	40.00%	-	-	5

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	BYEBIA01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	BYWBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	CPBIA01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	DFVBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	DNFBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	DYEBIA01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	EGLBIA01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	EVBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	GIBBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	GRTBIA01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	HLCBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	JGBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	KRBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	KSWBIA01	0-5	1	100.00%	-	-	-	-	
Total		1	100.00%	-	-	-	-	1	
LBVBIA01	0-5	7	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	9	90.00%	1	10.00%	-	-	10	
LIBIA01	16+	-	-	1	100.00%	-	-		
	Total	-	-	1	100.00%	-	-	1	
LSVBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	-	-	2	100.00%	-	-		
	Total	1	33.33%	2	66.67%	-	-	3	
MTDNBIA1	0-5	1	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
MTDSBIA1	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
PDVBIA01	0-5	4	100.00%	-	-	-	-		
	16+	-	-	1	50.00%	1	50.00%		
	6-10	2	100.00%	-	-	-	-		
	Total	6	75.00%	1	12.50%	1	12.50%	8	
PVBIA01	0-5	1	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	Total	1	50.00%	1	50.00%	-	-	2	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	RCVBIA01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	66.67%	1	16.67%	1	16.67%	6
	RHVBIA01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	RMSBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	RSDBIA01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	SCGBIA01	16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	2	66.67%	-	-	1	33.33%	3
	VIBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	WVBIA01	6-10	1	100.00%	-	-	-	-	
Total		1	100.00%	-	-	-	-	1	
WYWBIA01	0-5	4	100.00%	-	-	-	-		
	16+	-	-	2	100.00%	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	5	71.43%	2	28.57%	-	-	7	
YEBIA01	0-5	1	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	2	100.00%	-	-	-	-	2	
Total		89	79.46%	20	17.86%	3	2.68%	112	
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
Total		-	-	-	-	4	100.00%	4	
Toronto East Health Network (TEGH01)	TEGH01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total		-	-	-	-	2	100.00%	2	
Toronto Hydro (TH123)	THFWLTR1	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	THT21	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	6	42.86%	7	50.00%	1	7.14%	14
	THT23	0-5	124	100.00%	-	-	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	177	100.00%	-	-	-	-	177
	THTE01	0-5	1,599	100.00%	-	-	-	-	
		11-15	-	-	47	100.00%	-	-	
		16+	-	-	34	100.00%	-	-	
		6-10	816	98.43%	13	1.57%	-	-	
Total		2,415	96.25%	94	3.75%	-	-	2509	
THTVE01	11-15	-	-	-	-	34	100.00%		
	16+	-	-	-	-	136	100.00%		
	Total	-	-	-	-	170	100.00%	170	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Toronto Hydro (TH123)	THTW01N	0-5	971	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	5	100.00%	-	-		
		6-10	264	99.62%	1	0.38%	-	-		
		Total	1,235	99.36%	8	0.64%	-	-		1243
	THTW01S	0-5	838	100.00%	-	-	-	-		
		11-15	-	-	162	100.00%	-	-		
		16+	-	-	46	38.02%	75	61.98%		
		6-10	207	75.00%	69	25.00%	-	-		
		Total	1,045	74.80%	277	19.83%	75	5.37%		1397
Total		4,887	88.55%	386	6.99%	246	4.46%	5,519		
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	370	100.00%	-	-	-	-		
		11-15	-	-	15	100.00%	-	-		
		16+	-	-	4	80.00%	1	20.00%		
		6-10	141	98.60%	2	1.40%	-	-		
		Total	511	95.87%	21	3.94%	1	0.19%		533
	TORTSE02	0-5	28	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	59	100.00%	-	-	-	-		
		Total	87	94.57%	5	5.43%	-	-		92
	TORTSWN1	0-5	119	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	5	100.00%	-	-		
		6-10	55	100.00%	-	-	-	-		
		Total	174	96.67%	6	3.33%	-	-		180
	TORTSWN2	0-5	8	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	20	100.00%	-	-	-	-		
		Total	28	96.55%	1	3.45%	-	-		29
		TORTSWS1	0-5	170	100.00%	-	-	-		-
	11-15		-	-	32	100.00%	-	-		
	16+		-	-	10	45.45%	12	54.55%		
	6-10		47	88.68%	6	11.32%	-	-		
	Total		217	78.34%	48	17.33%	12	4.33%	277	
	TORTSWS2	0-5	21	100.00%	-	-	-	-		
		11-15	-	-	12	100.00%	-	-		
16+		-	-	2	25.00%	6	75.00%			
6-10		24	92.31%	2	7.69%	-	-			
Total		45	67.16%	16	23.88%	6	8.96%	67		
Total		1,062	90.15%	97	8.23%	19	1.61%	1,178		
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	92	100.00%	-	-	-	-		
		11-15	-	-	13	100.00%	-	-		
		16+	-	-	1	33.33%	2	66.67%		
		6-10	9	64.29%	5	35.71%	-	-		
		Total	101	82.79%	19	15.57%	2	1.64%		122
Total		101	82.79%	19	15.57%	2	1.64%	122		
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	272	100.00%	-	-	-	-		
		11-15	-	-	12	100.00%	-	-		
		16+	-	-	3	12.00%	22	88.00%		
		6-10	22	95.65%	1	4.35%	-	-		
		Total	294	88.55%	16	4.82%	22	6.63%		332
Total		294	88.55%	16	4.82%	22	6.63%	332		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	235	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	242	100.00%	-	-	-	-	242
	Total		242	100.00%	-	-	-	-	242
Toronto Water and Sewer (TORW123)	TORWE01	0-5	372	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	20	90.91%	2	9.09%	
		6-10	240	97.96%	5	2.04%	-	-	
		Total	612	92.31%	49	7.39%	2	0.30%	663
	TORWE02	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	55	94.83%	3	5.17%	-	-	
		Total	214	97.72%	5	2.28%	-	-	219
	TORWE03	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	TORWE04	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	105	91.30%	10	8.70%	-	-	115
	TORWE05	0-5	26	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	TORWE06	0-5	4	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	69.23%	4	30.77%	-	-	13
	TORWE07	0-5	250	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	20	100.00%	-	-	
		6-10	115	96.64%	4	3.36%	-	-	
		Total	365	90.57%	38	9.43%	-	-	403
	TORWW01	0-5	251	100.00%	-	-	-	-	
		11-15	-	-	93	100.00%	-	-	
		16+	-	-	37	52.86%	33	47.14%	
		6-10	134	77.46%	39	22.54%	-	-	
		Total	385	65.59%	169	28.79%	33	5.62%	587
	TORWW02	0-5	269	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	165	100.00%	-	-	-	-	
		Total	434	98.41%	7	1.59%	-	-	441
	TORWW04	0-5	48	100.00%	-	-	-	-	
11-15		-	-	10	100.00%	-	-		
16+		-	-	6	60.00%	4	40.00%		
6-10		13	86.67%	2	13.33%	-	-		
Total		61	73.49%	18	21.69%	4	4.82%	83	
TORWW05	0-5	35	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	10	100.00%	-	-	-	-		
	Total	45	97.83%	1	2.17%	-	-	46	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWW06	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	TORWWN03	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TORWWN07	0-5	143	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	69	100.00%	-	-	-	-	
		Total	212	99.53%	1	0.47%	-	-	213
	TORWWS03	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
	Total	13	68.42%	6	31.58%	-	-	19	
	TORWWS07	0-5	132	100.00%	-	-	-	-	
11-15		-	-	64	98.46%	1	1.54%		
16+		-	-	21	56.76%	16	43.24%		
6-10		62	79.49%	16	20.51%	-	-		
Total	194	62.18%	101	32.37%	17	5.45%	312		
Total		2,687	85.19%	411	13.03%	56	1.78%	3,154	
Toronto, University Of (UTOR01)	UTOR01	0-5	20	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	518	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	547	100.00%	-	-	-	-	547
	Total		547	100.00%	-	-	-	-	547
Transcanada Pipelines - North (TCP02)	TC04	0-5	17	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	20	76.92%	6	23.08%	-	-	26
	TC11	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
Total	28	90.32%	3	9.68%	-	-	31		
Total		48	84.21%	9	15.79%	-	-	57	
Trans-Northern Pipelines (TN01)	TN01	0-5	163	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	13	92.86%	1	7.14%	-	-	
	Total	176	98.88%	1	0.56%	1	0.56%	178	
Total		176	98.88%	1	0.56%	1	0.56%	178	
Trans-Northern Pipelines (TN02)	TN02	0-5	25	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	Total		30	100.00%	-	-	-	-	30
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	20	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
Trent Lakes, Municipality Of (TRLW01)	TRLW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Trent University (TRENTU123)	TRENTU01	0-5	4	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Trent University (TRENTU123)	TRENTU01	16+	-	-	4	100.00%	-	-	
		Total	4	50.00%	4	50.00%	-	-	8
	TRENTU02	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total		4	44.44%	5	55.56%	-	-	9	
Tribute Gas (MAGG01)	MAGG01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	7	53.85%	-	-	6	46.15%	13
	Total		7	53.85%	-	-	6	46.15%	13
Tuckersmith Communications (TCC01)	TCC01	0-5	140	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	10	83.33%	2	16.67%	
		6-10	11	100.00%	-	-	-	-	
	Total	151	89.35%	16	9.47%	2	1.18%	169	
Total		151	89.35%	16	9.47%	2	1.18%	169	
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	8	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	8	88.89%	1	11.11%	-	-	9	
Total		8	88.89%	1	11.11%	-	-	9	
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
University Health Network - Toronto General (UHNTG01)	UHNTG01	0-5	1	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
	Total	6	100.00%	-	-	-	-	6	
Total		6	100.00%	-	-	-	-	6	
University Health Network - Toronto Western (UHNW01)	UHNW01	6-10	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
Total		5	100.00%	-	-	-	-	5	
University Health Network (UHN01)	UHN01	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total		4	100.00%	-	-	-	-	4	
University Of Western Ontario (UW01)	UW01	16+	-	-	-	-	34	100.00%	
		Total	-	-	-	-	34	100.00%	34
Total		-	-	-	-	34	100.00%	34	
University Of Windsor (UOW01)	UOW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
	Total	-	-	-	-	4	100.00%	4	
Total		-	-	-	-	4	100.00%	4	
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	12	44.44%	1	3.70%	14	51.85%	27	
Total		12	44.44%	1	3.70%	14	51.85%	27	
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Utilities Kingston (UK123)	UK04	0-5	232	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	58	100.00%	-	-	-	-	
	Total	290	97.32%	6	2.01%	2	0.67%	298	
Total		290	97.32%	6	2.01%	2	0.67%	298	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	4	5.41%	70	94.59%	
		Total	-	-	4	5.41%	70	94.59%	74
	Total		-	-	4	5.41%	70	94.59%	74
Vale Canada (VALE01)	VALE01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	365	100.00%	-	-	-	-	
		6-10	68	100.00%	-	-	-	-	
		Total	433	100.00%	-	-	-	-	433
	Total		433	100.00%	-	-	-	-	433
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	17	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	167	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	113	100.00%	-	-	
		Total	167	59.43%	114	40.57%	-	-	281
	Total		167	59.43%	114	40.57%	-	-	281
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	517	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	525	99.81%	1	0.19%	-	-	526
	Total		525	99.81%	1	0.19%	-	-	526
Videotron Senc (VDT1)	VDT1	0-5	122	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	57	98.28%	1	1.72%	-	-	
		Total	179	97.28%	4	2.17%	1	0.54%	184
	VDT2	0-5	10	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	10	71.43%	4	28.57%	-	-	14
	Total		189	95.45%	8	4.04%	1	0.51%	198
	VIVE DEVELOPMENT CORPORATION (VIVE01)	VIVE01	16+	-	-	1	100.00%	-	-
6-10			1	100.00%	-	-	-	-	
Total			1	50.00%	1	50.00%	-	-	2
Total			1	50.00%	1	50.00%	-	-	2
Wainfleet Wind Power (WFWF01)	WFWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	15	93.75%	1	6.25%	
		16+	-	-	-	-	1	100.00%	
		6-10	1	20.00%	4	80.00%	-	-	
		Total	8	27.59%	19	65.52%	2	6.90%	29
	Total		8	27.59%	19	65.52%	2	6.90%	29
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	75	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	Total		75	100.00%	-	-	-	-	75
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	54	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	Total		74	100.00%	-	-	-	-	74

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Waste Connections Of Canada (PRWM01)	PRWM01	16+	-	-	1	33.33%	2	66.67%	
		Total	-	-	1	33.33%	2	66.67%	3
	Total		-	-	1	33.33%	2	66.67%	3
Waste Management Canada (WMFM01)	WMFM01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	21	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Waterloo, City Of (CW01)	CW01	0-5	248	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	13	92.86%	1	7.14%	
		6-10	45	93.75%	3	6.25%	-	-	
		Total	293	93.61%	19	6.07%	1	0.32%	313
	Total		293	93.61%	19	6.07%	1	0.32%	313
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	41	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	Total		44	100.00%	-	-	-	-	44
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	116	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	129	100.00%	-	-	-	-	129
	Total		129	100.00%	-	-	-	-	129
Waterloo, Region Of (RW02)	RW02	0-5	95	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	110	90.16%	6	4.92%	6	4.92%	122
	Total		110	90.16%	6	4.92%	6	4.92%	122
Waterloo, University Of (UWAT01)	UWAT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Wawa, Municipality Of (WAW01)	WAW01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	-	-	1	20.00%	5
	Total		4	80.00%	-	-	1	20.00%	5
Welland Hydro (WLNDH01)	WLNDH01	0-5	280	100.00%	-	-	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	133	100.00%	-	-	-	-	
		Total	413	94.51%	24	5.49%	-	-	437
	Total		413	94.51%	24	5.49%	-	-	437
Welland, City Of (WLD01)	WLD01	0-5	461	100.00%	-	-	-	-	
		11-15	-	-	2	33.33%	4	66.67%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	463	98.51%	3	0.64%	4	0.85%	470
	Total		463	98.51%	3	0.64%	4	0.85%	470
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	44	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Wellesley, Township Of (WLSLY01)	WLSLY01	16+	-	-	-	-	2	100.00%	
		Total	44	95.65%	-	-	2	4.35%	46
	Total	44	95.65%	-	-	2	4.35%	46	
Wellington North Power Inc (WNP01)	WNP01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total	19	100.00%	-	-	-	-	19	
Wellington North, Township Of (WLG123)	WLG123	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total	15	100.00%	-	-	-	-	15	
Wellington, County Of (WLG123)	WLG123	16+	-	-	7	70.00%	3	30.00%	
		Total	-	-	7	70.00%	3	30.00%	10
	Total	-	-	7	70.00%	3	30.00%	10	
West Elgin, Municipality Of (W005)	W005	16+	-	-	-	-	18	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	1	4.76%	2	9.52%	18	85.71%	21
	Total	1	4.76%	2	9.52%	18	85.71%	21	
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	68	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	68	95.77%	-	-	3	4.23%	71
	Total	68	95.77%	-	-	3	4.23%	71	
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	8	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total	10	100.00%	-	-	-	-	10	
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total	29	100.00%	-	-	-	-	29	
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	10	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	WPTHWS01	0-5	14	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
Total	37	100.00%	-	-	-	-	37		
West Windsor Power (WWP01)	WWP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Westario Power (WPOW01)	WPOW01	0-5	173	100.00%	-	-	-	-	
		6-10	58	100.00%	-	-	-	-	
		Total	231	100.00%	-	-	-	-	231
	Total	231	100.00%	-	-	-	-	231	
Westover Express Pipeline	WEX01	0-5	15	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total	20	100.00%	-	-	-	-	20	
Westport , Village Of (WPT01)	WPT01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Whitby, Town Of (WHIT123)	WHITCB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		WHITS01	0-5	110	100.00%	-	-	-	-
	Total	110	100.00%	-	-	-	-	110	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Whitby, Town Of (WHIT123)	WHITSL01	0-5	45	100.00%	-	-	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	77	100.00%	-	-	-	-	77
	Total		188	100.00%	-	-	-	-	188
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	138	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	145	100.00%	-	-	-	-	145
	WCSTSL01	0-5	201	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	211	100.00%	-	-	-	-	211
	WCSTW01	0-5	178	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	185	100.00%	-	-	-	-	185
	Total		541	100.00%	-	-	-	-	541
White River , Town Of (WHRWS01)	WHRWS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	3	37.50%	1	12.50%	4	50.00%	8
	Total		3	37.50%	1	12.50%	4	50.00%	8
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	1	12.50%	1	12.50%	6	75.00%	8
	Total		1	12.50%	1	12.50%	6	75.00%	8
Wightman Telecom (WT123)	WT01	0-5	551	100.00%	-	-	-	-	
		11-15	-	-	150	100.00%	-	-	
		16+	-	-	1	1.64%	60	98.36%	
		6-10	139	51.67%	130	48.33%	-	-	
		Total	690	66.93%	281	27.26%	60	5.82%	1031
	Total		690	66.93%	281	27.26%	60	5.82%	1,031
Wilfrid Laurier University (WLU01)	WLU01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	3	60.00%	1	20.00%	1	20.00%	5	
Total		3	60.00%	1	20.00%	1	20.00%	5	
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	37	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		40	100.00%	-	-	-	-	40
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	237	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	146	100.00%	-	-	-	-	
		Total	383	99.22%	3	0.78%	-	-	386
	Total		383	99.22%	3	0.78%	-	-	386
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	52	100.00%	-	-	-	-	
		Total	88	96.70%	3	3.30%	-	-	91
	Total		88	96.70%	3	3.30%	-	-	91
Windsor, City Of (EWINW01)	EWINW01	0-5	99	100.00%	-	-	-	-	
		6-10	129	100.00%	-	-	-	-	
	Total	228	100.00%	-	-	-	-	228	
EWINW02	0-5	65	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Windsor, City Of (EWINW01)	EWINW02	6-10	1	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	Total		294	100.00%	-	-	-	-	294
Windsor, City Of (WSRSL01)	WSRSL01	0-5	315	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	148	100.00%	-	-	-	-	
		Total	463	99.36%	3	0.64%	-	-	466
	Total		463	99.36%	3	0.64%	-	-	466
Wingham & Listowel Hospitals (LWHA01)	LWHA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	193	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	195	100.00%	-	-	-	-	195
	Total		195	100.00%	-	-	-	-	195
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	187	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	189	100.00%	-	-	-	-	189
	Total		189	100.00%	-	-	-	-	189
Woolwich, Township Of (WLW01)	WLW01	0-5	138	100.00%	-	-	-	-	
		Total	138	100.00%	-	-	-	-	138
	Total		138	100.00%	-	-	-	-	138
Wtc Communications (WTCCT01)	WTCCT01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	14	60.87%	8	34.78%	1	4.35%	23
	Total		14	60.87%	8	34.78%	1	4.35%	23
Xplore Inc	MTLF01	0-5	94	100.00%	-	-	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	131	100.00%	-	-	-	-	131
	XPNET01	0-5	372	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	37	94.87%	2	5.13%	-	-	
		Total	409	97.85%	8	1.91%	1	0.24%	418
	XPNET02	0-5	122	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	17	100.00%	-	-	-	-	
	Total	139	98.58%	1	0.71%	1	0.71%	141	
Total		679	98.41%	9	1.30%	2	0.29%	690	
York Region Water And Sewer (YRWS123)	YRWS01	0-5	423	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
	Total	428	99.77%	-	-	1	0.23%	429	
Total		428	99.77%	-	-	1	0.23%	429	
York University (YORKU01)	YORKU01	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	329	100.00%	-	-	-	-	
		11-15	-	-	81	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	6-10	285	95.00%	15	5.00%	-	-	
		Total	614	85.63%	96	13.39%	7	0.98%	717
	Total	614	85.63%	96	13.39%	7	0.98%	717	
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	37	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	31	86.11%	5	13.89%	-	-	
		Total	68	69.39%	30	30.61%	-	-	98
	ZAYOON02	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	5	38.46%	8	61.54%	
		6-10	12	100.00%	-	-	-	-	
		Total	50	78.13%	5	7.81%	9	14.06%	64
	ZAYOON03	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
16+		-	-	4	80.00%	1	20.00%		
6-10		32	96.97%	1	3.03%	-	-		
Total		84	86.60%	12	12.37%	1	1.03%	97	
ZAYOON04	0-5	16	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	3	75.00%	1	25.00%	-	-		
	Total	19	79.17%	5	20.83%	-	-	24	
ZAYOON05	0-5	29	100.00%	-	-	-	-		
	11-15	-	-	14	100.00%	-	-		
	16+	-	-	3	75.00%	1	25.00%		
	6-10	24	72.73%	9	27.27%	-	-		
	Total	53	66.25%	26	32.50%	1	1.25%	80	
ZAYOON06	0-5	6	100.00%	-	-	-	-		
	16+	-	-	2	100.00%	-	-		
	6-10	7	100.00%	-	-	-	-		
	Total	13	86.67%	2	13.33%	-	-	15	
ZAYOON07	0-5	26	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	32	80.00%	8	20.00%	-	-		
	Total	58	78.38%	16	21.62%	-	-	74	
ZAYOON08	0-5	33	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	21	91.30%	2	8.70%	-	-		
	Total	54	87.10%	8	12.90%	-	-	62	
ZAYOON09	0-5	6	100.00%	-	-	-	-		
	16+	-	-	3	100.00%	-	-		
	6-10	11	100.00%	-	-	-	-		
	Total	17	85.00%	3	15.00%	-	-	20	
ZAYOON11	0-5	413	100.00%	-	-	-	-		
	11-15	-	-	7	87.50%	1	12.50%		
	16+	-	-	14	29.79%	33	70.21%		
	6-10	53	91.38%	5	8.62%	-	-		
	Total	466	88.59%	26	4.94%	34	6.46%	526	
ZAYOON12	0-5	14	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYO123)	ZAYOON12	16+	-	-	-	-	1	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	19	76.00%	5	20.00%	1	4.00%	25
	Total	901	83.04%	138	12.72%	46	4.24%	1,085	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	66	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	24	96.00%	1	4.00%	
		6-10	30	100.00%	-	-	-	-	
	Total	96	75.59%	30	23.62%	1	0.79%	127	
Total	96	75.59%	30	23.62%	1	0.79%	127		
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	48	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	Total	48	100.00%	-	-	-	-	48	
Total			191,900	93.83%	10,291	5.03%	2,325	1.14%	204,516