

UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1 Locate your organization

Find your organization name in the first column, listed alphabetically.

2 Find your master code

Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3 Understand performance metrics

- **On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- **Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- **No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report

The report includes data for standard and advanced locate requests.

Excluded in this report

Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2025-03-28 02:00:27

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

1. Every municipality in Ontario;
2. Hydro One Inc., as defined in the Electricity Act, 1998;
3. Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
4. Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
5. Every Operator of a distribution system, as defined by the Electricity Act, 1998;
6. Every person or entity regulated under the Oil, Gas and Salt Resources Act;
7. Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.


UIO Performance Report



Report Period

2025-02-01

2025-02-28



On Time	103,945	94.57%
Late	4,390	3.99%
No 360 Response	1,583	1.44%
Total	109,918	

UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
156 Columbia St Inc (COLBIA123)	COLB06	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
407 ETR (407ETR)	407ETR01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	33	91.67%	2	5.56%	1	2.78%	36
	Total		33	91.67%	2	5.56%	1	2.78%	36
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	55	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	40	93.02%	3	6.98%	-	-	
		Total	95	93.14%	6	5.88%	1	0.98%	102
	HYTOS01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	
	HYTOW01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	3	100.00%	-	-	-	-	3	
Total		101	93.52%	6	5.56%	1	0.93%	108	
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	66.67%	2	33.33%	-	-	
	Total	16	76.19%	4	19.05%	1	4.76%	21	
Total		16	76.19%	4	19.05%	1	4.76%	21	
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Agilis (AGILF01)	AGILF01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	7	87.50%	-	-	1	12.50%	8	
Total		7	87.50%	-	-	1	12.50%	8	
Aim Harrow Wind Farm (HARFW01)	HARFW01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
Air Liquide Canada (AL01)	AL01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-	6	
Air Products Canada (APC1)	APC1	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	77	100.00%	-	-	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	110	100.00%	-	-	-	-	110
	Total		110	100.00%	-	-	-	-	110
Alectra Brampton (ALECBR01)	ALECBR01	0-5	609	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
	Total	615	99.51%	3	0.49%	-	-	618	
Total		615	99.51%	3	0.49%	-	-	618	
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	806	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	289	99.66%	1	0.34%	-	-	
	Total	1,095	98.21%	20	1.79%	-	-	1115	
Total		1,095	98.21%	20	1.79%	-	-	1,115	
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	518	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	24	100.00%	-	-	
		6-10	149	96.75%	5	3.25%	-	-	
	Total	667	92.77%	52	7.23%	-	-	719	
Total		667	92.77%	52	7.23%	-	-	719	
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	162	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
	Total	177	96.20%	7	3.80%	-	-	184	
Total		177	96.20%	7	3.80%	-	-	184	
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	966	100.00%	-	-	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	131	100.00%	-	-	-	-	
	Total	1,097	99.10%	10	0.90%	-	-	1107	
	PSGN05	0-5	192	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
Total	210	98.59%	3	1.41%	-	-	213		
Total		1,307	99.02%	13	0.98%	-	-	1,320	
Alectra Utilities (GHY01)	GHY01	0-5	137	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	53	98.15%	1	1.85%	-	-	
	Total	190	96.94%	6	3.06%	-	-	196	
Total		190	96.94%	6	3.06%	-	-	196	
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	1	100.00%	-	-	-	-	
	Total	7	43.75%	8	50.00%	1	6.25%	16	
Total		7	43.75%	8	50.00%	1	6.25%	16	
Algoma Power (AGMP01)	AGMP01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	10	90.91%	-	-	1	9.09%	11	
Total		10	90.91%	-	-	1	9.09%	11	
Algonquin College (ALGQC01)	ALGQC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Algonquin Fiber (ALGQF01)	ALGQF01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Algonquin Highlands	ALGHW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
	Total		3	75.00%	-	-	1	25.00%	4
Amherstburg Public Works (A005)	A005	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	124	96.88%	4	3.13%	-	-	128
	AMHTL01	16+	-	-	-	-	1	100.00%	
	Total		124	96.12%	4	3.10%	1	0.78%	129
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
	Total	14	77.78%	4	22.22%	-	-	18	
Total		14	77.78%	4	22.22%	-	-	18	
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
	Total	6	75.00%	2	25.00%	-	-	8	
Total		6	75.00%	2	25.00%	-	-	8	
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	ACWWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
Total	3	75.00%	-	-	1	25.00%	4		
Total		3	60.00%	-	-	2	40.00%	5	
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Atikokan Hydro (ATH01)	ATH01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Aurora, Town Of (AURORA01)	AURORA01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	9	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	47	81.03%	10	17.24%	1	1.72%	58
Total			47	81.03%	10	17.24%	1	1.72%	58
Avetria Networks Inc (ANF01)	ANF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	3
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
		Total	5	83.33%	1	16.67%	-	-	6
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	25.00%	3	75.00%	-	-	
		Total	7	63.64%	4	36.36%	-	-	11
Total	7	63.64%	4	36.36%	-	-	11		
Bancroft, Town Of (BNCF01)	BNCF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	3
Barrie, City Of (BARR01)	BARR01	0-5	130	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	39	100.00%	-	-	-	-	
		Total	169	97.13%	4	2.30%	1	0.57%	174
Total	169	97.13%	4	2.30%	1	0.57%	174		
Bayham, Municipality Of (BYH01)	BYH01	0-5	9	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
Total	10	100.00%	-	-	-	-	10		
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	316	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	95	100.00%	-	-	-	-	
		Total	411	98.80%	-	-	5	1.20%	416
Total	411	98.80%	-	-	5	1.20%	416		
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	304	100.00%	-	-	-	-	
		6-10	77	100.00%	-	-	-	-	
		Total	381	100.00%	-	-	-	-	381
		Total	381	100.00%	-	-	-	-	381
Bell Aliant Damage Prevention (BA01)	BA80702	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	BA80703	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	BA80704	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	BA80705	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	78.57%	3	21.43%	-	-	14
BA80706	16+	-	-	1	100.00%	-	-		
	Total	-	-	1	100.00%	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Aliant Damage Prevention (BA01)	BA80707	11-15	-	-	1	100.00%	-	-	
	Total		-	-	1	100.00%	-	-	1
	BA80708	0-5	11	100.00%	-	-	-	-	
	Total		11	100.00%	-	-	-	-	11
	BA80709	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	BA80710	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	BA80711	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BA80712	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	BAGE01	0-5	116	100.00%	-	-	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	151	100.00%	-	-	-	-	151
	BAGN01	0-5	27	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	BAGN02	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	20	83.33%	4	16.67%	-	-	24
	BAGW02	0-5	137	100.00%	-	-	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	184	100.00%	-	-	-	-	184
	BAHN01	0-5	9	100.00%	-	-	-	-	
6-10		1	100.00%	-	-	-	-		
Total		10	100.00%	-	-	-	-	10	
BAOE01	0-5	380	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	16+	-	-	6	100.00%	-	-		
	6-10	95	98.96%	1	1.04%	-	-		
	Total	475	96.94%	15	3.06%	-	-	490	
BAONE01	0-5	351	100.00%	-	-	-	-		
	11-15	-	-	16	100.00%	-	-		
	16+	-	-	6	100.00%	-	-		
	6-10	41	82.00%	9	18.00%	-	-		
	Total	392	92.67%	31	7.33%	-	-	423	
BAONW01	0-5	12	100.00%	-	-	-	-		
	Total	12	100.00%	-	-	-	-	12	
BAONW02	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
BAOS01	0-5	1,122	100.00%	-	-	-	-		
	11-15	-	-	7	100.00%	-	-		
	6-10	234	96.69%	8	3.31%	-	-		
	Total	1,356	98.91%	15	1.09%	-	-	1371	
BAOW01	0-5	407	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	91	100.00%	-	-	-	-		
	Total	498	99.60%	2	0.40%	-	-	500	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Aliant Damage Prevention (BA01)	Total		3,191	97.70%	75	2.30%	-	-	3,266
Bell Canada Damage Prevention (BC01)	360GTA	0-5	236	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	279	99.29%	2	0.71%	-	-	281
	360N	0-5	33	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	34	97.14%	1	2.86%	-	-	35
	360N01	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	206	96.71%	7	3.29%	-	-	213
	360OTT	0-5	19	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	19	79.17%	5	20.83%	-	-	24
	BCGE01	0-5	715	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	165	100.00%	-	-	-	-	
		Total	880	99.10%	8	0.90%	-	-	888
	BCGN01	0-5	1,268	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	32	100.00%	-	-	
		6-10	235	100.00%	-	-	-	-	
		Total	1,503	97.85%	33	2.15%	-	-	1536
	BCGN02	0-5	432	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	61	79.22%	16	20.78%	-	-	
Total		493	87.72%	69	12.28%	-	-	562	
BCGTAA01	0-5	28	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	29	96.67%	1	3.33%	-	-	30	
BCGW01	0-5	1,248	100.00%	-	-	-	-		
	11-15	-	-	21	100.00%	-	-		
	16+	-	-	17	100.00%	-	-		
	6-10	325	99.09%	3	0.91%	-	-		
	Total	1,573	97.46%	41	2.54%	-	-	1614	
BCGW02	0-5	126	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	5	100.00%	-	-		
	6-10	29	100.00%	-	-	-	-		
	Total	155	96.27%	6	3.73%	-	-	161	
BCHN01	0-5	2,156	100.00%	-	-	-	-		
	11-15	-	-	115	100.00%	-	-		
	16+	-	-	79	100.00%	-	-		
	6-10	436	96.04%	18	3.96%	-	-		
	Total	2,592	92.44%	212	7.56%	-	-	2804	
BCOE01	0-5	1,577	100.00%	-	-	-	-		
	11-15	-	-	19	100.00%	-	-		
	16+	-	-	10	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Canada Damage Prevention (BC01)	BCOE01	6-10	336	100.00%	-	-	-	-	
		Total	1,913	98.51%	29	1.49%	-	-	1942
	BCONE01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	82	86.32%	13	13.68%	-	-	95
	BCOS01	0-5	1,215	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	1,562	98.74%	20	1.26%	-	-	1582
	BCOW01	0-5	1,397	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1,671	98.64%	23	1.36%	-	-	1694
	BCTE01	0-5	1,130	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		Total	1,558	97.99%	32	2.01%	-	-	1590
	BCTW01N	0-5	444	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	640	96.53%	23	3.47%	-	-	663
BCTW01S	0-5	828	100.00%	-	-	-	-		
	11-15	-	-	29	100.00%	-	-		
	16+	-	-	19	100.00%	-	-		
	Total	1,085	95.09%	56	4.91%	-	-	1141	
BFTHTOR2	16+	-	-	-	-	31	100.00%		
	Total	-	-	-	-	31	100.00%	31	
Total			16,274	96.38%	581	3.44%	31	0.18%	16,886
Belleville , City Of (BLV01)	BLV01	0-5	37	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total			37	100.00%	-	-	-	37
Birch Hill Telecom (BHTI01)	BHTI01	0-5	16	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
	Total	32	100.00%	-	-	-	-	32	
Total			32	100.00%	-	-	-	32	
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	9	90.00%	-	-	-	1	10.00%	10
Total			9	90.00%	-	-	1	10.00%	10
Blind River , Town Of (BLR01)	BLR01	0-5	1	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	-	3
Total			2	66.67%	1	33.33%	-	-	3
Blue Mountain Resorts Lp (BMR01)	BMR01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total			-	-	1	100.00%	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	26	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	32	94.12%	-	-	2	5.88%	
	Total		32	94.12%	-	-	2	5.88%	34
Bluewater Power (S003)	S003	0-5	70	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	
	Total		72	100.00%	-	-	-	-	72
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	Total		9	100.00%	-	-	-	-	9
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Bluewater, Municipality Of (BLW01)	BLW01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	Total		12	100.00%	-	-	-	-	12
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Boralex (BOR123)	BORWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	BORWF02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	BORWF07	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	BORWF08	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
Total		7	100.00%	-	-	-	-	7	
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	21	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	
	BFWGSS01	0-5	28	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	
	BFWGW01	0-5	37	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
Total		42	100.00%	-	-	-	-	42	
Total		97	100.00%	-	-	-	-	97	
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	107	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	126	100.00%	-	-	-	-	
	Total		126	100.00%	-	-	-	-	126
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	256	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	285	97.27%	8	2.73%	-	-	
	Total		285	97.27%	8	2.73%	-	-	293
Brant, County Of - Fibre (BRNTF01)	BRNTF01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Brant, County Of - Fibre (BRNTF01)	BRNTF01	16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	Total		2	50.00%	2	50.00%	-	-	4
Brant, County Of (BRNT01)	BRNT01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	9	69.23%	4	30.77%	-	-	
		Total	84	81.55%	14	13.59%	5	4.85%	103
	Total		84	81.55%	14	13.59%	5	4.85%	103
Brantford, The City Of (BRAS01)	BRAS01	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	76	100.00%	-	-	-	-	
	Total	175	94.59%	7	3.78%	3	1.62%	185	
Total		175	94.59%	7	3.78%	3	1.62%	185	
Brantford, The City Of (BRASL01)	BRASL01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	32	100.00%	-	-	-	-	
	Total	81	94.19%	4	4.65%	1	1.16%	86	
Total		81	94.19%	4	4.65%	1	1.16%	86	
Brantford, The City Of (BRATL01)	BRATL01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	22	91.67%	2	8.33%	-	-	24	
Total		22	91.67%	2	8.33%	-	-	24	
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	7	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	7	87.50%	1	12.50%	-	-	8	
Total		7	87.50%	1	12.50%	-	-	8	
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
Total		2	66.67%	1	33.33%	-	-	3	
Brock , Township Of (BRCK01)	BRCK01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
Total		4	100.00%	-	-	-	-	4	
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Brockville, City Of (BRKV01)	BRKV01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
	Total	25	80.65%	-	-	6	19.35%	31	
Total		25	80.65%	-	-	6	19.35%	31	
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Brooke Telecom (B004)	B004	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
Total		24	100.00%	-	-	-	-	24	
Bruce , County Of (BRC01)	BRC01	0-5	9	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bruce , County Of (BRC01)	BRC01	6-10	5	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Bruce Telecom (BTL01)	BTL01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	46	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	18	28.13%	46	71.88%	-	-	64
	Total		18	28.13%	46	71.88%	-	-	64
Burlington Hydro (BH01)	BH01	0-5	385	100.00%	-	-	-	-	
		6-10	77	98.72%	1	1.28%	-	-	
		Total	462	99.78%	1	0.22%	-	-	463
	Total		462	99.78%	1	0.22%	-	-	463
Burlington, City Of (BRL123)	BRLSL01	0-5	183	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	193	100.00%	-	-	-	-	193
	BRLSS01	0-5	270	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	282	98.60%	-	-	4	1.40%	286
	BRLTS01	0-5	32	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total		509	99.22%	-	-	4	0.78%	513
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	37	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
	Total	67	100.00%	-	-	-	-	67	
Total		67	100.00%	-	-	-	-	67	
Cambridge, City Of (CAM123)	CAMS01	0-5	90	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	91	100.00%	-	-	-	-	91
	CAMW01	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	77	97.47%	1	1.27%	1	1.27%	79
Total		168	98.82%	1	0.59%	1	0.59%	170	
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Canadian Niagara Power (CNP01)	CNP01	0-5	173	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	39	100.00%	-	-	-	-	
	Total	212	99.53%	-	-	1	0.47%	213	
Total		212	99.53%	-	-	1	0.47%	213	
Canadian Nuclear Laboratories (AECL01)	AECL01	16+	-	-	-	-	77	100.00%	
		Total	-	-	-	-	77	100.00%	77
	Total		-	-	-	-	77	100.00%	77
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Carleton Place, Town Of (CRLP01)	CRLP01	6-10	7	87.50%	1	12.50%	-	-	
		Total	23	85.19%	1	3.70%	3	11.11%	27
	Total	23	85.19%	1	3.70%	3	11.11%	27	
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	3	60.00%	1	20.00%	1	20.00%	5	
Total	3	60.00%	1	20.00%	1	20.00%	5		
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	4	66.67%	1	16.67%	1	16.67%	6	
Total	4	66.67%	1	16.67%	1	16.67%	6		
Cedar Point li Wind Farm (CP2WF01)	CP2WF01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total	-	-	1	100.00%	-	-	1		
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total	2	100.00%	-	-	-	-	2		
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	15	100.00%	-	-	-	-	
		6-10	33	100.00%	-	-	-	-	
	Total	48	100.00%	-	-	-	-	48	
Total	48	100.00%	-	-	-	-	48		
Central Huron, Municipality Of (CHW01)	CHW01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
Total	4	100.00%	-	-	-	-	4		
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	-	-	-	-	1	100.00%	1		
Centre Wellington Communications (CWC01)	CWC01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total	7	100.00%	-	-	-	-	7		
Centre Wellington Hydro (CWH01)	CWH01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
Total	20	100.00%	-	-	-	-	20		
Centre Wellington, Township Of (CTW01)	CTW01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	18	100.00%	-	-	-	-	
	Total	39	86.67%	5	11.11%	1	2.22%	45	
Total	39	86.67%	5	11.11%	1	2.22%	45		
Century Link (LVL3)	LVL3	0-5	135	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	139	98.58%	-	-	2	1.42%	141	
Total	139	98.58%	-	-	2	1.42%	141		
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	1	50.00%	-	-	1	50.00%	2	
	CHPLSL01	16+	-	-	-	-	1	100.00%	
Total	-	-	-	-	1	100.00%	1		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Champlain, Township Of (CHPLN123)	CHPLSS01	0-5	1	100.00%	-	-	-	-	2
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	
	CHPLW01	0-5	1	100.00%	-	-	-	-	2
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	
Total		3	42.86%	-	-	4	57.14%	7	
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	90	100.00%	-	-	-	-	298
		11-15	-	-	83	100.00%	-	-	
		16+	-	-	-	-	82	100.00%	
		6-10	43	100.00%	-	-	-	-	
		Total	133	44.63%	83	27.85%	82	27.52%	
	CKPUC02	0-5	33	100.00%	-	-	-	-	97
		6-10	64	100.00%	-	-	-	-	
		Total	97	100.00%	-	-	-	-	
	CKPUC03	0-5	38	100.00%	-	-	-	-	169
		11-15	-	-	63	100.00%	-	-	
		16+	-	-	-	-	31	100.00%	
		6-10	36	97.30%	1	2.70%	-	-	
		Total	74	43.79%	64	37.87%	31	18.34%	
	Total		304	53.90%	147	26.06%	113	20.04%	564
	Chatham Kent Ridgetown Division (CK02)	CK02	0-5	45	100.00%	-	-	-	-
11-15			-	-	1	100.00%	-	-	
6-10			1	33.33%	2	66.67%	-	-	
Total			46	93.88%	3	6.12%	-	-	
Total			46	93.88%	3	6.12%	-	-	49
Chatham Resources (CRPL01)	CRPL01	0-5	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	2	100.00%	-	-	-	-	6
		16+	-	-	1	50.00%	1	50.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	4	66.67%	1	16.67%	1	16.67%	
	Total		4	66.67%	1	16.67%	1	16.67%	6
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	1	100.00%	-	-	-	-	2
		6-10	1	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	2	100.00%	-	-	-	-	3
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
Total		2	66.67%	-	-	1	33.33%	3	
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Cik Telecom (CIKT01)	CIKT01	0-5	7	100.00%	-	-	-	-	11
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	7	63.64%	1	9.09%	3	27.27%	
	Total		7	63.64%	1	9.09%	3	27.27%	11

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
City Of Woodstock Street Light & Traffic Signals Wdsltl01 (WDSLTL01)	WDSLTL01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	34	97.14%	1	2.86%	-	-	35
	Total		34	97.14%	1	2.86%	-	-	35
Ckpw Chatham Township Garage (CK08)	CK08	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	25	100.00%	-	-	
		16+	-	-	-	-	55	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	21	20.59%	26	25.49%	55	53.92%	102	
Total		21	20.59%	26	25.49%	55	53.92%	102	
Ckpw Chatham Water Garage (CK01)	CK01	0-5	53	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
Total		53	100.00%	-	-	-	-	53	
Ckpw Dover Township Garage (CK06)	CK06	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	28	82.35%	6	17.65%	-	-	34
	Total		28	82.35%	6	17.65%	-	-	34
Ckpw Kent Centre Garage (CK03)	CK03	0-5	149	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	157	100.00%	-	-	-	-	157
Total		157	100.00%	-	-	-	-	157	
Ckpw Raleigh Garage (CK04)	CK04	0-5	56	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	56	91.80%	-	-	5	8.20%	61
Total		56	91.80%	-	-	5	8.20%	61	
Ckpw Thamesville Garage (CK09)	CK09	0-5	59	100.00%	-	-	-	-	
		6-10	54	100.00%	-	-	-	-	
		Total	113	100.00%	-	-	-	-	113
Total		113	100.00%	-	-	-	-	113	
Ckpw Tilbury East Garage (CK05)	CK05	0-5	269	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	271	99.63%	1	0.37%	-	-	272
Total		271	99.63%	1	0.37%	-	-	272	
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
	Total	8	66.67%	3	25.00%	1	8.33%	12	
Total		8	66.67%	3	25.00%	1	8.33%	12	
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	30	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	30	93.75%	-	-	2	6.25%	32
Total		30	93.75%	-	-	2	6.25%	32	
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
	CLRGSS01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
Total		58	98.31%	1	1.69%	-	-	59	
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Clearford (LBWW01)	LBWW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Clearview, Township Of (CLRV01)	CLRV01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
		Total	17	94.44%	1	5.56%	-	-	18
Cobourg, Town Of (CBRG123)	CBRG01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
		Total	20	100.00%	-	-	-	-	20
Cochrane Telecom Services (CCT01)	CCT01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
		Total	7	77.78%	2	22.22%	-	-	9
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Cogeco Cable Canada (CBT1)	CBT1	0-5	578	100.00%	-	-	-	-	
		11-15	-	-	76	100.00%	-	-	
		16+	-	-	17	80.95%	4	19.05%	
		6-10	157	80.51%	38	19.49%	-	-	
		Total	735	84.48%	131	15.06%	4	0.46%	870
		Total	735	84.48%	131	15.06%	4	0.46%	870
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	376	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	74	100.00%	-	-	-	-	
		Total	450	97.83%	9	1.96%	1	0.22%	460
Total	450	97.83%	9	1.96%	1	0.22%	460		
Cogeco Cable Canada (CPVS2)	CBT2	0-5	69	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	1	14.29%	6	85.71%	
		6-10	23	95.83%	1	4.17%	-	-	
		Total	92	80.00%	17	14.78%	6	5.22%	115
	CPVS2	0-5	109	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	5	33.33%	10	66.67%	
		6-10	46	92.00%	4	8.00%	-	-	
		Total	155	82.45%	23	12.23%	10	5.32%	188
Total	247	81.52%	40	13.20%	16	5.28%	303		
Cogeco Connexion	COGOW02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Cogeco Connexion North East (CCNE123)	COGE01	0-5	276	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	289	98.97%	3	1.03%	-	-	292
	COOE01	0-5	185	100.00%	-	-	-	-	
		6-10	38	100.00%	-	-	-	-	
Total	223	100.00%	-	-	-	-	223		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Cogeco Connexion North East (CCNE123)	COONE01	0-5	85	100.00%	-	-	-	-		
		6-10	9	100.00%	-	-	-	-		
		Total	94	100.00%	-	-	-	-	94	
	Total		606	99.51%	3	0.49%	-	-	609	
Cogeco Connexion Southwest (CC01)	COC01	0-5	115	100.00%	-	-	-	-		
		11-15	-	-	3	100.00%	-	-		
		6-10	77	97.47%	2	2.53%	-	-		
		Total	192	97.46%	5	2.54%	-	-	197	
	COE01	0-5	334	100.00%	-	-	-	-		
		11-15	-	-	16	100.00%	-	-		
		16+	-	-	-	-	7	100.00%		
		Total	498	94.50%	22	4.17%	7	1.33%	527	
	COL01	0-5	83	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	98	98.00%	2	2.00%	-	-	100	
	Total		788	95.63%	29	3.52%	7	0.85%	824	
	Collingwood Public Utilities (COLL123)	COLLS01	0-5	1	100.00%	-	-	-	-	
			11-15	-	-	7	100.00%	-	-	
			16+	-	-	-	-	10	100.00%	
Total			4	17.39%	9	39.13%	10	43.48%	23	
COLLW01		0-5	23	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
Total		26	100.00%	-	-	-	-	26		
Total			30	61.22%	9	18.37%	10	20.41%	49	
Comber Wind Farm (COMBWF01)		COMBWF01	0-5	3	100.00%	-	-	-	-	
			Total	3	100.00%	-	-	-	-	3
Total		3	100.00%	-	-	-	-	3		
Communicate Freely (CFF01)	CFF01	0-5	6	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	7	100.00%	-	-	-	-	7	
Total		7	100.00%	-	-	-	-	7		
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	7	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	5	71.43%	2	28.57%	-	-		
		Total	12	75.00%	3	18.75%	1	6.25%	16	
Total		12	75.00%	3	18.75%	1	6.25%	16		
Cornwall , City Of (CRWL123)	CRWLSL01	0-5	24	100.00%	-	-	-	-		
		Total	24	100.00%	-	-	-	-	24	
	CRWLTS01	0-5	3	100.00%	-	-	-	-		
		Total	6	100.00%	-	-	-	-	6	
Total		30	100.00%	-	-	-	-	30		
Cornwall Electric (CE01)	CE01	0-5	58	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		Total	58	98.31%	1	1.69%	-	-	59	
Total		58	98.31%	1	1.69%	-	-	59		
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	30	100.00%	-	-	-	-		
		6-10	-	-	1	100.00%	-	-		
		Total	30	96.77%	1	3.23%	-	-	31	
Total		30	96.77%	1	3.23%	-	-	31		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Craigeleith Ski Club (CGLSC01)	CGLSC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	1	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	8	88.89%	-	-	1	11.11%	9
	Total		8	88.89%	-	-	1	11.11%	9
Crosslake Fibre Ulc (CRLF01)	CRLF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Ctv (CTV01)	CTV01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	19	76.00%	6	24.00%	-	-	25
	Total		19	76.00%	6	24.00%	-	-	25
Dbi Services (DBIS01)	DBIS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	23	85.19%	4	14.81%	-	-	27
	Total		23	85.19%	4	14.81%	-	-	27
DEDICATED LOCATOR - PROMARK (DLPRO1)	DLPRO1	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Deep River , Town Of (DRI01)	DRI01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Dotto One (DTONF01)	DTONF01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Dryden, City Of (DRYD01)	DRYD01	11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Dufferin County (DFRN01)	DFRN01	0-5	30	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Dufferin County (DFRN01)	DFRN01	6-10	1	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total		31	100.00%	-	-	-	-	31
Durham One Net	DON01	0-5	97	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	97	97.98%	2	2.02%	-	-	99
	Total		97	97.98%	2	2.02%	-	-	99
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	248	100.00%	-	-	-	-	
		Total	248	100.00%	-	-	-	-	248
	DURWS02	0-5	124	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	125	96.15%	5	3.85%	-	-	130
	DURWS03	0-5	56	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	DURWS04	0-5	23	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	23	85.19%	4	14.81%	-	-	27
	DURWS05	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		454	98.06%	9	1.94%	-	-	463	
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	112	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	118	100.00%	-	-	-	-	118
	Total		118	100.00%	-	-	-	-	118
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	19	95.00%	-	-	1	5.00%	20	
Total		19	95.00%	-	-	1	5.00%	20	
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
Total		-	-	-	-	8	100.00%	8	
E L K Energy Inc (E001)	E001	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	81	97.59%	-	-	2	2.41%	83
	Total		81	97.59%	-	-	2	2.41%	83
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	13	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	EGWLSS01	0-5	11	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	EGWLW01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	20	74.07%	-	-	7	25.93%	27
	EGWLWW01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
Total		14	93.33%	-	-	1	6.67%	15	
Total		76	90.48%	-	-	8	9.52%	84	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
	Total	6	54.55%	5	45.45%	-	-	11	
	Total		6	54.55%	5	45.45%	-	-	11
Eastern Ontario Power (EOP01)	EOP01	0-5	8	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	9	81.82%	2	18.18%	-	-	11
	Total		9	81.82%	2	18.18%	-	-	11
Eastern Power Inc (EP01)	EP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Eastlink (EL123)	ELGE01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	7	70.00%	2	20.00%	1	10.00%	10
	ELGN02	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ELOE01	0-5	9	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	ELOE02	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	34	97.14%	1	2.86%	-	-	35
	ELONE01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	38	95.00%	-	-	2	5.00%	40
	ELONE03	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	ELONE04	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	ELONE05	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	ELONE07	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	ELONE08	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	ELOS01	0-5	14	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELOS02	0-5	17	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	21	91.30%	1	4.35%	1	4.35%	
	ELOW01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	57	82.61%	10	14.49%	2	2.90%	
	ELOW02	0-5	4	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	6	85.71%	1	14.29%	-	-	
	ELOW03	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	28	90.32%	1	3.23%	2	6.45%	
	ELOW04	0-5	29	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	8	66.67%	4	33.33%	-	-	
		Total	37	82.22%	4	8.89%	4	8.89%	
	ELOW05	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	37	80.43%	2	4.35%	7	15.22%	
	ELOW06	0-5	14	100.00%	-	-	-	-	
6-10		19	95.00%	1	5.00%	-	-		
Total		33	97.06%	1	2.94%	-	-	34	
ELOW07	0-5	15	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	-	-	1	100.00%		
	6-10	-	-	1	100.00%	-	-		
	Total	15	83.33%	2	11.11%	1	5.56%		18
MKDLC01	0-5	7	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	8	80.00%	2	20.00%	-	-		10
Total		372	87.94%	31	7.33%	20	4.73%	423	
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	21	95.45%	-	-	1	4.55%	
	Total		21	95.45%	-	-	1	4.55%	22
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	75	100.00%	-	-	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	102	100.00%	-	-	-	-	
	ELX02	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Elexicon Energy Formerly Veridian (ELX123)	ELX02	6-10	36	100.00%	-	-	-	-	
		Total	149	94.30%	9	5.70%	-	-	158
	ELX03	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	31
	ELX04	0-5	85	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	95	100.00%	-	-	-	-	95
	ELXGE01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	24	96.00%	1	4.00%	-	-	25
	ELXGE02	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	ELXONE01	0-5	19	100.00%	-	-	-	-	
6-10		5	100.00%	-	-	-	-		
Total		24	100.00%	-	-	-	-	24	
ELXWHGE1	0-5	68	100.00%	-	-	-	-		
	6-10	67	100.00%	-	-	-	-		
	Total	135	100.00%	-	-	-	-	135	
Total			565	98.09%	11	1.91%	-	-	576
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total			3	100.00%	-	-	-	3
Elgin, County Of (ELGNE01)	ELGNE01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total			6	100.00%	-	-	-	6
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total			2	100.00%	-	-	-	2
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	ENNEBGW1	0-5	8	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	ENNEBOE1	0-5	5	100.00%	-	-	-	-	
Total	5	100.00%	-	-	-	-	5		
Total			23	100.00%	-	-	-	23	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	22	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	ENVMGN01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	78	98.73%	1	1.27%	-	-	79
	ENVMGN02	0-5	18	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	26	86.67%	4	13.33%	-	-	30
ENVMGW01	0-5	34	100.00%	-	-	-	-		
	11-15	-	-	6	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution Vital Mains (ENVM123)	ENVMGW0 1	16+	-	-	3	100.00%	-	-	
		6-10	67	98.53%	1	1.47%	-	-	
		Total	101	90.99%	10	9.01%	-	-	111
	ENVMGW0 2	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	ENVMHN01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	ENVMOE01	0-5	13	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	ENVMTE01	0-5	16	100.00%	-	-	-	-	
		6-10	59	100.00%	-	-	-	-	
		Total	75	100.00%	-	-	-	-	75
	ENVMTW1 N	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	40	100.00%	-	-	-	-	
		Total	56	93.33%	4	6.67%	-	-	60
	ENVMTW1S	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		30	96.77%	1	3.23%	-	-		
Total		70	95.89%	3	4.11%	-	-	73	
Total		490	95.70%	22	4.30%	-	-	512	
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	894	100.00%	-	-	-	-	
		11-15	-	-	223	100.00%	-	-	
		16+	-	-	73	90.12%	8	9.88%	
		6-10	536	80.24%	132	19.76%	-	-	
		Total	1,430	76.63%	428	22.94%	8	0.43%	1866
	EN2OE01	0-5	255	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	136	99.27%	1	0.73%	-	-	
		Total	391	96.31%	15	3.69%	-	-	406
	ENONE01	0-5	312	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	74	93.67%	5	6.33%	-	-	
		Total	386	97.72%	9	2.28%	-	-	395
	ENONW01	0-5	13	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	ENONW02	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	97	97.98%	2	2.02%	-	-	99
	ENOS01	0-5	1,569	100.00%	-	-	-	-	
		11-15	-	-	32	100.00%	-	-	
16+		-	-	15	100.00%	-	-		
6-10		877	98.43%	14	1.57%	-	-		
Total		2,446	97.57%	61	2.43%	-	-	2507	
ENOW01	0-5	963	100.00%	-	-	-	-		
	11-15	-	-	25	100.00%	-	-		
	16+	-	-	1	50.00%	1	50.00%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas (Legacy Union Gas) (UG1)	ENOW01	6-10	461	98.50%	7	1.50%	-	-	
		Total	1,424	97.67%	33	2.26%	1	0.07%	1458
	Total	6,190	91.74%	548	8.12%	9	0.13%	6,747	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	19	86.36%	3	13.64%	-	-	22
	ENCLCHT	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	105	98.13%	2	1.87%	-	-	107
	ENCLEST	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	48	96.00%	2	4.00%	-	-	50
	ENCLHAL	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	27	84.38%	5	15.63%	-	-	32
	ENCLHAM	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	24	88.89%	3	11.11%	-	-	
	Total	42	66.67%	21	33.33%	-	-	63	
	ENCLLDN	0-5	49	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	ENCLNTH	0-5	21	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	ENCLNW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ENCLNW02	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	85.71%	2	14.29%	-	-	14
	ENCLSAR	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
Total		22	91.67%	2	8.33%	-	-	24	
ENCLWAT	0-5	74	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	6-10	18	100.00%	-	-	-	-		
	Total	92	97.87%	2	2.13%	-	-	94	
ENCLWIN	0-5	57	100.00%	-	-	-	-		
	11-15	-	-	8	100.00%	-	-		
	6-10	46	93.88%	3	6.12%	-	-		
	Total	103	90.35%	11	9.65%	-	-	114	
Total		569	91.92%	50	8.08%	-	-	619	
Enbridge Gas Distribution (ENB1)	ENDLGN01	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	83	98.81%	1	1.19%	-	-	84

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENDLGN02	0-5	11	100.00%	-	-	-	-	30
		11-15	-	-	2	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	28	93.33%	2	6.67%	-	-	
	ENGE01	0-5	688	100.00%	-	-	-	-	972
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	271	100.00%	-	-	-	-	
		Total	959	98.66%	13	1.34%	-	-	
	ENGN01	0-5	1,249	100.00%	-	-	-	-	1626
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	362	100.00%	-	-	-	-	
		Total	1,611	99.08%	15	0.92%	-	-	
	ENGN02	0-5	410	100.00%	-	-	-	-	528
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	96	97.96%	2	2.04%	-	-	
		Total	506	95.83%	22	4.17%	-	-	
	ENGTAA01	0-5	19	100.00%	-	-	-	-	34
		11-15	-	-	4	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	30	88.24%	4	11.76%	-	-	
	ENGW01	0-5	962	100.00%	-	-	-	-	1663
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	21	84.00%	4	16.00%	
		6-10	647	99.54%	3	0.46%	-	-	
		Total	1,609	96.75%	50	3.01%	4	0.24%	
	ENGW02	0-5	185	100.00%	-	-	-	-	301
		11-15	-	-	3	100.00%	-	-	
16+		-	-	1	100.00%	-	-		
6-10		112	100.00%	-	-	-	-		
Total		297	98.67%	4	1.33%	-	-		
ENHN01	0-5	879	100.00%	-	-	-	-	1050	
	11-15	-	-	11	100.00%	-	-		
	16+	-	-	8	100.00%	-	-		
	6-10	151	99.34%	1	0.66%	-	-		
	Total	1,030	98.10%	20	1.90%	-	-		
ENOE01	0-5	1,019	100.00%	-	-	-	-	1744	
	11-15	-	-	39	100.00%	-	-		
	16+	-	-	5	25.00%	15	75.00%		
	6-10	661	99.25%	5	0.75%	-	-		
	Total	1,680	96.33%	49	2.81%	15	0.86%		
ENTE01	0-5	744	100.00%	-	-	-	-	1600	
	11-15	-	-	27	100.00%	-	-		
	16+	-	-	9	100.00%	-	-		
	6-10	819	99.88%	1	0.12%	-	-		
	Total	1,563	97.69%	37	2.31%	-	-		
ENTED9	0-5	10	100.00%	-	-	-	-	11	
	6-10	1	100.00%	-	-	-	-		
	Total	11	100.00%	-	-	-	-		
ENTW01N	0-5	349	100.00%	-	-	-	-	11	
	11-15	-	-	19	100.00%	-	-		
	16+	-	-	10	90.91%	1	9.09%		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENTW01N	6-10	315	100.00%	-	-	-	-	694
		Total	664	95.68%	29	4.18%	1	0.14%	
	ENTW01S	0-5	651	100.00%	-	-	-	-	1194
		11-15	-	-	47	100.00%	-	-	
		16+	-	-	10	90.91%	1	9.09%	
		6-10	471	97.11%	14	2.89%	-	-	
		Total	1,122	93.97%	71	5.95%	1	0.08%	
ENTWD9	0-5	2	100.00%	-	-	-	-	2	
Total	2	100.00%	-	-	-	-	-		
Total		11,195	97.07%	317	2.75%	21	0.18%	11,533	
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	10	100.00%	-	-	-	-	10
		Total	10	100.00%	-	-	-	-	
	Total	10	100.00%	-	-	-	-	10	
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	17	100.00%	-	-	-	-	17
		Total	17	100.00%	-	-	-	-	
	EN21	0-5	30	100.00%	-	-	-	-	36
		6-10	5	83.33%	1	16.67%	-	-	
		Total	35	97.22%	1	2.78%	-	-	
	EN22	0-5	6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-		
Total	58	98.31%	1	1.69%	-	-	59		
Enbridge Pipelines (EP123)	I001	0-5	7	100.00%	-	-	-	-	8
		16+	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	
	I010	0-5	173	100.00%	-	-	-	-	226
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	20	80.00%	5	20.00%	-	-	
		Total	193	85.40%	33	14.60%	-	-	
	I011	0-5	36	100.00%	-	-	-	-	38
		16+	-	-	2	100.00%	-	-	
Total		36	94.74%	2	5.26%	-	-		
I012	16+	-	-	2	100.00%	-	-	2	
	Total	-	-	2	100.00%	-	-		
Total	236	86.13%	38	13.87%	-	-	274		
Englehart , Town Of (EGHT01)	EGHT01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total	-	-	-	-	1	100.00%	1	
Enniskillen, Township Of (E002)	E002	0-5	14	100.00%	-	-	-	-	14
		Total	14	100.00%	-	-	-	-	
	Total	14	100.00%	-	-	-	-	14	
Enova Power (ENOVA123)	EPKW01	0-5	198	100.00%	-	-	-	-	307
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	102	99.03%	1	0.97%	-	-	
		Total	300	97.72%	3	0.98%	4	1.30%	
	EPWAT01	0-5	74	100.00%	-	-	-	-	100
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	17	100.00%	-	-	-	-	
		Total	91	91.00%	5	5.00%	4	4.00%	
EPWEL01	0-5	10	100.00%	-	-	-	-	11	
	6-10	1	100.00%	-	-	-	-		
	Total	11	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enova Power (ENOVA123)	EPWOL01	0-5	49	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	59
	Total		461	96.65%	8	1.68%	8	1.68%	477
Entegrus (EPICK01)	CKSL01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	49	98.00%	1	2.00%	-	-	50
	EPICK01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	81	98.78%	1	1.22%	-	-	82
	EPIMP01	0-5	22	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		153	98.71%	2	1.29%	-	-	155
	Entegrus Powerlines Inc À,â, -â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	66	100.00%	-	-	-	-
6-10			8	100.00%	-	-	-	-	
Total			74	100.00%	-	-	-	-	74
Total			74	100.00%	-	-	-	-	74
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	17	89.47%	-	-	2	10.53%	19
	Total		17	89.47%	-	-	2	10.53%	19
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	56	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	59	96.72%	-	-	2	3.28%	61	
Total		59	96.72%	-	-	2	3.28%	61	
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total		1	33.33%	2	66.67%	-	-	3
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	96	100.00%	-	-	-	-	
		6-10	32	96.97%	1	3.03%	-	-	
	Total	128	99.22%	1	0.78%	-	-	129	
Total		128	99.22%	1	0.78%	-	-	129	
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
	Total	35	92.11%	-	-	3	7.89%	38	
Total		35	92.11%	-	-	3	7.89%	38	
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	40	95.24%	-	-	2	4.76%	42
	Total		40	95.24%	-	-	2	4.76%	42
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	70	98.59%	1	1.41%	-	-	71
	EPNG02	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
Total	7	87.50%	-	-	1	12.50%	8		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Epcor Natural GasLP (EPNG123)	EPNG03	0-5	6	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
Total			87	97.75%	1	1.12%	1	1.12%	89
Erie Shores Wind Farm (ESWF01)	ESWF01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Erieau Wind Farm (EWF01)	EWF01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	34	77.27%	8	18.18%	2	4.55%	44
Total			34	77.27%	8	18.18%	2	4.55%	44
Erin, Town Of (ERN01)	ERN01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	8	47.06%	7	41.18%	2	11.76%	17
Total			8	47.06%	7	41.18%	2	11.76%	17
Erin, Town Of (ERNSL01)	ERNSL01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	13	56.52%	3	13.04%	7	30.43%	23
Total			13	56.52%	3	13.04%	7	30.43%	23
Erth Power Corporation (ETP01)	ETP01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	64	98.46%	1	1.54%	-	-	65
Total			64	98.46%	1	1.54%	-	65	
Erth Power Corporation (ETP02)	ETP02	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	23	95.83%	-	-	1	4.17%	24
Total			23	95.83%	-	-	1	4.17%	24
Espanola , Town Of (ESP01)	ESP01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
Total			7	100.00%	-	-	-	7	
Espanola Hydro (ERH01)	ERH01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
Essa, Township Of (ESA123)	ESASSL01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	5	55.56%	2	22.22%	2	22.22%	9
	ESAWS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
Total	5	55.56%	2	22.22%	2	22.22%	9		
Total			10	55.56%	4	22.22%	4	22.22%	18
Essex County Highways (ESXTS01)	ESXTS01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Essex County Highways (ESXTS01)	ESXTS01	6-10	3	100.00%	-	-	-	-	
		Total	21	95.45%	-	-	1	4.55%	22
	Total		21	95.45%	-	-	1	4.55%	22
Essex Powerlines Corp (A006)	A006	0-5	204	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	41	95.35%	2	4.65%	-	-	
		Total	245	96.08%	7	2.75%	3	1.18%	255
	Total		245	96.08%	7	2.75%	3	1.18%	255
Essex Powerlines Corp (A007)	A007	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	72	100.00%	
		Total	-	-	-	-	73	100.00%	73
	Total		-	-	-	-	73	100.00%	73
Essex, Town Of (CO01)	CO01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	19	100.00%	
		6-10	34	91.89%	3	8.11%	-	-	
		Total	72	75.79%	4	4.21%	19	20.00%	95
	Total		72	75.79%	4	4.21%	19	20.00%	95
Execulink Telecom (EXTEL123)	ASC2	0-5	41	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	24	100.00%	-	-	-	-	
		Total	65	97.01%	-	-	2	2.99%	67
	EXEC01	0-5	104	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	20.00%	4	80.00%	
		6-10	51	98.08%	1	1.92%	-	-	
		Total	155	93.37%	7	4.22%	4	2.41%	166
	HT01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	HTF1	0-5	4	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	NEK01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
Total		1	50.00%	-	-	1	50.00%	2	
Total		238	94.44%	7	2.78%	7	2.78%	252	
Fanshawe College - Private Property (FSWC02)	FSWC02	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Fanshawe College (FSWC01)	FSWC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Festival Hydro (FESTH01)	FESTH01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	52	98.11%	1	1.89%	-	-	53
	Total		52	98.11%	1	1.89%	-	-	53
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ford Canada - Windsor Plant	FORDW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Forest Estates 394075 Ontario Ltd. (FREST01)	FREST01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	121	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	121	96.03%	-	-	5	3.97%	126
	Total		121	96.03%	-	-	5	3.97%	126
Fort Frances Power (FFP01)	FFP01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	Total		1	33.33%	-	-	2	66.67%	3
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Fu Fiber Inc (FUF01)	FUF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	50.00%	1	25.00%	1	25.00%	4
	Total		2	50.00%	1	25.00%	1	25.00%	4
Gananoque, Town Of (GNQWST01)	GNQWST01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Gbtel Inc (GBT01)	GBT01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Georgian Bluffs , Township Of (GB01)	GBSL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Georgina, Town Of (GGN123)	GGN01	0-5	56	100.00%	-	-	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	90
	Total		90	100.00%	-	-	-	-	90
Goderich, Town Of (GDR123)	GDRHS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	GDRHW01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	55.56%	4	44.44%	-	-	9
Total		13	76.47%	4	23.53%	-	-	17	
Gosfield North Communications (G001)	G001	0-5	37	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total		42	100.00%	-	-	-	-	42
Government Of Canada (GOC01)	GOC01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	88.89%	-	-	1	11.11%	9
	Total		8	88.89%	-	-	1	11.11%	9

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Grand Bend Wind Lp (GBWF01)	GBWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Grand River Hospital Corp. - KW Campus And Freepport Campus (FPGRH01)	FPGRH01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	Total		2	50.00%	2	50.00%	-	-	4
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	7	87.50%	1	12.50%	
		Total	-	-	7	87.50%	1	12.50%	8
	Total		-	-	7	87.50%	1	12.50%	8
Grandbridge Energy	GBH01	0-5	370	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	91	100.00%	-	-	-	-	
		Total	461	99.78%	1	0.22%	-	-	462
	Total		461	99.78%	1	0.22%	-	-	462
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	7	77.78%	-	-	2	22.22%	9
	Total		7	77.78%	-	-	2	22.22%	9
Greater Sudbury Hydro (SH01)	SH01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	4	100.00%	-	-	-	-	
	Total	71	93.42%	1	1.32%	4	5.26%	76	
Total		71	93.42%	1	1.32%	4	5.26%	76	
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
	Total	36	94.74%	-	-	2	5.26%	38	
Total		36	94.74%	-	-	2	5.26%	38	
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Greater Sudbury, City Of (GSBY123)	GSBY03	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	GSBYS01	0-5	53	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Sudbury, City Of (GSBY123)	GSBYS01	6-10	2	100.00%	-	-	-	-	56
		Total	55	98.21%	-	-	1	1.79%	
	GSBYSS01	0-5	39	100.00%	-	-	-	-	42
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	41	97.62%	-	-	1	2.38%	
	GSBYW01	0-5	57	100.00%	-	-	-	-	60
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	59	98.33%	-	-	1	1.67%	
Total			155	95.09%	-	-	8	4.91%	163
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	13	100.00%	-	-	-	-	22
		6-10	9	100.00%	-	-	-	-	
	Total	22	100.00%	-	-	-	-	22	
	Total			22	100.00%	-	-	-	22
Greenfield South Power Corporation (EP02)	EP02	0-5	1	100.00%	-	-	-	-	3
		16+	-	-	1	50.00%	1	50.00%	
	Total	1	33.33%	1	33.33%	1	33.33%	3	
	Total			1	33.33%	1	33.33%	1	33.33%
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	2	100.00%	-	-	-	-	6
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	33.33%	2	66.67%	
		Total	2	33.33%	1	16.67%	3	50.00%	
	Total			2	33.33%	1	16.67%	3	50.00%
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	3	100.00%	-	-	-	-	5
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	-	-	1	20.00%	
	Total			4	80.00%	-	-	1	20.00%
Grey, County Of (GREY01)	GREY01	0-5	3	100.00%	-	-	-	-	4
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total			4	100.00%	-	-	-	4
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	33	100.00%	-	-	-	-	43
		11-15	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	42	97.67%	1	2.33%	-	-	
	Total			42	97.67%	1	2.33%	-	-
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	31	100.00%	-	-	-	-	31
		Total	31	100.00%	-	-	-	-	
	Total			31	100.00%	-	-	-	31
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	51	100.00%	-	-	-	-	57
		6-10	6	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	
	Total			57	100.00%	-	-	-	57
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	6	100.00%	-	-	-	-	7
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	Total			7	100.00%	-	-	-	7
Guelph, City Of (GLPH123)	GLPH01	0-5	100	100.00%	-	-	-	-	194
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	15	100.00%	
		6-10	78	100.00%	-	-	-	-	
		Total	178	91.75%	1	0.52%	15	7.73%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Guelph, City Of (GLPH123)	GLPH02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	GLPH04	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	19	100.00%	-	-	-	-	
		Total	30	90.91%	-	-	3	9.09%	33
	GLPH05	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	19	100.00%	-	-	-	-	
		Total	26	89.66%	-	-	3	10.34%	29
Total		235	91.44%	1	0.39%	21	8.17%	257	
Guelph, University Of (UGPH01)	UGPH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Haldimand County (HLDM123)	HLDMD01	0-5	54	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	54	96.43%	-	-	2	3.57%	56
	HLDME01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	HLDMS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	HLDMW01	0-5	2	100.00%	-	-	-	-	
Total		2	100.00%	-	-	-	-	2	
Total		71	94.67%	2	2.67%	2	2.67%	75	
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOSL01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	HMTOTS01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total		-	-	2	100.00%	-	-	2	
Halton Hills Hydro (HHH01)	HHH01	0-5	64	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	90
	Total		90	100.00%	-	-	-	-	90
Halton Hills, Town Of (HAH01)	HAH01	0-5	20	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Halton Hills, Town Of (HAH02)	HAH02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	Total		2	50.00%	2	50.00%	-	-	4
Halton, Region Of (HLTNB123)	HLTNB01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	HLTNBSL01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	HLTNBTC01	0-5	3	100.00%	-	-	-	-	
Total		3	100.00%	-	-	-	-	3	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Halton, Region Of (HLTNB123)	HLTNBTS01	0-5	5	100.00%	-	-	-	-		
		Total	5	100.00%	-	-	-	-	5	
	Total		20	100.00%	-	-	-	-	20	
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	1	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	2	100.00%	-	-	-	-	2	
	HLTNHTS01	0-5	3	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
		Total	6	100.00%	-	-	-	-	6	
	Total		8	100.00%	-	-	-	-	8	
Halton, Region Of (HLTNM123)	HLTNM01	0-5	12	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	6	100.00%	-	-	-	-		
		Total	18	90.00%	2	10.00%	-	-	20	
	HLTNMTC01	0-5	5	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	5	100.00%	-	-	-	-		
		Total	10	83.33%	2	16.67%	-	-	12	
	HLTNMTS01	0-5	6	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	8	88.89%	1	11.11%	-	-	9	
	Total		36	87.80%	5	12.20%	-	-	41	
	Halton, Region Of (HLTNO123)	HLTNOK01	0-5	13	100.00%	-	-	-	-	
11-15			-	-	2	100.00%	-	-		
6-10			13	100.00%	-	-	-	-		
Total			26	92.86%	2	7.14%	-	-	28	
HLTNOSL01		0-5	11	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	10	100.00%	-	-	-	-		
		Total	21	91.30%	2	8.70%	-	-	23	
HLTNOC01		0-5	9	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	9	100.00%	-	-	-	-		
		Total	18	90.00%	2	10.00%	-	-	20	
HLTNOTS01		0-5	7	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		6-10	7	100.00%	-	-	-	-		
		Total	14	87.50%	2	12.50%	-	-	16	
Total			79	90.80%	8	9.20%	-	-	87	
Halton, Region Of (HLTNSS04)		HLTNSS04	0-5	7	100.00%	-	-	-	-	
			Total	7	100.00%	-	-	-	-	7
		Total		7	100.00%	-	-	-	-	7
Halton, Region Of (HLTNT01)	HLTNT01	0-5	4	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	5	100.00%	-	-	-	-	5	
	Total		5	100.00%	-	-	-	-	5	
Hamilton , Township Of (HML01)	HML01	0-5	20	100.00%	-	-	-	-		
		Total	20	100.00%	-	-	-	-	20	
	Total		20	100.00%	-	-	-	-	20	
Hamilton Community Energy (HCE1)	HCE1	0-5	7	100.00%	-	-	-	-		
		Total	7	100.00%	-	-	-	-	7	
	Total		7	100.00%	-	-	-	-	7	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Hamilton, City Of (CH01)	CH01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	65	100.00%	-	-	-	-	
		Total	80	94.12%	5	5.88%	-	-	85
		Total	80	94.12%	5	5.88%	-	-	85
Hamilton, City Of (HHP3)	HHP3	0-5	356	100.00%	-	-	-	-	
		Total	356	100.00%	-	-	-	-	356
		Total	356	100.00%	-	-	-	-	356
Hamilton, City Of (HW01)	HW01	0-5	329	100.00%	-	-	-	-	
		11-15	-	-	59	100.00%	-	-	
		16+	-	-	26	74.29%	9	25.71%	
		6-10	125	94.70%	7	5.30%	-	-	
		Total	454	81.80%	92	16.58%	9	1.62%	555
	HW02	0-5	2	100.00%	-	-	-	-	
	Total	2	100.00%	-	-	-	-	2	
Total	456	81.87%	92	16.52%	9	1.62%	557		
Hanover , Town Of (HNVR01)	HNVR01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	33.33%	4	66.67%	-	-	
		Total	4	30.77%	6	46.15%	3	23.08%	13
		Total	4	30.77%	6	46.15%	3	23.08%	13
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
Total	1	50.00%	-	-	1	50.00%	2		
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HWKBSL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total	6	100.00%	-	-	-	-	6		
Hay Communications (H123)	H003	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	17	100.00%	-	-	-	-	
		Total	43	95.56%	1	2.22%	1	2.22%	45
		Total	43	95.56%	1	2.22%	1	2.22%	45
Hce Telecom (HCEHN01)	HCEHN01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	7	70.00%	3	30.00%	-	-	
		Total	10	55.56%	8	44.44%	-	-	18
		Total	10	55.56%	8	44.44%	-	-	18
Hearst Power (HRSTP01)	HRSTP01	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
Total	11	100.00%	-	-	-	-	11		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Highbury Canco Corp (HGHBRY01)	HGHBRY01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Homewood Health Services (HOMHS01)	HOMHS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	2	25.00%	5	62.50%	1	12.50%	8
	Total		2	25.00%	5	62.50%	1	12.50%	8
Huron Shores , Municipality Of (HRNSS01)	HRNSS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Huron, County Of (HRN123)	HRN01	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	HRN02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HRN03	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HRN04	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		4	50.00%	3	37.50%	1	12.50%	8
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Hurontel (HTEL01)	HTEL01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	20	90.91%	2	9.09%	-	-	
		Total	56	90.32%	5	8.06%	1	1.61%	62
	Total		56	90.32%	5	8.06%	1	1.61%	62
Hydro Embrun (EMBRH01)	EMBRH01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
	Total	1	20.00%	-	-	4	80.00%	5	
Total		1	20.00%	-	-	4	80.00%	5	
Hydro Hawkesbury (HHI01)	HHI01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Hydro One Networks Inc (HH123)	HOBRA01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (HH123)	HOBRA01	6-10	2	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	HOF501	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	7	87.50%	1	12.50%	
		16+	-	-	-	-	8	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	35	67.31%	8	15.38%	9	17.31%	52
	HOHAM01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	50.00%	4	50.00%	-	-	8	
	HOKIT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	HOMAR01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HOMIS01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	HOTOR01	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	30	96.77%	1	3.23%	-	-	
		Total	113	71.97%	44	28.03%	-	-	157
	HOVAU01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	O0052	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
OH20	0-5	9	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total	10	90.91%	1	9.09%	-	-	11	
OH30	0-5	8	100.00%	-	-	-	-		
	Total	8	100.00%	-	-	-	-	8	
OH40	6-10	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
Total		207	74.19%	62	22.22%	10	3.58%	279	
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
	Total		13	86.67%	2	13.33%	-	-	15
Hydro One Networks Inc (H1DX)	H1DCHP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	H1DGE01	0-5	331	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	106	100.00%	-	-	-	-	
		Total	437	99.54%	2	0.46%	-	-	439
	H1DGN01	0-5	388	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	178	100.00%	-	-	-	-	
	Total	566	99.12%	5	0.88%	-	-	571	
H1DGN02	0-5	177	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DGN02	16+	-	-	18	100.00%	-	-	
		6-10	43	97.73%	1	2.27%	-	-	
		Total	220	91.67%	20	8.33%	-	-	240
	H1DGW02	0-5	183	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	131	99.24%	1	0.76%	-	-	
		Total	314	97.21%	9	2.79%	-	-	323
	H1DHN01	0-5	237	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	18	94.74%	1	5.26%	
		6-10	139	92.05%	12	7.95%	-	-	
		Total	376	85.26%	64	14.51%	1	0.23%	441
	H1DMOO01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	H1DOE01	0-5	720	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	379	98.19%	7	1.81%	-	-	
		Total	1,099	96.40%	29	2.54%	12	1.05%	1140
	H1DONE01	0-5	443	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	94	96.91%	3	3.09%	-	-	
		Total	537	97.46%	5	0.91%	9	1.63%	551
	H1DONW02	0-5	29	100.00%	-	-	-	-	
6-10		2	100.00%	-	-	-	-		
Total		31	100.00%	-	-	-	-	31	
H1DOS01	0-5	1,172	100.00%	-	-	-	-		
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	4	9.09%	40	90.91%		
	6-10	575	98.63%	8	1.37%	-	-		
	Total	1,747	96.47%	24	1.33%	40	2.21%	1811	
H1DOW01	0-5	604	100.00%	-	-	-	-		
	11-15	-	-	11	100.00%	-	-		
	16+	-	-	-	-	13	100.00%		
	6-10	252	98.44%	4	1.56%	-	-		
	Total	856	96.83%	15	1.70%	13	1.47%	884	
H1DTBY01	0-5	52	100.00%	-	-	-	-		
	16+	-	-	1	50.00%	1	50.00%		
	6-10	2	100.00%	-	-	-	-		
	Total	54	96.43%	1	1.79%	1	1.79%	56	
H1DX07	0-5	33	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	13	100.00%	-	-	-	-		
	Total	46	97.87%	1	2.13%	-	-	47	
Total		6,286	96.15%	176	2.69%	76	1.16%	6,538	
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	26	96.30%	1	3.70%	-	-	27	
Total		26	96.30%	1	3.70%	-	-	27	
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	48	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	6-10	12	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total		60	100.00%	-	-	-	-	60
Hydro One Remote Communities Inc (HYR01)	HYR01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Hydro Ottawa (HOT1)	HOT1	0-5	684	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	469	100.00%	-	-	-	-	
		Total	1,153	97.05%	35	2.95%	-	-	1188
	HOT2	0-5	29	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	Total		1,192	97.15%	35	2.85%	-	-	1,227
Ignace , Township Of (IGN01)	IGN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Imperial Oil Pipelines (I002)	I002	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	33	100.00%	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	89	70.63%	37	29.37%	-	-	126
	Total		89	70.63%	37	29.37%	-	-	126
Imperial Oil Pipelines (I004)	I004	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	80.00%	1	20.00%	-	-	5	
Total		4	80.00%	1	20.00%	-	-	5	
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	2	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Innisfil, Town Of (INFL01)	INFL01	0-5	56	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	Total		73	100.00%	-	-	-	-	73
Innpower (INSFH01)	INSFH01	0-5	128	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	147	100.00%	-	-	-	-	147
	Total		147	100.00%	-	-	-	-	147

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Johnson, Township Of (JHSNW01)	JHSNW01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	80.00%	-	-	1	20.00%	5
	Total		4	80.00%	-	-	1	20.00%	5
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	26	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	KWLKWS01	0-5	50	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
Total		83	100.00%	-	-	-	-	83	
Kearney, Town Of (KRNY01)	KRNY01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Kenora, City Of (KNRA123)	KNRA01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	2	40.00%	-	-	3	60.00%	5
	KNRASL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	KNRAST01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		5	62.50%	-	-	3	37.50%	8	
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		2	100.00%	-	-	-	-	2	
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total		3	100.00%	-	-	-	-	3	
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
King , Township Of (KNGWS01)	KNGSL01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	48	96.00%	1	2.00%	1	2.00%	50
	KNGWS01	0-5	45	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
Total		97	97.98%	1	1.01%	1	1.01%	99	
Kingsville, Town Of (TK01)	TK01	0-5	59	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	59
	TKF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
Total		61	100.00%	-	-	-	-	61	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	52	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	58	98.31%	-	-	1	1.69%	59
	Total		58	98.31%	-	-	1	1.69%	59
Kitchener Utilities (KU02)	KU02	0-5	269	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	25	100.00%	-	-	-	-	
	Total	294	98.99%	1	0.34%	2	0.67%	297	
Total		294	98.99%	1	0.34%	2	0.67%	297	
Kitchener, The City Of (KITS01)	KITS01	0-5	159	100.00%	-	-	-	-	
		6-10	163	99.39%	1	0.61%	-	-	
	Total	322	99.69%	1	0.31%	-	-	323	
Total		322	99.69%	1	0.31%	-	-	323	
Kruger Energy (KE123)	KEC01	16+	-	-	18	100.00%	-	-	
		Total	-	-	18	100.00%	-	-	18
Total		-	-	18	100.00%	-	-	18	
Kwic Internet (KWIC01)	KWIC01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	7	100.00%	-	-	-	-	7	
Total		7	100.00%	-	-	-	-	7	
Lagasco Inc (TP01)	TP01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
	Total	22	95.65%	1	4.35%	-	-	23	
Total		22	95.65%	1	4.35%	-	-	23	
Lagasco Limited (L002)	L002	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
	Total	11	91.67%	1	8.33%	-	-	12	
Total		11	91.67%	1	8.33%	-	-	12	
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-	6	
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	19	90.48%	-	-	2	9.52%	21	
Total		19	90.48%	-	-	2	9.52%	21	
Lakefront Utilities (LUSI123)	COLBH01	0-5	1	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	LUSIH01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
Total	20	95.24%	-	-	1	4.76%	21		
Total		26	96.30%	-	-	1	3.70%	27	
Lakeland Networks (LKLNN01)	LKLNN01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Lakeland Networks (LKLNN01)	LKLNN01	6-10	8	100.00%	-	-	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
	Total	28	96.55%	1	3.45%	-	-	29	
Lakeland Power (LKLNP123)	LKLNP01	0-5	14	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total	19	100.00%	-	-	-	-	19	
Lakeshore, Municipality Of (TOL123)	B002	0-5	141	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	141	96.58%	-	-	5	3.42%	146
	TOLTS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total	141	95.92%	-	-	6	4.08%	147		
Lakeview Water System (LKVWW01)	LKVWW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total	24	100.00%	-	-	-	-	24	
Lambton County (LMBTN01)	LMBTN01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Lambton Shores, Municipality Of (F001)	F001	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	34	91.89%	3	8.11%	-	-	37
	Total	34	91.89%	3	8.11%	-	-	37	
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Lanark, County Of (LNRK01)	LNRK01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Lasalle , Town Of (LSL01)	LSL01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	55	100.00%	-	-	-	-	
	Total	77	96.25%	2	2.50%	1	1.25%	80	
Total	77	96.25%	2	2.50%	1	1.25%	80		
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total	12	100.00%	-	-	-	-	12	
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Leamington District Memorial Hospital (LDMH01)	LDMH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Leamington Water Services (L001)	L001	0-5	72	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	72	98.63%	1	1.37%	-	-	73
	Total		72	98.63%	1	1.37%	-	-	73
Leamington, Municipality Of (LS01)	LS01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	75	98.68%	1	1.32%	-	-	76
	Total		75	98.68%	1	1.32%	-	-	76
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	18	94.74%	-	-	1	5.26%	19
	Total		18	94.74%	-	-	1	5.26%	19
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	LDTI02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	3	100.00%	3	
Lennox And Addington, County Of (LXA123)	LXA01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
	Total		5	83.33%	-	-	1	16.67%	6
Lincoln, Town Of (LINWS01)	LINWS01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		Total	57	91.94%	3	4.84%	2	3.23%	62
	Total		57	91.94%	3	4.84%	2	3.23%	62
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	3	37.50%	-	-	5	62.50%	8
	Total		3	37.50%	-	-	5	62.50%	8
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
London District Energy (TG01)	TG01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	18	72.00%	7	28.00%	-	-	25
	Total		18	72.00%	7	28.00%	-	-	25
London Hydro (L003)	L003	0-5	267	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	155	100.00%	-	-	-	-	
		Total	422	98.14%	8	1.86%	-	-	430
	LHDL01	16+	-	-	-	-	26	100.00%	
	Total	-	-	-	-	26	100.00%	26	
Total		422	92.54%	8	1.75%	26	5.70%	456	
London, City Of (LN01)	LN01	0-5	239	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	11	100.00%	
		6-10	199	100.00%	-	-	-	-	
		Total	438	96.90%	2	0.44%	12	2.65%	452
	Total		438	96.90%	2	0.44%	12	2.65%	452

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
London, City Of (LN02)	LN02	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Loyalist Township (LYST123)	LYSTBS6	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	LYSTBW5	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	LYSTEL4	0-5	4	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	LYSTFW1	0-5	8	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	LYSTLES2	0-5	8	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	LYSTSTM3	0-5	7	100.00%	-	-	-	-	
6-10		13	100.00%	-	-	-	-		
Total		20	100.00%	-	-	-	-	20	
Total		80	100.00%	-	-	-	-	80	
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	8	88.89%	-	-	1	11.11%	9	
Total		8	88.89%	-	-	1	11.11%	9	
Madawaska Valley, Township Of (MWWVS01)	MWWVS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Malahide, Township Of (MLHD01)	MLHD01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Manitouwadge , Township Of (MTW01)	MTW01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	3	75.00%	-	-	1	25.00%	4	
Total		3	75.00%	-	-	1	25.00%	4	
Mapleton , Township Of (MPLT01)	MPLT01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Marathon, Town Of (MRTH01)	MRTH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Markham " Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	54	100.00%	-	-	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	101	100.00%	-	-	-	-	101
	Total		101	100.00%	-	-	-	-	101
Markham District Energy (MDE01)	MDE01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	144	100.00%	-	-	-	-	
		6-10	59	100.00%	-	-	-	-	
		Total	203	100.00%	-	-	-	-	203
	Total		203	100.00%	-	-	-	-	203

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Marwood Metals (MARWDF01)	MARWDF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Matachewan, Township Of (MTCWWS01)	MTCWWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	25.00%	9	75.00%	-	-	12
	Total		3	25.00%	9	75.00%	-	-	12
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Metalore Resources (MTLORE01)	MTLORE01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Metro Fibrewerx (MFWX01)	MFWX01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	Total		13	76.47%	4	23.53%	-	-	17
Middlesex, County Of (MDSX01)	MDSX01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
	Total	20	95.24%	1	4.76%	-	-	21	
Total		20	95.24%	1	4.76%	-	-	21	
Midland, Town Of (MIDLND01)	MIDLND01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Midland, Town Of (MIDLND03)	MIDLND03	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	100.00%	-	-	-	-	4	
MLTSS01	0-5	24	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Milton , Town Of (MLTSS01)	MLTSS01	6-10	4	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		32	100.00%	-	-	-	-	32
MILTON HYDRO (MH123)	MHHN01	0-5	155	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	12	100.00%	-	-	-	-	
		Total	167	98.82%	-	-	2	1.18%	169
	Total		167	98.82%	-	-	2	1.18%	169
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	447	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	454	99.78%	1	0.22%	-	-	455
	Total		454	99.78%	1	0.22%	-	-	455
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	54	100.00%	-	-	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	95	100.00%	-	-	-	-	95
	Total		95	100.00%	-	-	-	-	95
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	274	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	130	100.00%	-	-	-	-	
		Total	404	98.54%	-	-	6	1.46%	410
	Total		404	98.54%	-	-	6	1.46%	410
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
	Total		5	71.43%	2	28.57%	-	-	7
Mono , Town Of (MNO123)	MNO01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		Total	1	16.67%	2	33.33%	3	50.00%	6
	MNOSL01	16+	-	-	4	80.00%	1	20.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	16.67%	4	66.67%	1	16.67%	6
Total		2	16.67%	6	50.00%	4	33.33%	12	
Moose Factory Service Board (MFSB01)	MFSB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Mornington Communications (MORNT01)	MORNT01	0-5	24	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mornington Communications (MORNT01)	MORNT01	6-10	2	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	28	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	MRTW01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	29	100.00%	-	-	-	-	
		Total	29	93.55%	1	3.23%	1	3.23%	31
Total		60	96.77%	1	1.61%	1	1.61%	62	
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	-	-	1	20.00%	5
	Total		4	80.00%	-	-	1	20.00%	5
Muskoka , District Of (MUSKWS01)	MUSKWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	MUSKWS03	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	MUSKWS04	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	19	95.00%	-	-	1	5.00%	20
	MUSKWS05	0-5	7	100.00%	-	-	-	-	
16+		-	-	1	25.00%	3	75.00%		
Total		7	63.64%	1	9.09%	3	27.27%	11	
Total		35	83.33%	3	7.14%	4	9.52%	42	
Muskoka , District Of (MUSKWS02)	MUSKWS02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Nairn And Hyman, Township Of (TNHW01)	TNHW01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Nation, Municipality Of The (NATN01)	NATN01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	14	100.00%	
		Total	-	-	-	-	15	100.00%	15
	Total		-	-	-	-	15	100.00%	15
Net Optiks	BPNOFC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	6-10	4	100.00%	-	-	-	-	
		Total	12	92.31%	-	-	1	7.69%	13
		Total	12	92.31%	-	-	1	7.69%	13
Netflash Internet Solutions (NISF01)	NISF01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	14	93.33%	-	-	1	6.67%	15
		Total	14	93.33%	-	-	1	6.67%	15
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	65	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	70	100.00%	-	-	-	-	70
		Total	70	100.00%	-	-	-	-	70
Newmarket, Town Of (NMK01)	NMK01	0-5	63	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	68	94.44%	-	-	4	5.56%	72
		Total	68	94.44%	-	-	4	5.56%	72
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	70	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
		Total	78	100.00%	-	-	-	-	78
Niagara Falls, City Of (NFS01)	NFS01	0-5	71	100.00%	-	-	-	-	
		6-10	97	98.98%	1	1.02%	-	-	
		Total	168	99.41%	1	0.59%	-	-	169
		Total	168	99.41%	1	0.59%	-	-	169
Niagara Parks Commission (NPC01)	NPC01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	20	95.24%	-	-	1	4.76%	21
		Total	20	95.24%	-	-	1	4.76%	21
Niagara Peninsula Energy (NFH01)	NFH01	0-5	140	100.00%	-	-	-	-	
		6-10	79	98.75%	1	1.25%	-	-	
		Total	219	99.55%	1	0.45%	-	-	220
		Total	219	99.55%	1	0.45%	-	-	220
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	308	100.00%	-	-	-	-	
		6-10	68	100.00%	-	-	-	-	
		Total	376	100.00%	-	-	-	-	376
		Total	376	100.00%	-	-	-	-	376
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Niagara Regional Broadband Network (NRBN01)	NRBN01	11-15	-	-	-	-	4	100.00%	
		16+	-	-	-	-	131	100.00%	
		Total	-	-	-	-	135	100.00%	135
		Total	-	-	-	-	135	100.00%	135
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	162	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	163	97.02%	1	0.60%	4	2.38%	168
Total	163	97.02%	1	0.60%	4	2.38%	168		
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	67	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	6-10	2	100.00%	-	-	-	-	
		Total	69	98.57%	-	-	1	1.43%	70
	Total		69	98.57%	-	-	1	1.43%	70
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	44	97.78%	-	-	1	2.22%	45
	Total		44	97.78%	-	-	1	2.22%	45
Nor-Del (NORDEL01)	NORDEL01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	37.50%	5	62.50%	-	-	
		Total	50	86.21%	6	10.34%	2	3.45%	58
	Total		50	86.21%	6	10.34%	2	3.45%	58
Norfolk County (NFLK123)	NFLK01	0-5	128	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	12	100.00%	-	-	-	-	
		Total	140	97.90%	1	0.70%	2	1.40%	143
	Total		140	97.90%	1	0.70%	2	1.40%	143
North Bay Hydro (NBH01)	NBH01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	48	96.00%	2	4.00%	-	-	50
	Total		48	96.00%	2	4.00%	-	-	50
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
North Bay, City Of (NBWS01)	NBWS01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	13	65.00%	4	20.00%	3	15.00%	20
	Total		13	65.00%	4	20.00%	3	15.00%	20
North Dundas , Township Of (NDND123)	NDND01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	40.00%	3	60.00%	-	-	5
	NDND02	16+	-	-	5	50.00%	5	50.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	2	16.67%	5	41.67%	5	41.67%	12
Total		4	23.53%	8	47.06%	5	29.41%	17	
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	116	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	70.00%	3	30.00%	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	149	92.55%	9	5.59%	3	1.86%	161
	Total		149	92.55%	9	5.59%	3	1.86%	161
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	60.00%	-	-	2	40.00%	5
	Total		3	60.00%	-	-	2	40.00%	5

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
North Grenville , Municipality Of (NGR01)	NGR01	0-5	7	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total		10	90.91%	1	9.09%	-	-	11
North Huron, Township Of (NHURON01)	NHURON01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	21	100.00%	
		6-10	10	100.00%	-	-	-	-	
	Total	18	46.15%	-	-	21	53.85%	39	
Total		18	46.15%	-	-	21	53.85%	39	
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	11	84.62%	2	15.38%	-	-	13	
Total		11	84.62%	2	15.38%	-	-	13	
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	3	50.00%	3	50.00%	-	-	
	Total	28	77.78%	6	16.67%	2	5.56%	36	
Total		28	77.78%	6	16.67%	2	5.56%	36	
North Shore, Township Of the (NSR01)	NSR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
North Stormont , Township Of (NST01)	NST01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
Total		-	-	4	100.00%	-	-	4	
North York General Hospital (NYGH01)	NYGH01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
Total		-	-	-	-	3	100.00%	3	
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total		-	-	1	100.00%	-	-	1	
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total		-	-	-	-	2	100.00%	2	
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		1	100.00%	-	-	-	-	1	
Northern Rural Networks (NRN01)	NRN01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
Total		-	-	-	-	2	100.00%	2	
Northern Tel Limited Partnership (NT01)	NT01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
	Total	44	97.78%	1	2.22%	-	-	45	
Total		44	97.78%	1	2.22%	-	-	45	
Northumberland County (NRHB01)	NRHB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Northumberland County (NRHB01)	NRHBTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	2	100.00%	-	-	-	-	2	
Norwich , Township Of (NRW01)	NRW01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	4	40.00%	6	60.00%	-	-	
		Total	23	60.53%	15	39.47%	-	-	38
	Total	23	60.53%	15	39.47%	-	-	38	
Nova Chemicals Corporation (N001)	N001	16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	-	-	3	100.00%	-	-	3	
Total	-	-	3	100.00%	-	-	3		
NT Power	NTPWR01	0-5	88	100.00%	-	-	-	-	
		16+	-	-	26	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	89	77.39%	26	22.61%	-	-	115
	Total	89	77.39%	26	22.61%	-	-	115	
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	461	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	156	98.11%	3	1.89%	-	-	
		Total	617	97.63%	15	2.37%	-	-	632
	Total	617	97.63%	15	2.37%	-	-	632	
Oakville, Town Of (OAK123)	OAKBS01	0-5	9	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	OAKSS01	0-5	261	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	4	40.00%	6	60.00%	
		6-10	96	98.97%	1	1.03%	-	-	
		Total	357	96.23%	8	2.16%	6	1.62%	371
	OAKTS01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	37	100.00%	-	-	-	-	
	Total	94	95.92%	4	4.08%	-	-	98	
Total	463	96.26%	12	2.49%	6	1.25%	481		
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Oliver Paipoonge , Municipality Of (OLVPPG01)	OLVPPG02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
On-Energy Corp (ONNRG01)	ONNRG01	0-5	4	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total	9	100.00%	-	-	-	-	9	
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	4	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ontario Power Generation - Niagara (OPGN123)	OPGN1	6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	ONTERA03	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ONTERA04	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	ONTERA05	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	ONTERA06	0-5	8	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	8	66.67%	4	33.33%	-	-	12
Total		24	82.76%	5	17.24%	-	-	29	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	59	98.33%	1	1.67%	-	-	60
	Total		59	98.33%	1	1.67%	-	-	60
Opatatika, Township Of (OPTKWS01)	OPTKWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	18	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
Orangeville, Town Of (ORGV01)	ORGV01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	17	85.00%	-	-	3	15.00%	20
	Total		17	85.00%	-	-	3	15.00%	20
Orillia, City Of (ORIL123)	ORILSL01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	ORILT01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	7	58.33%	2	16.67%	3	25.00%	12
	ORILWS01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	25	96.15%	1	3.85%	-	-	26
	Total		35	83.33%	4	9.52%	3	7.14%	42
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	6	85.71%	-	-	1	14.29%	7	
Total		6	85.71%	-	-	1	14.29%	7	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	109	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	52	100.00%	-	-	-	-	
	Total	161	97.58%	3	1.82%	1	0.61%	165	
	OSHGE03	0-5	8	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
Total	14	100.00%	-	-	-	-	14		
Total			175	97.77%	3	1.68%	1	0.56%	179
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	5	100.00%	-	-	-	-	5	
Total			5	100.00%	-	-	-	5	
Oshawa, City Of (OSH01)	OSH01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	49	100.00%	-	-	-	-	
	Total	93	96.88%	2	2.08%	1	1.04%	96	
Total			93	96.88%	2	2.08%	1	1.04%	96
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
Total			-	-	1	100.00%	-	-	1
Ottawa River Power (ORP01)	ORP01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
Total			17	100.00%	-	-	-	17	
Ottawa River Power (ORP02)	ORP02	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total	7	100.00%	-	-	-	-	7	
Total			7	100.00%	-	-	-	7	
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	478	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
	Total	485	100.00%	-	-	-	-	485	
Total			485	100.00%	-	-	-	485	
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	215	100.00%	-	-	-	-	
		6-10	23	100.00%	-	-	-	-	
	Total	238	100.00%	-	-	-	-	238	
Total			238	100.00%	-	-	-	238	
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	1,071	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	1,073	100.00%	-	-	-	-	1,073	
Total			1,073	100.00%	-	-	-	1,073	
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
Total			-	-	-	-	1	100.00%	1
Owen Sound, City Of (OWSD01)	OWSD01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
	Total	24	92.31%	2	7.69%	-	-	26	
Total			24	92.31%	2	7.69%	-	26	
Oxford, County Of - Fiber (OXFF01)	OXFF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total			1	100.00%	-	-	-	1	
Oxford, County Of - Traffic (OXFTS01)	OXFTS01	0-5	5	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
	Total	7	87.50%	1	12.50%	-	-	8	
Total			7	87.50%	1	12.50%	-	8	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	145	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	151	99.34%	1	0.66%	-	-	152
	Total	151	99.34%	1	0.66%	-	-	152	
Oxford, County Of (OXFSTM01)	OXFSTM01	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	11	100.00%	11
	Total	-	-	-	-	11	100.00%	11	
Packet Works (PWRKST01)	PWRKST01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	16	94.12%	-	-	1	5.88%	17
	Total	16	94.12%	-	-	1	5.88%	17	
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Peel Region - Brampton Water (PCYWAT123)	PRBM02	0-5	348	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	453	99.78%	1	0.22%	-	-	
		Total	801	95.70%	36	4.30%	-	-	837
	PRBM03	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	106	100.00%	-	-	-	-	
		Total	186	90.29%	20	9.71%	-	-	206
	PROC02	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	31	100.00%	-	-	-	-	
		Total	64	94.12%	3	4.41%	1	1.47%	68
	PROC03	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	45	90.00%	5	10.00%	-	-	50
	Total	1,096	94.40%	64	5.51%	1	0.09%	1,161	
Peel Region - Caledon Water (PCWAT123)	PBMC01	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	93	91.18%	-	-	9	8.82%	102
	POCWA05	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	PRBM01	0-5	501	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peel Region - Caledon Water (PCWAT123)	PRBM01	16+	-	-	19	95.00%	1	5.00%	
		6-10	572	99.65%	2	0.35%	-	-	
		Total	1,073	95.46%	50	4.45%	1	0.09%	1124
	PROC01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	44	100.00%	-	-	-	-	
Total		88	92.63%	7	7.37%	-	-	95	
Total		1,277	94.94%	58	4.31%	10	0.74%	1,345	
Peel Region (PEEL123)	PEELTS04	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	94	98.95%	1	1.05%	-	-	95
	Total		94	98.95%	1	1.05%	-	-	95
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	273	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	273	99.64%	1	0.36%	-	-	274
	Total		273	99.64%	1	0.36%	-	-	274
Pelham, Town Of (PEL1)	PEL1	0-5	36	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	Total		44	100.00%	-	-	-	-	44
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	15	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		15	93.75%	1	6.25%	-	-	16
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total		1	33.33%	2	66.67%	-	-	3
Perth South, Township Of (PERTHS123)	PERTHS01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Perth, Town Of (PERTH01)	PERTH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Petawawa, Town Of (PTWA123)	PTWA01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	PTWASL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total		10	100.00%	-	-	-	10
Peterborough, City Of (PTRB01)	PTRB01	0-5	65	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total		65	100.00%	-	-	-	-	65

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	52	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
	Total		64	100.00%	-	-	-	-	64
Peterborough, County Of (PTB01)	PTB01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	32	96.97%	-	-	1	3.03%	33
	Total		32	96.97%	-	-	1	3.03%	33
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Petrolia, Town Of (P002)	P002	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	-	-	1	20.00%	5
	Total		4	80.00%	-	-	1	20.00%	5
Pickering , City Of (PKRG01)	PKRG01	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	95	95.96%	2	2.02%	2	2.02%	99
	Total		95	95.96%	2	2.02%	2	2.02%	99
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	15	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Point Edward, Village Of (PE01)	PE01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	26	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	31	93.94%	1	3.03%	1	3.03%	33
	Total		31	93.94%	1	3.03%	1	3.03%	33
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Port Hope, Municipality Of (PH123)	PH01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Prescott , Town Of (PRS01)	PRS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS03	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	2	100.00%	2
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Prince , Township Of (PRNC01)	PRNC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Prince Edward, County Of (PEC04)	PEC04	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	25	80.65%	1	3.23%	5	16.13%	31
	Total		25	80.65%	1	3.23%	5	16.13%	31
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Public Services And Procurement Canada - Services Publics Et De L'Appvisionnement (PSPC01)	PSPC01	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Q9 Networks (QNET01)	QNET01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Quadro Communications (QUAD1)	MSCQUAD2	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	QUAD1	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	31	96.88%	1	3.13%	-	-	32
Total		39	97.50%	1	2.50%	-	-	40	
Queen'S University (QUEENU01)	QUEENU01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
	Total	3	60.00%	2	40.00%	-	-	5	
Total		3	60.00%	2	40.00%	-	-	5	
Queens University Fibre (QUEENF01)	QUEENF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Quinte West, City Of (QW123)	QWF01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	QWSL01	0-5	13	100.00%	-	-	-	-	
		6-10	2	25.00%	6	75.00%	-	-	
		Total	15	71.43%	6	28.57%	-	-	21
	QWSN01	0-5	16	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
Total		17	100.00%	-	-	-	-	17	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Quinte West, City Of (QW123)	QWSS01	0-5	16	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	QWTS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	QWW01	0-5	20	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
Total		25	100.00%	-	-	-	-	25	
Total		77	89.53%	6	6.98%	3	3.49%	86	
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	9	100.00%	-	-	
		Total	2	18.18%	9	81.82%	-	-	11
Total		2	18.18%	9	81.82%	-	-	11	
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Red Rock, Township Of (RDRK01)	RDRK01	16+	-	-	1	33.33%	2	66.67%	
		Total	-	-	1	33.33%	2	66.67%	3
	Total		-	-	1	33.33%	2	66.67%	3
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	26	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	HLTNW02	0-5	573	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	592	98.83%	7	1.17%	-	-	599
Total		621	98.89%	7	1.11%	-	-	628	
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	6	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
Total		11	100.00%	-	-	-	-	11	
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
Total		24	100.00%	-	-	-	-	24	
Renfrew Hydro (RFH01)	RFH01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
Total		10	100.00%	-	-	-	-	10	
Renfrew, County Of (RNF123)	RNF01	0-5	6	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
Total		12	100.00%	-	-	-	-	12	
Renfrew, Town Of (RNF01)	RNF01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	RNF02	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
6-10	1	50.00%	1	50.00%	-	-			
Total	4	40.00%	6	60.00%	-	-	10		
Total		13	65.00%	7	35.00%	-	-	20	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Richmond Hill, Town Of (RHL01)	RHL01	0-5	162	100.00%	-	-	-	-	
		Total	162	100.00%	-	-	-	-	162
	Total		162	100.00%	-	-	-	-	162
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	20	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Rideau Lakes, Township Of (RIL01)	RIL01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	14	87.50%	1	6.25%	1	6.25%	16
	Total		14	87.50%	1	6.25%	1	6.25%	16
Rogers Communications (ROG123)	CABLET01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
	ROGGE01	0-5	361	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	393	98.50%	6	1.50%	-	-	399
	ROGHN01	0-5	394	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	43	100.00%	-	-	
		6-10	205	98.56%	3	1.44%	-	-	
		Total	599	87.83%	83	12.17%	-	-	682
	ROGLDN01	0-5	398	100.00%	-	-	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	453	100.00%	-	-	-	-	453
	ROGOE01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	ROGOTT01	0-5	739	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	50	100.00%	-	-	-	-	
		Total	789	99.75%	2	0.25%	-	-	791
	ROGPEL01	0-5	650	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
16+		-	-	12	100.00%	-	-		
6-10		204	100.00%	-	-	-	-		
Total		854	97.71%	20	2.29%	-	-	874	
ROGRAIL1	0-5	133	100.00%	-	-	-	-		
	Total	133	100.00%	-	-	-	-	133	
ROGSIM01	0-5	316	100.00%	-	-	-	-		
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	15	100.00%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Rogers Communications (ROG123)	ROGSIM01	6-10	64	100.00%	-	-	-	-		
		Total	380	93.37%	27	6.63%	-	-	407	
	ROGSWO01	0-5	42	100.00%	-	-	-	-		
		6-10	4	100.00%	-	-	-	-		
		Total	46	100.00%	-	-	-	-	46	
	ROGTOR01	0-5	1,479	100.00%	-	-	-	-		
		11-15	-	-	23	100.00%	-	-		
		16+	-	-	3	100.00%	-	-		
		6-10	327	99.70%	1	0.30%	-	-		
		Total	1,806	98.53%	27	1.47%	-	-	1833	
		ROGWAT01	0-5	685	100.00%	-	-	-	-	
			16+	-	-	1	100.00%	-	-	
	6-10		111	100.00%	-	-	-	-		
	Total		796	99.87%	1	0.13%	-	-	797	
	ROGWIN01	0-5	5	100.00%	-	-	-	-		
		6-10	3	100.00%	-	-	-	-		
		Total	8	100.00%	-	-	-	-	8	
	ROGYRK01	0-5	431	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	28	100.00%	-	-		
		6-10	238	99.58%	1	0.42%	-	-		
		Total	669	95.57%	31	4.43%	-	-	700	
	RUWV01	0-5	14	100.00%	-	-	-	-		
		6-10	4	100.00%	-	-	-	-		
		Total	18	100.00%	-	-	-	-	18	
	SJRBO1	0-5	3	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
Total		4	100.00%	-	-	-	-	4		
SJRBO2	0-5	18	100.00%	-	-	-	-			
	6-10	3	100.00%	-	-	-	-			
	Total	21	100.00%	-	-	-	-	21		
SJRBO3	0-5	16	100.00%	-	-	-	-			
	11-15	-	-	1	100.00%	-	-			
	Total	16	94.12%	1	5.88%	-	-	17		
SJRBO4	0-5	1	100.00%	-	-	-	-			
	Total	1	100.00%	-	-	-	-	1		
Total		7,041	97.25%	199	2.75%	-	-	7,240		
Romney Wind Energy Centre Lp (RWEC01)	RWEC01	0-5	20	100.00%	-	-	-	-		
		11-15	-	-	10	100.00%	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	26	100.00%	-	-	-	-		
		Total	46	80.70%	11	19.30%	-	-	57	
Total		46	80.70%	11	19.30%	-	-	57		
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	2	100.00%	-	-	-	-		
		16+	-	-	1	100.00%	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	3	75.00%	1	25.00%	-	-	4	
Total		3	75.00%	1	25.00%	-	-	4		
Russell, Township Of (RSEL01)	RSEL01	0-5	29	100.00%	-	-	-	-		
		11-15	-	-	2	100.00%	-	-		
		16+	-	-	-	-	1	100.00%		
		6-10	20	90.91%	2	9.09%	-	-		
		Total	49	90.74%	4	7.41%	1	1.85%	54	
Total		49	90.74%	4	7.41%	1	1.85%	54		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ryerson University (RYEU01)	RYEU01	0-5	1	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Sarnia, City Of (C006)	C006	0-5	52	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	52	96.30%	-	-	2	3.70%	54
	Total		52	96.30%	-	-	2	3.70%	54
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	37.50%	5	62.50%	-	-	8
	SSSL01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	35	97.22%	-	-	1	2.78%	36
	SSWS01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	28	73.68%	8	21.05%	2	5.26%	38
	Total		66	80.49%	13	15.85%	3	3.66%	82
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	114	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	115	100.00%	-	-	-	-	115
	SSMPUW01	0-5	75	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
Total	76	100.00%	-	-	-	-	76		
Total		191	100.00%	-	-	-	-	191	
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	46	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
	Total	47	95.92%	-	-	2	4.08%	49	
Total		47	95.92%	-	-	2	4.08%	49	
Scugog, Township Of (SCG01)	SCG01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Seguin, Township Of (SGN01)	SGN01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	1	33.33%	-	-	2	66.67%	3
	Total		1	33.33%	-	-	2	66.67%	3
Selwyn, Township Of (SLWN01)	SLWN01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Selwyn, Township Of (SLWN02)	SLWN02	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Selwyn, Township Of (SLWN03)	SLWN03	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
SEVERN01	0-5	3	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Severn, Township Of (SEVERN01)	SEVERN01	6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Shared Tower Inc	SHARET01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Shelburne , Town Of (SHLB01)	SHLB01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	7	77.78%	-	-	2	22.22%	9
	Total		7	77.78%	-	-	2	22.22%	9
Shell Canada (SHL1)	SHL1	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Sick Kids Hospital (SKH01)	SKH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Silver Bay Water (SBW1)	SBW1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Simcoe, County Of (SIM01)	SIM01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Six Nations Gas (SNG01)	SNG01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	60.00%	4	40.00%	-	-	
		Total	16	51.61%	14	45.16%	1	3.23%	31
	Total		16	51.61%	14	45.16%	1	3.23%	31
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
South Dundas , Municipality Of (SDS01)	SDS01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	1	100.00%	-	-	-	-	
		Total	12	66.67%	4	22.22%	2	11.11%	18
	Total		12	66.67%	4	22.22%	2	11.11%	18

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
South Frontenac, Township Of (SF123)	SFS01	0-5	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
	SFSL01	0-5	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
	Total		5	100.00%	-	-	-	-	5
South Glengarry , Township Of (SGG01)	SGG01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total		3	60.00%	2	40.00%	-	-	5
Total		3	60.00%	2	40.00%	-	-	5	
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	5	100.00%	-	-	-	-	
	Total		11	84.62%	-	-	2	15.38%	13
Total		11	84.62%	-	-	2	15.38%	13	
South Kent Wind Project (SKWP01)	SKWP01	0-5	13	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total		14	100.00%	-	-	-	-	14
Total		14	100.00%	-	-	-	-	14	
South River , Village Of (SORI01)	SORI01	0-5	1	100.00%	-	-	-	-	
		Total		1	100.00%	-	-	-	-
Total		1	100.00%	-	-	-	-	1	
South Stormont, Township Of (SSTM01)	SSTM01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total		6	100.00%	-	-	-	-	6
Total		6	100.00%	-	-	-	-	6	
Southgate, Township (SGWS01)	SGWS01	0-5	1	100.00%	-	-	-	-	
		Total		1	100.00%	-	-	-	-
Total		1	100.00%	-	-	-	-	1	
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	10	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total		10	90.91%	1	9.09%	-	-	11
	SWMSX02	0-5	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Total		14	93.33%	1	6.67%	-	-	15	
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
	Total		8	53.33%	-	-	7	46.67%	15
Total		8	53.33%	-	-	7	46.67%	15	
Southwold, Township Of (SOW01)	SOW01	0-5	43	100.00%	-	-	-	-	
		Total		43	100.00%	-	-	-	-
Total		43	100.00%	-	-	-	-	43	
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	1	100.00%	-	-	-	-	
		Total		1	100.00%	-	-	-	-
Total		1	100.00%	-	-	-	-	1	
Spanish, Town Of (SPWS01)	SPWS01	11-15	-	-	1	100.00%	-	-	
		Total		-	-	1	100.00%	-	-
Total		-	-	1	100.00%	-	-	1	
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	3	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Springwater, Township Of (SPRGW01)	SPRGW01	6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
St. Catharines, City Of (STC1)	STC1	0-5	94	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	77.78%	2	22.22%	
		6-10	15	100.00%	-	-	-	-	
		Total	109	91.60%	8	6.72%	2	1.68%	119
		Total	109	91.60%	8	6.72%	2	1.68%	119
St. Clair, Township Of (M002)	M002	0-5	23	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
		Total	23	100.00%	-	-	-	-	23
St. Columban Wind Farms Lp (STCWF01)	STCWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
St. Josephs Healthcare (Hamilton) (STJHC01)	STJHC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
St. Marys General Hospital (STMGH01)	STMGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
St. Michael'S Hospital (STMH01)	STMH01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
		Total	1	25.00%	3	75.00%	-	-	4
St. Thomas, City Of (STHWS01)	STHSL01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	39	95.12%	2	4.88%	-	-	
		Total	66	70.21%	19	20.21%	9	9.57%	94
	STHWS01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	41	87.23%	6	12.77%	-	-	
		Total	69	65.09%	25	23.58%	12	11.32%	106
Total	135	67.50%	44	22.00%	21	10.50%	200		
Start Communications (STARTC01)	STARTC02	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	39	100.00%	-	-	-	-	
		Total	111	96.52%	1	0.87%	3	2.61%	115
Total	111	96.52%	1	0.87%	3	2.61%	115		
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	1	33.33%	2	66.67%	
		Total	-	-	1	33.33%	2	66.67%	3
		Total	-	-	1	33.33%	2	66.67%	3
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	35	100.00%	
		Total	-	-	-	-	36	100.00%	36
	Total		-	-	-	-	36	100.00%	36
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	36	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total		36	100.00%	-	-	-	-	36
Summer Haven Wind (SHWF01)	SHWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	33	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	43	100.00%	-	-	-	-	43
	Total		43	100.00%	-	-	-	-	43
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	80	100.00%	-	-	-	-	
		Total	80	100.00%	-	-	-	-	80
	S002	0-5	99	100.00%	-	-	-	-	
		Total	99	100.00%	-	-	-	-	99
	S004	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		184	100.00%	-	-	-	-	184
Suncor Energy (SCE02)	SCE02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Suncor Energy Products (SNCP05)	SNCP05	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Suncor Energy Products (SNCP03)	SNCP03	0-5	2	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		Total	2	15.38%	11	84.62%	-	-	13
	Total		2	15.38%	11	84.62%	-	-	13
Sundridge, Village Of (SNDR01)	SNDR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Synergy North - Kenora (SNKEN01)	SNKEN01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	55	100.00%	-	-	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Synergy North - Thunder Bay (SNTB01)	SNTB01	6-10	3	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
	Total		58	100.00%	-	-	-	-	58
TANDEM FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
	Total	2	50.00%	2	50.00%	-	-	4	
	Total		2	50.00%	2	50.00%	-	-	4
Tay, Township Of (TAY01)	TAY01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	2	66.67%	1	33.33%	-	-	3	
	Total		2	66.67%	1	33.33%	-	-	3
Tbaytel (TBYTEL01)	TBYTEL01	0-5	49	100.00%	-	-	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	59	98.33%	1	1.67%	-	-	60
	TBYTEL02	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
Total		61	96.83%	2	3.17%	-	-	63	
TC Energy - East (TCP01)	TC03	0-5	113	100.00%	-	-	-	-	
		Total	113	100.00%	-	-	-	-	113
	TC06	0-5	86	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	89	98.89%	1	1.11%	-	-	90
	TC07	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
	Total	13	92.86%	1	7.14%	-	-	14	
	TC08	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	4	50.00%	4	50.00%	-	-	8	
	TC09	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	TC10	0-5	25	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
	Total	26	96.30%	1	3.70%	-	-	27	
TC12	0-5	3	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
Total	5	100.00%	-	-	-	-	5		
TC13	0-5	3	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
TC14	0-5	1	100.00%	-	-	-	-		
	Total	1	100.00%	-	-	-	-	1	
TC16	0-5	1	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	Total	1	50.00%	1	50.00%	-	-	2	
TC17	0-5	5	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	5	100.00%	-	-		
	6-10	6	100.00%	-	-	-	-		
Total	11	61.11%	7	38.89%	-	-	18		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
TC Energy - East (TCP01)	TC18	0-5	71	100.00%	-	-	-	-	74
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	71	95.95%	3	4.05%	-	-	
	TC19	0-5	10	100.00%	-	-	-	-	17
		16+	-	-	3	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	14	82.35%	3	17.65%	-	-	
	Total		356	94.43%	21	5.57%	-	-	377
	Tecumseh, Town Of (TEC123)	TECS01	0-5	13	100.00%	-	-	-	-
11-15			-	-	7	100.00%	-	-	
16+			-	-	-	-	1	100.00%	
6-10			16	100.00%	-	-	-	-	
Total		29	78.38%	7	18.92%	1	2.70%		
TECW01		0-5	5	100.00%	-	-	-	-	130
		11-15	-	-	41	100.00%	-	-	
		16+	-	-	2	25.00%	6	75.00%	
		6-10	72	94.74%	4	5.26%	-	-	
Total		77	59.23%	47	36.15%	6	4.62%		
Total		106	63.47%	54	32.34%	7	4.19%	167	
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	146	100.00%	-	-	-	-	181
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	26	96.30%	1	3.70%	-	-	
	Total	172	95.03%	3	1.66%	6	3.31%		
	Total		172	95.03%	3	1.66%	6	3.31%	181
Telmax Inc (TLMXF01)	TLMXF01	0-5	86	100.00%	-	-	-	-	126
		16+	-	-	8	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
	Total	118	93.65%	8	6.35%	-	-		
Total		118	93.65%	8	6.35%	-	-	126	
Telus (TELUS01)	TELGE01	0-5	25	100.00%	-	-	-	-	28
		6-10	3	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	
	TELGN01	0-5	45	100.00%	-	-	-	-	69
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	53	76.81%	2	2.90%	14	20.29%	
	TELGN02	0-5	14	100.00%	-	-	-	-	15
		6-10	1	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
	TELGW01	0-5	59	100.00%	-	-	-	-	71
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	69	97.18%	2	2.82%	-	-	
	TELGW02	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	TELHN01	0-5	83	100.00%	-	-	-	-	89
11-15		-	-	1	100.00%	-	-		
16+		-	-	3	100.00%	-	-		
6-10		2	100.00%	-	-	-	-		
Total		85	95.51%	4	4.49%	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELOE01	0-5	101	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	144	98.63%	2	1.37%	-	-	146
	TELONE01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	TELONW01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	TELOS01	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	13	86.67%	2	13.33%	-	-	
		Total	86	94.51%	5	5.49%	-	-	91
	TELOW01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	41	97.62%	-	-	1	2.38%	42
	TELTE01	0-5	133	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	166	99.40%	1	0.60%	-	-	167
	TELTW01N	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
Total		39	79.59%	8	16.33%	2	4.08%	49	
TELTW01S	0-5	80	100.00%	-	-	-	-		
	11-15	-	-	5	100.00%	-	-		
	6-10	35	100.00%	-	-	-	-		
	Total	115	95.83%	5	4.17%	-	-	120	
Total		853	94.88%	29	3.23%	17	1.89%	899	
Temagami, Municipality Of (TMG01)	TMG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Terago Networks Inc (TNF01)	TNF01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Teraspan Networks (TS01)	TS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	8	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
	Total		9	90.00%	1	10.00%	-	-	10
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	13	92.86%	-	-	1	7.14%	14
Total		13	92.86%	-	-	1	7.14%	14	
Thorold, City Of (THLD01)	THLD01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Thorold, City Of (THLD01)	THLD01	6-10	9	75.00%	3	25.00%	-	-	
		Total	64	83.12%	5	6.49%	8	10.39%	77
	Total	64	83.12%	5	6.49%	8	10.39%	77	
Thunder Bay Regional HSC	TBRHSC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total	3	100.00%	-	-	-	-	3	
Thunder Bay, City Of (THBY123)	THBY01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	31	96.88%	-	-	1	3.13%	32
	THBY02	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	23	95.83%	-	-	1	4.17%	24
Total	54	96.43%	-	-	2	3.57%	56		
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	2	100.00%	-	-	-	-	2	
Tillsonburg , Town Of (TSB01)	TSB01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	14	100.00%	
	Total	88	85.44%	-	-	15	14.56%	103	
Total	88	85.44%	-	-	15	14.56%	103		
Tillsonburg Hydro (TLNBH01)	TLNBH01	0-5	46	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
	Total	54	100.00%	-	-	-	-	54	
Total	54	100.00%	-	-	-	-	54		
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total	10	100.00%	-	-	-	-	10	
Timmins, City Of (TMNS01)	TMNS01	0-5	24	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total	26	100.00%	-	-	-	-	26	
Tiny, Township Of (TNY01)	TNY01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total	6	100.00%	-	-	-	-	6	
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	BDVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	BYEBIA01	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
BYWBIA01	0-5	2	100.00%	-	-	-	-		

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	BYWBIA01	6-10	3	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
	CPBIA01	6-10	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
	DFVBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total		10	100.00%	-	-	-	-
	DYEBA01	0-5	12	100.00%	-	-	-	-	
		Total		12	100.00%	-	-	-	-
	DYWBIA01	0-5	1	100.00%	-	-	-	-	
		Total		1	100.00%	-	-	-	-
	EGLBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total		1	50.00%	1	50.00%	-	-
	EVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total		3	100.00%	-	-	-	-
	GRTBIA01	0-5	8	100.00%	-	-	-	-	
		Total		8	100.00%	-	-	-	-
	JGBIA01	6-10	2	100.00%	-	-	-	-	
		Total		2	100.00%	-	-	-	-
	KRBIA01	0-5	2	100.00%	-	-	-	-	
		Total		2	100.00%	-	-	-	-
	LBBIA01	0-5	1	100.00%	-	-	-	-	
		Total		1	100.00%	-	-	-	-
	LBVBIA01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total		3	60.00%	2	40.00%	-	-
	LIBIA01	0-5	1	100.00%	-	-	-	-	
		Total		1	100.00%	-	-	-	-
	LSVBIA01	11-15	-	-	1	100.00%	-	-	
		Total		-	-	1	100.00%	-	-
	MTDNBIA1	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total		4	100.00%	-	-	-	-
	MTDSBIA1	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total		1	33.33%	-	-	2	66.67%
	RCVBIA01	0-5	1	100.00%	-	-	-	-	
		Total		1	100.00%	-	-	-	-
RHVBIA01	6-10	-	-	1	100.00%	-	-		
	Total		-	-	1	100.00%	-	-	1
RMSBIA01	0-5	2	100.00%	-	-	-	-		
	6-10	1	100.00%	-	-	-	-		
	Total		3	100.00%	-	-	-	-	3
RSDBIA01	0-5	7	100.00%	-	-	-	-		
	6-10	8	100.00%	-	-	-	-		
	Total		15	100.00%	-	-	-	-	15
SCGBIA01	0-5	5	100.00%	-	-	-	-		
	16+	-	-	1	100.00%	-	-		
	Total		5	83.33%	1	16.67%	-	-	6
UPVBIA01	0-5	1	100.00%	-	-	-	-		
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Business Improvement Areas (BIA123)	WVBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	WYWBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	YEBIA01	11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
Total		2	50.00%	2	50.00%	-	-	4	
Total		104	90.43%	9	7.83%	2	1.74%	115	
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total	-	-	-	-	2	100.00%	2	
Toronto East Health Network (TEGH01)	TEGH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Toronto Gas Extraction (TORGE01)	TORGEE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Toronto Hydro (TH123)	THFWLTR1	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	40.00%	6	60.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	30	66.67%	9	20.00%	6	13.33%	45
	THT21	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	12.50%	7	87.50%	
		6-10	3	100.00%	-	-	-	-	
		Total	5	22.73%	10	45.45%	7	31.82%	22
	THT23	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	66	100.00%	-	-	-	-	
		Total	156	96.89%	5	3.11%	-	-	161
	THTE01	0-5	898	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	636	99.84%	1	0.16%	-	-	
		Total	1,534	97.96%	32	2.04%	-	-	1566
	THTW01N	0-5	422	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	205	100.00%	-	-	-	-	
		Total	627	96.76%	21	3.24%	-	-	648
	THTW01S	0-5	767	100.00%	-	-	-	-	
		11-15	-	-	25	92.59%	2	7.41%	
16+		-	-	24	63.16%	14	36.84%		
6-10		297	98.34%	5	1.66%	-	-		
Total		1,064	93.83%	54	4.76%	16	1.41%	1134	
Total		3,416	95.53%	131	3.66%	29	0.81%	3,576	
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	210	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	108	100.00%	-	-	-	-	
	Total	318	98.15%	6	1.85%	-	-	324	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Traffic Signals (TORTS01)	TORTSE02	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	63	95.45%	3	4.55%	-	-	
	TORTSWN1	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	54	100.00%	-	-	-	-	
		Total	101	91.82%	9	8.18%	-	-	
	TORTSWN2	0-5	3	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	TORTSWS1	0-5	142	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	69	98.57%	1	1.43%	-	-	
		Total	211	95.48%	9	4.07%	1	0.45%	
	TORTSWS2	0-5	39	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
6-10		23	100.00%	-	-	-	-		
Total		62	98.41%	1	1.59%	-	-	63	
Total		765	96.35%	28	3.53%	1	0.13%	794	
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	72	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		6-10	22	91.67%	2	8.33%	-	-	
		Total	94	87.04%	14	12.96%	-	-	
	Total		94	87.04%	14	12.96%	-	-	108
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	207	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	1	3.33%	29	96.67%	
		6-10	28	100.00%	-	-	-	-	
		Total	235	83.93%	16	5.71%	29	10.36%	
Total		235	83.93%	16	5.71%	29	10.36%	280	
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	227	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	229	100.00%	-	-	-	-	
	Total		229	100.00%	-	-	-	-	229
Toronto Water and Sewer (TORW123)	TORWE01	0-5	269	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	255	100.00%	-	-	-	-	
		Total	524	96.50%	19	3.50%	-	-	
	TORWE02	0-5	98	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	71	100.00%	-	-	-	-	
		Total	169	98.83%	2	1.17%	-	-	
	TORWE03	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	
	TORWE04	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Water and Sewer (TORW123)	TORWE04	6-10	33	100.00%	-	-	-	-	
		Total	82	94.25%	5	5.75%	-	-	87
	TORWE05	0-5	16	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	TORWE06	0-5	5	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	TORWE07	0-5	194	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	165	100.00%	-	-	-	-	
		Total	359	97.82%	8	2.18%	-	-	367
	TORWW01	0-5	223	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	244	96.06%	10	3.94%	-	-	
		Total	467	92.29%	38	7.51%	1	0.20%	506
	TORWW02	0-5	179	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	179	100.00%	-	-	-	-	
		Total	358	94.71%	19	5.03%	1	0.26%	378
	TORWW04	0-5	42	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	22	100.00%	-	-	-	-	
		Total	64	94.12%	3	4.41%	1	1.47%	68
TORWW05	0-5	36	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	2	100.00%	-	-		
	6-10	25	100.00%	-	-	-	-		
	Total	61	95.31%	3	4.69%	-	-	64	
TORWW06	0-5	1	100.00%	-	-	-	-		
	6-10	2	100.00%	-	-	-	-		
	Total	3	100.00%	-	-	-	-	3	
TORWWN07	0-5	94	100.00%	-	-	-	-		
	11-15	-	-	3	100.00%	-	-		
	16+	-	-	6	100.00%	-	-		
	6-10	75	100.00%	-	-	-	-		
	Total	169	94.94%	9	5.06%	-	-	178	
TORWWS03	0-5	10	100.00%	-	-	-	-		
	11-15	-	-	2	100.00%	-	-		
	16+	-	-	-	-	3	100.00%		
	6-10	5	100.00%	-	-	-	-		
	Total	15	75.00%	2	10.00%	3	15.00%	20	
TORWWS07	0-5	133	100.00%	-	-	-	-		
	11-15	-	-	15	100.00%	-	-		
	16+	-	-	3	75.00%	1	25.00%		
	6-10	165	97.63%	4	2.37%	-	-		
	Total	298	92.83%	22	6.85%	1	0.31%	321	
Total		2,604	94.97%	131	4.78%	7	0.26%	2,742	
Toronto, University Of (UTOR01)	UTOR01	0-5	28	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	278	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	104	99.05%	1	0.95%	-	-	
		Total	382	97.70%	8	2.05%	1	0.26%	391
	Total			382	97.70%	8	2.05%	1	0.26%
Transcanada Pipelines - North (TCP02)	TC04	0-5	6	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	80.00%	2	20.00%	-	-	10
	TC11	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	12	85.71%	2	14.29%	-	-	14
Total			20	83.33%	4	16.67%	-	-	24
Trans-Northern Pipelines (TN01)	TN01	0-5	163	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	174	98.31%	2	1.13%	1	0.56%	177
	TN03	16+	-	-	-	-	4	100.00%	
	Total	-	-	-	-	4	100.00%	4	
Total			174	96.13%	2	1.10%	5	2.76%	181
Trans-Northern Pipelines (TN02)	TN02	0-5	8	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
Total			10	100.00%	-	-	-	-	10
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total			5	100.00%	-	-	-	-
Trent University (TRENTU123)	TRENTU01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
Total			1	50.00%	-	-	1	50.00%	2
Tribute Gas (MAGG01)	MAGG01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	5	71.43%	1	14.29%	1	14.29%	7
	Total			5	71.43%	1	14.29%	1	14.29%
Tuckersmith Communications (TCC01)	TCC01	0-5	55	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
	Total			58	100.00%	-	-	-	-
Tweed, Municipality Of (TWDWS01)	TWDWS01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total			-	-	-	4	100.00%	4
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total			-	-	-	3	100.00%	3
University Health Network - Toronto General (UHNTG01)	UHNTG01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total			-	-	-	3	100.00%	3

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	6
Total			5	83.33%	-	-	1	16.67%	6
University Health Network (UHN01)	UHN01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
University Of Western Ontario (UW01)	UW01	16+	-	-	-	-	17	100.00%	
		Total	-	-	-	-	17	100.00%	17
		Total	-	-	-	-	17	100.00%	17
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	3
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Utilities Kingston (UK123)	UK04	0-5	82	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	24	100.00%	-	-	-	-	
		Total	106	91.38%	4	3.45%	6	5.17%	116
		Total	106	91.38%	4	3.45%	6	5.17%	116
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	30	100.00%	-	-	
		Total	-	-	30	100.00%	-	-	30
		Total	-	-	30	100.00%	-	-	30
Vale Canada (VALE01)	VALE01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
		Total	1	50.00%	-	-	1	50.00%	2
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	396	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	93	100.00%	-	-	-	-	
		Total	489	99.59%	2	0.41%	-	-	491
		Total	489	99.59%	2	0.41%	-	-	491
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	16	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
Total	34	100.00%	-	-	-	-	34		
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	250	100.00%	-	-	-	-	
		16+	-	-	70	100.00%	-	-	
		Total	250	78.13%	70	21.88%	-	-	320
		Total	250	78.13%	70	21.88%	-	-	320
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	196	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	205	94.47%	9	4.15%	3	1.38%	217
		Total	205	94.47%	9	4.15%	3	1.38%	217
Videotron Senc (VDT1)	VDT1	0-5	104	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Videotron Senc (VDT1)	VDT1	6-10	25	100.00%	-	-	-	-	
		Total	129	99.23%	1	0.77%	-	-	130
	Total	129	99.23%	1	0.77%	-	-	130	
Walker Environmental Group Inc (NWM01)	NWM01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		Total	2	20.00%	5	50.00%	3	30.00%	10
	Total	2	20.00%	5	50.00%	3	30.00%	10	
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	21	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total	25	100.00%	-	-	-	-	25	
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total	16	100.00%	-	-	-	-	16	
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	10	83.33%	1	8.33%	1	8.33%	12
	Total	10	83.33%	1	8.33%	1	8.33%	12	
Waterloo, City Of (CW01)	CW01	0-5	109	100.00%	-	-	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	112	93.33%	8	6.67%	-	-	120
	Total	112	93.33%	8	6.67%	-	-	120	
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	100.00%	-	-	-	-	
	Total	12	85.71%	-	-	2	14.29%	14	
Total	12	85.71%	-	-	2	14.29%	14		
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
	Total	53	89.83%	2	3.39%	4	6.78%	59	
Total	53	89.83%	2	3.39%	4	6.78%	59		
Waterloo, Region Of (RW02)	RW02	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	17	100.00%	-	-	-	-	
	Total	58	96.67%	1	1.67%	1	1.67%	60	
Total	58	96.67%	1	1.67%	1	1.67%	60		
Waterloo, University Of (UWAT01)	UWAT01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
Total	2	66.67%	-	-	1	33.33%	3		
Welland Hydro (WLNDH01)	WLNDH01	0-5	110	100.00%	-	-	-	-	
		6-10	48	100.00%	-	-	-	-	
		Total	158	100.00%	-	-	-	-	158
	Total	158	100.00%	-	-	-	-	158	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request	
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating		
Welland, City Of (WLD01)	WLD01	0-5	163	100.00%	-	-	-	-		
		16+	-	-	-	-	9	100.00%		
		Total	163	94.77%	-	-	9	5.23%	172	
	Total		163	94.77%	-	-	9	5.23%	172	
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	5	100.00%	-	-	-	-		
		6-10	1	100.00%	-	-	-	-		
		Total	6	100.00%	-	-	-	-	6	
	Total		6	100.00%	-	-	-	-	6	
Wellington North Power Inc (WNP01)	WNP01	0-5	15	100.00%	-	-	-	-		
		Total	15	100.00%	-	-	-	-	15	
	Total		15	100.00%	-	-	-	-	15	
Wellington North, Township Of (WLG123)	WLG123	0-5	11	100.00%	-	-	-	-		
		Total	11	100.00%	-	-	-	-	11	
	Total		11	100.00%	-	-	-	-	11	
Wellington, County Of (WLG123)	WLG123	0-5	4	100.00%	-	-	-	-		
		6-10	2	100.00%	-	-	-	-		
		Total	6	100.00%	-	-	-	-	6	
	Total		6	100.00%	-	-	-	-	6	
West Elgin, Municipality Of (W005)	W005	0-5	5	100.00%	-	-	-	-		
		11-15	-	-	2	66.67%	1	33.33%		
		6-10	2	40.00%	3	60.00%	-	-		
		Total	7	53.85%	5	38.46%	1	7.69%	13	
	Total		7	53.85%	5	38.46%	1	7.69%	13	
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	3	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-	3	
	Total		3	100.00%	-	-	-	-	3	
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	3	100.00%	-	-	-	-		
		Total	3	100.00%	-	-	-	-	3	
	Total		3	100.00%	-	-	-	-	3	
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	5	100.00%	-	-	-	-		
		Total	5	100.00%	-	-	-	-	5	
	Total		5	100.00%	-	-	-	-	5	
West Perth, Municipality Of (WPTH123)	WPTH123	0-5	2	100.00%	-	-	-	-		
		6-10	4	100.00%	-	-	-	-		
		Total	6	100.00%	-	-	-	-	6	
	WPTH123	WPTHWS01	0-5	1	100.00%	-	-	-	-	
			6-10	5	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6	
Total		12	100.00%	-	-	-	-	12		
West Windsor Power (WWP01)	WWP01	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	Total		1	100.00%	-	-	-	-	1	
Westario Power (WPOW01)	WPOW01	0-5	30	100.00%	-	-	-	-		
		11-15	-	-	1	100.00%	-	-		
		16+	-	-	1	25.00%	3	75.00%		
		6-10	8	88.89%	1	11.11%	-	-		
		Total	38	86.36%	3	6.82%	3	6.82%	44	
	Total		38	86.36%	3	6.82%	3	6.82%	44	
Westover Express Pipeline	WEX01	0-5	12	100.00%	-	-	-	-		
		16+	-	-	-	-	2	100.00%		
		Total	12	85.71%	-	-	2	14.29%	14	
	Total		12	85.71%	-	-	2	14.29%	14	
Westport , Village Of (WPT01)	WPT01	0-5	1	100.00%	-	-	-	-		
		Total	1	100.00%	-	-	-	-	1	
	Total		1	100.00%	-	-	-	-	1	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Whitby, Town Of (WHIT123)	WHITCB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	WHITS01	0-5	40	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	40	97.56%	-	-	1	2.44%	41	
	WHITSL01	0-5	25	100.00%	-	-	-	-	
		6-10	27	100.00%	-	-	-	-	
Total	52	100.00%	-	-	-	-	52		
Total		94	98.95%	-	-	1	1.05%	95	
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	18	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
	Total	42	100.00%	-	-	-	-	42	
	WCSTSL01	0-5	66	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
	Total	91	100.00%	-	-	-	-	91	
	WCSTW01	0-5	55	100.00%	-	-	-	-	
6-10		26	100.00%	-	-	-	-		
Total	81	100.00%	-	-	-	-	81		
Total		214	100.00%	-	-	-	-	214	
White River , Town Of (WHRWS01)	WHRWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
	Total	2	66.67%	-	-	1	33.33%	3	
Total		2	66.67%	-	-	1	33.33%	3	
Wightman Telecom (WT123)	WT01	0-5	130	100.00%	-	-	-	-	
		11-15	-	-	12	92.31%	1	7.69%	
		16+	-	-	-	-	9	100.00%	
		6-10	12	63.16%	7	36.84%	-	-	
	Total	142	83.04%	19	11.11%	10	5.85%	171	
Total		142	83.04%	19	11.11%	10	5.85%	171	
Wilfrid Laurier University (WLU01)	WLU01	0-5	1	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
	Total	1	50.00%	1	50.00%	-	-	2	
Total		1	50.00%	1	50.00%	-	-	2	
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	19	100.00%	
	Total	4	17.39%	-	-	19	82.61%	23	
Total		4	17.39%	-	-	19	82.61%	23	
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	249	100.00%	-	-	-	-	
		16+	-	-	-	-	21	100.00%	
		6-10	47	100.00%	-	-	-	-	
	Total	296	93.38%	-	-	21	6.62%	317	
Total		296	93.38%	-	-	21	6.62%	317	
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	50	100.00%	-	-	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	41	100.00%	-	-	-	-	
	Total	91	94.79%	4	4.17%	1	1.04%	96	
Total		91	94.79%	4	4.17%	1	1.04%	96	
Windsor, City Of (EWINW01)	EWINW01	0-5	147	100.00%	-	-	-	-	
		6-10	94	100.00%	-	-	-	-	
		Total	241	100.00%	-	-	-	-	241
	EWINW02	0-5	52	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total	54	100.00%	-	-	-	-	54		
Total		295	100.00%	-	-	-	-	295	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Windsor, City Of (WSRSL01)	WSRSL01	0-5	263	100.00%	-	-	-	-	
		16+	-	-	15	50.00%	15	50.00%	
		6-10	88	100.00%	-	-	-	-	
		Total	351	92.13%	15	3.94%	15	3.94%	381
	Total	351	92.13%	15	3.94%	15	3.94%	381	
Wingham & Listowel Hospitals (LWHA01)	LWHA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	93	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	98	98.00%	2	2.00%	-	-	100
	Total	98	98.00%	2	2.00%	-	-	100	
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	92	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	98	98.99%	1	1.01%	-	-	99
	Total	98	98.99%	1	1.01%	-	-	99	
Woolwich, Township Of (WLW01)	WLW01	0-5	59	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	59	95.16%	-	-	3	4.84%	62
	Total	59	95.16%	-	-	3	4.84%	62	
Wtc Communications (WTCCT01)	WTCCT01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	7	77.78%	1	11.11%	1	11.11%	9
	Total	7	77.78%	1	11.11%	1	11.11%	9	
Xplore Inc	MTLF01	0-5	42	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	43	97.73%	-	-	1	2.27%	44
	XPNET01	0-5	159	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	172	97.73%	2	1.14%	2	1.14%	176
	XPNET02	0-5	33	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
Total		33	91.67%	-	-	3	8.33%	36	
Total	248	96.88%	2	0.78%	6	2.34%	256		
York Region Water And Sewer (YRWS123)	YRWS01	0-5	374	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
	Total	387	100.00%	-	-	-	-	387	
Total	387	100.00%	-	-	-	-	387		
York University (YORKU01)	YORKU01	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	11	100.00%	11
	Total	-	-	-	-	11	100.00%	11	
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	244	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	264	100.00%	-	-	-	-	
	Total	508	98.07%	7	1.35%	3	0.58%	518	
Total	508	98.07%	7	1.35%	3	0.58%	518		
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYO123)	ZAYOON01	16+	-	-	4	100.00%	-	-	
		6-10	18	78.26%	5	21.74%	-	-	
		Total	39	67.24%	19	32.76%	-	-	58
	ZAYOON02	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	33	82.50%	7	17.50%	-	-	40
	ZAYOON03	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	35	83.33%	6	14.29%	1	2.38%	42
	ZAYOON04	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
	ZAYOON05	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	31	91.18%	3	8.82%	-	-	34
	ZAYOON06	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
Total		4	100.00%	-	-	-	-	4	
ZAYOON07	0-5	33	100.00%	-	-	-	-		
	11-15	-	-	12	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	20	86.96%	3	13.04%	-	-		
	Total	53	76.81%	16	23.19%	-	-	69	
ZAYOON08	0-5	17	100.00%	-	-	-	-		
	11-15	-	-	4	100.00%	-	-		
	16+	-	-	2	100.00%	-	-		
	6-10	11	84.62%	2	15.38%	-	-		
	Total	28	77.78%	8	22.22%	-	-	36	
ZAYOON09	0-5	5	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	16+	-	-	1	100.00%	-	-		
	6-10	3	100.00%	-	-	-	-		
	Total	8	80.00%	2	20.00%	-	-	10	
ZAYOON11	0-5	292	100.00%	-	-	-	-		
	11-15	-	-	7	100.00%	-	-		
	16+	-	-	13	92.86%	1	7.14%		
	6-10	40	95.24%	2	4.76%	-	-		
	Total	332	93.52%	22	6.20%	1	0.28%	355	
ZAYOON12	0-5	6	100.00%	-	-	-	-		
	11-15	-	-	1	100.00%	-	-		
	6-10	7	100.00%	-	-	-	-		
	Total	13	92.86%	1	7.14%	-	-	14	
Total		587	86.96%	86	12.74%	2	0.30%	675	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Zayo Canada Inc (ZAYOON10)	ZAYOON10	6-10	14	100.00%	-	-	-	-	
		Total	55	76.39%	17	23.61%	-	-	72
	Total	55	76.39%	17	23.61%	-	-	72	
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total	-	-	-	-	1	100.00%	1	
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total	8	100.00%	-	-	-	-	8	
Total			103,945	94.57%	4,390	3.99%	1,583	1.44%	109,918