

UIO Performance Report



How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

- 1

Locate your organization
Find your organization name in the first column, listed alphabetically.
- 2

Find your master code
Look for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.
- 3

Understand performance metrics
 - On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
 - Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
 - No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report	Excluded in this report
The report includes data for standard and advanced locate requests.	Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run
The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report
Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2025-03-11 02:00:25

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name
Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

- Every municipality in Ontario;
- Hydro One Inc., as defined in the Electricity Act, 1998;
- Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
- Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
- Every Operator of a distribution system, as defined by the Electricity Act, 1998;
- Every person or entity regulated under the Oil, Gas and Salt Resources Act;
- Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code
A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping
Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided
No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification
Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request
Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.

UIO Performance Report



Report Period	2025-01-01	-	2025-01-31
---------------	------------	---	------------



On Time	132,234	95.28%
Late	5,011	3.61%
No 360 Response	1,545	1.11%
Total	138,790	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
1682468 Corp (168XPL01)	168XPL01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
407 ETR (407ETR)	407ETR01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	49	92.45%	3	5.66%	1	1.89%	53
		Total	49	92.45%	3	5.66%	1	1.89%	53
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	72	100.00%	-	-	-	-	
		6-10	52	94.55%	3	5.45%	-	-	
		Total	124	97.64%	3	2.36%	-	-	127
	HYTOS01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HYTOW01	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		136	97.84%	3	2.16%	-	-	139
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	13	68.42%	6	31.58%	-	-	19
	Total		13	68.42%	6	31.58%	-	-	19
Adelaide Wind Limited Partnership (AWLP01)	AWLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	1	25.00%	2	50.00%	1	25.00%	4
	Total		1	25.00%	2	50.00%	1	25.00%	4
Agilis (AGILF01)	AGILF01	0-5	26	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Air Liquide Canada (AL01)	AL01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Air Products Canada (APC1)	APC1	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	62	100.00%	-	-	-	-	
		Total	147	99.32%	1	0.68%	-	-	148
	Total		147	99.32%	1	0.68%	-	-	148
Alectra Brampton (ALECBR01)	ALECBR01	0-5	738	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
	Total		749	99.73%	2	0.27%	-	-	751
	Total		749	99.73%	2	0.27%	-	-	751
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	981	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	
		6-10	353	98.06%	7	1.94%	-	-	
	Total		1,334	97.30%	37	2.70%	-	-	1371
	Total		1,334	97.30%	37	2.70%	-	-	1,371
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	693	100.00%	-	-	-	-	
		11-15	-	-	58	100.00%	-	-	
		16+	-	-	73	100.00%	-	-	
		6-10	132	80.00%	33	20.00%	-	-	
	Total		825	83.42%	164	16.58%	-	-	989
	Total		825	83.42%	164	16.58%	-	-	989
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	258	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
	Total		261	99.62%	1	0.38%	-	-	262
	Total		261	99.62%	1	0.38%	-	-	262
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	1,401	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	174	100.00%	-	-	-	-	
		Total	1,575	99.12%	14	0.88%	-	-	1589
	PSGN05	0-5	221	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
	Total		236	96.72%	8	3.28%	-	-	244
	Total		1,811	98.80%	22	1.20%	-	-	1,833
Alectra Utilities (GHY01)	GHY01	0-5	160	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	188	100.00%	-	-	-	-	188
	Total		188	100.00%	-	-	-	-	188
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Algoma Power (AGMP01)	AGMP01	0-5	49	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	51
	Total		51	100.00%	-	-	-	-	51
Algonquin College (ALGQC01)	ALGQC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Algonquin Fiber (ALGQF01)	ALGQF01	16+	-	-	-	-	3	100.00%	
		Total	2	33.33%	1	16.67%	3	50.00%	6
		Total	2	33.33%	1	16.67%	3	50.00%	6
Amaranth , Township Of (AMRWS01)	AMRWS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	4	100.00%	4
		Total	-	-	-	-	4	100.00%	4
Amherstburg Public Works (A005)	A005	0-5	168	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	22	100.00%	-	-	-	-	
		Total	190	99.48%	-	-	1	0.52%	191
		Total	190	99.48%	-	-	1	0.52%	191
Apotex (APX2)	APX2	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
		Total	5	83.33%	1	16.67%	-	-	6
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	15	75.00%	3	15.00%	2	10.00%	20
		Total	15	75.00%	3	15.00%	2	10.00%	20
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
		Total	10	100.00%	-	-	-	-	10
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	ACWWS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	4	66.67%	-	-	2	33.33%	6
	Total		4	33.33%	-	-	8	66.67%	12
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	4
	Total		2	50.00%	-	-	2	50.00%	4
Atikokan Hydro (ATH01)	ATH01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
		Total	9	100.00%	-	-	-	-	9
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	88.89%	-	-	1	11.11%	9
	Total		8	88.89%	-	-	1	11.11%	9
Aurora, Town Of (AURORA01)	AURORA01	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	5	50.00%	5	50.00%	
		6-10	11	84.62%	2	15.38%	-	-	
		Total	52	72.22%	15	20.83%	5	6.94%	72
		Total	52	72.22%	15	20.83%	5	6.94%	72
Avetria Networks Inc (ANF01)	ANF01	11-15	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Avetria Networks Inc (ANF01)	ANF01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	OCWA01	11-15	-	-	1	100.00%	-	-	
		6-10	-	-	4	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		6	54.55%	5	45.45%	-	-	11
Bancroft, Town Of (BNCF01)	BNCF01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Barrie, City Of (BARR01)	BARR01	0-5	231	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	284	98.95%	3	1.05%	-	-	287
	Total		284	98.95%	3	1.05%	-	-	287
Bayham, Municipality Of (BYH01)	BYH01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	444	100.00%	-	-	-	-	
		16+	-	-	3	37.50%	5	62.50%	
		6-10	142	97.26%	4	2.74%	-	-	
		Total	586	97.99%	7	1.17%	5	0.84%	598
	Total		586	97.99%	7	1.17%	5	0.84%	598
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	324	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	108	100.00%	-	-	-	-	
		Total	432	99.08%	-	-	4	0.92%	436
	Total		432	99.08%	-	-	4	0.92%	436
Bell Aliant Damage Prevention (BA01)	BA80702	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	BA80703	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	BA80704	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	15	88.24%	2	11.76%	-	-	17
	BA80705	0-5	3	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
	BA80706	0-5	2	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	2	33.33%	4	66.67%	-	-	6
	BA80707	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Aliant Damage Prevention (BA01)	BA80708	0-5	14	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	14	93.33%	1	6.67%	-	-	
	BA80709	0-5	3	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	5	83.33%	1	16.67%	-	-	
	BA80710	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	
	BA80711	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	BA80712	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	BAGE01	0-5	155	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	181	99.45%	1	0.55%	-	-	
	BAGN01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	
	BAGN02	0-5	45	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	59	100.00%	-	-	-	-	
	BAGW02	0-5	195	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	64	98.46%	1	1.54%	-	-	
		Total	259	97.37%	7	2.63%	-	-	
	BAHN01	0-5	19	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	
	BAOE01	0-5	474	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	108	100.00%	-	-	-	-	
		Total	582	98.81%	7	1.19%	-	-	
	BAONE01	0-5	505	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	55	96.49%	2	3.51%	-	-	
		Total	560	96.89%	18	3.11%	-	-	
	BAONW01	0-5	14	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	
	BAONW02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	BAOS01	0-5	1,085	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	304	99.35%	2	0.65%	-	-	
		Total	1,389	99.14%	12	0.86%	-	-	
	BAOW01	0-5	620	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	101	100.00%	-	-	-	-	
		Total	721	99.04%	7	0.96%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Aliant Damage Prevention (BA01)	Total		3,874	98.37%	64	1.63%	-	-	3,938
Bell Canada Damage Prevention (BC01)	360GTA	0-5	323	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	86	100.00%	-	-	-	-	
		Total	409	99.03%	4	0.97%	-	-	
	360N	0-5	41	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	44	97.78%	1	2.22%	-	-	
	360N01	0-5	220	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	232	97.07%	7	2.93%	-	-	
	360OTT	0-5	31	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	31	88.57%	4	11.43%	-	-	
	BCGE01	0-5	1,073	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	176	100.00%	-	-	-	-	
		Total	1,249	99.28%	9	0.72%	-	-	
	BCGN01	0-5	1,798	100.00%	-	-	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	177	98.88%	2	1.12%	-	-	
		Total	1,975	99.20%	16	0.80%	-	-	
	BCGN02	0-5	719	100.00%	-	-	-	-	
		11-15	-	-	32	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	57	93.44%	4	6.56%	-	-	
		Total	776	95.21%	39	4.79%	-	-	
	BCGTAA01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	20	95.24%	1	4.76%	-	-	
	BCGW01	0-5	1,511	100.00%	-	-	-	-	
		11-15	-	-	29	100.00%	-	-	
		16+	-	-	26	100.00%	-	-	
		6-10	387	99.23%	3	0.77%	-	-	
		Total	1,898	97.03%	58	2.97%	-	-	
	BCGW02	0-5	206	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	60	100.00%	-	-	-	-	
		Total	266	96.38%	10	3.62%	-	-	
	BCHN01	0-5	2,969	100.00%	-	-	-	-	
		11-15	-	-	147	100.00%	-	-	
		16+	-	-	130	100.00%	-	-	
		6-10	381	90.71%	39	9.29%	-	-	
		Total	3,350	91.38%	316	8.62%	-	-	
	BCOE01	0-5	2,179	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	18	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Canada Damage Prevention (BC01)	BCOE01	6-10	423	100.00%	-	-	-	-	
		Total	2,602	98.45%	41	1.55%	-	-	2643
	BCONE01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	52	98.11%	1	1.89%	-	-	53
	BCOS01	0-5	1,404	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	418	97.21%	12	2.79%	-	-	
		Total	1,822	98.12%	35	1.88%	-	-	1857
	BCOW01	0-5	1,872	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	460	99.57%	2	0.43%	-	-	
		Total	2,332	98.60%	33	1.40%	-	-	2365
	BCTE01	0-5	1,409	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	422	99.29%	3	0.71%	-	-	
		Total	1,831	98.18%	34	1.82%	-	-	1865
	BCTW01N	0-5	701	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	107	98.17%	2	1.83%	-	-	
		Total	808	98.18%	15	1.82%	-	-	823
	BCTW01S	0-5	977	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	213	97.71%	5	2.29%	-	-	
		Total	1,190	97.06%	36	2.94%	-	-	1226
	BFTHTOR2	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	56	100.00%	
		Total	-	-	-	-	57	100.00%	57
	Total		20,887	96.68%	660	3.05%	57	0.26%	21,604
Belleville , City Of (BLV01)	BLV01	0-5	69	100.00%	-	-	-	-	
		Total	69	100.00%	-	-	-	-	69
	Total		69	100.00%	-	-	-	-	69
Birch Hill Telecom (BHTI01)	BHTI01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	35	94.59%	2	5.41%	-	-	37
	Total		35	94.59%	2	5.41%	-	-	37
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	60	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total		60	100.00%	-	-	-	-	60
Blind River , Town Of (BLR01)	BLR01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Blind River , Town Of (BLR01)	BLR01	16+	-	-	-	-	1	100.00%	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total		1	33.33%	1	33.33%	1	33.33%	3
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	33	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	45
	Total		45	100.00%	-	-	-	-	45
Bluewater Power (S003)	S003	0-5	183	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	194	100.00%	-	-	-	-	194
	Total		194	100.00%	-	-	-	-	194
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	9	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Bluewater Wind Farm - Varna (Nee) (BWWF01)	BWWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Bluewater, Municipality Of (BLW01)	BLW01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Boralex (BOR123)	BORWF02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	BORWF07	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		5	83.33%	1	16.67%	-	-	6
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	34	97.14%	-	-	1	2.86%	35
	BFWGSS01	0-5	39	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	BFWGW01	0-5	52	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
	Total		135	99.26%	-	-	1	0.74%	136
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	134	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	173	98.86%	2	1.14%	-	-	175
	Total		173	98.86%	2	1.14%	-	-	175

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	274	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	65	100.00%	-	-	-	-	
		Total	339	99.12%	3	0.88%	-	-	
	Total		339	99.12%	3	0.88%	-	-	342
Brant, County Of - Fibre (BRNTF01)	BRNTF01	16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	2	50.00%	-	-	2	50.00%	
	Total		2	50.00%	-	-	2	50.00%	4
Brant, County Of (BRNT01)	BRNT01	0-5	130	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	12	63.16%	7	36.84%	-	-	
		Total	142	85.03%	23	13.77%	2	1.20%	
	Total		142	85.03%	23	13.77%	2	1.20%	167
Brantford, The City Of (BRAS01)	BRAS01	0-5	86	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	76	100.00%	-	-	-	-	
		Total	162	99.39%	-	-	1	0.61%	
	Total		162	99.39%	-	-	1	0.61%	163
Brantford, The City Of (BRASL01)	BRASL01	0-5	45	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	
	Total		84	100.00%	-	-	-	-	84
Brantford, The City Of (BRATL01)	BRATL01	0-5	5	100.00%	-	-	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	
	Total		18	100.00%	-	-	-	-	18
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	6	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	Total		10	100.00%	-	-	-	-	10
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	Total		7	100.00%	-	-	-	-	7
Brock , Township Of (BRCK01)	BRCK01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	
	Total		4	80.00%	1	20.00%	-	-	5
Brock University (BROCKU01)	BROCKU01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	Total		8	100.00%	-	-	-	-	8
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	80.00%	-	-	1	20.00%	
	Total		4	80.00%	-	-	1	20.00%	5
Brockville, City Of (BRKV01)	BRKV01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	41	85.42%	-	-	7	14.58%	
	Total		41	85.42%	-	-	7	14.58%	48

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Brooke Telecom (B004)	B004	0-5	76	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	79	100.00%	-	-	-	-	79
	Total		79	100.00%	-	-	-	-	79
Bruce , County Of (BRC01)	BRC01	0-5	11	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Bruce Power (BRCP01)	BRCP01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Bruce Telecom (BTL01)	BTL01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	22	88.00%	3	12.00%	-	-	
		Total	50	60.24%	33	39.76%	-	-	83
	Total		50	60.24%	33	39.76%	-	-	83
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Burlington Hydro (BH01)	BH01	0-5	319	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	85	100.00%	-	-	-	-	
		Total	404	99.51%	2	0.49%	-	-	406
	Total		404	99.51%	2	0.49%	-	-	406
Burlington, City Of (BRL123)	BRLSL01	0-5	134	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	148	100.00%	-	-	-	-	148
	BRLSS01	0-5	162	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	179	100.00%	-	-	-	-	179
	BRLTS01	0-5	14	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		345	100.00%	-	-	-	-	345
Cabot Canada (CABOT01)	CABOT01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	92	100.00%	-	-	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	130	100.00%	-	-	-	-	130
	Total		130	100.00%	-	-	-	-	130
Callander, Municipality Of (CLN01)	CLN01	16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Cambridge, City Of (CAM123)	CAMS01	0-5	148	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	149	98.68%	2	1.32%	-	-	
	CAMW01	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	139	98.58%	2	1.42%	-	-	
	Total		288	98.63%	4	1.37%	-	-	292
Cameron Petroleum (CAMPL01)	CAMPL01	16+	-	-	-	-	26	100.00%	26
		Total	-	-	-	-	26	100.00%	
	Total		-	-	-	-	26	100.00%	26
Canadian Niagara Power (CNP01)	CNP01	0-5	209	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	221	99.10%	2	0.90%	-	-	
	Total		221	99.10%	2	0.90%	-	-	223
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	91	100.00%	
		Total	-	-	-	-	92	100.00%	
	Total		-	-	-	-	92	100.00%	92
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	27	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	
	Total		32	100.00%	-	-	-	-	32
Cascara Energy - Formerly Guelph Municipal Holdings (ECEPL01)	ECEPL01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	Total		8	100.00%	-	-	-	-	8
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Cedar Point Ii Wind Farm (CP2WF01)	CP2WF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Celerity Telecom Inc (CTI01)	CTI01	11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	1	50.00%	-	-	
	Total		1	50.00%	1	50.00%	-	-	2
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	43	95.56%	2	4.44%	-	-	
		Total	81	94.19%	5	5.81%	-	-	
	Total		81	94.19%	5	5.81%	-	-	86
Central Huron, Municipality Of (CHW01)	CHW01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Centre Wellington Communications (CWC01)	CWC01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Centre Wellington Hydro (CWH01)	CWH01	0-5	18	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Centre Wellington, Township Of (CTW01)	CTW01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	18	75.00%	6	25.00%	-	-	
		Total	41	73.21%	15	26.79%	-	-	56
	Total		41	73.21%	15	26.79%	-	-	56
Century Link (LVL3)	LVL3	0-5	159	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	162	98.78%	1	0.61%	1	0.61%	164
	Total		162	98.78%	1	0.61%	1	0.61%	164
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
	CHPLSL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	CHPLSS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	CHPLW01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
	Total		9	75.00%	-	-	3	25.00%	12
Chapleau Public Utilities (CPUCE01)	CPUCE01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	47	100.00%	-	-	
		16+	-	-	-	-	138	100.00%	
		6-10	65	100.00%	-	-	-	-	
		Total	116	38.54%	47	15.61%	138	45.85%	301
	CKPUC02	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	55	94.83%	3	5.17%	-	-	
		Total	110	94.83%	5	4.31%	1	0.86%	116
	CKPUC03	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Chatham Kent PUC (CKPUC123)	CKPUC03	6-10	44	81.48%	10	18.52%	-	-	
		Total	68	79.07%	18	20.93%	-	-	86
	Total		294	58.45%	70	13.92%	139	27.63%	503
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	Total		17	89.47%	2	10.53%	-	-	19
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	2	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	33.33%	2	66.67%	3
	Total		-	-	1	33.33%	2	66.67%	3
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	60.00%	1	20.00%	1	20.00%	5
	Total		3	60.00%	1	20.00%	1	20.00%	5
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	2	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	Total		2	50.00%	2	50.00%	-	-	4
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Cik Telecom (CIKT01)	CIKT01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	11	73.33%	-	-	4	26.67%	15
	Total		11	73.33%	-	-	4	26.67%	15
City Of Woodstock Street Light & Traffic Signals Wdslt01 (WDSLTL01)	WDSLTL01	0-5	47	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	49	100.00%	-	-	-	-	49
	Total		49	100.00%	-	-	-	-	49
Ckpw Chatham Township Garage (CK08)	CK08	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	28	90.32%	3	9.68%	-	-	31
	Total		28	90.32%	3	9.68%	-	-	31
Ckpw Chatham Water Garage (CK01)	CK01	0-5	84	100.00%	-	-	-	-	
		Total	84	100.00%	-	-	-	-	84
	Total		84	100.00%	-	-	-	-	84
Ckpw Dover Township Garage (CK06)	CK06	0-5	18	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28
Ckpw Kent Centre Garage (CK03)	CK03	0-5	68	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
Ckpw Raleigh Garage (CK04)	CK04	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	34	85.00%	6	15.00%	-	-	40
	Total		34	85.00%	6	15.00%	-	-	40

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ckpw Thamesville Garage (CK09)	CK09	0-5	16	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	18	90.00%	2	10.00%	-	-	20
	Total		18	90.00%	2	10.00%	-	-	20
Ckpw Tilbury East Garage (CK05)	CK05	0-5	219	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	258	100.00%	-	-	-	-	258
	Total		258	100.00%	-	-	-	-	258
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	10	83.33%	1	8.33%	1	8.33%	12
	Total		10	83.33%	1	8.33%	1	8.33%	12
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	73	100.00%	-	-	-	-	
		Total	73	100.00%	-	-	-	-	73
	CLRGSS01	0-5	47	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total		120	100.00%	-	-	-	-	120
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	11	42.31%	3	11.54%	12	46.15%	26
	Total		11	42.31%	3	11.54%	12	46.15%	26
Clearford (LBWW01)	LBWW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Clearview, Township Of (CLRV01)	CLRV01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	Total		13	76.47%	4	23.53%	-	-	17
Cobourg, Town Of (CBRG123)	CBRG01	0-5	26	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Cochrane Telecom Services (CCT01)	CCT01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Cochrane, Town Of (COCRAN01)	COCRAN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Cogeco Cable Canada (CBT1)	CBT1	0-5	785	100.00%	-	-	-	-	
		11-15	-	-	55	100.00%	-	-	
		16+	-	-	25	65.79%	13	34.21%	
		6-10	190	92.68%	15	7.32%	-	-	
		Total	975	90.03%	95	8.77%	13	1.20%	1083
	Total		975	90.03%	95	8.77%	13	1.20%	1,083
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	512	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Cogeco Cable Canada (CPVS1)	CPVS1	6-10	35	97.22%	1	2.78%	-	-	
		Total	547	98.74%	7	1.26%	-	-	554
	Total		547	98.74%	7	1.26%	-	-	554
Cogeco Cable Canada (CPVS2)	CBT2	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	9	39.13%	14	60.87%	
		6-10	59	88.06%	8	11.94%	-	-	
		Total	147	74.62%	36	18.27%	14	7.11%	197
	CPVS2	0-5	158	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	11	73.33%	4	26.67%	
		6-10	55	91.67%	5	8.33%	-	-	
		Total	213	84.19%	36	14.23%	4	1.58%	253
	Total		360	80.00%	72	16.00%	18	4.00%	450
Cogeco Connexion	COGOW02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Cogeco Connexion North East (CCNE123)	COGE01	0-5	397	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	33	97.06%	1	2.94%	-	-	
		Total	430	99.31%	3	0.69%	-	-	433
	COOE01	0-5	222	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	225	99.56%	1	0.44%	-	-	226
	COONE01	0-5	144	100.00%	-	-	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	168	100.00%	-	-	-	-	168
	Total		823	99.52%	4	0.48%	-	-	827
Cogeco Connexion Southwest (CC01)	COC01	0-5	110	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	152	96.20%	6	3.80%	-	-	158
	COE01	0-5	381	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	216	96.86%	7	3.14%	-	-	
		Total	597	96.60%	21	3.40%	-	-	618
	COL01	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	27	100.00%	-	-	-	-	
		Total	158	98.75%	1	0.63%	1	0.63%	160
	Total		907	96.90%	28	2.99%	1	0.11%	936
College Boreal (CLGB01)	CLGB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Collingwood Public Utilities (COLL123)	COLLS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	22	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	12	30.00%	6	15.00%	22	55.00%	40

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Collingwood Public Utilities (COLL123)	COLLW01	0-5	38	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	39
	Total		51	64.56%	6	7.59%	22	27.85%	79
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Communicate Freely (CFF01)	CFF01	0-5	9	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	7	58.33%	3	25.00%	2	16.67%	12
	Total		7	58.33%	3	25.00%	2	16.67%	12
Cornwall , City Of (CRWL123)	CRWLSL01	0-5	14	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	CRWLTS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		19	95.00%	1	5.00%	-	-	20
Cornwall Electric (CE01)	CE01	0-5	73	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	73	96.05%	-	-	3	3.95%	76
	Total		73	96.05%	-	-	3	3.95%	76
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	34	89.47%	3	7.89%	1	2.63%	38
	Total		34	89.47%	3	7.89%	1	2.63%	38
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Crh Canada Group Inc	CRH01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	6	40.00%	1	6.67%	8	53.33%	15
	Total		6	40.00%	1	6.67%	8	53.33%	15
Dbi Services (DBIS01)	DBIS01	6-10	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Deep River , Town Of (DRI01)	DRI01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	Total		2	50.00%	2	50.00%	-	-	4
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Dryden, City Of (DRYD01)	DRYD01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Dubreuveille, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Dufferin County (DFRN01)	DFRN01	0-5	28	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	29	93.55%	-	-	2	6.45%	31
	Total		29	93.55%	-	-	2	6.45%	31
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	1	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Durham One Net	DON01	0-5	135	100.00%	-	-	-	-	
		Total	135	100.00%	-	-	-	-	135
	Total		135	100.00%	-	-	-	-	135
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	257	100.00%	-	-	-	-	
		Total	257	100.00%	-	-	-	-	257
	DURWS02	0-5	240	100.00%	-	-	-	-	
		Total	240	100.00%	-	-	-	-	240
	DURWS03	0-5	76	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	78	100.00%	-	-	-	-	78
	DURWS04	0-5	44	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	DURWS05	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		627	100.00%	-	-	-	-	627
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	171	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	173	99.43%	-	-	1	0.57%	174
	Total		173	99.43%	-	-	1	0.57%	174
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	18	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
E L K Energy Inc (E001)	E001	0-5	57	100.00%	-	-	-	-	
		Total	57	100.00%	-	-	-	-	57
		Total	57	100.00%	-	-	-	-	57
Ear Falls, Township Of (ERFLS01)	ERFLS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	31	96.88%	1	3.13%	-	-	32
	EGWLSS01	0-5	14	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	EGWLW01	0-5	31	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	EGWLWW01	0-5	17	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
		Total	100	99.01%	1	0.99%	-	-	101
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	18	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
		Total	18	94.74%	1	5.26%	-	-	19
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
		Total	13	86.67%	2	13.33%	-	-	15
Eastern Ontario Power (EOP01)	EOP01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	17	94.44%	-	-	1	5.56%	18
		Total	17	94.44%	-	-	1	5.56%	18
Eastlink (EL123)	ELGE01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	22	91.67%	2	8.33%	-	-	24
	ELGN02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	ELOE01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	23	76.67%	4	13.33%	3	10.00%	30
	ELOE02	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	33	82.50%	7	17.50%	-	-	40

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Eastlink (EL123)	ELONE01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	29	82.86%	6	17.14%	-	-	
	ELONE02	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	ELONE03	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	66.67%	1	33.33%	
	ELONE04	0-5	2	100.00%	-	-	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	6	75.00%	2	25.00%	-	-	
	ELONE05	0-5	6	100.00%	-	-	-	-	8
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	ELONE06	0-5	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	
	ELONE07	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	5	55.56%	-	-	4	44.44%	
	ELONE08	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	ELONE09	0-5	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	
	ELOS01	0-5	19	100.00%	-	-	-	-	20
		6-10	1	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	ELOS02	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	33	97.06%	1	2.94%	-	-	
	ELOW01	0-5	78	100.00%	-	-	-	-	93
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	91	97.85%	2	2.15%	-	-	
	ELOW02	0-5	19	100.00%	-	-	-	-	33
		6-10	13	92.86%	1	7.14%	-	-	
		Total	32	96.97%	1	3.03%	-	-	
	ELOW03	0-5	32	100.00%	-	-	-	-	54
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	38	70.37%	4	7.41%	12	22.22%	
	ELOW04	0-5	40	100.00%	-	-	-	-	46
		11-15	-	-	2	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	43	93.48%	3	6.52%	-	-	
	ELOW05	0-5	50	100.00%	-	-	-	-	63
		11-15	-	-	2	100.00%	-	-	
		6-10	8	72.73%	3	27.27%	-	-	
		Total	58	92.06%	5	7.94%	-	-	
	ELOW06	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastlink (EL123)	ELOW06	6-10	7	77.78%	2	22.22%	-	-	
		Total	26	66.67%	13	33.33%	-	-	39
	ELOW07	0-5	24	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	MKDLC01	0-5	10	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	11	91.67%	1	8.33%	-	-	12
	Total		511	87.35%	54	9.23%	20	3.42%	585
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total	1	100.00%	-	-	-	-	1	
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	112	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	124	98.41%	2	1.59%	-	-	126
	SFNF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total	126	98.44%	2	1.56%	-	-	128	
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	74	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	63	100.00%	-	-	-	-	
		Total	137	98.56%	2	1.44%	-	-	139
	ELX02	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	74	100.00%	-	-	-	-	
		Total	205	97.16%	6	2.84%	-	-	211
	ELX03	0-5	36	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	50
	ELX04	0-5	100	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	112	100.00%	-	-	-	-	112
	ELXGE01	0-5	30	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	51
	ELXGE02	0-5	11	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
	ELXONE01	0-5	33	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	ELXWHGE1	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	103	100.00%	-	-	-	-	
		Total	216	98.63%	3	1.37%	-	-	219
Total		834	98.70%	11	1.30%	-	-	845	
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total	4	100.00%	-	-	-	-	4	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Elgin, County Of (ELGNE01)	ELGNE01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	Total		6	100.00%	-	-	-	-	6
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	9	90.00%	-	-	1	10.00%	
	Total		9	90.00%	-	-	1	10.00%	10
Emo , Township Of (EMOWS01)	EMOWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	ENNEBGW1	0-5	17	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	18	90.00%	1	5.00%	1	5.00%	
	ENNEBOE1	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		32	94.12%	1	2.94%	1	2.94%	34
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	31	100.00%	-	-	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	
	ENVMGN01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	
	ENVMGN02	0-5	27	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	
	ENVMGW01	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	58	100.00%	-	-	-	-	
		Total	103	91.15%	9	7.96%	1	0.88%	
	ENVMGW02	0-5	10	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	
	ENVMHNO1	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	
	ENVMOE01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	38	95.00%	2	5.00%	-	-	
	ENVMTE01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	112	99.12%	1	0.88%	-	-	
		Total	151	96.79%	5	3.21%	-	-	
	ENVMTW1N	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Distribution Vital Mains (ENVM123)	ENVMTW1N	6-10	27	100.00%	-	-	-	-	
		Total	57	96.61%	2	3.39%	-	-	59
	ENVMTW1S	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	39	92.86%	3	7.14%	-	-	
		Total	72	91.14%	7	8.86%	-	-	79
	Total		579	95.54%	26	4.29%	1	0.17%	606
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	1,340	100.00%	-	-	-	-	
		11-15	-	-	249	100.00%	-	-	
		16+	-	-	141	83.93%	27	16.07%	
		6-10	613	85.38%	105	14.62%	-	-	
		Total	1,953	78.91%	495	20.00%	27	1.09%	2475
	EN2OE01	0-5	412	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	229	99.57%	1	0.43%	-	-	
		Total	641	99.23%	5	0.77%	-	-	646
	ENONE01	0-5	352	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	177	98.88%	2	1.12%	-	-	
		Total	529	98.88%	5	0.93%	1	0.19%	535
	ENONW01	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	22	95.65%	-	-	1	4.35%	23
	ENONW02	0-5	108	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	139	97.89%	3	2.11%	-	-	142
	ENOS01	0-5	1,712	100.00%	-	-	-	-	
		11-15	-	-	39	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	1,034	98.29%	18	1.71%	-	-	
		Total	2,746	97.76%	62	2.21%	1	0.04%	2809
	ENOW01	0-5	1,254	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	610	99.35%	4	0.65%	-	-	
		Total	1,864	98.31%	28	1.48%	4	0.21%	1896
	Total		7,894	92.59%	598	7.01%	34	0.40%	8,526
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	40	86.96%	6	13.04%	-	-	46
	ENCLCHT	0-5	56	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	84	100.00%	-	-	-	-	
		Total	140	99.29%	-	-	1	0.71%	141
	ENCLEST	0-5	34	100.00%	-	-	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	49	98.00%	1	2.00%	-	-	50

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLHAL	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	21	77.78%	6	22.22%	-	-	
	ENCLHAM	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	31	86.11%	5	13.89%	-	-	
		Total	60	65.22%	32	34.78%	-	-	
	ENCLLDN	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	42	100.00%	-	-	-	-	
		Total	95	95.96%	4	4.04%	-	-	
	ENCLNTH	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	58	96.67%	2	3.33%	-	-	
	ENCLNW02	0-5	6	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	
	ENCLSAR	0-5	8	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	ENCLWAT	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	62	98.41%	1	1.59%	-	-	
		Total	168	97.67%	4	2.33%	-	-	
	ENCLWIN	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	65	98.48%	1	1.52%	-	-	
		Total	196	96.55%	7	3.45%	-	-	
	Total		853	93.12%	62	6.77%	1	0.11%	916
Enbridge Gas Distribution (ENB1)	ENDLGN01	0-5	75	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	95	100.00%	-	-	-	-	
	ENDLGN02	0-5	13	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	
	ENGE01	0-5	864	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	371	99.73%	1	0.27%	-	-	
	ENGN01	0-5	1,691	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	14	93.33%	1	6.67%	
		6-10	345	100.00%	-	-	-	-	
		Total	2,036	99.22%	15	0.73%	1	0.05%	
	ENGN02	0-5	626	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	25	100.00%	-	-	
		6-10	141	100.00%	-	-	-	-	
		Total	767	96.72%	26	3.28%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas Distribution (ENB1)	ENGND9	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	ENGTA01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	26	92.86%	2	7.14%	-	-	
									28
	ENGW01	0-5	1,090	100.00%	-	-	-	-	
		11-15	-	-	48	100.00%	-	-	
		16+	-	-	31	88.57%	4	11.43%	
		6-10	844	98.48%	13	1.52%	-	-	
		Total	1,934	95.27%	92	4.53%	4	0.20%	
	ENGW02	0-5	242	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	202	99.02%	2	0.98%	-	-	
		Total	444	94.67%	25	5.33%	-	-	
	ENHN01	0-5	1,148	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	96	96.97%	3	3.03%	-	-	
		Total	1,244	98.81%	15	1.19%	-	-	
	ENOE01	0-5	1,272	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	3	12.00%	22	88.00%	
		6-10	927	99.14%	8	0.86%	-	-	
		Total	2,199	97.04%	45	1.99%	22	0.97%	
	ENTE01	0-5	1,069	100.00%	-	-	-	-	
		11-15	-	-	30	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	861	99.54%	4	0.46%	-	-	
		Total	1,930	97.77%	44	2.23%	-	-	
	ENTED9	0-5	8	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	
	ENTW01N	0-5	727	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	194	100.00%	-	-	-	-	
		Total	921	97.77%	21	2.23%	-	-	
	ENTW01S	0-5	732	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	456	97.44%	12	2.56%	-	-	
		Total	1,188	95.50%	56	4.50%	-	-	
	ENTWD9	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	
	Total		14,078	97.34%	357	2.47%	27	0.19%	14,462
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	21	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	EN21	0-5	51	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	51
	EN22	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Total			75	100.00%	-	-	-	-	75
Enbridge Pipelines (EP123)	I001	0-5	12	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	I010	0-5	209	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	28	100.00%	-	-	
		6-10	17	89.47%	2	10.53%	-	-	
	Total	226	83.70%	44	16.30%	-	-	270	
	I011	0-5	48	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	48	96.00%	2	4.00%	-	-	50
	I012	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
Total			291	85.34%	50	14.66%	-	-	341
Enniskillen, Township Of (E002)	E002	0-5	29	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	Total		33	100.00%	-	-	-	-	33
Enova Power (ENOVA123)	EPKW01	0-5	256	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	63	98.44%	1	1.56%	-	-	
		Total	319	99.07%	3	0.93%	-	-	322
	EPWAT01	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	126	99.21%	1	0.79%	-	-	127
	EPWEL01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	16	88.89%	2	11.11%	-	-	18
	EPWOL01	0-5	37	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
Total		55	100.00%	-	-	-	-	55	
Total		516	98.85%	6	1.15%	-	-	522	
Entegrus (EPICK01)	CKSL01	0-5	14	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	EPICK01	0-5	64	100.00%	-	-	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	96	100.00%	-	-	-	-	96
	EPIMP01	0-5	32	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
Total		160	100.00%	-	-	-	-	160	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Entegrus Powerlines Inc Ã,â,~â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	58	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
	Total		64	100.00%	-	-	-	-	64
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total		21	95.45%	1	4.55%	-	-	22
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	73	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	78	95.12%	4	4.88%	-	-	82
	ENWV02	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		86	94.51%	5	5.49%	-	-	91
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	96	100.00%	-	-	-	-	
		6-10	50	100.00%	-	-	-	-	
		Total	146	100.00%	-	-	-	-	146
	Total		146	100.00%	-	-	-	-	146
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	36	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total		36	100.00%	-	-	-	-	36
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	68	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	97	100.00%	-	-	-	-	
		6-10	19	95.00%	1	5.00%	-	-	
		Total	116	99.15%	1	0.85%	-	-	117
	EPNG02	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	EPNG03	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	15	88.24%	2	11.76%	-	-	17
	Total		145	97.97%	3	2.03%	-	-	148
Erie Brook Energy (EBE01)	EBE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Erieau Wind Farm (EWF01)	EWF01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Erin, Town Of (ERN01)	ERN01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	15	100.00%	
		Total	1	5.00%	4	20.00%	15	75.00%	20
	Total		1	5.00%	4	20.00%	15	75.00%	20
Erin, Town Of (ERNSL01)	ERNS01	11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	12.50%	5	62.50%	2	25.00%	8
	ERNSL01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Erin, Town Of (ERNSL01)	ERNSL01	6-10	10	100.00%	-	-	-	-	
		Total	16	57.14%	10	35.71%	2	7.14%	28
		Total	17	47.22%	15	41.67%	4	11.11%	36
Erth Power Corporation (ETP01)	ETP01	0-5	55	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	Total		76	100.00%	-	-	-	-	76
Erth Power Corporation (ETP02)	ETP02	0-5	24	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Espanola , Town Of (ESP01)	ESP01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Espanola Hydro (ERH01)	ERH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Essa, Township Of (ESA123)	ESASSL01	0-5	5	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	ESAWS01	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		11	84.62%	2	15.38%	-	-	13
Essex County Highways (ESXTS01)	ESXTS01	0-5	37	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
Essex Powerlines Corp (A006)	A006	0-5	180	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	53	89.83%	6	10.17%	-	-	
		Total	233	95.49%	11	4.51%	-	-	244
	Total		233	95.49%	11	4.51%	-	-	244
Essex Powerlines Corp (A007)	A007	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	64	100.00%	
		Total	-	-	-	-	65	100.00%	65
	Total		-	-	-	-	65	100.00%	65
Essex, Town Of (CO01)	CO01	0-5	38	100.00%	-	-	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total		65	100.00%	-	-	-	-	65
Execulink Telecom (EXTEL123)	ASC2	0-5	53	100.00%	-	-	-	-	
		6-10	27	96.43%	1	3.57%	-	-	
		Total	80	98.77%	1	1.23%	-	-	81
	EXEC01	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	61	98.39%	1	1.61%	-	-	
		Total	192	97.96%	4	2.04%	-	-	196
	HT01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Execulink Telecom (EXTEL123)	HTF1	0-5	12	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		295	98.33%	5	1.67%	-	-	300
Fanshawe College - Private Property (FSWC02)	FSWC02	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Fanshawe College (FSWC01)	FSWC01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	4.35%	22	95.65%	
		6-10	13	100.00%	-	-	-	-	
		Total	44	58.67%	9	12.00%	22	29.33%	75
	Total		44	58.67%	9	12.00%	22	29.33%	75
Festival Hydro (FESTH01)	FESTH01	0-5	52	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	69	98.57%	1	1.43%	-	-	70
	Total		69	98.57%	1	1.43%	-	-	70
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	4	100.00%	4
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	102	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	105	98.13%	2	1.87%	-	-	107
	Total		105	98.13%	2	1.87%	-	-	107
Fort Frances Power (FFP01)	FFP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
French River, Municipality Of (FFR01)	FFR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Fu Fiber Inc (FUFIO1)	FUFIO1	16+	-	-	1	12.50%	7	87.50%	
		Total	-	-	1	12.50%	7	87.50%	8
	Total		-	-	1	12.50%	7	87.50%	8
Gananoque, Town Of (GNQWST01)	GNQWST01	16+	-	-	-	-	15	100.00%	
		Total	-	-	-	-	15	100.00%	15
	Total		-	-	-	-	15	100.00%	15
Gbtel Inc (GBT01)	GBT01	0-5	26	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total		31	100.00%	-	-	-	-	31
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Georgian Bluffs , Township Of (GB01)	GB01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Georgian Bluffs , Township Of (GB01)	GB01	6-10	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	GBSL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		3	75.00%	1	25.00%	-	-	4
Georgina, Town Of (GGN123)	GGN01	0-5	84	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	106	100.00%	-	-	-	-	106
	Total		106	100.00%	-	-	-	-	106
Goderich, Town Of (GDR123)	GDRHS01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	GDRHW01	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		Total	10	71.43%	3	21.43%	1	7.14%	14
	Total		24	85.71%	3	10.71%	1	3.57%	28
Gosfield North Communications (G001)	G001	0-5	63	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	69	98.57%	-	-	1	1.43%	70
	Total		69	98.57%	-	-	1	1.43%	70
Gosfield Wind Limited Partnership (BFP01)	BFP01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Government Of Canada (GOC01)	GOC01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Grand Bend Wind Lp (GBWF01)	GBWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		-	-	5	100.00%	-	-	5
Grandbridge Energy	GBH01	0-5	353	100.00%	-	-	-	-	
		6-10	230	100.00%	-	-	-	-	
		Total	583	100.00%	-	-	-	-	583
	Total		583	100.00%	-	-	-	-	583
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	Total		29	100.00%	-	-	-	-	29
Greater Essex County District School Board - Facility (GEDSB02)	GEDSB02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	6-10	2	66.67%	1	33.33%	-	-	
		Total	14	70.00%	6	30.00%	-	-	20
	Total		14	70.00%	6	30.00%	-	-	20
Greater Sudbury Hydro (SH01)	SH01	0-5	62	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	64	95.52%	3	4.48%	-	-	67
	Total		64	95.52%	3	4.48%	-	-	67
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	98	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	100	100.00%	-	-	-	-	100
	Total		100	100.00%	-	-	-	-	100
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Greater Sudbury, City Of (GSBY123)	GSBY03	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	GSBYCM01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	GSBYS01	0-5	43	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	44	97.78%	1	2.22%	-	-	45
	GSBYSS01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
	GSBYW01	0-5	50	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	51	98.08%	1	1.92%	-	-	52
	Total		131	94.24%	3	2.16%	5	3.60%	139
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	4	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Greenfield South Power Corporation (EP02)	EP02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	4
	Total		2	50.00%	-	-	2	50.00%	4
Grey, County Of (GREY01)	GREY01	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	71	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	83	100.00%	-	-	-	-	
	Total		83	100.00%	-	-	-	-	83
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	52	96.30%	1	1.85%	1	1.85%	
	Total		52	96.30%	1	1.85%	1	1.85%	54
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	66	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	67	100.00%	-	-	-	-	
	Total		67	100.00%	-	-	-	-	67
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	7	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	
	Total		7	87.50%	1	12.50%	-	-	8
Guelph, City Of (GLPH123)	GLPH01	0-5	110	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	71	100.00%	-	-	-	-	
		Total	181	98.37%	3	1.63%	-	-	
	GLPH04	0-5	26	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	
	GLPH05	0-5	18	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	
	Total		268	98.89%	3	1.11%	-	-	271
Guelph, University Of (UGPH01)	UGPH01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	
	Total		2	50.00%	2	50.00%	-	-	4
Gunns Hill Lp (GHWF01)	GHWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Haldimand County (HLDM123)	HLDMD01	0-5	55	100.00%	-	-	-	-	
		16+	-	-	2	40.00%	3	60.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	56	91.80%	2	3.28%	3	4.92%	
	HLDME01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	21	75.00%	2	7.14%	5	17.86%	
	HLDMS01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	
	HLDMW01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	Total		84	85.71%	5	5.10%	9	9.18%	98
Halton - MTO - Halton Hills, Region Of (HMT0HO)	HMTOSL01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton - MTO - Halton Hills, Region Of (HMTOHO)	HMTOSL01	6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	HMTOTS01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		4	100.00%	-	-	-	-	4
Halton Hills Hydro (HHH01)	HHH01	0-5	109	100.00%	-	-	-	-	
		6-10	22	95.65%	1	4.35%	-	-	
		Total	131	99.24%	1	0.76%	-	-	132
	Total		131	99.24%	1	0.76%	-	-	132
Halton Hills, Town Of (HAH01)	HAH01	0-5	28	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
	Total		28	96.55%	1	3.45%	-	-	29
Halton Hills, Town Of (HAH02)	HAH02	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Halton, Region Of (HLTNB123)	HLTNB01	0-5	22	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	HLTNBSL01	0-5	20	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	HLTNBTC01	0-5	17	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	HLTNBTS01	0-5	17	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		97	100.00%	-	-	-	-	97
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	HLTNHTS01	0-5	5	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		16	100.00%	-	-	-	-	16
Halton, Region Of (HLTNM123)	HLTNM01	0-5	23	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	HLTNMTC01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	21	95.45%	-	-	1	4.55%	22
	HLTNMTS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		53	98.15%	-	-	1	1.85%	54
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	HLTNOSL01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton, Region Of (HLTNO123)	HLTNOSL01	6-10	7	100.00%	-	-	-	-	
		Total	15	83.33%	3	16.67%	-	-	18
	HLTNOTC01	0-5	9	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	HLTNOTS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	13	81.25%	3	18.75%	-	-	16
	Total		62	88.57%	8	11.43%	-	-	70
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Halton, Region Of (HLTNT01)	HLTNT01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Halton, Region Of (HMTOBM)	HMTMSL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Hamilton , Township Of (HML01)	HML01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Hamilton Community Energy (HCE1)	HCE1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Hamilton, City Of (CH01)	CH01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	94	100.00%	-	-	-	-	
		Total	126	98.44%	2	1.56%	-	-	128
	Total		126	98.44%	2	1.56%	-	-	128
Hamilton, City Of (HHP3)	HHP3	0-5	472	100.00%	-	-	-	-	
		Total	472	100.00%	-	-	-	-	472
	Total		472	100.00%	-	-	-	-	472
Hamilton, City Of (HW01)	HW01	0-5	298	100.00%	-	-	-	-	
		11-15	-	-	88	100.00%	-	-	
		16+	-	-	80	97.56%	2	2.44%	
		6-10	196	88.29%	26	11.71%	-	-	
		Total	494	71.59%	194	28.12%	2	0.29%	690
	HW02	6-10	2	66.67%	1	33.33%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		496	71.57%	195	28.14%	2	0.29%	693
Hanover , Town Of (HNVR01)	HNVR01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	
	HWKBSL01	0-5	11	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	13	92.86%	1	7.14%	-	-	
	Total		26	92.86%	2	7.14%	-	-	28
Hay Communications (H123)	H003	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	51	89.47%	6	10.53%	-	-	
	Total		51	89.47%	6	10.53%	-	-	57
Hce Telecom (HCEHN01)	HCEHN01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	21	75.00%	7	25.00%	-	-	
	Total		21	75.00%	7	25.00%	-	-	28
Hearst Power (HRSTP01)	HRSTP01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Highbury Canco Corp (HGHBRY01)	HGHBRY01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	8	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	
	Total		8	88.89%	1	11.11%	-	-	9
Humber College (HUMBF01)	HUMBF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	Total		9	100.00%	-	-	-	-	9
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	5	83.33%	-	-	1	16.67%	
	Total		5	83.33%	-	-	1	16.67%	6
Huron, County Of (HRN123)	HRN01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	
	HRN02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	HRN03	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	HRN04	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	
	Total		5	35.71%	5	35.71%	4	28.57%	14
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	
	Total		13	100.00%	-	-	-	-	13

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hurontel (HTEL01)	HTEL01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	56	91.80%	5	8.20%	-	-	61
	Total		56	91.80%	5	8.20%	-	-	61
Hydro 2000 (H200001)	H200001	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Hydro Embrun (EMBRH01)	EMBRH01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	40.00%	-	-	6	60.00%	10
	Total		4	40.00%	-	-	6	60.00%	10
Hydro Hawkesbury (HHI01)	HHI01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Hydro One Networks Inc (HH123)	HOBRA01	0-5	9	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	HOFS01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	11	84.62%	2	15.38%	-	-	
		Total	68	78.16%	12	13.79%	7	8.05%	87
	HOHAM01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
	HOMAR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOMIS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	HOTOR01	0-5	111	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	42	84.00%	8	16.00%	-	-	
		Total	153	80.10%	38	19.90%	-	-	191
	HOVAU01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	O0052	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	OH20	0-5	21	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	OH30	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		298	82.78%	55	15.28%	7	1.94%	360
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	26	81.25%	6	18.75%	-	-	32
	Total		26	81.25%	6	18.75%	-	-	32

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Hydro One Networks Inc (H1DX)	H1DGE01	0-5	496	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	124	99.20%	1	0.80%	-	-	
		Total	620	99.36%	4	0.64%	-	-	
	H1DGN01	0-5	451	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	114	100.00%	-	-	-	-	
		Total	565	99.30%	3	0.53%	1	0.18%	
	H1DGN02	0-5	306	100.00%	-	-	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	76	100.00%	-	-	-	-	
		Total	382	94.55%	22	5.45%	-	-	
	H1DGW02	0-5	252	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	253	99.22%	2	0.78%	-	-	
		Total	505	95.83%	22	4.17%	-	-	
	H1DHN01	0-5	432	100.00%	-	-	-	-	
		11-15	-	-	58	100.00%	-	-	
		16+	-	-	53	100.00%	-	-	
		6-10	163	88.11%	22	11.89%	-	-	
		Total	595	81.73%	133	18.27%	-	-	
	H1DOE01	0-5	981	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	506	99.22%	4	0.78%	-	-	
		Total	1,487	97.96%	17	1.12%	14	0.92%	
	H1DONE01	0-5	615	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	288	99.65%	1	0.35%	-	-	
		Total	903	99.23%	6	0.66%	1	0.11%	
	H1DONW02	0-5	106	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	113	100.00%	-	-	-	-	
	H1DOS01	0-5	1,200	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	624	98.73%	8	1.27%	-	-	
		Total	1,824	98.12%	34	1.83%	1	0.05%	
	H1DOW01	0-5	1,206	100.00%	-	-	-	-	
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	524	99.62%	2	0.38%	-	-	
		Total	1,730	97.91%	36	2.04%	1	0.06%	
	H1DTBY01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	46	90.20%	5	9.80%	-	-	
	H1DX07	0-5	46	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	
	Total		8,817	96.71%	282	3.09%	18	0.20%	9,117
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	19	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	6-10	19	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	54	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total		60	100.00%	-	-	-	-	60
Hydro One Remote Communities Inc (HYR01)	HYR01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Hydro Ottawa (HOT1)	HOT1	0-5	908	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	651	99.69%	2	0.31%	-	-	
		Total	1,559	97.56%	39	2.44%	-	-	1598
	HOT2	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	56	98.25%	1	1.75%	-	-	57
	Total		1,615	97.58%	40	2.42%	-	-	1,655
Ignace , Township Of (IGN01)	IGN01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Imperial Oil Pipelines (I002)	I002	0-5	113	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	60	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	122	65.95%	63	34.05%	-	-	185
	Total		122	65.95%	63	34.05%	-	-	185
Imperial Oil Pipelines (I003)	I003	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		-	-	5	100.00%	-	-	5
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	3	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total		7	87.50%	1	12.50%	-	-	8
Index Energy Ajax Corporation (IDXEPL01)	IDXEPL01	0-5	6	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
		Total	15	68.18%	-	-	7	31.82%	22
	Total		15	68.18%	-	-	7	31.82%	22
Innisfil, Town Of (INFL01)	INFL01	0-5	101	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	118	100.00%	-	-	-	-	118
	Total		118	100.00%	-	-	-	-	118

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Innpower (INSFH01)	INSFH01	0-5	189	100.00%	-	-	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	221	100.00%	-	-	-	-	221
	Total		221	100.00%	-	-	-	-	221
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	21	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	Total		41	100.00%	-	-	-	-	41
Jogues Local Service Board	JSBS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Kap Power Corp (KPP01)	KPP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Kapusking, Town Of (KAP01)	KAP01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	27	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	KWLKWS01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	80	98.77%	1	1.23%	-	-	81
	Total		111	99.11%	1	0.89%	-	-	112
Kearney, Town Of (KRNY01)	KRNY01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Kenora, City Of (KNRA123)	KNRA01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	19	100.00%	
		Total	1	5.00%	-	-	19	95.00%	20
	KNRASL01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	KNRAST01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
	Total		12	92.31%	-	-	1	7.69%	13
	Total		21	50.00%	1	2.38%	20	47.62%	42
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	10	83.33%	2	16.67%	-	-	12
	Total		10	83.33%	2	16.67%	-	-	12
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
King , Township Of (KNGWS01)	KNGSL01	0-5	87	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	104	98.11%	1	0.94%	1	0.94%	106

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
King , Township Of (KNGWS01)	KNGWS01	0-5	96	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	105	100.00%	-	-	-	-	105
	Total		209	99.05%	1	0.47%	1	0.47%	211
Kingsbridge Wind Farm (K1WF01)	K1WF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingston General Hospital (KGH01)	KGH01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Kingsville, Town Of (TK01)	TK01	0-5	68	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	77	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
	Total		89	100.00%	-	-	-	-	89
Kitchener Utilities (KU02)	KU02	0-5	245	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	260	99.24%	-	-	2	0.76%	262
	Total		260	99.24%	-	-	2	0.76%	262
Kitchener, The City Of (KITS01)	KITS01	0-5	194	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	111	100.00%	-	-	-	-	
		Total	305	99.67%	-	-	1	0.33%	306
	Total		305	99.67%	-	-	1	0.33%	306
Kwic Internet (KWIC01)	KWIC01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
Lagasco Inc (TP01)	TP01	0-5	50	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	51	98.08%	1	1.92%	-	-	
		Total	101	97.12%	1	0.96%	2	1.92%	104
	Total		101	97.12%	1	0.96%	2	1.92%	104
Lagasco Limited (L002)	L002	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Lake Of The Woods Hospital (LWDH01)	LWDH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	20	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Lakefront Utilities (LUSI123)	COLBH01	0-5	4	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Lakefront Utilities (LUSI123)	COLBH01	6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	LUSIH01	0-5	20	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		34	100.00%	-	-	-	-	34
Lakeland Networks (LKLNN01)	LKLNN01	0-5	42	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	Total		56	100.00%	-	-	-	-	56
Lakeland Power (LKLNP123)	LKLNP01	0-5	31	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	Total		48	100.00%	-	-	-	-	48
Lakeshore, Municipality Of (TOL123)	B002	0-5	174	100.00%	-	-	-	-	
		Total	174	100.00%	-	-	-	-	174
	TOLTS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		174	98.86%	-	-	2	1.14%	176
Lakeview Water System (LKVWW01)	LKVWW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	40	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		40	100.00%	-	-	-	-	40
Lambton County (LMBTN01)	LMBTN01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Lambton Shores, Municipality Of (F001)	F001	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	35	97.22%	1	2.78%	-	-	36
	Total		35	97.22%	1	2.78%	-	-	36
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Lanark Highlands , Township Of (LNKH01)	LNKH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lanark, County Of (LNRK01)	LNRK01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Lasalle , Town Of (LSL01)	LSL01	0-5	59	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	71	100.00%	-	-	-	-	71
	Total		71	100.00%	-	-	-	-	71
Laurentian Hills, Town Of (LHWS01)	LHWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Leamington District Memorial Hospital (LDMH01)	LDMH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Leamington Water Services (L001)	L001	0-5	205	100.00%	-	-	-	-	
		16+	-	-	14	82.35%	3	17.65%	
		Total	205	92.34%	14	6.31%	3	1.35%	222
	Total		205	92.34%	14	6.31%	3	1.35%	222
Leamington, Municipality Of (LS01)	LS01	0-5	154	100.00%	-	-	-	-	
		Total	154	100.00%	-	-	-	-	154
	Total		154	100.00%	-	-	-	-	154
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	25	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	LDTI02	16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	4	100.00%	4
	Total		-	-	-	-	9	100.00%	9
Lennox And Addington, County Of (LXA123)	LXA01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Lincoln, Town Of (LINWS01)	LINWS01	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	62	89.86%	7	10.14%	-	-	69
	Total		62	89.86%	7	10.14%	-	-	69
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	88.89%	-	-	1	11.11%	9
	Total		8	88.89%	-	-	1	11.11%	9
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	6	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	Total		6	75.00%	2	25.00%	-	-	8
London District Energy (TG01)	TG01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	31	91.18%	3	8.82%	-	-	34
	Total		31	91.18%	3	8.82%	-	-	34
London Hydro (L003)	L003	0-5	356	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	194	99.49%	1	0.51%	-	-	
		Total	550	99.10%	5	0.90%	-	-	555
	LHDL01	16+	-	-	-	-	24	100.00%	
		Total	-	-	-	-	24	100.00%	24
	Total		550	94.99%	5	0.86%	24	4.15%	579
London, City Of (LN01)	LN01	0-5	329	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
London, City Of (LN01)	LN01	16+	-	-	1	100.00%	-	-	
		6-10	248	99.60%	1	0.40%	-	-	
		Total	577	99.14%	5	0.86%	-	-	582
	Total		577	99.14%	5	0.86%	-	-	582
London, City Of (LN02)	LN02	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Loyalist Township (LYST123)	LYSTBS6	0-5	11	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	LYSTBW5	0-5	11	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	LYSTEL4	0-5	52	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	LYSTFW1	0-5	48	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	LYSTLES2	0-5	47	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	LYSTSTM3	0-5	56	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	Total		301	100.00%	-	-	-	-	301
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	25	89.29%	1	3.57%	2	7.14%	28
	Total		25	89.29%	1	3.57%	2	7.14%	28
Malahide, Township Of (MLHD01)	MLHD01	0-5	12	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
	Total		13	86.67%	2	13.33%	-	-	15
Mapleton , Township Of (MPLT01)	MPLT01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Markham “ Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	179	100.00%	-	-	-	-	
		6-10	54	100.00%	-	-	-	-	
		Total	233	100.00%	-	-	-	-	233
	Total		233	100.00%	-	-	-	-	233
Markham District Energy (MDE01)	MDE01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	379	100.00%	-	-	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	432	100.00%	-	-	-	-	432
	Total		432	100.00%	-	-	-	-	432
Markstay Warren , Municipality Of (MKW01)	MKW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Marwood Metals (MARWDF01)	MARWDF01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
Matachewan, Township Of (MTCWWS01)	MTCWWS01	6-10	1	50.00%	1	50.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
		Total	1	50.00%	1	50.00%	-	-	2
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	11
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	5	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
		Total	8	88.89%	1	11.11%	-	-	9
Melancthon Windfarm (MELWF01)	MELWF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
		Total	2	66.67%	-	-	1	33.33%	3
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	8	100.00%	-	-	
		Total	-	-	8	100.00%	-	-	8
		Total	-	-	8	100.00%	-	-	8
Metalore Resources (MTLORE01)	MTLORE01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Metro Fibrewerx (MFWX01)	MFWX01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	3	75.00%	-	-	1	25.00%	4
		Total	3	75.00%	-	-	1	25.00%	4
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
		Total	14	100.00%	-	-	-	-	14
Middlesex, County Of (MDSX01)	MDSX01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	32	94.12%	1	2.94%	1	2.94%	34
		Total	32	94.12%	1	2.94%	1	2.94%	34
Midland, Town Of (MIDLND01)	MIDLND01	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	28	96.55%	-	-	1	3.45%	29
		Total	28	96.55%	-	-	1	3.45%	29
Midland, Town Of (MIDLND03)	MIDLND03	0-5	14	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Midland, Town Of (MIDLND03)	MIDLND03	6-10	-	-	1	100.00%	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total		14	93.33%	1	6.67%	-	-	15
Milton , Town Of (MLTSS01)	MLTNTS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	MLTSS01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	51	96.23%	2	3.77%	-	-	53
	Total		55	96.49%	2	3.51%	-	-	57
MILTON HYDRO (MH123)	MHHN01	0-5	300	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	95.00%	1	5.00%	-	-	
		Total	319	99.07%	3	0.93%	-	-	322
	Total		319	99.07%	3	0.93%	-	-	322
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	529	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	533	100.00%	-	-	-	-	533
	Total		533	100.00%	-	-	-	-	533
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	39	100.00%	-	-	-	-	
		6-10	66	100.00%	-	-	-	-	
		Total	105	100.00%	-	-	-	-	105
	Total		105	100.00%	-	-	-	-	105
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	382	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	89	100.00%	-	-	-	-	
		Total	471	99.79%	-	-	1	0.21%	472
	Total		471	99.79%	-	-	1	0.21%	472
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	10	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	Total		12	100.00%	-	-	-	-	12
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	2	100.00%	-	-	-	-	
		Total	8	72.73%	1	9.09%	2	18.18%	11
	Total		8	72.73%	1	9.09%	2	18.18%	11
Mono , Town Of (MNO123)	MNO01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	60.00%	1	20.00%	1	20.00%	5
	MNOSL01	16+	-	-	3	60.00%	2	40.00%	
		Total	-	-	3	60.00%	2	40.00%	5
	Total		3	30.00%	4	40.00%	3	30.00%	10

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Montague , Township Of (MTG01)	MTG01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Mornington Communications (MORNT01)	MORNT01	0-5	36	100.00%	-	-	-	-	
		6-10	15	83.33%	3	16.67%	-	-	
		Total	51	94.44%	3	5.56%	-	-	54
	Total		51	94.44%	3	5.56%	-	-	54
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Mt Sinai Hospital (MTSIH01)	MTSIH01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Muskoka , District Of (MUSKWS01)	MUSKWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	MUSKWS03	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	11	42.31%	8	30.77%	7	26.92%	26
	MUSKWS04	0-5	24	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	26	86.67%	-	-	4	13.33%	30
	MUSKWS05	0-5	27	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	28	96.55%	-	-	1	3.45%	29
	Total		67	76.14%	8	9.09%	13	14.77%	88
Muskoka , District Of (MUSKWS02)	MUSKWS02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		Total	2	50.00%	2	50.00%	-	-	4
	PBPR01	0-5	140	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	17	94.44%	1	5.56%	
		6-10	141	99.30%	1	0.70%	-	-	
		Total	281	87.00%	41	12.69%	1	0.31%	323
	PBPR02	0-5	172	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	15	93.75%	1	6.25%	
		6-10	159	99.38%	1	0.63%	-	-	
		Total	331	89.70%	37	10.03%	1	0.27%	369
	PBPR03	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	40	97.56%	1	2.44%	-	-	
		Total	76	80.85%	17	18.09%	1	1.06%	94
	PBRPS05	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	PCMV01	0-5	47	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Muskoka , District Of (MUSKWS02)	PCMV01	16+	-	-	1	100.00%	-	-	
		6-10	68	100.00%	-	-	-	-	
		Total	115	93.50%	8	6.50%	-	-	123
	PCMV02	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	48	100.00%	-	-	-	-	
		Total	83	91.21%	8	8.79%	-	-	91
	PCMV03	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	46	100.00%	-	-	-	-	
		Total	95	91.35%	9	8.65%	-	-	104
	PEELB01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	PEELM01	0-5	92	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	92	98.92%	1	1.08%	-	-	93
	PMIPS05	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	PMPR01	0-5	164	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	282	99.30%	2	0.70%	-	-	
		Total	446	95.71%	19	4.08%	1	0.21%	466
	PMPR02	0-5	291	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	451	99.56%	2	0.44%	-	-	
		Total	742	96.49%	26	3.38%	1	0.13%	769
	PMPR03	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	39	95.12%	2	4.88%	-	-	
		Total	58	92.06%	5	7.94%	-	-	63
	Total		2,363	92.99%	173	6.81%	5	0.20%	2,541
Muskoka Algonquin Healthcare (MAHC01)	MAHC01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Nation, Municipality Of The (NATN01)	NATN01	16+	-	-	-	-	15	100.00%	
		Total	-	-	-	-	15	100.00%	15
	Total		-	-	-	-	15	100.00%	15
Net Optiks	BPNOFC01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	6-10	6	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
		Total	8	100.00%	-	-	-	-	8
Netflash Internet Solutions (NISF01)	NISF01	0-5	5	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
		Total	11	100.00%	-	-	-	-	11
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	45	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
		Total	46	100.00%	-	-	-	-	46
Newbury, Village Of (NWBWS01)	NWBWS01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	3
Newmarket, Town Of (NMK01)	NMK01	0-5	64	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
		Total	64	100.00%	-	-	-	-	64
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	59	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
		Total	68	100.00%	-	-	-	-	68
Niagara Falls, City Of (NFS01)	NFS01	0-5	59	100.00%	-	-	-	-	
		6-10	110	100.00%	-	-	-	-	
		Total	169	100.00%	-	-	-	-	169
		Total	169	100.00%	-	-	-	-	169
Niagara Parks Commission (NPC01)	NPC01	0-5	16	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
		Total	21	100.00%	-	-	-	-	21
Niagara Peninsula Energy (NFH01)	NFH01	0-5	145	100.00%	-	-	-	-	
		6-10	104	100.00%	-	-	-	-	
		Total	249	100.00%	-	-	-	-	249
		Total	249	100.00%	-	-	-	-	249
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	341	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	379	99.74%	1	0.26%	-	-	380
		Total	379	99.74%	1	0.26%	-	-	380
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	57.14%	3	42.86%	-	-	
		Total	10	71.43%	4	28.57%	-	-	14
		Total	10	71.43%	4	28.57%	-	-	14
Niagara Regional Broadband Network (NRBN01)	NRBN01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	165	100.00%	
		Total	-	-	-	-	168	100.00%	168
		Total	-	-	-	-	168	100.00%	168
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	206	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	207	99.04%	2	0.96%	-	-	209
		Total	207	99.04%	2	0.96%	-	-	209

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	83	100.00%	-	-	-	-	
		Total	83	100.00%	-	-	-	-	83
	Total		83	100.00%	-	-	-	-	83
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	58	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
	Total		58	100.00%	-	-	-	-	58
Nor-Del (NORDEL01)	NORDEL01	0-5	66	100.00%	-	-	-	-	
		6-10	16	80.00%	4	20.00%	-	-	
		Total	82	95.35%	4	4.65%	-	-	86
	Total		82	95.35%	4	4.65%	-	-	86
Norfolk County (NFLK123)	NFLK01	0-5	173	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	18	90.00%	2	10.00%	-	-	
		Total	191	97.95%	4	2.05%	-	-	195
	Total		191	97.95%	4	2.05%	-	-	195
North Bay Hydro (NBH01)	NBH01	0-5	47	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	57	98.28%	1	1.72%	-	-	58
	Total		57	98.28%	1	1.72%	-	-	58
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	2	33.33%	1	16.67%	3	50.00%	6
	Total		2	33.33%	1	16.67%	3	50.00%	6
North Bay, City Of (NBWS01)	NBWS01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	24	85.71%	4	14.29%	-	-	28
	Total		24	85.71%	4	14.29%	-	-	28
North Dundas , Township Of (NDND123)	NDND01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	NDND02	11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
	Total		-	-	3	60.00%	2	40.00%	5
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	143	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	184	98.92%	2	1.08%	-	-	186
	Total		184	98.92%	2	1.08%	-	-	186
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
North Grenville , Municipality Of (NGR01)	NGR01	0-5	17	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
North Huron, Township Of (NHURON01)	NHURON01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
North Huron, Township Of (NHURON01)	NHURON01	6-10	-	-	1	100.00%	-	-	
		Total	3	42.86%	1	14.29%	3	42.86%	7
		Total	3	42.86%	1	14.29%	3	42.86%	7
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
		Total	8	100.00%	-	-	-	-	8
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	11	100.00%	
		Total	11	45.83%	1	4.17%	12	50.00%	24
		Total	11	45.83%	1	4.17%	12	50.00%	24
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
		Total	29	100.00%	-	-	-	-	29
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
		Total	20	100.00%	-	-	-	-	20
North Shore, Township Of the (NSR01)	NSR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
North Stormont , Township Of (NST01)	NST01	16+	-	-	2	20.00%	8	80.00%	
		Total	-	-	2	20.00%	8	80.00%	10
		Total	-	-	2	20.00%	8	80.00%	10
North York General Hospital (NYGH01)	NYGH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	5
Northern Rural Networks (NRN01)	NRN01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
		Total	-	-	-	-	2	100.00%	2
Northern Tel Limited Partnership (NT01)	NT01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	72	98.63%	1	1.37%	-	-	73
		Total	72	98.63%	1	1.37%	-	-	73
Northumberland County (NRHB01)	NRHBSS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	NRHBSS02	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	6	100.00%	-	-	-	-	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Norwich , Township Of (NRW01)	NRW01	0-5	26	100.00%	-	-	-	-	
		6-10	10	62.50%	6	37.50%	-	-	
		Total	36	85.71%	6	14.29%	-	-	42
	Total		36	85.71%	6	14.29%	-	-	42
Nova Chemicals Corporation (N001)	N001	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	Total		-	-	4	100.00%	-	-	4
NT Power	NTPWR01	0-5	157	100.00%	-	-	-	-	
		Total	157	100.00%	-	-	-	-	157
	Total		157	100.00%	-	-	-	-	157
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	657	100.00%	-	-	-	-	
		11-15	-	-	13	86.67%	2	13.33%	
		16+	-	-	11	91.67%	1	8.33%	
		6-10	145	98.64%	2	1.36%	-	-	
		Total	802	96.51%	26	3.13%	3	0.36%	831
	Total		802	96.51%	26	3.13%	3	0.36%	831
Oakville, Town Of (OAK123)	OAKBS01	0-5	3	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	OAKSS01	0-5	346	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	115	100.00%	-	-	-	-	
		Total	461	96.24%	18	3.76%	-	-	479
	OAKTS01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	97	92.38%	8	7.62%	-	-	105
	Total		566	95.61%	26	4.39%	-	-	592
O'Connor, Township Of (OCNR01)	OCNR01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		-	-	5	100.00%	-	-	5
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
On-Energy Corp (ONNRG01)	ONNRG01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	4	66.67%	-	-	2	33.33%	6
	Total		4	66.67%	-	-	2	33.33%	6
Ontario Clean Water Agency (OCWAW01)	OCWAW01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	OPGN2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		2	66.67%	-	-	1	33.33%	3
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	12	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	ONTERA02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ontera - A Division Of Northerntel (ONTERA)	ONTERA03	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	ONTERA04	0-5	5	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	ONTERA05	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ONTERA06	0-5	10	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	10	66.67%	5	33.33%	-	-	15
Total		37	86.05%	6	13.95%	-	-	43	
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	82	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	82	98.80%	1	1.20%	-	-	83
	Total		82	98.80%	1	1.20%	-	-	83
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	10	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	32	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		38	100.00%	-	-	-	-	38
Orangeville, Town Of (ORGV01)	ORGV01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	8	61.54%	5	38.46%	-	-	
		Total	26	74.29%	6	17.14%	3	8.57%	35
	Total		26	74.29%	6	17.14%	3	8.57%	35
Orillia, City Of (ORIL123)	ORILSL01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	ORILT01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	ORILWS01	0-5	29	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
Total			53	98.15%	1	1.85%	-	-	54
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	114	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	169	97.69%	4	2.31%	-	-	173
	OSHGE03	0-5	9	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
Total		185	97.88%	4	2.12%	-	-	189	
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	3	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oshawa, City Of - Catch Basins (OSH02)	OSH02	6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Oshawa, City Of (OSH01)	OSH01	0-5	80	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	114	96.61%	4	3.39%	-	-	118
	Total		114	96.61%	4	3.39%	-	-	118
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Ottawa River Power (ORP01)	ORP01	0-5	20	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
Ottawa River Power (ORP02)	ORP02	0-5	12	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	14	93.33%	1	6.67%	-	-	15
	Total		14	93.33%	1	6.67%	-	-	15
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	609	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	627	100.00%	-	-	-	-	627
	Total		627	100.00%	-	-	-	-	627
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	245	100.00%	-	-	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	286	100.00%	-	-	-	-	286
	Total		286	100.00%	-	-	-	-	286
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	1,338	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	1,341	99.78%	3	0.22%	-	-	1344
	Total		1,341	99.78%	3	0.22%	-	-	1,344
Ottawa, University Of (UOTT01)	UOTT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Owen Sound, City Of (OWSD01)	OWSD01	0-5	28	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
	Total		28	100.00%	-	-	-	-	28
Oxford, County Of - Fiber (OXFF01)	OXFF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Oxford, County Of - Traffic (OXFTS01)	OXFTS01	0-5	1	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	6-10	6	85.71%	1	14.29%	-	-	
		Total	172	98.85%	2	1.15%	-	-	174
	Total		172	98.85%	2	1.15%	-	-	174
Oxford, County Of (OXFSTM01)	OXFSTM01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	Total		16	100.00%	-	-	-	-	16
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	11	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Peel Region - Brampton Water (PCYWAT123)	PRBM02	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	40	95.24%	2	4.76%	-	-	
		Total	76	86.36%	11	12.50%	1	1.14%	88
	PRBM03	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	25.00%	6	75.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	20	62.50%	6	18.75%	6	18.75%	32
	PROC02	0-5	3	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	4	100.00%	-	-	-	-	
		Total	7	70.00%	2	20.00%	1	10.00%	10
	PROC03	0-5	3	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	Total		109	78.99%	21	15.22%	8	5.80%	138
Peel Region - Caledon Water (PCWAT123)	PBMC01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	88.89%	-	-	1	11.11%	9
	POCWA05	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	PRBM01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	49	96.08%	2	3.92%	-	-	
		Total	92	87.62%	11	10.48%	2	1.90%	105
	PROC01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		108	86.40%	13	10.40%	4	3.20%	125

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Peel Region (PEEL123)	PEELTS04	0-5	55	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	76	98.70%	1	1.30%	-	-	
		Total	131	98.50%	1	0.75%	1	0.75%	
	Total		131	98.50%	1	0.75%	1	0.75%	133
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	335	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	337	99.41%	2	0.59%	-	-	
	Total		337	99.41%	2	0.59%	-	-	339
Pelham, Town Of (PEL1)	PEL1	0-5	29	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	
	Total		35	100.00%	-	-	-	-	35
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	Total		20	100.00%	-	-	-	-	20
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
Perth, Town Of (PERTH01)	PERTH01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	3	50.00%	3	50.00%	-	-	
		Total	5	45.45%	6	54.55%	-	-	
	Total		5	45.45%	6	54.55%	-	-	11
Petawawa, Town Of (PTWA123)	PTWA01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	PTWASL01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		11	100.00%	-	-	-	-	11
Peterborough , City Of (PTRB01)	PTRB01	0-5	70	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	70	98.59%	1	1.41%	-	-	
	Total		70	98.59%	1	1.41%	-	-	71
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	64	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	
	Total		68	100.00%	-	-	-	-	68
Peterborough, County Of (PTB01)	PTB01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	34	97.14%	1	2.86%	-	-	
	Total		34	97.14%	1	2.86%	-	-	35
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	
	Total		-	-	1	100.00%	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Petrolia, Town Of (P002)	P002	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
		Total	9	100.00%	-	-	-	-	9
Pickering , City Of (PKRG01)	PKRG01	0-5	116	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	131	94.24%	4	2.88%	4	2.88%	139
		Total	131	94.24%	4	2.88%	4	2.88%	139
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	32	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
		Total	32	100.00%	-	-	-	-	32
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	17	100.00%	-	-	-	-	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	23	92.00%	2	8.00%	-	-	25
		Total	23	92.00%	2	8.00%	-	-	25
Point Edward, Village Of (PE01)	PE01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	34	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	58	98.31%	1	1.69%	-	-	59
		Total	58	98.31%	1	1.69%	-	-	59
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Port Hope, Municipality Of (PH123)	PH01	0-5	12	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
		Total	15	100.00%	-	-	-	-	15
Powassan, Municipality Of (PWSN01)	PWSN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Prescott , Town Of (PRS01)	PRS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
		Total	7	100.00%	-	-	-	-	7
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	PRERUS03	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	3	100.00%	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Prince Edward, County Of (PEC04)	PEC04	0-5	26	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total		36	100.00%	-	-	-	-	36
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Puslinch, Township Of (PSLNC01)	PSLNC01	16+	-	-	3	60.00%	2	40.00%	
		Total	-	-	3	60.00%	2	40.00%	5
	Total		-	-	3	60.00%	2	40.00%	5
Q9 Networks (QNET01)	QNET01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Quadro Communications (QUAD1)	MSCQUAD2	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	19	95.00%	1	5.00%	-	-	20
	QUAD1	0-5	79	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	86	100.00%	-	-	-	-	86
	Total		105	99.06%	1	0.94%	-	-	106
Queen'S University (QUEENU01)	QUEENU01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
	Total		6	60.00%	4	40.00%	-	-	10
	Total		6	60.00%	4	40.00%	-	-	10
Queens University Fibre (QUEENF01)	QUEENF01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Quinte West, City Of (QW123)	QWF01	16+	-	-	-	-	7	100.00%	
		Total	-	-	-	-	7	100.00%	7
	QWSL01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
	QWSN01	0-5	22	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	33	100.00%	-	-	-	-	33
	QWSS01	0-5	22	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	29
	QWTS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	QWW01	0-5	34	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	Total		146	94.19%	2	1.29%	7	4.52%	155

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Ramara, Township Of (RMAWS01)	RMAWS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Real Oil Enterprises (ROPL01)	ROPL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	50	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	50
	HLTNW02	0-5	759	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	26	92.86%	2	7.14%	-	-	
		Total	785	99.12%	7	0.88%	-	-	792
	Total		835	99.17%	7	0.83%	-	-	842
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	14	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	21	100.00%	-	-	-	-	21
	Total		21	100.00%	-	-	-	-	21
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	19	95.00%	1	5.00%	-	-	20
	Total		19	95.00%	1	5.00%	-	-	20
Renfrew Hydro (RFH01)	RFH01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Renfrew, County Of (RNF123)	RNF01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	10	66.67%	3	20.00%	2	13.33%	15
	Total		10	66.67%	3	20.00%	2	13.33%	15
Renfrew, Town Of (RNFW01)	RNFW01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	RNFW02	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		18	100.00%	-	-	-	-	18
Richmond Hill, Town Of (RHL01)	RHL01	0-5	317	100.00%	-	-	-	-	
		Total	317	100.00%	-	-	-	-	317
	Total		317	100.00%	-	-	-	-	317
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	52	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total		60	100.00%	-	-	-	-	60
Richmond Hill, Town Of (RH LTS01)	RH LTS01	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Richmond Hill, Town Of (RHLTS01)	RHLTS01	6-10	7	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Rideau Lakes, Township Of (RIL01)	RIL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Rogers Communications (ROG123)	CABLET01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	81	97.59%	2	2.41%	-	-	83
	ROGGE01	0-5	536	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	53	100.00%	-	-	-	-	
		Total	589	98.83%	7	1.17%	-	-	596
	ROGHN01	0-5	761	100.00%	-	-	-	-	
		11-15	-	-	47	100.00%	-	-	
		16+	-	-	61	100.00%	-	-	
		6-10	142	92.81%	11	7.19%	-	-	
		Total	903	88.36%	119	11.64%	-	-	1022
	ROGLDN01	0-5	513	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	52	100.00%	-	-	-	-	
		Total	565	99.47%	3	0.53%	-	-	568
	ROGNTH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	ROGOE01	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	ROGOTT01	0-5	987	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	68	100.00%	-	-	-	-	
		Total	1,055	99.81%	2	0.19%	-	-	1057
	ROGPEL01	0-5	961	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	234	99.15%	2	0.85%	-	-	
		Total	1,195	98.68%	16	1.32%	-	-	1211
	ROGRAIL1	0-5	202	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	202	99.51%	1	0.49%	-	-	203
	ROGSIM01	0-5	456	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	94	100.00%	-	-	-	-	
		Total	550	98.57%	8	1.43%	-	-	558
	ROGSWO01	0-5	34	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Rogers Communications (ROG123)	ROGTOR01	0-5	1,770	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	196	100.00%	-	-	-	-	
		Total	1,966	99.59%	8	0.41%	-	-	
	ROGWAT01	0-5	749	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	147	100.00%	-	-	-	-	
		Total	896	99.45%	5	0.55%	-	-	
	ROGWIN01	0-5	3	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	ROGYRK01	0-5	761	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	176	99.44%	1	0.56%	-	-	
		Total	937	99.26%	7	0.74%	-	-	
	RUWV01	0-5	21	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	
	SJRB01	0-5	11	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	SJRB02	0-5	28	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	29	100.00%	-	-	-	-	
	SJRB03	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	Total		9,073	98.08%	178	1.92%	-	-	9,251
Romney Wind Energy Centre Lp (RWE01)	RWE01	0-5	19	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	Total		20	100.00%	-	-	-	-	20
Rowe Energy Corporation (ROWE01)	ROWE01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	1	33.33%	2	66.67%	
	Total		-	-	1	33.33%	2	66.67%	3
Russell, Township Of (RSEL01)	RSEL01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	59	98.33%	1	1.67%	-	-	
	Total		59	98.33%	1	1.67%	-	-	60
Ryerson University (RYEU01)	RYEU01	11-15	-	-	3	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	1	20.00%	4	80.00%	-	-	
	Total		1	20.00%	4	80.00%	-	-	5
Sarnia, City Of (C006)	C006	0-5	147	100.00%	-	-	-	-	
		Total	147	100.00%	-	-	-	-	
	Total		147	100.00%	-	-	-	-	147

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	SSSL01	0-5	37	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	SSWS01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	35	77.78%	10	22.22%	-	-	45
	Total		73	87.95%	10	12.05%	-	-	83
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	80	100.00%	-	-	-	-	
		Total	80	100.00%	-	-	-	-	80
	SSMPUW01	0-5	65	100.00%	-	-	-	-	
		Total	65	100.00%	-	-	-	-	65
	Total		145	100.00%	-	-	-	-	145
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	41	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total		42	100.00%	-	-	-	-	42
Scugog, Township Of (SCG01)	SCG01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total		31	100.00%	-	-	-	-	31
Seguin, Township Of (SGN01)	SGN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Selwyn, Township Of (SLWN01)	SLWN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Selwyn, Township Of (SLWN02)	SLWN02	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Selwyn, Township Of (SLWN03)	SLWN03	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Severn, Township Of (SEVERN01)	SEVERN01	0-5	8	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	SEVERN02	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		14	100.00%	-	-	-	-	14
Shared Tower Inc	SHARET01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Shelburne , Town Of (SHLB01)	SHLB01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	8	80.00%	-	-	2	20.00%	10
	Total		8	80.00%	-	-	2	20.00%	10

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Shell Canada (SHL1)	SHL1	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Sick Kids Hospital (SKH01)	SKH01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Silver Bay Water (SBW1)	SBW1	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Simcoe, County Of (SIM01)	SIM01	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	8	80.00%	1	10.00%	1	10.00%	10
	Total		8	80.00%	1	10.00%	1	10.00%	10
Six Nations Gas (SNG01)	SNG01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	37	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	18	81.82%	4	18.18%	-	-	
		Total	34	43.04%	41	51.90%	4	5.06%	79
	Total		34	43.04%	41	51.90%	4	5.06%	79
Sky Generation (Sprott Power) (SGPLWF01)	SGPLWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	6	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	18	58.06%	1	3.23%	12	38.71%	31
	Total		18	58.06%	1	3.23%	12	38.71%	31
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
South Dundas , Municipality Of (SDS01)	SDS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13
South Frontenac, Township Of (SF123)	SFS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
South Frontenac, Township Of (SF123)	SFSL01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	SFW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		12	100.00%	-	-	-	-	12
South Glengarry , Township Of (SGG01)	SGG01	16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
South Huron Hospital (SHHA01)	SHHA01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	18	69.23%	1	3.85%	7	26.92%	26
	Total		18	69.23%	1	3.85%	7	26.92%	26
South Kent Wind Project (SKWP01)	SKWP01	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	11	91.67%	-	-	1	8.33%	12
	Total		11	91.67%	-	-	1	8.33%	12
South Stormont, Township Of (SSTM01)	SSTM01	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Southgate, Township (SGWS01)	SGWS01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	22	84.62%	1	3.85%	3	11.54%	26
	SWMSX02	0-5	6	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		29	87.88%	1	3.03%	3	9.09%	33
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
		Total	7	46.67%	-	-	8	53.33%	15
	Total		7	46.67%	-	-	8	53.33%	15
Southwold, Township Of (SOW01)	SOW01	0-5	37	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	38	97.44%	-	-	1	2.56%	39
	Total		38	97.44%	-	-	1	2.56%	39
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Springwater, Township Of (SPRGW01)	SPRGW01	6-10	3	100.00%	-	-	-	-	
		Total	11	78.57%	3	21.43%	-	-	14
	Total		11	78.57%	3	21.43%	-	-	14
St. Catharines, City Of (STC1)	STC1	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	162	99.39%	1	0.61%	-	-	163
	Total		162	99.39%	1	0.61%	-	-	163
St. Charles, Municipality Of (STC01)	STC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
St. Clair, Township Of (M002)	M002	0-5	48	100.00%	-	-	-	-	
		Total	48	100.00%	-	-	-	-	48
	Total		48	100.00%	-	-	-	-	48
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	6	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total		7	87.50%	1	12.50%	-	-	8
St. Michael'S Hospital (STMH01)	STMH01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
St. Thomas, City Of (STHWS01)	STHSL01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	36	100.00%	-	-	-	-	
		Total	74	78.72%	10	10.64%	10	10.64%	94
	STHWS01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	-	-	16	100.00%	
		6-10	41	97.62%	1	2.38%	-	-	
		Total	83	73.45%	14	12.39%	16	14.16%	113
	Total		157	75.85%	24	11.59%	26	12.56%	207
Start Communications (STARTC01)	STARTC02	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	81	100.00%	-	-	-	-	
		Total	157	98.74%	2	1.26%	-	-	159
	Total		157	98.74%	2	1.26%	-	-	159
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Storm Internet (STRMF01)	STRMF01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Stratford, City Of (STRATWS01)	STRATWS01	16+	-	-	-	-	49	100.00%	
		Total	-	-	-	-	49	100.00%	49
	Total		-	-	-	-	49	100.00%	49

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	25	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	46	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	46
	Total		46	100.00%	-	-	-	-	46
Sudbury District Energy (SDEONE01)	SDEONE01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Summer Haven Wind (SHWF01)	SHWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	77	97.47%	2	2.53%	-	-	79
	Total		77	97.47%	2	2.53%	-	-	79
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	136	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	136	99.27%	1	0.73%	-	-	137
	S002	0-5	148	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	148	99.33%	1	0.67%	-	-	149
	S004	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		299	99.34%	2	0.66%	-	-	301
Suncor Energy (SCE02)	SCE02	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Suncor Energy Products (SNCP05)	SNCP05	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Suncor Energy Products (SNCP03)	SNCP03	16+	-	-	3	100.00%	-	-	
		Total	-	-	3	100.00%	-	-	3
	Total		-	-	3	100.00%	-	-	3
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Synergy North - Kenora (SNKEN01)	SNKEN01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	64	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	76
	Total		76	100.00%	-	-	-	-	76
Talbot Windfarm (TALWF01)	TALWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
TANDEM FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
TANDEM FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Tay, Township Of (TAY01)	TAY01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Tbaytel (TBYTEL01)	TBYTEL01	0-5	89	100.00%	-	-	-	-	
		6-10	35	100.00%	-	-	-	-	
		Total	124	100.00%	-	-	-	-	124
	TBYTEL02	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	75.00%	2	25.00%	-	-	8
	Total		130	98.48%	2	1.52%	-	-	132
TC Energy - East (TCP01)	TC03	0-5	121	100.00%	-	-	-	-	
		Total	121	100.00%	-	-	-	-	121
	TC06	0-5	150	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	151	100.00%	-	-	-	-	151
	TC07	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
	TC08	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	69.23%	4	30.77%	-	-	13
	TC09	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	TC10	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	88.24%	4	11.76%	-	-	34
	TC12	0-5	1	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		Total	1	14.29%	6	85.71%	-	-	7
	TC13	11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	-	-	6	100.00%	-	-	6
	TC14	0-5	1	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	TC15	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TC16	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	TC17	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	13	92.86%	1	7.14%	-	-	14

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
TC Energy - East (TCP01)	TC18	0-5	56	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	64	95.52%	3	4.48%	-	-	
	TC19	0-5	20	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	
	Total		470	94.38%	28	5.62%	-	-	498
Tecumseh, Town Of (TEC123)	TECS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	58	98.31%	1	1.69%	-	-	
	TECW01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	7.69%	12	92.31%	
		6-10	47	100.00%	-	-	-	-	
		Total	107	88.43%	2	1.65%	12	9.92%	121
	Total		165	91.67%	3	1.67%	12	6.67%	180
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	128	99.22%	1	0.78%	-	-	129
	Total		128	99.22%	1	0.78%	-	-	129
Telmax Inc (TLMXF01)	TLMXF01	0-5	97	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	10	76.92%	3	23.08%	
		6-10	59	100.00%	-	-	-	-	
		Total	156	91.76%	11	6.47%	3	1.76%	170
	Total		156	91.76%	11	6.47%	3	1.76%	170
Telus (TELUS01)	TELGE01	0-5	60	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	66	97.06%	2	2.94%	-	-	
	TELGN01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	71	82.56%	13	15.12%	2	2.33%	86
	TELGN02	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	TELGW01	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	80	94.12%	5	5.88%	-	-	85
	TELGW02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	TELHN01	0-5	81	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	84	97.67%	2	2.33%	-	-	86
	TELOE01	0-5	117	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	40	100.00%	-	-	-	-	
		Total	157	98.13%	3	1.88%	-	-	160

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELONE01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	TELONW01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	TELOS01	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	22	91.67%	2	8.33%	-	-	
		Total	101	95.28%	4	3.77%	1	0.94%	
	TELOW01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	100.00%	-	-	-	-	
		Total	37	97.37%	-	-	1	2.63%	
	TELTE01	0-5	202	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	56	100.00%	-	-	-	-	
		Total	258	98.10%	4	1.52%	1	0.38%	
	TELTW01N	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	54	84.38%	7	10.94%	3	4.69%	
	TELTW01S	0-5	139	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	30	96.77%	1	3.23%	-	-	
		Total	169	94.94%	7	3.93%	2	1.12%	
	Total		1,113	95.13%	47	4.02%	10	0.85%	1,170
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	Total		9	100.00%	-	-	-	-	9
Terago Networks Inc (TNF01)	TNF01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	
	Total		-	-	4	100.00%	-	-	4
Teraspan Networks (TS01)	TS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	
	Total		5	83.33%	1	16.67%	-	-	6
Terrace Bay , Township Of (TRBWS01)	TRBWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	4	66.67%	-	-	2	33.33%	
	Total		4	66.67%	-	-	2	33.33%	6
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	25	92.59%	1	3.70%	1	3.70%	
	Total		25	92.59%	1	3.70%	1	3.70%	27
Thorold, City Of (THLD01)	THLD01	0-5	86	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Thorold, City Of (THLD01)	THLD01	16+	-	-	-	-	2	100.00%	
		6-10	24	96.00%	1	4.00%	-	-	
		Total	110	96.49%	2	1.75%	2	1.75%	114
	Total		110	96.49%	2	1.75%	2	1.75%	114
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Thunder Bay, City Of (THBY123)	THBY01	0-5	33	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	4	100.00%	-	-	-	-	
		Total	37	82.22%	-	-	8	17.78%	45
	THBY02	0-5	20	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	20	95.24%	-	-	1	4.76%	21
	Total		57	86.36%	-	-	9	13.64%	66
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	4	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Tillsonburg , Town Of (TSB01)	TSB01	0-5	99	100.00%	-	-	-	-	
		Total	99	100.00%	-	-	-	-	99
	Total		99	100.00%	-	-	-	-	99
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	53	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	Total		53	100.00%	-	-	-	-	53
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Timmins, City Of (TMNS01)	TMNS01	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Tiny, Township Of (TNY01)	TNY01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
	Total		11	84.62%	2	15.38%	-	-	13
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	BDVBIA01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	BYEBIA01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	BYWBIA01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	16	94.12%	1	5.88%	-	-	17
	CPBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	CRIBIA01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	DFVBIA01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	DNFBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	DYEBA01	0-5	5	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	EGLBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	EVBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	GIBBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	GRTBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	HLCBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	JGBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	KRBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	KSWBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	LBBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	LBVBIA01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	LIBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	8	72.73%	3	27.27%	-	-	11
	MTDNBIA1	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	MTDSBIA1	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	PDVBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	RCVBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	RHVBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	RMSBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	RSDBIA01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	RSDBIA01	6-10	3	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	SCGBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	UPVBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	VIBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	WVBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	WYWBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	YEBIA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		151	96.18%	6	3.82%	-	-	157
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Toronto Gas Extraction (TORGE01)	TORGEE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Toronto Hydro (TH123)	THFWLTR1	0-5	11	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	11	78.57%	-	-	3	21.43%	14
	THT21	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	62.50%	3	37.50%	-	-	8
	THT23	0-5	247	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	116	100.00%	-	-	-	-	
		Total	363	97.84%	8	2.16%	-	-	371
	THTE01	0-5	1,120	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	679	99.56%	3	0.44%	-	-	
		Total	1,799	98.04%	36	1.96%	-	-	1835
	THTW01N	0-5	730	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	145	100.00%	-	-	-	-	
		Total	875	98.65%	12	1.35%	-	-	887
	THTW01S	0-5	765	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	288	97.96%	6	2.04%	-	-	
		Total	1,053	96.78%	35	3.22%	-	-	1088
	Total		4,106	97.69%	94	2.24%	3	0.07%	4,203
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	253	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Traffic Signals (TORTS01)	TORTSE01	6-10	105	100.00%	-	-	-	-	
		Total	358	96.24%	13	3.49%	1	0.27%	372
	TORTSE02	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	59	100.00%	-	-	-	-	
		Total	86	98.85%	1	1.15%	-	-	87
	TORTSWN1	0-5	104	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	135	97.12%	4	2.88%	-	-	139
	TORTSWN2	0-5	9	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	17	94.44%	1	5.56%	-	-	18
	TORTSWS1	0-5	192	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	73	98.65%	1	1.35%	-	-	
		Total	265	95.32%	13	4.68%	-	-	278
	TORTSWS2	0-5	55	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	78	98.73%	1	1.27%	-	-	79
	Total		939	96.51%	33	3.39%	1	0.10%	973
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	124	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	30	96.77%	1	3.23%	-	-	
		Total	154	95.65%	6	3.73%	1	0.62%	161
	Total		154	95.65%	6	3.73%	1	0.62%	161
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	294	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	5	22.73%	17	77.27%	
		6-10	37	92.50%	3	7.50%	-	-	
		Total	331	90.93%	16	4.40%	17	4.67%	364
	Total		331	90.93%	16	4.40%	17	4.67%	364
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	328	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	330	100.00%	-	-	-	-	330
	Total		330	100.00%	-	-	-	-	330
Toronto Water and Sewer (TORW123)	TORWE01	0-5	417	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	9	90.00%	1	10.00%	
		6-10	208	99.52%	1	0.48%	-	-	
		Total	625	97.05%	18	2.80%	1	0.16%	644
	TORWE02	0-5	94	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	77	100.00%	-	-	-	-	
		Total	171	95.00%	9	5.00%	-	-	180
	TORWE03	0-5	9	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	TORWE04	0-5	79	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Water and Sewer (TORW123)	TORWE04	6-10	21	100.00%	-	-	-	-	
		Total	100	100.00%	-	-	-	-	100
	TORWE05	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	TORWE06	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	TORWE07	0-5	294	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	155	100.00%	-	-	-	-	
		Total	449	95.33%	22	4.67%	-	-	471
	TORWW01	0-5	327	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	187	98.42%	3	1.58%	-	-	
		Total	514	95.72%	23	4.28%	-	-	537
	TORWW02	0-5	279	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	103	99.04%	1	0.96%	-	-	
		Total	382	96.95%	10	2.54%	2	0.51%	394
	TORWW04	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	18	94.74%	1	5.26%	-	-	
		Total	82	95.35%	4	4.65%	-	-	86
	TORWW05	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	2	100.00%	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	60	95.24%	2	3.17%	1	1.59%	63
	TORWW06	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	TORWWN07	0-5	125	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	172	96.09%	7	3.91%	-	-	179
	TORWWS03	0-5	10	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
	TORWWS07	0-5	171	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	99	98.02%	2	1.98%	-	-	
		Total	270	96.43%	10	3.57%	-	-	280
	Total		2,885	96.23%	109	3.64%	4	0.13%	2,998

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto, University Of (UTOR01)	UTOR01	0-5	37	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total		37	100.00%	-	-	-	-	37
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	428	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	6	100.00%	
		6-10	26	100.00%	-	-	-	-	
		Total	454	98.27%	1	0.22%	7	1.52%	462
	Total		454	98.27%	1	0.22%	7	1.52%	462
Transcanada Pipelines - North (TCP02)	TC04	0-5	6	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	6	60.00%	4	40.00%	-	-	10
	TC11	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	28	82.35%	6	17.65%	-	-	34
	Total		34	77.27%	10	22.73%	-	-	44
Trans-Northern Pipelines (TN01)	TN01	0-5	165	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	171	97.71%	4	2.29%	-	-	175
	TN03	16+	-	-	-	-	14	100.00%	
		Total	-	-	-	-	14	100.00%	14
	Total		171	90.48%	4	2.12%	14	7.41%	189
Trans-Northern Pipelines (TN02)	TN02	0-5	14	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total		10	90.91%	1	9.09%	-	-	11
Trent University (TRENTU123)	TRENTU01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	60.00%	-	-	2	40.00%	5
	Total		3	60.00%	-	-	2	40.00%	5
Tribute Gas (MAGG01)	MAGG01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	7	77.78%	2	22.22%	-	-	9
	Total		7	77.78%	2	22.22%	-	-	9
Tuckersmith Communications (TCC01)	TCC01	0-5	36	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	36	97.30%	1	2.70%	-	-	37
	Total		36	97.30%	1	2.70%	-	-	37
Tweed, Municipality Of (TWDWS01)	TWDWS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
University Health Network - Toronto General (UHNTG01)	UHNTG01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
University Health Network (UHN01)	UHN01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
University Of Western Ontario (UW01)	UW01	16+	-	-	-	-	13	100.00%	
		Total	-	-	-	-	13	100.00%	13
	Total		-	-	-	-	13	100.00%	13
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	4	26.67%	-	-	11	73.33%	15
	Total		4	26.67%	-	-	11	73.33%	15
Upper Canada District School Board (UCDSB01)	UCDSB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Utilities Kingston (UK123)	UK04	0-5	156	100.00%	-	-	-	-	
		16+	-	-	5	41.67%	7	58.33%	
		6-10	14	100.00%	-	-	-	-	
		Total	170	93.41%	5	2.75%	7	3.85%	182
	Total		170	93.41%	5	2.75%	7	3.85%	182
Uxbridge, Town Of (UXB01)	UXB01	16+	-	-	40	100.00%	-	-	
		Total	-	-	40	100.00%	-	-	40
	Total		-	-	40	100.00%	-	-	40
Vale Canada (VALE01)	VALE01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	Total		6	85.71%	-	-	1	14.29%	7
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	424	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	124	100.00%	-	-	-	-	
		Total	548	99.82%	-	-	1	0.18%	549
	Total		548	99.82%	-	-	1	0.18%	549
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	16	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	201	100.00%	-	-	-	-	
		16+	-	-	175	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	208	54.31%	175	45.69%	-	-	383
	Total		208	54.31%	175	45.69%	-	-	383
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	347	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Vianet (768812 Ontario Inc) (VNET01)	VNET01	16+	-	-	1	20.00%	4	80.00%	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	362	97.05%	7	1.88%	4	1.07%	373
	Total		362	97.05%	7	1.88%	4	1.07%	373
Videotron Senc (VDT1)	VDT1	0-5	127	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	154	99.35%	1	0.65%	-	-	155
	Total		154	99.35%	1	0.65%	-	-	155
Wainfleet Wind Power (WFWF01)	WFWF01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	19	51.35%	18	48.65%	
		Total	1	2.38%	23	54.76%	18	42.86%	42
	Total		1	2.38%	23	54.76%	18	42.86%	42
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	30	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total		32	100.00%	-	-	-	-	32
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	22	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	22	95.65%	-	-	1	4.35%	23
	Total		22	95.65%	-	-	1	4.35%	23
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Waterloo, City Of (CW01)	CW01	0-5	143	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	145	92.95%	11	7.05%	-	-	156
	Total		145	92.95%	11	7.05%	-	-	156
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	Total		23	95.83%	1	4.17%	-	-	24
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	85	97.70%	2	2.30%	-	-	87
	Total		85	97.70%	2	2.30%	-	-	87
Waterloo, Region Of (RW02)	RW02	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	16	94.12%	1	5.88%	-	-	
		Total	75	97.40%	2	2.60%	-	-	77
	Total		75	97.40%	2	2.60%	-	-	77
Waterloo, University Of (UWAT01)	UWAT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Wavedirect Telecommunications (WVDT01)	WVDT01	16+	-	-	1	50.00%	1	50.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Wavedirect Telecommunications (WVDT01)	WVDT01	6-10	2	100.00%	-	-	-	-	
		Total	2	50.00%	1	25.00%	1	25.00%	4
		Total	2	50.00%	1	25.00%	1	25.00%	4
Wawa, Municipality Of (WAW01)	WAW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Welland Hydro (WLNDH01)	WLNDH01	0-5	169	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	172	100.00%	-	-	-	-	172
		Total	172	100.00%	-	-	-	-	172
Welland, City Of (WLD01)	WLD01	0-5	179	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	183	100.00%	-	-	-	-	183
		Total	183	100.00%	-	-	-	-	183
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	7	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
		Total	7	87.50%	1	12.50%	-	-	8
Wellington North Power Inc (WNP01)	WNP01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
		Total	22	100.00%	-	-	-	-	22
Wellington North, Township Of (WLG123)	WLG123	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	13	92.86%	-	-	1	7.14%	14
		Total	13	92.86%	-	-	1	7.14%	14
Wellington, County Of (WLG123)	WLG123	0-5	9	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
		Total	12	100.00%	-	-	-	-	12
West Elgin, Municipality Of (W005)	W005	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	8	66.67%	-	-	4	33.33%	12
		Total	8	66.67%	-	-	4	33.33%	12
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	11	84.62%	1	7.69%	1	7.69%	13
		Total	11	84.62%	1	7.69%	1	7.69%	13
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
		Total	7	100.00%	-	-	-	-	7
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	5	71.43%	-	-	2	28.57%	7
		Total	5	71.43%	-	-	2	28.57%	7
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	2	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	WPTHWS01	0-5	4	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
		Total	18	100.00%	-	-	-	-	18

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
West Windsor Power (WWP01)	WWP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
Westario Power (WPOW01)	WPOW01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	7	50.00%	7	50.00%	-	-	
		Total	42	66.67%	15	23.81%	6	9.52%	63
		Total	42	66.67%	15	23.81%	6	9.52%	63
Westover Express Pipeline	WEX01	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
		Total	13	100.00%	-	-	-	-	13
Westport , Village Of (WPT01)	WPT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Whitby, Town Of (WHIT123)	WHITCB01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	WHITS01	0-5	77	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	77	98.72%	-	-	1	1.28%	78
	WHITSL01	0-5	28	100.00%	-	-	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	64
	Total		143	99.31%	-	-	1	0.69%	144
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	28	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	30
	WCSTSL01	0-5	51	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	53	100.00%	-	-	-	-	53
	WCSTW01	0-5	36	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	38
	Total		121	100.00%	-	-	-	-	121
White River , Town Of (WHRWS01)	WHRWS01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Wightman Telecom (WT123)	WT01	0-5	166	100.00%	-	-	-	-	
		11-15	-	-	31	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	54	80.60%	13	19.40%	-	-	
		Total	220	80.29%	44	16.06%	10	3.65%	274
		Total	220	80.29%	44	16.06%	10	3.65%	274
Wilfrid Laurier University (WLU01)	WLU01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Wilmot, Township Of (WLMWS01)	WLMWS01	0-5	14	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	Total		15	93.75%	1	6.25%	-	-	16

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Windlectric Inc (AIWF01)	AIWF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	1
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	181	100.00%	-	-	-	-	
		6-10	171	100.00%	-	-	-	-	
		Total	352	100.00%	-	-	-	-	352
		Total	352	100.00%	-	-	-	-	352
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	31	100.00%	-	-	-	-	
		6-10	49	100.00%	-	-	-	-	
		Total	80	100.00%	-	-	-	-	80
		Total	80	100.00%	-	-	-	-	80
Windsor, City Of (EWINW01)	EWINW01	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	135	100.00%	-	-	-	-	
		Total	250	99.21%	2	0.79%	-	-	252
	EWINW02	0-5	54	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
	Total		304	99.35%	2	0.65%	-	-	306
Windsor, City Of (WSRSL01)	WSRSL01	0-5	272	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	149	100.00%	-	-	-	-	
		Total	421	99.76%	1	0.24%	-	-	422
	Total		421	99.76%	1	0.24%	-	-	422
Wingham & Listowel Hospitals (LWHA01)	LWHA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
WJI Farms Inc	WJIF01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	119	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	121	99.18%	1	0.82%	-	-	122
	Total		121	99.18%	1	0.82%	-	-	122
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	115	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	118	99.16%	1	0.84%	-	-	119
	Total		118	99.16%	1	0.84%	-	-	119
Woolwich, Township Of (WLW01)	WLW01	0-5	56	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	Total		56	100.00%	-	-	-	-	56
Wtc Communications (WTCCT01)	WTCCT01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	19	82.61%	2	8.70%	2	8.70%	23
	Total		19	82.61%	2	8.70%	2	8.70%	23
Xplore Inc	MTLF01	0-5	82	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	82	98.80%	-	-	1	1.20%	83
	XPNET01	0-5	100	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Xplore Inc	XPNET01	6-10	24	100.00%	-	-	-	-	
		Total	124	100.00%	-	-	-	-	124
	XPNET02	0-5	33	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	33	97.06%	-	-	1	2.94%	34
	Total		239	99.17%	-	-	2	0.83%	241
	Yellow Falls Power (BORWF10)	BORWF10	16+	-	-	-	-	1	100.00%
Total			-	-	-	-	1	100.00%	1
Total		-	-	-	-	1	100.00%	1	
York Region Water And Sewer (YRWS123)	YRWS01	0-5	492	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	502	100.00%	-	-	-	-	502
	Total		502	100.00%	-	-	-	-	502
York University (YORKU01)	YORKU01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	373	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	2	18.18%	9	81.82%	
		6-10	322	99.69%	1	0.31%	-	-	
		Total	695	95.99%	20	2.76%	9	1.24%	724
	Total		695	95.99%	20	2.76%	9	1.24%	724
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	5	71.43%	2	28.57%	
		6-10	20	86.96%	3	13.04%	-	-	
		Total	60	80.00%	13	17.33%	2	2.67%	75
	ZAYOON02	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	3	60.00%	2	40.00%	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	64	82.05%	12	15.38%	2	2.56%	78
	ZAYOON03	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	9	69.23%	4	30.77%	-	-	
		Total	45	72.58%	9	14.52%	8	12.90%	62
	ZAYOON04	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	11	84.62%	2	15.38%	-	-	13
	ZAYOON05	0-5	23	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	29	85.29%	5	14.71%	-	-	
		Total	52	88.14%	7	11.86%	-	-	59
	ZAYOON06	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	5	71.43%	2	28.57%	-	-	
		Total	8	72.73%	3	27.27%	-	-	11
	ZAYOON07	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Zayo Canada Inc (ZAYO123)	ZAYOON07	6-10	32	80.00%	8	20.00%	-	-	
		Total	72	85.71%	12	14.29%	-	-	84
	ZAYOON08	0-5	18	100.00%	-	-	-	-	
		6-10	15	83.33%	3	16.67%	-	-	
	ZAYOON09	Total	33	91.67%	3	8.33%	-	-	36
		0-5	9	100.00%	-	-	-	-	
	ZAYOON10	11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
	ZAYOON11	6-10	1	100.00%	-	-	-	-	
		Total	10	71.43%	3	21.43%	1	7.14%	14
	ZAYOON12	0-5	349	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
	ZAYOON13	16+	-	-	15	48.39%	16	51.61%	
		6-10	45	88.24%	6	11.76%	-	-	
	ZAYOON14	Total	394	87.56%	40	8.89%	16	3.56%	450
		0-5	4	100.00%	-	-	-	-	
	ZAYOON15	11-15	-	-	3	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
	ZAYOON16	Total	9	75.00%	3	25.00%	-	-	12
		Total		758	84.79%	107	11.97%	29	3.24%
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	31	96.88%	1	3.13%	
		6-10	16	88.89%	2	11.11%	-	-	
		Total	64	64.65%	34	34.34%	1	1.01%	99
	Total		64	64.65%	34	34.34%	1	1.01%	99
Zibi Community Utility Lp (ZIBI01)	ZIBI01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Total			132,234	95.28%	5,011	3.61%	1,545	1.11%	138,790