



UIO Performance Report

How to find and interpret your organization's data

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

1

Locate your organization
Find your organization name in the first column, listed alphabetically.

2

Find your master code
Flook for your organization's master code(s), typically master codes have multiple station codes (separating type of infrastructure or regions) that filter up to a master code for billing purposes.

For example, AAA01, BBB01, and CCC01 are station codes that filter up to the master code, ABC123.

3

Understand performance metrics

- On Time:** Notifications completed within the legislated timeframe (standard or advanced requests);
- Late:** Notifications completed outside of the legislated timeframe (standard or advanced requests);
- No 360 Feedback Response Provided:** Notifications that have not been updated with a status and closed date in 360 Feedback.

What's included in this report

This report provides a comprehensive analysis of your performance summary based on Ontario One Call regulations. The data reflects your performance across various metrics, including response times and reporting accuracy.

Included in this report
The report includes data for standard and advanced locate requests.

Excluded in this report
Excludes data for planning, sewer lateral, emergency, cancel, test and void requests.

When this report is run

The report is generated monthly and captures data from the previous reporting period (month prior). It's designed to provide a timely and accurate snapshot of the UIOs locate delivery performance.

What goes into creating this report

Data for this report is collected from Ontario One Call's 360 Feedback system housing locate request information and Member's (UIOs) self reported locate delivery responses.

The report was generated on 2025-05-23 02:00:28

For questions, contact Member Services at MemberServices@ON1Call.com or (844) 257-9490.

Key Definitions

Underground Infrastructure Owner (UIO) Name

Underground Infrastructure Owner is a Member of Ontario One Call. A person or entity described in one or more of the following paragraphs is a member of the Corporation if the person or entity owns or operates underground infrastructure:

- Every municipality in Ontario;
- Hydro One Inc., as defined in the Electricity Act, 1998;
- Ontario Power Generation Inc., as defined in the Electricity Act, 1998;
- Every gas distributor and every gas transmitter, as those terms are defined in the Ontario Energy Board Act, 1998;
- Every Operator of a distribution system, as defined by the Electricity Act, 1998;
- Every person or entity regulated under the Oil, Gas and Salt Resources Act;
- Every person or entity that owns or operates underground infrastructure that crosses a public right of way or is in the vicinity of a public right of way.

Master Code

A Master Code is a blank station that groups multiple station codes belonging to one member (UIO). For example, a municipality may have one master code that groups multiple station codes that are used to divide up the municipality by region and/or type of infrastructure.

Grouping

Grouping is the number of days it takes for the member (UIO) to complete a notification.

No Response Provided

No Response Provided is a notification to a member (UIO) where they have not provided a response back to the Corporation (OOC) in 360 Feedback on the completion of their locate response.

Notification

Notification is a single notification sent from Ontario One Call to a member (UIO) to notify that there will be digging/excavating in the vicinity of their infrastructure.

Locate Request

Locate Request is comprised of multiple notifications to multiple members (UIOs) for the same excavation project.

UIO Performance Report



Report Period	2025-04-01	-	2025-04-30
---------------	------------	---	------------



On Time	357,115	95.46%
Late	12,912	3.45%
No 360 Response	4,075	1.09%
Total	374,102	

			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
156 Columbia St Inc (COLBIA123)	COLB01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
1682468 Corp (168XPL01)	168XPL01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
170 Columbia Waterloo Incorporated (COLWAT01)	COLWAT01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
180 Columbia Waterloo Incorporated (COLWAT02)	COLWAT02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
407 ETR (407ETR)	407ETR01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	48	92.31%	4	7.69%	-	-	52
	Total		48	92.31%	4	7.69%	-	-	52
Acciona Energy North America (SCE03)	SCE03	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Acronym Solutions Formerly Hydro One Telecom (HYT01)	HYT01	0-5	119	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	82	94.25%	5	5.75%	-	-	
		Total	201	93.93%	13	6.07%	-	-	214
	HYTOS01	0-5	8	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	HYTOW01	0-5	13	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		224	94.51%	13	5.49%	-	-	237
Adelaide Metcalfe , Township Of (ADLMCF01)	ADLMCF01	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	25	80.65%	6	19.35%	-	-	
		Total	65	86.67%	6	8.00%	4	5.33%	75
	Total		65	86.67%	6	8.00%	4	5.33%	75
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	25.00%	3	75.00%	
		16+	-	-	-	-	8	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Adjala-Tosorontio, Township Of (ADJTOS01)	ADJTOS01	6-10	1	50.00%	1	50.00%	-	-	
		Total	2	13.33%	2	13.33%	11	73.33%	15
		Total	2	13.33%	2	13.33%	11	73.33%	15
Admaston Bromley, Township Of (ADMBRM01)	ADMBRM01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
		Total	-	-	5	100.00%	-	-	5
Agilis (AGILF01)	AGILF01	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	74	94.87%	3	3.85%	1	1.28%	78
		Total	74	94.87%	3	3.85%	1	1.28%	78
Aim Harrow Wind Farm (HARFW01)	HARFW01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Air Liquide Canada (AL01)	AL01	0-5	16	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
		Total	16	100.00%	-	-	-	-	16
Air Products Canada (APC1)	APC1	0-5	6	100.00%	-	-	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	6	60.00%	4	40.00%	-	-	10
		Total	6	60.00%	4	40.00%	-	-	10
Ajax, Town Of (AJXSL01)	AJXSL01	0-5	354	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	250	99.60%	1	0.40%	-	-	
		Total	604	99.67%	2	0.33%	-	-	606
		Total	604	99.67%	2	0.33%	-	-	606
Alectra Brampton (ALECBR01)	ALECBR01	0-5	1,567	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	1,596	99.81%	3	0.19%	-	-	1599
		Total	1,596	99.81%	3	0.19%	-	-	1,599
Alectra Mississauga (Formerly Enersource) (ALECMS01)	ALECMS01	0-5	2,775	100.00%	-	-	-	-	
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	25	100.00%	-	-	
		6-10	608	96.82%	20	3.18%	-	-	
		Total	3,383	97.89%	73	2.11%	-	-	3456
		Total	3,383	97.89%	73	2.11%	-	-	3,456
Alectra Utilities - Hamilton Hydro (HHP1)	HHP1	0-5	3,328	100.00%	-	-	-	-	
		11-15	-	-	73	100.00%	-	-	
		16+	-	-	25	100.00%	-	-	
		6-10	332	87.60%	47	12.40%	-	-	
		Total	3,660	96.19%	145	3.81%	-	-	3805
		Total	3,660	96.19%	145	3.81%	-	-	3,805
Alectra Utilities - St Catharines Hydro (SCH2)	SCH2	0-5	839	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	63	98.44%	1	1.56%	-	-	
		Total	902	99.67%	3	0.33%	-	-	905
		Total	902	99.67%	3	0.33%	-	-	905
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	0-5	3,666	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Alectra Utilities (Formerly Powerstream) (PS1)	PSGN02	16+	-	-	27	100.00%	-	-	4392
		6-10	687	100.00%	-	-	-	-	
		Total	4,353	99.11%	39	0.89%	-	-	
	PSGN05	0-5	799	100.00%	-	-	-	-	1018
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	209	100.00%	-	-	-	-	
		Total	1,008	99.02%	10	0.98%	-	-	
		Total	5,361	99.09%	49	0.91%	-	-	5,410
Alectra Utilities (GHY01)	GHY01	0-5	764	100.00%	-	-	-	-	834
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	64	100.00%	-	-	-	-	
		Total	828	99.28%	6	0.72%	-	-	
		Total	828	99.28%	6	0.72%	-	-	834
Alfred Plantagenet, Township Of (ALFPLG01)	ALFPLG01	0-5	51	100.00%	-	-	-	-	80
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	27	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	51	63.75%	28	35.00%	1	1.25%	
		Total	51	63.75%	28	35.00%	1	1.25%	80
Algoma Power (AGMP01)	AGMP01	0-5	129	100.00%	-	-	-	-	132
		6-10	3	100.00%	-	-	-	-	
		Total	132	100.00%	-	-	-	-	
		Total	132	100.00%	-	-	-	-	132
Algonquin College (ALGQC01)	ALGQC01	0-5	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
Algonquin Fiber (ALGQF01)	ALGQF01	0-5	16	100.00%	-	-	-	-	22
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	-	-	1	100.00%	-	-	
		Total	16	72.73%	4	18.18%	2	9.09%	
		Total	16	72.73%	4	18.18%	2	9.09%	22
Amaranth , Township Of (AMRWS01)	AMRWS01	0-5	5	100.00%	-	-	-	-	8
		16+	-	-	3	100.00%	-	-	
		Total	5	62.50%	3	37.50%	-	-	
		Total	5	62.50%	3	37.50%	-	-	8
Amherstburg Public Works (A005)	A005	0-5	264	100.00%	-	-	-	-	277
		6-10	13	100.00%	-	-	-	-	
		Total	277	100.00%	-	-	-	-	
		Total	277	100.00%	-	-	-	-	277
Apotex (APX2)	APX2	6-10	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
Arlanxeo Canada Inc (LXS01)	LXS01	0-5	2	100.00%	-	-	-	-	7
		11-15	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	5	71.43%	2	28.57%	-	-	
		Total	5	71.43%	2	28.57%	-	-	7
Armow Wind Ontario Lp (AWOWF01)	AWOWF01	0-5	2	100.00%	-	-	-	-	6
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	3	100.00%	
		Total	2	33.33%	-	-	4	66.67%	
		Total	2	33.33%	-	-	4	66.67%	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Armstrong , Township Of (ARSG01)	ARSG01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Armstrong Lsb (ARLSBW01)	ARLSBW01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Arnprior, Town Of (ARNPR01)	ARNPR01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	69	87.34%	10	12.66%	-	-	79
	Total		69	87.34%	10	12.66%	-	-	79
Arran-Ederslie, Township Of (ARELD01)	ARELD01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	50	98.04%	1	1.96%	-	-	51
	Total		50	98.04%	1	1.96%	-	-	51
Ashfield-Colborne-Wawanosh, Municipality Of (ACW123)	ACWSS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	ACWWS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	71.43%	1	14.29%	1	14.29%	7
Asphodel Norwood, Township Of (ASPNOR01)	ASPNOR01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	50.00%	1	50.00%	
		Total	12	80.00%	1	6.67%	2	13.33%	15
	Total		12	80.00%	1	6.67%	2	13.33%	15
Athens, Township Of (ATHS01)	ATHS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Atikokan Hydro (ATH01)	ATH01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Atikokan, Town Of (ATKWS01)	ATKWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Atura Power Formerly Tc Energy (TCEN01)	TCEN01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Augusta , Township Of (AUGE01)	AUGE01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Aurora, Town Of (AURORA01)	AURORA01	0-5	79	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	16	94.12%	1	5.88%	
		6-10	10	71.43%	4	28.57%	-	-	
		Total	89	77.39%	25	21.74%	1	0.87%	115
	Total		89	77.39%	25	21.74%	1	0.87%	115
Avetria Networks Inc (ANF01)	ANF01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Avetria Networks Inc (ANF01)	ANF01	6-10	1	16.67%	5	83.33%	-	-	
		Total	14	58.33%	7	29.17%	3	12.50%	24
	Total		14	58.33%	7	29.17%	3	12.50%	24
Aylmer Area Secondary Water Supply (AASWS01)	AASWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Aylmer, Town Of (AYLWS01)	AYLWS01	0-5	47	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	47	94.00%	2	4.00%	1	2.00%	50
	OCWA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		48	94.12%	2	3.92%	1	1.96%	51
Bancroft, Town Of (BNCF01)	BNCF01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Barrie, City Of (BARR01)	BARR01	0-5	858	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	184	88.04%	25	11.96%	-	-	
		Total	1,042	95.68%	46	4.22%	1	0.09%	1089
	Total		1,042	95.68%	46	4.22%	1	0.09%	1,089
Bayham, Municipality Of (BYH01)	BYH01	0-5	23	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Beanfield Technologies (Formerly Aptum) (APTUM01)	APTUM01	0-5	396	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	3	10.00%	27	90.00%	
		6-10	307	100.00%	-	-	-	-	
		Total	703	95.65%	4	0.54%	28	3.81%	735
	Total		703	95.65%	4	0.54%	28	3.81%	735
Beanfield Technologies Inc (BEAN01)	BEAN01	0-5	330	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	199	100.00%	-	-	-	-	
		Total	529	98.88%	-	-	6	1.12%	535
	Total		529	98.88%	-	-	6	1.12%	535
Bell Aliant Damage Prevention (BA01)	BA80701	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BA80702	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	BA80703	0-5	11	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	BA80704	0-5	17	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	BA80705	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		Total	7	70.00%	3	30.00%	-	-	10

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Aliant Damage Prevention (BA01)	BA80706	0-5	9	100.00%	-	-	-	-	
		16+	-	-	5	100.00%	-	-	
		Total	9	64.29%	5	35.71%	-	-	
	BA80707	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	BA80708	0-5	55	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	
	BA80709	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	66.67%	3	33.33%	-	-	
	BA80710	0-5	34	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	
	BA80711	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	
	BA80712	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	BAGE01	0-5	454	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	82	100.00%	-	-	-	-	
		Total	536	99.81%	1	0.19%	-	-	
	BAGN01	0-5	55	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	64	100.00%	-	-	-	-	
	BAGN02	0-5	191	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	14	100.00%	-	-	
		6-10	27	58.70%	19	41.30%	-	-	
		Total	218	80.44%	53	19.56%	-	-	
	BAGW02	0-5	602	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	117	99.15%	1	0.85%	-	-	
		Total	719	96.64%	25	3.36%	-	-	
	BAHN01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	66	98.51%	1	1.49%	-	-	
	BAOE01	0-5	1,784	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	364	99.18%	3	0.82%	-	-	
		Total	2,148	98.62%	30	1.38%	-	-	
	BAONE01	0-5	1,435	100.00%	-	-	-	-	
		11-15	-	-	222	100.00%	-	-	
		16+	-	-	123	98.40%	2	1.60%	
		6-10	110	56.99%	83	43.01%	-	-	
		Total	1,545	78.23%	428	21.67%	2	0.10%	
	BAONW01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	66	97.06%	2	2.94%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Bell Aliant Damage Prevention (BA01)	BAONW02	0-5	30	100.00%	-	-	-	-	35
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	30	85.71%	5	14.29%	-	-	
	BAOS01	0-5	2,975	100.00%	-	-	-	-	3706
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	9	75.00%	3	25.00%	
		6-10	649	94.74%	36	5.26%	-	-	
		Total	3,624	97.79%	79	2.13%	3	0.08%	
	BAOW01	0-5	2,421	100.00%	-	-	-	-	3110
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	675	99.41%	4	0.59%	-	-	
		Total	3,096	99.55%	14	0.45%	-	-	
	Total		12,271	94.92%	652	5.04%	5	0.04%	12,928
Bell Canada Damage Prevention (BC01)	360GTA	0-5	303	100.00%	-	-	-	-	432
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	7	87.50%	1	12.50%	
		6-10	116	100.00%	-	-	-	-	
		Total	419	96.99%	12	2.78%	1	0.23%	
	360N	0-5	82	100.00%	-	-	-	-	93
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	92	98.92%	1	1.08%	-	-	
	360N01	0-5	287	100.00%	-	-	-	-	316
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	23	100.00%	-	-	-	-	
		Total	310	98.10%	6	1.90%	-	-	
	360OTT	0-5	32	100.00%	-	-	-	-	60
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	37	61.67%	23	38.33%	-	-	
	BCGE01	0-5	2,908	100.00%	-	-	-	-	3385
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	450	99.12%	4	0.88%	-	-	
		Total	3,358	99.20%	26	0.77%	1	0.03%	
	BCGN01	0-5	5,127	100.00%	-	-	-	-	5967
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	18	81.82%	4	18.18%	
		6-10	808	99.63%	3	0.37%	-	-	
		Total	5,935	99.46%	28	0.47%	4	0.07%	
	BCGN02	0-5	2,267	100.00%	-	-	-	-	2815
		11-15	-	-	210	100.00%	-	-	
		16+	-	-	213	99.53%	1	0.47%	
		6-10	33	26.61%	91	73.39%	-	-	
		Total	2,300	81.71%	514	18.26%	1	0.04%	
	BCGTAA01	0-5	26	100.00%	-	-	-	-	30
		6-10	4	100.00%	-	-	-	-	
		Total	30	100.00%	-	-	-	-	
	BCGW01	0-5	4,070	100.00%	-	-	-	-	
		11-15	-	-	28	100.00%	-	-	
		16+	-	-	22	95.65%	1	4.35%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bell Canada Damage Prevention (BC01)	BCGW01	6-10	567	99.13%	5	0.87%	-	-	
		Total	4,637	98.81%	55	1.17%	1	0.02%	4693
	BCGW02	0-5	518	100.00%	-	-	-	-	
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	95	100.00%	-	-	-	-	
		Total	613	96.99%	18	2.85%	1	0.16%	632
	BCHN01	0-5	9,340	100.00%	-	-	-	-	
		11-15	-	-	181	100.00%	-	-	
		16+	-	-	73	96.05%	3	3.95%	
		6-10	1,287	94.84%	70	5.16%	-	-	
		Total	10,627	97.01%	324	2.96%	3	0.03%	10954
	BCOE01	0-5	7,138	100.00%	-	-	-	-	
		11-15	-	-	114	100.00%	-	-	
		16+	-	-	64	98.46%	1	1.54%	
		6-10	1,161	97.24%	33	2.76%	-	-	
		Total	8,299	97.51%	211	2.48%	1	0.01%	8511
	BCONE01	0-5	193	100.00%	-	-	-	-	
		11-15	-	-	40	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	8	50.00%	8	50.00%	-	-	
		Total	201	77.91%	57	22.09%	-	-	258
	BCOS01	0-5	3,762	100.00%	-	-	-	-	
		11-15	-	-	80	100.00%	-	-	
		16+	-	-	13	86.67%	2	13.33%	
		6-10	772	93.46%	54	6.54%	-	-	
		Total	4,534	96.82%	147	3.14%	2	0.04%	4683
	BCOW01	0-5	6,160	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	802	98.40%	13	1.60%	-	-	
		Total	6,962	99.07%	64	0.91%	1	0.01%	7027
	BCTE01	0-5	3,094	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	20	95.24%	1	4.76%	
		6-10	678	99.56%	3	0.44%	-	-	
		Total	3,772	98.46%	58	1.51%	1	0.03%	3831
	BCTW01N	0-5	1,755	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	10	90.91%	1	9.09%	
		6-10	218	99.54%	1	0.46%	-	-	
		Total	1,973	99.25%	14	0.70%	1	0.05%	1988
	BCTW01S	0-5	2,243	100.00%	-	-	-	-	
		11-15	-	-	20	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	306	97.45%	8	2.55%	-	-	
		Total	2,549	98.65%	35	1.35%	-	-	2584
	BFTHTOR2	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	35	100.00%	
		Total	-	-	-	-	38	100.00%	38
	Total		56,648	97.17%	1,593	2.73%	56	0.10%	58,297
Belleville , City Of (BLV01)	BLV01	0-5	280	100.00%	-	-	-	-	
		Total	280	100.00%	-	-	-	-	280
	Total		280	100.00%	-	-	-	-	280

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Birch Hill Telecom (BHTI01)	BHTI01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	7	63.64%	4	36.36%	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	53	100.00%	-	-	-	-	
		Total	75	83.33%	8	8.89%	7	7.78%	
	Total		75	83.33%	8	8.89%	7	7.78%	90
Blackriver Matheson, Township Of (BRMS01)	BRMS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	
	Total		2	50.00%	-	-	2	50.00%	4
Blandford-Blenheim, Township Of (BLBL01)	BLBL01	0-5	31	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	
	Total		31	100.00%	-	-	-	-	31
Blind River , Town Of (BLR01)	BLR01	0-5	13	100.00%	-	-	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	14	73.68%	5	26.32%	-	-	
	Total		14	73.68%	5	26.32%	-	-	19
BLUE MOUNTAIN GOLF AND COUNTRY CLUB (BMGCC01)	BMGCC01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	
	Total		2	66.67%	1	33.33%	-	-	3
Blue Mountain Resorts Lp (BMR01)	BMR01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	2	50.00%	-	-	2	50.00%	
	Total		2	50.00%	-	-	2	50.00%	4
Blue Mountains, Town Of The (BMTN123)	BMTN03	0-5	177	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	23	100.00%	-	-	-	-	
		Total	200	99.01%	-	-	2	0.99%	
	Total		200	99.01%	-	-	2	0.99%	202
Bluewater Power (S003)	S003	0-5	593	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	241	99.59%	1	0.41%	-	-	
		Total	834	99.40%	1	0.12%	4	0.48%	
	Total		834	99.40%	1	0.12%	4	0.48%	839
Bluewater Regional Networks Fibre (BWRNF01)	BWRNF01	0-5	31	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	46	100.00%	-	-	-	-	
		Total	77	98.72%	-	-	1	1.28%	
	Total		77	98.72%	-	-	1	1.28%	78
Bluewater, Municipality Of (BLW01)	BLW01	0-5	73	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	73	93.59%	2	2.56%	3	3.85%	
	Total		73	93.59%	2	2.56%	3	3.85%	78
Boem Berry Farms Inc (MCFMS01)	MCFMS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Bonnechere Valley, Township Of (BCVWS01)	BCVWS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	9.09%	10	90.91%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	36.00%	6	24.00%	10	40.00%	
	Total		9	36.00%	6	24.00%	10	40.00%	25

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Boralex (BOR123)	BORWF01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	BORWF02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF06	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF07	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BORWF08	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
Total		10	90.91%	1	9.09%	-	-	11	
Bracebridge , Town Of (BBRSS01)	BBRSS01	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		Total	50	94.34%	3	5.66%	-	-	53
	Total		50	94.34%	3	5.66%	-	-	53
Bradford-West Gwillimbury, Town Of (BFWG123)	BFWGSL01	0-5	88	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	88	97.78%	2	2.22%	-	-	90
	BFWGSS01	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	112	98.25%	2	1.75%	-	-	114
	BFWGW01	0-5	138	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	138	98.57%	2	1.43%	-	-	140
	Total		338	98.26%	6	1.74%	-	-	344
Brampton Storm, City Of (COBSS01)	COBSS01	0-5	201	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	220	99.55%	1	0.45%	-	-	221
	Total		220	99.55%	1	0.45%	-	-	221
Brampton Street Lighting, City Of (CBGW01)	CBGW01	0-5	712	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	57	100.00%	-	-	-	-	
		Total	769	99.48%	1	0.13%	3	0.39%	773
	Total		769	99.48%	1	0.13%	3	0.39%	773
Brant, County Of - Fibre (BRNTF01)	BRNTF01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Brant, County Of (BRNT01)	BRNT01	0-5	266	100.00%	-	-	-	-	
		11-15	-	-	21	87.50%	3	12.50%	
		16+	-	-	1	3.70%	26	96.30%	
		6-10	15	62.50%	9	37.50%	-	-	
		Total	281	82.40%	31	9.09%	29	8.50%	341
	Total		281	82.40%	31	9.09%	29	8.50%	341
Brantford, The City Of (BRAS01)	BRAS01	0-5	210	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Brantford, The City Of (BRAS01)	BRAS01	6-10	226	97.84%	5	2.16%	-	-	
		Total	436	97.10%	13	2.90%	-	-	449
	Total		436	97.10%	13	2.90%	-	-	449
Brantford, The City Of (BRASL01)	BRASL01	0-5	239	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	145	97.32%	4	2.68%	-	-	
		Total	384	96.97%	12	3.03%	-	-	396
	Total		384	96.97%	12	3.03%	-	-	396
Brantford, The City Of (BRATL01)	BRATL01	0-5	8	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Brighton, Municipality Of (BRTSS01)	BRTSS01	0-5	107	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	109	99.09%	1	0.91%	-	-	110
	Total		109	99.09%	1	0.91%	-	-	110
Brighton, Municipality Of (BRTWS01)	BRTWS01	0-5	57	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
	Total		58	100.00%	-	-	-	-	58
Brock , Township Of (BRCK01)	BRCK01	0-5	17	100.00%	-	-	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	22	75.86%	5	17.24%	2	6.90%	29
	Total		22	75.86%	5	17.24%	2	6.90%	29
Brock University (BROCKU01)	BROCKU01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Brockton, Municipality Of (BTNWS01)	BTNWS01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	25	89.29%	2	7.14%	1	3.57%	28
	Total		25	89.29%	2	7.14%	1	3.57%	28
Brockville, City Of (BRKV01)	BRKV01	0-5	126	100.00%	-	-	-	-	
		16+	-	-	1	11.11%	8	88.89%	
		Total	126	93.33%	1	0.74%	8	5.93%	135
	Total		126	93.33%	1	0.74%	8	5.93%	135
Brooke Alvinston, Municipality Of (BRALWS01)	BRALWS01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	9	75.00%	-	-	3	25.00%	12
	Total		9	75.00%	-	-	3	25.00%	12
Brooke Telecom (B004)	B004	0-5	142	100.00%	-	-	-	-	
		Total	142	100.00%	-	-	-	-	142
	Total		142	100.00%	-	-	-	-	142
Bruce , County Of (BRC01)	BRC01	0-5	111	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	140	100.00%	-	-	-	-	140
	Total		140	100.00%	-	-	-	-	140
Bruce Mines, Town Of (BMWS01)	BMWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Bruce Street Technologies Limited (BSTL01)	BSTL01	0-5	51	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	60	100.00%	-	-	-	-	60
	Total		60	100.00%	-	-	-	-	60
Bruce Telecom (BTL01)	BTL01	0-5	261	100.00%	-	-	-	-	
		11-15	-	-	50	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	72	33.18%	145	66.82%	-	-	
		Total	333	62.13%	203	37.87%	-	-	536
	Total		333	62.13%	203	37.87%	-	-	536
Burks Falls, Village Of (BURFAL01)	BURFAL01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	3	42.86%	1	14.29%	3	42.86%	7
	Total		3	42.86%	1	14.29%	3	42.86%	7
Burlington Hydro (BH01)	BH01	0-5	1,313	100.00%	-	-	-	-	
		16+	-	-	1	12.50%	7	87.50%	
		6-10	37	100.00%	-	-	-	-	
		Total	1,350	99.41%	1	0.07%	7	0.52%	1358
	Total		1,350	99.41%	1	0.07%	7	0.52%	1,358
Burlington, City Of (BRL123)	BRLSL01	0-5	467	100.00%	-	-	-	-	
		6-10	106	100.00%	-	-	-	-	
		Total	573	100.00%	-	-	-	-	573
	BRLSS01	0-5	342	100.00%	-	-	-	-	
		6-10	108	100.00%	-	-	-	-	
		Total	450	100.00%	-	-	-	-	450
	BRLTS01	0-5	16	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		1,049	100.00%	-	-	-	-	1,049
Caledon, Town Of (CALEDO01)	CALEDO01	0-5	210	100.00%	-	-	-	-	
		6-10	87	100.00%	-	-	-	-	
		Total	297	100.00%	-	-	-	-	297
	Total		297	100.00%	-	-	-	-	297
Callander, Municipality Of (CLN01)	CLN01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	15	65.22%	3	13.04%	5	21.74%	23
	Total		15	65.22%	3	13.04%	5	21.74%	23
Cambridge, City Of (CAM123)	CAMS01	0-5	248	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	250	98.81%	3	1.19%	-	-	253
	CAMW01	0-5	214	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	246	99.19%	2	0.81%	-	-	248
	Total		496	99.00%	5	1.00%	-	-	501
Cameron Petroleum (CAMPL01)	CAMPL01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
Canadian Niagara Power (CNP01)	CNP01	0-5	485	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Canadian Niagara Power (CNP01)	CNP01	16+	-	-	1	100.00%	-	-	
		6-10	62	100.00%	-	-	-	-	
		Total	547	99.64%	2	0.36%	-	-	549
	Total		547	99.64%	2	0.36%	-	-	549
Canadian Nuclear Laboratories (AECL01)	AECL01	11-15	-	-	-	-	24	100.00%	
		16+	-	-	-	-	219	100.00%	
		Total	-	-	-	-	243	100.00%	243
	Total		-	-	-	-	243	100.00%	243
Carleton Place, Town Of (CRLP01)	CRLP01	0-5	106	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	107	100.00%	-	-	-	-	107
	Total		107	100.00%	-	-	-	-	107
Cascara Energy - Formerly Guelph Municipal Holdings (ECEPL01)	ECEPL01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Casselman, Village Of (CSLMN01)	CSLMN01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	30	63.83%	17	36.17%	-	-	47
	Total		30	63.83%	17	36.17%	-	-	47
Cavan Monaghan, Township Of (CVNM01)	CVNM01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	12	66.67%	3	16.67%	3	16.67%	18
	Total		12	66.67%	3	16.67%	3	16.67%	18
Cedar Point Ii Wind Farm (CP2WF01)	CP2WF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Celerity Telecom Inc (CTI01)	CTI01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	3	15.00%	3	15.00%	14	70.00%	20
	Total		3	15.00%	3	15.00%	14	70.00%	20
Centra Transmission Holdings Inc (CTH01)	CTH01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Central Elgin, Municipality Of (CELGN01)	CELGN01	0-5	105	100.00%	-	-	-	-	
		6-10	25	100.00%	-	-	-	-	
		Total	130	100.00%	-	-	-	-	130
	Total		130	100.00%	-	-	-	-	130
Central Frontenac , Township Of (CFS01)	CFS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Central Huron, Municipality Of (CHW01)	CHW01	0-5	33	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	40	100.00%	-	-	-	-	40
	Total		40	100.00%	-	-	-	-	40
Central Manitoulin, Municipality Of (CTMTN01)	CTMTN01	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Centre Hastings, Municipality Of (CHS01)	CHS01	11-15	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Centre Hastings, Municipality Of (CHS01)	CHS01	16+	-	-	-	-	11	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Centre Wellington Communications (CWC01)	CWC01	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	32	91.43%	3	8.57%	-	-	35
	Total		32	91.43%	3	8.57%	-	-	35
Centre Wellington Hydro (CWH01)	CWH01	0-5	192	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	192	99.48%	-	-	1	0.52%	193
	Total		192	99.48%	-	-	1	0.52%	193
Centre Wellington, Township Of (CTW01)	CTW01	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	61	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	22	42.31%	30	57.69%	-	-	
		Total	176	65.19%	94	34.81%	-	-	270
	Total		176	65.19%	94	34.81%	-	-	270
Century Link (LVL3)	LVL3	0-5	384	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	12	92.31%	1	7.69%	
		6-10	2	100.00%	-	-	-	-	
		Total	386	96.26%	13	3.24%	2	0.50%	401
	Total		386	96.26%	13	3.24%	2	0.50%	401
Champion Pipeline Corp (CPL1)	CPL1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Champlain, Township Of (CHPLN123)	CHPLS01	0-5	17	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	18.18%	9	81.82%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	19	55.88%	6	17.65%	9	26.47%	34
	CHPLSL01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		Total	7	50.00%	-	-	7	50.00%	14
	CHPLSS01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	12.50%	7	87.50%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	19	61.29%	5	16.13%	7	22.58%	31
	CHPLW01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	18.18%	9	81.82%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	24	61.54%	6	15.38%	9	23.08%	39
	Total		69	58.47%	17	14.41%	32	27.12%	118
Chapleau, Township Of (CHPWSS01)	CHPWSS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Charlton And Dack , Municipality Of (CHDWSL01)	CHDWSL01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Chatham Kent PUC (CKPUC123)	CKPUC01	0-5	201	100.00%	-	-	-	-	
		11-15	-	-	34	85.00%	6	15.00%	
		16+	-	-	-	-	127	100.00%	
		6-10	94	96.91%	3	3.09%	-	-	
		Total	295	63.44%	37	7.96%	133	28.60%	
	CKPUC02	0-5	239	100.00%	-	-	-	-	
		11-15	-	-	5	83.33%	1	16.67%	
		16+	-	-	-	-	53	100.00%	
		6-10	156	98.73%	2	1.27%	-	-	
		Total	395	86.62%	7	1.54%	54	11.84%	
	CKPUC03	0-5	132	100.00%	-	-	-	-	
		11-15	-	-	22	78.57%	6	21.43%	
		16+	-	-	-	-	64	100.00%	
		6-10	54	76.06%	17	23.94%	-	-	
		Total	186	63.05%	39	13.22%	70	23.73%	
	Total		876	72.04%	83	6.83%	257	21.13%	1,216
Chatham Kent Ridgetown Division (CK02)	CK02	0-5	128	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	130	99.24%	-	-	1	0.76%	
	Total		130	99.24%	-	-	1	0.76%	131
Chatham Resources (CRPL01)	CRPL01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	
	Total		-	-	-	-	5	100.00%	5
Chatham-Kent Engineering And Transportation (CKTS01)	CKTS01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	4	26.67%	11	73.33%	-	-	
	Total		4	26.67%	11	73.33%	-	-	15
Chatsworth, Township Of (CTSWW01)	CTSWW01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	12	80.00%	2	13.33%	1	6.67%	
	Total		12	80.00%	2	13.33%	1	6.67%	15
Chippewas Of Kettle & Stony Point (CKSP01)	CKSP01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	6	66.67%	-	-	3	33.33%	
	Total		6	66.67%	-	-	3	33.33%	9
Chippewas Of Rama (CHPPWA01)	CHPPWA01	0-5	8	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	10	90.91%	1	9.09%	-	-	
	Total		10	90.91%	1	9.09%	-	-	11
Cik Telecom (CIKT01)	CIKT01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	8	61.54%	5	38.46%	-	-	
		Total	46	79.31%	5	8.62%	7	12.07%	
	Total		46	79.31%	5	8.62%	7	12.07%	58
City Of Woodstock Street Light & Traffic Signals Wdslt01 (WDSLTL01)	WDSLTL01	0-5	186	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	200	99.50%	1	0.50%	-	-	
	Total		200	99.50%	1	0.50%	-	-	201

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Ckpw Chatham Township Garage (CK08)	CK08	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	36	83.72%	7	16.28%	-	-	
		Total	79	89.77%	9	10.23%	-	-	
	Total		79	89.77%	9	10.23%	-	-	88
Ckpw Chatham Water Garage (CK01)	CK01	0-5	51	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	86	62.77%	51	37.23%	-	-	
		Total	137	72.49%	51	26.98%	1	0.53%	
	Total		137	72.49%	51	26.98%	1	0.53%	189
Ckpw Dover Township Garage (CK06)	CK06	0-5	75	100.00%	-	-	-	-	
		6-10	8	80.00%	2	20.00%	-	-	
		Total	83	97.65%	2	2.35%	-	-	
	Total		83	97.65%	2	2.35%	-	-	85
Ckpw Kent Centre Garage (CK03)	CK03	0-5	151	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	151	99.34%	-	-	1	0.66%	
	Total		151	99.34%	-	-	1	0.66%	152
Ckpw Raleigh Garage (CK04)	CK04	0-5	215	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	217	98.19%	4	1.81%	-	-	
	Total		217	98.19%	4	1.81%	-	-	221
Ckpw Thamesville Garage (CK09)	CK09	0-5	106	100.00%	-	-	-	-	
		6-10	64	96.97%	2	3.03%	-	-	
		Total	170	98.84%	2	1.16%	-	-	
	Total		170	98.84%	2	1.16%	-	-	172
Ckpw Tilbury East Garage (CK05)	CK05	0-5	233	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	236	98.74%	-	-	3	1.26%	
	Total		236	98.74%	-	-	3	1.26%	239
Ckpw Wallaceburg Garage (CK07)	CK07	0-5	37	100.00%	-	-	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	40	97.56%	1	2.44%	-	-	
	Total		40	97.56%	1	2.44%	-	-	41
Clarence-Rockland , City Of (CLRK01)	CLRK01	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	3	100.00%	
		Total	102	95.33%	1	0.93%	4	3.74%	
	Total		102	95.33%	1	0.93%	4	3.74%	107
Clarington, Municipality Of (CLRG123)	CLRGSL01	0-5	95	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	98	98.00%	2	2.00%	-	-	
	CLRGSS01	0-5	41	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	
	Total		139	98.58%	2	1.42%	-	-	141
Clearbeach Resources Inc (CBRPL01)	CBRPL01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	-	-	8	100.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	16	59.26%	-	-	11	40.74%	
	Total		16	59.26%	-	-	11	40.74%	27

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Clearford (LBWW01)	LBWW01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
		Total	3	100.00%	-	-	-	-	3
Clearview, Township Of (CLRV01)	CLRV01	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	3	33.33%	6	66.67%	-	-	
		Total	54	79.41%	11	16.18%	3	4.41%	68
		Total	54	79.41%	11	16.18%	3	4.41%	68
Cobalt , Town Of (CBLWSS01)	CBLWSS01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	80.00%	-	-	1	20.00%	5
		Total	4	80.00%	-	-	1	20.00%	5
Cobourg, Town Of (CBRG123)	CBRG01	0-5	154	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	154	99.35%	-	-	1	0.65%	155
		Total	154	99.35%	-	-	1	0.65%	155
Cochrane Telecom Services (CCT01)	CCT01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	1	20.00%	4	80.00%	-	-	
		Total	5	33.33%	6	40.00%	4	26.67%	15
		Total	5	33.33%	6	40.00%	4	26.67%	15
Cochrane, Town Of (COCRAN01)	COCRAN01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	8	72.73%	2	18.18%	1	9.09%	11
		Total	8	72.73%	2	18.18%	1	9.09%	11
Cogeco Cable Canada (CBT1)	CBT1	0-5	1,202	100.00%	-	-	-	-	
		11-15	-	-	82	100.00%	-	-	
		16+	-	-	18	54.55%	15	45.45%	
		6-10	562	85.02%	99	14.98%	-	-	
		Total	1,764	89.18%	199	10.06%	15	0.76%	1978
		Total	1,764	89.18%	199	10.06%	15	0.76%	1,978
Cogeco Cable Canada (CPVS1)	CPVS1	0-5	1,103	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	313	97.20%	9	2.80%	-	-	
		Total	1,416	98.33%	24	1.67%	-	-	1440
		Total	1,416	98.33%	24	1.67%	-	-	1,440
Cogeco Cable Canada (CPVS2)	CBT2	0-5	297	100.00%	-	-	-	-	
		11-15	-	-	39	95.12%	2	4.88%	
		16+	-	-	7	41.18%	10	58.82%	
		6-10	91	75.83%	29	24.17%	-	-	
		Total	388	81.68%	75	15.79%	12	2.53%	475
	CPVS2	0-5	419	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	3	42.86%	4	57.14%	
		6-10	133	92.36%	11	7.64%	-	-	
		Total	552	93.72%	33	5.60%	4	0.68%	589
	Total		940	88.35%	108	10.15%	16	1.50%	1,064
Cogeco Connexion	COGOW02	0-5	2	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Cogeco Connexion	COGOW02	6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Cogeco Connexion North East (CCNE123)	COGE01	0-5	974	100.00%	-	-	-	-	
		6-10	81	100.00%	-	-	-	-	
		Total	1,055	100.00%	-	-	-	-	1055
	COOE01	0-5	706	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	101	100.00%	-	-	-	-	
		Total	807	99.88%	-	-	1	0.12%	808
	COONE01	0-5	331	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	139	99.29%	1	0.71%	-	-	
		Total	470	98.53%	7	1.47%	-	-	477
	Total		2,332	99.66%	7	0.30%	1	0.04%	2,340
Cogeco Connexion Southwest (CC01)	COC01	0-5	320	100.00%	-	-	-	-	
		11-15	-	-	6	85.71%	1	14.29%	
		16+	-	-	1	100.00%	-	-	
		6-10	86	82.69%	18	17.31%	-	-	
		Total	406	93.98%	25	5.79%	1	0.23%	432
	COE01	0-5	530	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	2	28.57%	5	71.43%	
		6-10	318	84.80%	57	15.20%	-	-	
		Total	848	87.24%	119	12.24%	5	0.51%	972
	COL01	0-5	383	100.00%	-	-	-	-	
		11-15	-	-	18	94.74%	1	5.26%	
		16+	-	-	2	33.33%	4	66.67%	
		6-10	121	96.03%	5	3.97%	-	-	
		Total	504	94.38%	25	4.68%	5	0.94%	534
	Total		1,758	90.71%	169	8.72%	11	0.57%	1,938
Coleman, Township Of (CLMN01)	CLMN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Collingwood Public Utilities (COLL123)	COLLS01	0-5	191	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	195	96.06%	8	3.94%	-	-	203
	COLLW01	0-5	210	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	-	-	1	100.00%	-	-	
	Total		210	96.77%	1	0.46%	6	2.76%	217
	Total		405	96.43%	9	2.14%	6	1.43%	420
Comber Wind Farm (COMBWF01)	COMBWF01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Communicate Freely (CFF01)	CFF01	0-5	54	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	61	100.00%	-	-	-	-	61
	Total		61	100.00%	-	-	-	-	61

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Connect The Dots Fibre Communications Inc (CTDFC01)	CTDFC01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	90	98.90%	1	1.10%	
		16+	-	-	-	-	2	100.00%	
		6-10	8	25.81%	23	74.19%	-	-	
		Total	14	10.77%	113	86.92%	3	2.31%	
	Total		14	10.77%	113	86.92%	3	2.31%	130
Cornwall , City Of (CRWL123)	CRWLSL01	0-5	104	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	104	98.11%	2	1.89%	-	-	
	CRWLTS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	13	86.67%	1	6.67%	1	6.67%	
	Total		117	96.69%	3	2.48%	1	0.83%	121
Cornwall Electric (CE01)	CE01	0-5	454	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	454	99.78%	1	0.22%	-	-	
	Total		454	99.78%	1	0.22%	-	-	455
Cornwall, City Of (Water & Sewer) (CRWLWS01)	CRWLWS01	0-5	206	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	6	75.00%	2	25.00%	-	-	
		Total	212	95.50%	9	4.05%	1	0.45%	
	Total		212	95.50%	9	4.05%	1	0.45%	222
Craigleith Ski Club (CGLSC01)	CGLSC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Cramahe Township - Colborne Water (COLBW01)	COLBW01	0-5	13	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	
	Total		19	100.00%	-	-	-	-	19
Cramahe, Township Of (CRAM123)	CRAMS01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	25	96.15%	1	3.85%	-	-	
	Total		25	96.15%	1	3.85%	-	-	26
Crh Canada Group Inc	CRH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Dacoll Resources (DACR01)	DACR01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Dawn-Euphemia, Township Of (DE01)	DE01	0-5	48	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	
	Total		51	100.00%	-	-	-	-	51
Dbi Services (DBIS01)	DBIS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	
	Total		7	87.50%	1	12.50%	-	-	8
DEDICATED LOCATOR - GTEL (DLGTEL01)	DLGTEL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
DEDICATED LOCATOR - PROMARK (DLPRO1)	DLPRO1	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
DEDICATED LOCATOR - PROMARK EAST (DLPRO2)	DLPRO2	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Deep River , Town Of (DRI01)	DRI01	0-5	20	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	1	100.00%	
		Total	20	86.96%	1	4.35%	2	8.70%	23
	Total		20	86.96%	1	4.35%	2	8.70%	23
Deseronto , Town Of (DSR01)	DSR01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Dofasco (Arcelormittal) (AMD01)	AMD01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Dotto One (DTONF01)	DTONF01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Douro-Dummer, Township Of (DRODUM01)	DRODUM01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Dow Chemical Canada (DOWPL01)	DOWPL01	0-5	2	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Dryden, City Of (DRYD01)	DRYD01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	48	100.00%	
		Total	7	12.28%	-	-	50	87.72%	57
	Total		7	12.28%	-	-	50	87.72%	57
Dubreuville, The Corporation Of The Township Of (DBVL01)	DBVL01	16+	-	-	2	66.67%	1	33.33%	
		Total	-	-	2	66.67%	1	33.33%	3
	Total		-	-	2	66.67%	1	33.33%	3
Dufferin County (DFRN01)	DFRN01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
	Total		13	86.67%	2	13.33%	-	-	15
Dufferin Wind Power Inc (DFWF01)	DFWF01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Dundas Valley Golf And Curling Club (DVGCC01)	DVGCC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Durham One Net	DON01	0-5	151	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	157	100.00%	-	-	-	-	157
	Total		157	100.00%	-	-	-	-	157
Durham Region Water And Sewer (DURWS123)	DURWS01	0-5	336	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Durham Region Water And Sewer (DURWS123)	DURWS01	6-10	78	95.12%	4	4.88%	-	-	
		Total	414	99.04%	4	0.96%	-	-	418
	DURWS02	0-5	260	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	261	99.24%	2	0.76%	-	-	263
	DURWS03	0-5	154	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	155	98.73%	1	0.64%	1	0.64%	157
	DURWS04	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	48	96.00%	1	2.00%	1	2.00%	50
	DURWS05	0-5	24	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		902	98.90%	8	0.88%	2	0.22%	912
Durham, Region Of - Traffic Signals (DTGE01)	DTGE01	0-5	166	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	174	100.00%	-	-	-	-	174
	Total		174	100.00%	-	-	-	-	174
Dutton-Dunwich, Municipality Of (DTDNW01)	DTDNW01	0-5	175	100.00%	-	-	-	-	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	178	98.89%	2	1.11%	-	-	180
	Total		178	98.89%	2	1.11%	-	-	180
Dysart Et Al. (DYST123)	DYST01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	DYST02	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	50.00%	1	50.00%	2
E L K Energy Inc (E001)	E001	0-5	150	100.00%	-	-	-	-	
		Total	150	100.00%	-	-	-	-	150
	Total		150	100.00%	-	-	-	-	150
East Durham Wind Energy Centre (EDWWF01)	EDWWF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
East Garafraxa , Township Of (EGXWS01)	EGXWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
East Gwillimbury, Town Of (EGWL123)	EGWLSL01	0-5	99	100.00%	-	-	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	138	100.00%	-	-	-	-	138
	EGWLSS01	0-5	23	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	EGWLW01	0-5	47	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	56	98.25%	-	-	1	1.75%	57
	EGWLWW01	0-5	33	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	Total		287	99.65%	-	-	1	0.35%	288

UIO Performance Report



UIO Name	Master Code(s)	Grouping	On Time		Late		No 360 Feedback Response Provided		Actionable Request
			Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
East Lake St Clair Wind Farm Lp (ELSCWF01)	ELSCWF01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	10	83.33%	1	8.33%	1	8.33%	
	Total		10	83.33%	1	8.33%	1	8.33%	12
East Luther And Grand Valley , Township Of (ELGVWS01)	ELGVWS01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	15	93.75%	-	-	1	6.25%	
	Total		15	93.75%	-	-	1	6.25%	16
East Zorra Tavistock, Municipality Of (EZRTVS01)	EZRTVS01	0-5	46	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	47	68.12%	22	31.88%	-	-	
	Total		47	68.12%	22	31.88%	-	-	69
Eastern Ontario Power (EOP01)	EOP01	0-5	59	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	61	96.83%	2	3.17%	-	-	
	Total		61	96.83%	2	3.17%	-	-	63
Eastlink (EL123)	ELGE01	0-5	49	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	11	100.00%	
		6-10	11	52.38%	10	47.62%	-	-	
		Total	60	66.67%	19	21.11%	11	12.22%	
	ELGN02	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	50.00%	1	25.00%	1	25.00%	
	ELOE01	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	5	50.00%	5	50.00%	-	-	
		Total	69	83.13%	10	12.05%	4	4.82%	
	ELOE02	0-5	142	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	13	92.86%	1	7.14%	-	-	
		Total	155	98.73%	1	0.64%	1	0.64%	
	ELONE01	0-5	422	100.00%	-	-	-	-	
		11-15	-	-	30	56.60%	23	43.40%	
		16+	-	-	-	-	45	100.00%	
		6-10	43	57.33%	32	42.67%	-	-	
		Total	465	78.15%	62	10.42%	68	11.43%	
	ELONE02	11-15	-	-	2	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	1	20.00%	4	80.00%	-	-	
	ELONE03	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	12	60.00%	4	20.00%	4	20.00%	
	ELONE04	0-5	25	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastlink (EL123)	ELONE04	6-10	5	35.71%	9	64.29%	-	-	
		Total	30	73.17%	9	21.95%	2	4.88%	41
	ELONE05	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	36	100.00%	-	-	
		6-10	4	40.00%	6	60.00%	-	-	
		Total	27	39.13%	42	60.87%	-	-	69
	ELONE06	0-5	12	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	ELONE07	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	4	57.14%	3	42.86%	-	-	
		Total	19	73.08%	5	19.23%	2	7.69%	26
	ELONE08	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ELONE09	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	ELOS01	0-5	101	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	106	100.00%	-	-	-	-	106
	ELOS02	0-5	114	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	126	100.00%	-	-	-	-	126
	ELOW01	0-5	139	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	40	71.43%	16	28.57%	-	-	
		Total	179	79.56%	43	19.11%	3	1.33%	225
	ELOW02	0-5	105	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	27	84.38%	5	15.63%	-	-	
		Total	132	86.84%	16	10.53%	4	2.63%	152
	ELOW03	0-5	262	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	10	43.48%	13	56.52%	-	-	
		Total	272	94.44%	15	5.21%	1	0.35%	288
	ELOW04	0-5	159	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	16.67%	5	83.33%	-	-	
		Total	160	95.81%	7	4.19%	-	-	167
	ELOW05	0-5	416	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	33	86.84%	5	13.16%	-	-	
		Total	449	96.98%	8	1.73%	6	1.30%	463
	ELOW06	0-5	126	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	22	40.00%	33	60.00%	-	-	
		Total	148	77.08%	44	22.92%	-	-	192

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Eastlink (EL123)	ELOW07	0-5	96	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	98	97.03%	3	2.97%	-	-	
	ELOW08	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	16	84.21%	3	15.79%	-	-	
	MKDLC01	0-5	39	100.00%	-	-	-	-	
		6-10	4	40.00%	6	60.00%	-	-	
		Total	43	87.76%	6	12.24%	-	-	
	Total		2,605	86.43%	302	10.02%	107	3.55%	3,014
Ed Smith Foods (EDSFW01)	EDSFW01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Edwardsburg/Cardinal, Township Of (EDCWS01)	EDCWS01	0-5	12	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	12	92.31%	-	-	1	7.69%	
	Total		12	92.31%	-	-	1	7.69%	13
Ehtel Networks Inc (ETNF01)	ETNF01	0-5	147	100.00%	-	-	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	188	100.00%	-	-	-	-	
	SFNF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		190	100.00%	-	-	-	-	190
Elexicon Energy Formerly Veridian (ELX123)	ELX01	0-5	219	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	89	98.89%	1	1.11%	-	-	
		Total	308	99.35%	2	0.65%	-	-	
	ELX02	0-5	430	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		6-10	110	98.21%	2	1.79%	-	-	
		Total	540	97.83%	12	2.17%	-	-	
	ELX03	0-5	149	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	182	98.91%	2	1.09%	-	-	
	ELX04	0-5	211	100.00%	-	-	-	-	
		6-10	43	100.00%	-	-	-	-	
		Total	254	100.00%	-	-	-	-	
	ELXGE01	0-5	181	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	29	90.63%	3	9.38%	-	-	
		Total	210	98.13%	4	1.87%	-	-	
	ELXGE02	0-5	67	100.00%	-	-	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	73	98.65%	1	1.35%	-	-	
	ELXONE01	0-5	59	100.00%	-	-	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	74	98.67%	1	1.33%	-	-	
	ELXWHGE1	0-5	323	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	100	99.01%	1	0.99%	-	-	
		Total	423	99.53%	2	0.47%	-	-	
	Total		2,064	98.85%	24	1.15%	-	-	2,088

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Elgin Area Primary Water Supply (EAPWSS01)	EAPWSS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
Elgin, County Of (ELGNE01)	ELGNE01	6-10	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Elliot Lake , City Of (ELLK01)	ELLK01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	40.00%	6	60.00%	-	-	
		Total	19	73.08%	7	26.92%	-	-	26
	Total		19	73.08%	7	26.92%	-	-	26
Emerald Energy From Waste Inc (ALGQP01)	ALGQP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Emo , Township Of (EMOWS01)	EMOWS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
	Total		1	50.00%	-	-	1	50.00%	2
Enbridge Distribution NEB Mains (ENNEB123)	ENNEBGN1	0-5	11	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	ENNEBGW1	0-5	27	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	29	96.67%	1	3.33%	-	-	30
	ENNEBOE1	0-5	10	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		52	96.30%	2	3.70%	-	-	54
Enbridge Distribution Vital Mains (ENVM123)	ENVMGE01	0-5	35	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	24	100.00%	-	-	-	-	
		Total	59	98.33%	1	1.67%	-	-	60
	ENVMGN01	0-5	101	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	92	100.00%	-	-	-	-	
		Total	193	98.47%	3	1.53%	-	-	196
	ENVMGN02	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	69	97.18%	2	2.82%	-	-	71
	ENVMGW01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	95	98.96%	1	1.04%	-	-	
		Total	143	92.86%	11	7.14%	-	-	154
	ENVMGW02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	3	60.00%	2	40.00%	-	-	5
	ENVMHN01	0-5	11	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Distribution Vital Mains (ENVM123)	ENVMOE01	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	89	97.80%	2	2.20%	-	-	
		Total	156	90.17%	17	9.83%	-	-	
	ENVMTE01	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	108	100.00%	-	-	-	-	
		Total	160	98.16%	3	1.84%	-	-	
	ENVMTW1N	0-5	70	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	45	100.00%	-	-	-	-	
		Total	115	98.29%	2	1.71%	-	-	
	ENVMTW1S	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		6-10	50	89.29%	6	10.71%	-	-	
		Total	101	83.47%	20	16.53%	-	-	
	Total		1,016	94.34%	61	5.66%	-	-	1,077
Enbridge Gas (Legacy Union Gas) (UG1)	EN2HN01	0-5	5,244	100.00%	-	-	-	-	
		11-15	-	-	279	100.00%	-	-	
		16+	-	-	84	100.00%	-	-	
		6-10	1,720	80.37%	420	19.63%	-	-	
		Total	6,964	89.89%	783	10.11%	-	-	
	EN2OE01	0-5	1,555	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	543	98.37%	9	1.63%	-	-	
		Total	2,098	98.50%	32	1.50%	-	-	
	ENONE01	0-5	1,521	100.00%	-	-	-	-	
		11-15	-	-	99	100.00%	-	-	
		16+	-	-	20	100.00%	-	-	
		6-10	473	93.48%	33	6.52%	-	-	
		Total	1,994	92.92%	152	7.08%	-	-	
	ENONW01	0-5	675	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	201	97.10%	6	2.90%	-	-	
		Total	876	98.21%	16	1.79%	-	-	
	ENONW02	6-10	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	
	ENOS01	0-5	6,213	100.00%	-	-	-	-	
		11-15	-	-	154	100.00%	-	-	
		16+	-	-	26	100.00%	-	-	
		6-10	2,027	90.33%	217	9.67%	-	-	
		Total	8,240	95.40%	397	4.60%	-	-	
	ENOW01	0-5	5,892	100.00%	-	-	-	-	
		11-15	-	-	62	100.00%	-	-	
		16+	-	-	13	92.86%	1	7.14%	
		6-10	1,831	97.60%	45	2.40%	-	-	
		Total	7,723	98.46%	120	1.53%	1	0.01%	
	Total		27,895	94.89%	1,501	5.11%	1	-	29,397
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	0-5	56	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enbridge Gas Critical Lines (Legacy Union)(UG1CL)	ENCLBRA	6-10	39	92.86%	3	7.14%	-	-	
		Total	95	95.00%	5	5.00%	-	-	100
	ENCLCHT	0-5	69	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	58	93.55%	4	6.45%	-	-	
		Total	127	92.70%	10	7.30%	-	-	137
	ENCLEST	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	48	100.00%	-	-	-	-	
		Total	109	99.09%	1	0.91%	-	-	110
	ENCLHAL	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	29	90.63%	3	9.38%	-	-	
		Total	72	86.75%	11	13.25%	-	-	83
	ENCLHAM	0-5	103	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	55	84.62%	10	15.38%	-	-	
		Total	158	83.16%	32	16.84%	-	-	190
	ENCLLDN	0-5	149	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	104	98.11%	2	1.89%	-	-	
		Total	253	96.93%	8	3.07%	-	-	261
	ENCLNTH	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	50	94.34%	3	5.66%	-	-	
		Total	125	85.03%	22	14.97%	-	-	147
	ENCLNW01	16+	-	-	11	100.00%	-	-	
		Total	-	-	11	100.00%	-	-	11
	ENCLSAR	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	23	95.83%	1	4.17%	-	-	
		Total	45	91.84%	4	8.16%	-	-	49
	ENCLWAT	0-5	188	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	146	97.99%	3	2.01%	-	-	
		Total	334	95.43%	16	4.57%	-	-	350
	ENCLWIN	0-5	98	100.00%	-	-	-	-	
		11-15	-	-	19	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	80	83.33%	16	16.67%	-	-	
		Total	178	82.79%	37	17.21%	-	-	215
	Total		1,496	90.50%	157	9.50%	-	-	1,653
Enbridge Gas Distribution (ENB1)	ENDLGN01	0-5	60	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	64	100.00%	-	-	-	-	
		Total	124	99.20%	1	0.80%	-	-	125
	ENDLGN02	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENDLGN02	6-10	11	100.00%	-	-	-	-	27
		Total	26	96.30%	1	3.70%	-	-	
	ENGE01	0-5	2,803	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	879	98.10%	17	1.90%	-	-	
		Total	3,682	98.53%	55	1.47%	-	-	
									3737
	ENGN01	0-5	4,357	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	53	100.00%	-	-	
		6-10	1,335	100.00%	-	-	-	-	
		Total	5,692	98.79%	70	1.21%	-	-	
	ENGN02	0-5	2,100	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	22	100.00%	-	-	
		6-10	430	99.77%	1	0.23%	-	-	
		Total	2,530	98.87%	29	1.13%	-	-	
	ENGND9	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	ENGTAA01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	28	93.33%	2	6.67%	-	-	
		Total	46	90.20%	5	9.80%	-	-	
	ENGW01	0-5	2,695	100.00%	-	-	-	-	
		11-15	-	-	60	100.00%	-	-	
		16+	-	-	40	100.00%	-	-	
		6-10	1,405	98.11%	27	1.89%	-	-	
		Total	4,100	97.00%	127	3.00%	-	-	
	ENGW02	0-5	575	100.00%	-	-	-	-	
		11-15	-	-	34	100.00%	-	-	
		16+	-	-	12	100.00%	-	-	
		6-10	393	98.00%	8	2.00%	-	-	
		Total	968	94.72%	54	5.28%	-	-	
	ENHN01	0-5	3,191	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	767	98.33%	13	1.67%	-	-	
		Total	3,958	99.15%	34	0.85%	-	-	
	ENOE01	0-5	5,678	100.00%	-	-	-	-	
		11-15	-	-	284	100.00%	-	-	
		16+	-	-	120	100.00%	-	-	
		6-10	2,802	95.11%	144	4.89%	-	-	
		Total	8,480	93.93%	548	6.07%	-	-	
	ENTE01	0-5	2,187	100.00%	-	-	-	-	
		11-15	-	-	49	100.00%	-	-	
		16+	-	-	23	100.00%	-	-	
		6-10	1,720	99.25%	13	0.75%	-	-	
		Total	3,907	97.87%	85	2.13%	-	-	
	ENTED9	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	14	93.33%	1	6.67%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Enbridge Gas Distribution (ENB1)	ENTW01N	0-5	1,574	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	496	99.60%	2	0.40%	-	-	
		Total	2,070	98.95%	22	1.05%	-	-	
	ENTW01S	0-5	1,625	100.00%	-	-	-	-	
		11-15	-	-	40	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	695	92.91%	53	7.09%	-	-	
		Total	2,320	95.79%	101	4.17%	1	0.04%	
	ENTWD9	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		37,925	97.10%	1,133	2.90%	1	-	39,059
Enbridge Gas Distribution (Gas Storage) (CO71)	CO71	0-5	18	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	Total		20	100.00%	-	-	-	-	20
Enbridge Gas Storage And Transmission(ENSTO)	EN20	0-5	48	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	
	EN21	0-5	85	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	9	81.82%	2	18.18%	-	-	
		Total	94	94.95%	4	4.04%	1	1.01%	
	EN22	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	8	72.73%	1	9.09%	2	18.18%	
	Total		153	95.03%	5	3.11%	3	1.86%	161
Enbridge Pipelines (EP123)	I001	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	19	73.08%	7	26.92%	-	-	
	I010	0-5	377	100.00%	-	-	-	-	
		11-15	-	-	10	90.91%	1	9.09%	
		16+	-	-	54	98.18%	1	1.82%	
		6-10	23	79.31%	6	20.69%	-	-	
		Total	400	84.75%	70	14.83%	2	0.42%	
	I011	0-5	91	100.00%	-	-	-	-	
		16+	-	-	11	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	91	88.35%	12	11.65%	-	-	
	I012	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	9	81.82%	2	18.18%	-	-	
	Total		519	84.80%	91	14.87%	2	0.33%	612
Enbridge Wind Power (ENWP01)	ENWP01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Englehart , Town Of (EGHT01)	EGHT01	0-5	8	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Englehart , Town Of (EGHT01)	EGHT01	6-10	2	50.00%	2	50.00%	-	-	
		Total	10	83.33%	2	16.67%	-	-	12
	Total		10	83.33%	2	16.67%	-	-	12
Enniskillen, Township Of (E002)	E002	0-5	79	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	81	100.00%	-	-	-	-	81
	Total		81	100.00%	-	-	-	-	81
Enova Power (ENOVA123)	EPKW01	0-5	702	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	173	98.86%	2	1.14%	-	-	
		Total	875	99.21%	6	0.68%	1	0.11%	882
	EPWAT01	0-5	324	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	97	97.98%	2	2.02%	-	-	
		Total	421	97.91%	8	1.86%	1	0.23%	430
	EPWEL01	0-5	54	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	EPWOL01	0-5	147	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	179	97.81%	4	2.19%	-	-	183
	Total		1,549	98.73%	18	1.15%	2	0.13%	1,569
Entegrus (EPICK01)	CKSL01	0-5	93	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	39	97.50%	1	2.50%	-	-	
		Total	132	98.51%	2	1.49%	-	-	134
	EPICK01	0-5	264	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	54	98.18%	1	1.82%	-	-	
		Total	318	99.38%	2	0.63%	-	-	320
	EPIMP01	0-5	101	100.00%	-	-	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	110	99.10%	1	0.90%	-	-	111
	Total		560	99.12%	5	0.88%	-	-	565
Entegrus Powerlines Inc Ã,â,-â€œ St. Thomas (EPISTT01)	EPISTT01	0-5	126	100.00%	-	-	-	-	
		6-10	36	100.00%	-	-	-	-	
		Total	162	100.00%	-	-	-	-	162
	Total		162	100.00%	-	-	-	-	162
Envi Networks Ltd (ENVIN01)	ENVIN01	0-5	3	100.00%	-	-	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		23	100.00%	-	-	-	-	23
Enwave Energy Corporation (ENWV01)	ENWV01	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	117	94.35%	7	5.65%	-	-	124
	Total		117	94.35%	7	5.65%	-	-	124

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Enwave Windsor Holdings Lp (ENWV03)	ENWV03	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Enwin Utilities - Electrical (EWINE01)	EWINE01	0-5	324	100.00%	-	-	-	-	
		6-10	55	98.21%	1	1.79%	-	-	
		Total	379	99.74%	1	0.26%	-	-	380
	Total		379	99.74%	1	0.26%	-	-	380
Enwin Utilities - Hydro (EWINE02)	EWINE02	0-5	221	100.00%	-	-	-	-	
		Total	221	100.00%	-	-	-	-	221
	Total		221	100.00%	-	-	-	-	221
Epcor Electricity Distribution Ontario Inc (COLLE01)	COLLE01	0-5	325	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	325	99.39%	-	-	2	0.61%	327
	Total		325	99.39%	-	-	2	0.61%	327
Epcor Natural GasLP (EPNG123)	EPNG01	0-5	182	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	52	98.11%	1	1.89%	-	-	
		Total	234	97.50%	5	2.08%	1	0.42%	240
	EPNG02	0-5	94	100.00%	-	-	-	-	
		6-10	14	87.50%	2	12.50%	-	-	
		Total	108	98.18%	2	1.82%	-	-	110
	EPNG03	0-5	92	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	122	99.19%	1	0.81%	-	-	123
	Total		464	98.10%	8	1.69%	1	0.21%	473
Erieau Wind Farm (EWF01)	EWF01	0-5	12	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	13	92.86%	1	7.14%	-	-	14
	Total		13	92.86%	1	7.14%	-	-	14
Erin, Town Of (ERN01)	ERN01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	14	82.35%	2	11.76%	1	5.88%	17
	Total		14	82.35%	2	11.76%	1	5.88%	17
Erin, Town Of (ERNSL01)	ERNS01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ERNSL01	0-5	20	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	34	100.00%	-	-	-	-	34
	Total		37	100.00%	-	-	-	-	37
Erth Power Corporation (ETP01)	ETP01	0-5	271	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	52	94.55%	3	5.45%	-	-	
		Total	323	97.88%	7	2.12%	-	-	330
	Total		323	97.88%	7	2.12%	-	-	330
Erth Power Corporation (ETP02)	ETP02	0-5	140	100.00%	-	-	-	-	
		6-10	14	93.33%	1	6.67%	-	-	
		Total	154	99.35%	1	0.65%	-	-	155
	Total		154	99.35%	1	0.65%	-	-	155

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Espanola , Town Of (ESP01)	ESP01	0-5	58	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	61	96.83%	1	1.59%	1	1.59%	
	Total		61	96.83%	1	1.59%	1	1.59%	63
Espanola Hydro (ERH01)	ERH01	0-5	77	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	83	98.81%	-	-	1	1.19%	
	Total		83	98.81%	-	-	1	1.19%	84
Essa, Township Of (ESA123)	ESASSL01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	40	93.02%	-	-	3	6.98%	
	ESAWS01	0-5	38	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	40	93.02%	-	-	3	6.98%	
	Total		80	93.02%	-	-	6	6.98%	86
Essex County Highways (ESXTS01)	ESXTS01	0-5	26	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	
	Total		28	100.00%	-	-	-	-	28
Essex Powerlines Corp (A006)	A006	0-5	380	100.00%	-	-	-	-	
		11-15	-	-	24	100.00%	-	-	
		16+	-	-	2	50.00%	2	50.00%	
		6-10	66	70.97%	27	29.03%	-	-	
		Total	446	89.02%	53	10.58%	2	0.40%	
	Total		446	89.02%	53	10.58%	2	0.40%	501
Essex Powerlines Corp (A007)	A007	11-15	-	-	-	-	24	100.00%	
		16+	-	-	-	-	126	100.00%	
		Total	-	-	-	-	150	100.00%	
	Total		-	-	-	-	150	100.00%	150
Essex, Town Of (CO01)	CO01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	78	84.78%	14	15.22%	-	-	
		Total	120	82.76%	24	16.55%	1	0.69%	
	Total		120	82.76%	24	16.55%	1	0.69%	145
Execulink Telecom (EXTEL123)	ASC2	0-5	183	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	61	83.56%	12	16.44%	-	-	
		Total	244	90.04%	27	9.96%	-	-	
	EXEC01	0-5	382	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	16	94.12%	1	5.88%	
		6-10	96	74.42%	33	25.58%	-	-	
		Total	478	83.71%	92	16.11%	1	0.18%	
	HT01	0-5	41	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	46	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Execulink Telecom (EXTEL123)	HTF1	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	38	95.00%	2	5.00%	-	-	
		Total	66	92.96%	5	7.04%	-	-	
	NE01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	NEK01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		841	87.06%	124	12.84%	1	0.10%	966
Fanshawe College - Private Property (FSWC02)	FSWC02	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Fanshawe College (FSWC01)	FSWC01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	
	Total		-	-	-	-	5	100.00%	5
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA01)	TAQA01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	13	100.00%	-	-	-	-	
		Total	22	78.57%	-	-	6	21.43%	
	Total		22	78.57%	-	-	6	21.43%	28
Faraday Resources Group Inc Formerly Taqa North Ltd (TAQA02)	TAQA02	6-10	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
Festival Hydro (FESTH01)	FESTH01	0-5	476	100.00%	-	-	-	-	
		6-10	138	100.00%	-	-	-	-	
		Total	614	100.00%	-	-	-	-	
	Total		614	100.00%	-	-	-	-	614
Fibrespeed Inc (FBSDI01)	FBSDI01	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	
	Total		-	-	-	-	10	100.00%	10
Fisher Wavy Inc (FSWVY01)	FSWVY01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	
	Total		-	-	1	100.00%	-	-	1
Fort Erie, Town Of (FRTE01)	FRTE01	0-5	356	100.00%	-	-	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	359	98.36%	6	1.64%	-	-	
	Total		359	98.36%	6	1.64%	-	-	365
Fort Frances Power (FFP01)	FFP01	0-5	34	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	34	94.44%	1	2.78%	1	2.78%	
	Total		34	94.44%	1	2.78%	1	2.78%	36
Fort Frances, The Town Of (FFPW01)	FFPW01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	36	94.74%	2	5.26%	-	-	
	Total		36	94.74%	2	5.26%	-	-	38
French River, Municipality Of (FFR01)	FFR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Fu Fiber Inc (FUFIO1)	FUFIO1	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Fu Fiber Inc (FUFIO1)	FUFIO1	16+	-	-	1	100.00%	-	-	
		6-10	3	60.00%	2	40.00%	-	-	
		Total	4	44.44%	4	44.44%	1	11.11%	9
	Total		4	44.44%	4	44.44%	1	11.11%	9
Gananoque, Town Of (GNQWST01)	GNQWST01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	46	100.00%	
		Total	-	-	-	-	49	100.00%	49
	Total		-	-	-	-	49	100.00%	49
Gbtel Inc (GBT01)	GBT01	0-5	83	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	115	99.14%	1	0.86%	-	-	116
	Total		115	99.14%	1	0.86%	-	-	116
Georgian Bay , Township Of (GBWS01)	GBWS01	0-5	36	100.00%	-	-	-	-	
		Total	36	100.00%	-	-	-	-	36
	Total		36	100.00%	-	-	-	-	36
Georgian Bluffs , Township Of (GB01)	GB01	0-5	8	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	GBSL01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total		19	90.48%	2	9.52%	-	-	21
Georgina, Town Of (GGN123)	GGN01	0-5	198	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	229	100.00%	-	-	-	-	229
	Total		229	100.00%	-	-	-	-	229
Glenfred Gas Wells (GFGW01)	GFGW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Goderich, Town Of (GDR123)	GDRHS01	0-5	70	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	70	94.59%	2	2.70%	2	2.70%	74
	GDRHW01	0-5	61	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	4	44.44%	5	55.56%	-	-	
		Total	65	86.67%	6	8.00%	4	5.33%	75
	Total		135	90.60%	8	5.37%	6	4.03%	149
Gore Bay , Town Of (GBY01)	GBY01	16+	-	-	5	100.00%	-	-	
		Total	-	-	5	100.00%	-	-	5
	Total		-	-	5	100.00%	-	-	5
Gosfield North Communications (G001)	G001	0-5	84	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	34	100.00%	-	-	-	-	
		Total	118	92.91%	9	7.09%	-	-	127
	Total		118	92.91%	9	7.09%	-	-	127
Gosfield Wind Limited Partnership (BFP01)	BFP01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Government Of Canada (GOC01)	GOC01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Grafton Water, Town Of (GRFTNW01)	GRFTNW01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Grand Bend Wind Lp (GBWF01)	GBWF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	1	100.00%	-	-	-	-	
		Total	3	50.00%	1	16.67%	2	33.33%	6
	Total		3	50.00%	1	16.67%	2	33.33%	6
Grand Renewable Wind Farm (PEGRWF01)	PEGRWF01	0-5	7	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	7	87.50%	1	12.50%	-	-	8
	Total		7	87.50%	1	12.50%	-	-	8
Grand Valley Wind Farm (GVWF01)	GVWF01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Grandbridge Energy	GBH01	0-5	1,162	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	827	99.40%	5	0.60%	-	-	
		Total	1,989	99.55%	9	0.45%	-	-	1998
	Total		1,989	99.55%	9	0.45%	-	-	1,998
Gravenhurst, Town Of (GRVSL01)	GRVSL01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	4	36.36%	7	63.64%	-	-	
		Total	61	76.25%	19	23.75%	-	-	80
	Total		61	76.25%	19	23.75%	-	-	80
Gravenhurst, Town Of (GRVSS01)	GRVSS01	0-5	77	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	79	98.75%	1	1.25%	-	-	80
	Total		79	98.75%	1	1.25%	-	-	80
Greater Essex County District School Board (GEDSB01)	GEDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Greater Napanee, Town Of (GNAPWS01)	GNAPWS01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	42.86%	8	57.14%	-	-	
		Total	49	83.05%	10	16.95%	-	-	59
	Total		49	83.05%	10	16.95%	-	-	59
Greater Sudbury Hydro (SH01)	SH01	0-5	659	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	22.22%	7	77.78%	
		6-10	45	50.56%	44	49.44%	-	-	
		Total	704	92.75%	48	6.32%	7	0.92%	759
	Total		704	92.75%	48	6.32%	7	0.92%	759
Greater Sudbury Hydro Inc. - Sturgeon Falls Cache Bay (SH03)	SH03	0-5	51	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	51
	Total		51	100.00%	-	-	-	-	51

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Greater Sudbury Hydro Plus Inc. - Street Lights - Sudbury (SH04)	SH04	0-5	384	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	386	98.97%	4	1.03%	-	-	
	Total		386	98.97%	4	1.03%	-	-	390
Greater Sudbury Hydro Plus Inc. - Street Lights West Nippissing (SH02)	SH02	0-5	5	100.00%	-	-	-	-	5
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
Greater Sudbury, City Of (GSBY123)	GSBY03	11-15	-	-	-	-	4	100.00%	31
		16+	-	-	-	-	27	100.00%	
		Total	-	-	-	-	31	100.00%	
	GSBYCM01	16+	-	-	-	-	3	100.00%	3
		Total	-	-	-	-	3	100.00%	
	GSBYS01	0-5	355	100.00%	-	-	-	-	366
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	364	99.45%	1	0.27%	1	0.27%	
	GSBYSS01	0-5	250	100.00%	-	-	-	-	261
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	259	99.23%	1	0.38%	1	0.38%	
	GSBYW01	0-5	364	100.00%	-	-	-	-	375
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	373	99.47%	1	0.27%	1	0.27%	
	Total		996	96.14%	3	0.29%	37	3.57%	1,036
Greater Toronto Airports Authority (GTAA01)	GTAA01	0-5	10	100.00%	-	-	-	-	30
		6-10	19	95.00%	1	5.00%	-	-	
		Total	29	96.67%	1	3.33%	-	-	
	Total		29	96.67%	1	3.33%	-	-	30
Greenfield South Power Corporation (EP02)	EP02	11-15	-	-	1	100.00%	-	-	5
		16+	-	-	3	75.00%	1	25.00%	
		Total	-	-	4	80.00%	1	20.00%	
	Total		-	-	4	80.00%	1	20.00%	5
Greenstone, Municipality Of (GSTN01)	GSTN01	0-5	4	100.00%	-	-	-	-	9
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	6	66.67%	2	22.22%	1	11.11%	
	Total		6	66.67%	2	22.22%	1	11.11%	9
Grey Highlands, Municipality Of (GRH01)	GRH01	0-5	15	100.00%	-	-	-	-	19
		16+	-	-	-	-	2	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	16	84.21%	1	5.26%	2	10.53%	
	Total		16	84.21%	1	5.26%	2	10.53%	19
Grey, County Of (GREY01)	GREY01	0-5	39	100.00%	-	-	-	-	45
		6-10	6	100.00%	-	-	-	-	
		Total	45	100.00%	-	-	-	-	
	Total		45	100.00%	-	-	-	-	45
Grimsby Power (GRIMSP01)	GRIMSP01	0-5	219	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Grimsby Power (GRIMSP01)	GRIMSP01	6-10	47	97.92%	1	2.08%	-	-	
		Total	266	98.88%	3	1.12%	-	-	269
		Total	266	98.88%	3	1.12%	-	-	269
Grimsby, Town Of (GRMBY01)	GRMBY01	0-5	126	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	133	100.00%	-	-	-	-	133
		Total	133	100.00%	-	-	-	-	133
G-Tel For Algoma Power (AGMP02)	AGMP02	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
		Total	4	100.00%	-	-	-	-	4
G-Tel For Cogeco Connexion (COGOW01)	COGOW01	0-5	221	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	39	100.00%	-	-	-	-	
		Total	260	98.11%	5	1.89%	-	-	265
		Total	260	98.11%	5	1.89%	-	-	265
Guelph Eramosa, Township Of (GUEERA01)	GUEERA01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	42.86%	4	57.14%	-	-	
		Total	38	88.37%	5	11.63%	-	-	43
		Total	38	88.37%	5	11.63%	-	-	43
Guelph, City Of (GLPH123)	GLPH01	0-5	567	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	299	99.67%	1	0.33%	-	-	
		Total	866	99.54%	3	0.34%	1	0.11%	870
	GLPH02	0-5	8	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	GLPH03	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	GLPH04	0-5	41	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	57	100.00%	-	-	-	-	
		Total	98	98.99%	1	1.01%	-	-	99
	GLPH05	0-5	50	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	50	100.00%	-	-	-	-	
		Total	100	99.01%	1	0.99%	-	-	101
		Total	1,078	99.45%	5	0.46%	1	0.09%	1,084
Guelph, University Of (UGPH01)	UGPH01	0-5	7	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Gunns Hill Lp (GHWF01)	GHWF01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Haldimand County (HLDM123)	HLDMD01	0-5	240	100.00%	-	-	-	-	
		11-15	-	-	8	80.00%	2	20.00%	
		16+	-	-	7	41.18%	10	58.82%	
		6-10	-	-	2	100.00%	-	-	
		Total	240	89.22%	17	6.32%	12	4.46%	269
	HLDME01	0-5	118	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Haldimand County (HLDM123)	HLDME01	16+	-	-	-	-	1	100.00%	
		6-10	56	100.00%	-	-	-	-	
		Total	174	98.86%	-	-	2	1.14%	
	HLDMS01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	9	69.23%	4	30.77%	
		Total	1	7.14%	9	64.29%	4	28.57%	
	HLDMW01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	7	77.78%	2	22.22%	-	-	
	Total		422	90.17%	28	5.98%	18	3.85%	468
Haliburton, County Of (HLB01)	HLB01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Halton - MTO - Halton Hills, Region Of (HMT0HO)	HMTOSL01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	HMTOTS01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Halton Hills Hydro (HHH01)	HHH01	0-5	262	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	175	98.87%	2	1.13%	-	-	
		Total	437	99.09%	2	0.45%	2	0.45%	
	Total		437	99.09%	2	0.45%	2	0.45%	441
Halton Hills, Town Of (HAH01)	HAH01	0-5	52	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	
	Total		63	100.00%	-	-	-	-	63
Halton Hills, Town Of (HAH02)	HAH02	0-5	5	100.00%	-	-	-	-	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	13	92.86%	1	7.14%	-	-	
	Total		13	92.86%	1	7.14%	-	-	14
Halton, Region Of (HLTNB123)	HLTNB01	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	39	97.50%	1	2.50%	-	-	
	HLTNBSL01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	
	HLTNBTC01	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	25	96.15%	1	3.85%	-	-	
	HLTNBTS01	0-5	22	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	29	96.67%	1	3.33%	-	-	
	Total		123	96.85%	4	3.15%	-	-	127
Halton, Region Of (HLTNH123)	HLTNHTC01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	HLTNHTS01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Halton, Region Of (HLTNH123)	HLTNHTS01	6-10	5	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	12	100.00%	-	-	-	-	12
Halton, Region Of (HLTNM123)	HLTNM01	0-5	34	100.00%	-	-	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	55	100.00%	-	-	-	-	55
	HLTNMTC01	0-5	25	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	41	100.00%	-	-	-	-	41
	HLTNMTS01	0-5	12	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
		Total	116	100.00%	-	-	-	-	116
Halton, Region Of (HLTNO123)	HLTNOK01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	33	100.00%	-	-	-	-	
		Total	47	94.00%	3	6.00%	-	-	50
	HLTNOSL01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	29	90.63%	3	9.38%	-	-	32
	HLTNOTC01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	21	100.00%	-	-	-	-	
		Total	29	93.55%	2	6.45%	-	-	31
	HLTNOTS01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	24	96.00%	1	4.00%	-	-	25
		Total	129	93.48%	9	6.52%	-	-	138
Halton, Region Of (HLTNSS04)	HLTNSS04	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	12	85.71%	-	-	2	14.29%	14
		Total	12	85.71%	-	-	2	14.29%	14
Halton, Region Of (HLTNT01)	HLTNT01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
		Total	15	100.00%	-	-	-	-	15
Halton, Region Of (HMTOBM)	HMTBSL01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
		Total	1	100.00%	-	-	-	-	1
Hamilton , Township Of (HML01)	HML01	0-5	68	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	3	100.00%	-	-	
		Total	68	93.15%	3	4.11%	2	2.74%	73
		Total	68	93.15%	3	4.11%	2	2.74%	73
Hamilton Community Energy (HCE1)	HCE1	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hamilton Community Energy (HCE1)	HCE1	16+	-	-	-	-	1	100.00%	
		Total	1	33.33%	1	33.33%	1	33.33%	3
	Total		1	33.33%	1	33.33%	1	33.33%	3
Hamilton Health Sciences (HHSCH01)	HHSCH01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Hamilton, City Of (CH01)	CH01	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	129	94.16%	8	5.84%	-	-	
		Total	183	87.14%	27	12.86%	-	-	210
	Total		183	87.14%	27	12.86%	-	-	210
Hamilton, City Of (HHP3)	HHP3	0-5	1,708	100.00%	-	-	-	-	
		Total	1,708	100.00%	-	-	-	-	1708
	Total		1,708	100.00%	-	-	-	-	1,708
Hamilton, City Of (HW01)	HW01	0-5	1,154	100.00%	-	-	-	-	
		11-15	-	-	102	100.00%	-	-	
		6-10	871	96.46%	32	3.54%	-	-	
		Total	2,025	93.79%	134	6.21%	-	-	2159
	HW02	0-5	22	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	23
	Total		2,048	93.86%	134	6.14%	-	-	2,182
Hanover , Town Of (HNVR01)	HNVR01	0-5	51	100.00%	-	-	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		Total	51	92.73%	3	5.45%	1	1.82%	55
	Total		51	92.73%	3	5.45%	1	1.82%	55
Havelock-Belmont-Methuen, Township Of (HVBLME01)	HVBLME01	0-5	7	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Hawkesbury , Town Of (HWKB01)	HWKB01	0-5	48	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	48	97.96%	-	-	1	2.04%	49
	HWKB01	0-5	45	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	47	95.92%	2	4.08%	-	-	49
	Total		95	96.94%	2	2.04%	1	1.02%	98
Hay Communications (H123)	H003	0-5	227	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	7	77.78%	2	22.22%	-	-	
		Total	234	98.32%	2	0.84%	2	0.84%	238
	Total		234	98.32%	2	0.84%	2	0.84%	238
Hce Telecom (HCEHN01)	HCEHN01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	25	92.59%	2	7.41%	-	-	
		Total	38	86.36%	6	13.64%	-	-	44
	Total		38	86.36%	6	13.64%	-	-	44
Hearst Power (HRSTP01)	HRSTP01	0-5	7	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hearst, Town Of (HRSTWS01)	HRSTWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Highbury Canco Corp (HGHBRY01)	HGHBRY01	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
	Total		-	-	-	-	9	100.00%	9
Hilton Beach, Village Of (HIBE01)	HIBE01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Home Hardware Stores Ltd (HHSF01)	HHSF01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Homewood Health Services (HOMHS01)	HOMHS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Hornepayne , Township Of (HRP01)	HRP01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Howick, Township Of (HOWKSS01)	HOWKSS01	0-5	104	100.00%	-	-	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	13	86.67%	2	13.33%	-	-	
		Total	117	93.60%	2	1.60%	6	4.80%	125
	Total		117	93.60%	2	1.60%	6	4.80%	125
Huntsville , Town Of (HTVSS01)	HTVSS01	0-5	16	100.00%	-	-	-	-	
		16+	-	-	-	-	3	100.00%	
		Total	16	84.21%	-	-	3	15.79%	19
	Total		16	84.21%	-	-	3	15.79%	19
Huron East, Municipality Of (HURNE01)	HURNE01	0-5	35	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	4	17.39%	19	82.61%	-	-	
		Total	39	63.93%	22	36.07%	-	-	61
	Total		39	63.93%	22	36.07%	-	-	61
Huron Shores , Municipality Of (HRNSSS01)	HRNSSS01	16+	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Huron, County Of (HRN123)	HRN01	16+	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	HRN02	0-5	2	100.00%	-	-	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		Total	2	28.57%	4	57.14%	1	14.29%	7
	HRN03	0-5	5	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	5	71.43%	-	-	2	28.57%	7
	HRN04	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		7	36.84%	8	42.11%	4	21.05%	19
Huron-Kinlos, Township Of (HURKIN01)	HURKIN01	0-5	76	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	83	100.00%	-	-	-	-	83
	Total		83	100.00%	-	-	-	-	83
Hurontel (HTEL01)	HTEL01	0-5	292	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hurontel (HTEL01)	HTEL01	16+	-	-	-	-	5	100.00%	
		6-10	98	92.45%	8	7.55%	-	-	
		Total	390	94.43%	18	4.36%	5	1.21%	413
	Total		390	94.43%	18	4.36%	5	1.21%	413
Hydro 2000 (H200001)	H200001	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	37.50%	3	37.50%	2	25.00%	8
	Total		3	37.50%	3	37.50%	2	25.00%	8
Hydro Embrun (EMBRH01)	EMBRH01	0-5	32	100.00%	-	-	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	32	76.19%	2	4.76%	8	19.05%	42
	Total		32	76.19%	2	4.76%	8	19.05%	42
Hydro Hawkesbury (HHI01)	HHI01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
	Total		48	97.96%	1	2.04%	-	-	49
Hydro One Networks Inc (HH123)	HOBRA01	0-5	16	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	19	86.36%	3	13.64%	-	-	22
	HOF501	0-5	68	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	-	-	10	100.00%	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	75	83.33%	5	5.56%	10	11.11%	90
	HOHAM01	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	25	78.13%	7	21.88%	-	-	32
	HOMAR01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	HOMIS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	5	50.00%	5	50.00%	-	-	10
	HOOAK01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	HOTOR01	0-5	187	100.00%	-	-	-	-	
		11-15	-	-	26	100.00%	-	-	
		16+	-	-	8	88.89%	1	11.11%	
		6-10	31	96.88%	1	3.13%	-	-	
		Total	218	85.83%	35	13.78%	1	0.39%	254
	O0052	0-5	26	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	OH20	0-5	91	100.00%	-	-	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	97	98.98%	1	1.02%	-	-	98
	OH30	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		475	87.64%	56	10.33%	11	2.03%	542

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro One Networks Inc - Fibre (HYTHON01)	HYTHON01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	30	88.24%	4	11.76%	-	-	
	Total		30	88.24%	4	11.76%	-	-	34
Hydro One Networks Inc (H1DX)	H1DCHP01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	
	H1DGE01	0-5	1,307	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	421	98.59%	6	1.41%	-	-	
		Total	1,728	98.69%	22	1.26%	1	0.06%	
	H1DGN01	0-5	992	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		6-10	451	100.00%	-	-	-	-	
		Total	1,443	99.11%	13	0.89%	-	-	
	H1DGN02	0-5	946	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	19	100.00%	-	-	
		6-10	160	100.00%	-	-	-	-	
		Total	1,106	98.05%	22	1.95%	-	-	
	H1DGW02	0-5	601	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	16	100.00%	-	-	
		6-10	470	98.33%	8	1.67%	-	-	
		Total	1,071	94.53%	62	5.47%	-	-	
	H1DHN01	0-5	1,501	100.00%	-	-	-	-	
		11-15	-	-	33	97.06%	1	2.94%	
		16+	-	-	14	100.00%	-	-	
		6-10	522	93.21%	38	6.79%	-	-	
		Total	2,023	95.92%	85	4.03%	1	0.05%	
	H1DMOO01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	H1DOE01	0-5	3,980	100.00%	-	-	-	-	
		11-15	-	-	64	91.43%	6	8.57%	
		16+	-	-	5	18.52%	22	81.48%	
		6-10	1,448	98.04%	29	1.96%	-	-	
		Total	5,428	97.73%	98	1.76%	28	0.50%	
	H1DONE01	0-5	1,087	100.00%	-	-	-	-	
		11-15	-	-	42	91.30%	4	8.70%	
		16+	-	-	1	11.11%	8	88.89%	
		6-10	591	95.94%	25	4.06%	-	-	
		Total	1,678	95.45%	68	3.87%	12	0.68%	
	H1DONW02	0-5	77	100.00%	-	-	-	-	
		6-10	63	98.44%	1	1.56%	-	-	
		Total	140	99.29%	1	0.71%	-	-	
	H1DOS01	0-5	2,726	100.00%	-	-	-	-	
		11-15	-	-	91	100.00%	-	-	
		16+	-	-	7	46.67%	8	53.33%	
		6-10	1,554	93.39%	110	6.61%	-	-	
		Total	4,280	95.20%	208	4.63%	8	0.18%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Hydro One Networks Inc (H1DX)	H1DOW01	0-5	3,421	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	4	57.14%	3	42.86%	
		6-10	1,671	98.58%	24	1.42%	-	-	
		Total	5,092	98.72%	63	1.22%	3	0.06%	
	H1DTBY01	0-5	49	100.00%	-	-	-	-	
		16+	-	-	4	66.67%	2	33.33%	
		6-10	18	81.82%	4	18.18%	-	-	
		Total	67	87.01%	8	10.39%	2	2.60%	
	H1DX07	0-5	155	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	8	80.00%	2	20.00%	
		6-10	25	100.00%	-	-	-	-	
		Total	180	91.84%	14	7.14%	2	1.02%	196
	Total		24,242	97.11%	665	2.66%	57	0.23%	24,964
Hydro One Networks Inc (Orillia) (OPC01)	OPC01	0-5	120	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	85	98.84%	1	1.16%	-	-	
		Total	205	99.03%	2	0.97%	-	-	207
	Total		205	99.03%	2	0.97%	-	-	207
Hydro One Networks Inc (Peterborough) (PTBH01)	PTBH01	0-5	294	100.00%	-	-	-	-	
		6-10	88	100.00%	-	-	-	-	
		Total	382	100.00%	-	-	-	-	382
	Total		382	100.00%	-	-	-	-	382
Hydro One Remote Communities Inc (HYR01)	HYR01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Hydro Ottawa (HOT1)	HOT1	0-5	3,748	100.00%	-	-	-	-	
		11-15	-	-	192	100.00%	-	-	
		16+	-	-	58	100.00%	-	-	
		6-10	1,745	96.68%	60	3.32%	-	-	
		Total	5,493	94.66%	310	5.34%	-	-	5803
	HOT2	0-5	232	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	32	100.00%	-	-	-	-	
		Total	264	99.62%	1	0.38%	-	-	265
	Total		5,757	94.87%	311	5.13%	-	-	6,068
Ignace , Township Of (IGN01)	IGN01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	20	100.00%	
		Total	-	-	-	-	21	100.00%	21
	Total		-	-	-	-	21	100.00%	21
Imperial Oil Pipelines (I002)	I002	0-5	143	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	45	100.00%	-	-	
		6-10	7	70.00%	3	30.00%	-	-	
		Total	150	72.46%	57	27.54%	-	-	207
	Total		150	72.46%	57	27.54%	-	-	207
Imperial Oil Pipelines (I003)	I003	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Imperial Oil Pipelines (I004)	I004	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Imperial Oil Pipelines (I004)	I004	16+	-	-	6	100.00%	-	-	
		Total	3	30.00%	7	70.00%	-	-	10
	Total		3	30.00%	7	70.00%	-	-	10
Imperial Oil Refinery And Chemicals (Im01) (IM01)	IM01	16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	50.00%	1	50.00%	2
	Total		-	-	1	50.00%	1	50.00%	2
Imperial Oil Refinery And Chemicals (IM02)	IM02	0-5	4	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Index Energy Ajax Corporation (IDXEMPL01)	IDXEMPL01	0-5	12	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	26
	Total		26	100.00%	-	-	-	-	26
Ingersoll, Town Of (INGERS01)	INGERS01	0-5	45	100.00%	-	-	-	-	
		6-10	25	96.15%	1	3.85%	-	-	
		Total	70	98.59%	1	1.41%	-	-	71
	Total		70	98.59%	1	1.41%	-	-	71
Innisfil, Town Of (INFL01)	INFL01	0-5	358	100.00%	-	-	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	70	100.00%	-	-	-	-	
		Total	428	99.30%	2	0.46%	1	0.23%	431
	Total		428	99.30%	2	0.46%	1	0.23%	431
Innpower (INSFH01)	INSFH01	0-5	352	100.00%	-	-	-	-	
		16+	-	-	1	16.67%	5	83.33%	
		6-10	61	100.00%	-	-	-	-	
		Total	413	98.57%	1	0.24%	5	1.19%	419
	Total		413	98.57%	1	0.24%	5	1.19%	419
Integrated Gas Recovery Services (IGRSPL01)	IGRSPL01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Internet Access Solutions Ltd (IASF01)	IASF01	0-5	65	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
Iroquois Falls, Town Of (IRQF01)	IRQF01	0-5	9	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	9	81.82%	-	-	2	18.18%	11
	IRQFSL01	0-5	11	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		20	90.91%	-	-	2	9.09%	22
Johnson, Township Of (JHSNW01)	JHSNW01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
K2 Wind Farm Ontario (K2WF01)	K2WF01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	4	80.00%	-	-	1	20.00%	5
	Total		4	80.00%	-	-	1	20.00%	5
Kapuskasing, Town Of (KAP01)	KAP01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Kapuskasing, Town Of (KAP01)	KAP01	16+	-	-	-	-	8	100.00%	
		Total	28	73.68%	-	-	10	26.32%	38
	Total		28	73.68%	-	-	10	26.32%	38
Kawartha Lakes , City Of (KWLK01)	KWLKPF01	0-5	121	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	158	98.75%	2	1.25%	-	-	160
	KWLKWS01	0-5	241	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	54	100.00%	-	-	-	-	
		Total	295	98.99%	3	1.01%	-	-	298
	Total		453	98.91%	5	1.09%	-	-	458
Kawartha Pine Ridge District Schoolboard (KPR01)	KPR01	0-5	29	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	29	93.55%	2	6.45%	-	-	31
	Total		29	93.55%	2	6.45%	-	-	31
Kearney, Town Of (KRNY01)	KRNY01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Kenora, City Of (KNRA123)	KNRA01	0-5	63	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	64	86.49%	1	1.35%	9	12.16%	74
	KNRASL01	0-5	13	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	15	93.75%	-	-	1	6.25%	16
	KNRAST01	0-5	53	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	53	98.15%	-	-	1	1.85%	54
	Total		132	91.67%	1	0.69%	11	7.64%	144
Kent Breeze Wind Farm (SCE01)	SCE01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Killaloe, Hagarty And Richards , Township Of (KHRWS01)	KHRWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6
Kincardine, Municipality Of (KINC123)	KINCAR01	0-5	78	100.00%	-	-	-	-	
		6-10	41	100.00%	-	-	-	-	
		Total	119	100.00%	-	-	-	-	119
	Total		119	100.00%	-	-	-	-	119
Kinder Morgan Pipeline (KMP01)	KMP01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
King , Township Of (KNGWS01)	KNGSL01	0-5	124	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	53	100.00%	-	-	-	-	
		Total	177	98.33%	2	1.11%	1	0.56%	180
	KNGWS01	0-5	97	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
King , Township Of (KNGWS01)	KNGWS01	6-10	17	100.00%	-	-	-	-	
		Total	114	97.44%	2	1.71%	1	0.85%	117
	Total		291	97.98%	4	1.35%	2	0.67%	297
Kingsbridge Wind Farm (K1WF01)	K1WF01	0-5	1	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Kingston General Hospital (KGH01)	KGH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Kingston Solar Lp (KGSF01)	KGSF01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Kingsville, Town Of (TK01)	TK01	0-5	127	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	129	100.00%	-	-	-	-	129
	TKF01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		131	100.00%	-	-	-	-	131
Kirkland Lake , Town Of (KKL01)	KKL01	0-5	15	100.00%	-	-	-	-	
		Total	15	100.00%	-	-	-	-	15
	Total		15	100.00%	-	-	-	-	15
Kitchener Utilities - Gas And Water (KU01)	KU01	0-5	156	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	59	100.00%	-	-	-	-	
		Total	215	97.73%	2	0.91%	3	1.36%	220
	Total		215	97.73%	2	0.91%	3	1.36%	220
Kitchener Utilities (KU02)	KU02	0-5	843	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	161	98.77%	2	1.23%	-	-	
		Total	1,004	99.60%	3	0.30%	1	0.10%	1008
	Total		1,004	99.60%	3	0.30%	1	0.10%	1,008
Kitchener, The City Of (KITS01)	KITS01	0-5	557	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	185	99.46%	1	0.54%	-	-	
		Total	742	98.41%	10	1.33%	2	0.27%	754
	Total		742	98.41%	10	1.33%	2	0.27%	754
KRUGER ENERGY CHATHAM LP (KEC01)	KEC01	16+	-	-	15	100.00%	-	-	
		Total	-	-	15	100.00%	-	-	15
	Total		-	-	15	100.00%	-	-	15
KRUGER ENERGY PORT ALMA LP (KEPA01)	KEPA01	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total		-	-	2	100.00%	-	-	2
Kwic Internet (KWIC01)	KWIC01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	12	92.31%	1	7.69%	-	-	13
	Total		12	92.31%	1	7.69%	-	-	13
Lagasco Inc (TP01)	TP01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Lagasco Inc (TP01)	TP01	6-10	7	70.00%	3	30.00%	-	-	
		Total	16	76.19%	4	19.05%	1	4.76%	21
	Total		16	76.19%	4	19.05%	1	4.76%	21
Lagasco Limited (L002)	L002	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	10.00%	9	90.00%	
		6-10	16	100.00%	-	-	-	-	
		Total	18	64.29%	1	3.57%	9	32.14%	28
	Total		18	64.29%	1	3.57%	9	32.14%	28
Lake Huron Primary Water Supply System (LHPWSS01)	LHPWSS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
Lake Of Bays , Township Of (LOB01)	LOB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Lake Of The Woods Hospital (LWDH01)	LWDH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Lakefront Utilities - Town Of Cobourg Water (CBRGW01)	CBRGW01	0-5	142	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	152	98.06%	3	1.94%	-	-	155
	Total		152	98.06%	3	1.94%	-	-	155
Lakefront Utilities (LUSI123)	COLBH01	0-5	8	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	LUSIH01	0-5	142	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	153	99.35%	1	0.65%	-	-	154
	Total		167	99.40%	1	0.60%	-	-	168
Lakeland Networks (LKLNN01)	LKLNN01	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	128	98.46%	2	1.54%	-	-	130
	Total		128	98.46%	2	1.54%	-	-	130
Lakeland Power (LKLNP123)	LKLNP01	0-5	91	100.00%	-	-	-	-	
		6-10	74	98.67%	1	1.33%	-	-	
		Total	165	99.40%	1	0.60%	-	-	166
	Total		165	99.40%	1	0.60%	-	-	166
Lakeshore, Municipality Of (TOL123)	B002	0-5	233	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	233	99.15%	-	-	2	0.85%	235
	Total		233	99.15%	-	-	2	0.85%	235
Lakeview Water System (LKVWW01)	LKVWW01	0-5	8	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Lambton Area Water Supply System (LAWSS01)	LAWSS01	0-5	100	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	101	100.00%	-	-	-	-	101
	Total		101	100.00%	-	-	-	-	101

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Lambton County (LMBTN01)	LMBTN01	0-5	2	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Lambton Shores, Municipality Of (F001)	F001	0-5	211	100.00%	-	-	-	-	
		6-10	16	80.00%	4	20.00%	-	-	
		Total	227	98.27%	4	1.73%	-	-	231
	Total		227	98.27%	4	1.73%	-	-	231
Lamsar For Sxl (Sunoco Logistics) (LUSPL01)	LUSPL01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Lanark Highlands , Township Of (LNKH01)	LNKH01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Lanark, County Of (LNRK01)	LNRK01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Lansdowne Rural Telephone (LDRT01)	LDRT01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Lanxess Canada (CMTR01)	CMTR01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Lasalle , Town Of (LSL01)	LSL01	0-5	90	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	46	80.70%	11	19.30%	-	-	
		Total	136	87.18%	19	12.18%	1	0.64%	156
	Total		136	87.18%	19	12.18%	1	0.64%	156
Latchford , Town Of (LTFWSS01)	LTFWSS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Laurentian Hills, Town Of (LHWS01)	LHWS01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
Laurentian University (LRTU01)	LRTU01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Laurentian Valley , Township Of (LTV01)	LTV01	0-5	18	100.00%	-	-	-	-	
		Total	18	100.00%	-	-	-	-	18
	Total		18	100.00%	-	-	-	-	18
Leamington Area Drip Irrigation (LADII01)	LADII01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Leamington Water Services (L001)	L001	0-5	136	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	136	98.55%	1	0.72%	1	0.72%	138
	Total		136	98.55%	1	0.72%	1	0.72%	138

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Leamington, Municipality Of (LS01)	LS01	0-5	168	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		Total	168	98.82%	-	-	2	1.18%	170
	Total		168	98.82%	-	-	2	1.18%	170
Leeds And Grenville , United Counties Of (LDG01)	LDG01	0-5	42	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	44	95.65%	1	2.17%	1	2.17%	46
	Total		44	95.65%	1	2.17%	1	2.17%	46
Leeds And The Thousand Islands , Township Of (LDTI01)	LDTI01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	4	100.00%	4
	LDTI02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	5	100.00%	5
Lennox And Addington, County Of (LXA123)	LXA01	0-5	21	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	25	100.00%	-	-	-	-	25
	Total		25	100.00%	-	-	-	-	25
Liberty Oil And Gas (LBTYOG01)	LBTYOG01	0-5	4	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Lincoln, Town Of (LINWS01)	LINWS01	0-5	206	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	206	98.56%	3	1.44%	-	-	209
	Total		206	98.56%	3	1.44%	-	-	209
Linde - Mississauga (PXRPL02)	PXRPL02	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Linde Canada Inc - Scarborough (LINDE01)	LINDE01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	4	100.00%	
		Total	-	-	-	-	5	100.00%	5
	Total		-	-	-	-	5	100.00%	5
Linde Canada Inc (PXRPL01)	PXRPL01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	19	90.48%	2	9.52%	-	-	21
	Total		19	90.48%	2	9.52%	-	-	21
London District Energy (TG01)	TG01	0-5	19	100.00%	-	-	-	-	
		11-15	-	-	11	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	25	69.44%	11	30.56%	-	-	36
	Total		25	69.44%	11	30.56%	-	-	36
London Health Sciences (LHS1)	LHS1	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
London Hydro (L003)	L003	0-5	1,145	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	378	99.21%	3	0.79%	-	-	
		Total	1,523	99.28%	11	0.72%	-	-	1534

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
London Hydro (L003)	LHDL01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	19	100.00%	
		Total	-	-	-	-	20	100.00%	20
	Total		1,523	98.01%	11	0.71%	20	1.29%	1,554
London, City Of (LN01)	LN01	0-5	1,373	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		6-10	510	99.42%	3	0.58%	-	-	
		Total	1,883	99.37%	12	0.63%	-	-	1895
	Total		1,883	99.37%	12	0.63%	-	-	1,895
London, City Of (LN02)	LN02	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Long Point Provincial Park (LPPP01)	LPPP01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Lowland 450 Phillip Street Gp Ltd (LOWLD01)	LOWLD02	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Loyalist Solar Lp (LYLS01)	LYLS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Loyalist Township (LYST123)	LYSTBS6	0-5	10	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	LYSTBW5	0-5	10	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	16	100.00%	-	-	-	-	16
	LYSTEL4	0-5	39	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	58	100.00%	-	-	-	-	58
	LYSTFW1	0-5	57	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	LYSTLES2	0-5	56	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	72	100.00%	-	-	-	-	72
	LYSTSTM3	0-5	61	100.00%	-	-	-	-	
		6-10	22	100.00%	-	-	-	-	
		Total	83	100.00%	-	-	-	-	83
	Total		319	100.00%	-	-	-	-	319
Lucan Biddulph, Township Of (LCBD01)	LCBD01	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	4	80.00%	1	20.00%	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	55	84.62%	6	9.23%	4	6.15%	65
	Total		55	84.62%	6	9.23%	4	6.15%	65
Macdonald, Meredith And Aberdeen, Municipality Of (MMA01)	MMA01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Madawaska Valley, Township Of (MWVWS01)	MWVWS01	16+	-	-	-	-	12	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Malahide, Township Of (MLHD01)	MLHD01	0-5	18	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Malahide, Township Of (MLHD01)	MLHD01	6-10	1	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Mapleton , Township Of (MPLT01)	MPLT01	0-5	12	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Marathon, Town Of (MRTH01)	MRTH01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
	Total		2	66.67%	-	-	1	33.33%	3
Markham “ Streetlights And Traffic Signals, City Of (MUS01)	MUS01	0-5	992	100.00%	-	-	-	-	
		6-10	115	100.00%	-	-	-	-	
		Total	1,107	100.00%	-	-	-	-	1107
	Total		1,107	100.00%	-	-	-	-	1,107
Markham District Energy (MDE01)	MDE01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	4	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	9	64.29%	-	-	5	35.71%	14
	Total		9	64.29%	-	-	5	35.71%	14
Markham Stouffville Hospital (MSH01)	MSH01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Markham, City Of - Water And Sewer (MWS01)	MWS01	0-5	249	100.00%	-	-	-	-	
		6-10	86	100.00%	-	-	-	-	
		Total	335	100.00%	-	-	-	-	335
	Total		335	100.00%	-	-	-	-	335
Markstay Warren , Municipality Of (MKW01)	MKW01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Marmora And Lake, Municipality Of (MRMLWS01)	MRMLWS01	0-5	24	100.00%	-	-	-	-	
		6-10	1	14.29%	6	85.71%	-	-	
		Total	25	80.65%	6	19.35%	-	-	31
	Total		25	80.65%	6	19.35%	-	-	31
Marwood Metals (MARWDF01)	MARWDF01	0-5	3	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Matachewan, Township Of (MTCWWS01)	MTCWWS01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	3	75.00%	1	25.00%	-	-	4
	Total		3	75.00%	1	25.00%	-	-	4
Mattawa , Town Of (MTWAWS01)	MTWAWS01	16+	-	-	10	100.00%	-	-	
		Total	-	-	10	100.00%	-	-	10
	Total		-	-	10	100.00%	-	-	10
Mattice-Val Cote , Township Of (MVCWS01)	MVCWS01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Mcdougall, Municipality Of (MCDWS01)	MCDWS01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	Total		6	100.00%	-	-	-	-	6

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Mcgarry, Township Of (MCGWS01)	MCGWS01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Mcnab Braeside, Township Of (MCBR01)	MCBR01	0-5	56	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	56	93.33%	-	-	4	6.67%	60
	Total		56	93.33%	-	-	4	6.67%	60
Meaford , Municipality Of (MFRD01)	MFRD01	0-5	36	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total		42	100.00%	-	-	-	-	42
Melancthon Windfarm (MELWF01)	MELWF01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
	Total		10	100.00%	-	-	-	-	10
Melancthon Wolfe Wind Lp (CDNP01)	CDNP01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Merrickville-Wolford, Village Of (MEWOWS01)	MEWOWS01	16+	-	-	19	100.00%	-	-	
		Total	-	-	19	100.00%	-	-	19
	Total		-	-	19	100.00%	-	-	19
Metalore Resources (MTLORE01)	MTLORE01	0-5	10	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	10	71.43%	2	14.29%	2	14.29%	14
	Total		10	71.43%	2	14.29%	2	14.29%	14
Metro Fibrewerx (MFWX01)	MFWX01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Middlesex Centre, Municipality Of (MDLSCT01)	MDLSCT01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	75	98.68%	1	1.32%	-	-	76
	Total		75	98.68%	1	1.32%	-	-	76
Middlesex, County Of (MDSX01)	MDSX01	0-5	55	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	55	96.49%	-	-	2	3.51%	57
	Total		55	96.49%	-	-	2	3.51%	57
Midland, Town Of (MIDLND01)	MIDLND01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	4	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	30	83.33%	1	2.78%	5	13.89%	36
	Total		30	83.33%	1	2.78%	5	13.89%	36
Midland, Town Of (MIDLND03)	MIDLND03	0-5	40	100.00%	-	-	-	-	
		6-10	-	-	2	100.00%	-	-	
		Total	40	95.24%	2	4.76%	-	-	42
	Total		40	95.24%	2	4.76%	-	-	42
Milton , Town Of (MLTSS01)	MLTNTS01	6-10	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	MLTSS01	0-5	75	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Milton , Town Of (MLTSS01)	MLTSS01	6-10	88	100.00%	-	-	-	-	
		Total	163	98.79%	2	1.21%	-	-	165
		Total	167	98.82%	2	1.18%	-	-	169
MILTON HYDRO (MH123)	MHHN01	0-5	333	100.00%	-	-	-	-	
		11-15	-	-	6	60.00%	4	40.00%	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	292	97.33%	8	2.67%	-	-	
		Total	625	96.75%	16	2.48%	5	0.77%	646
		Total	625	96.75%	16	2.48%	5	0.77%	646
Minden Hills, Township Of (MDHWS01)	MDHWS01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	3
		Total	2	66.67%	-	-	1	33.33%	3
Minto, Town Of (MNTOWS01)	MNTOWS01	0-5	47	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	48	97.96%	1	2.04%	-	-	49
		Total	48	97.96%	1	2.04%	-	-	49
Mississauga, City Of (MSGAS01)	MSGAS01	0-5	456	100.00%	-	-	-	-	
		6-10	142	99.30%	1	0.70%	-	-	
		Total	598	99.83%	1	0.17%	-	-	599
		Total	598	99.83%	1	0.17%	-	-	599
Mississauga, City Of (MSGATS01)	MSGATS01	0-5	48	100.00%	-	-	-	-	
		6-10	157	100.00%	-	-	-	-	
		Total	205	100.00%	-	-	-	-	205
		Total	205	100.00%	-	-	-	-	205
Mississaugas Of Scugog Island First Nation (MSIFN01)	MSIFN01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
		Total	6	100.00%	-	-	-	-	6
Mississippi Mills, Town Of (MSPM01)	MSPM01	0-5	55	100.00%	-	-	-	-	
		16+	-	-	4	57.14%	3	42.86%	
		Total	55	88.71%	4	6.45%	3	4.84%	62
		Total	55	88.71%	4	6.45%	3	4.84%	62
MNSI Managed Network Systems Inc (MNSI123)	MNSI01	0-5	933	100.00%	-	-	-	-	
		11-15	-	-	2	66.67%	1	33.33%	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	248	100.00%	-	-	-	-	
		Total	1,181	99.58%	3	0.25%	2	0.17%	1186
		Total	1,181	99.58%	3	0.25%	2	0.17%	1,186
Mohawk On The Bay Of Quinte Fibre (7GEN01)	7GEN01	0-5	28	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
		Total	28	100.00%	-	-	-	-	28
Mohawks Of The Bay Of Quinte (MBQWS01)	MBQWS01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	4	26.67%	11	73.33%	-	-	
		Total	9	33.33%	15	55.56%	3	11.11%	27
		Total	9	33.33%	15	55.56%	3	11.11%	27
Mono , Town Of (MNO123)	MNO01	0-5	9	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	6	50.00%	6	50.00%	
		Total	9	34.62%	11	42.31%	6	23.08%	26

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Mono , Town Of (MNO123)	MNOSL01	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	8	72.73%	3	27.27%	
		6-10	6	100.00%	-	-	-	-	
		Total	13	50.00%	9	34.62%	4	15.38%	
	Total		22	42.31%	20	38.46%	10	19.23%	26
Montague , Township Of (MTG01)	MTG01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Montez Office Fund li Limited Partnership (MOFLP01)	MOFLP01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Moonbeam , Township Of (MBM01)	MBM01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	1	33.33%	2	66.67%	-	-	3
	Total		1	33.33%	2	66.67%	-	-	3
Moosonee , Town Of (MSN01)	MSN01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Mornington Communications (MORNT01)	MORNT01	0-5	134	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	66	94.29%	4	5.71%	-	-	
		Total	200	95.69%	9	4.31%	-	-	209
	Total		200	95.69%	9	4.31%	-	-	209
Morris Turnberry - Storm Sewer , Municipality Of (MRT123)	MRTSS01	0-5	22	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	MRTW01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	15	100.00%	
		6-10	7	100.00%	-	-	-	-	
	Total		7	30.43%	-	-	16	69.57%	23
Mt Sinai Hospital (MTSIH01)	MTSIH01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
MULTIVIEW FOR CITY OF MISSISSAUGA PARKS (MSGAPK01)	MSGAPK01	0-5	541	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	66.67%	1	33.33%	
		6-10	6	100.00%	-	-	-	-	
		Total	547	99.27%	3	0.54%	1	0.18%	551
	Total		547	99.27%	3	0.54%	1	0.18%	551
Muskoka , District Of (MUSKWS01)	MUSKWS03	0-5	78	100.00%	-	-	-	-	
		11-15	-	-	21	100.00%	-	-	
		16+	-	-	1	6.67%	14	93.33%	
		6-10	46	88.46%	6	11.54%	-	-	
		Total	124	74.70%	28	16.87%	14	8.43%	166
	MUSKWS04	0-5	83	100.00%	-	-	-	-	
		11-15	-	-	17	77.27%	5	22.73%	
		16+	-	-	5	26.32%	14	73.68%	
		6-10	5	71.43%	2	28.57%	-	-	
	Total		88	67.18%	24	18.32%	19	14.50%	131
	MUSKWS05	0-5	64	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	28.57%	5	71.43%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Muskoka , District Of (MUSKWS01)	MUSKWS05	6-10	-	-	2	100.00%	-	-	
		Total	64	86.49%	5	6.76%	5	6.76%	74
		Total	276	74.39%	57	15.36%	38	10.24%	371
Muskoka Lakes , Township Of (MSKL01)	MSKL01	0-5	18	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	18	94.74%	1	5.26%	-	-	19
		Total	18	94.74%	1	5.26%	-	-	19
Muskoka, District Of (Traffic) (MUSKTL01)	MUSKTL01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	10
		Total	9	90.00%	1	10.00%	-	-	10
Nairn And Hyman, Township Of (TNHW01)	TNHW01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
		Total	2	100.00%	-	-	-	-	2
Nation Rise Wind Farm Limited Partnership (NRWFLP01)	NRWFLP01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
		Total	8	100.00%	-	-	-	-	8
Nation, Municipality Of The (NATN01)	NATN01	11-15	-	-	-	-	10	100.00%	
		16+	-	-	-	-	34	100.00%	
		Total	-	-	-	-	44	100.00%	44
		Total	-	-	-	-	44	100.00%	44
Net Optiks	BPNOFC01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
		Total	-	-	-	-	6	100.00%	6
Net Optiks - Brantford Hydro (BPNOF01)	BPNOF01	0-5	11	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	28
		Total	28	100.00%	-	-	-	-	28
Netflash Internet Solutions (NISF01)	NISF01	0-5	10	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
		Total	19	100.00%	-	-	-	-	19
Netsolid Internet Solutions Inc	NETSLD01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
		Total	-	-	-	-	5	100.00%	5
New Tecumseth, Town Of (NTCMS01)	NTCMS01	0-5	279	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	285	100.00%	-	-	-	-	285
		Total	285	100.00%	-	-	-	-	285
Newbury, Village Of (NWBWS01)	NWBWS01	16+	-	-	8	88.89%	1	11.11%	
		Total	-	-	8	88.89%	1	11.11%	9
		Total	-	-	8	88.89%	1	11.11%	9
Newmarket, Town Of (NMK01)	NMK01	0-5	124	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	26	100.00%	-	-	-	-	
		Total	150	99.34%	-	-	1	0.66%	151
		Total	150	99.34%	-	-	1	0.66%	151
Nexicom Telecommunications (NXCOM01)	NXCOM01	0-5	221	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Nexicom Telecommunications (NXCOM01)	NXCOM01	6-10	21	84.00%	4	16.00%	-	-	
		Total	242	96.80%	8	3.20%	-	-	250
	Total		242	96.80%	8	3.20%	-	-	250
Niagara Falls, City Of (NFS01)	NFS01	0-5	477	100.00%	-	-	-	-	
		6-10	197	100.00%	-	-	-	-	
		Total	674	100.00%	-	-	-	-	674
	Total		674	100.00%	-	-	-	-	674
Niagara Parks Commission (NPC01)	NPC01	0-5	44	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	47	100.00%	-	-	-	-	47
	Total		47	100.00%	-	-	-	-	47
Niagara Peninsula Energy (NFH01)	NFH01	0-5	546	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	230	100.00%	-	-	-	-	
		Total	776	99.87%	1	0.13%	-	-	777
	Total		776	99.87%	1	0.13%	-	-	777
Niagara Region Water Sanitary Storm (RN01)	RN01	0-5	787	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	84	100.00%	-	-	-	-	
		Total	871	98.75%	11	1.25%	-	-	882
	Total		871	98.75%	11	1.25%	-	-	882
Niagara Region Wind Farm (NRWF01)	NRWF01	0-5	12	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	14
	Total		14	100.00%	-	-	-	-	14
Niagara Regional Broadband Network (NRBN01)	NRBN01	11-15	-	-	-	-	49	100.00%	
		16+	-	-	-	-	358	100.00%	
		Total	-	-	-	-	407	100.00%	407
	Total		-	-	-	-	407	100.00%	407
Niagara, Region Of - Transportation Services (RN03)	RN03	0-5	426	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	18	94.74%	1	5.26%	-	-	
		Total	444	98.89%	5	1.11%	-	-	449
	Total		444	98.89%	5	1.11%	-	-	449
Niagara-On-The-Lake Hydro (NOTL1)	NOTL1	0-5	228	100.00%	-	-	-	-	
		6-10	58	100.00%	-	-	-	-	
		Total	286	100.00%	-	-	-	-	286
	Total		286	100.00%	-	-	-	-	286
Niagara-On-The-Lake Hydro, The Town Of (NOL01)	NOL01	0-5	173	100.00%	-	-	-	-	
		6-10	46	100.00%	-	-	-	-	
		Total	219	100.00%	-	-	-	-	219
	Total		219	100.00%	-	-	-	-	219
Nipigon , Township Of (NIP01)	NIP01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Nor-Del (NORDEL01)	NORDEL01	0-5	214	100.00%	-	-	-	-	
		16+	-	-	-	-	12	100.00%	
		6-10	8	72.73%	3	27.27%	-	-	
		Total	222	93.67%	3	1.27%	12	5.06%	237
	Total		222	93.67%	3	1.27%	12	5.06%	237

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Norfolk County (NFLK123)	NFLK01	0-5	475	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	40	88.89%	5	11.11%	-	-	
		Total	515	98.66%	7	1.34%	-	-	
	Total		515	98.66%	7	1.34%	-	-	522
Norfolk Oil & Gas Ltd (NFLKOG01)	NFLKOG01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
North Bay Hydro (NBH01)	NBH01	0-5	169	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	41	97.62%	1	2.38%	-	-	
		Total	210	97.22%	6	2.78%	-	-	
	Total		210	97.22%	6	2.78%	-	-	216
North Bay, City Of - Private Hydro Lines (NBPE01)	NBPE01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
North Bay, City Of (NBWS01)	NBWS01	0-5	97	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	8	34.78%	15	65.22%	-	-	
		Total	105	86.07%	15	12.30%	2	1.64%	
	Total		105	86.07%	15	12.30%	2	1.64%	122
North Dundas , Township Of (NDND123)	NDND01	0-5	36	100.00%	-	-	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	37	94.87%	2	5.13%	-	-	
	NDND02	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	31	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	4	10.00%	36	90.00%	-	-	
	Total		41	51.90%	38	48.10%	-	-	79
North Frontenac Telephone Company (NFTC01)	NFTC01	0-5	444	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	5	100.00%	
		6-10	79	95.18%	4	4.82%	-	-	
		Total	523	97.76%	7	1.31%	5	0.93%	
	Total		523	97.76%	7	1.31%	5	0.93%	535
North Glengarry , Township Of (NGWS01)	NGWS01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	20	95.24%	-	-	1	4.76%	
	Total		20	95.24%	-	-	1	4.76%	21
North Grenville , Municipality Of (NGR01)	NGR01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	10	38.46%	16	61.54%	-	-	
		Total	39	68.42%	17	29.82%	1	1.75%	
	Total		39	68.42%	17	29.82%	1	1.75%	57
North Huron, Township Of (NHURON01)	NHURON01	0-5	48	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	25.00%	6	75.00%	-	-	
		Total	50	86.21%	6	10.34%	2	3.45%	
	Total		50	86.21%	6	10.34%	2	3.45%	58
North Kent Wind 1 Lp (NKWF01)	NKWF01	0-5	10	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
North Kent Wind 1 Lp (NKWF01)	NKWF01	6-10	14	82.35%	3	17.65%	-	-	
		Total	24	88.89%	3	11.11%	-	-	27
	Total		24	88.89%	3	11.11%	-	-	27
North Middlesex, Municipality Of (NMSXWS01)	NMSXWS01	11-15	-	-	-	-	19	100.00%	
		16+	-	-	-	-	51	100.00%	
		Total	-	-	-	-	70	100.00%	70
	Total		-	-	-	-	70	100.00%	70
North Perth, Municipality Of (NPRTH01)	NPRTH01	0-5	106	100.00%	-	-	-	-	
		11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	109	95.61%	-	-	5	4.39%	114
	Total		109	95.61%	-	-	5	4.39%	114
North Renfrew Telecom Company (NRTC01)	NRTC01	0-5	276	100.00%	-	-	-	-	
		11-15	-	-	4	57.14%	3	42.86%	
		16+	-	-	-	-	9	100.00%	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	285	94.37%	5	1.66%	12	3.97%	302
	Total		285	94.37%	5	1.66%	12	3.97%	302
North Stormont , Township Of (NST01)	NST01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	15	93.75%	1	6.25%	
		Total	-	-	16	94.12%	1	5.88%	17
	Total		-	-	16	94.12%	1	5.88%	17
North York General Hospital (NYGH01)	NYGH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Northeastern Manitoulin And The Islands, Town (NEMIWS01)	NEMIWS01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Northern Bruce Peninsula , Municipality Of (NBPWS01)	NBPWS01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	12	100.00%	12
	Total		-	-	-	-	12	100.00%	12
Northern Cross Energy (NCNRG01)	NCNRG01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Northern Ontario Wires (NOWINC01)	NOWINC01	0-5	42	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total		42	100.00%	-	-	-	-	42
Northern Rural Networks (NRN01)	NRN01	11-15	-	-	-	-	2	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	7	100.00%	7
	Total		-	-	-	-	7	100.00%	7
Northern Tel Limited Partnership (NT01)	NT01	0-5	97	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	27	100.00%	-	-	
		6-10	13	59.09%	9	40.91%	-	-	
		Total	110	65.09%	59	34.91%	-	-	169
	Total		110	65.09%	59	34.91%	-	-	169
Northumberland County (NRHBSL01)	NRHBSL01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Northumberland County (NRHB01)	NRHBSL02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	NRHBSS01	0-5	10	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	NRHBSS02	0-5	10	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	NRHBTS01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	NRHBTS02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		45	100.00%	-	-	-	-	45
Norwich , Township Of (NRW01)	NRW01	0-5	123	100.00%	-	-	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	127	98.45%	2	1.55%	-	-	129
	Total		127	98.45%	2	1.55%	-	-	129
Nova Chemicals Corporation (N001)	N001	0-5	10	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	10	90.91%	1	9.09%	-	-	11
	Total		10	90.91%	1	9.09%	-	-	11
NT Power	NTPWR01	0-5	484	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	42	97.67%	1	2.33%	-	-	
		Total	526	97.59%	13	2.41%	-	-	539
	Total		526	97.59%	13	2.41%	-	-	539
Oakville Hydro (OAKHYD01)	OAKHYD01	0-5	1,052	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	391	97.02%	12	2.98%	-	-	
		Total	1,443	97.76%	33	2.24%	-	-	1476
	Total		1,443	97.76%	33	2.24%	-	-	1,476
Oakville, Town Of (OAK123)	OAKBS01	0-5	26	100.00%	-	-	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	35	97.22%	1	2.78%	-	-	36
	OAKSS01	0-5	1,386	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	253	97.31%	7	2.69%	-	-	
		Total	1,639	98.56%	24	1.44%	-	-	1663
	OAKTS01	0-5	188	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	113	98.26%	2	1.74%	-	-	
		Total	301	96.78%	10	3.22%	-	-	311
	Total		1,975	98.26%	35	1.74%	-	-	2,010
O'Connor, Township Of (OCNR01)	OCNR01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Oil Springs, Village Of (OSWS01)	OSWS01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
On-Energy Corp (ONNRG01)	ONNRG01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	13	86.67%	-	-	2	13.33%	
	Total		13	86.67%	-	-	2	13.33%	15
Ontario Power Generation - Darlington (OPGD1)	OPGD1	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Ontario Power Generation - Lambton (OPGL1)	OPGL1	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	
	Total		2	100.00%	-	-	-	-	2
Ontario Power Generation - Niagara (OPGN123)	OPGN1	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	OPGN2	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		5	83.33%	-	-	1	16.67%	6
Ontera - A Division Of Northerntel (ONTERA)	ONTERA01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	5	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	15	62.50%	9	37.50%	-	-	
	ONTERA02	0-5	5	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	5	71.43%	2	28.57%	-	-	
	ONTERA03	0-5	7	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	9	64.29%	5	35.71%	-	-	
	ONTERA04	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	28	87.50%	4	12.50%	-	-	
	ONTERA05	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	4	50.00%	4	50.00%	-	-	
	ONTERA06	0-5	24	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	25	100.00%	-	-	
		Total	24	47.06%	27	52.94%	-	-	
	Total		85	62.50%	51	37.50%	-	-	136
Onu For Hamilton P&C Row (CHPT01)	CHPT01	0-5	123	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	129	94.16%	8	5.84%	-	-	
	Total		129	94.16%	8	5.84%	-	-	137
Opasatika, Township Of (OPTKWS01)	OPTKWS01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Orangeville Fibre, Town Of (ORGV02)	ORGV02	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Orangeville Fibre, Town Of (ORGV02)	ORGV02	16+	-	-	-	-	1	100.00%	
		6-10	19	79.17%	5	20.83%	-	-	
		Total	31	79.49%	7	17.95%	1	2.56%	39
	Total		31	79.49%	7	17.95%	1	2.56%	39
Orangeville Hydro (ORGVH01)	ORGVH01	0-5	287	100.00%	-	-	-	-	
		6-10	47	100.00%	-	-	-	-	
		Total	334	100.00%	-	-	-	-	334
	Total		334	100.00%	-	-	-	-	334
Orangeville, Town Of (ORGV01)	ORGV01	0-5	241	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	6	100.00%	
		6-10	49	94.23%	3	5.77%	-	-	
		Total	290	96.03%	6	1.99%	6	1.99%	302
	Total		290	96.03%	6	1.99%	6	1.99%	302
Orillia, City Of (ORIL123)	ORILSL01	0-5	38	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	56	100.00%	-	-	-	-	56
	ORILT01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	1	100.00%	
		6-10	75	100.00%	-	-	-	-	
		Total	132	97.78%	1	0.74%	2	1.48%	135
	ORILWS01	0-5	121	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	134	99.26%	1	0.74%	-	-	135
	Total		322	98.77%	2	0.61%	2	0.61%	326
Oro-Medonte, Township Of (ORMED01)	ORMED01	0-5	19	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	Total		22	100.00%	-	-	-	-	22
Oshawa PUC Hydro/St Lights (OSHYD1)	OSHGE01	0-5	416	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	160	98.77%	2	1.23%	-	-	
		Total	576	98.46%	8	1.37%	1	0.17%	585
	OSHGE03	0-5	18	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	15	100.00%	-	-	-	-	
		Total	33	89.19%	3	8.11%	1	2.70%	37
	Total		609	97.91%	11	1.77%	2	0.32%	622
Oshawa, City Of - Catch Basins (OSH02)	OSH02	0-5	6	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
Oshawa, City Of (OSH01)	OSH01	0-5	107	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	82	97.62%	2	2.38%	-	-	
		Total	189	96.92%	5	2.56%	1	0.51%	195
	Total		189	96.92%	5	2.56%	1	0.51%	195
Otonabee-South Monaghan , Township Of (OSMW01)	OSMW01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Ottawa River Power (ORP01)	ORP01	0-5	89	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	95	100.00%	-	-	-	-	95
	Total		95	100.00%	-	-	-	-	95
Ottawa River Power (ORP02)	ORP02	0-5	60	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	63	100.00%	-	-	-	-	63
	Total		63	100.00%	-	-	-	-	63
Ottawa, City Of - Street Lights (OTWASL01)	OTWASL01	0-5	2,870	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	405	96.89%	13	3.11%	-	-	
		Total	3,275	99.42%	19	0.58%	-	-	3294
	Total		3,275	99.42%	19	0.58%	-	-	3,294
Ottawa, City Of - Traffic Signals (OTWATS01)	OTWATS01	0-5	812	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		6-10	55	100.00%	-	-	-	-	
		Total	867	98.63%	12	1.37%	-	-	879
	Total		867	98.63%	12	1.37%	-	-	879
Ottawa, City Of - Water-Sewer (OTWAWS01)	OTWAWS01	0-5	5,623	100.00%	-	-	-	-	
		6-10	320	100.00%	-	-	-	-	
		Total	5,943	100.00%	-	-	-	-	5943
	Total		5,943	100.00%	-	-	-	-	5,943
Ottawa, University Of (UOTT01)	UOTT01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Owen Sound, City Of (OWSD01)	OWSD01	0-5	94	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	95	100.00%	-	-	-	-	95
	Total		95	100.00%	-	-	-	-	95
Oxford, County Of - Fiber (OXFF01)	OXFF01	0-5	3	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	17	94.44%	1	5.56%	-	-	
		Total	20	90.91%	2	9.09%	-	-	22
	Total		20	90.91%	2	9.09%	-	-	22
Oxford, County Of - Street Lights (OXFSL01)	OXFSL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
Oxford, County Of - Traffic (OXFTS01)	OXFTS01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	42.86%	4	57.14%	-	-	7
	Total		3	42.86%	4	57.14%	-	-	7
Oxford, County Of - Water & Sewer (OXFWS01)	OXFWS01	0-5	462	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	471	99.79%	-	-	1	0.21%	472
	Total		471	99.79%	-	-	1	0.21%	472
Oxford, County Of (OXFSTM01)	OXFSTM01	11-15	-	-	-	-	3	100.00%	
		16+	-	-	-	-	15	100.00%	
		Total	-	-	-	-	18	100.00%	18
	Total		-	-	-	-	18	100.00%	18

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Packet Works (PWRKST01)	PWRKST01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	Total		7	100.00%	-	-	-	-	7
Parkhill Wind Farm (Nextera) (PHWF01)	PHWF01	0-5	84	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	85	98.84%	-	-	1	1.16%	86
	Total		85	98.84%	-	-	1	1.16%	86
Parry Sound, Town Of (PYWS123)	PYWS01	0-5	42	100.00%	-	-	-	-	
		6-10	9	90.00%	1	10.00%	-	-	
		Total	51	98.08%	1	1.92%	-	-	52
	PYWS02	0-5	2	100.00%	-	-	-	-	
		6-10	7	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		60	98.36%	1	1.64%	-	-	61
Pearson (Piff) And Gtaa (PIFFC01)	PIFFC01	0-5	13	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Peel Region - Brampton Water (PCYWAT123)	PRBM02	0-5	265	100.00%	-	-	-	-	
		11-15	-	-	33	100.00%	-	-	
		16+	-	-	23	95.83%	1	4.17%	
		6-10	580	99.66%	2	0.34%	-	-	
		Total	845	93.47%	58	6.42%	1	0.11%	904
	PRBM03	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	126	99.21%	1	0.79%	-	-	
		Total	183	89.71%	21	10.29%	-	-	204
	PROC02	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	54	100.00%	-	-	-	-	
		Total	80	95.24%	4	4.76%	-	-	84
	PROC03	0-5	23	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	38	100.00%	-	-	-	-	
		Total	61	88.41%	8	11.59%	-	-	69
	Total		1,169	92.70%	91	7.22%	1	0.08%	1,261
Peel Region - Caledon Water (PCWAT123)	PBMC01	0-5	63	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	74
	POCWA05	0-5	17	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	27	96.43%	1	3.57%	-	-	28
	PRBM01	0-5	452	100.00%	-	-	-	-	
		11-15	-	-	45	100.00%	-	-	
		16+	-	-	22	95.65%	1	4.35%	
		6-10	801	99.38%	5	0.62%	-	-	
		Total	1,253	94.49%	72	5.43%	1	0.08%	1326
	PROC01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	17	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Peel Region - Caledon Water (PCWAT123)	PROC01	6-10	99	100.00%	-	-	-	-	
		Total	156	88.64%	20	11.36%	-	-	176
	Total		1,510	94.14%	93	5.80%	1	0.06%	1,604
Peel Region (PEEL123)	PEELTS04	0-5	29	100.00%	-	-	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	142	98.61%	2	1.39%	-	-	
		Total	171	95.00%	8	4.44%	1	0.56%	180
	Total		171	95.00%	8	4.44%	1	0.56%	180
Peel, Region Of (Peel Fibre Optics) (MISS01)	MISS01	0-5	583	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	5	71.43%	2	28.57%	
		6-10	8	88.89%	1	11.11%	-	-	
		Total	591	98.50%	7	1.17%	2	0.33%	600
	Total		591	98.50%	7	1.17%	2	0.33%	600
Pelham, Town Of (PEL1)	PEL1	0-5	131	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	73	97.33%	2	2.67%	-	-	
		Total	204	98.55%	2	0.97%	1	0.48%	207
	Total		204	98.55%	2	0.97%	1	0.48%	207
Pembina Pipeline (PEMBPL01)	PEMBPL01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Pembroke, City Of (PMBRK01)	PMBRK01	0-5	90	100.00%	-	-	-	-	
		Total	90	100.00%	-	-	-	-	90
	Total		90	100.00%	-	-	-	-	90
Penetanguishene, Town Of (PENTAN01)	PENTAN01	0-5	38	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	39	92.86%	3	7.14%	-	-	42
	Total		39	92.86%	3	7.14%	-	-	42
Pennytel Inc (PENTEL01)	PENTEL01	0-5	5	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total		5	83.33%	1	16.67%	-	-	6
Perth East, Township Of (PRTHE01)	PRTHE01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	-	-	3	100.00%	-	-	
		Total	5	55.56%	4	44.44%	-	-	9
	Total		5	55.56%	4	44.44%	-	-	9
Perth South, Township Of (PERTHS123)	PERTHS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	PERTHS02	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	50.00%	-	-	2	50.00%	4
Perth, Town Of (PERTH01)	PERTH01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	41	93.18%	2	4.55%	1	2.27%	44
	Total		41	93.18%	2	4.55%	1	2.27%	44
Petawawa, Town Of (PTWA123)	PTWA01	0-5	126	100.00%	-	-	-	-	
		Total	126	100.00%	-	-	-	-	126
	PTWASL01	0-5	67	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Petawawa, Town Of (PTWA123)	PTWASL01	6-10	10	100.00%	-	-	-	-	
		Total	77	100.00%	-	-	-	-	77
	Total		203	100.00%	-	-	-	-	203
Peterborough , City Of (PTRB01)	PTRB01	0-5	415	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	14	60.87%	9	39.13%	-	-	
		Total	429	96.62%	15	3.38%	-	-	444
	Total		429	96.62%	15	3.38%	-	-	444
Peterborough Utilities (Water, Wastewater) (PTBOU01)	PTBOU01	0-5	281	100.00%	-	-	-	-	
		6-10	84	100.00%	-	-	-	-	
		Total	365	100.00%	-	-	-	-	365
	PTBOU07	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		366	100.00%	-	-	-	-	366
Peterborough, County Of (PTB01)	PTB01	0-5	101	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	8	72.73%	3	27.27%	
		Total	101	87.83%	11	9.57%	3	2.61%	115
	Total		101	87.83%	11	9.57%	3	2.61%	115
Petro-Canada Lubricants (PCLUPL01)	PCLUPL01	11-15	-	-	4	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
	Total		-	-	4	100.00%	-	-	4
Petrolia, Town Of (P002)	P002	0-5	30	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	21	91.30%	2	8.70%	
		6-10	4	100.00%	-	-	-	-	
		Total	34	54.84%	26	41.94%	2	3.23%	62
	Total		34	54.84%	26	41.94%	2	3.23%	62
Pickering , City Of (PKRG01)	PKRG01	0-5	409	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	429	99.08%	4	0.92%	-	-	433
	Total		429	99.08%	4	0.92%	-	-	433
Pickle Lake, Municipality Of (PKLWS01)	PKLWS01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Pine Valley Drive - Private Owner (PRPV01)	PRPV01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
Plains Midstream Pipeline (PMPL01)	PMPL01	0-5	60	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	60	98.36%	1	1.64%	-	-	61
	Total		60	98.36%	1	1.64%	-	-	61
Plateau Wind Farm (PLATWF01)	PLATWF01	16+	-	-	-	-	6	100.00%	
		Total	-	-	-	-	6	100.00%	6
	Total		-	-	-	-	6	100.00%	6
Plympton-Wyoming , Town Of (PLWWSS01)	PLWWSS01	0-5	92	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	103	98.10%	-	-	2	1.90%	105
	Total		103	98.10%	-	-	2	1.90%	105
Point Edward, Village Of (PE01)	PE01	0-5	18	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Point Edward, Village Of (PE01)	PE01	6-10	6	100.00%	-	-	-	-	
		Total	24	85.71%	-	-	4	14.29%	28
	Total		24	85.71%	-	-	4	14.29%	28
Pointe-Aux-Roches Wind Farm (PARWF01)	PARWF01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Port Burwell Area Secondary Water Supply (PBSWS01)	PBSWS01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Port Colborne, City Of (PRTCLB01)	PRTCLB01	0-5	139	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	19	90.48%	2	9.52%	
		6-10	33	94.29%	2	5.71%	-	-	
		Total	172	85.57%	27	13.43%	2	1.00%	201
	Total		172	85.57%	27	13.43%	2	1.00%	201
Port Dover And Nanticoke Wind Project (PDNWP01)	PDNWP01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Port Hope, Municipality Of (PH123)	PH01	0-5	111	100.00%	-	-	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	127	100.00%	-	-	-	-	127
	Total		127	100.00%	-	-	-	-	127
Powassan, Municipality Of (PWSN01)	PWSN01	0-5	17	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		17	100.00%	-	-	-	-	17
Prescott , Town Of (PRS01)	PRS01	0-5	42	100.00%	-	-	-	-	
		Total	42	100.00%	-	-	-	-	42
	Total		42	100.00%	-	-	-	-	42
Prescott And Russell, United Counties Of (PRERUS123)	PRERUS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	PRERUS02	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	PRERUS03	16+	-	-	-	-	9	100.00%	
		Total	-	-	-	-	9	100.00%	9
Primus Management Ulc (PMT01)	PMT01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Prince , Township Of (PRNC01)	PRNC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Prince Edward, County Of (PEC04)	PEC04	0-5	128	100.00%	-	-	-	-	
		6-10	29	100.00%	-	-	-	-	
		Total	157	100.00%	-	-	-	-	157
	Total		157	100.00%	-	-	-	-	157
Promark For 2825784 Ontario Inc (VPPL01)	VPPL01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Public Services And Procurement Canada - Services Publics Et De L'Approvisionnement (PSPC01)	PSPC01	0-5	44	100.00%	-	-	-	-	
		Total	44	100.00%	-	-	-	-	44
	Total		44	100.00%	-	-	-	-	44
Puslinch, Township Of (PSLNC01)	PSLNC01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	50.00%	1	50.00%	
		Total	-	-	1	33.33%	2	66.67%	3
	Total		-	-	1	33.33%	2	66.67%	3
Q9 Networks (QNET01)	QNET01	0-5	7	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Quadro Communications (QUAD1)	MSCQUAD2	0-5	60	100.00%	-	-	-	-	
		6-10	12	92.31%	1	7.69%	-	-	
		Total	72	98.63%	1	1.37%	-	-	73
	QUAD1	0-5	293	100.00%	-	-	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	330	100.00%	-	-	-	-	330
	Total		402	99.75%	1	0.25%	-	-	403
QUALITY CABLES AND WIRELESS TELECOMMUNICATIONS LTD. (QCWT01)	QCWT01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Queen'S University (QUEENU01)	QUEENU01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		Total	26	81.25%	6	18.75%	-	-	32
	Total		26	81.25%	6	18.75%	-	-	32
Queens University Fibre (QUEENF01)	QUEENF01	0-5	32	100.00%	-	-	-	-	
		Total	32	100.00%	-	-	-	-	32
	Total		32	100.00%	-	-	-	-	32
Quinte West, City Of (QW123)	QWF01	16+	-	-	-	-	17	100.00%	
		Total	-	-	-	-	17	100.00%	17
	QWSL01	0-5	97	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	103	98.10%	2	1.90%	-	-	105
	QWSN01	0-5	96	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	126	100.00%	-	-	-	-	126
	QWSS01	0-5	70	100.00%	-	-	-	-	
		6-10	26	100.00%	-	-	-	-	
		Total	96	100.00%	-	-	-	-	96
	QWTS01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	QWW01	0-5	114	100.00%	-	-	-	-	
		6-10	37	100.00%	-	-	-	-	
		Total	151	100.00%	-	-	-	-	151
	Total		480	96.00%	3	0.60%	17	3.40%	500
Rainy River, Town Of (RNYRWS01)	RNYRWS01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Rainy River, Town Of (RNYRWS01)	RNYRWS01	6-10	6	100.00%	-	-	-	-	
		Total	8	88.89%	1	11.11%	-	-	9
	Total		8	88.89%	1	11.11%	-	-	9
Raleigh Wind Energy Centre (RWE01)	RWE01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
Ramara, Township Of (RMAWS01)	RMAWS01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Red Lake , Municipality Of (RLSS01)	RLSS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		Total	6	85.71%	1	14.29%	-	-	7
	Total		6	85.71%	1	14.29%	-	-	7
Red Rock, Township Of (RDRK01)	RDRK01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
	Total		-	-	1	100.00%	-	-	1
REGION OF HALTON WATER (HLTNW123)	HLTNW01	0-5	49	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	50	100.00%	-	-	-	-	50
	HLTNW02	0-5	656	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	136	98.55%	2	1.45%	-	-	
		Total	792	98.75%	10	1.25%	-	-	802
	Total		842	98.83%	10	1.17%	-	-	852
Region Of Waterloo (North Dumfries Wellesley Sewer) (RW05)	RW05	0-5	33	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	36	94.74%	2	5.26%	-	-	38
	Total		36	94.74%	2	5.26%	-	-	38
Region Of Waterloo, Rapid Transit (WLRT01)	WLRT01	0-5	17	100.00%	-	-	-	-	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	23	95.83%	1	4.17%	-	-	24
	Total		23	95.83%	1	4.17%	-	-	24
Renfrew Hydro (RFH01)	RFH01	0-5	52	100.00%	-	-	-	-	
		Total	52	100.00%	-	-	-	-	52
	Total		52	100.00%	-	-	-	-	52
Renfrew, County Of (RNF123)	RNF01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	49	98.00%	1	2.00%	-	-	50
	Total		49	98.00%	1	2.00%	-	-	50
Renfrew, Town Of (RNFW01)	RNFW01	0-5	50	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	50	98.04%	-	-	1	1.96%	51
	RNFW02	0-5	46	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	46	90.20%	-	-	5	9.80%	51
	Total		96	94.12%	-	-	6	5.88%	102
Richmond Hill, Town Of (RHL01)	RHL01	0-5	304	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Richmond Hill, Town Of (RHL01)	RHL01	6-10	1	100.00%	-	-	-	-	
		Total	305	100.00%	-	-	-	-	305
	Total		305	100.00%	-	-	-	-	305
Richmond Hill, Town Of (RHLE01)	RHLE01	0-5	21	100.00%	-	-	-	-	
		16+	-	-	26	100.00%	-	-	
		6-10	13	100.00%	-	-	-	-	
		Total	34	56.67%	26	43.33%	-	-	60
	Total		34	56.67%	26	43.33%	-	-	60
Richmond Hill, Town Of (RHLTS01)	RHLTS01	0-5	8	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	17	100.00%	-	-	-	-	17
	Total		17	100.00%	-	-	-	-	17
Rideau St Lawrence Utilities (RSLU01)	RSLU01	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	6	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	78	91.76%	-	-	7	8.24%	85
	Total		78	91.76%	-	-	7	8.24%	85
Rogers Communications (ROG123)	CABLET01	0-5	113	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	61	100.00%	-	-	-	-	
		Total	174	99.43%	1	0.57%	-	-	175
	ROGGE01	0-5	1,095	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	74	100.00%	-	-	-	-	
		Total	1,169	99.57%	5	0.43%	-	-	1174
	ROGHN01	0-5	1,305	100.00%	-	-	-	-	
		11-15	-	-	79	100.00%	-	-	
		16+	-	-	26	96.30%	1	3.70%	
		6-10	575	95.36%	28	4.64%	-	-	
		Total	1,880	93.35%	133	6.60%	1	0.05%	2014
	ROGLDN01	0-5	1,149	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	279	100.00%	-	-	-	-	
		Total	1,428	99.86%	2	0.14%	-	-	1430
	ROGNTH01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	ROGOE01	0-5	21	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	22	100.00%	-	-	-	-	22
	ROGOTT01	0-5	3,188	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	5	83.33%	1	16.67%	
		6-10	350	100.00%	-	-	-	-	
		Total	3,538	99.75%	8	0.23%	1	0.03%	3547
	ROGPEL01	0-5	1,496	100.00%	-	-	-	-	
		11-15	-	-	27	100.00%	-	-	
		16+	-	-	21	100.00%	-	-	
		6-10	767	99.87%	1	0.13%	-	-	
		Total	2,263	97.88%	49	2.12%	-	-	2312

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Rogers Communications (ROG123)	ROGRAIL1	0-5	250	100.00%	-	-	-	-	
		11-15	-	-	14	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	11	78.57%	3	21.43%	-	-	
		Total	261	93.21%	19	6.79%	-	-	
	ROGSIM01	0-5	1,361	100.00%	-	-	-	-	
		11-15	-	-	46	100.00%	-	-	
		16+	-	-	33	100.00%	-	-	
		6-10	682	97.57%	17	2.43%	-	-	
		Total	2,043	95.51%	96	4.49%	-	-	
	ROGSWO01	0-5	175	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	81	100.00%	-	-	-	-	
		Total	256	99.61%	1	0.39%	-	-	
	ROGTOR01	0-5	3,088	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	282	97.24%	8	2.76%	-	-	
		Total	3,370	99.47%	18	0.53%	-	-	
	ROGWAT01	0-5	2,406	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	9	100.00%	-	-	
		6-10	675	100.00%	-	-	-	-	
		Total	3,081	99.64%	11	0.36%	-	-	
	ROGWIN01	0-5	3	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	
	ROGYRK01	0-5	1,936	100.00%	-	-	-	-	
		11-15	-	-	63	100.00%	-	-	
		16+	-	-	15	100.00%	-	-	
		6-10	844	99.76%	2	0.24%	-	-	
		Total	2,780	97.20%	80	2.80%	-	-	
	RUWV01	0-5	57	100.00%	-	-	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	76	100.00%	-	-	-	-	
	SJRB01	0-5	26	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	30	96.77%	1	3.23%	-	-	
	SJRB02	0-5	148	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	47	100.00%	-	-	-	-	
	SJRB03	0-5	35	100.00%	-	-	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	42	97.67%	1	2.33%	-	-	
	SJRB04	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		22,624	98.14%	427	1.85%	2	0.01%	23,053
Romney Wind Energy Centre Lp (RWE01)	RWE01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	7	87.50%	-	-	1	12.50%	
	Total		7	87.50%	-	-	1	12.50%	8

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Rowe Energy Corporation (ROWE01)	ROWE01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	2	33.33%	4	66.67%	
		6-10	14	100.00%	-	-	-	-	
		Total	15	71.43%	2	9.52%	4	19.05%	
	Total		15	71.43%	2	9.52%	4	19.05%	21
Roxborough Telephone Co Ltd (ROXT01)	ROXT01	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	23	100.00%	-	-	
		16+	-	-	29	76.32%	9	23.68%	
		6-10	5	100.00%	-	-	-	-	
	Total		16	20.78%	52	67.53%	9	11.69%	77
	Total		16	20.78%	52	67.53%	9	11.69%	77
Russell, Township Of (RSEL01)	RSEL01	0-5	169	100.00%	-	-	-	-	
		11-15	-	-	-	-	3	100.00%	
		16+	-	-	2	11.76%	15	88.24%	
		6-10	40	86.96%	6	13.04%	-	-	
	Total		209	88.94%	8	3.40%	18	7.66%	235
	Total		209	88.94%	8	3.40%	18	7.66%	235
Ryerson University (RYEU01)	RYEU01	11-15	-	-	7	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	3	27.27%	8	72.73%	-	-	
	Total		3	27.27%	8	72.73%	-	-	11
Sables-Spanish Rivers, Township Of (SSR123)	SSRMA01	0-5	5	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	SSRWE01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		7	100.00%	-	-	-	-	7
Sarnia, City Of (C006)	C006	0-5	611	100.00%	-	-	-	-	
		16+	-	-	-	-	18	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	612	97.14%	-	-	18	2.86%	
	Total		612	97.14%	-	-	18	2.86%	630
Saugeen First Nations Water (SFNW01)	SFNW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Saugeen Shores, Town Of (SS123)	SSFM01	0-5	14	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	
	SSSL01	0-5	179	100.00%	-	-	-	-	
		Total	179	100.00%	-	-	-	-	
	SSWS01	0-5	190	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	22	100.00%	-	-	-	-	
		Total	212	97.70%	3	1.38%	2	0.92%	
	Total		411	98.80%	3	0.72%	2	0.48%	416
Sault Ste. Marie Puc Distribution Inc. (SSMPU123)	SSMPUE01	0-5	258	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	20	100.00%	-	-	-	-	
		Total	278	99.64%	1	0.36%	-	-	
	SSMPUW01	0-5	215	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	19	100.00%	-	-	-	-	
		Total	234	99.57%	1	0.43%	-	-	
	Total		512	99.61%	2	0.39%	-	-	514

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Sault Ste. Marie, City Of (SSM01)	SSM01	0-5	80	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	83	98.81%	-	-	1	1.19%	
	Total		83	98.81%	-	-	1	1.19%	84
Scugog, Township Of (SCG01)	SCG01	0-5	73	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	76	97.44%	2	2.56%	-	-	
	Total		76	97.44%	2	2.56%	-	-	78
Selwyn, Township Of (SLWN01)	SLWN01	0-5	23	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	23	95.83%	-	-	1	4.17%	
	Total		23	95.83%	-	-	1	4.17%	24
Selwyn, Township Of (SLWN02)	SLWN02	0-5	18	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	
	Total		27	100.00%	-	-	-	-	27
Selwyn, Township Of (SLWN03)	SLWN03	0-5	18	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	
	Total		27	100.00%	-	-	-	-	27
Severn, Township Of (SEVERN01)	SEVERN01	0-5	33	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	
	SEVERN02	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	Total		47	100.00%	-	-	-	-	47
Shared Tower Inc	SHARET01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	9	100.00%	
	Total		-	-	-	-	9	100.00%	9
Shelburne , Town Of (SHLB01)	SHLB01	0-5	42	100.00%	-	-	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	46	97.87%	1	2.13%	-	-	
	Total		46	97.87%	1	2.13%	-	-	47
Shell Canada - Sault Ste. Marie (SHL2)	SHL2	11-15	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
Shell Canada (SHL1)	SHL1	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	4	66.67%	2	33.33%	-	-	
	Total		4	66.67%	2	33.33%	-	-	6
Sick Kids Hospital (SKH01)	SKH01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Silver Bay Water (SBW1)	SBW1	16+	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	
	Total		-	-	2	100.00%	-	-	2
Silvercreek Nominee Inc (SCSF01)	SCSF01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Simcoe, County Of (SIM01)	SIM01	0-5	10	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	10
		Total	10	100.00%	-	-	-	-	10
Sioux Lookout Hydro (SILOH01)	SILOH01	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
		Total	8	100.00%	-	-	-	-	8
Sioux Lookout, Municipality Of (SILOWS01)	SILOWS01	16+	-	-	1	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
		Total	-	-	2	100.00%	-	-	2
Six Nations Gas (SNG01)	SNG01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	12	92.31%	1	7.69%	
		16+	-	-	1	5.26%	18	94.74%	
		6-10	4	26.67%	11	73.33%	-	-	
		Total	8	15.69%	24	47.06%	19	37.25%	51
		Total	8	15.69%	24	47.06%	19	37.25%	51
Smiths Falls , Town Of (SMFS01)	SMFS01	0-5	60	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	85.71%	1	14.29%	-	-	
		Total	66	97.06%	1	1.47%	1	1.47%	68
		Total	66	97.06%	1	1.47%	1	1.47%	68
Smooth Rock Falls, Town Of (SRF01)	SRF01	16+	-	-	-	-	5	100.00%	
		Total	-	-	-	-	5	100.00%	5
		Total	-	-	-	-	5	100.00%	5
South Bruce Peninsula , Town Of (SBPWSS01)	SBPWSS01	0-5	14	100.00%	-	-	-	-	
		11-15	-	-	35	97.22%	1	2.78%	
		16+	-	-	-	-	25	100.00%	
		6-10	14	40.00%	21	60.00%	-	-	
		Total	28	25.45%	56	50.91%	26	23.64%	110
		Total	28	25.45%	56	50.91%	26	23.64%	110
South Bruce, Municipality Of (SBWS01)	SBWS01	0-5	25	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	25	96.15%	-	-	1	3.85%	26
		Total	25	96.15%	-	-	1	3.85%	26
South Dundas , Municipality Of (SDS01)	SDS01	0-5	39	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	39	84.78%	6	13.04%	1	2.17%	46
		Total	39	84.78%	6	13.04%	1	2.17%	46
South Frontenac, Township Of (SF123)	SFS01	0-5	26	100.00%	-	-	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	28	96.55%	1	3.45%	-	-	29
	SFSL01	0-5	21	100.00%	-	-	-	-	
		6-10	1	50.00%	1	50.00%	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
	SFW01	0-5	5	100.00%	-	-	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
		Total	55	94.83%	3	5.17%	-	-	58
South Glengarry , Township Of (SGG01)	SGG01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	1	33.33%	2	66.67%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
South Glengarry , Township Of (SGG01)	SGG01	6-10	3	75.00%	1	25.00%	-	-	
		Total	35	87.50%	2	5.00%	3	7.50%	40
	Total		35	87.50%	2	5.00%	3	7.50%	40
South Huron Hospital (SHHA01)	SHHA01	11-15	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
South Huron, Municipality Of (SHURN01)	SHURN01	0-5	27	100.00%	-	-	-	-	
		11-15	-	-	2	15.38%	11	84.62%	
		16+	-	-	-	-	63	100.00%	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	29	27.10%	4	3.74%	74	69.16%	107
	Total		29	27.10%	4	3.74%	74	69.16%	107
South Kent Wind Project (SKWP01)	SKWP01	0-5	15	100.00%	-	-	-	-	
		11-15	-	-	51	100.00%	-	-	
		16+	-	-	1	3.03%	32	96.97%	
		6-10	30	90.91%	3	9.09%	-	-	
		Total	45	34.09%	55	41.67%	32	24.24%	132
	Total		45	34.09%	55	41.67%	32	24.24%	132
South River , Village Of (SORI01)	SORI01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	2	66.67%	1	33.33%	-	-	3
	Total		2	66.67%	1	33.33%	-	-	3
South Stormont, Township Of (SSTM01)	SSTM01	0-5	80	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	26	100.00%	-	-	-	-	
		Total	106	99.07%	-	-	1	0.93%	107
	Total		106	99.07%	-	-	1	0.93%	107
Southgate, Township (SGWS01)	SGWS01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		Total	13	76.47%	4	23.53%	-	-	17
	Total		13	76.47%	4	23.53%	-	-	17
Southwest Middlesex, Municipality Of (SWMSX01)	SWMSX01	0-5	36	100.00%	-	-	-	-	
		11-15	-	-	30	78.95%	8	21.05%	
		16+	-	-	8	72.73%	3	27.27%	
		6-10	9	75.00%	3	25.00%	-	-	
		Total	45	46.39%	41	42.27%	11	11.34%	97
	SWMSX02	0-5	26	100.00%	-	-	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	31	100.00%	-	-	-	-	31
	Total		76	59.38%	41	32.03%	11	8.59%	128
South-West Oxford, Township Of (SWOX01)	SWOX01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		16+	-	-	2	14.29%	12	85.71%	
		6-10	2	40.00%	3	60.00%	-	-	
		Total	30	62.50%	5	10.42%	13	27.08%	48
	Total		30	62.50%	5	10.42%	13	27.08%	48
Southwold, Township Of (SOW01)	SOW01	0-5	78	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	83.33%	1	16.67%	-	-	
		Total	83	97.65%	1	1.18%	1	1.18%	85
	Total		83	97.65%	1	1.18%	1	1.18%	85

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Sp Belle River Wind Lp (BRWF01)	BRWF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	Total		5	100.00%	-	-	-	-	5
Spectrum Telecom Group Ltd (STGL01)	STGL01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	
	Total		2	66.67%	-	-	1	33.33%	3
Springwater, Township Of (SPRGW01)	SPRGW01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	6	66.67%	3	33.33%	-	-	
		Total	19	73.08%	7	26.92%	-	-	
	Total		19	73.08%	7	26.92%	-	-	26
St. Catharines, City Of (STC1)	STC1	0-5	356	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	73	100.00%	-	-	-	-	
		Total	429	99.77%	1	0.23%	-	-	
	Total		429	99.77%	1	0.23%	-	-	430
St. Charles, Municipality Of (STC01)	STC01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	2	100.00%	
	Total		-	-	-	-	2	100.00%	2
St. Clair, Township Of (M002)	M002	0-5	146	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		Total	146	97.33%	-	-	4	2.67%	
	Total		146	97.33%	-	-	4	2.67%	150
St. Columban Wind Farms Lp (STCWF01)	STCWF01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		Total	-	-	8	100.00%	-	-	
	Total		-	-	8	100.00%	-	-	8
St. Josephs Healthcare (Hamilton) (STJHC01)	STJHC01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
St. Marys General Hospital (STMGH01)	STMGH01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
St. Mary'S, Town Of (STMWS01)	STMWS01	0-5	66	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	2	100.00%	-	-	-	-	
		Total	68	97.14%	-	-	2	2.86%	
	Total		68	97.14%	-	-	2	2.86%	70
St. Michael'S Hospital (STMH01)	STMH01	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		Total	8	80.00%	1	10.00%	1	10.00%	
	Total		8	80.00%	1	10.00%	1	10.00%	10
St. Thomas, City Of (STHWS01)	STHSL01	0-5	133	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	1	5.00%	19	95.00%	
		6-10	64	87.67%	9	12.33%	-	-	
		Total	197	79.44%	32	12.90%	19	7.66%	
	STHWS01	0-5	165	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	1	4.76%	20	95.24%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
St. Thomas, City Of (STHWS01)	STHWS01	6-10	69	85.19%	12	14.81%	-	-	
		Total	234	80.97%	35	12.11%	20	6.92%	289
	Total		431	80.26%	67	12.48%	39	7.26%	537
Start Communications (STARTC01)	STARTC02	0-5	158	100.00%	-	-	-	-	
		6-10	119	100.00%	-	-	-	-	
		Total	277	100.00%	-	-	-	-	277
	Total		277	100.00%	-	-	-	-	277
Stelco Steel Hamilton Works (SHW01)	SHW01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Stirling Rawdon , Township Of (STRDWS01)	STRDWS01	0-5	10	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	13	100.00%	-	-	-	-	13
	Total		13	100.00%	-	-	-	-	13
Stone Mills, Township Of (STMSS01)	STMSS01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Stonebridge Golf And Country Club (SBGCC01)	SBGCC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Storm Internet (STRMF01)	STRMF01	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	5
	Total		5	100.00%	-	-	-	-	5
Stormont Dundas And Glengarry , United Counties Of (SDG01)	SDG01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Stormont Dundas And Glengarry , United Counties Of (SDG02)	SDG02	0-5	15	100.00%	-	-	-	-	
		6-10	9	100.00%	-	-	-	-	
		Total	24	100.00%	-	-	-	-	24
	Total		24	100.00%	-	-	-	-	24
Stratford, City Of (STRATWS01)	STRATWS01	11-15	-	-	-	-	125	100.00%	
		16+	-	-	-	-	354	100.00%	
		Total	-	-	-	-	479	100.00%	479
	Total		-	-	-	-	479	100.00%	479
Strathroy-Caradoc - Storm/Streetlights, Municipality Of (STRCSL01)	STRCSL01	0-5	61	100.00%	-	-	-	-	
		Total	61	100.00%	-	-	-	-	61
	Total		61	100.00%	-	-	-	-	61
Strathroy-Caradoc, Municipality Of (STRCWS01)	STRCWS01	0-5	68	100.00%	-	-	-	-	
		Total	68	100.00%	-	-	-	-	68
	Total		68	100.00%	-	-	-	-	68
Sudbury District Energy (SDEONE01)	SDEONE01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		Total	1	50.00%	1	50.00%	-	-	2
	Total		1	50.00%	1	50.00%	-	-	2
Summer Haven Wind (SHWF01)	SHWF01	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	9
	Total		9	100.00%	-	-	-	-	9
Sun Canada Pipeline \Transnorthern Pipeline	DVPL2	0-5	53	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	4	80.00%	1	20.00%	-	-	
		Total	57	91.94%	5	8.06%	-	-	62
	Total		57	91.94%	5	8.06%	-	-	62

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Sun Canadian Pipelines (SCP01)	DVPL1	0-5	110	100.00%	-	-	-	-	
		Total	110	100.00%	-	-	-	-	110
	S002	0-5	183	100.00%	-	-	-	-	
		Total	183	100.00%	-	-	-	-	183
	S004	0-5	27	100.00%	-	-	-	-	
		Total	27	100.00%	-	-	-	-	27
Total			320	100.00%	-	-	-	-	320
Suncor Energy (SCE02)	SCE02	0-5	11	100.00%	-	-	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	13	86.67%	2	13.33%	-	-	15
	Total			13	86.67%	2	13.33%	-	-
Suncor Energy Products (SNCP05)	SNCP05	0-5	1	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	1	25.00%	3	75.00%	-	-	4
	Total			1	25.00%	3	75.00%	-	-
Suncor Energy Products (SNCP02)	SNCP02	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total			2	100.00%	-	-	-	-
Suncor Energy Products (SNCP03)	SNCP03	11-15	-	-	2	100.00%	-	-	
		16+	-	-	10	100.00%	-	-	
		Total	-	-	12	100.00%	-	-	12
	Total			-	-	12	100.00%	-	-
Suncor Energy Products (SNCP04)	SNCP04	0-5	3	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total			4	100.00%	-	-	-	-
Suncor Pipelines (SNCP01)	SNCP01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	-	-	1	100.00%	
		Total	6	85.71%	-	-	1	14.29%	7
	Total			6	85.71%	-	-	1	14.29%
Sundridge, Village Of (SNDR01)	SNDR01	11-15	-	-	2	100.00%	-	-	
		Total	-	-	2	100.00%	-	-	2
	Total			-	-	2	100.00%	-	-
Superior View Gas Inc (SVGPL01)	SVGPL01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	83.33%	1	16.67%	-	-	6
	Total			5	83.33%	1	16.67%	-	-
Synergy North - Kenora (SNKEN01)	SNKEN01	0-5	28	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	29	87.88%	4	12.12%	-	-	33
	Total			29	87.88%	4	12.12%	-	-
Synergy North - Thunder Bay (SNTB01)	SNTB01	0-5	523	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		6-10	82	100.00%	-	-	-	-	
		Total	605	99.18%	5	0.82%	-	-	610
	Total			605	99.18%	5	0.82%	-	-
Talbot Windfarm (TALWF01)	TALWF01	0-5	34	100.00%	-	-	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	37
	Total			37	100.00%	-	-	-	-

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
TANDEM FOR HIBOO NETWORKS (HIBOO01)	HIBOO01	0-5	2	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	54.55%	5	45.45%	-	-	
	Total		6	54.55%	5	45.45%	-	-	11
Tay, Township Of - Street Lights (TAY02)	TAY02	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	Total		1	100.00%	-	-	-	-	1
Tay, Township Of (TAY01)	TAY01	0-5	40	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	45	90.00%	4	8.00%	1	2.00%	
	Total		45	90.00%	4	8.00%	1	2.00%	50
Tbaytel (TBYTEL01)	TBYTEL01	0-5	377	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		6-10	125	99.21%	1	0.79%	-	-	
		Total	502	98.62%	7	1.38%	-	-	
	TBYTEL02	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	-	-	1	100.00%	-	-	
		Total	44	89.80%	5	10.20%	-	-	49
	Total		546	97.85%	12	2.15%	-	-	558
TC Energy - East (TCP01)	TC03	0-5	337	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	340	99.42%	2	0.58%	-	-	
	TC06	0-5	216	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	222	100.00%	-	-	-	-	
	TC07	0-5	74	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	75	98.68%	1	1.32%	-	-	
	TC08	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	4	66.67%	2	33.33%	-	-	
		Total	33	84.62%	6	15.38%	-	-	
	TC09	0-5	35	100.00%	-	-	-	-	
		Total	35	100.00%	-	-	-	-	
	TC10	0-5	91	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	93	95.88%	4	4.12%	-	-	
	TC12	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	TC14	0-5	8	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	TC15	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	TC16	0-5	9	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
TC Energy - East (TCP01)	TC17	0-5	8	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	9	90.00%	1	10.00%	-	-	
	TC18	0-5	142	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	2	50.00%	2	50.00%	-	-	
		Total	144	95.36%	7	4.64%	-	-	
	TC19	0-5	49	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	51	100.00%	-	-	-	-	
	Total		1,026	97.99%	21	2.01%	-	-	1,047
Tecumseh, Town Of (TEC123)	TECS01	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	20	76.92%	6	23.08%	-	-	
		Total	28	52.83%	24	45.28%	1	1.89%	
	TECW01	0-5	5	100.00%	-	-	-	-	
		11-15	-	-	113	96.58%	4	3.42%	
		16+	-	-	1	12.50%	7	87.50%	
		6-10	42	73.68%	15	26.32%	-	-	
		Total	47	25.13%	129	68.98%	11	5.88%	
	Total		75	31.25%	153	63.75%	12	5.00%	240
Teksavvy Solutions Inc (TKSF01)	TKSF01	0-5	307	100.00%	-	-	-	-	
		6-10	39	95.12%	2	4.88%	-	-	
		Total	346	99.43%	2	0.57%	-	-	
	Total		346	99.43%	2	0.57%	-	-	348
Telmax Inc (TLMXF01)	TLMXF01	0-5	341	100.00%	-	-	-	-	
		11-15	-	-	6	37.50%	10	62.50%	
		16+	-	-	6	100.00%	-	-	
		6-10	256	96.24%	10	3.76%	-	-	
		Total	597	94.91%	22	3.50%	10	1.59%	
	Total		597	94.91%	22	3.50%	10	1.59%	629
Telus (TELUS01)	TELGE01	0-5	79	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	25	100.00%	-	-	-	-	
		Total	104	99.05%	-	-	1	0.95%	
	TELGN01	0-5	99	100.00%	-	-	-	-	
		11-15	-	-	17	94.44%	1	5.56%	
		16+	-	-	-	-	4	100.00%	
		6-10	33	94.29%	2	5.71%	-	-	
		Total	132	84.62%	19	12.18%	5	3.21%	
	TELGN02	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	3	75.00%	1	25.00%	
		6-10	7	100.00%	-	-	-	-	
		Total	38	90.48%	3	7.14%	1	2.38%	
	TELGW01	0-5	87	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	34	100.00%	-	-	-	-	
		Total	121	97.58%	2	1.61%	1	0.81%	
	TELGW02	0-5	4	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Telus (TELUS01)	TELHN01	0-5	151	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	7	87.50%	1	12.50%	-	-	
		Total	158	97.53%	4	2.47%	-	-	
	TELOE01	0-5	327	100.00%	-	-	-	-	
		11-15	-	-	18	100.00%	-	-	
		16+	-	-	6	27.27%	16	72.73%	
		6-10	167	98.24%	3	1.76%	-	-	
		Total	494	91.99%	27	5.03%	16	2.98%	
	TELONE01	0-5	24	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	
	TELONW01	0-5	21	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	26	96.30%	1	3.70%	-	-	
	TELOS01	0-5	131	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	22	95.65%	1	4.35%	-	-	
		Total	153	97.45%	4	2.55%	-	-	
	TELOW01	0-5	71	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	10	90.91%	1	9.09%	-	-	
		Total	81	97.59%	2	2.41%	-	-	
	TELTE01	0-5	200	100.00%	-	-	-	-	
		11-15	-	-	8	100.00%	-	-	
		16+	-	-	4	80.00%	1	20.00%	
		6-10	94	100.00%	-	-	-	-	
		Total	294	95.77%	12	3.91%	1	0.33%	
	TELTW01N	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	24	72.73%	9	27.27%	-	-	
		Total	89	84.76%	15	14.29%	1	0.95%	
	TELTW01S	0-5	184	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	79	100.00%	-	-	-	-	
		Total	263	97.05%	8	2.95%	-	-	
	Total		1,986	94.17%	97	4.60%	26	1.23%	2,109
Temagami, Municipality Of (TMG01)	TMG01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	2	66.67%	-	-	1	33.33%	
	Total		2	66.67%	-	-	1	33.33%	3
Temiskaming Shores, The City Of (TSWS01)	TSWS01	0-5	26	100.00%	-	-	-	-	
		Total	26	100.00%	-	-	-	-	
	Total		26	100.00%	-	-	-	-	26
Terago Networks Inc (TNF01)	TNF01	0-5	4	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	4	57.14%	3	42.86%	-	-	
	Total		4	57.14%	3	42.86%	-	-	7
Teraspan Networks (TS01)	TS01	0-5	21	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Teraspan Networks (TS01)	TS01	16+	-	-	1	100.00%	-	-	
		Total	21	95.45%	1	4.55%	-	-	22
	Total		21	95.45%	1	4.55%	-	-	22
Terrace Bay , Township Of (TRBWS01)	TRBWS01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	Total		4	100.00%	-	-	-	-	4
Thames Centre, Municipality Of (THCWS01)	THCWS01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	2	50.00%	2	50.00%	
		16+	-	-	-	-	3	100.00%	
		6-10	3	37.50%	5	62.50%	-	-	
		Total	46	79.31%	7	12.07%	5	8.62%	58
	Total		46	79.31%	7	12.07%	5	8.62%	58
Thames Centre, Municipality Of, Storm Sewer, Drains, Streetlights (THCSS01)	THCSS01	0-5	57	100.00%	-	-	-	-	
		11-15	-	-	-	-	7	100.00%	
		16+	-	-	-	-	5	100.00%	
		6-10	7	50.00%	7	50.00%	-	-	
		Total	64	77.11%	7	8.43%	12	14.46%	83
	Total		64	77.11%	7	8.43%	12	14.46%	83
Thorold, City Of (THLD01)	THLD01	0-5	238	100.00%	-	-	-	-	
		11-15	-	-	6	85.71%	1	14.29%	
		16+	-	-	-	-	1	100.00%	
		6-10	39	88.64%	5	11.36%	-	-	
		Total	277	95.52%	11	3.79%	2	0.69%	290
	Total		277	95.52%	11	3.79%	2	0.69%	290
Thunder Bay Regional HSC	TBRHSC01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
Thunder Bay, City Of - Parks Property (THBY03)	THBY03	0-5	60	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	70	100.00%	-	-	-	-	70
	Total		70	100.00%	-	-	-	-	70
Thunder Bay, City Of (THBY123)	THBY01	0-5	254	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	9	100.00%	
		6-10	53	100.00%	-	-	-	-	
		Total	307	96.85%	1	0.32%	9	2.84%	317
	THBY02	0-5	226	100.00%	-	-	-	-	
		16+	-	-	-	-	4	100.00%	
		6-10	40	100.00%	-	-	-	-	
		Total	266	98.52%	-	-	4	1.48%	270
	Total		573	97.61%	1	0.17%	13	2.21%	587
TIERRA FOR SMART NETWORK SOLUTIONS (SNS01)	SNS01	0-5	18	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	Total		19	100.00%	-	-	-	-	19
Tillsonburg , Town Of (TSB01)	TSB01	0-5	252	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	2	25.00%	6	75.00%	-	-	
		Total	254	97.32%	6	2.30%	1	0.38%	261
	Total		254	97.32%	6	2.30%	1	0.38%	261
Tillsonburg Hydro (TLSBH01)	TLSBH01	0-5	152	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Tillsonburg Hydro (TLSBH01)	TLSBH01	6-10	10	100.00%	-	-	-	-	
		Total	162	100.00%	-	-	-	-	162
	Total		162	100.00%	-	-	-	-	162
Timmins, City Of - Traffic And Street Lights (TMNSSL01)	TMNSSL01	0-5	20	100.00%	-	-	-	-	
		Total	20	100.00%	-	-	-	-	20
	Total		20	100.00%	-	-	-	-	20
Timmins, City Of (TMNS01)	TMNS01	0-5	65	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	66	100.00%	-	-	-	-	66
	Total		66	100.00%	-	-	-	-	66
Tiny, Township Of (TNY01)	TNY01	0-5	43	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	8	53.33%	7	46.67%	-	-	
		Total	51	80.95%	12	19.05%	-	-	63
	Total		51	80.95%	12	19.05%	-	-	63
Toronto Business Improvement Areas (BIA123)	BBPBIA01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	4	80.00%	1	20.00%	-	-	5
	BDVBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	BPGBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	BYEBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	BYWBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	6
	CPBIA01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	CRIBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	DFVBIA01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	5	100.00%	-	-	-	-	
		Total	17	89.47%	2	10.53%	-	-	19
	DNFBIA01	0-5	5	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	7
	DYEIBIA01	0-5	7	100.00%	-	-	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	19	100.00%	-	-	-	-	19
	DYWBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	EGLBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	12	100.00%	-	-	-	-	12
	EVBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	GIBBIA01	0-5	3	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	GRTBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	14	100.00%	-	-	-	-	
	HLCBIA01	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	JGBIA01	0-5	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	KRBIA01	0-5	4	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	
	KSWBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	LBBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	LBVBIA01	0-5	6	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	10	100.00%	-	-	-	-	
	LIBIA01	0-5	1	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	9	100.00%	-	-	-	-	
	LSVBIA01	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	2	66.67%	1	33.33%	-	-	
	MTDNBIA1	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	MTDSBIA1	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	5	100.00%	
		Total	1	16.67%	-	-	5	83.33%	
	RCVBIA01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	RHVBIA01	11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	3	75.00%	1	25.00%	-	-	
	RMSBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	RSDBIA01	0-5	7	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	9	100.00%	-	-	-	-	
		Total	16	88.89%	-	-	2	11.11%	
	SCGBIA01	0-5	4	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	3	100.00%	-	-	-	-	
		Total	7	87.50%	1	12.50%	-	-	
	UPVBIA01	16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	1	50.00%	-	-	1	50.00%	
	VIBIA01	0-5	1	100.00%	-	-	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Business Improvement Areas (BIA123)	VIBIA01	6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	WVBIA01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	WYWBIA01	0-5	2	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	4
	YEBIA01	6-10	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		196	93.33%	6	2.86%	8	3.81%	210
Toronto Community Housing (TCHC01)	TCHC01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Toronto Gas Extraction (TORGE01)	TORGEE01	6-10	3	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	3
	Total		3	100.00%	-	-	-	-	3
Toronto Hydro (TH123)	THFWLTR1	0-5	21	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	22	95.65%	1	4.35%	-	-	23
	THT21	0-5	1	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	21	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	2	8.33%	1	4.17%	21	87.50%	24
	THT23	0-5	115	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	105	99.06%	1	0.94%	-	-	
		Total	220	98.21%	4	1.79%	-	-	224
	THTE01	0-5	2,961	100.00%	-	-	-	-	
		11-15	-	-	43	100.00%	-	-	
		16+	-	-	19	90.48%	2	9.52%	
		6-10	1,229	99.35%	8	0.65%	-	-	
		Total	4,190	98.31%	70	1.64%	2	0.05%	4262
	THTW01N	0-5	1,739	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	13	100.00%	-	-	
		6-10	338	100.00%	-	-	-	-	
		Total	2,077	99.24%	16	0.76%	-	-	2093
	THTW01S	0-5	2,062	100.00%	-	-	-	-	
		11-15	-	-	30	100.00%	-	-	
		16+	-	-	8	100.00%	-	-	
		6-10	493	95.73%	22	4.27%	-	-	
		Total	2,555	97.71%	60	2.29%	-	-	2615
	Total		9,066	98.11%	152	1.64%	23	0.25%	9,241
Toronto Traffic Signals (TORTS01)	TORTSE01	0-5	282	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	3	50.00%	3	50.00%	
		6-10	309	100.00%	-	-	-	-	
		Total	591	97.04%	15	2.46%	3	0.49%	609
	TORTSE02	0-5	19	100.00%	-	-	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	94	100.00%	-	-	-	-	
		Total	113	97.41%	1	0.86%	2	1.72%	116

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Toronto Traffic Signals (TORTS01)	TORTSWN1	0-5	112	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	84	100.00%	-	-	-	-	
		Total	196	97.51%	5	2.49%	-	-	
	TORTSWN2	0-5	8	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	12	100.00%	-	-	-	-	
		Total	20	90.91%	2	9.09%	-	-	
	TORTSWS1	0-5	257	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	145	100.00%	-	-	-	-	
		Total	402	98.05%	8	1.95%	-	-	
	TORTSWS2	0-5	52	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		6-10	45	100.00%	-	-	-	-	
		Total	97	96.04%	4	3.96%	-	-	
	Total		1,419	97.26%	35	2.40%	5	0.34%	1,459
Toronto Transit Commission (Ttc) - Communications (TTCC01)	TTCC01	0-5	192	100.00%	-	-	-	-	
		11-15	-	-	10	90.91%	1	9.09%	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	35	89.74%	4	10.26%	-	-	
		Total	227	92.28%	15	6.10%	4	1.63%	
	Total		227	92.28%	15	6.10%	4	1.63%	246
Toronto Transit Commission (Ttc) - Electrical Lines (TTCE01)	TTCE01	0-5	374	100.00%	-	-	-	-	
		11-15	-	-	27	93.10%	2	6.90%	
		16+	-	-	3	12.00%	22	88.00%	
		6-10	40	90.91%	4	9.09%	-	-	
		Total	414	87.71%	34	7.20%	24	5.08%	
	Total		414	87.71%	34	7.20%	24	5.08%	472
Toronto Transit Commission (Ttc) - Rail Structures (TTCRS01)	TTCRS01	0-5	392	100.00%	-	-	-	-	
		6-10	27	100.00%	-	-	-	-	
		Total	419	100.00%	-	-	-	-	
	Total		419	100.00%	-	-	-	-	419
Toronto Water and Sewer (TORW123)	TORWE01	0-5	431	100.00%	-	-	-	-	
		11-15	-	-	13	100.00%	-	-	
		16+	-	-	8	72.73%	3	27.27%	
		6-10	451	99.34%	3	0.66%	-	-	
		Total	882	97.03%	24	2.64%	3	0.33%	
	TORWE02	0-5	102	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	118	100.00%	-	-	-	-	
		Total	220	97.35%	6	2.65%	-	-	
	TORWE03	0-5	12	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	23	100.00%	-	-	-	-	
	TORWE04	0-5	76	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	60	100.00%	-	-	-	-	
		Total	136	97.84%	3	2.16%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Toronto Water and Sewer (TORW123)	TORWE05	0-5	19	100.00%	-	-	-	-	
		6-10	18	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	
	TORWE06	0-5	3	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	7	100.00%	-	-	-	-	
	TORWE07	0-5	254	100.00%	-	-	-	-	
		11-15	-	-	6	100.00%	-	-	
		16+	-	-	5	62.50%	3	37.50%	
		6-10	247	99.60%	1	0.40%	-	-	
		Total	501	97.09%	12	2.33%	3	0.58%	
	TORWW01	0-5	343	100.00%	-	-	-	-	
		11-15	-	-	15	100.00%	-	-	
		16+	-	-	1	33.33%	2	66.67%	
		6-10	276	96.17%	11	3.83%	-	-	
		Total	619	95.52%	27	4.17%	2	0.31%	
	TORWW02	0-5	254	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	10	90.91%	1	9.09%	
		6-10	195	100.00%	-	-	-	-	
		Total	449	97.19%	12	2.60%	1	0.22%	
	TORWW04	0-5	67	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		6-10	42	95.45%	2	4.55%	-	-	
		Total	109	97.32%	3	2.68%	-	-	
	TORWW05	0-5	54	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	50.00%	1	50.00%	
		6-10	41	100.00%	-	-	-	-	
		Total	95	96.94%	2	2.04%	1	1.02%	
	TORWW06	6-10	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	
	TORWWN07	0-5	81	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	7	100.00%	-	-	
		6-10	64	100.00%	-	-	-	-	
		Total	145	94.77%	8	5.23%	-	-	
	TORWWS03	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	15	100.00%	-	-	-	-	
		Total	28	93.33%	2	6.67%	-	-	
	TORWWS07	0-5	168	100.00%	-	-	-	-	
		11-15	-	-	7	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	120	95.24%	6	4.76%	-	-	
		Total	288	95.05%	13	4.29%	2	0.66%	
	Total		3,540	96.62%	112	3.06%	12	0.33%	3,664
Toronto, University Of (UTOR01)	UTOR01	0-5	37	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	38	100.00%	-	-	-	-	
	Total		38	100.00%	-	-	-	-	38
Trans Canada Utilities For York Region Fibre (YRF01)	YRF01	0-5	761	100.00%	-	-	-	-	
		6-10	94	98.95%	1	1.05%	-	-	
		Total	855	99.88%	1	0.12%	-	-	
	Total		855	99.88%	1	0.12%	-	-	856

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Transcanada Pipelines - North (TCP02)	TC04	0-5	25	100.00%	-	-	-	-	26
		6-10	-	-	1	100.00%	-	-	
		Total	25	96.15%	1	3.85%	-	-	
	TC11	0-5	32	100.00%	-	-	-	-	35
		16+	-	-	2	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	33	94.29%	2	5.71%	-	-	
	Total		58	95.08%	3	4.92%	-	-	61
Trans-Northern Pipelines (TN01)	TN01	0-5	318	100.00%	-	-	-	-	373
		11-15	-	-	16	100.00%	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	37	100.00%	-	-	-	-	
		Total	355	95.17%	16	4.29%	2	0.54%	
	TN03	11-15	-	-	-	-	10	100.00%	42
		16+	-	-	-	-	32	100.00%	
		Total	-	-	-	-	42	100.00%	
	Total		355	85.54%	16	3.86%	44	10.60%	415
Trans-Northern Pipelines (TN02)	TN02	0-5	85	100.00%	-	-	-	-	93
		6-10	8	100.00%	-	-	-	-	
		Total	93	100.00%	-	-	-	-	
	Total		93	100.00%	-	-	-	-	93
Trent Hills, Municipality Of (TRH01)	TRH01	0-5	32	100.00%	-	-	-	-	46
		11-15	-	-	2	100.00%	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	43	93.48%	3	6.52%	-	-	
	Total		43	93.48%	3	6.52%	-	-	46
Trent Lakes, Municipality Of (TRLW01)	TRLW01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1
Trent University (TRENTU123)	TRENTU01	0-5	4	100.00%	-	-	-	-	8
		16+	-	-	1	100.00%	-	-	
		6-10	1	33.33%	2	66.67%	-	-	
		Total	5	62.50%	3	37.50%	-	-	
	Total		5	62.50%	3	37.50%	-	-	8
Tribute Gas (MAGG01)	MAGG01	0-5	4	100.00%	-	-	-	-	9
		11-15	-	-	1	33.33%	2	66.67%	
		6-10	2	100.00%	-	-	-	-	
		Total	6	66.67%	1	11.11%	2	22.22%	
	Total		6	66.67%	1	11.11%	2	22.22%	9
Tuckersmith Communications (TCC01)	TCC01	0-5	359	100.00%	-	-	-	-	372
		16+	-	-	-	-	2	100.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	370	99.46%	-	-	2	0.54%	
	Total		370	99.46%	-	-	2	0.54%	372
Tweed, Municipality Of (TWDWS01)	TWDWS01	0-5	1	100.00%	-	-	-	-	8
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	2	66.67%	1	33.33%	-	-	
		Total	3	37.50%	2	25.00%	3	37.50%	
	Total		3	37.50%	2	25.00%	3	37.50%	8
University Health Network - Princess Margaret (UHNPM01)	UHNPM01	16+	-	-	-	-	1	100.00%	1
		Total	-	-	-	-	1	100.00%	
	Total		-	-	-	-	1	100.00%	1

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
University Health Network - Toronto General (UHNTG01)	UHNTG01	16+	-	-	-	-	3	100.00%	
		Total	-	-	-	-	3	100.00%	3
	Total		-	-	-	-	3	100.00%	3
University Health Network - Toronto Western (UHNW01)	UHNW01	0-5	6	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	8	100.00%	-	-	-	-	8
	Total		8	100.00%	-	-	-	-	8
University Health Network (UHN01)	UHN01	0-5	9	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	11	100.00%	-	-	-	-	11
	Total		11	100.00%	-	-	-	-	11
University Of Western Ontario (UW01)	UW01	11-15	-	-	-	-	5	100.00%	
		16+	-	-	-	-	47	100.00%	
		Total	-	-	-	-	52	100.00%	52
	Total		-	-	-	-	52	100.00%	52
University Of Windsor (UOW01)	UOW01	16+	-	-	-	-	10	100.00%	
		Total	-	-	-	-	10	100.00%	10
	Total		-	-	-	-	10	100.00%	10
Uplink Communications Inc (UPLKW01)	UPLKW01	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	5	100.00%	
		6-10	3	75.00%	1	25.00%	-	-	
		Total	15	65.22%	2	8.70%	6	26.09%	23
	Total		15	65.22%	2	8.70%	6	26.09%	23
Upper Canada District School Board (UCDSB01)	UCDSB01	0-5	1	100.00%	-	-	-	-	
		Total	1	100.00%	-	-	-	-	1
	Total		1	100.00%	-	-	-	-	1
Utilities Kingston (UK123)	UK04	0-5	598	100.00%	-	-	-	-	
		11-15	-	-	36	76.60%	11	23.40%	
		16+	-	-	2	11.11%	16	88.89%	
		6-10	100	84.75%	18	15.25%	-	-	
		Total	698	89.37%	56	7.17%	27	3.46%	781
	Total		698	89.37%	56	7.17%	27	3.46%	781
Uxbridge, Town Of (UXB01)	UXB01	11-15	-	-	6	100.00%	-	-	
		16+	-	-	82	96.47%	3	3.53%	
		Total	-	-	88	96.70%	3	3.30%	91
	Total		-	-	88	96.70%	3	3.30%	91
Vale Canada (VALE01)	VALE01	0-5	19	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	20	95.24%	-	-	1	4.76%	21
	Total		20	95.24%	-	-	1	4.76%	21
Vaughan (Street Lights), City Of (COV01)	COV01	0-5	906	100.00%	-	-	-	-	
		16+	-	-	-	-	7	100.00%	
		6-10	485	100.00%	-	-	-	-	
		Total	1,391	99.50%	-	-	7	0.50%	1398
	Total		1,391	99.50%	-	-	7	0.50%	1,398
Vaughan, City Of (Traffic Signals) (VAUGTS01)	VAUGTS01	0-5	23	100.00%	-	-	-	-	
		6-10	31	100.00%	-	-	-	-	
		Total	54	100.00%	-	-	-	-	54
	Total		54	100.00%	-	-	-	-	54
Vaughan, City Of (VAUGWS01)	VAUGWS01	0-5	442	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		Actionable Request
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	
Vaughan, City Of (VAUGWS01)	VAUGWS01	16+	-	-	62	100.00%	-	-	
		Total	442	87.01%	66	12.99%	-	-	508
		Total	442	87.01%	66	12.99%	-	-	508
Vianet (768812 Ontario Inc) (VNET01)	VNET01	0-5	838	100.00%	-	-	-	-	
		11-15	-	-	35	100.00%	-	-	
		16+	-	-	-	-	3	100.00%	
		6-10	20	95.24%	1	4.76%	-	-	
		Total	858	95.65%	36	4.01%	3	0.33%	897
		Total	858	95.65%	36	4.01%	3	0.33%	897
Videotron Senc (VDT1)	VDT1	0-5	211	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	6	100.00%	-	-	
		6-10	95	95.96%	4	4.04%	-	-	
		Total	306	95.33%	15	4.67%	-	-	321
		Total	306	95.33%	15	4.67%	-	-	321
Wainfleet Wind Power (WFWF01)	WFWF01	11-15	-	-	1	100.00%	-	-	
		Total	-	-	1	100.00%	-	-	1
		Total	-	-	1	100.00%	-	-	1
Warwick , Township Of (WWKWS01)	WWKWS01	0-5	6	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	10	90.91%	1	9.09%	
		6-10	5	62.50%	3	37.50%	-	-	
		Total	11	32.35%	22	64.71%	1	2.94%	34
		Total	11	32.35%	22	64.71%	1	2.94%	34
Wasaga Beach Distribution (WSGDIS01)	WSGDIS01	0-5	242	100.00%	-	-	-	-	
		6-10	11	100.00%	-	-	-	-	
		Total	253	100.00%	-	-	-	-	253
		Total	253	100.00%	-	-	-	-	253
Wasaga Beach, Town Of (WBWS01)	WBWS01	0-5	230	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	3	75.00%	1	25.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	235	97.51%	4	1.66%	2	0.83%	241
		Total	235	97.51%	4	1.66%	2	0.83%	241
Waste Connections Of Canada (PRWM01)	PRWM01	11-15	-	-	1	100.00%	-	-	
		16+	-	-	3	100.00%	-	-	
		Total	-	-	4	100.00%	-	-	4
		Total	-	-	4	100.00%	-	-	4
Waste Management Canada (WMFM01)	WMFM01	0-5	1	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		Total	1	50.00%	-	-	1	50.00%	2
		Total	1	50.00%	-	-	1	50.00%	2
Waterloo Fibre (WATFOW01)	WATFOW01	0-5	13	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		6-10	10	100.00%	-	-	-	-	
		Total	23	92.00%	2	8.00%	-	-	25
		Total	23	92.00%	2	8.00%	-	-	25
Waterloo, City Of (CW01)	CW01	0-5	622	100.00%	-	-	-	-	
		11-15	-	-	23	95.83%	1	4.17%	
		16+	-	-	15	100.00%	-	-	
		6-10	56	90.32%	6	9.68%	-	-	
		Total	678	93.78%	44	6.09%	1	0.14%	723
		Total	678	93.78%	44	6.09%	1	0.14%	723

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Waterloo, Region Of - Rural Storm Sewers (RW03)	RW03	0-5	51	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	15	93.75%	1	6.25%	-	-	
		Total	66	92.96%	5	7.04%	-	-	
	Total		66	92.96%	5	7.04%	-	-	71
Waterloo, Region Of (North Dumfries Wellesley Water) (RW06)	RW06	0-5	108	100.00%	-	-	-	-	
		11-15	-	-	4	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	33	94.29%	2	5.71%	-	-	
		Total	141	95.27%	7	4.73%	-	-	
	Total		141	95.27%	7	4.73%	-	-	148
Waterloo, Region Of (RW02)	RW02	0-5	65	100.00%	-	-	-	-	
		11-15	-	-	12	100.00%	-	-	
		16+	-	-	-	-	14	100.00%	
		6-10	106	99.07%	1	0.93%	-	-	
		Total	171	86.36%	13	6.57%	14	7.07%	
	Total		171	86.36%	13	6.57%	14	7.07%	198
Waterloo, University Of (UWAT01)	UWAT01	0-5	1	100.00%	-	-	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Wavedirect Telecommunications (WVDT01)	WVDT01	0-5	4	100.00%	-	-	-	-	
		Total	4	100.00%	-	-	-	-	
	Total		4	100.00%	-	-	-	-	4
Wawa, Municipality Of (WAW01)	WAW01	0-5	6	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	7	87.50%	-	-	1	12.50%	
	Total		7	87.50%	-	-	1	12.50%	8
Welland Hydro (WLNDH01)	WLNDH01	0-5	358	100.00%	-	-	-	-	
		6-10	28	100.00%	-	-	-	-	
		Total	386	100.00%	-	-	-	-	
	Total		386	100.00%	-	-	-	-	386
Welland, City Of (WLD01)	WLD01	0-5	445	100.00%	-	-	-	-	
		6-10	6	100.00%	-	-	-	-	
		Total	451	100.00%	-	-	-	-	
	Total		451	100.00%	-	-	-	-	451
Wellesley, Township Of (WLSLY01)	WLSLY01	0-5	39	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	5	100.00%	-	-	-	-	
		Total	44	97.78%	-	-	1	2.22%	
	Total		44	97.78%	-	-	1	2.22%	45
Wellington North Power Inc (WNP01)	WNP01	0-5	74	100.00%	-	-	-	-	
		Total	74	100.00%	-	-	-	-	
	Total		74	100.00%	-	-	-	-	74
Wellington North, Township Of (WLGN123)	WLGN01	0-5	64	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	-	-	2	100.00%	-	-	
		Total	64	94.12%	2	2.94%	2	2.94%	
	Total		64	94.12%	2	2.94%	2	2.94%	68
Wellington, County Of (WLG123)	WLGTS01	11-15	-	-	-	-	1	100.00%	
		16+	-	-	16	94.12%	1	5.88%	
		Total	-	-	16	88.89%	2	11.11%	
	Total		-	-	16	88.89%	2	11.11%	18

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
West Elgin, Municipality Of (W005)	W005	0-5	11	100.00%	-	-	-	-	
		11-15	-	-	-	-	43	100.00%	
		16+	-	-	-	-	49	100.00%	
		6-10	8	72.73%	3	27.27%	-	-	
		Total	19	16.67%	3	2.63%	92	80.70%	
	Total		19	16.67%	3	2.63%	92	80.70%	114
West Grey , Municipality Of (WGWS01)	WGWS01	0-5	29	100.00%	-	-	-	-	
		11-15	-	-	1	50.00%	1	50.00%	
		16+	-	-	-	-	16	100.00%	
		6-10	81	82.65%	17	17.35%	-	-	
		Total	110	75.86%	18	12.41%	17	11.72%	
	Total		110	75.86%	18	12.41%	17	11.72%	145
West Lincoln, Township Of (WLCWS01)	WLCWS01	0-5	41	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	1	100.00%	-	-	-	-	
		Total	42	97.67%	-	-	1	2.33%	
	Total		42	97.67%	-	-	1	2.33%	43
West Nipissing , Municipality Of (WNIP01)	WNIP01	0-5	58	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	2	100.00%	-	-	-	-	
		Total	60	98.36%	1	1.64%	-	-	
	Total		60	98.36%	1	1.64%	-	-	61
West Perth, Municipality Of (WPTH123)	WPTHSS01	0-5	14	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	6	100.00%	-	-	-	-	
		Total	20	95.24%	-	-	1	4.76%	
	WPTHWS01	0-5	20	100.00%	-	-	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	28	100.00%	-	-	-	-	
	Total		48	97.96%	-	-	1	2.04%	49
West Windsor Power (WWP01)	WWP01	0-5	2	100.00%	-	-	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	3	100.00%	-	-	-	-	
	Total		3	100.00%	-	-	-	-	3
Westario Power (WPOW01)	WPOW01	0-5	328	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	33	63.46%	19	36.54%	-	-	
		Total	361	94.01%	23	5.99%	-	-	
	Total		361	94.01%	23	5.99%	-	-	384
Westover Express Pipeline	WEX01	0-5	35	100.00%	-	-	-	-	
		6-10	4	100.00%	-	-	-	-	
		Total	39	100.00%	-	-	-	-	
	Total		39	100.00%	-	-	-	-	39
Westport , Village Of (WPT01)	WPT01	0-5	6	100.00%	-	-	-	-	
		Total	6	100.00%	-	-	-	-	
	Total		6	100.00%	-	-	-	-	6
Whitby, Town Of (WHIT123)	WHITCB01	0-5	5	100.00%	-	-	-	-	
		Total	5	100.00%	-	-	-	-	
	WHITS01	0-5	110	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	1	100.00%	-	-	-	-	
		Total	111	99.11%	1	0.89%	-	-	
	WHITSL01	0-5	32	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Whitby, Town Of (WHIT123)	WHITSL01	6-10	32	100.00%	-	-	-	-	
		Total	64	98.46%	1	1.54%	-	-	65
	Total		180	98.90%	2	1.10%	-	-	182
Whitchurch-Stouffville, Town Of (WCHSTO01)	WCSTS01	0-5	114	100.00%	-	-	-	-	
		6-10	14	100.00%	-	-	-	-	
		Total	128	100.00%	-	-	-	-	128
	WCSTSL01	0-5	227	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	244	100.00%	-	-	-	-	244
	WCSTW01	0-5	191	100.00%	-	-	-	-	
		6-10	17	100.00%	-	-	-	-	
		Total	208	100.00%	-	-	-	-	208
	Total		580	100.00%	-	-	-	-	580
White River , Town Of (WHRWS01)	WHRWS01	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
Whitewater Region, Township Of (WHTWAT01)	WHTWAT01	16+	-	-	-	-	8	100.00%	
		Total	-	-	-	-	8	100.00%	8
	Total		-	-	-	-	8	100.00%	8
Wiet Peeters Farm Products Limited (WPFPL01)	WPFPL01	16+	-	-	-	-	2	100.00%	
		Total	-	-	-	-	2	100.00%	2
	Total		-	-	-	-	2	100.00%	2
Wightman Telecom (WT123)	WT01	0-5	1,066	100.00%	-	-	-	-	
		11-15	-	-	220	90.53%	23	9.47%	
		16+	-	-	-	-	34	100.00%	
		6-10	399	72.68%	150	27.32%	-	-	
		Total	1,465	77.43%	370	19.56%	57	3.01%	1892
	Total		1,465	77.43%	370	19.56%	57	3.01%	1,892
Wilfrid Laurier University (WLU01)	WLU01	0-5	2	100.00%	-	-	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	-	-	1	100.00%	-	-	
		Total	2	50.00%	1	25.00%	1	25.00%	4
	Total		2	50.00%	1	25.00%	1	25.00%	4
Wilmot, Township Of (WLMWS01)	WLMWS01	11-15	-	-	-	-	50	100.00%	
		16+	-	-	-	-	81	100.00%	
		Total	-	-	-	-	131	100.00%	131
	Total		-	-	-	-	131	100.00%	131
Windsor, City Of - Sewer (WSRS01)	WSRS01	0-5	576	100.00%	-	-	-	-	
		6-10	226	99.56%	1	0.44%	-	-	
		Total	802	99.88%	1	0.12%	-	-	803
	Total		802	99.88%	1	0.12%	-	-	803
Windsor, City Of - Traffic (WSRTS01)	WSRTS01	0-5	44	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	1	100.00%	
		6-10	85	100.00%	-	-	-	-	
		Total	129	98.47%	1	0.76%	1	0.76%	131
	Total		129	98.47%	1	0.76%	1	0.76%	131
Windsor, City Of (EWINW01)	EWINW01	0-5	254	100.00%	-	-	-	-	
		6-10	201	100.00%	-	-	-	-	
		Total	455	100.00%	-	-	-	-	455
	EWINW02	0-5	89	100.00%	-	-	-	-	
		Total	89	100.00%	-	-	-	-	89
	Total		544	100.00%	-	-	-	-	544

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Windsor, City Of (WSRSL01)	WSRSL01	0-5	1,822	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	-	-	8	100.00%	
		6-10	237	100.00%	-	-	-	-	
		Total	2,059	99.56%	1	0.05%	8	0.39%	2068
	Total		2,059	99.56%	1	0.05%	8	0.39%	2,068
Wingham & Listowel Hospitals (LWHA01)	LWHA01	0-5	2	100.00%	-	-	-	-	
		Total	2	100.00%	-	-	-	-	2
	Total		2	100.00%	-	-	-	-	2
Woodstock Water, City Of (WDWAT01)	WDWAT01	0-5	401	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	417	99.52%	2	0.48%	-	-	419
	Total		417	99.52%	2	0.48%	-	-	419
Woodstock, City Of (Sanitary & Storm Sewer) (WDSS01)	WDSS01	0-5	377	100.00%	-	-	-	-	
		11-15	-	-	1	100.00%	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	16	100.00%	-	-	-	-	
		Total	393	99.24%	3	0.76%	-	-	396
	Total		393	99.24%	3	0.76%	-	-	396
Woolwich, Township Of (WLW01)	WLW01	0-5	233	100.00%	-	-	-	-	
		Total	233	100.00%	-	-	-	-	233
	Total		233	100.00%	-	-	-	-	233
Wtc Communications (WTCCT01)	WTCCT01	0-5	79	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	90	96.77%	1	1.08%	2	2.15%	93
	Total		90	96.77%	1	1.08%	2	2.15%	93
Xplore Inc	MTLF01	0-5	236	100.00%	-	-	-	-	
		6-10	64	100.00%	-	-	-	-	
		Total	300	100.00%	-	-	-	-	300
	XPNET01	0-5	344	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		6-10	27	96.43%	1	3.57%	-	-	
		Total	371	98.93%	4	1.07%	-	-	375
	XPNET02	0-5	129	100.00%	-	-	-	-	
		16+	-	-	-	-	2	100.00%	
		6-10	3	100.00%	-	-	-	-	
		Total	132	98.51%	-	-	2	1.49%	134
	Total		803	99.26%	4	0.49%	2	0.25%	809
Yellow Falls Power (BORWF10)	BORWF10	16+	-	-	-	-	1	100.00%	
		Total	-	-	-	-	1	100.00%	1
	Total		-	-	-	-	1	100.00%	1
York Region Water And Sewer (YRWS123)	YRWS01	0-5	673	100.00%	-	-	-	-	
		6-10	30	100.00%	-	-	-	-	
		Total	703	100.00%	-	-	-	-	703
	Total		703	100.00%	-	-	-	-	703
York University (YORKU01)	YORKU01	16+	-	-	-	-	14	100.00%	
		Total	-	-	-	-	14	100.00%	14
	Total		-	-	-	-	14	100.00%	14
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	0-5	592	100.00%	-	-	-	-	
		11-15	-	-	38	100.00%	-	-	
		16+	-	-	8	80.00%	2	20.00%	

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
York, Region Of (Traffic, St Lights, Storm Sewer, Culverts) (YRTTS01)	YRTTS01	6-10	760	98.83%	9	1.17%	-	-	
		Total	1,352	95.95%	55	3.90%	2	0.14%	1409
		Total	1,352	95.95%	55	3.90%	2	0.14%	1,409
Zayo Canada Inc (ZAYO123)	ZAYOON01	0-5	77	100.00%	-	-	-	-	
		11-15	-	-	3	100.00%	-	-	
		16+	-	-	6	85.71%	1	14.29%	
		6-10	51	83.61%	10	16.39%	-	-	
		Total	128	86.49%	19	12.84%	1	0.68%	148
	ZAYOON02	0-5	45	100.00%	-	-	-	-	
		11-15	-	-	10	100.00%	-	-	
		16+	-	-	1	11.11%	8	88.89%	
		6-10	1	100.00%	-	-	-	-	
		Total	46	70.77%	11	16.92%	8	12.31%	65
	ZAYOON03	0-5	31	100.00%	-	-	-	-	
		11-15	-	-	9	100.00%	-	-	
		16+	-	-	3	21.43%	11	78.57%	
		6-10	39	82.98%	8	17.02%	-	-	
		Total	70	69.31%	20	19.80%	11	10.89%	101
	ZAYOON04	0-5	13	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	10	83.33%	2	16.67%	-	-	
		Total	23	85.19%	4	14.81%	-	-	27
	ZAYOON05	0-5	39	100.00%	-	-	-	-	
		16+	-	-	3	100.00%	-	-	
		6-10	51	91.07%	5	8.93%	-	-	
		Total	90	91.84%	8	8.16%	-	-	98
	ZAYOON06	0-5	7	100.00%	-	-	-	-	
		16+	-	-	1	100.00%	-	-	
		6-10	8	100.00%	-	-	-	-	
		Total	15	93.75%	1	6.25%	-	-	16
	ZAYOON07	0-5	56	100.00%	-	-	-	-	
		16+	-	-	2	100.00%	-	-	
		6-10	57	86.36%	9	13.64%	-	-	
		Total	113	91.13%	11	8.87%	-	-	124
	ZAYOON08	0-5	59	100.00%	-	-	-	-	
		11-15	-	-	2	100.00%	-	-	
		16+	-	-	4	100.00%	-	-	
		6-10	23	36.51%	40	63.49%	-	-	
		Total	82	64.06%	46	35.94%	-	-	128
	ZAYOON09	0-5	12	100.00%	-	-	-	-	
		11-15	-	-	5	100.00%	-	-	
		16+	-	-	1	25.00%	3	75.00%	
		6-10	11	100.00%	-	-	-	-	
		Total	23	71.88%	6	18.75%	3	9.38%	32
	ZAYOON11	0-5	517	100.00%	-	-	-	-	
		11-15	-	-	22	100.00%	-	-	
		16+	-	-	20	42.55%	27	57.45%	
		6-10	60	93.75%	4	6.25%	-	-	
		Total	577	88.77%	46	7.08%	27	4.15%	650
	ZAYOON12	0-5	18	100.00%	-	-	-	-	
		6-10	11	91.67%	1	8.33%	-	-	
		Total	29	96.67%	1	3.33%	-	-	30
	Total		1,196	84.28%	173	12.19%	50	3.52%	1,419

UIO Performance Report



			On Time		Late		No 360 Feedback Response Provided		
UIO Name	Master Code(s)	Grouping	Notification	Perf. Rating	Notification	Perf. Rating	Notification	Perf. Rating	Actionable Request
Zayo Canada Inc (ZAYOON10)	ZAYOON10	0-5	132	100.00%	-	-	-	-	
		11-15	-	-	11	91.67%	1	8.33%	
		16+	-	-	45	90.00%	5	10.00%	
		6-10	44	97.78%	1	2.22%	-	-	
		Total	176	73.64%	57	23.85%	6	2.51%	
	Total		176	73.64%	57	23.85%	6	2.51%	239
Zorra, Township Of (ZRASS01)	ZRASS01	0-5	37	100.00%	-	-	-	-	
		Total	37	100.00%	-	-	-	-	
	Total		37	100.00%	-	-	-	-	37
Total			357,115	95.46%	12,912	3.45%	4,075	1.09%	374,102